



HFD-96-10 SHOWN

Platform Body Specifications & Features

Long Sill	5" Structural Channel
Cross Member	3" Structural Channel
Cross Member Spacing	16" On - Center
Floor Deck	1/8" Treadplate
Horizontal sheet seams over cross member eliminates sheet separation.	
Side Rail	Integrated 1/8" Treadplate
Bulkhead	Integrated 11 ga. Sheet with 3" Structural Channel Standards and Window Screen
Rear Skirt	11 ga. Sheet with Recessed Light Boxes and Tag Box
Rear Skirt Lights	(4) S/T/T LED & (2) Reverse LED
Clearance Lights	3/4" LED Federal 108 Spec
Receiver Hitch	16,000 lbs. Rated 2" Receiver Tube with Integrated ICC Bumper
Trailer Plugs	(1) 7W RV
Stake Pockets	External Pockets for 1-1/2" x 3-1/2" Standards
Rub Rail	3/8" x 2-1/2" on Each Side
Wiring	Modular Plug & Play Harness Connects Directly to the OEM Truck Harness
Paint	Black Polyurethane Top Coat
Mud Flaps	Standard for Each Rear Wheel
Back Up Alarm	Standard 97 Decibel Alarm

Popular Options	
Floor Deck	10 ga. Smooth Deck
Cross Member Spacing	12" On - Center
Receiver Hitch	21,000 lbs. Rated 2-1/2" Receiver Tube with Integrated ICC Bumper
Sides	42" Stake Panel Sides
Sides	Drop In Side Rails
Sides	Folding Side Rails
Toolbox	Underbody Toolboxes
Toolbox	Top Side Toolboxes
Toolbox	Back Pack Toolboxes
Toolbox	Belly Box Storage Compartment
Cargo Control	Underbody Sliding Winch Track
Cargo Control	Underbody Strapping Rail
Paint	Custom Color Polyurethane Top Coat