


20
20



USTarp
Covering America®

AGRICULTURAL & SPECIALTY
TARP SYSTEMS



800-249-0297 | USTARP.COM

On the Road
On the Farm
On the Jobsite

WE'VE GOT YOU COVERED.

1

Agriculture Tarp Systems, Page 4

US Tarp Agriculture Tarp Systems are water resistant systems for everyday hauling, available in either Side Roll or Premium Belt & Ratchet style for versatile load protection on the farm or on the jobsite.

2

Specialty Tarp Systems, Page 6

US Tarp Cable Systems are available in standard bow sizes for 96" or 102" wide trailers or can be customized for the right fit in a variety of tarp materials suitable for any job.

AGRICULTURAL & SPECIALTY TARP SYSTEMS



US Tarp has systems to fit most agriculture and specialty trailers. Once installed, our Cable Tarp, Side Roll, and Side Dump designs are easy to operate and will keep your cargo safe. US Tarp cables, motors, and bows are built for the long haul and will remain reliable day after day.



AGRICULTURE TARP SYSTEMS

Side Roll and Premium Belt & Ratchet Tarp System

Manual Side Roll and Premium Belt & Ratchet Tarp Systems fit trailers 10' to 54' in length, and are the most water-resistant systems offered, making them ideal for agricultural use. The Side Roll Systems come standard with a pinless crank retainer kit with 7" offset along with extruded aluminum tarp stops. Belt & Ratchet Systems include heavy duty ratchet strap kits, crank retainer kit, and quick release tarp stop.



• STANDARD ROLL TARP SYSTEM •

- Fits Applications from 10' to 54'
- Up to 102" Wide Body
- 18 oz Black Vinyl Tarp Standard
- Pin-Less Crank Retainer Kit with 7" Offset
- Extruded Aluminum Tarp Stops
- No End Caps



• PREMIUM BELT & RATCHET SYSTEM •

- Fits Applications from 10' to 54'
- Up to 102" Wide Body
- 18 oz Black Vinyl Tarp Standard
- Heavy Duty Ratchet Strap Kits Included
- Crank Retainer Kit
- Quick Release Extruded Aluminum Tarp Stops
- No End Caps



Tarp options and parts available on Pages 10 & 11.

SIDE ROLL AND PREMIUM BELT & RATCHET TARP SYSTEMS

Side Roll Tarp Systems

Base System	Part #	Tarp Options* -22BV 22 oz Black Vinyl	Tarp Stop Options* -ACS Aluminum Cast -AC6 Aluminum Cast 6" Offset	End Cap Options* -FEC Fabric End Caps Front & Back -AEC Aluminum End Caps Front & Back
		*Leave blank for Standard Tarp, Tarp Stop and End Caps		
Up to 10'	AG10BV	-22BV	-ACS or -AC6	-FEC or -AEC
11' – 15'	AG15BV	-22BV	-ACS or -AC6	-FEC or -AEC
16' – 20'	AG20BV	-22BV	-ACS or -AC6	-FEC or -AEC
21' – 25'	AG25BV	-22BV	-ACS or -AC6	-FEC or -AEC
26' – 30'	AG30BV	-22BV	-ACS or -AC6	-FEC or -AEC
31' – 35'	AG35BV	-22BV	-ACS or -AC6	-FEC or -AEC
36' – 40'	AG40BV	-22BV	-ACS or -AC6	-FEC or -AEC
41' – 45'	AG45BV	-22BV	-ACS or -AC6	-FEC or -AEC
46' – 50'	AG50BV	-22BV	-ACS or -AC6	-FEC or -AEC
51' – 54'	AG54BV	-22BV	-ACS or -AC6	-FEC or -AEC

Premium Belt & Ratchet Tarp System

Base System	Part #	Tarp Options* -22BV 22 oz Black Vinyl	Tarp Stop Options* -ACS Aluminum Cast -AC6 Aluminum Cast 6" Offset	End Cap Options* -FEC Fabric End Caps -AEC Aluminum End Caps Front & Back
		*Leave blank for Standard Tarp, Tarp Stop and End Caps		
11' – 15'	PBR15	-22BV	-ACS or -AC6	-FEC or -AEC
16' – 20'	PBR20	-22BV	-ACS or -AC6	-FEC or -AEC
21' – 25'	PBR25	-22BV	-ACS or -AC6	-FEC or -AEC
26' – 30'	PBR30	-22BV	-ACS or -AC6	-FEC or -AEC
31' – 35'	PBR35	-22BV	-ACS or -AC6	-FEC or -AEC
36' – 40'	PBR40	-22BV	-ACS or -AC6	-FEC or -AEC
41' – 45'	PBR45	-22BV	-ACS or -AC6	-FEC or -AEC
46' – 50'	PBR50	-22BV	-ACS or -AC6	-FEC or -AEC
51' – 54'	PBR54	-22BV	-ACS or -AC6	-FEC or -AEC



SPECIALTY TARP SYSTEMS

Side Dump Tarp Systems

Side Dump Tarp Systems are complete electric tarping solutions, offering custom mounting brackets and available in sizes covering applications from 20' to 40'.


Length	Black Vinyl	Black Mesh
20'	SD20BV	SD20BM
22'	SD22BV	SD22BM
24'	SD24BV	SD24BM
26'	SD26BV	SD26BM
28'	SD28BV	SD28BM
30'	SD30BV	SD30BM
32'	SD32BV	SD32BM
34'	SD34BV	SD34BM
36'	SD36BV	SD36BM
38'	SD38BV	SD38BM
40'	SD40BV	SD40BM



Tarp options and parts available on Pages 10 & 11.



Side Dump System Parts



Part #	QTY*	Description
14777	2	Roller Tube Rubber Grip
14775	1	Spring 3/4" LH
14776	1	Spring 3/4" RH
15090	1 or 2	Aluminum Roll Pipe, 3.5" OD 20"
15096	1 or 2	Stationary Pipe 20"
15099	7	Nylon U-Clamp
15093	2	Bulletproof Arm 29-3/4"
15097	5	Tarp Stop
15098	2	Roller Guide Bar
14909	2	Tarp Cradles
SMITHCO	2	Mounting Bracket
15092	1	Power Head Assembly with Motor
15116	1	Idler Head Assembly
15094	2	Lower Pivot Arm
15095	2	Pivot Pin Assembly
12250-ROCKER	1	12V Rocker Switch Kit
14993	1	Coiled Wire 15'
15787	2	1" Flat Washer (Fastenal #33022)

Part #	QTY*	Description
15786	2	5/16" x 3 Cotter Pin (Fastenal #65171)
15789	12	1/4" Steel Rivet SB8812
11264	1	Dual Conductor Plug Set
15778	2	1/4-20 x 6" Hex Bolt
11362	2	1/4-20 Lock Nut
11275	38	3/8" Lock Nut
14882	18	3/8-16 x 1-1/2" Hex Bolt Self-Tapping Screw
13743	2	5/16-18 x 2-1/2" Hex Bolt
11229	4	5/16-18 Lock Nut
14052	2	5/16-18 x 3" Hex Bolt
14739	4	1/2-13 x 2" Hex Bolt
11274	4	1/2-13 Lock Nut
14882	20	3/8-16 x 1-1/2" Hex Bolt Self-Tapping Screw
13763	10	#12 Self-Drill/Self-Tapping Screw
15091	1	Aluminum Pipe Connector

*Quantity required

SPECIALTY TARP SYSTEMS

Cable Tarp Systems

US Tarp Cable Systems are available with standard 98" or 104" bows with 12" rise or can be customized for the right fit. All kits include the components below, US Tarp also offers a K Bar option for quick and easy installation of the front mounting assembly. Electric cable systems less than 30' have a direct drive dual shaft tarp motor; kits exceeding 30' have keyway tarp motor with chain and sprocket gear reduction. Manual crank cable systems are also available.

• STANDARD CABLE TARP SYSTEM •

- Standard Bow Size 98" with 12" Rise and 104" with 12" Rise
- Standard Cable Bow End
- Front Roller Tub
- Pillow Block Bearings
- 7" Front Pulleys
- Aircraft Cable
- Anti-Lift Kits
- Tension Pulleys

Tarp options and parts available on Pages 10 & 11.




Bullet Proof Dual Tarp Motor
(90:1) rated 12' to 30'



Bulletproof Motor with
Keyway in Shaft
90:1 rated for 31' to 40'






**Manual Crank Cable
Tarp Systems with Tarp**

Length	Vinyl	Mesh
16'	CAB16BV	CAB16BM
18'	CAB18BV	CAB18BM
20'	CAB20BV	CAB20BM
22'	CAB22BV	CAB22BM
24'	CAB24BV	CAB24BM
26'	CAB26BV	CAB26BM
28'	CAB28BV	CAB28BM
30'	CAB30BV	CAB30BM
32'	CAB32BV	CAB32BM
34'	CAB34BV	CAB34BM
36'	CAB36BV	CAB36BM
38'	CAB38BV	CAB38BM
40'	CAB40BV	CAB40BM


**Electric Cable Tarp
Systems with Tarp**

Length	Vinyl	Mesh
16'	ECAB16BV	ECAB16BM
18'	ECAB18BV	ECAB18BM
20'	ECAB20BV	ECAB20BM
22'	ECAB22BV	ECAB22BM
24'	ECAB24BV	ECAB24BM
26'	ECAB26BV	ECAB26BM
28'	ECAB28BV	ECAB28BM
30'	ECAB30BV	ECAB30BM
32'	ECAB32BV	ECAB32BM
34'	ECAB34BV	ECAB34BM
36'	ECAB36BV	ECAB36BM
38'	ECAB38BV	ECAB38BM
40'	ECAB40BV	ECAB40BM

TARP OPTIONS & PARTS



Black Vinyl
18 oz or 22 oz



Black Mesh

Side Roll and Premium Belt & Ratchet Tarps

Available in 18 oz Black Vinyl (BV) and 22 oz Black Vinyl (22BV)

Side Roll and Premium Belt & Ratchet Tarps									
Length	18 oz Black Vinyl up to 123" Wide	18 oz Black Vinyl up to 129" Wide	22 oz Black Vinyl up to 123" Wide	22 oz Black Vinyl up to 129" Wide	Length	18 oz Black Vinyl up to 123" Wide	18 oz Black Vinyl up to 129" Wide	22 oz Black Vinyl up to 123" Wide	22 oz Black Vinyl up to 129" Wide
6'	123-6-BV-AG	129-6-BV-AG	123-6-22BV-AG	129-6-22BV-AG	31'	123-31-BV-AG	129-31-BV-AG	123-31-22BV-AG	129-31-22BV-AG
7'	123-7-BV-AG	129-7-BV-AG	123-7-22BV-AG	129-7-22BV-AG	32'	123-32-BV-AG	129-32-BV-AG	123-32-22BV-AG	129-32-22BV-AG
8'	123-8-BV-AG	129-8-BV-AG	123-8-22BV-AG	129-8-22BV-AG	33'	123-33-BV-AG	129-33-BV-AG	123-33-22BV-AG	129-33-22BV-AG
9'	123-9-BV-AG	129-9-BV-AG	123-9-22BV-AG	129-9-22BV-AG	34'	123-34-BV-AG	129-34-BV-AG	123-34-22BV-AG	129-34-22BV-AG
10'	123-10-BV-AG	129-10-BV-AG	123-10-22BV-AG	129-10-22BV-AG	35'	123-35-BV-AG	129-35-BV-AG	123-35-22BV-AG	129-35-22BV-AG
11'	123-11-BV-AG	129-11-BV-AG	123-11-22BV-AG	129-11-22BV-AG	36'	123-36-BV-AG	129-36-BV-AG	123-36-22BV-AG	129-36-22BV-AG
12'	123-12-BV-AG	129-12-BV-AG	123-12-22BV-AG	129-12-22BV-AG	37'	123-37-BV-AG	129-37-BV-AG	123-37-22BV-AG	129-37-22BV-AG
13'	123-13-BV-AG	129-13-BV-AG	123-13-22BV-AG	129-13-22BV-AG	38'	123-38-BV-AG	129-38-BV-AG	123-38-22BV-AG	129-38-22BV-AG
14'	123-14-BV-AG	129-14-BV-AG	123-14-22BV-AG	129-14-22BV-AG	39'	123-39-BV-AG	129-39-BV-AG	123-39-22BV-AG	129-39-22BV-AG
15'	123-15-BV-AG	129-15-BV-AG	123-15-22BV-AG	129-15-22BV-AG	40'	123-40-BV-AG	129-40-BV-AG	123-40-22BV-AG	129-40-22BV-AG
16'	123-16-BV-AG	129-16-BV-AG	123-16-22BV-AG	129-16-22BV-AG	41'	123-41-BV-AG	129-41-BV-AG	123-41-22BV-AG	129-41-22BV-AG
17'	123-17-BV-AG	129-17-BV-AG	123-17-22BV-AG	129-17-22BV-AG	42'	123-42-BV-AG	129-42-BV-AG	123-42-22BV-AG	129-42-22BV-AG
18'	123-18-BV-AG	129-18-BV-AG	123-18-22BV-AG	129-18-22BV-AG	43'	123-43-BV-AG	129-43-BV-AG	123-43-22BV-AG	129-43-22BV-AG
19'	123-19-BV-AG	129-19-BV-AG	123-19-22BV-AG	129-19-22BV-AG	44'	123-44-BV-AG	129-44-BV-AG	123-44-22BV-AG	129-44-22BV-AG
20'	123-20-BV-AG	129-20-BV-AG	123-20-22BV-AG	129-20-22BV-AG	45'	123-45-BV-AG	129-45-BV-AG	123-45-22BV-AG	129-45-22BV-AG
21'	123-21-BV-AG	129-21-BV-AG	123-21-22BV-AG	129-21-22BV-AG	46'	123-46-BV-AG	129-46-BV-AG	123-46-22BV-AG	129-46-22BV-AG
22'	123-22-BV-AG	129-22-BV-AG	123-22-22BV-AG	129-22-22BV-AG	47'	123-47-BV-AG	129-47-BV-AG	123-47-22BV-AG	129-47-22BV-AG
23'	123-23-BV-AG	129-23-BV-AG	123-23-22BV-AG	129-23-22BV-AG	48'	123-48-BV-AG	129-48-BV-AG	123-48-22BV-AG	129-48-22BV-AG
24'	123-24-BV-AG	129-24-BV-AG	123-24-22BV-AG	129-24-22BV-AG	49'	123-49-BV-AG	129-49-BV-AG	123-49-22BV-AG	129-49-22BV-AG
25'	123-25-BV-AG	129-25-BV-AG	123-25-22BV-AG	129-25-22BV-AG	50'	123-50-BV-AG	129-50-BV-AG	123-50-22BV-AG	129-50-22BV-AG
26'	123-62-BV-AG	129-62-BV-AG	123-62-22BV-AG	129-62-22BV-AG	51'	123-51-BV-AG	129-51-BV-AG	123-51-22BV-AG	129-51-22BV-AG
27'	123-27-BV-AG	129-27-BV-AG	123-27-22BV-AG	129-27-22BV-AG	52'	123-52-BV-AG	129-52-BV-AG	123-52-22BV-AG	129-52-22BV-AG
28'	123-28-BV-AG	129-28-BV-AG	123-28-22BV-AG	129-28-22BV-AG	53'	123-53-BV-AG	129-53-BV-AG	123-53-22BV-AG	129-53-22BV-AG
29'	123-29-BV-AG	129-29-BV-AG	123-29-22BV-AG	129-29-22BV-AG	54'	123-54-BV-AG	129-54-BV-AG	123-54-22BV-AG	129-54-22BV-AG
30'	123-30-BV-AG	129-30-BV-AG	123-30-22BV-AG	129-30-22BV-AG					

Cable Tarps

Black Vinyl (BV) and Heavy Duty Black Mesh (BM)

Cable System Tarps					
Length	102" Black Vinyl	108" Black Vinyl	Length	102" Black Mesh	108" Black Mesh
16'	102-16-BV-CABLE	108-16-BV-CABLE	16'	102-16-BM-CABLE	108-16-BM-CABLE
18'	102-18-BV-CABLE	108-18-BV-CABLE	18'	102-18-BM-CABLE	108-18-BM-CABLE
20'	102-20-BV-CABLE	108-20-BV-CABLE	20'	102-20-BM-CABLE	108-20-BM-CABLE
22'	102-22-BV-CABLE	108-22-BV-CABLE	22'	102-22-BM-CABLE	108-22-BM-CABLE
24'	102-24-BV-CABLE	108-24-BV-CABLE	24'	102-24-BM-CABLE	108-24-BM-CABLE
26'	102-26-BV-CABLE	108-26-BV-CABLE	26'	102-26-BM-CABLE	108-26-BM-CABLE
28'	102-28-BV-CABLE	108-28-BV-CABLE	28'	102-28-BM-CABLE	108-28-BM-CABLE
30'	102-30-BV-CABLE	108-30-BV-CABLE	30'	102-30-BM-CABLE	108-30-BM-CABLE
32'	102-32-BV-CABLE	108-32-BV-CABLE	32'	102-32-BM-CABLE	108-32-BM-CABLE
34'	102-34-BV-CABLE	108-34-BV-CABLE	34'	102-34-BM-CABLE	108-34-BM-CABLE
36'	102-36-BV-CABLE	108-36-BV-CABLE	36'	102-36-BM-CABLE	108-36-BM-CABLE
38'	102-38-BV-CABLE	108-38-BV-CABLE	38'	102-38-BM-CABLE	108-38-BM-CABLE
40'	102-40-BV-CABLE	108-40-BV-CABLE	40'	102-40-BM-CABLE	108-40-BM-CABLE
29'	102-29-BV-CABLE	108-29-BV-CABLE	29'	102-29-BV-CABLE	108-29-BV-CABLE
30'	102-30-BV-CABLE	108-30-BV-CABLE	30'	102-30-BV-CABLE	108-30-BV-CABLE
31'	102-31-BV-CABLE	108-31-BV-CABLE	31'	102-31-BV-CABLE	108-31-BV-CABLE
32'	102-32-BV-CABLE	108-32-BV-CABLE	32'	102-32-BV-CABLE	108-32-BV-CABLE
33'	102-33-BV-CABLE	108-33-BV-CABLE	33'	102-33-BV-CABLE	108-33-BV-CABLE
34'	102-34-BV-CABLE	108-34-BV-CABLE	34'	102-34-BV-CABLE	108-34-BV-CABLE
35'	102-35-BV-CABLE	108-35-BV-CABLE	35'	102-35-BV-CABLE	108-35-BV-CABLE
36'	102-36-BV-CABLE	108-36-BV-CABLE	36'	102-36-BV-CABLE	108-36-BV-CABLE
37'	102-37-BV-CABLE	108-37-BV-CABLE	37'	102-37-BV-CABLE	108-37-BV-CABLE
38'	102-38-BV-CABLE	108-38-BV-CABLE	38'	102-38-BV-CABLE	108-38-BV-CABLE
39'	102-39-BV-CABLE	108-39-BV-CABLE	39'	102-39-BV-CABLE	108-39-BV-CABLE
40'	102-40-BV-CABLE	108-40-BV-CABLE	40'	102-40-BV-CABLE	108-40-BV-CABLE

Side Dump Tarps

Black Vinyl (BV)

Heavy Duty Black Mesh (BM)

Side Dump Tarps		
Length	Black Vinyl	Black Mesh
20'	156-20-BV-SD	156-20-BM-SD
22'	156-22-BV-SD	156-22-BM-SD
24'	156-24-BV-SD	156-24-BM-SD
26'	156-26-BV-SD	156-26-BM-SD
28'	156-28-BV-SD	156-28-BM-SD
30'	156-30-BV-SD	156-30-BM-SD
32'	156-32-BV-SD	156-32-BM-SD
34'	156-34-BV-SD	156-34-BM-SD
36'	156-36-BV-SD	156-36-BM-SD
38'	156-38-BV-SD	156-38-BM-SD
40'	156-40-BV-SD	156-40-BM-SD

TARP SYSTEM OPTIONS

Cable Tarp Systems Options and Parts

Aluminum Front Mounting Bar



98" Part #14707
101" Part #15201

Polished Aluminum Wind Deflector



98" Part #14291
101" Part #14291-104

Dual Conductor Plug Sets




Vertical Part #11264
Horizontal Part #14566

Set up for 104" Tarp Bow




Add -104 to Part #

Custom Bow Sizes




Add -C to Part #

Square Tarp Bow End



Add -SQ to System Part #

90:1 Bulletproof Tarp Motor



Part #13957-KEYWAY

Chain Crank Assembly



Part #11140

#40 Chain/Master Link



Part #11285

42 Tooth Sprocket



Part #14675

7" Front Pulley




Part #14674

1/4" Galvanized Steel Cable



Part #14289

Rear Cable Mount Assembly



Part #14786A

Aluminum Anti-Lift Kit



Part #14242

Side Dump Tarp Options and Parts

Dual Conductor Plug Kits



Vertical Part #11264
Horizontal Part #14566

Powerhouse HD Motor Upgrade



Add -PH to System Part #

Coiled Wire 15'



Part #14993

Complete Coiled Wiring Kit



Vertical Part #14993-VKIT
Horizontal Part #14993-HKIT

Idler Head Assembly



Part #15116

Lower Pivoting Arm



Part #15094

Smith-Co Trailer Mounting



Part #SMITHCO



phone:

800-249-0297

fax:

269-639-3015

email:

Sales@USTarp.com

WE'VE GOT YOU COVERED.

US Tarp® • PO Box 935 • South Haven, MI 49090

All Manufacturers' names, numbers, symbols, and descriptions are used for reference purposes only, and it does not imply that any part listed is the product of these manufacturers.