



Division of THC Enterprises, Inc.

Easton, MD \* Baltimore, MD \* Chesapeake, VA Chester, PA \*  
Clinton, MD \* Cheswick, PA \* Salem, VA

Phone 800-338-7274 Fax 410-820-9916

Visit us on the web! [www.mawaste.com](http://www.mawaste.com)



# PROPOSAL

Remittance Address for Deposits:

10641 Cordova Road  
Easton, MD 21601

SOLD TO

SHIP TO

Quote #: RSSQ37719

ALL AFL"S

VSA

Account:

Terms:

Date: 07/05/22

Sales Rep Fred Seitz

QTY	DESCRIPTION	UNIT PRICE	EXT PRICE
1.00	<p>HEIL HalfPack Odyssey Residential 32 Cubic Yard High Compaction Front Loader</p> <ul style="list-style-type: none"><li>-Hinged and completely sealed left-side body access door to include step and grab handles</li><li>-Cab shield with hinged rubber tip extension - Steel</li><li>-Front head closure screen</li><li>-Body service props</li><li>-Tailgate service props</li><li>-Fully automatic Shur-lock tailgate latches</li><li>-Clamp on arms</li><li>-8,000 Watec WRP 06-1996 rated arms</li><li>-Four Arm shaft bearing blocks</li><li>-Fork Cross shaft rubber bumpers</li><li>-Bolt-on rubber arm stops</li><li>-Heavy-duty forks - 1 1/2" thick x 59" length</li><li>-Cross pattern packing cylinders</li><li>-Chassis frame mounted oil tank with sight gauge and shut off valve</li><li>-3-micron return line filter with magnetic trap and in-cab filter bypass monitor</li><li>-100- micron suction line strainer</li><li>-Abrasion resistant hoses</li><li>-Cortex Controller with insight diagnostic display with integrated 3rd Eye camera feed</li><li>-Throttle Advance/Limit</li><li>-Left &amp; right-hand multifunction joystick</li><li>-Complete array of in-cab function indicator lights on in cab display</li><li>-5 lb. in-cab fire extinguisher</li><li>-Tailgate lock and closed indicator sensor with in-cab indicator and alarm</li><li>-ANSI Z 245.1-2012 Compliant</li><li>-Safety triangle kit in cab</li><li>-Cavity &amp; Joint sealer</li><li>-Remote I/O for Tailgate valve &amp; Curotto-Can</li><li>-Streetwise Hydraulics™</li><li>-Solid-state control panel</li><li>-High-pressure filter kit</li><li>-Arm rest for operator controls</li><li>-Low oil level sensor with light, buzzer and pump shut-off</li><li>-Severe-duty wear bar kit</li><li>-Upper Arm Reinforcement</li><li>-Arm guides mounted to front bumper</li><li>-Hydraulic arm tube covers</li><li>-PTO mounted load sense piston pump with hot shift PTO</li><li>-Backup Alarm</li><li>-LED mid-body turn signals</li><li>-Forward-facing floodlights on cab</li><li>-Strobe light (Amber) mounted on lower tailgate- to include in cab switch, pump on and reverse activated</li><li>-Front and Rear Mud Flaps</li><li>-Rear Under ride bumper</li><li>-Hopper Flood Light</li><li>-3" underbody gate valve on street side for liquid removal</li><li>-Greaseless tailgate hinge and lift cylinders</li></ul>	\$219,426.00	\$219,426.00

QTY	DESCRIPTION	UNIT PRICE	EXT PRICE
	<ul style="list-style-type: none"> <li>-Hydraulic oil temperature sensor with alarm</li> <li>-Body hydraulic pressure sensor</li> <li>-Arm / Fork over height warning kit</li> <li>-20 Lb. Fire extinguisher</li> <li>-MVSS #108 clearance light and reflectors</li> <li>-ICC reflective tape</li> <li>-Rear camera bracket and flood lights - reverse activated</li> <li>-Body Undercoating</li> <li>-Customers Choice of one color paint finish</li> <li>-Standard 1-year warranty (2000 hours of operation)</li> <li>-Chrome-plated cylinder rods</li> </ul>		
1.00	<p>HEIL HalfPack Odyssey Residential 35 Cubic Yard High Compaction Front Loader</p> <ul style="list-style-type: none"> <li>-Hinged and completely sealed left-side body access door to include step and grab handles</li> <li>-Cab shield with hinged rubber tip extension - Steel</li> <li>-Front head closure screen</li> <li>-Body service props</li> <li>-Tailgate service props</li> <li>-Fully automatic Shur-lock tailgate latches</li> <li>-Clamp on arms</li> <li>-8,000 Watec WRP 06-1996 rated arms</li> <li>-Four Arm shaft bearing blocks</li> <li>-Fork Cross shaft rubber bumpers</li> <li>-Bolt-on rubber arm stops</li> <li>-Heavy-duty forks - 1 1/2" thick x 59" length</li> <li>-Cross pattern packing cylinders</li> <li>-Chassis frame mounted oil tank with sight gauge and shut off valve</li> <li>-3-micron return line filter with magnetic trap and in-cab filter bypass monitor</li> <li>-100- micron suction line strainer</li> <li>-Abrasion resistant hoses</li> <li>-Cortex Controller with insight diagnostic display with integrated 3rd Eye camera feed</li> <li>-Throttle Advance/Limit</li> <li>-Left &amp; right-hand multifunction joystick</li> <li>-Complete array of in-cab function indicator lights on in cab display</li> <li>-5 lb. in-cab fire extinguisher</li> <li>-Tailgate lock and closed indicator sensor with in-cab indicator and alarm</li> <li>-ANSI Z 245.1-2012 Compliant</li> <li>-Safety triangle kit in cab</li> <li>-Cavity &amp; Joint sealer</li> <li>-Remote I/O for Tailgate valve &amp; Curotto-Can</li> <li>-Streetwise Hydraulics™</li> <li>-Solid-state control panel</li> <li>-High-pressure filter kit</li> <li>-Arm rest for operator controls</li> <li>-Low oil level sensor with light, buzzer and pump shut-off</li> <li>-Severe-duty wear bar kit</li> <li>-Upper Arm Reinforcement</li> <li>-Arm guides mounted to front bumper</li> <li>-Hydraulic arm tube covers</li> <li>-PTO mounted load sense piston pump with hot shift PTO</li> <li>-Backup Alarm</li> <li>-LED mid-body turn signals</li> <li>-Forward-facing floodlights on cab</li> <li>-Strobe light (Amber) mounted on lower tailgate- to include in cab switch, pump on and reverse activated</li> <li>-Front and Rear Mud Flaps</li> <li>-Rear Under ride bumper</li> <li>-Hopper Flood Light</li> <li>-3" underbody gate valve on street side for liquid removal</li> <li>-Greaseless tailgate hinge and lift cylinders</li> <li>-Hydraulic oil temperature sensor with alarm</li> <li>-Body hydraulic pressure sensor</li> <li>-Arm / Fork over height warning kit</li> <li>-20 Lb. Fire extinguisher</li> <li>-MVSS #108 clearance light and reflectors</li> <li>-ICC reflective tape</li> <li>-Rear camera bracket and flood lights - reverse activated</li> <li>-Body Undercoating</li> </ul>	\$217,264.00	\$217,264.00

QTY	DESCRIPTION	UNIT PRICE	EXT PRICE
	-Customers Choice of one color paint finish -Standard 1-year warranty (2000 hours of operation) -Chrome-plated cylinder rods		
1.00	HEIL HalfPack Odyssey Residential 40 Cubic Yard High Compaction Front Loader -Hinged and completely sealed left-side body access door to include step and grab handles -Cab shield with hinged rubber tip extension - Steel -Front head closure screen -Body service props -Tailgate service props -Fully automatic Shur-lock tailgate latches -Clamp on arms -8,000 Watec WRP 06-1996 rated arms -Four Arm shaft bearing blocks -Fork Cross shaft rubber bumpers -Bolt-on rubber arm stops -Heavy-duty forks - 1 1/2" thick x 59" length -Cross pattern packing cylinders -Chassis frame mounted oil tank with sight gauge and shut off valve -3-micron return line filter with magnetic trap and in-cab filter bypass monitor -100- micron suction line strainer -Abrasion resistant hoses -Cortex Controller with insight diagnostic display with integrated 3rd Eye camera feed -Throttle Advance/Limit -Left & right-hand multifunction joystick -Complete array of in-cab function indicator lights on in cab display -5 lb. in-cab fire extinguisher -Tailgate lock and closed indicator sensor with in-cab indicator and alarm -ANSI Z 245.1-2012 Compliant -Safety triangle kit in cab -Cavity & Joint sealer -Remote I/O for Tailgate valve & Curotto-Can -Streetwise Hydraulics™ -Solid-state control panel -High-pressure filter kit -Arm rest for operator controls -Low oil level sensor with light, buzzer and pump shut-off -Severe-duty wear bar kit -Upper Arm Reinforcement -Arm guides mounted to front bumper -Hydraulic arm tube covers -PTO mounted load sense piston pump with hot shift PTO -Backup Alarm -LED mid-body turn signals -Forward-facing floodlights on cab -Strobe light (Amber) mounted on lower tailgate- to include in cab switch, pump on and reverse activated -Front and Rear Mud Flaps -Rear Under ride bumper -Hopper Flood Light -3" underbody gate valve on street side for liquid removal -Greaseless tailgate hinge and lift cylinders -Hydraulic oil temperature sensor with alarm -Body hydraulic pressure sensor -Arm / Fork over height warning kit -20 Lb. Fire extinguisher -MVSS #108 clearance light and reflectors -ICC reflective tape -Rear camera bracket and flood lights - reverse activated -Body Undercoating -Customers Choice of one color paint finish -Standard 1-year warranty (2000 hours of operation) -Chrome-plated cylinder rods	\$217,977.00	\$217,977.00
1.00	Tailgate Mounted Roof Access Ladder - Steel		
1.00	Full Factory Mount		

QTY	DESCRIPTION	UNIT PRICE	EXT PRICE
-----	-------------	------------	-----------

1.00 Freight

Price includes one standard color paint. Additional charges will apply if not a standard color paint from paint brochure or a metallic paint.

Terms: Net on Delivery

Price is based on the delivery of a clean and clear, ready to mount chassis, meeting Heil's minimum chassis requirements, delivered to the plant in Fort Payne, AL. Any alterations of battery box, air tanks, etc., will be an additional charge to the customer. A mounted and pre-delivery inspected unit will be delivered back to a Mid-Atlantic Waste Systems facility. Customer will pick up unit upon completion.

All built per manufacturer's standard specifications.

No title or tag fees included.

Price includes freight.

1.00

Subtotal	\$654,667.00
Federal Excise Tax	\$0.00
Sales Tax	\$0.00
TOTAL*	\$654,667.00

\*Total does not include optional items

**F.E.T will be charged on all applicable items unless current F.E.T Exemption form is on file.**

Any cancellation or modification of order will result in a 20% restocking charge to Buyer.



## TERMS AND CONDITIONS

### 1. General

No terms or condition of Buyer's purchase order which is different from or in addition to Seller's terms and conditions set forth herein shall bind Seller unless expressly agreed to in writing by Seller's duly authorized representative. Buyer's acceptance of any offer made by Seller is expressly limited to the terms and conditions provided herein. Unless otherwise stated, Seller's quotation may be modified or withdrawn prior to acceptance, and in any event, shall expire after 30 days from its date. This order is not binding on MID-ATLANTIC WASTE SYSTEMS until officially approved. The said machinery, equipment and/or parts are ordered and will be purchased subject to written contract only, and are not affected by any verbal representations or agreements, nor is this order subject to cancellation by the Purchaser without the Seller's consent. Any cancellation or modification of order will result in a 20% restocking charge to Buyer.

### 2. Price and Payment

**\*\*Payments Accepted:** Cash, Checks, ACH & Wires. Credit Card payments above \$5,000 will incur a 3% fee.

(a) Prices quoted herein are exclusive of all taxes. Any taxes levied or which may become due, and other charges or assessments made by any taxing authority in connection with this contract or the sale, except those measured by Seller's net income, shall be the expense of the Buyer and shall be payable to Seller at or before such tax or other amount is due. When Buyer is entitled to exemption from any tax, Buyer shall furnish Seller with a tax exemption certificate acceptable to the taxing authorities.

(b) Interest at the rate of one and one-half per cent (1.5%) per month (18% per annum), or the maximum lawful rate allowable, will be charged, whichever is less, on all past due invoices. The undersigned agrees to pay all expenses, charges, costs and fees, including, without limitation, attorney's fees and expenses, of any nature whatsoever paid or incurred by, or on behalf of MID-ATLANTIC WASTE SYSTEMS, DIVISION OF THC ENTERPRISES, INC., in connection with any collection action brought hereunder. The invalidity of all or any part of any provision of this Agreement shall not render invalid the remainder of such provision or any other part of this Agreement.

(c) MID-ATLANTIC WASTE SYSTEMS, DIVISION OF THC ENTERPRISES, INC., shall retain ownership of and title to the above machinery, equipment and parts covered by this order until fully paid for in cash and until any note given in evidence of indebtedness, and any renewals thereof, have been fully paid. If any such note is not paid in full at its maturity, all other notes and obligations given in evidence of indebtedness hereof shall at once become due, and the said MID-ATLANTIC WASTE SYSTEMS, DIVISION OF THC ENTERPRISES, INC., shall have the right to take possession of said machinery wheresoever it may be situated and sell the same pursuant to the conditional sales statutes of the State of Maryland.

### 3. Delivery

(a) Delivery dates are estimated and not guaranteed by Seller and, in any event are conditioned upon receipt of all specifications and

### 4. WARRANTY AND LIMITATIONS OF LIABILITY

ANY EXPRESS WRITTEN WARRANTY PROVIDED BY THE MANUFACTURER OF THE EQUIPMENT DESCRIBED IN THIS QUOTATION IS GIVEN IN LIEU OF ALL OTHER WARRANTIES EXPRESS OR IMPLIED, INCLUDING ANY IMPLIED WARRANTY OF MERCHANTABILITY OR FITNESS FOR A PARTICULAR PURPOSE. SELLER SHALL NOT BE LIABLE FOR SPECIAL, INCIDENTAL, OR CONSEQUENTIAL DAMAGES RESULTING FROM DEFECTIVE GOODS, SELLER'S NEGLIGENCE, BREACH OF WARRANTY OR CONTRACT, OR CLAIMS BASED UPON STRICT LIABILITY. IN NO EVENT SHALL SELLER BE LIABLE FOR CONSEQUENTIAL DAMAGES COMMERCIAL IN NATURE.

### 5. Delays

Seller shall not be liable for the failure or delay in the performance of any term, condition, or obligation hereunder due to any cause beyond the Seller's control, including but not limited to Acts of God, acts of the Buyer, war, insurrections or riots, fires, floods, accidents, acts, orders or regulations of any government, inability to obtain necessary materials, services or facilities, strikes or other labor troubles.

### 6. Development Changes

Changes in design, specifications, construction or materials, may be made at Seller's discretion, and without Buyer's consent, where such changes do not materially affect price, delivery or guaranteed performance (if any) of the goods, or make unusable any other item of goods furnished hereunder.

### 7. Termination

No order may be terminated without Seller's written consent. Upon any termination Buyer shall pay reasonable termination charges, including but not limited to, manufacturing and sales costs, overhead, costs or goods and profit. Any cancellation or modification of order will result in a 20% restocking charge to Buyer.

ALL PRICES SUBJECT TO ANY APPLICABLE FEDERAL OR STATE TAXES AND TITLING FEES. QUOTE SUBJECT TO REVISION AFTER 15 DAYS.

FINANCING AVAILABLE

NOTE: Please read carefully. This quote becomes a sales order if signed by customer. Your order will be processed as written! Notify of any changes needed within five (5) days of signing. Financing available, subject to credit approval. I have read and understand the terms and conditions on this Order.

X

Customer Approval to Process Order

☐

EXEMPT

☐

NOT EXEMPT

Sales Tax Status - PLEASE INITIAL

Date

**MUST SELECT TO PROCESS ORDER**

Thank you for the opportunity to earn your business!