

**2021 - Effective December 1, 2020 - Half/Pack ® Featuring Odyssey™ Controls Sales Order Form**

**Base Units Half/Pack ® Featuring Odyssey™ Controls**

- 20 cubic yard
- 23 cubic yard
- 28 cubic yard
- 32 cubic yard
- Add Sumps to Body
- Service Hoist Kit - 187" Wheelbase 5 Axle Units WILL NOT accept the service hoist option\*
- Service Hoist Lite (Quick Disconnect and Cylinders Only, No Pump or Reservoir)

\*5 Axle 187" Wheelbase - Hendrickson Auxiliary Axles Only with 275/R70/22.5 or smaller tires.

**CHASSIS MUST CONFORM WITH HEIL'S MOST CURRENT CHASSIS SPECIFICATIONS AT WWW.HEIL.COM**

**Mounting Options**

- Full Factory Mount for Service Hoist or Serviceable Eject - Includes Body Props and Rear Pivot
- Mount at Dealer Destination

**Power Take Off / Pump Options**

- PTO Mounted Load Sense Piston pump - Includes PTO

**Automated Option**

- Hopper Seal Brush Kit - Includes Sides, Front, and Rear Bristle Hopper Seal Kit - For Curotto Only
- Remote Curbside Curotto Can Controls
- Installation of Auto cover controls - Auto cover must be purchased with the Curotto Can
- Forward Facing Dual Cab Guard Mounted LED Lights- Forward Work lamps must be purchased with the Curotto Can
- Hose Conversion Kit - Must be selected if utilizing a Curotto Can Built prior to 1/1/2018
- Monoblock Quick Disconnect - Mounted to Fork Weldment. Quick Lever Action. Over center chain binder can mounting – **This option MUST be selected if ordered through Curotto Can**

**Semi/Automated Option**

- Curotto Can Control Kit - **Must Select to Add Controls to Order**
- Bayne Carry Can Control Kit - **Must Select to Add Controls to Order**

**A complete selection of premium Bayne carry cans to suit any application is provided in this price book for your convenience**

**Control Options**

- Left and Right-Hand Multifunction Joysticks Including Auxiliary and Packer Functions
- Left Hand 2-Lever Electric Control in lieu of Multifunction Joystick
- Left Hand Dual Axis Joystick Electric Control in lieu of Multifunction Joystick
- StreetSide mounted Outside 4 Button Electric Push Button Controls for Arms, Forks, and Packer circuits. **(Throttle Advance Not Included)**
- StreetSide mounted Outside Dual Lever controls and 4 Button Electric Push Button Controls for Pump Enable, Arms, Forks, and Packer circuits. Includes Throttle advance.
- Upgrade to 12" In Cab Display in lieu of 7" Std **(Non- 3rd Eye Camera Units Only) - See 3rd Eye below for 12" Display with camera options)**

**Lighting and Electrical Accessories**

- Single LED Windscreen Mounted Container Light
- Multi-Function Lights
- Body Side Backing Assist Lights - LED
- Dual Oval Flat LED Strobes Mounted Mid-T/G - in-cab switch, pump on, and reverse activated
- Dual Cab Guard Mounted Flood Lights
- Preco™ Back Up Alarm
- Whelen Strobe Lights Kit
- Cab Shield Mounted LED Light Facing reward toward hopper opening

**AWTI™ Radar Systems**

- AWTI™ Radar System used in conjunction with 3rd Eye Cameras - **Must Select Camera Kit From 3rd Eye Camera Options**

**Camera Systems**

All camera systems are mounted with protective camera brackets and twin tailgate flood lights.

**CAMERA MONITOR LOCATION WILL BE CAB ROOF MOUNTED - Swivel monitor bracket will be provided for dual drive chassis**

**3rd Eye® Camera Systems & 3rd® Eye Digital**

**Note: Camera systems will accommodate a maximum of 5 cameras. Not including driver and forward facing cameras included in 3rd Eye® Digital system**

- Base 3rd Eye® Single Camera System with 7" Monitor and Single Camera Mounted on Tailgate
- Upgraded base 3rd Eye® Single Camera System with 12" Monitor and Single Camera Mounted on Tailgate
- Add on 3rd Eye® Camera (LH Cab) - Camera System Price Adder (Only available if base camera is selected)
- Add on 3rd Eye® Camera (RH Cab) - Camera System Price Adder (Only available if base camera is selected)
- Add on 3rd Eye® Camera (LH Alley) - Camera System Price Adder (Only available if base camera is selected)
- Add on 3rd Eye® Camera (RH Alley) - Camera System Price Adder (Only available if base camera is selected)
- Add on 3rd Eye® Camera (Hopper) - Camera System Price Adder (Only available if base camera is selected)
- 3rd Eye® Digital System: Includes (Driver and Forward Facing Camera (Window Unit), and Gateway - (In-Cab Monitor Not Included) - **\*Digital monitoring service not included and must be purchased and activated though 3rd Eye post delivery \***

2021 - Effective December 1, 2020 - Half/Pack ® Featuring Odyssey™ Controls Sales Order Form

Load Cell Scale Systems	
<input type="checkbox"/>	Heil Optimum Payload System (HOPS) using Air-Weigh Axle Scales
<input type="checkbox"/>	Air-Weigh™ Axle Scale System without Interlock
Auxiliary Axles Options	
<small>* NOTE: All axles MUST BE installed with tires so chassis can be re-certified to new GAWR and GVWR ratings</small>	
Watson & Chalin™ Options	
<input type="checkbox"/>	Watson & Chalin™ Self Steering Pusher Axle: 13,500 pound capacity, hub piloted or 20" spoke wheel hubs, automatic slack adjusters, type 16 air chambers, steering stabilizer kit and reverse lift kit -
<input type="checkbox"/>	Watson & Chalin™ Self Steering Tag Axle: 13,500 pound capacity, hub piloted or 20" spoke wheel hubs, automatic slack adjusters, type 16 air chambers, steering stabilizer kit and reverse lift kit, includes Tag Axle Spill Shield
<input type="checkbox"/>	Watson & Chalin™ Rigid Pusher Axle: 25,000 pound capacity, hub piloted or 20" spoke wheel hubs, 30/30 brake chambers, automatic slack adjusters, 1,300 cubic inch air tank and regulator kit
<input type="checkbox"/>	Watson & Chalin™ Rigid Tag Axle: 25,000 pound capacity, hub piloted or 20" spoke wheel hubs, 30/30 brake chambers, automatic slack adjusters, 1,300 cubic inch air tank and regulator kit, includes Tag Axle Spill Shield
Hendrickson™ Options	
<input type="checkbox"/>	Hendrickson™ Pusher Axle-13.500 pound capacity, Non-Steerable
<input type="checkbox"/>	Hendrickson™ Pusher Axle-13.500 pound capacity, Steerable
<input type="checkbox"/>	Hendrickson™ Tag Axle-13.500 pound capacity, Steerable, includes Tag Axle Spill Shield
<input type="checkbox"/>	Hendrickson™ Tag Axle-13.500 pound capacity, Non-Steerable, includes Tag Axle Spill Shield
<input type="checkbox"/>	Hendrickson™ Steerable Pusher Axle: 20,000 pound capacity
<input type="checkbox"/>	Hendrickson™ Steerable Tag Axle: 20,000 pound capacity, includes Tag Axle Spill Shield
<small>* Note: All auxiliary applications must be approved by Heil prior to order acceptance</small>	
Auxiliary Axle Tire Options	
<input type="checkbox"/>	255/70R-22.5 - Qty(2) load range H, 5,510 pound single max load at 120 psi with Steel Wheels
<input type="checkbox"/>	275/70R-22.5 - Qty(2) load range H, 7,000 pound single max load at 120 psi with Steel Wheels
<input type="checkbox"/>	Upgrade to Polished Aluminum Wheels (Set of Two)
Body Options	
<input type="checkbox"/>	Articulating FEL Arms – Accommodate Econic SD Chassis – Stowed Height 13'6"
<input type="checkbox"/>	Rodent Resistant Loom – Weaved Loom Completely Encapsulating ALL Body Side Harnesses Reducing Downtime from Chewed Wires
<input type="checkbox"/>	Sliding Top Door - Aluminum - May not be compatible with roof mounted CNG system
<input type="checkbox"/>	Sliding Top door - Steel - May not be compatible with roof mounted CNG systems
<input type="checkbox"/>	Tailgate Mounted Aluminum Roof Access Ladder (Only one selection allowed) <b>Not Available with CNrG Tailgate option</b>
<input type="checkbox"/>	Tailgate Mounted Roof Access Ladder Steel (Only one selection allowed) <b>*Not available with CNrG Tailgate Option*</b>
<input type="checkbox"/>	CNrG Tailgate Mounted Aluminum Roof Access Ladder (only one selection allowed) <b>* Not Available with STD Tailgate*</b>
<input type="checkbox"/>	Curbside Mounted Roof Access Ladder (Only one selection allowed) <b>*Not Available on 23yd body with Top Door*</b>
<input type="checkbox"/>	Hopper Floor Liner (3/16" - AR400)
<input type="checkbox"/>	Hopper Floor Liner (1/4" - AR400)
<input type="checkbox"/>	Body Floor Liner (3/16" - AR400)
<input type="checkbox"/>	Body Side Wall Liners (3/16 - AR400)
<input type="checkbox"/>	Drain Plug for 3" hopper drain
<input type="checkbox"/>	Packer Mounted Retainer Teeth
<input type="checkbox"/>	Body Roof Retainer Teeth - 2 Rows at the front of the body - Minimizes Spring Back In Cardboard and Recycling Applications
<input type="checkbox"/>	Packer Follower - Reduces Garbage/Recycle Behind the Packer (Includes Inverted Style cab protector) Other cab protectors not compatible with this option.
<input type="checkbox"/>	High Pressure Filter Monitor
<input type="checkbox"/>	60 Gallon Washout Tank - side mounted - <b>Not available with pusher axle</b>
<input type="checkbox"/>	60 Gallon Washout Tank - rear mounted - <b>Not available with tag axle</b>
<input type="checkbox"/>	Second 20 lb. Fire Extinguisher (Will be mounted to Curb side Hopper, if unable will be mounted under body)
<input type="checkbox"/>	Tool Box Bumper Mount - Steel 18"x18"x24"
<input type="checkbox"/>	Tool Box Bumper Mount - Aluminum 18"x18"x24"
<input type="checkbox"/>	Tool Box Bumper Mount - Poly - 18"x18"x24"
<input type="checkbox"/>	Extendable Broom Kit - Mounted Curbside of Body <b>(Not Available on 20/23 Yd)</b>
<input type="checkbox"/>	Extendable Broom Kit - Mounted Under Body
<input type="checkbox"/>	Street Side of Body Mounted Shovel Bracket Kit
<input type="checkbox"/>	Cab Protector Extension Raise - Manual Jack - Will Change Cab Protector to Steel
<input type="checkbox"/>	Hydraulic Raise Cab Protector Kit - Cab Shield Fully Rotates into the Hopper
<input type="checkbox"/>	Aluminum Cab Protector
<input type="checkbox"/>	Aluminum Cab Protector Extension For Autocar Chassis
<input type="checkbox"/>	Rear Caution Decal
<input type="checkbox"/>	Wheel Chock Kit - Dual <b>( Mounted Under Body )</b>
<input type="checkbox"/>	Wheel Chock Kit - Dual <b>( Mounted on Curbside Body )</b>
<input type="checkbox"/>	Cable Fall Protection Kit
<input type="checkbox"/>	D-Ring Fall Protection
<input type="checkbox"/>	Hydraulic Oil Tank Quick Disconnect Kit - For use with filter buggy
<input type="checkbox"/>	Butterfly Style Quick Disconnects In Lieu of Service Loop Plumbing
<input type="checkbox"/>	Spill Kit included mounting brackets - <b>( Mounted on Front Head )</b>
<input type="checkbox"/>	Spill Kit <b>( In Toolbox ) *Requires additional purchase of a tool box*</b>
<input type="checkbox"/>	Hydraulic Oil Tank Heater - 500 watts
<input type="checkbox"/>	Bolt On Fender Extension Kit - Keeps Body Clean of Road Spray
<input type="checkbox"/>	California Back Up Alarm
<input type="checkbox"/>	Infinity Series Packer/Eject Cylinders with scrapers and hardened rods to 50 HRC - Includes Five (5) Year Packer/Eject Cylinder Only Warranty that covers dents and dings <b>( This Option is Required if purchasing extended warranty's below )</b>
<input type="checkbox"/>	Lightning Cylinder Package: reduces front loader arm cycle time by up to 5 seconds and reduces front loader arm lifting capacity to a maximum of 5,500 lbs. This package is available via Custom request only, and also requires an End User signed waiver acknowledging the reduced arm lifting capacity of these cylinders.

(Custom Required)

2021 - Effective December 1, 2020 - Half/Pack ® Featuring Odyssey™ Controls Sales Order Form

<b>CNRG Tailgate Mounted CNG - NFPT – 52 -2019 Compliant - Includes Installation Fee</b>		
<input type="checkbox"/>	60 DGE CNrG System	
<input type="checkbox"/>	75 DGE CNrG System	
<input type="checkbox"/>	90 DGE CNrG System	
<input type="checkbox"/>	105 DGE CNrG System	
<b>FET Exempt CNrG Tailgate Mounted CNG For 20YD Bodies Only- Includes Installation Fee</b>		
<input type="checkbox"/>	60 DGE CNG System	
<input type="checkbox"/>	75 DGE CNG System	
<input type="checkbox"/>	90 DGE CNG System	
<input type="checkbox"/>	105 DGE CNG System	
<b>CNRG Options</b>		
<input type="checkbox"/>	Front Bumper Fill with Kill Cap	
<input type="checkbox"/>	Remote Fill, StreetSide Rear Fill Port	
<input type="checkbox"/>	Remote Fill, Curbside Rear Fill Port	
<input type="checkbox"/>	Defuel Transfer Hose - 35 ft.	
<input type="checkbox"/>	1/4 Turn Shutoff Valve – Isolates CNrG Tanks from Remainder of CNG system	
<b>CNG Installation - Top of Body Installation</b>		
<input type="checkbox"/>	CNG Installation Charge - Includes brackets, temporary tank rental, hardware, and mounting of CNG system	
<b>Extended Complete Body Warranty Options</b>		
<input type="checkbox"/>	Two (2) Year (Months 13-24) (Maximum 4,000 hrs. of Operation) Complete Heil Body Warranty <i>Requires additional purchase of Infinity packer/eject cylinders from above</i>	
<input type="checkbox"/>	Three (3) Year (Months 13-36) (Maximum 6,000 hrs. of Operation) Complete Heil Body Warranty <i>Requires additional purchase of Infinity packer/eject cylinders from above</i>	
<input type="checkbox"/>	Four (4) Year (Months 13-48) (Maximum 8,000 hrs. of Operation) Complete Heil Body Warranty <i>Requires additional purchase of Infinity packer/eject cylinders from above</i>	
<input type="checkbox"/>	Five (5) Year (Months 13-60) (Maximum 10,000 hrs. of Operation) Complete Heil Body Warranty <i>Requires additional purchase of Infinity packer/eject cylinders from above</i>	
<b>Extended Cylinder Warranty Options</b>		
<input type="checkbox"/>	Two (2) Year (Months 13-24) (Maximum 4,000 hrs. of Operation) All other Non-Infinity Cylinder Warranty - <i>Requires additional purchase of Infinity packer/eject cylinders from above</i>	
<input type="checkbox"/>	Three (3) Year (Months 13-36) (Maximum 6,000 hrs. of Operation) All other Non-Infinity Cylinder Warranty - <i>Requires additional purchase of Infinity packer/eject cylinders from above</i>	
<input type="checkbox"/>	Four (4) Year (Months 13-48) (Maximum 8,000 hrs. of Operation) All other Non-Infinity Cylinder Warranty - <i>Requires additional purchase of Infinity packer/eject cylinders from above</i>	
<input type="checkbox"/>	Five (5) Year (Months 13-60) (Maximum 10,000 hrs. of Operation) All other Non-Infinity Cylinder Warranty - <i>Requires additional purchase of Infinity packer/eject cylinders from above</i>	
<b>Extended Hydraulic Pump and Valve Warranty Options</b>		
<input type="checkbox"/>	Two (2) Year (Months 13-24) (Maximum 4,000 hours of operation) Hydraulic Pump and Valve warranty <i>*Not needed if purchasing extended complete body warranty*</i>	
<input type="checkbox"/>	Three (3) Year (Months 13-36) (Maximum 6,000 hours of operation) Hydraulic Pump and Valve warranty <i>*Not needed if purchasing extended complete body warranty*</i>	
<input type="checkbox"/>	Four (4) Year (Months 13-48) (Maximum 8,000 hours of operation) Hydraulic Pump and Valve warranty <i>*Not needed if purchasing extended complete body warranty*</i>	
<input type="checkbox"/>	Five (5) Year (Months 13-60) (Maximum 10,000 hours of operation) Hydraulic Pump and Valve warranty <i>*Not needed if purchasing extended complete body warranty*</i>	
<b>Paint Options</b>		
NOTE: LIST PAINT CODES ON PAINT DIAGRAM		
<input type="checkbox"/>	Customized Paint Color - Paint Color Code NOT included in the Color Smart Brochure	
<input type="checkbox"/>	Two Tone Paint	
<input type="checkbox"/>	Paint Striping - first stripe	
<input type="checkbox"/>	Paint Striping - each additional stripe	
<input type="checkbox"/>	Metallic Paint	
<input type="checkbox"/>	Clear coat Finish	
<input type="checkbox"/>	Anti-Graffiti Clear coat Finish	
<input type="checkbox"/>	Prime Paint Only - deduct	
<input type="checkbox"/>	Heil CleanShield™ by BrandArmor™ Cab protector decal.	
<b>TOTALS</b>		
	Total from Options Above (MSRP)	
	Additional Options (Custom's, Chassis Mods, Etc.) Total	
	Subtotal	
	Dealer Discount (%)	0%
	Dealer Net Price	
	Surcharge if Applicable	
	Additional Discount (SPR)	
	Freight	
	Total Price per Unit	
*	This entire document (and any attachments) are confidential and only for the intended recipient(s). Use or distribution by any unintended recipient is document in error, delete this entire communication, and notify the sender you have done so.	

All Options Priced on Request Quoted at 6% off List Price



## 2021 CUROTTO-CAN DEALER PRICE GUIDE

Name	Part Number	Item Description
<b>Standard Curotto-Can</b>	856-5119	Standard Base Curotto-Can (Options listed below sold separately)
<b>Standard Curotto-Can w/ Work Lights</b>	856-5118	Standard Base Curotto-Can with Work Lights (Options listed below sold separately)
<b>Can Side Options</b>		
<b>Auto Cover</b>	SE-RAC-CS-KT-INSTL	Rotary Auto Cover- Factory Installed on Curotto-Can (need to complete kit by ordering through Body OEM)
<b>Brush Kit</b>	SE-BK-CS-XX (H,M,EZ,W)	Brush Kit/Hopper Seal- Factory Installed, Front, Curb & Streetside (need to complete kit by ordering through Body OEM)
<b>6 inch Belt Assembly</b>	856-5116-006	6" Wide Belt Assembly
<b>8 inch Belt Assembly</b>	856-5116-008	8" Wide Belt Assembly
<b>Spacer Kit</b>	EXT 9" Set	9-inch Spacer Required for Standard Heil Installation
<b>Conspicuity Tape</b>	DOT-TAPE	Conspicuity Tape Installed, Front, Curb & Street Side
<b>Single Point Lube System</b>	856-5127	Single Point Lubrication System for Curotto Grabber Beam
<b>Mono-Block Quick Disconnect</b>	856-5118-001	Mono-Block Hydraylic Quick Disconnect. Mounted to Fork Weldment. Lever Action. Overcenter chain binder can mounting
<b>Mono-Block Quick Disconnect</b>	372-9120 (Non-Heil/Retro)	Mono-Block Hydraylic Quick Disconnect. Mounted to Fork Weldment. Lever Action. Overcenter chain binder can mounting
<b>Truck Side Options</b>		
<b>Commercial Grabber</b>	CG-001KT	Commercial Gripper for picking up 32-96 gallon residential cans. *Complete Commercial Gripper clearance questionnaire and submit with order. Installation kit is an additional charge and will depend on the specific installation.

Effective on all shipments on or after January 1, 2021