

**SINGLE AXLE HOOK HOIST OPTIONS**

Option No.	Description
<b>HOIST MOUNTING HARDWARE</b>	
<b>HUCK</b>	SHIP OUT - Hoist Mounting Huck Bolts for Dealer Hoist Installation - PER HOIST
<b>NOBO</b>	DEDUCT - Remove Standard Mounting Bolt Kit from Ship Out Kit
<b>VALVE CONTROL SYSTEMS</b>	
<b>2SSE</b>	UPCHARGE - (Single Axle <=25k lbs.) to upgrade from standard air controls to remote control, electric over hydraulic controls. 2-Spool Only non-integrated (saves space in cabs)
<b>2STE</b>	UPCHARGE - (Single or Tandem Axle >=30k lbs.) to upgrade from standard air controls to remote control, electric over hydraulic controls with remote. 2-Spool Only non-integrated (saves space in cabs) - 245069 & 244875
<b>ADAIR1</b>	SHIP OUT - Add-on air compressor for non-air trucks 1 gal tank (1.27 CFM @ 100 psi) - (parts only) - May be needed for inside controls, PTO, etc. - A4880 light duty
<b>8834</b>	FACTORY MOUNT - Add-on air compressor for non-air trucks 1 gal tank (1.27 CFM @ 100 psi) - (parts and labor) - May be needed for inside controls, PTO, etc. - A4880 light duty
<b>ADAIR25</b>	SHIP OUT - Add-on air compressor for non-air trucks 2.5 gal tank (2.62 CFM @ 100 psi) - (parts only) - May be needed for inside controls, PTO, etc. - 120820 med. duty
<b>8834-2</b>	FACTORY MOUNT - Add-on air compressor for non-air trucks 2.5 gal tank (2.62 CFM @ 100 psi) - (parts and labor) - May be needed for inside controls, PTO, etc. - 120820 med. duty
<b>TARPER SYSTEMS</b>	
<b>981</b>	Pioneer HR2000PP Hi-Roller Pull Tarp (Hydraulic Gantry) Armless - w/ 12V power pack - Also Used on Roll Off Trailers - Up to 40' "specify tarp length needed" - A4071
<b>999INT</b>	Pioneer HR2000PTO Hi-Roller Pull Tarp (Hydraulic Gantry) Armless - Integrated (1) Spool Galbreath Valve and Diverter- Also Used on Roll Off Trailers Up to 40' "specify tarp length needed"
<b>INNOAR</b>	FACTORY MOUNT - Installation of ARMLESS Pioneer Tarping Systems (labor only) - (Includes Offset Mounting Platform for Tarper & Valve) - Cable/Hook Hoists
<b>1500</b>	Pioneer HR1500PTO Econo Cover (Hydraulic Gantry) Fixed Arm - A3400 - Non-Integrated - Pioneer Valve and Diverter Included - Also Used on Roll Off Trailers
<b>2500</b>	PIONEER HR2500 - POWERGLIDE (HG) FOR CABLES (Non-Integrated) w/ steel arms - 3-spool Pioneer valve & diverter included
<b>900</b>	Pioneer Strong-Arm Rack n' Pinion RP4500SARG (Hydraulic Gantry) - 153568 or 226603 for Hooks - Non-Integrated - (3) Spool Pioneer Valve and Diverter Included
<b>NON INST</b>	FACTORY MOUNT - Installation of Non-Integrated Pioneer Tarping Systems (parts and labor; tarp system separate) - (Includes Offset Mounting Platform for Tarper and Valve & Galbreath Fender Mounting Brackets)
<b>250INT</b>	PIONEER HR2500 - POWERGLIDE (HG) FOR CABLES (Integrated) w/ steel arms - 3-spool Galbreath valve & diverter included
<b>900INT</b>	Pioneer Strong-Arm Rack n' Pinion RP4500SARG (Hydraulic Gantry) - A4319 (cable) 226604 (hook) - Integrated (3) Spool Galbreath Valve and Diverter Included
<b>990INT</b>	Pioneer Strong-Arm Rack n' Pinion RP4500SAR (Fixed Gantry) - A4923 for Cable, 226604 for HK - Integrated (2) Spool Galbreath Valve and Diverter Included (WM Spec)
<b>INT INST</b>	FACTORY MOUNT - Installation and Integration of Pioneer Tarping Systems (parts and labor; tarp system separate) - (Includes Offset Mounting Platform for Tarper and Valve & Galbreath Fender Mounting Brackets)
<b>FMINT</b>	FACTORY MOUNT - Installation and Integration of Competitive Brand Tarping Systems (parts and labor; tarp system separate) - (Includes Offset Mounting Platform for Tarper & Valve, Protective Valve Cover & Galbreath Fender Mounting Brackets)
<b>TINOFG</b>	FACTORY MOUNT - Installation of Non-Integrated Competitive Brand Tarping Systems (parts and labor; tarp system separate) - (Includes Offset Mounting Platform for Tarper & Valve, Protective Valve Cover & Galbreath Fender Mounting Brackets)
<b>HPTS</b>	SHIP OUT - Hydraulic Plumbing Kit to Integrate Tarping Systems (kit incl.: diverter valve, fittings, hoses, bulkhead and clamps) - same as factory - 236502 - May want to add TFB option - ONLY order if the Pioneer Tarp is purchased outside of Galbreath
<b>TPOP</b>	SHIP OUT - Tarper Mounting Platform - Includes Protective Valve Cover
<b>TPOP1</b>	SHIP OUT - Galbreath Std. Off-Set Tarper Mounting Platform - Includes Protective Valve Cover - For CNG and DEF Tank Interference Applications
<b>TFB</b>	Galbreath Tarper Fender Mounting Brackets - Specify Axle Spread - 2K1085
<b>TFBMM</b>	Galbreath Tarper Fender Mounting Brackets - For MACK M-RIDE Axles - 224193
<b>TFBTT</b>	Galbreath Tarper Fender Mounting Brackets - For FREIGHTLINER TUFF TRAC Axles - 211813

Other Tarp Models Available: Please Contact the Galbreath Insides Sales Department for Pricing

Not All Competative Brand Tarpers can be Integrated.

**NO CUSTOMER SUPPLIED EQUIPMENT WILL BE INSTALLED AT THE GALBREATH FACTORY**

## SINGLE AXLE CABLE HOIST OPTIONS (continued)

Option No.	Description
<b>CNG RELATED</b>	
<b>BCNG</b>	Above Frame (AF) Hoist Mounting Brackets for CNG Side Mount Kit Installation. Brackets Must be Installed Before CNG Tank Installation Begins and Before Hoist is Mounted - Brackets Included in Price of the Hoist
<b>82GC</b>	<b>FACTORY MOUNT - CNG KIT and Installation</b>
<b>CNGF</b>	<b>FACTORY MOUNT - Fuel CNG Chassis before Delivery - TRUCKS MUST BE FUELED IN ORDER TO TEST THE CNG SYSTEM</b>
<b>CNGH</b>	<b>FACTORY MOUNT - CNG Handling Charge when Chassis has not had CNG Fueling System Installed</b>
<b>CNGH1</b>	<b>FACTORY MOUNT - Installation and Plumbing of (2) Side Mount CNG Tanks when Purchased through Galbreath</b>
<b>CNGH2</b>	<b>FACTORY MOUNT - Charge for CNG Up fitter to Install CNG System at the Galbreath Facility</b>
<b>LIFT AXLES - LESS TIRES &amp; RIMS</b>	
<i>Tires and Rims ARE NOT INCLUDED w/ Any Lift Axle Option. All Lift Axles Include Air Kit</i>	
<b>36A</b>	13,000 lb. Steerable 2-Tire Watson & Chalin - A2399 - Use on U5 with Rod - Specify Hub Type
<b>36C</b>	13,000 lb. Steerable 2-Tire Watson & Chalin - A2400 - Inside Frame Mount - Use on U5 with Rod Type Cylinders- Specify Hub Type
<b>36H</b>	13,000 lb. Steerable 2-Tire Hendrickson - A5569 - Use with Rod Cylinders and Quad Axles
<b>36D</b>	13,000 lb. Non-Steer 2-Tire Silent Drive AA-230 includes air kit (A3449)- A2398 - Use on U5 with Rod
<b>37L</b>	13,000 lb. Non-Steer 2-Tire Hendrickson - A5997 - Use on Tri-Axle with Rod Cylinders
<b>INNON</b>	<b>FACTORY MOUNT - Install Non-Steer Lift Axle (labor only) - Set Per Layout - Add to Non-Steer Lift Axles</b>
<b>INSTEER</b>	<b>FACTORY MOUNT - Install Steerable Lift Axle (labor only) - Set Per Layout - Add to Steerable Lift Axles</b>
<b>FENDERS</b>	
<b>NFND</b>	No Fenders Needed - place holder in order entry only
<b>1/4FND</b>	1/4 Poly Fenders - 24" for use with Lift Axles or in lieu of half round fenders
<b>1/4FND2</b>	1/4 Poly Fenders - 24" for use with Tandem Axle Trailers (2 sets)
<b>PLST</b>	Plastic Half Round Fenders 38"/16.5 Dually - A2425 (9616AO for brackets) - Single Axle Hoist
<b>IPLY</b>	Poly Half Round Fenders w/ Brackets - 5496BO - Single Axle Hoist
<b>5B</b>	Poly Half Round 44" Fenders - Specify Tire Size - A4531 (9616AO for brackets) - Single Axle Hoist
<b>FD44</b>	Steel Half Round 44" Fenders (3114) - w/ Mounting Brackets (9616AO) - Single Axle - 8486BO prev. p/n
<b>FND4</b>	Steel Half Round 48" Fenders for 22.5 Tires (9616AO for Brackets) - 171135 - Single Axle Hoist
<b>HK44</b>	Aluminum Half Round Fenders 44" - Specify Tire Size - A1042 uses 9616AO mounting brackets - Small Single Axle Cable/Hook Hoist/Container Handlers - Used w/ low profile tires
<b>HK5A</b>	Aluminum Half Round Diamond Plate Fenders (Large) 50" - Specify Tire Size - 9797 uses 9616AO mounting brackets - Single Axle Cable/Hook Hoist/Container Handlers & AC2 Trailer
<b>1INFND</b>	<b>FACTORY MOUNT - Installation of Single Axle/Lift Axle Fenders - (labor only; add to option picked)</b>
<b>1AAA</b>	Contoured Smooth Steel Tandem Axle Fenders w/ Brackets for Axle Spread Range of 49"-55" - Specify Axle Spread - 171529(cable), 193894(hook)
<b>5A</b>	Contoured Poly Tandem Fenders w/ Brackets for Axle Spread Range of 52"-53" - Specify Tandem Axle Spread - 6912AO
<b>5V</b>	Contoured Steel Diamond Plate 12 gauge Tandem Axle Fenders w/ Brackets - Specify Axle Spread - 6741BO
<b>AH1</b>	Flat Top 3/16" Steel Tread Plate Tandem Axle Fenders w/ Brackets - Galbreath Heavy Duty Models - 132094
<b>F1</b>	Aluminum Tread Plate 10 Gauge (1/4") Flat Top Fenders w/ Brackets for Tandem Axle - 8651AO
<b>F1C</b>	Aluminum Tread Plate 10 Gauge (1/4") Contoured Fenders w/ Brackets for Tandem Axle - 2888BO old - 230810 new
<b>2INFND</b>	<b>FACTORY MOUNT - Installation of Tandem Axle Fenders - (labor only; add to option picked)</b>
<b>TFB</b>	Galbreath Tarper Fender Mounting Brackets - Specify Axle Spread - 2K1085

**NO CUSTOMER SUPPLIED EQUIPMENT WILL BE INSTALLED AT THE GALBREATH FACTORY**

## SINGLE AXLE HOOK HOIST OPTIONS (continued)

Option No.	Description
<b>TIRES AND RIMS</b>	
36LA-2	FACTORY MOUNT - (2) Tires with Aluminum Rims 11R-22.5-H - 16 Ply - 10 Hole Hub Piloted - (parts and labor) - For Lift Axles Only
36M2-2	FACTORY MOUNT - (2) Tires with Steel Rims 11R-22.5-H - 16 Ply - 10 Hole Hub Piloted - (parts and labor) - For Lift Axles Only
RO04-2	FACTORY MOUNT - Rims Only - (2) - Steel 22.5 10 Hole Hub Piloted - (parts and labor) - For Lift Axles Only
RO11-2	FACTORY MOUNT - Rims Only - (2) - Steel 24.5 10 Hole Hub Piloted - (parts and labor) - For Lift Axles Only
RO14-2	FACTORY MOUNT - Rims Only - (2) - Aluminum 24.5 10 Hole Hub Piloted - (parts and labor) - For Lift Axles Only
RO17-2	FACTORY MOUNT - Rims Only - (2) - Aluminum 22.5 10 Hole Hub Piloted - (parts and labor) - For Lift Axles Only
SS2-AL	FACTORY MOUNT - (2) Tires with Aluminum Rims 455/55R22.5L - 20 Ply Super Singles- 10 Hole Hub Piloted - (parts and labor) - For Lift Axles & Fixed Suspension Axles
T001/RO11-2	FACTORY MOUNT - (2) Tires with Steel Rims 11R-24.5-H - 16 Ply - 10 Hole Hub Piloted - (parts and labor) - For Lift Axles Only
T001/RO14-2	FACTORY MOUNT - (2) Tires with Aluminum Rims 11R-24.5-H - 16 Ply - 10 Hole Hub Piloted - (parts and labor) - For Lift Axles Only
TR31/RS17-2	FACTORY MOUNT - (2) Tires with Steel Rims 315-80R-22.5-L - 20 Ply - 10 Hole Hub Piloted - 9" Rim - (parts and labor) - For Lift Axles Only
TR31/RS18-2	FACTORY MOUNT - (2) Tires with Aluminum Rims 315-80R-22.5-L - 20 Ply - 10 Hole Hub Piloted - 9" Rim - (parts and labor) - For Lift Axles Only
UPBRG	UPCHARGE - FACTORY MOUNT - upgrade to Bridgestone Tires - SET OF 2 - (parts only)
UPMCH	UPCHARGE - FACTORY MOUNT - upgrade to Michelin Tires - SET OF 2 - (parts only)
7524-1	FACTORY MOUNT - (20) Wheel Check Indicators - Single Axle - (parts and labor)
TCC	Tire Chain Holder 24" long by 7.5" wide by 9" high - features aluminum diamond plate cover
INTCC	FACTORY MOUNT - Tire Chain Holder 24" long by 7.5" wide by 9" high - features aluminum diamond plate cover - (parts and labor)
<b>TOOLBOXES</b>	
17B	Aluminum Toolbox - 18" X 18" X 24" - Opens from the Front - A4819 - Toolbox Mounting Brackets Included
17F	Aluminum Toolbox - 18" X 18" X 36" - Opens from the Front - A4516 - Toolbox Mounting Brackets Included
17C	Aluminum Toolbox - 18" X 18" X 48" - Opens from the Front - A4820 - Toolbox Mounting Brackets Included
17E	Poly Toolbox - 19" X 20" X 36" - Opens from the Top - A4033 - Toolbox Mounting Brackets Included
G025	Steel Toolbox - 14" X 12" X 14" - Opens from the Front - 229309 - Standard Toolbox Option - Toolbox Mounting Brackets Included
G027	Steel Toolbox - 14" X 12" X 24" - Opens from the Front - 229311 - Standard Toolbox Option - Toolbox Mounting Brackets Included
G024	Steel Toolbox - 14" X 16" X 24" - Opens from the Front - 229310 - Standard Toolbox Option - Toolbox Mounting Brackets Included
17	Steel Toolbox - 16" X 20" X 24" - Opens from the Front - 0936AO - Galbreath Made - Toolbox Mounting Brackets Included
G018	Steel Toolbox - 16" X 20" X 24" - Opens from the Front (For High Mounts, includes mounting brackets) - 228969 - Standard Toolbox Option
17D	Steel Toolbox - 16" X 20" X 36" - Opens from the Front - 1573BO - Galbreath Made - Toolbox Mounting Brackets Included
17A	Steel Toolbox - 16" X 20" X 48" - Opens from the Front - 4395AO - Galbreath Made - Toolbox Mounting Brackets Included
G021	Steel Toolbox - 18" X 18" X 24" - Opens from the Front - 229306 - Standard Toolbox Option - Toolbox Mounting Brackets Included
G015	Steel Toolbox - 18" X 18" X 36" - Opens from the Front - 227987 - Buyers Brand Toolbox Option - Toolbox Mounting Brackets Included
G022	Steel Toolbox - 18" X 18" X 36" - Opens from the Front - 229307 - Standard Toolbox Option - Toolbox Mounting Brackets Included
G023	Steel Toolbox - 18" X 18" X 48" - Opens from the Front - 229308 - Standard Toolbox Option - Toolbox Mounting Brackets Included
G048	Steel Toolbox - 18" X 22" X 48" - Opens from the Front - 233774 - Diamond Plate Top w/ Rain Gutter - Toolbox Mounting Brackets Included
TINST	FACTORY MOUNT - Install Toolbox on Hoist when hoist comes with a Side Mount Oil Reservoir using Combo Brackets - (labor only) - 2260W & 0340BO - U/AH-Series Only

NO CUSTOMER SUPPLIED EQUIPMENT WILL BE INSTALLED AT THE GALBREATH FACTORY

## SINGLE AXLE HOOK HOIST OPTIONS (continued)

Option No.	Description
<b>BUMPERS &amp; PINTLE HOOKS</b>	
<b>B4</b>	SHIP OUT - Reese Style Hitch on Pintle Ready Aprons - includes 7-spade pin Trailer Plug and harness - no air - w/o glad hands (Class V - 3,000 lbs. Vertical Load, 16,000 lbs. Gross Trailer Weight - Receiver Not Included) - 171062 (apron) - 171064 (Pintle plate) - 117189 or A2891 (2" hitch)
<b>6A</b>	<b>FACTORY MOUNT - Install Reese Style Hitch Only (parts and labor) - includes 7-spade pin Trailer Plug and harness - no air - w/o glad hands (Class V - 3,000 lbs. Vertical Load, 16,000 lbs. GTW - (Individual Receivers Not Included) - A2891 - 117189 - 178258 - 171062</b>
<b>SAPH</b>	SHIP OUT - Pintle Hook w/ 7-spade pin Trailer Plug and harness - no air - w/o glad hands 30k lb. GTW rating - Used On Single or Tandem Axle Cable Hoists w/ Pintle Adaptable Rear Aprons - 228735/8757BO (PH30)
<b>SAPH INST</b>	<b>FACTORY MOUNT - Pintle Hook w/ 7-spade pin Trailer Plug and harness - no air - w/o glad hands 30k lb. GTW rating - (parts and labor) - Used On Single or Tandem Axle Cable Hoists w/ Pintle Adaptable Rear Apron - 228735/8757BO (PH30)</b>
<b>40U3</b>	SHIP OUT - Pintle Hook w/ Glad Hands and Pintle Mounting Plate - 8617BO/8922BO/7898BO - 20K Vertical and 100K Tow Rating - 8922BO-H (Holland)
<b>INST PH</b>	<b>FACTORY MOUNT - (labor only) Installation of Pintle Hook Options (ADD to option picks 40U3, 44U3)</b>
<b>FMPH</b>	SHIP OUT - Fish Mount Pintle Hook - 2359 & 196981
<b>INFMPH</b>	<b>FACTORY MOUNT - Installation of Option FMPH - Fish Mount Pintle Hook (parts and labor) - 2359 &amp; 196981</b>
<b>HKSA AE</b>	<b>FACTORY MOUNT - Install Air and Electric for Pintle Hook if Available (parts and labor) - May Need to Add Option 8834 (A4880 - Add on Air Compressor) if Chassis is not Equipped</b>
<b>AELB</b>	<b>FACTORY MOUNT - Run Air and Electric for Pintle Hook if Pre-Wired and Plumbed (misc. parts and labor)</b>

## PTO & PUMP OPTIONS

*Make, Model and Rotation of Transmission Needed when Ordering PTO*

<b>PTO5</b>	Single Axles - SHIP OUT - Muncie DS PTO for (Fuller direct mount) Manual Transmission - Electric over Air - 233318 (For factory mounting ADD option PTO INST)
<b>PTO6</b>	Single Axles - SHIP OUT - Muncie DS PTO for (Allison direct mount) Automatic Transmission - Hot Shift - 202663 (For factory mounting ADD option PTO INST)
<b>PTO7</b>	Ford F550/650/750 ONLY - SHIP OUT - Muncie DS PTO for (TorqShift direct mount) Automatic Transmission - Hot Shift - 202663 (241122 - diesel or 241123 - gas for F650/750) (For factory mounting ADD option PTO INST)
<b>PTO13</b>	SA HK Hoists - SHIP OUT - Bezares WS PTO for (Allison direct mount) Automatic Transmission - (includes pump upgrade Bezares bent axis piston pump) - 226835 (For factory mounting ADD option PTO INST)
<b>WET</b>	<b>UPCHARGE for Muncie PTO to be Wet Spline (Most Chelsea/Parker PTO's are Wet Spline)</b>
<b>PTO INST</b>	<b>FACTORY MOUNT - Any PTO option pick (labor only)</b>
<b>13Y1</b>	<b>UPCHARGE FACTORY MOUNT - Front Mount Pump with Mounting Brackets in Place - A4890 - (parts and labor)</b>
<b>13D2</b>	<b>FACTORY MOUNT - Modify Brackets and Rerouting if Chassis is Not Front Mount Pump Ready - (parts and labor)</b>

## HYDRAULIC / WET KIT OPTIONS

<b>50LP</b>	<b>UPCHARGE for a 50 Gallon Side Mount Low Profile Oil Tank (210149) in lieu of the Standard 50 Gallon Tank (7494BO) - Typically used with Quad Axle set ups or when more frame rail spacing is needed. Mounts to frame with two mounting brackets like a toolbox would.</b>
<b>HC2</b>	<b>Hook Hoist - Built w/ Double Acting Hydraulic Hook-Up at the Rear of the Hoist - Includes Control Valve - Two 1" Hydraulic Tubes to the Rear of the Hoist - No Quick Disconnects (QD's) - 5152BO - IS7959</b>
<b>HSLV</b>	<b>UPCHARGE to Add Hose Protection Sleeves over Hydraulic Hoses</b>
<b>H025</b>	High Pressure Hydraulic Filter Kit (Includes Hoses, Fittings, Mount Bracket: 50 GPM max. & 6,000 psi max.) - 211919
<b>IN H025</b>	<b>FACTORY MOUNT - Installation of High Pressure Filter Kit (Parts and Labor: Includes Hoses, Fittings, Mount Bracket: 50 GPM max. &amp; 6,000 psi max.) - 211919</b>
<b>ROST</b>	<b>Remote Breather - Mounted on the Tarper Gantry, Driver's side - Keeps Snow and Ice Away from the Oil Reservoir Air Breather</b>

## FRAME RELATED

*MOST FRAME RELATED OPTIONS ARE INSTALLED ON THE HOIST AT THE FACTORY*

<b>DHH1</b>	<b>UPCHARGE - Built w/ Dual Hook Height Option 54" &amp; 61.75" - Wider Range of Container Pick Up Options used on U3-DPHK - 171580</b>
<b>DHH2</b>	<b>UPCHARGE - Built w/ Dual Hook Height Option 54" &amp; 61.75" - Wider Range of Container Pick Up Options used on U20-DPHK - 248446</b>

**NO CUSTOMER SUPPLIED EQUIPMENT WILL BE INSTALLED AT THE GALBREATH FACTORY**

Prices are effective as of 10/1/2020. Prices are subject to change without notice. Please reference the Galbreath terms and conditions statement online at [www.galbreathproducts.com](http://www.galbreathproducts.com)

## SINGLE AXLE HOOK HOIST OPTIONS (continued)

Option No.	Description
<b>LIGHTING</b>	
LIT2	Work Lights - (2) - 2" LED Mounted ON the Bumper OR (customer choice) On Tarper Gantry (1,790 Lumens) - 236458
LIT3	Work Lights - (2) - 4" LED Recessed Mounted IN the Bumper - (1,000 Lumens) - 232344
LIT4	Work Lights - (2) - 4" LED Mounted ON the Bumper OR Mounted On Tarper Gantry (1,600 Lumens) - 232356
INST WL	<b>FACTORY MOUNT - Installation of Work/Mid Body Light Options (labor only) - 13A, LIT2, LIT3, &amp; LIT4</b>
SFTY	High Visibility Package - Requires Special Tower, Bumper and Wiring Harness - One (1) Beacon Light ON Tarper Gantry, (2) Work Lights ON Tarper Gantry and (2) Strobe Lights IN the Bumper (CANNOT add LIT3)
SFTY1	High Visibility Package - Requires Special Tower, Bumper and Wiring Harness - One (1) Beacon Light ON Tarper Gantry and (2) Strobe Lights IN the Bumper (CANNOT add LIT3)
IN SFTY	<b>FACTORY MOUNT - Installation of a Safety Light Option (labor only) - SFTY, SFTY1, GSFY &amp; GSFY1</b>
<b>SCALES</b>	
5661	SHIP OUT - Air Weigh Scales Kit for Lift Axles - Must be Added to Option 5658 for Spring Chassis Suspension or to Option 5664 for Air Ride Chassis Suspension, Whichever Applies
5664	SHIP OUT - Air Weigh Scales for Air Ride Chassis Suspension - Includes Single Point Air Leveling Valve System
INST SCAL	<b>FACTORY MOUNT - Scale systems for all hoists &amp; lift axles - (labor only; ADD to scale option selected)</b>
<b>MISC./SAFETY</b>	
S047	SHIP OUT - 8 Gallon Hand Wash Station w/ Soap Dispenser
INS047	<b>FACTORY MOUNT - Installation of 8 Gallon Hand Wash Station w/ Soap Dispenser- mounted on curb side behind the cab - 250649 (parts and labor)</b>
J013	SHIP OUT - Rear View Camera System (3rd Eye) - 7" HD Display, Single Camera
IN RVC	<b>FACTORY MOUNT - Installation of Any Single Rear View Camera System - (labor only) - ADD to Camera Option</b>
24E	SHIP OUT - Rear Window Screen to be Mounted to Tarper Gantry w/ Brackets - 6125BO (parts only)
INST 24E	<b>FACTORY MOUNT - Rear Window Screen Mounted to Tarper Gantry w/ Brackets - 6125BO - (parts and labor)</b>
511	SHIP OUT - Rear Window Screen (Large Cut Outs for better visibility) to be Mounted to Tarper Gantry w/ Brackets - 240511 (parts only)
IN 511	<b>FACTORY MOUNT - Rear Window Screen (Large Cut Outs for better visibility) Mounted to Tarper Gantry w/ Brackets - 240511 - (parts and labor)</b>
34CC	<b>FACTORY MOUNT - 20 lb. Fire Extinguisher Mounted on Top Of Outside Controls Protective Cover - A4016 - (parts and labor)</b>
34CJ	DOT Approved Roadside Reflector Kit - Required if the Vehicle Breaks Down - A4012
HAI	SHIP OUT - Hoist Up Alarm Audio Interrupter - Alarm Silenced When Parking Brake is Applied (Air Brake Systems Only) - 140868
IN HAI	<b>FACTORY MOUNT - Hoist Up Alarm Audio Interrupter - Alarm Silenced When Parking Brake is Applied (Air Brake Systems Only) - 140868 - (parts and labor)</b>
ROST	<b>Remote Breather - Mounted on the Tarper Gantry, Driver's side - Keeps Snow and Ice Away from the Oil Reservoir Air Breather</b>
TPOP	SHIP OUT - Tarper Mounting Platform - Includes Protective Valve Cover
TPOP1	SHIP OUT - Galbreath Std. Off-Set Tarper Mounting Platform - Includes Protective Valve Cover - For CNG and DEF Tank Interference Applications
SPEE1	<b>FACTORY MOUNT - Hoist Up Ground Speed Control and PTO Rev Control Programming - This is for Software Programming Only - Chassis not Equipped with Proper Wiring Harnesses will Incur Additional Cost for Wiring</b>
SPEE2	<b>FACTORY MOUNT - Hoist Up Ground Speed Control Software Programming Only (Cummins Engine/Allison Transmission)</b>
SAPT	<b>UPCHARGE - Paint unit special color - Single Axle Hoists &amp; OR Trail Hoist (indicate special paint code on order) - (parts and labor)</b>
0131	SHIP OUT - Shovel Holder Assembly - 210131
0131IN	<b>FACTORY MOUNT - Installation of Shovel Holder Assembly - 210131 (parts and labor)</b>
S013	SHIP OUT - Hoist Up In Cab Audible Alarm
INS013	<b>FACTORY MOUNT - Hoist Up In Cab Audible Alarm - (parts and labor)</b>
TCC	Tire Chain Holder 24" long by 7.5" wide by 9" high - features aluminum diamond plate cover
INTCC	<b>FACTORY MOUNT - Tire Chain Holder 24" long by 7.5" wide by 9" high - features aluminum diamond plate cover - (parts and labor)</b>

NO CUSTOMER SUPPLIED EQUIPMENT WILL BE INSTALLED AT THE GALBREATH FACTORY



**SINGLE AXLE HOOK HOIST OPTIONS**

Option No.	Description
<b>HOIST MOUNTING HARDWARE</b>	
<b>HUCK</b>	SHIP OUT - Hoist Mounting Huck Bolts for Dealer Hoist Installation - PER HOIST
<b>NOBO</b>	DEDUCT - Remove Standard Mounting Bolt Kit from Ship Out Kit
<b>VALVE CONTROL SYSTEMS</b>	
<b>2SSE</b>	UPCHARGE - (Single Axle <=25k lbs.) to upgrade from standard air controls to remote control, electric over hydraulic controls. 2-Spool Only non-integrated (saves space in cabs)
<b>2STE</b>	UPCHARGE - (Single or Tandem Axle >=30k lbs.) to upgrade from standard air controls to remote control, electric over hydraulic controls with remote. 2-Spool Only non-integrated (saves space in cabs) - 245069 & 244875
<b>ADAIR1</b>	SHIP OUT - Add-on air compressor for non-air trucks 1 gal tank (1.27 CFM @ 100 psi) - (parts only) - May be needed for inside controls, PTO, etc. - A4880 light duty
<b>8834</b>	FACTORY MOUNT - Add-on air compressor for non-air trucks 1 gal tank (1.27 CFM @ 100 psi) - (parts and labor) - May be needed for inside controls, PTO, etc. - A4880 light duty
<b>ADAIR25</b>	SHIP OUT - Add-on air compressor for non-air trucks 2.5 gal tank (2.62 CFM @ 100 psi) - (parts only) - May be needed for inside controls, PTO, etc. - 120820 med. duty
<b>8834-2</b>	FACTORY MOUNT - Add-on air compressor for non-air trucks 2.5 gal tank (2.62 CFM @ 100 psi) - (parts and labor) - May be needed for inside controls, PTO, etc. - 120820 med. duty
<b>TARPER SYSTEMS</b>	
<b>981</b>	Pioneer HR2000PP Hi-Roller Pull Tarp (Hydraulic Gantry) Armless - w/ 12V power pack - Also Used on Roll Off Trailers - Up to 40' "specify tarp length needed" - A4071
<b>999INT</b>	Pioneer HR2000PTO Hi-Roller Pull Tarp (Hydraulic Gantry) Armless - Integrated (1) Spool Galbreath Valve and Diverter- Also Used on Roll Off Trailers Up to 40' "specify tarp length needed"
<b>INNOAR</b>	FACTORY MOUNT - Installation of ARMLESS Pioneer Tarping Systems (labor only) - (Includes Offset Mounting Platform for Tarper & Valve) - Cable/Hook Hoists
<b>1500</b>	Pioneer HR1500PTO Econo Cover (Hydraulic Gantry) Fixed Arm - A3400 - Non-Integrated - Pioneer Valve and Diverter Included - Also Used on Roll Off Trailers
<b>2500</b>	PIONEER HR2500 - POWERGLIDE (HG) FOR CABLES (Non-Integrated) w/ steel arms - 3-spool Pioneer valve & diverter included
<b>900</b>	Pioneer Strong-Arm Rack n' Pinion RP4500SARG (Hydraulic Gantry) - 153568 or 226603 for Hooks - Non-Integrated - (3) Spool Pioneer Valve and Diverter Included
<b>NON INST</b>	FACTORY MOUNT - Installation of Non-Integrated Pioneer Tarping Systems (parts and labor; tarp system separate) - (Includes Offset Mounting Platform for Tarper and Valve & Galbreath Fender Mounting Brackets)
<b>250INT</b>	PIONEER HR2500 - POWERGLIDE (HG) FOR CABLES (Integrated) w/ steel arms - 3-spool Galbreath valve & diverter included
<b>900INT</b>	Pioneer Strong-Arm Rack n' Pinion RP4500SARG (Hydraulic Gantry) - A4319 (cable) 226604 (hook) - Integrated (3) Spool Galbreath Valve and Diverter Included
<b>990INT</b>	Pioneer Strong-Arm Rack n' Pinion RP4500SAR (Fixed Gantry) - A4923 for Cable, 226604 for HK - Integrated (2) Spool Galbreath Valve and Diverter Included (WM Spec)
<b>INT INST</b>	FACTORY MOUNT - Installation and Integration of Pioneer Tarping Systems (parts and labor; tarp system separate) - (Includes Offset Mounting Platform for Tarper and Valve & Galbreath Fender Mounting Brackets)
<b>FMINT</b>	FACTORY MOUNT - Installation and Integration of Competitive Brand Tarping Systems (parts and labor; tarp system separate) - (Includes Offset Mounting Platform for Tarper & Valve, Protective Valve Cover & Galbreath Fender Mounting Brackets)
<b>TINOFG</b>	FACTORY MOUNT - Installation of Non-Integrated Competitive Brand Tarping Systems (parts and labor; tarp system separate) - (Includes Offset Mounting Platform for Tarper & Valve, Protective Valve Cover & Galbreath Fender Mounting Brackets)
<b>HPTS</b>	SHIP OUT - Hydraulic Plumbing Kit to Integrate Tarping Systems (kit incl.: diverter valve, fittings, hoses, bulkhead and clamps) - same as factory - 236502 - May want to add TFB option - ONLY order if the Pioneer Tarp is purchased outside of Galbreath
<b>TPOP</b>	SHIP OUT - Tarper Mounting Platform - Includes Protective Valve Cover
<b>TPOP1</b>	SHIP OUT - Galbreath Std. Off-Set Tarper Mounting Platform - Includes Protective Valve Cover - For CNG and DEF Tank Interference Applications
<b>TFB</b>	Galbreath Tarper Fender Mounting Brackets - Specify Axle Spread - 2K1085
<b>TFBMM</b>	Galbreath Tarper Fender Mounting Brackets - For MACK M-RIDE Axles - 224193
<b>TFBTT</b>	Galbreath Tarper Fender Mounting Brackets - For FREIGHTLINER TUFF TRAC Axles - 211813

Other Tarp Models Available: Please Contact the Galbreath Insides Sales Department for Pricing

Not All Competative Brand Tarpers can be Integrated.

**NO CUSTOMER SUPPLIED EQUIPMENT WILL BE INSTALLED AT THE GALBREATH FACTORY**

## SINGLE AXLE CABLE HOIST OPTIONS (continued)

Option No.	Description
<b>CNG RELATED</b>	
<b>BCNG</b>	Above Frame (AF) Hoist Mounting Brackets for CNG Side Mount Kit Installation. Brackets Must be Installed Before CNG Tank Installation Begins and Before Hoist is Mounted - Brackets Included in Price of the Hoist
<b>82GC</b>	<b>FACTORY MOUNT - CNG KIT and Installation</b>
<b>CNGF</b>	<b>FACTORY MOUNT - Fuel CNG Chassis before Delivery - TRUCKS MUST BE FUELED IN ORDER TO TEST THE CNG SYSTEM</b>
<b>CNGH</b>	<b>FACTORY MOUNT - CNG Handling Charge when Chassis has not had CNG Fueling System Installed</b>
<b>CNGH1</b>	<b>FACTORY MOUNT - Installation and Plumbing of (2) Side Mount CNG Tanks when Purchased through Galbreath</b>
<b>CNGH2</b>	<b>FACTORY MOUNT - Charge for CNG Up fitter to Install CNG System at the Galbreath Facility</b>
<b>LIFT AXLES - LESS TIRES &amp; RIMS</b>	
<i>Tires and Rims ARE NOT INCLUDED w/ Any Lift Axle Option. All Lift Axles Include Air Kit</i>	
<b>36A</b>	13,000 lb. Steerable 2-Tire Watson & Chalin - A2399 - Use on U5 with Rod - Specify Hub Type
<b>36C</b>	13,000 lb. Steerable 2-Tire Watson & Chalin - A2400 - Inside Frame Mount - Use on U5 with Rod Type Cylinders- Specify Hub Type
<b>36H</b>	13,000 lb. Steerable 2-Tire Hendrickson - A5569 - Use with Rod Cylinders and Quad Axles
<b>36D</b>	13,000 lb. Non-Steer 2-Tire Silent Drive AA-230 includes air kit (A3449)- A2398 - Use on U5 with Rod
<b>37L</b>	13,000 lb. Non-Steer 2-Tire Hendrickson - A5997 - Use on Tri-Axle with Rod Cylinders
<b>INNON</b>	<b>FACTORY MOUNT - Install Non-Steer Lift Axle (labor only) - Set Per Layout - Add to Non-Steer Lift Axles</b>
<b>INSTEER</b>	<b>FACTORY MOUNT - Install Steerable Lift Axle (labor only) - Set Per Layout - Add to Steerable Lift Axles</b>
<b>FENDERS</b>	
<b>NFND</b>	No Fenders Needed - place holder in order entry only
<b>1/4FND</b>	1/4 Poly Fenders - 24" for use with Lift Axles or in lieu of half round fenders
<b>1/4FND2</b>	1/4 Poly Fenders - 24" for use with Tandem Axle Trailers (2 sets)
<b>PLST</b>	Plastic Half Round Fenders 38"/16.5 Dually - A2425 (9616AO for brackets) - Single Axle Hoist
<b>IPLY</b>	Poly Half Round Fenders w/ Brackets - 5496BO - Single Axle Hoist
<b>5B</b>	Poly Half Round 44" Fenders - Specify Tire Size - A4531 (9616AO for brackets) - Single Axle Hoist
<b>FD44</b>	Steel Half Round 44" Fenders (3114) - w/ Mounting Brackets (9616AO) - Single Axle - 8486BO prev. p/n
<b>FND4</b>	Steel Half Round 48" Fenders for 22.5 Tires (9616AO for Brackets) - 171135 - Single Axle Hoist
<b>HK44</b>	Aluminum Half Round Fenders 44" - Specify Tire Size - A1042 uses 9616AO mounting brackets - Small Single Axle Cable/Hook Hoist/Container Handlers - Used w/ low profile tires
<b>HK5A</b>	Aluminum Half Round Diamond Plate Fenders (Large) 50" - Specify Tire Size - 9797 uses 9616AO mounting brackets - Single Axle Cable/Hook Hoist/Container Handlers & AC2 Trailer
<b>1INFND</b>	<b>FACTORY MOUNT - Installation of Single Axle/Lift Axle Fenders - (labor only; add to option picked)</b>
<b>1AAA</b>	Contoured Smooth Steel Tandem Axle Fenders w/ Brackets for Axle Spread Range of 49"-55" - Specify Axle Spread - 171529(cable), 193894(hook)
<b>5A</b>	Contoured Poly Tandem Fenders w/ Brackets for Axle Spread Range of 52"-53" - Specify Tandem Axle Spread - 6912AO
<b>5V</b>	Contoured Steel Diamond Plate 12 gauge Tandem Axle Fenders w/ Brackets - Specify Axle Spread - 6741BO
<b>AH1</b>	Flat Top 3/16" Steel Tread Plate Tandem Axle Fenders w/ Brackets - Galbreath Heavy Duty Models - 132094
<b>F1</b>	Aluminum Tread Plate 10 Gauge (1/4") Flat Top Fenders w/ Brackets for Tandem Axle - 8651AO
<b>F1C</b>	Aluminum Tread Plate 10 Gauge (1/4") Contoured Fenders w/ Brackets for Tandem Axle - 2888BO old - 230810 new
<b>2INFND</b>	<b>FACTORY MOUNT - Installation of Tandem Axle Fenders - (labor only; add to option picked)</b>
<b>TFB</b>	Galbreath Tarper Fender Mounting Brackets - Specify Axle Spread - 2K1085

**NO CUSTOMER SUPPLIED EQUIPMENT WILL BE INSTALLED AT THE GALBREATH FACTORY**

## SINGLE AXLE HOOK HOIST OPTIONS (continued)

Option No.	Description
<b>TIRES AND RIMS</b>	
36LA-2	FACTORY MOUNT - (2) Tires with Aluminum Rims 11R-22.5-H - 16 Ply - 10 Hole Hub Piloted - (parts and labor) - For Lift Axles Only
36M2-2	FACTORY MOUNT - (2) Tires with Steel Rims 11R-22.5-H - 16 Ply - 10 Hole Hub Piloted - (parts and labor) - For Lift Axles Only
RO04-2	FACTORY MOUNT - Rims Only - (2) - Steel 22.5 10 Hole Hub Piloted - (parts and labor) - For Lift Axles Only
RO11-2	FACTORY MOUNT - Rims Only - (2) - Steel 24.5 10 Hole Hub Piloted - (parts and labor) - For Lift Axles Only
RO14-2	FACTORY MOUNT - Rims Only - (2) - Aluminum 24.5 10 Hole Hub Piloted - (parts and labor) - For Lift Axles Only
RO17-2	FACTORY MOUNT - Rims Only - (2) - Aluminum 22.5 10 Hole Hub Piloted - (parts and labor) - For Lift Axles Only
SS2-AL	FACTORY MOUNT - (2) Tires with Aluminum Rims 455/55R22.5L - 20 Ply Super Singles- 10 Hole Hub Piloted - (parts and labor) - For Lift Axles & Fixed Suspension Axles
T001/RO11-2	FACTORY MOUNT - (2) Tires with Steel Rims 11R-24.5-H - 16 Ply - 10 Hole Hub Piloted - (parts and labor) - For Lift Axles Only
T001/RO14-2	FACTORY MOUNT - (2) Tires with Aluminum Rims 11R-24.5-H - 16 Ply - 10 Hole Hub Piloted - (parts and labor) - For Lift Axles Only
TR31/RS17-2	FACTORY MOUNT - (2) Tires with Steel Rims 315-80R-22.5-L - 20 Ply - 10 Hole Hub Piloted - 9" Rim - (parts and labor) - For Lift Axles Only
TR31/RS18-2	FACTORY MOUNT - (2) Tires with Aluminum Rims 315-80R-22.5-L - 20 Ply - 10 Hole Hub Piloted - 9" Rim - (parts and labor) - For Lift Axles Only
UPBRG	UPCHARGE - FACTORY MOUNT - upgrade to Bridgestone Tires - SET OF 2 - (parts only)
UPMCH	UPCHARGE - FACTORY MOUNT - upgrade to Michelin Tires - SET OF 2 - (parts only)
7524-1	FACTORY MOUNT - (20) Wheel Check Indicators - Single Axle - (parts and labor)
TCC	Tire Chain Holder 24" long by 7.5" wide by 9" high - features aluminum diamond plate cover
INTCC	FACTORY MOUNT - Tire Chain Holder 24" long by 7.5" wide by 9" high - features aluminum diamond plate cover - (parts and labor)
<b>TOOLBOXES</b>	
17B	Aluminum Toolbox - 18" X 18" X 24" - Opens from the Front - A4819 - Toolbox Mounting Brackets Included
17F	Aluminum Toolbox - 18" X 18" X 36" - Opens from the Front - A4516 - Toolbox Mounting Brackets Included
17C	Aluminum Toolbox - 18" X 18" X 48" - Opens from the Front - A4820 - Toolbox Mounting Brackets Included
17E	Poly Toolbox - 19" X 20" X 36" - Opens from the Top - A4033 - Toolbox Mounting Brackets Included
G025	Steel Toolbox - 14" X 12" X 14" - Opens from the Front - 229309 - Standard Toolbox Option - Toolbox Mounting Brackets Included
G027	Steel Toolbox - 14" X 12" X 24" - Opens from the Front - 229311 - Standard Toolbox Option - Toolbox Mounting Brackets Included
G024	Steel Toolbox - 14" X 16" X 24" - Opens from the Front - 229310 - Standard Toolbox Option - Toolbox Mounting Brackets Included
17	Steel Toolbox - 16" X 20" X 24" - Opens from the Front - 0936AO - Galbreath Made - Toolbox Mounting Brackets Included
G018	Steel Toolbox - 16" X 20" X 24" - Opens from the Front (For High Mounts, includes mounting brackets) - 228969 - Standard Toolbox Option
17D	Steel Toolbox - 16" X 20" X 36" - Opens from the Front - 1573BO - Galbreath Made - Toolbox Mounting Brackets Included
17A	Steel Toolbox - 16" X 20" X 48" - Opens from the Front - 4395AO - Galbreath Made - Toolbox Mounting Brackets Included
G021	Steel Toolbox - 18" X 18" X 24" - Opens from the Front - 229306 - Standard Toolbox Option - Toolbox Mounting Brackets Included
G015	Steel Toolbox - 18" X 18" X 36" - Opens from the Front - 227987 - Buyers Brand Toolbox Option - Toolbox Mounting Brackets Included
G022	Steel Toolbox - 18" X 18" X 36" - Opens from the Front - 229307 - Standard Toolbox Option - Toolbox Mounting Brackets Included
G023	Steel Toolbox - 18" X 18" X 48" - Opens from the Front - 229308 - Standard Toolbox Option - Toolbox Mounting Brackets Included
G048	Steel Toolbox - 18" X 22" X 48" - Opens from the Front - 233774 - Diamond Plate Top w/ Rain Gutter - Toolbox Mounting Brackets Included
TINST	FACTORY MOUNT - Install Toolbox on Hoist when hoist comes with a Side Mount Oil Reservoir using Combo Brackets - (labor only) - 2260W & 0340BO - U/AH-Series Only

NO CUSTOMER SUPPLIED EQUIPMENT WILL BE INSTALLED AT THE GALBREATH FACTORY



## SINGLE AXLE HOOK HOIST OPTIONS (continued)

Option No.	Description
<b>BUMPERS &amp; PINTLE HOOKS</b>	
<b>B4</b>	SHIP OUT - Reese Style Hitch on Pintle Ready Aprons - includes 7-spade pin Trailer Plug and harness - no air - w/o glad hands (Class V - 3,000 lbs. Vertical Load, 16,000 lbs. Gross Trailer Weight - Receiver Not Included) - 171062 (apron) - 171064 (Pintle plate) - 117189 or A2891 (2" hitch)
<b>6A</b>	<b>FACTORY MOUNT - Install Reese Style Hitch Only (parts and labor) - includes 7-spade pin Trailer Plug and harness - no air - w/o glad hands (Class V - 3,000 lbs. Vertical Load, 16,000 lbs. GTW - (Individual Receivers Not Included) - A2891 - 117189 - 178258 - 171062</b>
<b>SAPH</b>	SHIP OUT - Pintle Hook w/ 7-spade pin Trailer Plug and harness - no air - w/o glad hands 30k lb. GTW rating - Used On Single or Tandem Axle Cable Hoists w/ Pintle Adaptable Rear Aprons - 228735/8757BO (PH30)
<b>SAPH INST</b>	<b>FACTORY MOUNT - Pintle Hook w/ 7-spade pin Trailer Plug and harness - no air - w/o glad hands 30k lb. GTW rating - (parts and labor) - Used On Single or Tandem Axle Cable Hoists w/ Pintle Adaptable Rear Apron - 228735/8757BO (PH30)</b>
<b>40U3</b>	SHIP OUT - Pintle Hook w/ Glad Hands and Pintle Mounting Plate - 8617BO/8922BO/7898BO - 20K Vertical and 100K Tow Rating - 8922BO-H (Holland)
<b>INST PH</b>	<b>FACTORY MOUNT - (labor only) Installation of Pintle Hook Options (ADD to option picks 40U3, 44U3)</b>
<b>FMPH</b>	SHIP OUT - Fish Mount Pintle Hook - 2359 & 196981
<b>INFMPH</b>	<b>FACTORY MOUNT - Installation of Option FMPH - Fish Mount Pintle Hook (parts and labor) - 2359 &amp; 196981</b>
<b>HKSA AE</b>	<b>FACTORY MOUNT - Install Air and Electric for Pintle Hook if Available (parts and labor) - May Need to Add Option 8834 (A4880 - Add on Air Compressor) if Chassis is not Equipped</b>
<b>AELB</b>	<b>FACTORY MOUNT - Run Air and Electric for Pintle Hook if Pre-Wired and Plumbed (misc. parts and labor)</b>

## PTO & PUMP OPTIONS

*Make, Model and Rotation of Transmission Needed when Ordering PTO*

<b>PTO5</b>	Single Axles - SHIP OUT - Muncie DS PTO for (Fuller direct mount) Manual Transmission - Electric over Air - 233318 (For factory mounting ADD option PTO INST)
<b>PTO6</b>	Single Axles - SHIP OUT - Muncie DS PTO for (Allison direct mount) Automatic Transmission - Hot Shift - 202663 (For factory mounting ADD option PTO INST)
<b>PTO7</b>	Ford F550/650/750 ONLY - SHIP OUT - Muncie DS PTO for (TorqShift direct mount) Automatic Transmission - Hot Shift - 202663 (241122 - diesel or 241123 - gas for F650/750) (For factory mounting ADD option PTO INST)
<b>PTO13</b>	SA HK Hoists - SHIP OUT - Bezares WS PTO for (Allison direct mount) Automatic Transmission - (includes pump upgrade Bezares bent axis piston pump) - 226835 (For factory mounting ADD option PTO INST)
<b>WET</b>	<b>UPCHARGE for Muncie PTO to be Wet Spline (Most Chelsea/Parker PTO's are Wet Spline)</b>
<b>PTO INST</b>	<b>FACTORY MOUNT - Any PTO option pick (labor only)</b>
<b>13Y1</b>	<b>UPCHARGE FACTORY MOUNT - Front Mount Pump with Mounting Brackets in Place - A4890 - (parts and labor)</b>
<b>13D2</b>	<b>FACTORY MOUNT - Modify Brackets and Rerouting if Chassis is Not Front Mount Pump Ready - (parts and labor)</b>

## HYDRAULIC / WET KIT OPTIONS

<b>50LP</b>	<b>UPCHARGE for a 50 Gallon Side Mount Low Profile Oil Tank (210149) in lieu of the Standard 50 Gallon Tank (7494BO) - Typically used with Quad Axle set ups or when more frame rail spacing is needed. Mounts to frame with two mounting brackets like a toolbox would.</b>
<b>HC2</b>	<b>Hook Hoist - Built w/ Double Acting Hydraulic Hook-Up at the Rear of the Hoist - Includes Control Valve - Two 1" Hydraulic Tubes to the Rear of the Hoist - No Quick Disconnects (QD's) - 5152BO - IS7959</b>
<b>HSLV</b>	<b>UPCHARGE to Add Hose Protection Sleeves over Hydraulic Hoses</b>
<b>H025</b>	High Pressure Hydraulic Filter Kit (Includes Hoses, Fittings, Mount Bracket: 50 GPM max. & 6,000 psi max.) - 211919
<b>IN H025</b>	<b>FACTORY MOUNT - Installation of High Pressure Filter Kit (Parts and Labor: Includes Hoses, Fittings, Mount Bracket: 50 GPM max. &amp; 6,000 psi max.) - 211919</b>
<b>ROST</b>	<b>Remote Breather - Mounted on the Tarper Gantry, Driver's side - Keeps Snow and Ice Away from the Oil Reservoir Air Breather</b>

## FRAME RELATED

*MOST FRAME RELATED OPTIONS ARE INSTALLED ON THE HOIST AT THE FACTORY*

<b>DHH1</b>	<b>UPCHARGE - Built w/ Dual Hook Height Option 54" &amp; 61.75" - Wider Range of Container Pick Up Options used on U3-DPHK - 171580</b>
<b>DHH2</b>	<b>UPCHARGE - Built w/ Dual Hook Height Option 54" &amp; 61.75" - Wider Range of Container Pick Up Options used on U20-DPHK - 248446</b>

**NO CUSTOMER SUPPLIED EQUIPMENT WILL BE INSTALLED AT THE GALBREATH FACTORY**

Prices are effective as of 10/1/2020. Prices are subject to change without notice. Please reference the Galbreath terms and conditions statement online at [www.galbreathproducts.com](http://www.galbreathproducts.com)

## SINGLE AXLE HOOK HOIST OPTIONS (continued)

Option No.	Description
<b>LIGHTING</b>	
LIT2	Work Lights - (2) - 2" LED Mounted ON the Bumper OR (customer choice) On Tarper Gantry (1,790 Lumens) - 236458
LIT3	Work Lights - (2) - 4" LED Recessed Mounted IN the Bumper - (1,000 Lumens) - 232344
LIT4	Work Lights - (2) - 4" LED Mounted ON the Bumper OR Mounted On Tarper Gantry (1,600 Lumens) - 232356
INST WL	<b>FACTORY MOUNT - Installation of Work/Mid Body Light Options (labor only) - 13A, LIT2, LIT3, &amp; LIT4</b>
SFTY	High Visibility Package - Requires Special Tower, Bumper and Wiring Harness - One (1) Beacon Light ON Tarper Gantry, (2) Work Lights ON Tarper Gantry and (2) Strobe Lights IN the Bumper (CANNOT add LIT3)
SFTY1	High Visibility Package - Requires Special Tower, Bumper and Wiring Harness - One (1) Beacon Light ON Tarper Gantry and (2) Strobe Lights IN the Bumper (CANNOT add LIT3)
IN SFTY	<b>FACTORY MOUNT - Installation of a Safety Light Option (labor only) - SFTY, SFTY1, GSFY &amp; GSFY1</b>
<b>SCALES</b>	
5661	SHIP OUT - Air Weigh Scales Kit for Lift Axles - Must be Added to Option 5658 for Spring Chassis Suspension or to Option 5664 for Air Ride Chassis Suspension, Whichever Applies
5664	SHIP OUT - Air Weigh Scales for Air Ride Chassis Suspension - Includes Single Point Air Leveling Valve System
INST SCAL	<b>FACTORY MOUNT - Scale systems for all hoists &amp; lift axles - (labor only; ADD to scale option selected)</b>
<b>MISC./SAFETY</b>	
S047	SHIP OUT - 8 Gallon Hand Wash Station w/ Soap Dispenser
INS047	<b>FACTORY MOUNT - Installation of 8 Gallon Hand Wash Station w/ Soap Dispenser- mounted on curb side behind the cab - 250649 (parts and labor)</b>
J013	SHIP OUT - Rear View Camera System (3rd Eye) - 7" HD Display, Single Camera
IN RVC	<b>FACTORY MOUNT - Installation of Any Single Rear View Camera System - (labor only) - ADD to Camera Option</b>
24E	SHIP OUT - Rear Window Screen to be Mounted to Tarper Gantry w/ Brackets - 6125BO (parts only)
INST 24E	<b>FACTORY MOUNT - Rear Window Screen Mounted to Tarper Gantry w/ Brackets - 6125BO - (parts and labor)</b>
511	SHIP OUT - Rear Window Screen (Large Cut Outs for better visibility) to be Mounted to Tarper Gantry w/ Brackets - 240511 (parts only)
IN 511	<b>FACTORY MOUNT - Rear Window Screen (Large Cut Outs for better visibility) Mounted to Tarper Gantry w/ Brackets - 240511 - (parts and labor)</b>
34CC	<b>FACTORY MOUNT - 20 lb. Fire Extinguisher Mounted on Top Of Outside Controls Protective Cover - A4016 - (parts and labor)</b>
34CJ	DOT Approved Roadside Reflector Kit - Required if the Vehicle Breaks Down - A4012
HAI	SHIP OUT - Hoist Up Alarm Audio Interrupter - Alarm Silenced When Parking Brake is Applied (Air Brake Systems Only) - 140868
IN HAI	<b>FACTORY MOUNT - Hoist Up Alarm Audio Interrupter - Alarm Silenced When Parking Brake is Applied (Air Brake Systems Only) - 140868 - (parts and labor)</b>
ROST	<b>Remote Breather - Mounted on the Tarper Gantry, Driver's side - Keeps Snow and Ice Away from the Oil Reservoir Air Breather</b>
TPOP	SHIP OUT - Tarper Mounting Platform - Includes Protective Valve Cover
TPOP1	SHIP OUT - Galbreath Std. Off-Set Tarper Mounting Platform - Includes Protective Valve Cover - For CNG and DEF Tank Interference Applications
SPEE1	<b>FACTORY MOUNT - Hoist Up Ground Speed Control and PTO Rev Control Programming - This is for Software Programming Only - Chassis not Equipped with Proper Wiring Harnesses will Incur Additional Cost for Wiring</b>
SPEE2	<b>FACTORY MOUNT - Hoist Up Ground Speed Control Software Programming Only (Cummins Engine/Allison Transmission)</b>
SAPT	<b>UPCHARGE - Paint unit special color - Single Axle Hoists &amp; OR Trail Hoist (indicate special paint code on order) - (parts and labor)</b>
0131	SHIP OUT - Shovel Holder Assembly - 210131
0131IN	<b>FACTORY MOUNT - Installation of Shovel Holder Assembly - 210131 (parts and labor)</b>
S013	SHIP OUT - Hoist Up In Cab Audible Alarm
INS013	<b>FACTORY MOUNT - Hoist Up In Cab Audible Alarm - (parts and labor)</b>
TCC	Tire Chain Holder 24" long by 7.5" wide by 9" high - features aluminum diamond plate cover
INTCC	<b>FACTORY MOUNT - Tire Chain Holder 24" long by 7.5" wide by 9" high - features aluminum diamond plate cover - (parts and labor)</b>

NO CUSTOMER SUPPLIED EQUIPMENT WILL BE INSTALLED AT THE GALBREATH FACTORY

**TANDEM AXLE HOOK HOIST OPTIONS**

Option No.	Description
<b>HOIST MOUNTING HARDWARE</b>	
<b>HUCK</b>	SHIP OUT - Hoist Mounting Huck Bolts for Dealer Hoist Installation - PER HOIST
<b>NOBO</b>	DEDUCT - Remove Standard Mounting Bolt Kit from Ship Out Kit
<b>TARPER SYSTEMS</b>	
<b>981</b>	Pioneer HR2000PP Hi-Roller Pull Tarp (Hydraulic Gantry) Armless - w/ 12V power pack - Also Used on Roll Off Trailers - Up to 40' "specify tarp length needed" - A4071
<b>999INT</b>	Pioneer HR2000PTO Hi-Roller Pull Tarp (Hydraulic Gantry) Armless - Integrated (1) Spool Galbreath Valve and Diverter- Also Used on Roll Off Trailers Up to 40' "specify tarp length needed"
<b>INNOAR</b>	<b>FACTORY MOUNT - Installation of ARMLESS Pioneer Tarping Systems (labor only) - (Includes Offset Mounting Platform for Tarper &amp; Valve) - Cable/Hook Hoists</b>
<b>1500</b>	Pioneer HR1500PTO Econo Cover (Hydraulic Gantry) Fixed Arm - A3400 - Non-Integrated - Pioneer Valve and Diverter Included - Also Used on Roll Off Trailers
<b>2500</b>	PIONEER HR2500 - POWERGLIDE (HG) FOR CABLES (Non-Integrated) w/ steel arms - 3-spool Pioneer valve & diverter included
<b>900</b>	Pioneer Strong-Arm Rack n' Pinion RP4500SARG (Hydraulic Gantry) - 153568 or 226603 for Hooks - Non-Integrated - (3) Spool Pioneer Valve and Diverter Included
<b>NON INST</b>	<b>FACTORY MOUNT - Installation of Non-Integrated Pioneer Tarping Systems (parts and labor; tarp system separate) - (Includes Offset Mounting Platform for Tarper and Valve &amp; Galbreath Fender Mounting Brackets)</b>
<b>250INT</b>	PIONEER HR2500 - POWERGLIDE (HG) FOR CABLES (Integrated) w/ steel arms - 3-spool Galbreath valve & diverter included
<b>900INT</b>	Pioneer Strong-Arm Rack n' Pinion RP4500SARG (Hydraulic Gantry) - A4319 (cable) 226604 (hook) - Integrated (3) Spool Galbreath Valve and Diverter Included
<b>990INT</b>	Pioneer Strong-Arm Rack n' Pinion RP4500SAR (Fixed Gantry) - A4923 for Cable, 226604 for HK - Integrated (2) Spool Galbreath Valve and Diverter Included (WM Spec)
<b>INT INST</b>	<b>FACTORY MOUNT - Installation and Integration of Pioneer Tarping Systems (parts and labor; tarp system separate) - (Includes Offset Mounting Platform for Tarper and Valve &amp; Galbreath Fender Mounting Brackets)</b>
<b>FMINT</b>	<b>FACTORY MOUNT - Installation and Integration of Competitive Brand Tarping Systems (parts and labor; tarp system separate) - (Includes Offset Mounting Platform for Tarper &amp; Valve, Protective Valve Cover &amp; Galbreath Fender Mounting Brackets)</b>
<b>TINOFG</b>	<b>FACTORY MOUNT - Installation of Non-Integrated Competitive Brand Tarping Systems (parts and labor; tarp system separate) - (Includes Offset Mounting Platform for Tarper &amp; Valve, Protective Valve Cover &amp; Galbreath Fender Mounting Brackets)</b>
<b>HPTS</b>	SHIP OUT - Hydraulic Plumbing Kit to Integrate Tarping Systems (kit incl.: diverter valve, fittings, hoses, bulkhead and clamps) - same as factory - 236502 - May want to add TFB option - ONLY order if the Pioneer Tarp is purchased outside of Galbreath
<b>TPOP</b>	SHIP OUT - Tarper Mounting Platform - Includes Protective Valve Cover
<b>TPOP1</b>	SHIP OUT - Galbreath Std. Off-Set Tarper Mounting Platform - Includes Protective Valve Cover - For CNG and DEF Tank Interference Applications
<b>TFB</b>	Galbreath Tarper Fender Mounting Brackets - Specify Axle Spread - 2K1085
<b>TFBMM</b>	Galbreath Tarper Fender Mounting Brackets - For MACK M-RIDE Axles - 224193
<b>TFBTT</b>	Galbreath Tarper Fender Mounting Brackets - For FREIGHTLINER TUFF TRAC Axles - 211813

Other Tarp Models Available: Please Contact the Galbreath Insides Sales Department for Pricing

Not All Competative Brand Tarpers can be Integrated.

**NO CUSTOMER SUPPLIED EQUIPMENT WILL BE INSTALLED AT THE GALBREATH FACTORY**

## TANDEM AXLE HOOK HOIST OPTIONS (continued)

Option No.	Description
<b>CNG RELATED</b>	
<b>BCNG</b>	Above Frame (AF) Hoist Mounting Brackets for CNG Side Mount Kit Installation. Brackets Must be Installed Before CNG Tank Installation Begins and Before Hoist is Mounted - Brackets Included in Price of the Hoist
<b>82GC</b>	<b>FACTORY MOUNT - CNG KIT and Installation</b>
<b>CNGF</b>	<b>FACTORY MOUNT - Fuel CNG Chassis before Delivery - TRUCKS MUST BE FUELED IN ORDER TO TEST THE CNG SYSTEM</b>
<b>CNGH</b>	<b>FACTORY MOUNT - CNG Handling Charge when Chassis has not had CNG Fueling System Installed</b>
<b>CNGH1</b>	<b>FACTORY MOUNT - Installation and Plumbing of (2) Side Mount CNG Tanks when Purchased through Galbreath</b>
<b>CNGH2</b>	<b>FACTORY MOUNT - Charge for CNG Up fitter to Install CNG System at the Galbreath Facility</b>
<b>INSIDE/OUTSIDE CONTROLS - INTEGRATION</b>	
<b>2SSE</b>	<b>UPCHARGE - (Single Axle &lt;=25k lbs.) to upgrade from standard air controls to remote control, electric over hydraulic controls. 2-Spool Only non-integrated (saves space in cabs)</b>
<b>2STE</b>	<b>UPCHARGE - (Single or Tandem Axle &gt;=30k lbs.) to upgrade from standard air controls to remote control, electric over hydraulic controls with remote. 2-Spool Only non-integrated (saves space in cabs) - 245069 &amp; 244875</b>
<b>19C1</b>	<b>UPCHARGE for (1) Additional Manual Spool Valve Section - Non Tarper Related - For Integration into Galbreath Hoist Outside Valve Section - A3208 - (for use with All SA/TA U/AH/AF-series Cable Hoists, Roll Off Trailers Included &amp; 30k lb. and up Hook Hoist Models)</b>
<b>19C2</b>	<b>UPCHARGE for (2) Additional Manual Spools - for Integration of Pioneer Strong Arm Rack n' Pinion SAR (Fixed Gantry) - A4982 - Included w/ option 990INT</b>
<b>19C6</b>	<b>UPCHARGE for (3) Additional Manual Spools - for Integration of Pioneer Strong Arm Rack n' Pinion SARG (Hydraulic Gantry) - 231590 - Included w/ option 900INT &amp; 250INT</b>
<b>HPTS</b>	SHIP OUT - Hydraulic Plumbing Kit to Integrate Tarping Systems (kit incl.: diverter valve, fittings, hoses, bulkhead and clamps) - same as factory - 236502 - May want to add TFB option - ONLY order if the Pioneer Tarp is purchased outside of Galbreath
<b>TPOP</b>	SHIP OUT - Tarper Mounting Platform - Includes Protective Valve Cover
<b>TPOP1</b>	SHIP OUT - Galbreath Std. Off-Set Tarper Mounting Platform - Includes Protective Valve Cover - For CNG and DEF Tank Interference Applications
<b>TOOLBOXES</b>	
<b>17</b>	Steel Toolbox - 16" X 20" X 24" - Opens from the Front - 0936AO - Galbreath Made - Toolbox Mounting Brackets Included
<b>17A</b>	Steel Toolbox - 16" X 20" X 48" - Opens from the Front - 4395AO - Galbreath Made - Toolbox Mounting Brackets Included
<b>17B</b>	Aluminum Toolbox - 18" X 18" X 24" - Opens from the Front - A4819 - Toolbox Mounting Brackets Included
<b>17C</b>	Aluminum Toolbox - 18" X 18" X 48" - Opens from the Front - A4820 - Toolbox Mounting Brackets Included
<b>17D</b>	Steel Toolbox - 16" X 20" X 36" - Opens from the Front - 1573BO - Galbreath Made - Toolbox Mounting Brackets Included
<b>17E</b>	Poly Toolbox - 19" X 20" X 36" - Opens from the Top - A4033 - Toolbox Mounting Brackets Included
<b>17F</b>	Aluminum Toolbox - 18" X 18" X 36" - Opens from the Front - A4516 - Toolbox Mounting Brackets Included
<b>G015</b>	Steel Toolbox - 18" X 18" X 36" - Opens from the Front - 227987 - Buyers Brand Toolbox Option - Toolbox Mounting Brackets Included
<b>G018</b>	Steel Toolbox - 16" X 20" X 24" - Opens from the Front (For High Mounts, includes mounting brackets) - 228969 - Standard Toolbox Option
<b>G021</b>	Steel Toolbox - 18" X 18" X 24" - Opens from the Front - 229306 - Standard Toolbox Option - Toolbox Mounting Brackets Included
<b>G022</b>	Steel Toolbox - 18" X 18" X 36" - Opens from the Front - 229307 - Standard Toolbox Option - Toolbox Mounting Brackets Included
<b>G023</b>	Steel Toolbox - 18" X 18" X 48" - Opens from the Front - 229308 - Standard Toolbox Option - Toolbox Mounting Brackets Included
<b>G024</b>	Steel Toolbox - 14" X 16" X 24" - Opens from the Front - 229310 - Standard Toolbox Option - Toolbox Mounting Brackets Included
<b>G025</b>	Steel Toolbox - 14" X 12" X 14" - Opens from the Front - 229309 - Standard Toolbox Option - Toolbox Mounting Brackets Included
<b>G027</b>	Steel Toolbox - 14" X 12" X 24" - Opens from the Front - 229311 - Standard Toolbox Option - Toolbox Mounting Brackets Included
<b>G048</b>	Steel Toolbox - 18" X 22" X 48" - Opens from the Front - 233774 - Diamond Plate Top w/ Rain Gutter - Toolbox Mounting Brackets Included
<b>TINST</b>	<b>FACTORY MOUNT - Install Toolbox on Hoist when hoist comes with a Side Mount Oil Reservoir using Combo Brackets - (labor only) - 2260W &amp; 0340BO - U/AH-Series Only</b>

**NO CUSTOMER SUPPLIED EQUIPMENT WILL BE INSTALLED AT THE GALBREATH FACTORY**

## TANDEM AXLE HOOK HOIST OPTIONS (continued)

Option No.	Description
<b>LIFT AXLES - LESS TIRES &amp; RIMS</b>	
<i>Tires and Rims ARE NOT INCLUDED w/ Any Lift Axle Option. All Lift Axles Include Air Kit</i>	
<b>36A</b>	13,000 lb. Steerable 2-Tire Watson & Chalin - A2399 - Use on U5 with Rod - Specify Hub Type
<b>36C</b>	13,000 lb. Steerable 2-Tire Watson & Chalin - A2400 - Inside Frame Mount - Use on U5 with Rod Type Cylinders- Specify Hub Type
<b>36H</b>	13,000 lb. Steerable 2-Tire Hendrickson - A5569 - Use with Rod Cylinders and Quad Axles
<b>36D</b>	13,000 lb. Non-Steer 2-Tire Silent Drive AA-230 includes air kit (A3449)- A2398 - Use on U5 with Rod
<b>37L</b>	13,000 lb. Non-Steer 2-Tire Hendrickson - A5997 - Use on Tri-Axle with Rod Cylinders
<b>36</b>	20,000 lb. Steerable 2-Tire ASC - A6037 - NY State Option - Use with Forward Mount
<b>36L</b>	20,000 lb. Steerable 2-Tire Hendrickson - 158884 - NY State Option - Use with Reverse Mount
<b>36M</b>	20,000 lb. Steerable 2-Tire ASC - A5397 - NY State Option - Use with Reverse Mount Cylinders
<b>36X</b>	20,000 lb. Steerable 2-Tire Hendrickson - 191088 - NY State Option - Use with Forward Mount
<b>36B2</b>	20,000 lb. Non-Steer 2-Tire Hendrickson - 216229 - Roll Off Ready Lift Axle - MRO20B
<b>36B4</b>	20,000 lb. Non-Steer 4-Tire Hendrickson HLM Quick Lift - A1582 - Use with Telescopic Lift Cylinders
<b>36U</b>	20,000 lb. Non-Steer 2-Tire ASC - A3815 - Use with U5 / Rod Cylinders
<b>37i</b>	20,000 lb. Non-Steer 2-Tire ASC - A5071 - Use with Telescopic Cylinders - CANNOT USE ON 250 TRAILERS
<b>INNON</b>	<b>FACTORY MOUNT - Install Non-Steer Lift Axle (labor only) - Set Per Layout - Add to Non-Steer Lift Axles</b>
<b>INSTEER</b>	<b>FACTORY MOUNT - Install Steerable Lift Axle (labor only) - Set Per Layout - Add to Steerable Lift Axles</b>
<b>FENDERS</b>	
<b>NFND</b>	No Fenders Needed - place holder in order entry only
<b>5A</b>	Contoured Poly Tandem Fenders w/ Brackets for Axle Spread Range of 52"-53" - Specify Tandem Axle Spread - 6912AO
<b>1AAA</b>	Contoured Smooth Steel Tandem Axle Fenders w/ Brackets for Axle Spread Range of 49"-55" - Specify Axle Spread - 171529(cable), 193894(hook)
<b>5V</b>	Contoured Steel Diamond Plate 12 gauge Tandem Axle Fenders w/ Brackets - Specify Axle Spread - 6741BO
<b>AH1</b>	Flat Top 3/16" Steel Tread Plate Tandem Axle Fenders w/ Brackets - Galbreath Heavy Duty Models - 132094
<b>F1</b>	Aluminum Tread Plate 10 Gauge (1/4") Flat Top Fenders w/ Brackets for Tandem Axle - 8651AO
<b>F1C</b>	Aluminum Tread Plate 10 Gauge (1/4") Contoured Fenders w/ Brackets for Tandem Axle - 2888BO old - 230810 new
<b>2INFND</b>	<b>FACTORY MOUNT - Installation of Tandem Axle Fenders - (labor only; add to option picked)</b>
<b>5E</b>	Contoured Poly Tri-Axle Fenders w/ Brackets for Axle Spread Range of 52"-53" on Cable Hoists - Specify Tandem Axle Spread - 6915AO
<b>A029</b>	Poly Tri-Axle Minimizer Fenders w/ Galbreath Fender Mounting Brackets - 238552
<b>3AAA</b>	Contoured Smooth Steel Tri-Axle Fenders w/ Brackets for Axle Spread Range of 49"-55" - Specify Axle Spread - 171531
<b>5R</b>	Contoured Steel Diamond Plate 12 gauge Tri-Axle Fenders w/ Brackets - Specify Axle Spread - 2653BO
<b>AH11</b>	Flat Top 3/16" Steel Tread Plate Tri-Axle Fenders w/ Brackets - Galbreath Heavy Duty Models - 178110
<b>11H</b>	Aluminum Tread Plate 10 Gauge (1/4") Flat Top Fenders w/ brackets for Tri-Axle - 8652AO
<b>ALCF</b>	Aluminum Tread Plate 10 Gauge (1/4") Contoured Tri-Axle Fenders w/ brackets - 6149BO old - 230811 new
<b>3INFND</b>	<b>FACTORY MOUNT - Installation of Tri-Axle Fenders - (labor only; add to option picked)</b>
<b>4ACS</b>	Contoured Smooth Steel Quad Axle Fenders w/ Brackets (2 tandem & 2 single lift) - Specify Axle Spread - 241830
<b>4ACT</b>	Contoured Steel Tread Plate Quad Axle Fenders w/ Brackets (2 tandem & 2 single lift) - Specify Axle Spread - 242933
<b>4INFND</b>	<b>FACTORY MOUNT - Installation of Quad-Axle Fenders - (labor only; add to option picked)</b>
<b>TFB</b>	Galbreath Tarper Fender Mounting Brackets - Specify Axle Spread - 2K1085
<b>TFBMM</b>	Galbreath Tarper Fender Mounting Brackets - For MACK M-RIDE Axles - 224193
<b>TFBT</b>	Galbreath Tarper Fender Mounting Brackets - For FREIGHTLINER TUFF TRAC Axles - 211813

NO CUSTOMER SUPPLIED EQUIPMENT WILL BE INSTALLED AT THE GALBREATH FACTORY



## TANDEM AXLE HOOK HOIST OPTIONS (continued)

Option No.	Description
<b>TIRES AND RIMS</b>	
36LA-2	FACTORY MOUNT - (2) Tires with Aluminum Rims 11R-22.5-H - 16 Ply - 10 Hole Hub Piloted - (parts and labor) - For Lift Axles Only
36LA-4	FACTORY MOUNT - (4) Tires with Aluminum Rims 11R-22.5-H - 16 Ply - 10 Hole Hub Piloted - (parts and labor) - For Lift Axles Only
36M2-2	FACTORY MOUNT - (2) Tires with Steel Rims 11R-22.5-H - 16 Ply - 10 Hole Hub Piloted - (parts and labor) - For Lift Axles Only
36M2-4	FACTORY MOUNT - (4) Tires with Steel Rims 11R-22.5-H - 16 Ply - 10 Hole Hub Piloted - (parts and labor) - For Lift Axles Only
RO04-2	FACTORY MOUNT - Rims Only - (2) - Steel 22.5 10 Hole Hub Piloted - (parts and labor) - For Lift Axles Only
RO04-4	FACTORY MOUNT - Rims Only - (4) - Steel 22.5 10 Hole Hub Piloted - (parts and labor) - For Lift Axles Only
RO11-2	FACTORY MOUNT - Rims Only - (2) - Steel 24.5 10 Hole Hub Piloted - (parts and labor) - For Lift Axles Only
RO11-4	FACTORY MOUNT - Rims Only - (4) - Steel 24.5 10 Hole Hub Piloted - (parts and labor) - For Lift Axles Only
RO14-2	FACTORY MOUNT - Rims Only - (2) - Aluminum 24.5 10 Hole Hub Piloted - (parts and labor) - For Lift Axles Only
RO14-4	FACTORY MOUNT - Rims Only - (4) - Aluminum 24.5 10 Hole Hub Piloted - (parts and labor) - For Lift Axles Only
RO17-2	FACTORY MOUNT - Rims Only - (2) - Aluminum 22.5 10 Hole Hub Piloted - (parts and labor) - For Lift Axles Only
RO17-4	FACTORY MOUNT - Rims Only - (4) - Aluminum 22.5 10 Hole Hub Piloted - (parts and labor) - For Lift Axles Only
SS2-AL	FACTORY MOUNT - (2) Tires with Aluminum Rims 455/55R22.5L - 20 Ply Super Singles- 10 Hole Hub Piloted - (parts and labor) - For Lift Axles & Fixed Suspension Axles
T001/RO11-2	FACTORY MOUNT - (2) Tires with Steel Rims 11R-24.5-H - 16 Ply - 10 Hole Hub Piloted - (parts and labor) - For Lift Axles Only
T001/RO11-4	FACTORY MOUNT - (4) Tires with Steel Rims 11R-24.5-H - 16 Ply - 10 Hole Hub Piloted - (parts and labor) - For Lift Axles Only
T001/RO14-2	FACTORY MOUNT - (2) Tires with Aluminum Rims 11R-24.5-H - 16 Ply - 10 Hole Hub Piloted - (parts and labor) - For Lift Axles Only
T001/RO14-4	FACTORY MOUNT - (4) Tires with Aluminum Rims 11R-24.5-H - 16 Ply - 10 Hole Hub Piloted - (parts and labor) - For Lift Axles Only
TR31/RS17-2	FACTORY MOUNT - (2) Tires with Steel Rims 315-80R-22.5-L - 20 Ply - 10 Hole Hub Piloted - 9" Rim - (parts and labor) - For Lift Axles Only
TR31/RS17-4	FACTORY MOUNT - (4) Tires with Steel Rims 315-80R-22.5-L - 20 Ply - 10 Hole Hub Piloted - 9" Rim - (parts and labor) - For Lift Axles Only
TR31/RS18-2	FACTORY MOUNT - (2) Tires with Aluminum Rims 315-80R-22.5-L - 20 Ply - 10 Hole Hub Piloted - 9" Rim - (parts and labor) - For Lift Axles Only
TR31/RS18-4	FACTORY MOUNT - (4) Tires with Aluminum Rims 315-80R-22.5-L - 20 Ply - 10 Hole Hub Piloted - 9" Rim - (parts and labor) - For Lift Axles Only
UPBRG	UPCHARGE - FACTORY MOUNT - upgrade to Bridgestone Tires - SET OF 2 - (parts only)
UPMCH	UPCHARGE - FACTORY MOUNT - upgrade to Michelin Tires - SET OF 2 - (parts only)
7524-1	FACTORY MOUNT - (20) Wheel Check Indicators - Single Axle - (parts and labor)
7524-2	FACTORY MOUNT - (40) Wheel Check Indicators - Tandem Axle - (parts and labor)
7524-3	FACTORY MOUNT - (60) Wheel Check Indicators - Tri-Axle - (parts and labor)
TCC	Tire Chain Holder 24" long by 7.5" wide by 9" high - features aluminum diamond plate cover
INTCC	FACTORY MOUNT - Tire Chain Holder 24" long by 7.5" wide by 9" high - features aluminum diamond plate cover - (parts and labor)

NO CUSTOMER SUPPLIED EQUIPMENT WILL BE INSTALLED AT THE GALBREATH FACTORY

## TANDEM AXLE HOOK HOIST OPTIONS (continued)

Option No.	Description
<b>BUMPERS &amp; PINTLE HOOKS</b>	
5332	Built with shorter rear apron to gain ground clearance at the rear - includes the addition mounting block for the 3/4" trio lights - 245332
40U3	SHIP OUT - Pintle Hook w/ Glad Hands and Pintle Mounting Plate - 8617BO/8922BO/7898BO - 20K Vertical and 100K Tow Rating - 8922BO-H (Holland)
44U3	SHIP OUT - Pintle Hook w/ Glad Hands and Pintle Mounting Plate - 8617BO/8922BO/7898BO - 20K Vertical and 100K Tow Rating - 8922BO-P (Premier)
INST PH	FACTORY MOUNT - (labor only) Installation of Pintle Hook Options (ADD to option picks 40U3, 44U3)
5130MB	SHIP OUT - UPCHARGE for Mega Bumper (185130) vs. Standard Split Bumper (8617BO)
IN5130MB	FACTORY MOUNT - UPCHARGE for Installation of Mega Bumper Option 5013MB (parts and labor) - (185130) vs. Standard Split Bumper (8617BO)
FMPH	SHIP OUT - Fish Mount Pintle Hook - 2359 & 196981
INFMPH	FACTORY MOUNT - Installation of Option FMPH - Fish Mount Pintle Hook (parts and labor) - 2359 & 196981
PHPO	SHIP OUT - Pintle Hook PLATE ONLY - Hook or Cable, Excludes 9k - 30K Hook Models - 1242BO; 7898BO (Used w/ PH-410 Hook)
INST PHPO	FACTORY MOUNT - Pintle Hook PLATE ONLY (parts and labor) - Hook or Cable, Excludes 9k - 30K Hook Models - 1242BO; 7898BO (Used w/ PH-410 Hook)
SAPH	SHIP OUT - Pintle Hook w/ 7-spade pin Trailer Plug and harness - no air - w/o glad hands 30k lb. GTW rating - Used On Single or Tandem Axle Cable Hoists w/ Pintle Adaptable Rear Aprons - 228735/8757BO (PH30)
SAPH INST	FACTORY MOUNT - Pintle Hook w/ 7-spade pin Trailer Plug and harness - no air - w/o glad hands 30k lb. GTW rating - (parts and labor) - Used On Single or Tandem Axle Cable Hoists w/ Pintle Adaptable Rear Apron - 228735/8757BO (PH30)
HKSA AE	FACTORY MOUNT - Install Air and Electric for Pintle Hook if Available (parts and labor) - May Need to Add Option 8834 (A4880 - Add on Air Compressor) if Chassis is not Equipped
AELB	FACTORY MOUNT - Run Air and Electric for Pintle Hook if Pre-Wired and Plumbed (misc. parts and labor)
<b>PTO &amp; PUMP OPTIONS</b>	
<i>Make, Model and Rotation of Transmission Needed when Ordering PTO</i>	
PTO3	AF/Lg. DPHK-Series - SHIP OUT - Muncie DS PTO for (Fuller direct mount) Manual Transmission - Electric Over Air - 212613 (For upgrade to WS ADD option WET (202702), For factory mounting ADD option PTO INST)
PTO4	AF/Lg. DPHK-Series - SHIP OUT - Muncie DS PTO for (Allison top mount) Automatic Transmission - Hot Shift - 202651 (For upgrade to WS ADD option WET (202652), For factory mounting ADD option PTO INST)
PTO9	AF/Lg. DPHK-Series - SHIP OUT - Parker 880 Extended Shaft DS PTO for (Fuller direct mount) Manual Transmission - Includes Pump Upgrade - Electric Over Air - 202687 (For factory mounting ADD option PTO INST)
PTO10	AF/Lg. DPHK-Series - SHIP OUT - Parker 890 Extended Shaft WS PTO for (Allison direct mount) Automatic Transmission - Includes Pump Upgrade - Hot Shift - 202659 (For factory mounting ADD option PTO INST)
PTO11	All TA Hoists - SHIP OUT - Bezares WS PTO for Mack M-Drive - When Equipped w/ PTO Prep. Package (can be used w/ A4250 pump) - 228555 (For factory mounting ADD option PTO INST)
PTO12	All TA Hoists - SHIP OUT - Bezares WS PTO for Mack M-Drive - When Equipped w/ PTO Prep. Package - (includes pump upgrade Bezares bent axis piston pump) - 228555 with 223806 (For factory mounting ADD option PTO INST)
WET	UPCHARGE for Muncie PTO to be Wet Spline (Most Chelsea/Parker PTO's are Wet Spline)
PTO INST	FACTORY MOUNT - Any PTO option pick (labor only)
13Y1	UPCHARGE FACTORY MOUNT - Front Mount Pump with Mounting Brackets in Place - A4890 - (parts and labor)
13D2	FACTORY MOUNT - Modify Brackets and Rerouting if Chassis is Not Front Mount Pump Ready - (parts and labor)

Manufacturers are Developing Engines and Transmissions that Communicate with Each Other to Gain Fuel Economy. These Newer Models may be a Modified Standard Transmission with a Hot Shift Type Feature. Contact Galbreath Inside Sales Department for Pricing

NO CUSTOMER SUPPLIED EQUIPMENT WILL BE INSTALLED AT THE GALBREATH FACTORY

## TANDEM AXLE HOOK HOIST OPTIONS (continued)

Option No.	Description
<b>HYDRAULIC / WET KIT OPTIONS</b>	
<b>WKCR</b>	Ship Out - Hoist Build with Crane Wet Kit (Pac Mac Wet Kit) - (217516) and includes additional valve work section (A3209) - parts only
<b>INST WKCR</b>	<b>FACTORY MOUNT - Hoist Build with Crane Wet Kit and Installation (Pac Mac Wet Kit) - (217516) and includes additional valve work section (A3209) - parts and labor included</b>
<b>50LP</b>	<b>UPCHARGE for a 50 Gallon Side Mount Low Profile Oil Tank (210149) in lieu of the Standard 50 Gallon Tank (7494BO) - Typically used with Quad Axle set ups or when more frame rail spacing is needed. Mounts to frame with two mounting brackets like a toolbox would.</b>
<b>SM70</b>	<b>UPCHARGE for (70) Gallon Side Mount Oil Reservoir (8118BO) for Live Pup Trailer Applications in lieu of std (50 gal 7494BO)</b>
<b>2756</b>	<b>UPCHARGE for additional BTC Oil Reservoir (50 gallon kit) - includes all mounting hardware and tank accessories - 232756</b>
<b>3042</b>	<b>UPCHARGE for Behind the Cab (BTC) Oil Reservoir (193024) - Requires tarp/valve mounting platform TPOP or TPOP1 - Option Only Available with Pioneer Rack n' Pinion Tarper - Standard on AF/AFX Hoists</b>
<b>HSLV</b>	<b>UPCHARGE to Add Hose Protection Sleeves over Hydraulic Hoses</b>
<b>HC2</b>	<b>Hook Hoist - Built w/ Double Acting Hydraulic Hook-Up at the Rear of the Hoist - Includes Control Valve - Two 1" Hydraulic Tubes to the Rear of the Hoist - No Quick Disconnects (QD's) - 5152BO - IS7959</b>
<b>H025</b>	High Pressure Hydraulic Filter Kit (Includes Hoses, Fittings, Mount Bracket: 50 GPM max. & 6,000 psi max.) - 211919
<b>IN H025</b>	<b>FACTORY MOUNT - Installation of High Pressure Filter Kit (Parts and Labor: Includes Hoses, Fittings, Mount Bracket: 50 GPM max. &amp; 6,000 psi max.) - 211919</b>
<b>ROST</b>	<b>Remote Breather - Mounted on the Tarper Gantry, Driver's side - Keeps Snow and Ice Away from the Oil Reservoir Air Breather</b>

## LIGHTING

<b>LIT2</b>	Work Lights - (2) - 2" LED Mounted ON the Bumper OR (customer choice) On Tarper Gantry (1,790 Lumens) - 236458
<b>LIT3</b>	Work Lights - (2) - 4" LED Recessed Mounted IN the Bumper - (1,000 Lumens) - 232344
<b>LIT4</b>	Work Lights - (2) - 4" LED Mounted ON the Bumper OR Mounted On Tarper Gantry (1,600 Lumens) - 232356
<b>INST WL</b>	<b>FACTORY MOUNT - Installation of Work/Mid Body Light Options (labor only) - 13A, LIT2, LIT3, &amp; LIT4</b>
<b>SFTY</b>	High Visibility Package - Requires Special Tower, Bumper and Wiring Harness - One (1) Beacon Light ON Tarper Gantry, (2) Work Lights ON Tarper Gantry and (2) Strobe Lights IN the Bumper (CANNOT add LIT3)
<b>SFTY1</b>	High Visibility Package - Requires Special Tower, Bumper and Wiring Harness - One (1) Beacon Light ON Tarper Gantry and (2) Strobe Lights IN the Bumper (CANNOT add LIT3)
<b>IN SFTY</b>	<b>FACTORY MOUNT - Installation of a Safety Light Option (labor only) - SFTY, SFTY1, GSFY &amp; GSFY1</b>

## SCALES

<b>5658</b>	SHIP OUT - Air Weigh Scales for Walking Beam Spring Chassis Suspension - 195658
<b>5659</b>	SHIP OUT - Air Weigh Scales for Camelback Spring Chassis Suspension - 195659
<b>5660</b>	SHIP OUT - Air Weigh Scales for M-Ride or Tuff Trac Spring Chassis Suspension - 195660
<b>5661</b>	SHIP OUT - Air Weigh Scales Kit for Lift Axles - Must be Added to Option 5658 for Spring Chassis Suspension or to Option 5664 for Air Ride Chassis Suspension, Whichever Applies
<b>5664</b>	SHIP OUT - Air Weigh Scales for Air Ride Chassis Suspension - Includes Single Point Air Leveling Valve System
<b>INST SCAL</b>	<b>FACTORY MOUNT - Scale systems for all hoists &amp; lift axles - (labor only; ADD to scale option selected)</b>

**NO CUSTOMER SUPPLIED EQUIPMENT WILL BE INSTALLED AT THE GALBREATH FACTORY**

**TANDEM AXLE HOOK HOIST OPTIONS (continued)**

Option No.	Description
<b>REAR HOLD-DOWNS</b>	
<i>ALL HOIST MUST HAVE REAR HOLD-DOWNS INSTALLED BEFORE LEAVING THE FACTORY</i>	
5776	FACTORY MOUNT - Built with 12" Pass Through Rear Container Hold Downs (5776BO) in lieu of the Standard Stationary Hold Downs (6280BO) on U4/5, U5 & U6-DPHK Models
16NS	Nylon Ratchet Rear Hold Downs - 4530BO (Kit - LH & RH sides w/ winch bar)
NSHD1	Secondary Set of Nylon Ratchet Rear Hold Downs - 4471BO/4523BO (No bar) - Specify location to be mounted if adding factory mount INST RHDS
RSFH	Nylon Ratchet Rear Hold Downs with Fixed Ratchet Handle - 6531BO (Kit - LH & RH sides)
INST RHDS	FACTORY MOUNT - Installation of any additional ratchet hold down option pick (labor only; add to option picked)
NSHD	FACTORY MOUNT - Built with Nylon Rear Hold Downs w/ winch bar in Lieu of Stationary Rear Hold Downs (parts and labor) - 4530BO - Includes Deduct for Stationary Rear Hold Downs
<b>FRAME RELATED</b>	
DHH1	UPCHARGE - Built w/ Dual Hook Height Option 54" & 61.75" - Wider Range of Container Pick Up Options used on U30/U3-DPHK - 171580
16TP	UPCHARGE - Built to Allow for Shorter Boxes (16' - 22' Containers) to be Hauled on a U5-DPHK-176 & 200 ONLY - Eliminates Issues of Short Containers from Falling off the Rear Flange Roller
<b>MISC./SAFETY</b>	
S047	SHIP OUT - 8 Gallon Hand Wash Station w/ Soap Dispenser
INS047	FACTORY MOUNT - Installation of 8 Gallon Hand Wash Station w/ Soap Dispenser- mounted on curb side behind the cab - 250649 (parts and labor)
J013	SHIP OUT - Rear View Camera System (3rd Eye) - 7" HD Display, Single Camera
IN RVC	FACTORY MOUNT - Installation of Any Single Rear View Camera System - (labor only) - ADD to Camera Option
24E	SHIP OUT - Rear Window Screen to be Mounted to Tarper Gantry w/ Brackets - 6125BO (parts only)
INST 24E	FACTORY MOUNT - Rear Window Screen Mounted to Tarper Gantry w/ Brackets - 6125BO - (parts and labor)
511	SHIP OUT - Rear Window Screen (Large Cut Outs for better visibility) to be Mounted to Tarper Gantry w/ Brackets - 240511 (parts only)
IN 511	FACTORY MOUNT - Rear Window Screen (Large Cut Outs for better visibility) Mounted to Tarper Gantry w/ Brackets - 240511 - (parts and labor)
34CC	FACTORY MOUNT - 20 lb. Fire Extinguisher Mounted on Top Of Outside Controls Protective Cover - A4016 - (parts and labor)
34CJ	DOT Approved Roadside Reflector Kit - Required if the Vehicle Breaks Down - A4012
HAI	SHIP OUT - Hoist Up Alarm Audio Interrupter - Alarm Silenced When Parking Brake is Applied (Air Brake Systems Only) - 140868
IN HAI	FACTORY MOUNT - Hoist Up Alarm Audio Interrupter - Alarm Silenced When Parking Brake is Applied (Air Brake Systems Only) - 140868 - (parts and labor)
ROST	Remote Breather - Mounted on the Tarper Gantry, Driver's side - Keeps Snow and Ice Away from the Oil Reservoir Air Breather
TPOP	SHIP OUT - Tarper Mounting Platform - Includes Protective Valve Cover
TPOP1	SHIP OUT - Galbreath Std. Off-Set Tarper Mounting Platform - Includes Protective Valve Cover - For CNG and DEF Tank Interference Applications
SPEE1	FACTORY MOUNT - Hoist Up Ground Speed Control and PTO Rev Control Programming - This is for Software Programming Only - Chassis not Equipped with Proper Wiring Harnesses will Incur Additional Cost for Wiring
SPEE2	FACTORY MOUNT - Hoist Up Ground Speed Control Software Programming Only (Cummins Engine/Allison Transmission)
TAPT	UPCHARGE - Paint unit special color - Tandem Axle Hoists (indicate special paint code on order) (parts and labor)
0131	SHIP OUT - Shovel Holder Assembly - 210131
0131IN	FACTORY MOUNT - Installation of Shovel Holder Assembly - 210131 (parts and labor)
S013	SHIP OUT - Hoist Up In Cab Audible Alarm
INS013	FACTORY MOUNT - Hoist Up In Cab Audible Alarm - (parts and labor)
TCC	Tire Chain Holder 24" long by 7.5" wide by 9" high - features aluminum diamond plate cover
INTCC	FACTORY MOUNT - Tire Chain Holder 24" long by 7.5" wide by 9" high - features aluminum diamond plate cover - (parts and labor)

**NO CUSTOMER SUPPLIED EQUIPMENT WILL BE INSTALLED AT THE GALBREATH FACTORY**