



Division of THC Enterprises, Inc.

Easton, MD \* Baltimore, MD \* Chesapeake, VA Chester, PA \*  
Clinton, MD \* Cheswick, PA \* Salem, VA

Phone 800-338-7274 Fax 410-820-9916  
Visit us on the web! www.mawaste.com



# PROPOSAL

Remittance Address for Deposits:

10641 Cordova Road  
Easton, MD 21601

SOLD TO

SHIP TO

Virginia Sherriff's Association

Quote #: RSSQ35999

Account:

Terms:

Date: 07/16/21

Sales Rep Fred Seitz

QTY	DESCRIPTION	UNIT PRICE	EXT PRICE
-----	-------------	------------	-----------

*Vacall AJV Options Quoted at 6% off List Price*

- 1.00 Option Description
- Electric Back Up Alarm
- Factory Mounting Tandem Axle
- Factory Mounting Tridem Axle
- Fenders
- Mud Flaps Behind Rear Tires
- Rear Dot Under Ride Protection (Bumper)
- Tow Hooks - Rear
- Air/Water Separator Exterior And Interior Powder Coated Black
- Air/Water Separator Exterior Only Powder Coated Black
- Air/Water Separator Galvanized
- Debris Tank Exterior And Interior Powder Coated
- Debris Tank Exterior Only Powder Coated
- Debris Tank Galvanized
- Powder Coat Subframe, Power Frame, And Exhaust Silencer Black
- Powder Coat Unit Gradall Black Part# 14405142 (Excludes Cab / Chassis)
- Powder Coat Unit Gradall STD Red Dupont#N3781 Pt#14405150 Dupont(Excludes Cab / Chassis)
- Powder Coat Unit Gradall White International 9219 Pt#14405094p (Excludes Cab / Chassis)
- Powder Coat Unit White Freightliner and KW Dupont N0006 Pt#14405143 (Excludes Cab / Chassis)
- Special All Other Colors Powder Coat Color Code (Excludes Cab / Chassis) 1 Color/ 1 Dim. Coating
- Direct Drive For Vacuum Pump
- Hydraulic Level Sight Gauge
- Hydraulic Reservoir Shut-Off Valve(S)
- Platform And Steps On Power Frame
- Single Independent Implement System Hydraulic Pump
- Transfer Case
- Transfer Case Remote Sight Glass And Fill
- Carbon Steel Float Ball Cage
- Carbon Steel Splash Shield
- Dual Debris Body Safety Props
- Dual Rear Door Safety Props
- Float Level Indicator With Stainless Steel Ball
- Ground Level Grease Fitting For Float Level Indicator
- Ground Level Grease Fitting For Hoist Cylinder
- Ground Level Grease Manifold For Tailgate Hinge And Lock Assembly
- Single Debris Body Safety Prop
- Single Hoist Cylinder
- Single Hydraulic Vibrator
- Single Rear Door Safety Prop
- Stainless Steel Float Ball Cage
- Stainless Steel Float Ball Shut-Off
- Tailgate Power Up / Down, Hydraulic Locks

QTY	DESCRIPTION	UNIT PRICE	EXT PRICE
	4" Valve On Sludge Pump Inlet - Brass Slide Gate 6" Decant Port On Rear Door With 6" Layflat Hose & Storage Basket 6" Diameter X 12" Tall Bolt On Standpipe On Sludge Pump Port With Strainer On Top 6" Diameter X 18" Tall Bolt On Standpipe On Sludge Pump Port With Strainer On Top 6" Diameter X 24" Tall Bolt On Standpipe On Sludge Pump Port With Strainer On Top 6" Diameter X 6" Tall Bolt On Standpipe On Sludge Pump Port With Strainer On Top 6" Drain Valve - Brass Slide Gate 6" Drain Valve - Manually Operated Butterfly Type 6" Drain Valve-Manually Operated Betts (Heated Via Chassis Cooling System) Passenger Side 6" Male Camlock On Decant Valve With Camlock Cap & Lanyard Also Includes 6" Layflat Hose With Camlock Blaster Valve / Decant Port Decant Port Screen (304 SS) Decant Port Screen (Standard) Sludge Pump Port Screen (304 SS) Sludge Pump Port Screen (Standard) Sludge Pump System On Rear Door 4" Hydraulic (710 GPM@10' Head) 2-1/2" Male Cam-Lock On Fill Connector 2-1/2" Y-Strainer On Fill Line 4" Air Gap Water Tank Fill Anti-Splash Valve Sight Level Tube On Passenger Side Water Tank Water Tank Electronic Level Indicator In Front Control Panel Display 0-25 GPM/0-3000 PSI, Water Pump (50 HP). To Include Standard Handgun/Lance/Nozzle Kit With Hxx Machines. Kit Includes (1) 2250010006 Handgun/Lance Assy, (2) 2250010002 Extension Lances W/Quick Couplers And 1-3 Place Wedge Digging Nozzle. 50 Feet Handgun Hose With Quick Couplers On Each End 3000 PSI Hose Shipped Loose Add'L Handgun/Lance Kit For Tandem Hose Reel Set Up. Kit Includes: (1) 2250010006 Handgun/Lance Assy, (2) 2250010002 Extension Lances W/ Quick Couplers And 1-3 Place Wedge Digging Nozzle. Air Purge System Aluminum Cabinet Insulated, For Cold Weather Climates To Contain All Water Components Ie: Water Pump, Hose Reels And Plumbing Boiler Diesel Fired 705k Btu Boiler Diesel Fired 900k Btu Boiler Diesel Fired 470k Btu Cold Weather Recirculation Using Main Water Pump Drain Valve For Water High Pressure Section Drain Valve In Water Pump Suction Line Hannay Hose Reel, Dual Spring Rewind, 1/2" X 75'-0" Capacity, Includes 75'-0" Of 1/2" High Pressure, High Temperature Excavating Hose. Can Be Operated Independently Or Simultaneously. Hannay Hose Reel, Hydraulic Rewind 1/2" X 350'-0" Capacity. Includes 300'-0" Of 1/2" High Pressure, High Temperature Excavating Hose Hannay Hose Reel, Single, Spring Rewind, 1/2" X 75'-0" Capacity. Includes 75'-0" Of 1/2" High Pressure, High Temperature Excavating Hose Heat System For Insulated Aluminum Cabinets Strainer On Water Pump Inlet Valve Water Cut-Off On Water Pump Inlet Line Water Pressure Relief Valve Adjustable 2" Brass Ball Valve Mounted On Bottom Of Blower Exhaust Silencer 2" Brass Ball Valve Mounted On Bottom Of Cyclone Dropout Box Air Operated 4" Vacuum Relief Valve Controlled At Control Panel & Handheld Pendant Air Operated 6" Vacuum Relief Valve Controlled At Control Panel & Handheld Pendant Blower Inlet Filter Housing W/304 SS Screen Assembly Cyclone Separator With Drop Box Clean Out Roots 11x25 DVJ Vacuum Pump 2900 CFM @ 27" HG (367" H2O) 332 HP @ 2000 RPM No Vacuum Relief Valves Required (Includes Necessary Body Reinforcement) Roots/Dresser 10x24 Rasjv Vacuum Pump, 4950 CFM@1900 RPM 18" H.G, 240 HP Required. Includes 3 Vacuum Relief Valves Lube Chart Rear Mounted Hydraulic Boom, Full Single Piece Rubber Hose From Boom Turret Head To End Connector, Hydraulic Extending 310 Degree Rotation Rear Mounted Hydraulic Boom, Tube In Tube Telescoping With Heavy Duty Wear Back Elbow, Hydraulic Extending Rear Mounted Hydraulic Boom, Tube In Tube Telescoping With Single Piece Rubber Hose Elbow From End Of Inner Slide Tube To End Connector,Hydraulic Extending 310 Degree		

QTY	DESCRIPTION	UNIT PRICE	EXT PRICE
	Rotation Remote Grease Fitting For Boom Rotation And Extension Slide Valve 8", Air Oper. W/Switch On Pendant And Control Panel Additional Emergency Stop - (Specify Location & Qty) All Smart Flow Communication Package - Includes (2) Cables (1) VA0000S4761 & (1) VA0000S4762 Auxiliary Hydraulic Tool Circuitry With Adjustable Flow Control & Quick Connectors Blower Hourmeter At Control Panel Lcd Display Blower Temp Gauge & Connection To Air Operated Relief Valve Blower Temp Gauge At Control Panel Lcd Display Boom Control Joystick Recessed For Protection Boom, Body And Tailgate Aux. Hydraulics (Powered By 12 VDC Power Pack) Camera System - Four Channel 7" Swivel Colored Lcd Monitor With (3) Additional Cameras Camera System - Two Channel 7" Swivel Colored Lcd Monitor With (1) Additional Camera Color LCD Display With 32 Output Microprocessor Control (Expandable) W/J1939 Can Communication Debris Tank High Level Light (Reqs. Float Level Indicator) Debris Tank High Level Light & Horn (Reqs. Float Level Indicator) Debris Tank High Level Light Hooked To Vacuum Relief (Reqs. Float Level Indicator) Drivers Side Mounting Of Hydraulic Control Valve Emergency Stop Ip66 Sealed Exterior Electrical Controls And Wiring Harness W/Protective Cover That Exceeds Nema 4 Ratings Low Water Light Low Water Light And Horn Combination Over Ride Switch For Low Water And Or High Debris Horn Reel Shift For Transfer Case Tachometer / Hourmeter On Color LCD Display Module Throttle Control At Control Panel Transfer Case Shift Controls In Cab Two Channel Camera System With 7" Swivel Color LCD Monitor Vacuum Gauge On Color LCD Display Module Water Manifold Accessed From The Right Side Panels Water Pressure Gauge On Color LCD Display Module Water Pump Hourmeter (At Control Panel Lcd Display) Water Pump On/Off Control Wireless Remote Control To Control All Boom Functions, Throttle, Vac Relief Valve, E-Stop (Returns Eng To Idle) Water Pump Speed Control Via Toggle Switch. Also Includes High Resolution Color Display Screen 1 7/8 W X 1 7/16 H. Displays Water Pressure, Vacuum HG Blower Speed, Water Pump Speed & Blower Temp. Includes 2130200038 Belt Clip Style Wireless Pendant Lanyard. Wireless Remote Control To Control All Boom Functions, Throttle, Vac Relief Valve, E-Stop (Returns Eng To Idle) Water Pump Speed Control. Includes 2130200038 Belt Clip Style Wireless Pendant Lanyard Boom Work Lights-Two Extra Spotlight Receptacle Rear Passenger Side Hand Spot (LED) W/20' Cord, Retractable Reel Hand Spot Light, LED With 20' Plug In Cord LED D.O.T. Lighting (Includes Stop, Tail, Turn And Back-Up) Power Module Work Lights- (2) Rear Mounted Traffic Advisor-Bar Type LED Whelen Tacf85 Rear Work Light - Two Strobe Light - Body - One Whelen L21lap Class 1 360 Degree Super LED W/ Limb Guard Strobe Light - Body - One Whelen L22LAP Class 2 360 Degree Super LED W/ Limb Guard Strobe Light - Body - One Whelen L31HAF Class 1 360 Degree Super Bright LED W/ Limb Guard Strobe Light - Body - Two Whelen L21LAP Class 1 360 Degree Super LED W/ Limb Guard Strobe Light - Body - Two Whelen L22LAP Class 2 360 Degree Super LED W/ Limb Guard Strobe Light - Body - Two Whelen L31HAF Class 1 360 Degree Super Bright LED W/ Limb Guard Strobe Light - Front - One Whelen L31HAF Class 1 360 Degree Super Bright LED W/ Limb Guard Strobe Light - Front - Two Whelen L21lap Class 1 360 Degree Super LED W/ Limb Guard Strobe Light - Front - Two Whelen L31haf Class 1 360 Degree Super Bright LED W/ Limb Guard Strobe Light - Front- One Whelen L21LAP Class 1 360 Degree Super LED W/ Limb Guard Strobe Light - Front- One Whelen L22lap Class 2 360 Degree Super LED W/Limb Guard		

QTY	DESCRIPTION	UNIT PRICE	EXT PRICE
	Strobe Light - Front- Two Whelen L22LAP Class 2 360 Degree Super LED W/ Limb Guard Strobe Light - Front-Two- Mirror Mounted Whelen L22LAP Class 2 360 Degree Super LED W/ Limb Guard Whelen Corner Strobe Light (Specify Location) Lockable Tool Box, Aluminum 18 X 18 X 36. (Not Available On Units With Three Rear Axles And Cold Weather Enclosure) Lockable Tool Box, Steel 18 X 18 X 36. (Not Available On Units With Three Rear Axles And Cold Weather Enclosure) Rear Door Tube Rack (3) Tube Rear Door Tube Rack (4) Tube Rear Door Tube Rack / Holds (2) Tubes Traffic Cone Holder Tube Storage For 4 Tubes At Power Module Area 27' X 8" Bandlock Type Aluminum Vacuum Tubes, (2) 4.0' Va40020002, (2) 5.0' Va40020003, (1) 3.0' Va40020001, (6) 8" Clamps Va40010071, (6) 8" Gaskets Va38010018, (1) 8" X 6" Reducer Va40050002, (1) 6" Travis Clamp Va40010082, (1) 6" Va38010018a Gasket (1) 6" X 72" Aluminum Tube With Rubber Hydro-X End # Va0000s4801 28' X 8" Flat Flanged Style Aluminum Vacuum Tubes, (2) 4.0' 2130010008, (2) 5.0' VA40020072, (1) 3.0' VA40020073, (6) 8" Clamps VA40020075, (6) 8" Gaskets VA40020074 (1) 8" X 6" Reducer 2230010018, (1) 6" Clamp 2230010021, (1) 6" X 84" Aluminum Tube With Rubber Hydro-X End # 2230010020 6" Flat Flanged Clamp 6" Operator's Handle 6" Travis Irrigation Clamp 6" X 84" Band Lock Type Hydro-Ex Aluminum Tube With Rubber End 8" Flat Flanged Clamp 8" Flat Flanged Gasket 8" Operator's Handle 8" Travis Irrigation Clamp 8" X 3' Band Lock Type Aluminum Fluidizing Tube 8" X 3' Band Lock Type Aluminum Catch Basin Tube 8" X 3' Band Lock Type Aluminum Tube 8" X 3' Flat Flanged Aluminum Catch Basin Tube 8" X 3' Flat Flanged Aluminum Tube 8" X 4' Band Lock Type Aluminum Tube 8" X 4' Flat Flanged Aluminum Tube 8" X 5' Band Lock Type Aluminum Tube 8" X 5' Flat Flanged Aluminum Tube 8" X 6' Band Lock Type Aluminum Tube 8" X 6' Flat Flanged Aluminum Tube 8" X 6" Band Lock Type Reducer 8" X 7' Band Lock Type Aluminum Tube 8" X 7' Flat Flanged Aluminum Tube 8" X 72" Band Lock Type Hydro-Ex Aluminum Vacuum Tube With Rubber End 8" X 72" Flat Flanged Hydro-Ex Aluminum Vacuum Tube With Rubber End 8" X 8' Flat Flanged Aluminum Tube 8" X 84" Band Lock Type Hydro-Ex Aluminum Vacuum Tube With Rubber End 8" X 84" Flat Flanged Hydro-Ex Aluminum Vacuum Tube With Rubber End Emergency Road Kit Fill Hose 25' X 2 1/2" Fill Hose 25' X 2 1/2" With Camlocs Fire Extinguisher (5#) First Aid Kit Hydrant Wrench Pendant Remote Control 50'-0" Long W/ Throttle, Boom Functions And Vacuum Relief Valve Controls (1) Set Of Parts & Service Manuals Provided On CD, Paper Copy Provided For Operators & Safety Manuals Add'L Set Of Paper Copy Manuals To Include - Parts, Service, Operators & Safety		