18 cubic yard - Custom and Weight Distribution Required Prior To Order 20 cubic yard - Custom and Weight Distribution Required Prior To Order 25 cubic yard 27 cubic yard 32 cubic yard	\$	73,198
25 cubic yard 27 cubic yard		73,198
27 cubic yard		73,198
·	3	74.00
		74,89
per Size	\$	78,068 3.94 yd
SSIS MUST CONFORM WITH HEIL'S MOST CURRENT CHASSIS SPECIFICATIONS FOUND AT WWW.HEIL.COM		3.94 yu
ounting Options		
Full Factory Mount for Eject Models	\$	3,13
Semi-Mount - consists of frame cut-off, permanent mounting brackets and light electrical wiring only	\$	1,56
Strap Mount - chassis must be suitable for temporary mount when received - Heil will connect lights and provide temporary mounting brackets	\$	896
Mount at Dealer Destination	\$	806
	Ψ	000
	\$	3,22
	Φ.	STD
		1,315 3,090
		1,030
☐ Extended Shaft PTO with Vane Pump - Formerly Referred to as 890 (Fast Cycle Pump 16-19 Sec Cycle Time)	\$	4,085
☐ Extended Shaft PTO Operate at Idle - with Tandem Vane Pump - Formerly Referred to as 890 (Fast Cycle Pump 16-19 Sec Cycle Time)	\$	4,429
☐ Direct Mount Gear Pump - (28-32 Sec Standard Cycle) Requires Custom approval for any 3000 Series Allison Transmission Equipped Chassis	\$	790
☐ Direct Mount Vane (Fast Cycle Pump 16-19 Sec Cycle Time)	\$	1,315
	1.	
		3,224
		3,348 4,069
	Ψ	4,000
	\$	5,421
Operate at Idle (OAI) Front Mount Vane Pump (Fast Cycle Pump 16-19 Sec Cycle Time)	\$	7,548
		00-
		387
	_	387 515
		515
	\$	515
Body Side Backing Assist Lights - reverse activated	\$	552
LED Body Side Backing Assist Lights - reverse activated	\$	844
· · · · · · · · · · · · · · · · · · ·	\$	668
		1,576
		732 1,061
	_	732
·		844
	\$	844
Dual Rear LED Oval Strobe Lights, Amber - pump activated	\$	844
	\$	222
	\$	185
	\$	3,863
	s	6,376
	\$	7,081
~ ·	\$	8,869
Recessed Reeving kits are not applicable on units less than 25 yard		
·	\$	4,372
	- '	6,195
	\$	572
·		
	\$	1,40
	\$	1,79
Single Tipper Center Mounted (Choose Tipper Mounting Location if Applicable)	\$	-
Single Tipper Offset to Curbside (Choose Tipper Mounting Location if Applicable)	\$	-
	\$	-
	\$	1,68
•	\$	1,44
	\$	2,223
Triple Control Valve Section with Control Handles	\$	3,52
Single Cart Tipper Control Valve, Handle, Plumbing and Hose Kit	\$	2,169
Intelligent temperature and the control of the cont	\$	2 5 7
Dual Cart Tipper Control Valve, Handle, Plumbing and Hose Kit	<u> </u>	3,52
Bayne Cart Tipper - Specify Model - Includes Controls, Valves, Plumbing, and Installation Customer Installed Single Cart Tipper Kit - Bayne Bracket, Control Valve, Handle, Plumbing and Hose Kit	\$	3,528 2,54
	Mount at Dealer Destination Dower Take Off / Pump Options	Mount at Deuter Destination Week Take Off / Pump Options Schart Options (Austraces PECO and Pump) Clotch Shift PTO (Former's Metered to as His Chin PTOI / Must select one of the following pumps below. Shift PTO (Former's Metered to as His Chin PTOI / Must select one of the following pumps below. Shift PTO (Former's Metered to as His Chin PTOI / Must select one of the following pumps below. Shift PTO (Former's Metered Shift PTO) with PTOI (Former's Metered Cycle) Remote Mount Yane Pump. Fast Cycle - (Fast Cycle Pump 16-19 Sec Cycle Time) Remote Mount Yane Pump. Fast Cycle - (Fast Cycle Pump 16-19 Sec Cycle Time) Estanded Shift PTO with Yane Pump. Former's Metered to as 800 178 32 Sec Shift PTOI (Fast Cycle Pump 16-19 Sec Cycle Time) Estanded Shift PTO with Yane Pump. Former's Metered to as 800 178 32 Sec Shift PTOI Sec Pump 16-19 Sec Cycle Time) Direct Mount Care Pump 1: 182 Sec Scientarian Cycle Pump 16-19 Sec Cycle Time) Shift Direct Mount Care Pump 1: 182 Sec Scientarian Cycle Pump 16-19 Sec Cycle Time) Stantarian Drive Options (Must select one of the following pumps below which will include the pump manifold* Shift PTO with Vane Pump. Former's Referred to as 880 (Fast Cycle Pump 16-19 Sec Cycle Time) Shift PTO with Vane Pump. Former's Referred to as 880 (Fast Cycle Pump 16-19 Sec Cycle Time) Shift PTO With Vane Pump. Former's Referred to as 880 (Fast Cycle Pump 16-19 Sec Cycle Time) Shift PTO with Vane Pump. Past Cycle - (Fast Cycle Pump 16-19 Sec Cycle Time) Shift PTO with Vane Pump. Past Cycle - Pump 16-19 Sec Cycle Time) Shift PTO with Vane Pump Past Cycle - Pump 16-19 Sec Cycle Time) Shift PTO with Vane Pump Past Cycle - Pump 16-19 Sec Cycle Time) Shift PTO with Vane Pump Past Cycle - Pump 16-19 Sec Cycle Time) Shift PTO with Vane Pump Past Cycle - Pump 16-19 Sec Cycle Time) Shift PTO with Vane Pump Past Cycle - Pump 16-19 Sec Cycle Time) Shift PTO with Vane Pump Past Cycle - Pump 16-19 Sec Cycle Time) Shift PTO with Vane Pump Past Cycle - Pump 16-19 Sec Cycle Time) Shift PTO wi

20	21 - Effective December 1, 2020 - DuraPack® 5000 High-Compaction Rear Loader - Sales Order Form		
В	ody Options		
	Hopper Floor Kit (1/4" - 150,000 psi in lieu of standard 3/16" 150,000 psi)	\$	997
	Hopper Floor Overlay Kit (3/16" - 150,000 psi)	\$	1,507
	DP 5000 H.D. Contractors Package (includes 1/4" hopper floor, 3/16" hopper front face liner and tailgate spill troughs)	\$	1,650
	4" Hopper Lip Extension *Not available with any Container Handling/Cart Tipper options*	\$	955
	Hopper Lip Reinforcement Kit	\$	552
	Tailgate Side Spill Troughs	\$	785
	Automatic Hydraulic Tailgate Locks	\$	4,175
	Extended Tailgate Seal Kit	\$	340
	Body Front Head Closure Kit	\$	838
	Body Front Head Splash Guard (Extends the front head an extra 11.5")	\$	361
	Side Door Interlock Kit - shuts down pump when open (Requires Clutch Shift PTO)	\$	573
	Hydraulic Pressure Gauge Kit (shipped loose in cab)	\$	334
	High Pressure Filter Kit	\$	992
	Hydraulic Oil Tank Heater - 500 watt	\$	1,300
	Hydraulic Tank Low Oil Level Warning Kit	\$	1,189
	In-Body Oil Tank	\$	1,347
	60 Gallon Wash-Out Tank	\$	2,218
	20 lb. Fire Extinguisher with Bracket	\$	541
	Dual 20 lb. Fire Extinguisher with Bracket	\$	1,088
H	Steel Tool Box (18" x 18" x 36") - frame mounted	\$	886
H	Steel Tool Box (18" x 18" x 24") - frame mounted	\$	838
H	Broom and Shovel Rack - mounted on tailgate	\$	239
H	Dual Broom and Shovel Rack - mounted on both sides of tailgate	\$	461
H	Mud Flaps - anti-sail / anti-splash - mounted ahead of rear tires	\$	249
H	Mud Flaps - anti-sail / anti-splash - tailgate mounted behind rear tires	\$	340
H	Mud Guards - steel - mounted ahead of rear tires	\$	361
H	5 Gallon Cooler and Bracket - frame mounted	\$	387
H	Return Line Check Valve Kit	\$	552
H	Upper Panel Cover Kit	\$	467
H	1/4" Body Floor Kit	\$	2,625
H	Roof Tube Cover Kit	\$	•
H		T	1,140
H	Fender Extension Kit	\$	796
H	Roadway Sign Frames	\$	2,212
	Spill Kit - In Cab	\$	372
쁜	Spill Kit - Front of Body Hydraulia Oil Tank Quick Disconnect Kit - For use with filter buggy	\$	488
H	Hydraulic Oil Tank Quick Disconnect Kit - For use with filter buggy	\$	891
H	Anti-Back Pack Valve Kit	\$	1,039
	PTO Hour Meter Available only if PTO is selected*	\$	206
	amera Systems - All camera systems are mounted with protective camera brackets and twin tailgate flood lights e: Camera systems will accommodate a maximum of 6 cameras.		
No	including driver and forward facing cameras included in 3rd Eye® Digital system		
	Eye® Camera Systems & 3rd® Eye Digital		
	Base 3rd Eye® Single Camera System with 7" STD. monitor and Single Camera Mounted on Tailgate	\$	2,212
	Add on 3rd Eye® Camera (LH Cab) - Camera System Price Adder (Only available if base camera is selected)	\$	589
	Add on 3rd Eye® Camera (RH Cab) - Camera System Price Adder (Only available if base camera is selected)	\$	589
	Add on 3rd Eye® Camera (LH Alley) - Camera System Price Adder (Only available if base camera is selected)	\$	589
Ш	Add on 3rd Eye® Camera (RH Alley) - Camera System Price Adder (Only available if base camera is selected)	\$	589
	3rd Eye® Digital System: Includes (Driver and Forward Facing Camera (Window Unit), and Gateway - (In-Cab Monitor Not Included) - *Digital monitoring service not included and must be purchased and activated though 3rd Eye post delivery *	\$	3,417

	21 - Effective December 1, 2020 - DuraPack® 5000 High-Compaction Rear Loader - Sales Order Form /TI ™ Radar Systems		
	AWTI™ Radar System used in conjunction with 3rd Eye Cameras - Must Select Camera from above	\$	1,483
Lo	ad Cell Scale Systems		
	Heil Optimum Payload System (HOPS) using Air-Weigh Axle Scales	\$	9,553
	Air-Weigh™ Axle Scale System without Interlock	\$	8,912
	uxiliary Axles Options * Note: All auxiliary applications must be approved by Heil prior to order acceptance		
	OTE: All axles MUST BE installed with tires so chassis can be re-certified to new GAWR and GVWR ratings Itson & Chalin™ Options		
	Watson & Chalin™ Rigid <u>Pusher</u> Axle: 25,000 pound capacity, hub piloted or 20" spoke wheel hubs, 30/30 brake chambers, automatic slack adjusters, 1,300 cubic inch air tank and regulator kit	\$	15,468
He	ndrickson™ Options		
	Hendrickson™ Steerable Pusher Axle: 20,000 pound capacity	\$	15,686
A	uxiliary Axle Tire Options		
	255/70R-22.5 - load range H, 5,510 pound single max load at 120 psi with rim - 2 tires installed	\$	2,450
	275/70R-22.5 - load range H, 7,000 pound single max load at 120 psi with rim - 2 tires installed	\$	3,098
	Upgrade to Polished Aluminum Wheels (Set of Two)	\$	1,591
C	NG Installation -		
	Top Of Body -CNG Installation Charge - Includes brackets, hardware, and mounting of approved CNG system	\$	6,148
	Front Of Body -CNG Installation Charge - Includes brackets, hardware, and mounting of approved CNG system	\$	6,148
E	xtended Complete Body Warranty Options		
	Two (2) Year (Months 13-24) (Maximum 4,000 hrs. of Operation) Complete Heil Body Warranty	\$	2,785
	Three (3) Year (Months 13-36) (Maximum 6,000 hrs. of Operation) Complete Heil Body Warranty	\$	5,564
	Four (4) Year (Months 13-48) (Maximum 8,000 hrs. of Operation) Complete Heil Body Warranty	\$	8,285
	Five (5) Year (Months 13-60) (Maximum 10,000 hrs. of Operation) Complete Heil Body Warranty	\$	11,028
	Extended Cylinder Warranty Options		
	Two (2) Year (Months 13-24) (Maximum 4,000 hrs. of Operation) All Cylinder Warranty -	\$	1,061
	Three (3) Year (Months 13-36) (Maximum 6,000 hrs. of Operation) All Cylinder Warranty -	\$	1,888
	Four (4) Year (Months 13-48) (Maximum 8,000 hrs. of Operation) All Cylinder Warranty -	\$	2,838
	Five (5) Year) (Months 13-60) (Maximum 10,000 hrs. of Operation) All Cylinder Warranty-	\$	3,639
E	xtended Hydraulic Pump and Valve Warranty Options		
	Two (2) Year (Months 13-24) (Maximum 4,000 hours of operation) Hydraulic Pump and Valve warranty *Not needed if purchasing extended complete body warranty*	\$	1,061
	Three (3) Year (Months 13-36) (Maximum 6,000 hours of operation) Hydraulic Pump and Valve warranty *Not needed if purchasing extended complete body warranty*	\$	1,888
	Four (4) Year (Months 13-48) (Maximum 8,000 hours of operation) Hydraulic Pump and Valve warranty *Not needed if purchasing extended complete body warranty*	\$	2,838
	Five (5) Year (Months 13-60) (Maximum 10,000 hours of operation) Hydraulic Pump and Valve warranty *Not needed if purchasing extended complete body warranty*	\$	3,639
	aint Options		
NO	TE: LIST PAINT CODES ON PAINT DIAGRAM	1.	
牌	Customized Paint Color - Paint Color Code NOT included in the Color Smart Brochure	\$	430
	Two Tone Paint	\$	1,628
	Paint Striping - first stripe	\$	1,369
	Paint Striping - each additional stripe	\$	764
	Metallic Paint	\$	7,426
	Clear coat Finish	\$	1,899
	Anti-Graffiti Clear coat Finish	\$	2,726
	Prime Paint Only - deduct	\$	(970)
Т	OTALS		
	Total from Options Above (MSRP) Additional Options (Custom's, Chassis Mods, Etc.) Total	\$	-
	Subtotal	\$	-
		ó \$	-
	Dealer Net Price Surcharge if Applicable	\$	-
	Additional Discount (SPR)	\$	-
	Freight		
	Total Price per Unit	\$	-
*	This entire document (and any attachments) are confidential and only for the intended recipient(s). Use or distribution by any unintended recipient is prohibited. If you have received this document in error, delete this entire communication, and notify the sender		
	you have done so.		