

Sales Rep Fred Seitz

1 of 5

QTY	DESCRIPTION	UNIT PRICE	EXT PRICE
1.00	<ul> <li>-3.0 yd3 hopper</li> <li>-Smooth side body construction</li> <li>-Bolt-on ANSI rear riding steps</li> <li>-Tailgate service props</li> <li>-Remote mount cast iron roller bearing gear pump (less PTO)</li> <li>-Quick-change UHIWW ejector slides</li> <li>-Wide trak easy-change carrier slides</li> <li>-Underbody mounted oil tank</li> <li>-Level / temperature / sight gauge for hydraulic oil tank</li> <li>-Oil suction shut-off valve</li> <li>-3-micron return line filter w with magnetic trap and in-cab filter bypass monitor</li> <li>-100-micron suction line strainer</li> <li>-Regenerative valve for fast packer and reload times</li> <li>-Neutral safety switch for automatic transmissions only</li> <li>-Right side buzzer controls</li> <li>-Backup alarm</li> <li>-Backup alarm</li> <li>-Backup and license plate light</li> <li>-LED Center-mounted brake light</li> <li>-LED Duplicate high and low mount stop, turn, and tail lights</li> <li>-LED FMVSS #108 clearance lights and reflectors</li> <li>-ICC reflective tape</li> <li>-Rear camera bracket and flood lights - reverse activated</li> <li>-Body undercoating</li> <li>-Customer's choice of one color finish paint from ColorSmart brochure</li> <li>-Standard 1-year (2,000 hours of operation) warranty</li> <li>-ANSI Z 245.1-2012 Compliant</li> <li>-Cavity coat and joint sealer</li> <li>-Chrome ejector cylinder</li> <li>-Safety Triangle</li> <li>-Abrasion resistant hydraulic hoses</li> <li>-Chrome-plated ejector cylinder sleeves</li> </ul>	\$83,205.00	\$83,205.00
1.00	HEIL Rear Loader PT 1000 16 Cubic Yard -3.0 yd3 hopper -Smooth side body construction -Bolt-on ANSI rear riding steps -Tailgate service props -Remote mount cast iron roller bearing gear pump (less PTO) -Quick-change UHMW ejector slides -Wide trak easy-change carrier slides -Underbody mounted oil tank -Level / temperature / sight gauge for hydraulic oil tank -Oil suction shut-off valve	\$82,265.00	\$82,265.00
1 of 5		Doc # Date	RSSQ37730 07/05/22

QTY	DESCRIPTION	UNIT PRICE	EXT PRICE
	<ul> <li>-3-micron return line filter w with magnetic trap and in-cab filter bypass monitor</li> <li>-100-micron suction line strainer</li> <li>-Regenerative valve for fast packer and reload times</li> <li>-Neutral safety switch for automatic transmissions only</li> <li>-Right side buzzer controls</li> <li>-Right side packer controls</li> <li>-Backup alarm</li> <li>-Backup and license plate light</li> <li>-LED Center-mounted brake light</li> <li>-LED Duplicate high and low mount stop, turn, and tail lights</li> <li>-LED Mid-body turn signals</li> <li>-Hinged left side body access door with step and grab</li> <li>-LED FMVSS #108 clearance lights and reflectors</li> <li>-ICC reflective tape</li> <li>-Rear camera bracket and flood lights - reverse activated</li> <li>-Body undercoating</li> <li>-Customer's choice of one color finish paint from ColorSmart brochure</li> <li>-Standard 1-year (2,000 hours of operation) warranty</li> <li>-ANSI Z 245.1-2012 Compliant</li> <li>-Cavity coat and joint sealer</li> <li>-Chrome ejector cylinder</li> <li>-5 lb. In Cab Fire Extinguisher</li> <li>-Safety Triangle</li> <li>-Abrasion resistant hydraulic hoses</li> </ul>		
1.00	-Chrome-plated ejector cylinder sleeves HEIL Rear Loader PT 1000 18 Cubic Yard -3.0 yd3 hopper -Smooth side body construction	\$84,364.00	\$84,364.00
	-Bolt-on ANSI rear riding steps -Tailgate service props -Remote mount cast iron roller bearing gear pump (less PTO) -Quick-change UHMW ejector slides -Wide trak easy-change carrier slides -Underbody mounted oil tank -Level / temperature / sight gauge for hydraulic oil tank -Oil suction shut-off valve -3-micron return line filter w with magnetic trap and in-cab filter bypass monitor -100-micron suction line strainer -Regenerative valve for fast packer and reload times -Neutral safety switch for automatic transmissions only -Right side buzzer controls -Right side packer controls -Backup alarm -Backup and license plate light -LED Center-mounted brake light -LED Duplicate high and low mount stop, turn, and tail lights -LED Mid-body turn signals -Hinged left side body access door with step and grab -LED FMVSS #108 clearance lights - reverse activated -Body undercoating -Creflective tape -Rear camera bracket and flood lights - reverse activated -Body undercoating -Customer's choice of one color finish paint from ColorSmart brochure -Standard 1-year (2,000 hours of operation) warranty -ANSI Z 245.1-2012 Compliant -Cavity coat and joint sealer -Chrome ejector cylinder -Safety Triangle -Abrasion resistant hydraulic hoses -Chrome-plated ejector cylinder sleeves		
1.00	HEIL Rear Loader PT 1000 20 Cubic Yard -3.0 yd3 hopper -Smooth side body construction -Bolt-on ANSI rear riding steps -Tailgate service props	\$86,848.00	\$86,848.00
2 of 5		Doc # Date	RSSQ37730 07/05/22

QTY         DESCRIPTION         UNIT PRICE         EXT PRICE           - Remote mount cast iron roller bearing gear pump (less PTO)         -Quick-change currer sides         -Wide trak easy-change carrier sides           - Underbody mounted oil tank         -Underbody mounted oil tank         -Underbody mounted oil tank         -           - Oli suction shut-off valve         -Sintion return line filter with magnetic trap and in-cab filter bypass monitor         -           - 100-micron suction line strainer         -Regenerative valve controls         -           - Backup alar         -Backup alar         -           - Bockup alar         -         -           - Backup and license plate light         -         -           - LED Duplicate high and low mount stop, turn, and tail lights         -         -           - LED Duplicate high and low flow and reflectors         -         -           - CCr reflective tape         - Rearcamera bracket and flood lights - reverse activated         -           - Bockup and loce of one cold finish paint from ColorSmant brochure         -         -           - Standard 1-year (2.000 hours of operation) warranty         -         -         -           - Outric-onscription         - reverse activate         -         -           - Outric-on train in relings tesps         - reverse activate <td< th=""></td<>
Wide tak easy-change carrier sildes Underbody mounted oil tank Qil suction shut-off valve 
Underbody mounted oil tank Level / temperature / sight gauge for hydraulic oil tank -Oil suction shut-off valve 
-Oil suction shut-off valve -3-micron return line filter with magnetic trap and in-cab filter bypass monitor -100-micron suction line strainer -Regenerative valve for fast packer and reload times -Neutral safety switch for automatic transmissions only -Right side buzzer controls -Backup alam -Backup alam -Backup alam -Backup and license plate light -LED Center-mounted brake light -LED bupicate high and tow mount stop, turn, and tail lights -LED Mid-body turn signals -Hingel eff side body access door with step and grab -LED FMVSS #108 clearance lights and reflectors -Corflective tape -Rear camera bracket and flood lights - reverse activated -Body undercoating -Customer's choice of one color finish paint from ColorSmart brochure -Standard 1-yeer (2,000 hours of operation) warranty -ANSI Z 245,1-2012 Compliant -Compliant -Cavity coat and joint sealer -Chrome ejector cylinder -Stafety Triangle -Abrison resistant hydraulic hoses -Chrome-plated ejector cylinder sleeves 1.00 HEL Rear Loader PT 1000 25 Cubic Yard -Stafety Triangle -Dation resistant hydraulic hoses -Chrome-plated ejector cylinder sleeves 1.00 HEL Rear Loader PT 1000 25 Cubic Yard -Bodvy mounted oil tank -Underbody construction -Bolt-on ANSI rear riding steps -Taligate service props -Remote mount cast iron noller bearing gear pump (less PTO) -Quick-chang UHWW ejector sides -Underbody mounted oil tank -QI suction shu-off valve -3-micro return line filter w with magnetic trap and in-cab filter bypass monitor -100-micron suction line filter w with magnetic trap and in-cab filter bypass monitor -100-micron suction line filter with magnetic trap and in-cab filter bypass monitor -100-micron suction line strainer -Regenerative valve for fast packer and reload times -Neutral safety switch for automatic transmissions only -Right side packer controls -Reden transmissions only -Right side packer controls -Bodxy mounted oint transmissions only -Right side packer controls -Bodxy magnetic traps is micro
-3-micron return line filter w with magnetic trap and in-cab filter bypass monitor - 000-micron soution line strainer - Regenerative valve for fast packer and reload times - Neutral safety switch for automatic transmissions only - Right side packer controls - Backup alarm - Backup and license plate light - LED Center-mounted brake light - LED Duplicate high and low mount stop, turn, and tail lights - LED Duplicate high and low mount stop, turn, and tail lights - LED Duplicate high and low mount stop, turn, and tail lights - LED Duplicate high and low fights and reflectors - CC reflective tape - Rear camera bracket and flood lights - reverse activated - Body undercoating - Customer's choice of one color finish paint from ColorSmart brochure - Standard 1-year (2,000 hours of operation) warranty - ANSI 22 45, 1-2012 Compliant - Compliant - Safety Triangle - Abrasion resistant hydraulic hoses - Chrome ejector cylinder - Stato and 1-year (2,000 hours of operation) warranty - ANSI 22 45, 1-2012 Compliant - Cartification for exclusioner - Safety Triangle - Abrasion resistant hydraulic hoses - Chrome-plated ejector cylinder sleeves 1.00 HEIL Rear Loader PT 1000 25 Cubic Yard - Bothon ANSI rear riding steps - Taigate service props - Reemote mount cast iron roller bearing gear pump (less PTO) - Quick-change UHWW ejector Sildes - Wide trak easy-change carrier sildes - Weutral safety with for automatic transmissions only - Regenerative valve for fast packer and reload times - Weutral safety switch for automatic transmissions only - Right side packer controls - Backup alarm
<ul> <li>-100-micron suction line strainer</li> <li>-Regenerative valve for fast packer and reload times</li> <li>-Neutral safety switch for automatic transmissions only</li> <li>-Right side buzzer controls</li> <li>-Backup allarm</li> <li>-Backup allarm</li> <li>-Backup allarm</li> <li>-Backup allarm</li> <li>-Backup allarm</li> <li>-LED Center-mounted brake light</li> <li>-LED Center-mounted brake light</li> <li>-LED Mid-body turn signals</li> <li>-Hingred left side body access door with step and grab</li> <li>-LED FMVSS #108 clearance lights and reflectors</li> <li>-C creflective tape</li> <li>-Rear camera bracket and flood lights - reverse activated</li> <li>-Body undercoating</li> <li>-Oustimer's choice of one color finish paint from ColorSmart brochure</li> <li>-Standard 1-year (2,000 hours of operation) warranty</li> <li>-ANSI 2245.1-2012 Compliant</li> <li>-Cavity coat and joint sealer</li> <li>-Standard 1-year (2,000 hours of operation) warranty</li> <li>-Standard 1-year (2,000 hours of operation) warranty</li> <li>-Abrasion resistant hydraulic hoses</li> <li>-Chrome-ejector cylinder</li> <li>-Standard 1-year (2,000 hours of operation) warranty</li> <li>-Standard 1-year (2,000 hours of operation) warranty</li> <li>-ANSI 2245.1-2012 Compliant</li> <li>-Cavity coat and joint sealer</li> <li>-Standard 1-year (2,000 hours of operation) warranty</li> <li>-Standard 1-year (2,000 hours of operation) w</li></ul>
<ul> <li>-Neitral safety switch for automatic transmissions only</li> <li>-Right side packer controls</li> <li>-Backup alarm</li> <li>-Backup and license plate light</li> <li>-LED Center-mounted brake light</li> <li>-LED Duplicate high brake uwound stop, turn, and tail lights</li> <li>-LED Milcense plate light and low mount stop, turn, and tail lights</li> <li>-LED Milcense plate body access door with step and grab</li> <li>-LED FMVSS #108 clearance lights and reflectors</li> <li>-LCO reflective tape</li> <li>-Rear camera bracket and flood lights - reverse activated</li> <li>-Body undercoating</li> <li>-Customer's choice of one color finish paint from ColorSmart brochure</li> <li>-Standard 1-year (2,000 hours of operation) warranty</li> <li>-ANSI 245.1-2012 Compliant</li> <li>-Cavity coat and joint sealer</li> <li>-Standard 1-year (2,000 hours of operation) warranty</li> <li>-ANSI 245.1-2012 Compliant</li> <li>-Costome ejector cylinder</li> <li>-5 Ib. In Cab Fire Extinguisher</li> <li>-Safety Triangle</li> <li>-Abrasion resistant hydraulic hoses</li> <li>-Chrome-plated ejector cylinder</li> <li>-Bolt-on ANSI rear riding steps</li> <li>-Tailgate service props</li> <li>-Remote mount cast iron roller bearing gear pump (less PTO)</li> <li>-Quick-change UHMW ejector sides</li> <li>-Wide trak easy-change carrier sildes</li> <li>-Wide trak easy-change carrier sildes</li> <li>-Wide trak easy-change carrier sildes</li> <li>-Wide trak seasy-change carrier sildes</li> <li>-Wide trak safety switch for automatic transmissions only</li> <li>-Regenerative valve for fast packer and reload times</li> <li>-Regenerative valve for fast packer and reload times</li> <li>-Neutral safety switch for automatic transmissions only</li> <li>-Right side packer controls</li> <li>-Ray this de backer controls</li> <li>-Ray this de backer controls</li> <li>-Ray this de backer controls</li> <li>-Right si</li></ul>
-Right side buzzer controls -Right side buzzer controls -Backup alarm -Backup and license plate light -LED Center-mounted brake light -LED Duplicate high and low mount stop, turn, and tail lights -LED Mid-body turn signals -Hinged left side body access door with step and grab -LED FMVSS / 108 clearance lights and reflectors -CC reflective tape -Rear camera bracket and flood lights - reverse activated -Body undercoating -Oustomer's choice of one color finish paint from ColorSmart brochure -Standard 1-year (2,000 hours of operation) warranty -ANSI Z 245, 1-2012 Compliant -Carbon e ejector cylinder -Standard 1-year (2,000 hours of operation) warranty -ANSI Z 245, 1-2012 Compliant -Chrome ejector cylinder -Standard 1-year (2,000 hours of operation) warranty -ANSI Z 245, 1-2012 Compliant -Chrome-plated ejector cylinder sleeves -Chrome ejector cylinder sleeves -Chrome-plated ejector cylinder sleeves -Chrome-plated ejector cylinder sleeves 1.00 HEIL Rear Loader PT 1000 25 Cubic Yard -Smooth side body construction -Bolt-on ANSI rear riding steps -Tailgate service props -Remote mount cast iron roller bearing gear pump (less PTO) -Quick-change UHMW ejector sides -Vide trak easy-change carrier sildes -Vide trak easy-change carrier sildes -Neutral safety switch for automatic transmissions only -Right side pazere controls -Backup aim
<ul> <li>-Right side packer controls</li> <li>-Backup and license plate light</li> <li>-LED Center-mounted brake light</li> <li>-LED Duplicate high and low mount stop, turn, and tail lights</li> <li>-LED Miclate high and low mount stop, turn, and tail lights</li> <li>-LED Miclate high and low mount stop, turn, and tail lights</li> <li>-LED Miclate high and low mount stop, turn, and tail lights</li> <li>-LED Miclate high and low mount stop, turn, and tail lights</li> <li>-LED Miclate body access door with step and grab</li> <li>-LED FMVSS #108 clearance lights and reflectors</li> <li>-ICC reflective tape</li> <li>-Rear camera bracket and flood lights - reverse activated</li> <li>-Body undercoating</li> <li>-Customer's choice of one color finish paint from ColorSmart brochure</li> <li>-Standard 1-year (2,000 hours of operation) warranty</li> <li>-ANSI 2 245.1-2012 Compliant</li> <li>-Cavity coat and joint sealer</li> <li>-Chrome ejector cylinder</li> <li>-Stant Jydraulic hoses</li> <li>-Chrome-plated ejector cylinder sleeves</li> </ul> 1.00 HELL Rear Loader PT 1000 25 Cubic Yard <ul> <li>\$91,511.00</li> <li>Sotoh side body construction</li> <li>-Botton ANSI rear riding steps</li> <li>-Tailgate service props</li> <li>-Remote mount cast iron roller bearing gear pump (less PTO)</li> <li>-Quick-change UHMW ejector slides</li> <li>-Wide trak easy-change carrier slides</li> <li>-Weath castery o</li></ul>
-Backup and license plate light - LED Center-mounted brake light - LED Duplicate high and low mount stop, turn, and tail lights - LED Mid-body turn signals - Hingd left side body access door with step and grab - LED FMVSS #108 clearance lights and reflectors - CC reflective tape - Rear camera bracket and flood lights - reverse activated - Body undercoating - Customer's choice of one color finish paint from ColorSmart brochure - Standard 1-year (2,000 hours of operation) warranty - ANSI 2 245.1 2012 Compliant - Cavity coat and joint sealer - Chrome ejector cylinder - Standard 1-year (2,000 hours of operation) warranty - ANSI 2 245.1 2012 Compliant - Cavity coat and joint sealer - Chrome ejector cylinder - Standard 1-year (2,000 hours of operation) warranty - ANSI 2 245.1 2012 Compliant - Cavity coat and joint sealer - Chrome ejector cylinder - Standard 1-year (2,000 hours of operation) - Somoth side body construction - Somoth side body construction - Bolt-on ANSI rear riding steps - Tailgate service props - Remote mount cast iron roller bearing gear pump (less PTO) - Quick-change UHMW ejector slides - Underbody mounted oil tank - Level / temperature / sight gauge for hydraulic oil tank - Oli suction shut-off valve - 3-micron return line filter w with magnetic trap and in-cab filter bypass monitor - 100-micron suction filter trainer - Regenerative valve for fast packer and reload times - Neutral safety switch for automatic transmissions only - Right side packer controls -
- LED Center-mounted brake light - LED Duplicate high and low mount stop, turn, and tail lights - LED Mid-body turn signals - Hinged left side body access door with step and grab - LED FMVSS #108 clearance lights and reflectors - ICC reflective tape - Rear camera bracket and flood lights - reverse activated - Body undercoating - Customer's choice of one color finish paint from ColorSmart brochure - Standard 1-year (2,000 hours of operation) warranty - ANSI 2 245.1-2012 Compliant - Cavity coat and joint sealer - Chrome ejector cylinder - 5 lb. In Cab Fire Extinguisher - Safety Triangle - Abrasion resistant hydraulic hoses - Chrome-plated ejector cylinder sleeves 1.00 HEIL Rear Loader PT 1000 25 Cubic Yard - Smooth side body construction - Bolt-on ANSI rear riding steps - Tailgate service props - Tailgate service props - Remote mount cast iron roller bearing gear pump (less PTO) - Quick-change UHMW ejector slides - Underbody mounted oil tank - Level / temperature / sight gauge for hydraulic oil tank - Oil suction shut-off valve - 3-micron return line filter with magnetic trap and in-cab filter bypass monitor - 100-micron suction line strainer - Regenerative valve for fast packer and reload times - Neutral safety switch for a utomatic transmissions only - Right side buzzer controls - Right side packer controls
<ul> <li>LED Duplicate high and low mount stop, turn, and tail lights</li> <li>LED Diverse the body access door with step and grab</li> <li>LED Fild-body turn signals</li> <li>Hinged left side body access door with step and grab</li> <li>LED FINVSS #108 clearance lights and reflectors</li> <li>ICC reflective tape</li> <li>Rear camera bracket and flood lights - reverse activated</li> <li>Body underocating</li> <li>Customer's choice of one color finish paint from ColorSmart brochure</li> <li>Standard 1-year (2,000 hours of operation) warranty</li> <li>ANSI Z 245.1-2012 Compliant</li> <li>Cavity coat and joint sealer</li> <li>Chrome ejector cylinder</li> <li>Safety Triangle</li> <li>Abrasion resistant hydraulic hoses</li> <li>Chrome-plated ejector cylinder sleeves</li> </ul> 1.00 HEIL Rear Loader PT 1000 25 Cubic Yard \$91,511.00
<ul> <li>Hinged left side body access door with step and grab         <ul> <li>LED FMVSS #108 clearance lights and reflectors</li> <li>ICC reflective tape</li> <li>Rear camera bracket and flood lights - reverse activated</li> <li>Body undercoating</li> <li>Customer's choice of one color finish paint from ColorSmant brochure</li> <li>Standard 1-year (2,000 hours of operation) warranty</li> <li>ANSI Z 245.1-2012 Compliant</li> <li>Cavity coat and joint sealer</li> <li>Chrome ejector cylinder</li> <li>Safety Triangle</li> <li>Abrasion resistant hydraulic hoses</li> <li>Chrome ejector cylinder sleeves</li> </ul> </li> <li>100 HEIL Rear Loader PT 1000 25 Cubic Yard</li> <li>Solt-on ANSI rear riding steps</li> <li>Tailgate service props</li> <li>Remote mount cast iron roller bearing gear pump (less PTO)</li> <li>Quick-change UHMW ejector slides</li> <li>Wide trak easy-change carrier slides</li> <li>Underbody mounted oil tank</li> <li>Level / temperature / sight gauge for hydraulic oil tank</li> <li>Oemic ruline filter w with magnetic trap and in-cab filter bypass monitor</li> <li>100-micron suction line strainer</li> <li>Regenerative valve for fast packer and reload times</li> <li>Neutral safety switch for automatic transmissions only</li> <li>Right side buzzer controls</li> <li>Right side buzzer controls</li> <li>Right side packer and me</li> </ul>
<ul> <li>LED FMVSS #108 clearance lights and reflectors <ul> <li>-LCC reflective tape</li> <li>-Rear camera bracket and flood lights - reverse activated</li> <li>-Body undercoating</li> <li>-Customer's choice of one color finish paint from ColorSmart brochure</li> <li>-Standard 1-year (2,000 hours of operation) warranty</li> <li>-ANSI Z 245.1-2012 Compliant</li> <li>-Cavity coat and joint sealer</li> <li>-Chrome ejector cylinder</li> <li>-5 lb. In Cab Fire Extinguisher</li> <li>-Safety Triangle</li> <li>-Abrasion resistant hydraulic hoses</li> <li>-Chrome-plated ejector cylinder sleeves</li> </ul> </li> <li>1.00 HEIL Rear Loader PT 1000 25 Cubic Yard <ul> <li>S91,511.00</li> <li>\$91,511.00</li> <li>\$91,511.00</li> <li>\$91,511.00</li> </ul> </li> <li>Standard trak easy-change carrier slides</li> <li>-Underbody mounte doi tank</li> <li>-Level / temperature / sight gauge for hydraulic oil tank</li> <li>-Level / temperature / sight gauge for hydraulic oil tank</li> <li>-Level / temperature / sight gauge for hydraulic oil tank</li> <li>-Oil suction shut-off valve</li> <li>-Amicron return line filter w with magnetic trap and in-cab filter bypass monitor</li> <li>-100-micron suction line strainer</li> <li>-Regenerative valve for fast packer and reload times</li> <li>-Neutral safety switch for automatic transmissions only</li> <li>-Right side buzzer controls</li> <li>-Backup alarm</li> </ul>
<ul> <li>-Rear camera bracket and flood lights - reverse activated         <ul> <li>Body undercoating</li> <li>Customer's choice of one color finish paint from ColorSmart brochure</li> <li>Standard 1-year (2,000 hours of operation) warranty</li> <li>-ANSI Z 245.1-2012 Compliant</li> <li>-Cavity coat and joint sealer</li> <li>-Chrome ejector cylinder</li> <li>-S lb. In Cab Fire Extinguisher</li> <li>-Safety Triangle</li> <li>-Abrasion resistant hydraulic hoses</li> <li>-Chrome-plated ejector cylinder sleeves</li> </ul> </li> <li>1.00 HEIL Rear Loader PT 1000 25 Cubic Yard</li> <li>Senoth side body construction</li> <li>-Bolt-on ANSI rear riding steps</li> <li>-Tailgate service props</li> <li>-Remote mount cast iron roller bearing gear pump (less PTO)</li> <li>-Quick-change UHMW ejector slides</li> <li>-Wide trak easy-change carrier slides</li> <li>-Underbody mounted oil tank</li> <li>-Level / temperature / sight gauge for hydraulic oil tank</li> <li>-Oil suction shut-off valve</li> <li>-3-micron return line filter w with magnetic trap and in-cab filter bypass monitor</li> <li>-100-micron suction line strainer</li> <li>-Regenerative valve for fast packer and reload times</li> <li>-Neutral safety switch for automatic transmissions only</li> <li>-Right side buzzer controls</li> <li>-Right side puzzer controls</li> <li>-Right side puzzer controls</li> <li>-Right side puzzer controls</li> <li>-Backup alarm</li> </ul>
<ul> <li>Body undercoating</li> <li>-Customer's choice of one color finish paint from ColorSmart brochure</li> <li>-Standard 1-year (2,000 hours of operation) warranty</li> <li>-ANSI Z 245.1-2012 Compliant</li> <li>-Cavity coat and joint sealer</li> <li>-Chrome ejector cylinder</li> <li>-5 lb. In Cab Fire Extinguisher</li> <li>-Safety Triangle</li> <li>-Abrasion resistant hydraulic hoses</li> <li>-Chrome-plated ejector cylinder sleeves</li> </ul> 1.00 HEIL Rear Loader PT 1000 25 Cubic Yard \$91,511.00 \$91,511.00 \$91,511.00 \$91,511.00 \$91,511.00 \$91,511.00 \$91,511.00 \$91,511.00 \$91,511.00 \$91,511.00 South side body construction -Bolt-on ANSI rear riding steps -Tailgate service props -Remote mount cast iron roller bearing gear pump (less PTO) -Quick-change UHMW ejector slides -Underbody mounted oil tank -Level / temperature / sight gauge for hydraulic oil tank -Oil suction slut-off valve -3-micron return line filter with magnetic trap and in-cab filter bypass monitor -100-micron suction line strainer -Regenerative valve for fast packer and reload times -Neutral safety switch for automatic transmissions only -Right side packer controls -Right side packer
<ul> <li>-Customer's choice of one color finish paint from ColorSmart brochure         <ul> <li>-Standard 1-year (2,000 hours of operation) warranty</li> <li>-ANSI Z 245 1-2012 Compliant</li> <li>-Cavity coat and joint sealer</li> <li>-Chrome ejector cylinder</li> <li>-Stafety Triangle</li> <li>-Abrasion resistant hydraulic hoses</li> <li>-Chrome-plated ejector cylinder sleeves</li> </ul> </li> <li>1.00 HELL Rear Loader PT 1000 25 Cubic Yard         <ul> <li>-Smooth side body construction</li> <li>-Bolt-on ANSI rear riding steps</li> <li>-Tailgate service props</li> <li>-Remote mount cast iron roller bearing gear pump (less PTO)</li> <li>-Quick-change UHMW ejector slides</li> <li>-Underbody mounted oil tank</li> <li>-Level / temperature / sight gauge for hydraulic oil tank</li> <li>-Oil suction like stainer</li> <li>-3-micron return line filter w with magnetic trap and in-cab filter bypass monitor</li> <li>-100-micron suction like stainer</li> <li>-Regenerative valve for fast packer and reload times</li> <li>-Neutral safety switch for automatic transmissions only</li> <li>-Right side buzzer controls</li> <li>-Right side buzzer controls</li> <li>-Raction after</li> </ul> </li> </ul>
-ANSI Z 245.1-2012 Compliant -Cavity coat and joint sealer -Chrome ejector cylinder -Slb. In Cab Fire Extinguisher -Safety Triangle -Abrasion resistant hydraulic hoses -Chrome-plated ejector cylinder sleeves 1.00 HEIL Rear Loader PT 1000 25 Cubic Yard -Smooth side body construction -Bolt-on ANSI rear riding steps -Tailgate service props -Remote mount cast iron roller bearing gear pump (less PTO) -Quick-change UHMW ejector slides -Wide trak easy-change carrier slides -Underbody mounted oil tank -Level / temperature / sight gauge for hydraulic oil tank -Oil suction shut-off valve -3-micron return line filter w with magnetic trap and in-cab filter bypass monitor -100-micron suction line strainer -Regenerative valve for fast packer and reload times -Neutral safety switch for automatic transmissions only -Right side packer controls -Backup alarm
-Cavity coat and joint sealer -Chrome ejector cylinder -5 lb. In Cab Fire Extinguisher -Safety Triangle -Abrasion resistant hydraulic hoses -Chrome-plated ejector cylinder sleeves 1.00 HEIL Rear Loader PT 1000 25 Cubic Yard -Smooth side body construction -Bolt-on ANSI rear riding steps -Tailgate service props -Remote mount cast iron roller bearing gear pump (less PTO) -Quick-Change UHMW ejector slides -Wide trak easy-change carrier slides -Underbody mounted oil tank -Level / temperature / sight gauge for hydraulic oil tank -Oil suction shut-off valve -3-micron return line filter w with magnetic trap and in-cab filter bypass monitor -100-micron suction line strainer -Regenerative valve for fast packer and reload times -Neutral safety switch for automatic transmissions only -Right side buzzer controls -Backup alarm
<ul> <li>-5 lb. In Cab Fire Éxtinguisher</li> <li>-Safety Triangle</li> <li>-Abrasion resistant hydraulic hoses</li> <li>-Chrome-plated ejector cylinder sleeves</li> <li>1.00 HEIL Rear Loader PT 1000 25 Cubic Yard</li> <li>\$91,511.00 \$91,511.00</li> <li>Smooth side body construction</li> <li>-Bolt-on ANSI rear riding steps</li> <li>-Tailgate service props</li> <li>-Remote mount cast iron roller bearing gear pump (less PTO)</li> <li>-Quick-change UHMW ejector slides</li> <li>-Wide trak easy-change carrier slides</li> <li>-Underbody mounted oil tank</li> <li>-Level / temperature / sight gauge for hydraulic oil tank</li> <li>-Oil suction shut-off valve</li> <li>-3-micron return line filter w with magnetic trap and in-cab filter bypass monitor</li> <li>-100-micron suction line strainer</li> <li>-Regenerative valve for fast packer and reload times</li> <li>-Neutral safety switch for automatic transmissions only</li> <li>-Right side buzzer controls</li> <li>-Backup alarm</li> </ul>
<ul> <li>Safety Triangle</li> <li>-Abrasion resistant hydraulic hoses</li> <li>-Chrome-plated ejector cylinder sleeves</li> <li>1.00 HELL Rear Loader PT 1000 25 Cubic Yard</li> <li>\$91,511.00 \$91,511.00</li> <li>Smooth side body construction</li> <li>Bolt-on ANSI rear riding steps</li> <li>-Tailgate service props</li> <li>-Remote mount cast iron roller bearing gear pump (less PTO)</li> <li>-Quick-change UHMW ejector slides</li> <li>-Wide trak easy-change carrier slides</li> <li>-Underbody mounted oil tank</li> <li>-Level / temperature / sight gauge for hydraulic oil tank</li> <li>-Oil suction shut-off valve</li> <li>-3-micron return line filter w with magnetic trap and in-cab filter bypass monitor</li> <li>-100-micron suction line strainer</li> <li>-Regenerative valve for fast packer and reload times</li> <li>-Neutral safety switch for automatic transmissions only</li> <li>-Right side buzzer controls</li> <li>-Backup alarm</li> </ul>
-Abrasion resistant hydraulic hoses -Chrome-plated ejector cylinder sleeves 1.00 HEIL Rear Loader PT 1000 25 Cubic Yard \$91,511.00 -Smooth side body construction -Bolt-on ANSI rear riding steps - Tailgate service props -Remote mount cast iron roller bearing gear pump (less PTO) -Quick-change UHMW ejector slides -Wide trak easy-change carrier slides -Underbody mounted oil tank -Level / temperature / sight gauge for hydraulic oil tank -Oil suction shut-off valve -3-micron return line filter w with magnetic trap and in-cab filter bypass monitor -100-micron suction line strainer -Regenerative valve for fast packer and reload times -Neutral safety switch for automatic transmissions only -Right side buzzer controls -Right side packer controls -Backup alarm
1.00       HEIL Rear Loader PT 1000 25 Cubic Yard       \$91,511.00         -Smooth side body construction       Bolt-on ANSI rear riding steps       .         -Tailgate service props       -Remote mount cast iron roller bearing gear pump (less PTO)       .         -Quick-change UHMW ejector slides       .       .         -Wide trak easy-change carrier slides       .       .         -Underbody mounted oil tank       .       .         -Level / temperature / sight gauge for hydraulic oil tank       .       .         -0il suction shut-off valve       .       .         -3-micron return line filter w with magnetic trap and in-cab filter bypass monitor       .       .         -100-micron suction line strainer       .       .       .         -Regenerative valve for fast packer and reload times       .       .       .         -Neutral safety switch for automatic transmissions only       .       .       .         -Right side buzzer controls       .       .       .       .         -Backup alarm       .       .       .       .       .
-Smooth side body construction -Bolt-on ANSI rear riding steps -Tailgate service props -Remote mount cast iron roller bearing gear pump (less PTO) -Quick-change UHMW ejector slides -Wide trak easy-change carrier slides -Underbody mounted oil tank -Level / temperature / sight gauge for hydraulic oil tank -Oil suction shut-off valve -3-micron return line filter w with magnetic trap and in-cab filter bypass monitor -100-micron suction line strainer -Regenerative valve for fast packer and reload times -Neutral safety switch for automatic transmissions only -Right side buzzer controls -Right side packer controls -Backup alarm
-Bolt-on ANSI rear riding steps -Tailgate service props -Remote mount cast iron roller bearing gear pump (less PTO) -Quick-change UHMW ejector slides -Wide trak easy-change carrier slides -Underbody mounted oil tank -Level / temperature / sight gauge for hydraulic oil tank -Oil suction shut-off valve -3-micron return line filter w with magnetic trap and in-cab filter bypass monitor -100-micron suction line strainer -Regenerative valve for fast packer and reload times -Neutral safety switch for automatic transmissions only -Right side packer controls -Right side packer controls -Backup alarm
<ul> <li>Tailgate service props</li> <li>Remote mount cast iron roller bearing gear pump (less PTO)</li> <li>Quick-change UHMW ejector slides</li> <li>Wide trak easy-change carrier slides</li> <li>Underbody mounted oil tank</li> <li>Level / temperature / sight gauge for hydraulic oil tank</li> <li>Oil suction shut-off valve</li> <li>-3-micron return line filter w with magnetic trap and in-cab filter bypass monitor</li> <li>-100-micron suction line strainer</li> <li>Regenerative valve for fast packer and reload times</li> <li>Neutral safety switch for automatic transmissions only</li> <li>Right side buzzer controls</li> <li>Right side packer controls</li> <li>Backup alarm</li> </ul>
-Quick-change UHMW ejector slides -Wide trak easy-change carrier slides -Underbody mounted oil tank -Level / temperature / sight gauge for hydraulic oil tank -Oil suction shut-off valve -3-micron return line filter w with magnetic trap and in-cab filter bypass monitor -100-micron suction line strainer -Regenerative valve for fast packer and reload times -Neutral safety switch for automatic transmissions only -Right side buzzer controls -Right side packer controls -Backup alarm
-Wide trak easy-change carrier slides -Underbody mounted oil tank -Level / temperature / sight gauge for hydraulic oil tank -Oil suction shut-off valve -3-micron return line filter w with magnetic trap and in-cab filter bypass monitor -100-micron suction line strainer -Regenerative valve for fast packer and reload times -Neutral safety switch for automatic transmissions only -Right side buzzer controls -Right side packer controls -Backup alarm
-Underbody mounted oil tank -Level / temperature / sight gauge for hydraulic oil tank -Oil suction shut-off valve -3-micron return line filter w with magnetic trap and in-cab filter bypass monitor -100-micron suction line strainer -Regenerative valve for fast packer and reload times -Neutral safety switch for automatic transmissions only -Right side buzzer controls -Right side packer controls -Backup alarm
-Oil suction shut-off valve -3-micron return line filter w with magnetic trap and in-cab filter bypass monitor -100-micron suction line strainer -Regenerative valve for fast packer and reload times -Neutral safety switch for automatic transmissions only -Right side buzzer controls -Right side packer controls -Backup alarm
-3-micron return line filter w with magnetic trap and in-cab filter bypass monitor -100-micron suction line strainer -Regenerative valve for fast packer and reload times -Neutral safety switch for automatic transmissions only -Right side buzzer controls -Right side packer controls -Backup alarm
-Regenerative valve for fast packer and reload times -Neutral safety switch for automatic transmissions only -Right side buzzer controls -Right side packer controls -Backup alarm
-Neutral safety switch for automatic transmissions only -Right side buzzer controls -Right side packer controls -Backup alarm
-Right side buzzer controls -Right side packer controls -Backup alarm
-Backup alarm
-Backup and license plate light
-LED Center-mounted brake light
-LED Duplicate high and low mount stop, turn, and tail lights -LED Mid-body turn signals
-Hinged left side body access door with step and grab
-LED FMVSS #108 clearance lights and reflectors -ICC reflective tape
-Rear camera bracket and flood lights - reverse activated
-Body undercoating
-Customer's choice of one color finish paint from ColorSmart brochure -Standard 1-year (2,000 hours of operation) warranty
-ANSI Z 245.1-2012 Compliant
-Cavity coat and joint sealer
-Chrome ejector cylinder -5 lb. In Cab Fire Extinguisher
-Safety Triangle
-Abrasion resistant hydraulic hoses -Chrome-plated ejector cylinder sleeves
3 of 5 <b>Doc #</b> RSSQ37730
<b>Date</b> 07/05/22

QTY	DESCRIPTION	UNIT PRICE	EXT PRICE
1.00	Peterson Multi-Function (SMART) LED Strobe/Turn Lamps-Includes LED Light Package fo Entire Unit	r	
1.00	Full Factory Mount		
1.00			

\*Total does not include optional items

F.E.T will be charged on all applicable items unless current F.E.T Exemption form is on file.

Any cancellation or modification of order will result in a 20% restocking charge to Buyer.

RSSQ37730
07/05/22
4 of 5

Doc # Date