

2021 - Effective December 1, 2020 - DuraPack® Rapid Rail® High-Performance ASL - Sales Order Form	
Base Units DuraPack® Rapid Rail® High-Performance Automated Side Loader	
<input type="checkbox"/>	22 cubic yard - CNRG Tailgate Not Available With This Body Size
<input type="checkbox"/>	24 cubic yard - CNRG Tailgate Not Available With This Body Size
<input type="checkbox"/>	26 cubic yard - CNRG Tailgate Reduces Tailgate Capacity by 2 Cubic Yards - 24 Cubic Yard Unit With CNrG
<input type="checkbox"/>	28 cubic yard - CNRG Tailgate Reduces Tailgate Capacity by 2 Cubic Yards - 26 Cubic Yard Unit With CNrG
<input type="checkbox"/>	33 cubic yard - CNRG Tailgate Reduces Tailgate Capacity by 2 Cubic Yards - 31 Cubic Yard Unit With CNrG
<input type="checkbox"/>	EJECT
<input type="checkbox"/>	Service Hoist Kit
<input type="checkbox"/>	Serviceable Eject
Hopper Size	
CHASSIS MUST CONFORM WITH HEIL'S MOST CURRENT CHASSIS SPECIFICATIONS AT WWW.HEIL.COM	
Mounting Options	
<input type="checkbox"/>	Full Factory Mount for Service Hoist, Eject Models, and Serviceable Eject
<input type="checkbox"/>	Mount at Dealer Destination
Grabber and Lift Options	
<input type="checkbox"/>	TriCuff Grabber - handles a variety of 30 to 110 gallon square, rectangular and round semi-automated and automated barrels
<input type="checkbox"/>	TriCuff Grip Rite Grabber - handles a variety of 30 to 110 gallon square, rectangular and round semi-automated and automated barrels. No Spring Tensioner
<input type="checkbox"/>	Belt Grabbers with Spring Loaded Inner Arm - to accommodate 60/90 gallon round automated barrels
<input type="checkbox"/>	Universal Belt Grabbers with Spring Loaded Inner Arm - to accommodate 90 - 300 gallon round automated barrels
<input type="checkbox"/>	Changeable Spring Steel Grabbers - for 60 and 90 gallon round automated barrels with 26" - 27" grab diameter
<input type="checkbox"/>	Changeable Spring Steel Grabbers - for 300 gallon round automated barrels with 41" - 43" grab diameter
<input type="checkbox"/>	Grabber storage bracket supplied at no charge when any TWO sets of spring steel grabbers are ordered
Power Take Off / Pump Options	
<input type="checkbox"/>	Operate-in-gear-at-idle (OIGAI) Front Mount Tandem Vane Pump
<input type="checkbox"/>	Operate-in-gear-at-idle (OIGAI) Remote Mount Tandem Vane Pump with Transmission Driven, Constant Duty PTO
<input type="checkbox"/>	Clutch Shift - Extended Shaft PTO with Tandem Vane Pump
<input type="checkbox"/>	Constant Drive - Extended Shaft PTO with Tandem Vane Pump
Lighting and Electrical Accessories	
<input type="checkbox"/>	Hopper and Lift Work Light Kit - LED - two lights - in-cab switch
<input type="checkbox"/>	Multi-Function LED Strobe / Turn Lamps
<input type="checkbox"/>	Body Side Backing Assist Lights mounted front body bolster - reverse activated
<input type="checkbox"/>	Strobe Light, Amber - in-cab switch, pump on, and reverse activated - mounted lower tailgate
<input type="checkbox"/>	Dual Oval Flat LED Strobes - in-cab switch - mounted mid-tailgate
<input type="checkbox"/>	Dual Oval Flat LED Strobes - in-cab switch, pump on, and reverse activated - mounted mid-tailgate
<input type="checkbox"/>	Dual Front Oval LED Strobes
<input type="checkbox"/>	Strobe Light, Amber - in-cab switch - mounted on cab
Lift Controls, Options and Accessories	
<input type="checkbox"/>	Lift Cycle Counter In Addition to the Counter Provided with the Standard In Sight Display
<input type="checkbox"/>	Remote Lift Controls - mounted under seat on right hand side
<input type="checkbox"/>	Rapid Rail Style Control Box with paddle switches

2021 - Effective December 1, 2020 - DuraPack® Rapid Rail® High-Performance ASL - Sales Order Form

Body Options

<input type="checkbox"/>	Hopper and Body Floor Liner (3/16" - 150,000 psi)
<input type="checkbox"/>	1/4" AR400 Body Floor in lieu of standard 3/16" AR400
<input type="checkbox"/>	3" Hopper Drain Valve
<input type="checkbox"/>	Mud Guards - steel - mounted ahead of tires
<input type="checkbox"/>	Mud Flaps - anti-sail / anti-splash - ahead of rear tires
<input type="checkbox"/>	Hopper Hood
<input type="checkbox"/>	Manual Hopper Cover - Standard Cover - mesh expanded metal with extended handle accessible from ground
<input type="checkbox"/>	Manual Hopper Cover for use with Hopper Hood
<input type="checkbox"/>	Hydraulic Sliding Top Door with Lift Interlock and indicator light in cab - <i>Cannot be used in conjunction with hopper hood</i>
<input type="checkbox"/>	Triple Cart Holder - mounted on tailgate for transporting empty carts - <i>Not Available with CNrG Tailgate CNG System</i>
<input type="checkbox"/>	20 lb. Fire Extinguisher with Bracket
<input type="checkbox"/>	Dual 20 lb. Fire Extinguishers with Bracket
<input type="checkbox"/>	Steel Tool Box (18" x 18" x 36") - frame mounted - available on Eject Models Only
<input type="checkbox"/>	Steel Tool Box (18" x 18" x 24") - frame mounted - available on Eject Models Only
<input type="checkbox"/>	Steel Tool Box (18" x 18" x 24") - bumper mounted
<input type="checkbox"/>	Aluminum Tool Box (18" X 18" x 24") - bumper mounted
<input type="checkbox"/>	Hydraulic Pressure Gauge Kit (shipped loose in cab)
<input type="checkbox"/>	Hydraulic Oil Tank Heater - 500 watts
<input type="checkbox"/>	Hydraulic Tank Low Oil Level Warning Kit
<input type="checkbox"/>	Dual High Pressure Filter Kit
<input type="checkbox"/>	Rear Caution Decal
<input type="checkbox"/>	Return Line Check Valve Kit
<input type="checkbox"/>	Broom and Shovel Kit - Mounted Underbody - Includes Broom and Shovel
<input type="checkbox"/>	Hydraulic Oil Tank Quick Disconnect Kit - For use with filter buggy
<input type="checkbox"/>	Spill Kit
<input type="checkbox"/>	Fender Extension Kit
<input type="checkbox"/>	Sump Chutes
<input type="checkbox"/>	Tapered Roof Kit - Only Available in 28 cubic yard units - Helps reduce trash from blowing out
<input type="checkbox"/>	Low Profile Shur Lock Tailgate Locks MUST be used with Tag Axle Applications - Does not have T/G closed indicator flag
<input type="checkbox"/>	Infinity Series Packer/Eject Cylinders with scrapers and hardened rods to 50 HRC - Includes Five (5) Year Packer/Eject Cylinder Only Warranty that covers dents and dings <i>(This Option is Required if purchasing extended warranty's below)</i>

Note: Hopper hood may not be ordered in conjunction with a sliding top door

CNrG Tailgate Mounted CNG -NFPT – 52 -2019 Compliant - Includes Installation Fee - Reduces Yardage Capacity 2 Cubic Yards

<input type="checkbox"/>	60 DGE CNG System -
<input type="checkbox"/>	75 DGE CNG System -
<input type="checkbox"/>	90 DGE CNG System -

CNrG Options

<input type="checkbox"/>	Front Bumper Fill with Kill Cap
<input type="checkbox"/>	Remote Fill, StreetSide Rear Fill Port
<input type="checkbox"/>	Remote Fill, Curbside Rear Fill Port
<input type="checkbox"/>	Defuel Transfer Hose - 35 ft.

AWTI™ Radar Systems

<input type="checkbox"/>	AWTI™ Radar System used in conjunction with 3rd Eye Cameras - <i>Must Select Camera from 3rd Eye Camera Options</i>
--------------------------	---

Camera Systems

All camera systems are mounted with protective camera brackets and twin tailgate flood lights

CAMERA MONITOR LOCATION WILL BE CAB ROOF MOUNTED

Swivel monitor bracket will be provided for dual drive chassis

3rd Eye® Camera Systems & 3rd® Eye Digital

Note: Camera systems will accommodate a maximum of 6 cameras.

Not including driver and forward facing cameras included in 3rd Eye® Digital system

<input type="checkbox"/>	Base 3rd Eye® Single Camera System with monitor and Single Camera Mounted on Tailgate
<input type="checkbox"/>	Add on 3rd Eye® Camera (LH Cab) - Camera System Price Adder (Only available if base camera is selected)
<input type="checkbox"/>	Add on 3rd Eye® Camera (RH Cab) - Camera System Price Adder (Only available if base camera is selected)
<input type="checkbox"/>	Add on 3rd Eye® Camera (LH Alley) - Camera System Price Adder (Only available if base camera is selected)
<input type="checkbox"/>	Add on 3rd Eye® Camera (RH Alley) - Camera System Price Adder (Only available if base camera is selected)
<input type="checkbox"/>	Add on 3rd Eye® Camera (Hopper) - Camera System Price Adder (Only available if base camera is selected)
<input type="checkbox"/>	Add on 3rd Eye® Camera (Grabber) - Camera System Price Adder (Only available if base camera is selected)
<input type="checkbox"/>	3rd Eye® Digital System: Includes (Driver and Forward Facing Camera (Window Unit), and Gateway - (In-Cab Monitor Not Included) - <i>*Digital monitoring service not included and must be purchased and activated through 3rd Eye post delivery *</i>

Load Cell Scale Systems

<input type="checkbox"/>	Heil Optimum Payload System (HOPS) using Air-Weigh Axle Scales
<input type="checkbox"/>	Air-Weigh™ Axle Scale System without Interlock

Auxiliary Axle

2021 - Effective December 1, 2020 - DuraPack® Rapid Rail® High-Performance ASL - Sales Order Form

* NOTE: All axles MUST BE installed with tires so chassis can be re-certified to new GAWR and GVWR ratings.
 Tag Axle applications will automatically receive the low profile Shur Lock tailgate lock kit at the price listed below.

Hendrickson™ Options

Hendrickson™ Pusher Axle-13,000 pound capacity, Non Steer - Narrow Track

Auxiliary Axle Tire Options

255/70R-22.5 - load range H, 5,510 pound single max load at 120 psi with rim - 2 tires installed

275/70R-22.5 - load range H, 7,000 pound single max load at 120 psi with rim - 2 tires installed

Upgrade to Polished Aluminum Wheels (Set of Two)

Low profile Shur Lock tailgate lock kit.

* Note: All auxiliary applications must be approved by Heil prior to order acceptance

CNG Installation - Top of Body Installation

CNG Installation Charge - Includes brackets, hardware, and mounting of CNG system

Extended Complete Body Warranty Options

Two (2) Year (Months 13-24) (Maximum 4,000 hrs. of Operation) Complete Heil Body & Lift Warranty
 Requires additional purchase of Infinity packer/eject cylinders from above

Three (3) Year (Months 13-36) (Maximum 6,000 hrs. of Operation) Complete Heil Body & Lift Warranty
 Requires additional purchase of Infinity packer/eject cylinders from above

Four (4) Year (Months 13-48) (Maximum 8,000 hrs. of Operation) Complete Heil Body & Lift Warranty
 Requires additional purchase of Infinity packer/eject cylinders from above

Five (5) Year (Months 13-60) (Maximum 10,000 hrs. of Operation) Complete Heil Body & Lift Warranty
 Requires additional purchase of Infinity packer/eject cylinders from above

Extended Cylinder Warranty Options

Two (2) Year (Months 13-24) (Maximum 4,000 hrs. of Operation) All other Non-Infinity Cylinder Warranty -
 Requires additional purchase of Infinity packer/eject cylinders from above

Three (3) Year (Months 13-36) (Maximum 6,000 hrs. of Operation) All other Non-Infinity Cylinder Warranty -
 Requires additional purchase of Infinity packer/eject cylinders from above

Four (4) Year (Months 13-48) (Maximum 8,000 hrs. of Operation) All other Non-Infinity Cylinder Warranty -
 Requires additional purchase of Infinity packer/eject cylinders from above

Five (5) Year (Maximum 10,000 hrs. of Operation) All other Non-Infinity Cylinder Warranty -
 Requires purchase of Infinity packer or eject Cylinders from above

Extended Hydraulic Pump and Valve Warranty Options

Two (2) Year (Months 13-24) (Maximum 4,000 hours of operation) Hydraulic Pump and Valve warranty
 Not needed if purchasing extended complete body warranty

Three (3) Year (Months 13-36) (Maximum 6,000 hours of operation) Hydraulic Pump and Valve warranty
 Not needed if purchasing extended complete body warranty

Four (4) Year (Months 13-48) (Maximum 8,000 hours of operation) Hydraulic Pump and Valve warranty
 Not needed if purchasing extended complete body warranty

Five (5) Year (Months 13-60) (Maximum 10,000 hours of operation) Hydraulic Pump and Valve warranty
 Not needed if purchasing extended complete body warranty

Paint Options

NOTE: LIST PAINT CODES ON PAINT DIAGRAM

Customized Paint Color - Paint Color Code NOT included in the Color Smart Brochure

Customized Lift Paint - Any color other than Visibility Yellow (Standard)

Two Tone Paint

Paint Striping - first stripe

Paint Striping - each additional stripe

Metallic Paint

Clear coat Finish

Anti-Graffiti Clear coat Finish

Prime Paint Only - deduct

Heil ASL CleanShield™ by BrandArmor™ Hopper Side Protector

TOTALS

Total from Options Above (MSRP)	
Additional Options (Custom's, Chassis Mods, Etc.) Total	
Subtotal	
Dealer Discount (%)	0%
Dealer Net Price	
Surcharge if applicable	
Additional Discount (SPR)	
Freight	
Total Price per Unit	

* This entire document (and any attachments) are confidential and only for the intended recipient(s). Use or distribution by any unintended recipient is prohibited. If you have received this document in error, delete this entire communication, and notify the sender you have done so.