



PROPOSAL

Remittance Address for Deposits:

10641 Cordova Road Easton, MD 21601

Division of THC Enterprises, Inc.

Easton, MD * Baltimore, MD * Chesapeake, VA Chester, PA * Clinton, MD * Cheswick, PA * Salem, VA

Phone 800-338-7274 Fax 410-820-9916 Visit us on the web! www.mawaste.com

SOLD TO

SHIP TO

Virginia Sherriff's Association

Quote #: RSSQ35993

Account: Terms:

Date: 07/16/21

Sales Rep Fred Seitz

QTY DESCRIPTION UNIT PRICE EXT PRICE

Vacall AJV Options Quoted at 6% off List Price

1.00 Option Description

Electric Back Up Alarm

Factory Mounting Tandem Axle

Factory Mounting Tridem Axle

Fenders

Mud Flaps Behind Rear Tires

Rear Dot Under Ride Protection (Bumper)

Tow Hooks - Front

Tow Hooks - Rear

Air/Water Separator Exterior And Interior Powder Coated Black

Air/Water Separator Exterior Only Powder Coated Black

Air/Water Separator Galvanized

Debris Tank Exterior And Interior Powder Coated

Debris Tank Exterior Only Powder Coated

Debris Tank Galvanized

Powder Coat Subframe, Power Frame, Hose Reel Mount And Base, And Exhaust Silencer

Black

Powder Coat Unit Gradall Black Part# 14405142 (Excludes Cab / Chassis)

Powder Coat Unit Gradall STD Red Dupont#N3781 Pt#14405150 Dupont(Excludes Cab /

Chassis)

Powder Coat Unit Gradall STD White Dupont N0006 Pt#14405143 (Excludes Cab /

Chassis)

Powder Coat Unit International White To Match 9219 Pt#14405094p (Excludes Cab /

Chassis)

Special All Other Colors Powder Coat Color Code (Excludes Cab / Chassis) 1 Color/ 1

Dim. Coating

Direct Drive For Vacuum Pump

Hydraulic Temp / Level Sight Eye

Hydrostatic Drive For Water Pump Flows To 100gpm@2000psi(133 HP Max)

Hydrostatic Drive For Water Pump Flows To 80gpm@3000psi (160 HP Max)

Hydrostatic Drive For Water Pump Flows To 85gpm@2000psi (115 HP Max)

Platform And Steps On Power Frame

Shut-Off Valve(S) On Suction Side

Transfer Case

Transfer Case Remote Sight Glass And Fill

Variable Volume 2.7 Cir Hydraulic Piston Pump Direct Mounted To Omsi Tc For Hydraulic

Functions

1 of 7

Carbon Steel Float Ball Cage

Carbon Steel Splash Shield

Dual Debris Body Safety Props

Dual Rear Door Safety Props

Float Level Indicator With Stainless Steel Ball

Ground Level Grease Fitting For Float Level Indicator

Ground Level Grease Fitting For Hoist Cylinder

Ground Level Grease Manifold For Tailgate Hinge And Lock Assembly

Internal Tank Flusher-Full Flow

Doc # Date RSSQ35993 07/16/21

1 of 7

QTY **DESCRIPTION** UNIT PRICE **EXT PRICE**

Single Debris Body Safety Prop

Single Hoist Cylinder

Single Rear Door Safety Prop

Stainless Steel Float Ball Cage

Stainless Steel Float Ball Shut-Off

Tailgate Power Up / Down, Hydraulic Locks

3" Decant Line (Clear Hose) To Front With Valve At Bumper

4" Valve On Sludge Pump Inlet - Brass Slide Gate

6" Decant Port On Rear Door With 6" X 20'-0" Layflat Hose & Storage Basket

6" Diameter X 12" Tall Bolt On Standpipe On Sludge Pump Port With Strainer On Top

6" Diameter X 18" Tall Bolt On Standpipe On Sludge Pump Port With Strainer On Top 6" Diameter X 24" Tall Bolt On Standpipe On Sludge Pump Port With Strainer On Top 6" Diameter X 6" Tall Bolt On Standpipe On Sludge Pump Port With Strainer On Top

6" Drain Valve - Brass Slide Gate

6" Drain Valve - Manually Operated Butterfly Type

6" Drain Valve-Manually Operated Betts (Heated Via Chassis Cooling System) Passenger

6" Male Camlock On Decant Valve With Camlock Cap & Lanyard Also Includes 6" Layflat

Hose With Camlock

Blaster Valve / Decant Port

Decant Port Screen (304 SS)

Decant Port Screen (Standard)

Sludge Pump Port Screen (304 SS)

Sludge Pump Port Screen (Standard)

Sludge Pump System On Rear Door 4" Hydraulic (710 GPM@10' Head)

2-1/2" Y-Strainer On Fill Line

4" Air Gap Water Tank Fill

Anti-Splash Valve

Sight Level Tube On Passenger Side Water Tank

Water Tank Electronic Level Indicator In Front Control Panel Display

56 G.P.M./3000 PSI - 115 HP

80 G.P.M./2500 PSI - 133 HP

85 G.P.M./2000 PSI - F.E. Myers Dp85-20 - 115 HP

87 G.P.M./2000 PSI -120 HP

Air Purge System

Cold Weather Recirculation Using Independent Electric Pump

Degreaser Injection System With 25 Gallon Poly Tank, Electric Pump And Shutoff Valve

Drain Valve In Water Pump Supply Line

Drain Valves Water Pump High Pressure Chambers (Option For Myers Only.

Drivers Side Self-Winding Handgun Hannay Hose Reel W/ 50 Foot 1/2" Hose And

Handgun (800 PSI @ 20 GPM)

Extra Handgun Connection - Front

Extra Handgun Connection - Rear

Handgun With 25 Feet Of Hose (800 PSI @ 20 GPM)

Hxx System Off Main Water Pump 15-20 GPM Can Only Have Pressure Rating Less Than Or Equal To Main Water Pump Inc. 1/2" X 50' Spring Rewind Hannay Hose Reel W/50' Of

1/2" Hose And Pistol Grip Style Hand Gun W/Lance Nozzle

Hxx System W/Independent Water Pump 10 GPM 3000 PSI Inc. 1/2" X 50' Spring Rewind

Hannay Hose Reel W/ 50' Of 1/2" Hose Pistol Grip Style Hand Gun W/Lance Nozzle Lat. Cleaning Kit, W/ 150' X 1/2" Sewer Hose Hannay Hose Reel W/Man. Hand Crank,

With (2) 1/2" Nozzles (Side Mounted)

Low Point Drain - Front Mount

Passengers Side Self-Winding Handgun Hannay Hose Reel W/ 50 Foot 1/2" Hose And

Handgun (800 PSI @ 20 GPM)

Pressure Relief Valve

Soil Surgeon - 8' X 72" 12 Jetted Water Suction Tube Used For Hydro-Excavating

Strainer On Water Pump Inlet

Valve On Water Pump Inlet

Water Distribution Manifold (Centrally Located)

2" Brass Ball Valve Mounted On Bottom Of Blower Exhaust Silencer

2" Brass Ball Valve Mounted On Bottom Of Cyclone Dropout Box

8x24 Vac Pump (350HP Chassis) 4000 CFM @18"HG(245"H20) 180 HP@2250 W/(2) Vac

8x24 Vac Pump (350HP Chassis) 4100CFM@16"HG(217"H20) 170HP@2250 W/(2) Vac Reliefs

8x24 Vac Pump 4000CFM@ 18"HG (245"H20) 200HP @ 2470 RPM With(2) Vac Relief

8x24 Vac Pump 4100CFM@16"HG (217"H20) 185 HP @2470 RPM With(2) Vac Relief

QTY DESCRIPTION UNIT PRICE EXT PRICE

Valves

Air Operated 4" Vacuum Relief Valve Controlled At Control Panel & Handheld Pendant

Air Operated 6" Vacuum Relief Valve Controlled At Control Panel & Handheld Pendant

Carbon Steel Strainer Basket In Cyclone Separator

Cyclone Separator With Drop Box Clean Out

Stainless Steel Strainer Basket In Cyclone Separator

Boom Upgrade To 5x5 Catch Basin Style With 5' Horizontal Extension And 5' Vertical

Hose Travel.. Includes 2150010010 8" 5' Extending Catch Basin Nozzle

Extra Heavy Duty Steel Elbow

Front Mounted Hydraulic Boom (180 Degree Rotation)

Hydraulic Extending Boom

Lube Chart

Remote Grease Fitting For Boom Rotation And Extension

Slide Valve 8", Air Oper. W/Switch On Pendant And Control Panel

Steel Boom Elbow

Automatic Level Wind

Blockbuster / Jackhammer Valve / Manual Type

Digital Sewer Hose Footage Counter Displayed At Operators Station

Direct Drive Hose Reel

Dual Roller Level Wind

Dual Roller Telescoping Level Wind

Front Reel 1000 Ft. Capacity (1" Hose)

Front Reel With 800' Capacity (1" Hose)

Front Reel, Low Profile With 600' Capacity (1" Hose)

Hose Reel Foot Controls - Pay In/Out 12vdc

Hose Tensioner Air Operated

Hydraulic Hose Reel Tilt (Electric Over Hydraulic)

Lexan Splash Shield

Reel Pivot-180 Degree With Air Brake

Remote Grease Manifold For Rotate Bearing 2 Swivels, Pillow Block & Pivot Pins 6 Total

Hose Reel

Single Roller Level Wind

Single Roller Telescoping Level Wind

Additional Emergency Stop - (Specify Location & Qty)

All Smart Flow Communication Package - Includes (2) Cables (1) VA0000S4761 & (1)

VA0000S4762

Auxiliary Hydraulic Tool Circuitry With Adjustable Flow Control & Quick Connectors

Blower Hourmeter (At Front Control Panel Lcd Display)

Blower Temp Gauge & Connection To Air Operated Relief Valve

Blower Temp Gauge (At Front Control Panel Lcd Display)

Boom Control Joystick Recessed For Protection

Boom, Body And Tailgate Aux. Hydraulics (Powered By Hose Reel Power Pack)

Camera System - Four Channel 7" Swivel Colored Lcd Monitor With (3) Additional

Cameras

Camera System - Two Channel 7" Swivel Colored Lcd Monitor With (1) Additional Camera

Color LCD Display With 32 Output Microprocessor Control (Expandable) W/J1939 Can

Communication

Curbside Mounting Of Water Manifold And Hydraulic Control Valve.

Debris Tank High Level Light (Regs. Float Level Indicator)

Debris Tank High Level Light & Horn (Regs. Float Level Indicator)

Debris Tank High Level Light Hooked To Vacuum Relief (Reqs. Float Level Indicator)

Drivers Side Mounting Of Water Manifold And Hydraulic Control Valve.

Dual Control Panel Mounts & Wiring. This Allows Operator To Move Panel From Drivers

Side To Passengers Side

Emergency Stop

Hydraulic Pressure Gauge

Ip66 Sealed Exterior Electrical Controls And Wiring Harness W/Protective Cover That

Exceeds Nema 4 Ratings

Low Water Light

Low Water Light And Horn Combination

Over Ride Switch For Low Water And Or High Debris Horn

Reel Shift For Transfer Case

Tachometer / Hourmeter On Color LCD Display Module

Throttle Control At Hose Reel Control Panel

Transfer Case Shift Controls In Cab

Two Channel Camera System With 7" Swivel Color LCD Monitor

Vacuum Gauge On Color LCD Display Module

Water Pressure Gauge On Color LCD Display Module

Doc # Date QTY DESCRIPTION UNIT PRICE EXT PRICE

Water Pump Hourmeter (At Front Control Panel Lcd Display)

Water Pump On/Off Switch

Wireless Remote Control To Control All Boom Functions, Throttle, Vac Relief Valve,

E-Stop (Returns Eng To Idle) Water Pump Speed Control. Includes 2130200038 Belt Clip

Style Wireless Pendant Lanyard

Wireless Remote To Control Throttle, Vac Relief Valve, E-Stop (Returns Eng To Idle)

Water Pump Speed Control Via Toggle Switch. Also Includes High Resolution Color

Display Screen 1 7/8 W X 1 7/16 H. Displays Water Pressure, Vacuum HG Blower Speed,

Water Pump Speed & Blower Temp. To Inloude 2130200038 Belt Clip Style Wireless Pendant Lanvard.

(1) Above Water Pump Horizontal Mounted Single (1) 18"X18"X36" Aluminum Lockable Toolbox With Access Ladder (No Size Variations-Not Available With Recycler Option) Reference-2190490001 & 2190490037.

(1) Above Water Pump Vertical Mounted Dual (2) 18"X18"X36" Aluminum Lockable Toolboxes With Access Ladder (No Size Variations-Not Available With Recycler Option) Reference-2190490018 & 2190490037.

(1) Rear Underride Mounted Single Tube Rack

(1) Rear Underride Vertical Mounted 15"X18"X24" Aluminum Lockable Toolbox Drivers Side (No Size Variations)

(1) Rear Underride Vertical Mounted 15"X18"X24" Aluminum Lockable Toolbox

Passengers Side (No Size Variations)

Additional Lockable Tool Box, Aluminum (18 X 18 X 36)

Additional Lockable Tool Box, Aluminum (18 X 18 X 60)

Additional Lockable Tool Box. Steel (18 X 18 X 36)

Behind Cab Alum. Cross Body Toolbox 16.5 X 42 X 60 Single Door Driver Side- 2 Drawers & Shelf

Front Bumper Toolbox Aluminum

Front Bumper Toolbox Carbon Steel

Nozzle Rack Mounted In Toolbox

One Lockable Tool Box, Aluminum (18 X 18 X 36)

One Lockable Tool Box, Aluminum (18 X 18 X 60)

One Lockable Tool Box, Steel (18 X 18 X 36)

Rear Door Tube Rack / Holds (2) Tubes

Rear Door Tube Rack / Holds (3) Tubes

Rear Door Tube Rack / Holds (4) Tubes

Toolbox Back Of Cab X-Body Aluminum 1 Door Each End 96" X 36" X 16"

Traffic Cone Holder

Tube Rack Mounted On Silencer

3/4" Radial Nozzle Dual Degree Nozzle Orficed For Reg'D Flow Pressure

1 " Nozzle Extension 15" Long Standard

1" Blue Star Anti Blower Nozzle 87 GPM @ 2000 PSI

1" Blue Star Bigfoot Nozzle - 8 Jet 87 GPM @ 2000 PSI

1" Blue Star General Nozzle 87 GPM @ 2000 PSI

1" Blue Star Penetrator Nozzle 87 GPM @ 2000 PSI

1" Blue Star Power Pull Nozzle 87 GPM @ 2000 PSI

1" Blue Star Raptor Nozzle 87 GPM @ 2000 PSI

1" Blue Star Spear Nozzle 87 GPM @ 2000 PSI

1" Blue Star Standard Nozzle 87 GPM @ 2000 PSI

1" Blue Star Stealth Nozzle 87 GPM @ 2000 PSI

1" Blue Star Twister Nozzle 87 GPM @ 2000 PSI

1" Blue Star Arrow Nozzle 87 GPM @ 2000 PSI

1" Nozzle Extension 12" Long Finned

1" Radial Nozzle Dual Degree Nozzle Orficed For Reg'd Flow Pressure

1" Torpedo Nozzle - 80 GPM @ 2000 PSI

10' X 1" Leader Hose

10' X 3/4" Leader Hose

1"Blue Star Raptor Chain Cutter With Flexible Guide Skid 87 GPM @ 2000 PSI

24' X 8" Bandlock Type Aluminum Vacuum Tubes, (2) 4.0' VA40020002, (2) 5.0'

VA40020003, (1) 3.0' VA40020001, (7) 8" Clamps VA40010071, (7) 8" Gaskets

VA38010018, (1) VA40020033 8" X 3'-0" Nozzle Aluminum Alligator (Catch Basin Nozzle)

24' X 8" Flat Flanged Style Aluminum Vacuum Tubes, (2) 4.0' 2130010008, (2) 5.0'

VA40020072, (1) 3.0' VA40020073, (7) 8" Clamps VA40020075, (7) 8" Gaskets

VA40020074, (1) VA40020069 8" X 3'-0 Nozzle Aluminum Alligator (Catch Basin Nozzle)

6" Flat Flanged Clamp

6" Operator's Handle

6" Travis Irrigation Clamp

8" Flat Flanged Clamp

8" Flat Flanged Gasket

Doc # Date QTY **DESCRIPTION** UNIT PRICE **EXT PRICE** 8" Operator's Handle 8" Travis Irrigation Clamp 8" X 3' Band Lock Type Aluminum Fluidizing Tube 8" X 3' Band Lock Type Aluminum Catch Basin Tube 8" X 3' Band Lock Type Aluminum Tube 8" X 3' Flat Flanged Aluminum Catch Basin Tube 8" X 3' Flat Flanged Aluminum Tube 8" X 4' Band Lock Type Aluminum Tube 8" X 4' Flat Flanged Aluminum Tube 8" X 5' Band Lock Type Aluminum Tube 8" X 5' Flat Flanged Aluminum Tube 8" X 6' Band Lock Type Aluminum Tube 8" X 6' Flat Flanged Aluminum Tube 8" X 6" Band Lock Type Reducer 8" X 6" Flat Flanged Reducer 8" X 7' Band Lock Type Aluminum Tube 8" X 7' Flat Flanged Aluminum Tube 8" X 8' Flat Flanged Aluminum Tube Additional Tigertail Hose Protector(S) Ball & Socket Tubes Upcharge (Aqua Tech Style) **Emergency Road Kit** Fill Hose 25' X 2 1/2" Fill Hose 25' X 2 1/2" With Camlocs Fire Extinguisher (5#) First Aid Kit **Hydrant Wrench** Lat. Cleaning Kit, Inc. 150' X 1/2" Sewer Hose -Man. Hand Crank Reel With (2) 1/2" Nozzle Mounted On Wheeled Cart For Remote Use Manhole Hook Parker S616 Serwer Hose - 1" NPT End Fitting # UEM1010ME (Parker Hose Only) Parker S616 Sewer Hose - 1" Npt Mender Fittings Uem1010ohm (Parker Hose Only) Parker S616 Sewer Hose 1" End Fitting & Mender Crip Machine # Uem112 (Parker Hose Only) Pendant Remote Control Sewer Cleaning Hose 1" - 2500 PSI Sewer Cleaning Hose 1" - 3000 PSI Sewer Cleaning Hose 3/4" - 3000 PSI Small Nozzle Skid 1" X 3-7/8" X 15" Long Small Nozzle Skid 3/4" X 3-7/8" X 15" Long Tigertail Hose Guide (One) (1) Set Of Parts & Service Manuals Provided On CD, Paper Copy Provided For Operators & Safety Manuals Add'L Set Of Paper Copy Manuals To Include - Parts, Service, Operators & Safety Operational Video Boom Work Lights-Two Extra Spotlight Receptacle Rear Passenger Side Hand Spot (LED) W/20' Cord, Retractable Reel Hand Spot Light, LED With 20' Plug In Cord

LED D.O.T. Lighting (Includes Stop, Tail, Turn And Back-Up)

Power Module Work Lights- (2)

Rear Mounted Traffic Advisor-Bar Type LED Whelen Tacf85

Rear Work Light - Two

Strobe Light - Body - One Whelen L21lap Class 1 360 Degree Super LED W/ Limb Guard Strobe Light - Body - One Whelen L22LAP Class 2 360 Degree Super LED W/ Limb Guard Strobe Light - Body - One Whelen L31HAF Class 1 360 Degree Super Bright LED W/ Limb Guard

Strobe Light - Body - Two Whelen L21LAP Class 1 360 Degree Super LED W/ Limb Guard Strobe Light - Body - Two Whelen L22LAP Class 2 360 Degree Super LED W/ Limb Guard Strobe Light - Body - Two Whelen L31HAF Class 1 360 Degree Super Bright LED W/ Limb Guard

Strobe Light - Front - One Whelen L31HAF Class 1 360 Degree Super Bright LED W/ Limb Guard

Strobe Light - Front - Two Whelen L21lap Class 1 360 Degree Super LED W/ Limb Guard Strobe Light - Front - Two Whelen L31haf Class 1 360 Degree Super Bright LED W/ Limb Guard

Strobe Light - Front- One Whelen L21LAP Class 1 360 Degree Super LED W/ Limb Guard Strobe Light - Front- One Whelen L22lap Class 2 360 Degree Super LED W/Limb Guard Strobe Light - Front Two Whelen L22LAP Class 2 360 Degree Super LED W/Limb Guard

Strobe Light - Front- Two Whelen L22LAP Class 2 360 Degree Super LED W/ Limb Guard

QTY DESCRIPTION UNIT	NIT PRICE	EXT PRICE
----------------------	-----------	-----------

Strobe Light - Front-Two- Mirror Mounted Whelen L22LAP Class 2 360 Degree Super LED W/ Limb Guard

Whelen Single Marker Light Style Flat Strobe (Specify Quantity & Location)

Subtotal	\$0.00
Federal Excise Tax	\$0.00
Sales Tax	\$0.00
TOTAL*	\$0.00

*Total does not include optional items

F.E.T will be charged on all applicable items unless current F.E.T Exemption form is on file.

Any cancellation or modification of order will result in a 20% restocking charge to Buyer.