



Division of THC Enterprises, Inc.

Easton, MD * Baltimore, MD * Chesapeake, VA Chester, PA *
Clinton, MD * Cheswick, PA * Salem, VA

Phone 800-338-7274 Fax 410-820-9916
Visit us on the web! www.mawaste.com



PROPOSAL

Remittance Address for Deposits:

10641 Cordova Road
Easton, MD 21601

SOLD TO

SHIP TO

Virginia Sherriff's Association

Quote #: RSSQ35997

Account:

Terms:

Date: 07/16/21

Sales Rep Fred Seitz

QTY	DESCRIPTION	UNIT PRICE	EXT PRICE
-----	-------------	------------	-----------

VACALL AJVR Options Quoted at 6% Off List

- 1.00 Option Description
- Electric Back Up Alarm
- Factory Mounting Tandem Axle
- Factory Mounting Tridem Axle
- Fenders
- Mud Flaps Behind Rear Tires
- Rear Dot Under Ride Protection (Bumper)
- Tow Hooks - Rear
- Air/Water Separator Exterior And Interior Powder Coated Black
- Air/Water Separator Exterior Only Powder Coated Black
- Air/Water Separator Galvanized
- Debris Tank Exterior And Interior Powder Coated
- Debris Tank Exterior Only Powder Coated
- Debris Tank Galvanized
- Powder Coat Subframe, Power Frame, Hose Reel Mount And Base, And Exhaust Silencer Black
- Powder Coat Unit Gradall Black Part# 14405142 (Excludes Cab / Chassis)
- Powder Coat Unit Gradall STD Red Dupont#N3781 Pt#14405150 Dupont(Excludes Cab / Chassis)
- Powder Coat Unit Gradall STD White Dupont N0006 Pt#14405143 (Excludes Cab / Chassis)
- Powder Coat Unit International White To Match 9219 Pt#14405094p (Excludes Cab / Chassis)
- Special All Other Colors Powder Coat Color Code (Excludes Cab / Chassis) 1 Color/ 1 Dim. Coating
- Direct Drive For Vacuum Pump
- Hydraulic Temp / Level Sight Eye
- Hydrostatic Drive For Water Pump Flows To 100gpm@2000psi (133 HP Max)
- Hydrostatic Drive For Water Pump Flows To 80gpm@3000psi (160 HP Max)
- Hydrostatic Drive For Water Pump Flows To 85gpm@2000psi (115 HP Max)
- Platform And Steps On Power Frame
- Shut-Off Valve(S) On Suction Side
- Transfer Case
- Transfer Case Remote Sight Glass And Fill
- Variable Volume 2.7 Cir Hydraulic Piston Pump Direct Mounted To Tc For Hydraulic Functions
- Carbon Steel Float Ball Cage
- Carbon Steel Splash Shield
- Dual Debris Body Safety Props
- Dual Rear Door Safety Props
- Float Level Indicator With Stainless Steel Ball
- Ground Level Grease Fitting For Float Level Indicator
- Ground Level Grease Fitting For Hoist Cylinder
- Ground Level Grease Manifold For Tailgate Hinge And Lock Assembly
- Internal Tank Flusher-Full Flow
- Low Profile

QTY	DESCRIPTION	UNIT PRICE	EXT PRICE
	Single Debris Body Safety Prop Single Hoist Cylinder Single Rear Door Safety Prop Stainless Steel Float Ball Cage Stainless Steel Float Ball Shut-Off Standard Profile Tailgate Power Up / Down, Hydraulic Locks 3" Decant Line (Clear Hose) To Front With Valve At Bumper 4" Valve On Sludge Pump Inlet - Brass Slide Gate 6" Decant Port On Rear Door With 6" X 20'-0" Layflat Hose & Storage Basket 6" Diameter X 12" Tall Bolt On Standpipe On Sludge Pump Port With Strainer On Top 6" Diameter X 18" Tall Bolt On Standpipe On Sludge Pump Port With Strainer On Top 6" Diameter X 24" Tall Bolt On Standpipe On Sludge Pump Port With Strainer On Top 6" Diameter X 6" Tall Bolt On Standpipe On Sludge Pump Port With Strainer On Top 6" Drain Valve - Brass Slide Gate 6" Drain Valve - Manually Operated Butterfly Type 6" Drain Valve-Manually Operated Betts (Heated Via Chassis Cooling System) Passenger Side 6" Male Camlock On Decant Valve With Camlock Cap & Lanyard Also Includes 6" Layflat Hose With Camlock Blaster Valve / Decant Port Decant Port Screen (304 SS) Decant Port Screen (Standard) Internal Full Size Decant Screen - Hinged Sludge Pump Port Screen (304 SS) Sludge Pump Port Screen (Standard) Sludge Pump System On Rear Door 4" Hydraulic (710 GPM@10' Head) 2-1/2" Y-Strainer On Fill Line 4" Air Gap Water Tank Fill Anti-Splash Valve Sight Level Tube On Passenger Side Water Tank Water Tank Electronic Level Indicator In Front Control Panel Display 56 G.P.M./3000 PSI - 115 HP 80 G.P.M./2500 PSI - 133 HP 85 G.P.M./2000 PSI - F.E. Myers Dp85-20 - 115 HP 87 G.P.M./2000 PSI -120 HP Air Purge System All Clean Water Recycler System Water Pump To Operate At 80 GPM - 2000 PSI. Includes Hydraulic Driven Charge Pump For Water Supply Line. (Requires Min. 450 HP) Cold Weather Recirculation - With Recycler Cold Weather Recirculation - Without Recycler Degreaser Injection System With 25 Gallon Poly Tank, Electric Pump And Shutoff Valve Drain Valve In Water Pump Supply Line Drain Valves Water Pump High Pressure Chambers (Option For Myers Only. Drivers Side Self-Winding Handgun Hannay Hose Reel W/ 50 Foot 1/2" Hose And Handgun (800 PSI @ 20 GPM) Extra Handgun Connection - Front Extra Handgun Connection - Rear Handgun With 25 Feet Of Hose (800 PSI @ 20 GPM) Hxx System Off Main Water Pump 15-20 GPM Can Only Have Pressure Rating Less Than Or Equal To Main Water Pump Inc. 1/2" X 50' Spring Rewind Hannay Hose Reel W/50' Of 1/2" Hose And Pistol Grip Style Hand Gun W/Lance Nozzle Hxx System W/Independent Water Pump 10 GPM 3000 PSI Inc. 1/2" X 50' Spring Rewind Hannay Hose Reel W/ 50' Of 1/2" Hose Pistol Grip Style Hand Gun W/Lance Nozzle Lat. Cleaning Kit, W/ 150' X 1/2" Sewer Hose Hannay Hose Reel W/Man. Hand Crank, With (2) 1/2" Nozzles (Side Mounted) Low Point Drain - Rear Mount No Cold Weather Recirculation Passengers Side Self-Winding Handgun Hannay Hose Reel W/ 50 Foot 1/2" Hose And Handgun (800 PSI @ 20 GPM) Pressure Relief Valve Soil Surgeon - 8' X 72" 12 Jetted Water Suction Tube Used For Hydro-Excavating Strainer On Water Pump Inlet (Not Used On Recycler Models) Valve On Water Pump Inlet Water Distribution Manifold (Centrally Located) 2" Brass Ball Valve Mounted On Bottom Of Blower Exhaust Silencer 2" Brass Ball Valve Mounted On Bottom Of Cyclone Dropout Box 8x24 Vac Pump (350HP Chassis) 4000 CFM @18"HG(245"H2O) 180 HP@2250 W/(2) Vac		

QTY	DESCRIPTION	UNIT PRICE	EXT PRICE
	Reliefs 8x24 Vac Pump (350HP Chassis) 4100CFM@16"HG(217"H20) 170HP@2250 W/(2) Vac Reliefs 8x24 Vac Pump 4000CFM@ 18"HG (245"H20) 200HP @ 2470 RPM With(2) Vac Relief Valves 8x24 Vac Pump 4100CFM@16"HG (217"H20) 185 HP @2470 RPM With(2) Vac Relief Valves Air Operated 4" Vacuum Relief Valve Controlled At Control Panel & Handheld Pendant Air Operated 6" Vacuum Relief Valve Controlled At Control Panel & Handheld Pendant Carbon Steel Strainer Basket In Cyclone Separator Cyclone Separator With Drop Box Clean Out Stainless Steel Strainer Basket In Cyclone Separator Extra Heavy Duty Steel Elbow Hydraulic Extending Boom Lube Chart Rear Mounted Hydraulic Boom (270 Degree Rotation) Remote Grease Fitting For Boom Rotation And Extension Slide Valve 8", Air Oper. W/Switch On Pendant And Control Panel Steel Boom Elbow Automatic Level Wind Blockbuster / Jackhammer Valve / Manual Type Digital Sewer Hose Footage Counter Displayed At Operators Station Direct Drive Hose Reel Dual Roller Level Wind Dual Roller Telescoping Level Wind Hose Reel Foot Controls - Pay In/Out 12vdc Hose Tensioner Air Operated Lexan Splash Shield Rear Reel With 600' Capacity (1" Hose) Rear Reel With 800' Capacity (1" Hose) Reel Pivot-160 Degree With Air Brake Remote Grease Manifold For Rotate Bearing 2 Swivels,Pillow Block & Pivot Pins 6 Total Hose Reel Single Roller Level Wind Single Roller Telescoping Level Wind Additional Emergency Stop - (Specify Location & Qty) All Smart Flow Communication Package - Includes (2) Cables (1) VA0000S4761 & (1) VA0000S4762 Auxiliary Hydraulic Tool Circuitry With Adjustable Flow Control & Quick Connectors Blower Hourmeter (At Front Control Panel Lcd Display) Blower Temp Gauge & Connection To Air Operated Relief Valve Blower Temp Gauge (At Front Control Panel Lcd Display) Boom Control Joystick Recessed For Protection Boom, Body And Tailgate Aux. Hydraulics (Powered By Hose Reel Power Pack) Camera System - Four Channel 7" Swivel Colored Lcd Monitor With (3) Additional Cameras Camera System - Two Channel 7" Swivel Colored Lcd Monitor With (1) Additional Camera Color LCD Display With 32 Output Microprocessor Control (Expandable) W/J1939 Can Communication Curbside Mounting Of Water Manifold And Hydraulic Control Valve. Debris Tank High Level Light (Reqs. Float Level Indicator) Debris Tank High Level Light & Horn (Reqs. Float Level Indicator) Debris Tank High Level Light Hooked To Vacuum Relief (Reqs. Float Level Indicator) Drivers Side Mounting Of Water Manifold And Hydraulic Control Valve. Emergency Stop Hydraulic Pressure Gauge Ip66 Sealed Exterior Electrical Controls And Wiring Harness W/Protective Cover That Exceeds Nema 4 Ratings Low Water Light Low Water Light And Horn Combination Over Ride Switch For Low Water And Or High Debris Horn Reel Shift For Transfer Case Tachometer / Hourmeter On Color LCD Display Module Throttle Control At Hose Reel Control Panel Transfer Case Shift Controls In Cab Two Channel Camera System With 7" Swivel Color LCD Monitor Vacuum Gauge On Color LCD Display Module Water Pressure Gauge On Color LCD Display Module		

QTY	DESCRIPTION	UNIT PRICE	EXT PRICE
	Water Pump Hourmeter (At Front Control Panel Lcd Display)		
	Water Pump On/Off Switch		
	Wireless Remote Control To Control All Boom Functions, Throttle, Vac Relief Valve, E-Stop (Returns Eng To Idle) Water Pump Speed Control. Includes 2130200038 Belt Clip Style Wireless Pendant Lanyard		
	Wireless Remote To Control Throttle, Vac Relief Valve, E-Stop (Returns Eng To Idle) Water Pump Speed Control Via Toggle Switch. Also Includes High Resolution Color Display Screen 1 7/8 W X 1 7/16 H. Displays Water Pressure, Vacuum HG Blower Speed, Water Pump Speed & Blower Temp. To Include 2130200038 Belt Clip Style Wireless Pendant Lanyard.		
	(1) Above Water Pump Horizontal Mounted Single (1) 18"X18"X36" Aluminum Lockable Toolbox With Access Ladder (No Size Variations-Not Available With Recycler Option) Reference-2190490001 & 2190490037.		
	(1) Above Water Pump Vertical Mounted Dual (2) 18"X18"X36" Aluminum Lockable Toolboxes With Access Ladder (No Size Variations-Not Available With Recycler Option) Reference-2190490018 & 2190490037.		
	(1) Rear Underride Mounted Single Tube Rack		
	Additional Lockable Tool Box, Aluminum (18 X 18 X 36)		
	Additional Lockable Tool Box, Aluminum (18 X 18 X 60)		
	Additional Lockable Tool Box, Steel (18 X 18 X 36)		
	Behind Cab Alum. Cross Body Toolbox 16.5 X 42 X 60 Single Door Driver Side- 2 Drawers & Shelf		
	Front Bumper Toolbox Aluminum		
	Front Bumper Toolbox Carbon Steel		
	Front Bumper Tube Rack / Holds (2) Tubes (Not Avail. On 15 Cu Yd Units Due To Oal Restrictions)		
	Nozzle Rack		
	One Lockable Tool Box, Aluminum (18 X 18 X 36)		
	One Lockable Tool Box, Aluminum (18 X 18 X 60)		
	One Lockable Tool Box, Steel (18 X 18 X 36)		
	Toolbox Back Of Cab X-Body Aluminum 1 Door Each End 96" X 36" X 16"		
	Traffic Cone Holder		
	Tube Rack Mounted On Silencer		
	3/4" Radial Nozzle Dual Degree Nozzle Orficed For Req'D Flow Pressure		
	1" Nozzle Extension 15" Long Standard		
	1" Blue Star Anti Blower Nozzle 87 GPM @ 2000 PSI		
	1" Blue Star Bigfoot Nozzle - 8 Jet 87 GPM @ 2000 PSI		
	1" Blue Star General Nozzle 87 GPM @ 2000 PSI		
	1" Blue Star Penetrator Nozzle 87 GPM @ 2000 PSI		
	1" Blue Star Power Pull Nozzle 87 GPM @ 2000 PSI		
	1" Blue Star Raptor Nozzle 87 GPM @ 2000 PSI		
	1" Blue Star Spear Nozzle 87 GPM @ 2000 PSI		
	1" Blue Star Standard Nozzle 87 GPM @ 2000 PSI		
	1" Blue Star Stealth Nozzle 87 GPM @ 2000 PSI		
	1" Blue Star Twister Nozzle 87 GPM @ 2000 PSI		
	1" Blue Star Arrow Nozzle 87 GPM @ 2000 PSI		
	1" Nozzle Extension 12" Long Finned		
	1" Radial Nozzle Dual Degree Nozzle Orficed For Req'd Flow Pressure		
	1" Torpedo Nozzle - 80 GPM @ 2000 PSI		
	10' X 1" Leader Hose		
	10' X 3/4" Leader Hose		
	1"Blue Star Raptor Chain Cutter With Flexible Guide Skid 87 GPM @ 2000 PSI		
	24' X 8" Bandlock Type Aluminum Vacuum Tubes, (2) 4.0' VA40020002, (2) 5.0' VA40020003, (1) 3.0' VA40020001, (7) 8" Clamps VA40010071, (7) 8" Gaskets VA38010018, (1) VA40020033 8" X 3'-0" Nozzle Aluminum Alligator (Catch Basin Nozzle)		
	24' X 8" Flat Flanged Style Aluminum Vacuum Tubes, (2) 4.0' 2130010008, (2) 5.0' VA40020072, (1) 3.0' VA40020073, (7) 8" Clamps VA40020075, (7) 8" Gaskets VA40020074, (1) VA40020069 8" X 3'-0 Nozzle Aluminum Alligator (Catch Basin Nozzle)		
	6" Flat Flanged Clamp		
	6" Operator's Handle		
	6" Travis Irrigation Clamp		
	8" Flat Flanged Clamp		
	8" Flat Flanged Gasket		
	8" Operator's Handle		
	8" Travis Irrigation Clamp		
	8" X 3' Band Lock Type Aluminum Fluidizing Tube		
	8" X 3' Band Lock Type Aluminum Catch Basin Tube		
	8" X 3' Band Lock Type Aluminum Tube		

QTY	DESCRIPTION	UNIT PRICE	EXT PRICE
	8" X 3' Flat Flanged Aluminum Catch Basin Tube		
	8" X 3' Flat Flanged Aluminum Tube		
	8" X 4' Band Lock Type Aluminum Tube		
	8" X 4' Flat Flanged Aluminum Tube		
	8" X 5' Band Lock Type Aluminum Tube		
	8" X 5' Flat Flanged Aluminum Tube		
	8" X 6' Band Lock Type Aluminum Tube		
	8" X 6' Flat Flanged Aluminum Tube		
	8" X 6" Band Lock Type Reducer		
	8" X 6" Flat Flanged Reducer		
	8" X 7' Band Lock Type Aluminum Tube		
	8" X 7' Flat Flanged Aluminum Tube		
	8" X 8' Flat Flanged Aluminum Tube		
	Additional Tigertail Hose Protector(S)		
	Ball & Socket Tubes Upcharge (Aqua Tech Style)		
	Emergency Road Kit		
	Fill Hose 25' X 2 1/2"		
	Fill Hose 25' X 2 1/2" With Camlocs		
	Fire Extinguisher (5#)		
	First Aid Kit		
	Hydrant Wrench		
	Lat. Cleaning Kit, Inc. 150' X 1/2" Sewer Hose -Man. Hand Crank Reel With (2) 1/2"		
	Nozzle Mounted On Wheeled Cart For Remote Use		
	Manhole Hook		
	Parker S616 Serwer Hose - 1" NPT End Fitting # UEM1010ME (Parker Hose Only)		
	Parker S616 Sewer Hose 1" End Fitting & Mender Crip Machine # Uem112 (Parker Hose Only)		
	Pendant Remote Control		
	Sewer Cleaning Hose 1" - 2500 PSI		
	Sewer Cleaning Hose 1" - 3000 PSI		
	Small Nozzle Skid 1" X 3-7/8" X 15" Long		
	Small Nozzle Skid 3/4" X 3-7/8" X 15" Long		
	Tigertail Hose Guide (One)		
	Boom Work Lights-Two		
	Extra Spotlight Receptacle Rear Passenger Side		
	Hand Spot (LED) W/20' Cord, Retractable Reel		
	Hand Spot Light, LED With 20' Plug In Cord		
	LED D.O.T. Lighting (Includes Stop,Tail,Turn And Back-Up)		
	Power Module Work Lights- (2)		
	Rear Mounted Traffic Advisor-Bar Type LED Whelen Tacf85		
	Rear Work Light - Two		
	Strobe Light - Body - One Whelen L21lap Class 1 360 Degree Super LED W/ Limb Guard		
	Strobe Light - Body - One Whelen L22LAP Class 2 360 Degree Super LED W/ Limb Guard		
	Strobe Light - Body - One Whelen L31HAF Class 1 360 Degree Super Bright LED W/ Limb Guard		
	Strobe Light - Body - Two Whelen L21LAP Class 1 360 Degree Super LED W/ Limb Guard		
	Strobe Light - Body - Two Whelen L22LAP Class 2 360 Degree Super LED W/ Limb Guard		
	Strobe Light - Body - Two Whelen L31HAF Class 1 360 Degree Super Bright LED W/ Limb Guard		
	Strobe Light - Front - One Whelen L31HAF Class 1 360 Degree Super Bright LED W/ Limb Guard		
	Strobe Light - Front - Two Whelen L21lap Class 1 360 Degree Super LED W/ Limb Guard		
	Strobe Light - Front - Two Whelen L31haf Class 1 360 Degree Super Bright LED W/ Limb Guard		
	Strobe Light - Front- One Whelen L21LAP Class 1 360 Degree Super LED W/ Limb Guard		
	Strobe Light - Front- One Whelen L22lap Class 2 360 Degree Super LED W/Limb Guard		
	Strobe Light - Front- Two Whelen L22LAP Class 2 360 Degree Super LED W/ Limb Guard		
	Strobe Light - Front-Two- Mirror Mounted Whelen L22LAP Class 2 360 Degree Super LED W/ Limb Guard		
	Whelen Single Marker Light Style Flat Strobe (Specify Quantity & Location)		
	(1) Set Of Parts & Service Manuals Provided On CD, Paper Copy Provided For Operators & Safety Manuals		
	Add'L Set Of Paper Copy Manuals To Include - Parts, Service, Operators & Safety		