

Outriggers & Jacklegs
Description
Detachable Jackleg (14" long) *
Medium Duty Screw Base Detachable Jackleg (16" long) *
Medium Duty Screw Base Detachable Jackleg (20" long) *
Medium Duty Screw Base Detachable Jackleg (24" long) *
Medium Duty Screw Base Detachable Jackleg (27" long) *
Heavy-Duty Quick Detachable Jackleg (20" long) *
Manual Out; Up/Down Outriggers (16,000 ft-lb) 4004 Model or Smaller Crane (for single rear wheel vehicle)
Manual Out; Up/Down Outriggers (16,000 ft-lb) 4004 Model or Smaller crane (for dual rear wheel vehicle)
Full Manual Outrigger Assembly (38,000 ft-lb) Right Side Crane (for use with HC-7 or smaller crane)
Full Manual Outrigger Assembly (38,000 ft-lb) Left Side Crane (for use with HC-7 or smaller crane)
Manual I/O - Hydraulic U/D - Outrigger Assembly (38,000 ft-lb) Right Side Crane (for use with HC-7 or smaller crane)
Manual I/O - Hydraulic U/D - Outrigger Assembly (38,000 ft-lb) Left Side Crane (for use with HC-7 or smaller crane)
Full Hydraulic Outrigger Assembly (52,000 ft-lb) Right Side Crane (for use with HC-8 or smaller crane - required when mounting an HC-8 crane to a Titan 38 body)
Full Hydraulic Outrigger Assembly (52,000 ft-lb) Left Side Crane (for use with HC-8 or smaller crane - required when mounting an HC-8 crane to a Titan 38 body)
Hydraulic In/Out, Up/Down Outriggers (50,000 ft-lb) Right Side Crane (for 8406H crane or equivalent)
Hydraulic In/Out, Up/Down Outriggers (50,000 ft-lb) Left Side Crane (for 8406H crane or equivalent)
Manual In/Out, Up/Down Outriggers (50,000 ft-lb) Right Side Crane (for 8406H crane or equivalent)
Manual In/Out, Up/Down Outriggers (50,000 ft-lb) Right Side Crane (for Titan 60 body)
Full hydraulic outriggers, single slide - Right Side Crane (use 24" bumper designed for single slide outrigger) (60,000 ft-lb)
Full hydraulic outriggers, single slide - Left Side Crane (use 24" bumper designed for single slide outrigger) (60,000 ft-lb)

---

Hydraulic In/Out, Up/Down Outriggers (85,000 ft-lb)  
Right Side Crane (for Titan 60 & 85 body)

Hydraulic In/Out, Up/Down Outriggers (85,000 ft-lb)  
Left Side Crane (for Titan 60 & 85 body)

**\* Jacklegs do not provide 360-degree stability for cranes of 10,000 ft. lbs.**

*2021 March*



