




---

### Dock-Friendly (RF) Railgate Models

Dock-friendly models feature folding "RF" platforms able to achieve non-obstructing positions for forklift or dock loading. Also included are a closure-assist torsion bar and maintenance-free bushings, making them some of the best liftgates ever seen in a loading bay.


#### LIFTGATE CAPACITY

 **1600 & 2000 lbs.**

#### HYDRAULIC SYSTEM

 **Single-Cylinder**




#### RAIL STYLE

 **Padded Sliders**







## Railgate Series: Dock-Friendly Features

Dock-friendly platforms fold and can be lowered in the vertical position to allow for easy dock or forklift loading.







### ➔ Steel-Frame Models for 102" Wide Bodies

MODEL	CAPACITY	LOAD AREA	TAPER	TRAVEL	WEIGHT
 95-16 RF 45-6	1600	95 X 45	6	32-54	697
 95-16 RF 45-12	1600	95 X 45	12	32-54	711
 95-16 RF 50-6	1600	95 X 50	6	32-54	717
 95-20 RF 45-6	2000	95 X 45	6	32-54	697
 95-20 RF 45-12	2000	95 X 45	12	32-54	711
 95-20 RF 50-6	2000	95 X 50	6	32-54	717







### ➔ Steel-Frame Models for 96" Wide Bodies

MODEL	CAPACITY	LOAD AREA	TAPER	TRAVEL	WEIGHT
 89-16 RF 45-6	1600	89 X 45	6	32-54	674
 89-16 RF 45-12	1600	89 X 45	12	32-54	688
 89-16 RF 50-6	1600	89 X 50	6	32-54	695
 89-20 RF 45-6	2000	89 X 45	6	32-54	674
 89-20 RF 45-12	2000	89 X 45	12	32-54	688
 89-20 RF 50-6	2000	89 X 50	6	32-54	695







### ➔ Aluminum-Frame Models for 102" Wide Bodies

MODEL	CAPACITY	LOAD AREA	TAPER	TRAVEL	WEIGHT
 A89-16 RF 45-6	1600	89 X 45	6	32-54	557
 A89-16 RF 45-12	1600	89 X 45	12	32-54	571
 A89-16 RF 50-6	1600	89 X 50	6	32-54	577
 A89-20 RF 45-6	2000	89 X 45	6	32-54	557
 A89-20 RF 45-12	2000	89 X 45	12	32-54	571
 A89-20 RF 50-6	2000	89 X 50	6	32-54	577




## ➔ Aluminum-Frame Models for 96" Wide Bodies

MODEL	CAPACITY	LOAD AREA	TAPER	TRAVEL	WEIGHT
 A85-16 RF 45-6	1600	85 X 45	6	32-54	539
 A85-16 RF 45-12	1600	85 X 45	12	32-54	553
 A85-16 RF 50-6	1600	85 X 50	6	32-54	559
 A85-20 RF 45-6	2000	85 X 45	6	32-54	539
 A85-20 RF 45-12	2000	85 X 45	12	32-54	553
 A85-20 RF 50-6	2000	85 X 50	6	32-54	559

## ➔ Steel-Frame Models for 90" Wide Bodies

MODEL	CAPACITY	LOAD AREA	TAPER	TRAVEL	WEIGHT
 85-16 RF 45-6	1600	85 X 45	6	32-54	659
 85-16 RF 45-12	1600	85 X 45	12	32-54	673
 85-16 RF 50-6	1600	85 X 50	6	32-54	679
 85-20 RF 45-6	2000	85 X 45	6	32-54	659
 85-20 RF 45-12	2000	85 X 45	12	32-54	673
 85-20 RF 50-6	2000	85 X 50	6	32-54	679

## ➔ Aluminum-Frame Models for 90" Wide Bodies

MODEL	CAPACITY	LOAD AREA	TAPER	TRAVEL
 A79-16 RF 45-6	1600	79 X 45	6	32-54
 A79-16 RF 45-12	1600	79 X 45	12	32-54
 A79-16 RF 50-6	1600	79 X 50	6	32-54
 A79-20 RF 45-6	2000	79 X 45	6	32-54
 A79-20 RF 45-12	2000	79 X 45	12	32-54
 A79-20 RF 50-6	2000	79 X 50	6	32-54