

2022 Crane Carrier MODEL LNT

List Price: \$162,022.00


Freight: \$ 2,818.00

VSA Admin Fee: \$1,237.00

TOTAL LIST: \$166,077.00

## Low Narrow Tilt

Battle Motors CCC Low Narrow Tilt is ideal for the pick-up, delivery and general transport challenges posed by dense city environments. At 12" narrower than our standard work truck chassis, the LNT expertly maneuvers tight side streets and alleyways; navigating access and service roads with ease.



**NOW AVAILABLE IN ALL ELECTRIC**



BATTLE MOTORS

## BATTLE LNT

### Leading the Way in Quality, Durability & Dependability.

With the lowest step in height in the industry, the LNT is precisely engineered to clear tight passages while transporting a three-man crew, all forward facing, with seat belts. A new achievement in vocational work trucks, the LNT is constructed to be narrow, nimble, durable, and above all, safe to operate.

### Contact Us

Connect with a Battle Motors sales representative today, we are available to answer your questions about vehicle features, service and maintenance, warranty plans and more.



**Narrow Design. Limitless Applications.**

BATTLEMOTORS.COM

BATTLEMOTORS.COM

BATTLEMOTORS.COM

BATTLE MOTORS

## BATTLE LNT

- True Low Entry – 18” Step in Height on BOTH Sides
- Narrow 82” Wide, All Steel, American Produced, Fabricated Severe-Service Cab Shell
- Large Flat Glass Windshield – Simple to Replace
- Remote Mounted 1,814 sq in Radiator
- Electric Variable Speed Fan Provides Quiet Cab and Increased MPG
- Cast Steel, Tubular Crossmembers – Provide Consistent Strength Fore and Aft, and Side-to-Side
- LED Projection Headlamps Standard n Centralized and Remote Fluid Check Location – Behind Cab
- 2018 EPA Diesel Emissions Installation, DPF/SCR
- Cummins Diesel Options in B6.7 n Cummins CNG B6.7N
- Available n 50 State, Clean Idle, 2018 Certified
- Cummins Engine Protection – 30 Second Shutdown
- 5th Generation Allison Transmission, 3000/3500 RDS
- Dash Mounted 5th Generation Shifter,
- Pushbutton with Oil Level, Filter and
- Clutch Condition Monitors
- Severe-Service Steel Dash Surfaces – Enhance Durability and Longevity
- Full Steel Overhead Console with HVAC, Radio and Storage Space
- LH, RH and Dual Steer Configurations n Increased Interior Space with Seating for Three – All Forward Facing with Seatbelts
- Tilt-telescoping Steering Column Standard on Either or Both Sides

**82” Cab Width**  
Engineered to be 12” narrower than our standard chassis for tight roads and narrow applicaitons

**All Steel American Produced**  
Fabricated Severe-Service Cab Shell



**Seating for Three**  
All Forward Facing with Seatbelts

**Cast Steel, Tubular Crossmembers**  
Provide Consistent Strength Fore and Aft, and Side-to-Side

**True Low Entry – 18” Step in Height on BOTH Sides**  
which Reduces Ingress and Egress Workplace Injuries



# Base Specifications - LNT

2021 Crane Carrier LNT Single Axle Cab & Chassis		Front Axle:	Dana	Cab Exterior:	Dual Tone Air Horn Under Cab
Engine/Torque@RPM:	Cummins I506 7		Brakes - 16.5 x 7 Air Actuated		Cab Visor w/Marker Lights
	10 Gal. Heated DEF Tank		Slack Adjusters - Automatic		LED Headlamps
	TEPTO Adaptor 1350/1410	Front Suspension:	Parabolic Leaf Leaf 34K		2 Rear Windows & 2 Roof Vents
Air Compressor:	Cummins-Wabco 18.7 CFM	Steering Position:	Sit-Down LH Drive, Tilt Telescopic Column	Cab Interior:	Dual Cab Fans
Air Intake:	Parker 13" Steel Intake	Rear Axle:	Dana		Air Conditioning - Integral w/Cab Dash and Heater
	Restriction Indicator, Air Cleaner Mounted		Brakes - 16.5 x 7 Air Actuated		Doors/Windows - LH Solid, Electric Window RH Solid, Electric Window
Exhaust:	LH Vertical Flared Elbow		Slack Adjusters - Automatic		Mirrors - 19 x 8 BLK 4-Way Split Lens Heated w/Spot Mirrors
Battery Box/Batteries:	Steel (2) Two GRP 31, 925 CCA Ea.	Rear Suspension:	Reycoc 102CC 25K w/o Shocks for 21K-26K Axle	Stereo:	AM/FM Stereo WB/MP3/WMA/USB and iPod/Bluetooth
Starter:	Heavy-Duty Soft Start	Frame:	10 x 5/16 Frame Sill	Seats:	LH Sears C2 Air Ride, Asphalt Grey Cloth
Alternator:	Leece-Neville 160-Amp	ABS System:	4S/4M		RH Sears C2 Air Ride, Asphalt Grey Cloth
Fuel Tank:	60 Gallon Aluminum	Air Tanks:	(3) Three Steel Tanks		Center Asphalt Grey Cloth
Fuel/Separator:	Fleetguard FS1000, Heated	Air Dryer:	Bendix B/W AD-9 EP, Heated	Windshield Wipers:	Intermittent Wipers
Transmission:	Allison 3000RDS	Cab Construction:	LNT - LH Sit-Down-Steel	Cab Elec/Lighting:	CCC Daytime Running Lights
Propshafts:	Spicer Life Series SPL-100		Cab Type/Tilt Pump Standard 12v Cab Tilt Assist Pump		LED Cab Clearance, Marker & Turn Signals
					Warn 107db Back-Up Alarm



CRANE CARRIER COMPANY



ENGINEERED CHASSIS