

Peterbilt of Richmond (H830) 2800A Deepwater Terminal Richmond, Virginia 23212

Email: daskew@thepetestore.com

David Askew

Cell Phone: Office Phone: Virginia Sheriffs Association 901 East Byrd St Suite1301 Richmond, Virginia 23219 United States of America

Kaylyn Mitman

Office Phone: 919-459-6471 Email: kmitman@virginiasheriffs.org

Vehicle Summary

	Unit		Chassi	S
Model:		Model 567	Fr Axle Load (lbs):	12000
Туре:		Tractor	Rr Axle Load (lbs):	38000
Description 1:		567 Standard Specs	G.C.W. (lbs):	60000
Description 2:		567 Truck		
	Application		Road Conditions:	
Intended Serv .:		General Freight	Class A (Highway)	100
Commodity:		Other Commodity	Class B (Hwy/Mtn)	0
			Class C (Off-Hwy)	0
	Body		Class D (Off-Road)	0
Туре:			Maximum Grade:	6
Length (ft):		0	Wheelbase (in):	175
Height (ft):		0	Overhang (in):	55
Max Laden Weight (lbs):		0	Fr Axle to BOC (in):	68.2
			Cab to Axle (in):	106.8
	Trailer		Cab to EOF (in):	161.8
No. of Trailer Axles:		3	Overall Comb. Length (in):	666.23
Туре:		Van		
Length (ft):		40	Special F	Req.
Height (ft):		8		
Kingpin Inset (in):		36		
Corner Radius (in):		2		
	Restrictions			
Length (ft):		40		
Width (in):		102		
Height (ft):		13.5		
Approved by:			Date:	

Note: All sales are F.O.B. designated plant of manufacture.



Sales Code	Std∕ Opt	Description	\$ List	Weigl
Base Mod	-			
0005671	S	Model 567 The Model 567 is available in both a set-forward and set-back front axle configuration to provide customers with maximum versatility for their application requirements. For weight-sensitive applications, the set-forward front axle provides optimized weight distribution and compliance with bridge laws. The Model 567 has steer axle ratings up to 22,000 lbs. The 567 also offers single, tandem or tridem drive axles and a variety of lift axles for added versatility. Available with a 115" or 121" BBC and as a day cab or with a selection of detachable sleeper	181,402	14,86
0091200	S	configurations, the 567 is as versatile as it is reliable. Other Commodity	0	
0093170	S	General Freight Truck or tractor used in over-the-road hauling of general freight. Pickup to delivery distance is typically over 100 miles and annual mileage is typically over 60,000 miles per year. Operation is typically on-highway.	0	<u></u>
0096010	S	Van An enclosed box trailer without temperature control. Designed to carry pallets or boxes of cargo or equipment.	0	
0098170	S	United States Registry Canadian Registry PackageRequires Air Conditioning Excise Tax Canada, Speedometer to be KPH ipo MPH, Daytime Running Lights and Rubber Battery Pad in Bottom of Battery Box.	0	
Configura	ation			
0200700	S	Not Applicable Secondary Manufacturer	0	
Frame &	Equip			
0515030	S	10-5/8" Steel Rails to 285" 10.625 x 3.45 x .313 Dimension, 1,776,000 RBM; Yield Strength: 120,000 psi. Section Modulus: 14.8 cubic inches. Weight: 1.44 lbs/inch pair	0	
0611790	S	Aluminum Frame Rail Crossmembers Excludes suspension	0	
0644000	S	EOF Tractor Tapered with Crossmember Includes Kingpin Cutout	0	
0651010	S	Peterbilt Rear Mudflaps and Straight Hangers Mudflaps aid in protecting the frame and undercarriage from road salt, grime and debris that can cause rust and corrosion. Mud flaps also shield other vehicles from gravel, rocks and road spray.	0	
0854010	S	Fifth Wheel Not Furnished	0	
0940330	S	No Access Package or Deckplate Desired Use with tractors without access package or deckplate	0	



Sales Code	Std/ Opt	Description	\$ List	Weight
1012140	S	Meritor MFS+12E 12,500 lb, 3.5 in. Drop Axle is designed for applications with a gross axle weight rating (GAWR) of 13,000 pounds. Axles include special low-friction bushings, double draw keys and integral thrust bearing and seal design for durability, low maintenance and ease of service.	0	0
1111190	S	Taper Leaf Springs, Shocks 12,000 lbHendrickson taper leaf springs, shocks for 12,000 lbs.	0	0
1243040	S	Power Steering Sheppard HD94 Sheppard HD94 power steering gear is a light weight version of heavy duty line-haul power steering gear. For use with 10,000 to 13,200 lb. axle ratings.	0	0
1250180	S	Power Steering Reservoir Frame Mounted The power steering reservoir is a steering system that eases drivability by applying hydraulic pressure to the steering gear.	0	0
1353550	S	PHP10 Aluminum PreSet PLUS Hubs Air Disc PHP10 aluminum PreSet PLUS hubs air disc have a fully integrated spindle nut design, an optimized wheel spacer, magnetic fill plug, with a seal and bearings. Use with Front Axle.	0	0
1380290	S	Bendix Air Disc Front Brakes Bendix air disc front brakes use a floating caliper design to provide foundation braking on all axles and complies with reduced stopping distance regulations.	0	0
1380380	S	Tenneco Shocks For Steer Axle Integrated front suspension to suit heavy duty truck market, combining the air spring and the damper into one module.	0	0
1380470	0	Meritor Wide Track IPO Standard, Front Axle Meritor wide track front axle offers greater turning radius and ease of service. MFS+ 3.5" Drop / MFS 3.74" Drop. 71in KPI IPO 69in with MFS and MFS+ axles.	0	15
1390630		80mm Front Spring Spacer Blocks	0	0
Rear Ax	le & E	quipment		
1527050	S	PACCAR DX-40 40K Tandem Axle	0	0
1616290	S	PHP10 Aluminum PreSet PLUS Hubs	0	0
1680390	S	Bendix ESP Electronic Stability Program With ATC Tractor service only. The Bendix ESP system is designed to continuously monitor a variety of vehicle parameters and sensors to determine if the vehicle is reaching a critical stability threshold. If such a situation develops, the system will quickly and automatically intervene to assist the driver by selectively applying tractor and trailer brakes, and de-throttling the engine.	0	0
1682710	S	Anti-Lock Braking System (ABS) 6S6M ABS-6. Includes air braking system.	0	0
1684200	S	Synthetic Axle Lubricant All Axles Peterbilt heavy duty models include Fuel Efficient Cognis EMGARD FE75W-90 which provides customers performance advantages over current synthetic lubricants with reduced gear wear and extended maintenance intervals, resulting in increased uptime. In addition, the	0	0



d flow to protect gears in extreme cold ress from high temperatures, extending rakes 16.5x7 0 kes to fit all heavy haul, contruction, 0 ractor applications. Includes Automatic punted Brake Drums. 0 2in Axle Spacing 0	0
kes to fit all heavy haul, contruction, ractor applications. bunted Brake Drums. 0 2in Axle Spacing 0	0
2in Axle Spacing 0	
	0
S	
V@2200 1650@900 0	0
ARGET SPEED NABLE SPEED C CC ENABLE DRQUE IN CC EWARD VEH SPD BONUS EWARD VEH SPD PNLTY T MODE D FOR DR SHIFT AID EST ACTV GEAR RK BRAKE RESET ENABLE CLNT TEMP OVRRDE MBAIR TEMP OVRRDE MBAIR TEMP OVRRDE MBAIR TEMP OVRRDE MAX IDLE TIME KED MAX IDLE TIME SET FROM ENG LOAD ERRIDE FROM ENG LOAD ERRIDE FROM ENG LOAD ERRIDE FROM ENG LOAD CATION DISTANCE CEL PEDAL RESET VICE BRK RESET JTCH PEDAL RESET O OVERRIDE DFFSET CDR VEH SPD OFFSET AY FOR RTRDR ACT ENG SPEED M: CUSTOM PRESET 1 FUN CUSTOM PRESET 2 FUN CUSTOM PRESET 2 FUN CUSTOM PRESET 3 FUN	
	ARGET SPEED V@2200 1650@900 0 ARGET SPEED C CC ENABLE RQUE IN CC WARD VEH SPD BONUS WARD VEH SPD PNLTY MODE D FOR DR SHIFT AID ST ACTV GEAR EST ACTV GEAR K BRAKE RESET ENABLE LNT TEMP OVRRDE MBAIR TEMP OVRRDE MAX IDLE TIME SET FROM ENG LOAD RRIDE FROM ENG LOAD RRIDE FROM ENG LOAD RRIDE FROM ENG LOAD RRIDE BRK RESET VICE BRK RESET O OVERRIDE DFFSET DR VEH SPD OFFSET AY FOR RTRDR ACT ENG SPEED M: CUSTOM PRESET 1 FUN CUSTOM PRESET 1 M: CUSTOM PRESET 2 FUN CUSTOM PRESET 2 FUN



ales ode	Std/ Opt	Description	\$ List	Weight
	υμι	N22020 AA050 0CAB: CUSTOM PRESET 1 N22030 AA051 CNCLCAB: CUSTOM PRESET 2 FUNC N22040 AA052 0CAB: CUSTOM PRESET 3 N2090 AA055 ON ACAB: CUSTOM PRESET 3 N2090 AA055 ON ACAB: CUSTOM PRESET 3 N2090 AA055 ON ACAB: CUTCH INTLK N21010 AA058 ON ACAB: PARK BRK INTLK N21010 AA057 ON ACAB: NEUTRAL INTLK N21130 AA067 ON ACAB: NEUTRAL INTLK N21130 AA061 2000CAB: NEVERAL INTLK N21120 AA062 000CAB: MAX ENG SPD- ACCEL CTRL N21120 AA062 2000CAB: MAX ENG SPD- ACCEL CTRL N21120 AA063 6CAB: MAX ENG SPD- SW CTRL N21020 AA064 650CAB: MIN ENG SPD N21200 AA064 650CAB: MIN ENG SPD N21200 AA065 800CAB: DEDICATED PRESET (-) N21270 AA066 900CAB: DEDICATED PRESET (+) N21900 AA067 TRQCAB: ACCEL PEDAL TYPE IN PTO N21140 AA068 YESCAB: ACCEL PEDAL TYPE IN PTO N21140 AA069 YESPTO REM PEDAL ENABLE N21600 AA071 OFREM: CUSTOM INTLK N22140 AA071 OFREM: CUSTOM INTLK N21700 AA072 ON AD.REM: NEUTRAL INTLK N21100 AA073 ON AD.REM: SER BRK INTLK: NO PTO N21380 AA074 2000REM: MAX ENG SPD-ACCEL CTRL N21110 AA075 2000REM: MAX ENG SPD-ACCEL CTRL N21110 AA075 2000REM: MAX ENG SPD-ACCEL CTRL N21110 AA076 650REM: MIN ENG SPD N21290 AA077 800REM: DEDICATED PRESET (-) N21380 AA074 2000REM: MAX ENG SPD-ACCEL CTRL N21100 AA077 00REM: MAX ENG SPD-ACCEL CTRL N21110 AA075 2000REM: MAX ENG SPD-ACCEL CTRL N21100 AA076 650REM: MIN ENG SPD N21290 AA077 800REM: DEDICATED PRESET (-) N21380 AA074 2000REM: MAX ENG SPD-ACCEL CTRL N21300 AA078 000REM: DEDICATED PRESET (-) N21380 AA074 2000REM: MAX ENG SPD-ACCEL CTRL N21300 AA078 000REM: DEDICATED PRESET (-) N21490 AA078 000REM: DEDICATED PRESET (-) N21380 AA079 0VSL EXPIRATION DISTANCE N21310 AA088 155LRSL SPD LMT N20740 AE001 NOENBL MX RETARDER IN NEUTRAL N20710 AE002 650IDLE TARGET N20930 AE003 ONFIC ENABLE/DISABLE N20070 AA056 OFFCAB: CUSTOM INTLK		
2091130	S	VMUX Electronics Architecture	0	0
2091305	S	Engine Idle Shutdown Timer Enabled	0	C
2091315	0	Enable EIST Ambient Temp Overrule	0	C
		Eff EIST NA Expiration Miles	0	(
2091372				
2091372 2091640		Effective VSL Setting NA	0	(
	0	•	0	(

21 Quote Number: QUO-848944-D3J9M4



Sales Code	Std/ Opt	Description	\$ List	Weight
2092033	0	Powertrain Optimized for Balance Best analysis for vehicles where service includes frequent start and stop cycles.	0	0
2092079	0	Decline Driver Performance Assistant	0	0
2092082	S	Engine Monitoring Protection - Derate (PACCAR MX) A warning is provided in the A-Panel display when DPF regeneration is required. Continued operation without regeneration will initiate automate derating of the engine's power and can result in damage to the engine.	0	0
2140200	S	CARB Engine Idling Compliance PACCAR PX-7, PX-9 and MX, Cummins X15 and ISX diesel engines will include the required factory installed serialized sticker on the drivers door to identify them as meeting the NOx idling standard.	0	0
2140410	S	Engine Brake Controls Located on RH Column	0	0
2513060	S	PACCAR 160 Amp Alternator, Brushed PACCAR 160 AMP alternator, brushed producing 160 Amps at road speed and 100 Amps at idle.	0	0
2521090	S	Immersion Type Block Heater 110-120V Standard location for 2.1M and 1.9M models is left-hand under cab, Model 520 is in bumper, and for Model 220 it is at the driver step. Plug includes a weather-proof cover that protects the receptacle. This pre- heater keeps the coolant in the engine block from freezing when the engine is not running.	0	0
2522080	S	PACCAR Premium Starter - MX Engines Only PACCAR Premium 12 volt. Better cranking power, lower current draw and improved warranty to 5-yr/500K miles.	0	0
2538040	S	3 PACCAR Premium 12V Dual Purpose Batt 2190 CCA Threaded stud type terminal. Stranded copper battery cables are double aught (00) or larger to reduce resistance.	0	0
2539720	S	Low Voltage Disconnect System	0	0
2621090	S	DM Advantage ON/OFF Fan Clutch Horton DM Advantage Two-Speed Fan Clutch On/Off for heavy-duty, medium-duty and a variety of off-highway equipment.	0	0
2738410	S	WABCO 25.9 CFM Air Compressor, MX only WABCO 25.9 CFM air compressor, MX only, provides greater air output aiding in cleaner operation, higher efficiency, and durability.	0	0
2811160	S	Compression Brake, MX The Mx brake features a Jacobs Brake with an integrated compression- release brake and engine overhead. the specially designed exhaust came lobe provides both exhaust cam motion and deicated Compression release timing. This results in precise timing of the valve opening, unleashing higher retarding performance with minimum loading on the engine.	0	0
2921180	S	PACCAR Fuel/Water Separator On Engine Extended life fuel filter, optimized for MX engines and Includes fuel heat, 12V electric heat and WIF sensor.	0	0



Sales Code	Std/ Opt	Description	\$ List	Weigh
3114270	S	High Efficiency Cooling System Cooling module is a combination of steel and aluminum components, with aluminum connections to maximize performance and cooling capability. Silicone radiator & heater hoses enhance value, durability, & reliability. Constant tension band clamps reduce leaks. Chevron Delo Extended Life Coolant (NOAT) extends maintenance intervals reducing maintenance costs. Anti-freeze effective to -30 degrees F helps protect the engine. Low coolant level sensor warns of low coolant condition to prevent engine damage. Radiator Size by Model: 579/367 FEPTO 1325 sq in, 567/365/367: 1440 sq in, 365 FEPTO: 1184 sq in, 389/367	0	
		HH: 1669 sq in, 348: 1000 sq in, 520: 1242 sq in.		
3291680	S	(1) Air Cleaner Firewall Mounted Molded rubber air intake connections with lined stainless steel clamps seal to prevent contaminants in air intake.	0	(
3365270	S	Exhaust Single RH Side of Cab	0	(
		DPF/SCR right-hand Under Cab.		
3387870	S	24" Ht, 5" Dia Chrome, Clear Coat Standpipe(s)	0	(
Transmi	ssion	& Equipment		
4020050	S	Eaton FAO16810C 10-Speed OD, Advantage Series Manual transmission with aluminum housing, no cooler	0	(
4210870	S	RPL20 Driveline Interaxle Requires RPL20 Driveline interaxle (option 4210870) for tandem rear axles. RPL20 series drivelines are built for heavy-duty commericial vehicles and are permanetely lubricated and sealed for life with triple lip seals to protect against contaminants. All Meritor drivelines will be primed before painted, improving paint adhesion for longer lasting quality in the field.	0	(
4211240	S	RPL25 Driveline, Without Midship Bearing Requires RPL20 Driveline interaxle (option 4210870) for tandem rear axles. Provides a driveline that is permanently sealed and lubricated. All Meritor drivelines will be primed before painted, improving paint adhesion for longer lasting quality in the field.	0	(
4256100	S	Manual Shifter, Black	0	(
		quipment	•	
4510190	S	Bendix AD-HF Air Dryer, Heater Bendix AD-HF air filters protects the life of your engine system and components. Proven PuraGuard oil coalescing technonlgy in the the air dryer catridge. This oil coalescing filter ensures the removal of oil and oil aerosols before they can contaminate the moisture removing desiccant.	0	-{
4540420	S	Nylon Chassis Hose	0	(
4543320	S	Steel Painted Air Tanks All air tanks are steel with painted finish except when Code 4543330 Polish Aluminum Air Tanks is also selected (then exposed air tanks outside the frame rails will be polished aluminum). Peterbilt will determine the optimal size and location of required air tanks. Narratives requesting a specific air tank size or location will not be accepted for	0	(
	oril 1 0		Date: Ju	ıly 21, 2
e Level: A				



Sales Code	Std/ Opt	Description	\$ List	Weight
		factory installation. See ECAT to determine number or location of air tanks installed.		
4610920	S	Self-Returning Brake Hand Valve Dash mounted controls	0	0
4614810	S	AE Connections BOC/BOS, Hose Tenna	0	0
Tires &	Wheel	S		
5066100	S	FF: BR 14ply 295/75R22.5 R213 Ecopia	0	0
5166100	S	RR: BR 14ply 295/75R22.5 R213 Ecopia	0	0
5190008	S	Code-rear Tire Qty 08	0	0
5211990	S	FF: Accu-Lite Steel Armor 51408PK 22.5X8.25 PHP10-2 hand holes	0	0
5311990	S	RR: Accu-Lite Steel Armor 51408PK 22.5X8.25 PHP10-2 hand holes	0	0
5390008	S	Code-rear Rim Qty 08	0	0
Fuel Ta	nks			
5552070	S	26" Aluminum 60 Gallon Fuel Tank RH BOC Paddle handle filler cap with threadless filler neck. Top draw fuel plumbing reduces chance of introducing air into the fuel system during low fuel level conditions due to the central placement of fuel pickup tube. Wire braid fuel lines increase durability & reduce potential for leaks.	0	0
5556070	S	26" Aluminum 60 Gallon Fuel Tank LH BOC Paddle handle filler cap with threadless filler neck. Top draw fuel plumbing reduces chance of introducing air into the fuel system during low fuel level conditions due to the central placement of fuel pickup tube. Wire braid fuel lines increase durability & reduce potential for leaks.	0	0
5603060	S	Location RH BOC 60 Gallon	0	0
5604060	S	Location LH BOC 60 Gallon	0	0
5652890	S	DEF Tank Mounted LH BOC Models 220 and 520 mounted left hand back-of-cab.	0	0
5652990	0	DEF To Fuel Ratio 2:1 Or Greater	0	0
5655019	S	DEF Tank Small, HD 14 Gal 2.1M MD 5.5 Gal	0	0
Battery	Box &	Bumper		
6010030	S	Aluminum Battery Box LH Under Cab, Non-Slip Step Includes diamond pattern block shaped cover in traditional/vocational models and a smooth finish tapered cover on aerodynamic models	0	0
6040550	S	Aftertreatment Aluminum Non-Slip Cab Entry	0	0



Sales Code	Std/ Opt	Description	\$ List	Weight
		Aftertreatment right-hand under cab step. DPF/SCR for diesel engines, catalyst for natural gas engines. On Models 579 specifying chassis fairings, the box is aerodynamic.		
6111010	S	Aluminum Bumper Swept Back Polished Without FEPTO SBFA, two tow pins and step plates on top of bumper	0	0
Cab & E	quipm			
6515690	S	Vocational 115" BBC Alum Cab and Metton Hood SBFA Stainless crown and grille with tilt assist.	0	C
6700000	S	No Sleeper Selected	0	C
6911100	S	Peterbilt ST Driver Peterbilt ST air seat, high height backrest, adjustable seat track length, 1 chamber lumbar support, suspension with fixed damping, fore-aft isolator with lockout, Vinyl bellows over suspension. Adds 40mm of increased space for steering wheel to chest and improved driver ingress/egress into cab and sleeper (knee sweep) with improved passenger side ingress/egress for personal carog/luggage. Standand vinyl finish - color coordinate with interior color.	0	0
6921740	S	Peterbilt ST Non-Adjustable Passenger Seat Standard vinyl, no suspension cover, no seat back recline.	0	C
6939140	S	Tube frame under Passenger Seat Only available with Peterbilt ST non-adjustable passenger seat.	0	(
6939400	S	Air Ride Driver	0	(
6939420	S	High Back Driver	0	(
6939470	S	Vinyl Driver	0	(
6939510	S	Non-Air Ride Passenger	0	(
6939520	S	High Back Passenger	0	(
6939570	S	Vinyl Passenger	0	(
7000025	S	Steering Wheel With Multi-Function Includes Peterbilt logo on horn button, audio volume, seek, mute and mode button on LH pod with cruise control on/off/cancel, set/resume and accelerate/coast on the right pod.	0	(
7001520	S	Adjustable Steering Column - Tilt/Telescope	0	(
7037130	S	Prestige Interior - Sterling Gray	0	(
7210540	S	Day Cab Rear Window Day cab rear window flush to back of cab.	0	(
7210550	S	1-Piece Glass Rear Cab Window Fixed	0	(
7230060	S	1-Piece Curved Windshield	0	(



Sales Code	Std/ Opt	Description	\$ List	Weight
7230360	S	Power Door Locks and Power Window Lifts Standard	0	0
7322010	S	Combo Fresh Air Heater/Air Conditioner With radiator mounted condenser, dedicated side window defrosters, Bi-Level Heater/Defroster Controls, 54,500 BTU/HR, and silicone heater hoses.	0	0
7510070	S	Aero Rear View Mirror Housing, Molded Black	0	0
7514000	S	Peterbilt Aero Rear View Mirror, Non-Motorized Includes top mirror with non-motorized, adjustable dual axis heated glass. Bottom mirror is an integrated convex surface. Includes black textured arms with breakaway feature.	0	0
7514050	S	Look Down Mirror Over Passenger Door with Black Housing	0	0
7610500	S	Air Horn Mounted Under Cab	0	0
7725720	S	No Head Unit or Audio Speakers Selected	0	0
7788055	S	SmartLINQ Remote Diagnostics SmartLINQ is Peterbilts proprietary remote diagnostics service which monitors the engine and aftertreatment for diagnostic codes providing real-time code analysis maximizing vehicle uptime and strengthening the fleets partnership with their dealer. SmartLINQ provides fault coverage for over 800 codes, a customizable email notification for 116 codes plus a web portal to manage your entire fleet included at no additional charge. SmartLINQ is compatible with any telematics system and doesnt require a specific fleet management system. For those whose customers utilize PeopleNet, the pre-wire with remote diagnostics will provide a more integrated solution utilizing the existing SmartLINQ modem. For those whose customers utilize other fleet services products, the existing pre-wire option for the other fleet service devices will continue to be available. Standard on Class 8 engines and available on Models 348, 337, 330 and 325 with a PX-9, PX-7 or Cummins Westport natural gas engine.	0	0
7788056	S	24 Months SmartLINQ Subscription With OTA Functionality - PACCAR MX Engines	0	0
7851480	S	Peterbilt Electric Windshield Wipers With Intermittent Feature.	0	0
7852060	S	Solid Rear Day Cab Mounts	0	0
8011830	S	Engine Oil Temperature Located in Digital Cluster Display.	0	0
8021800	S	Air Filter Restriction Pressure Gauge Located in Digital Cluster Display	0	0
8021810	S	Brake Application Air Pressure (Tractor) Located in Digital Cluster Display.	0	0
8070810	S	Engine Manifold Pressure (Turbo Boost) Located in Digital Cluster Display	0	0
8070820	S	Engine Percent Torque Located in Digital Cluster Display	0	0
Price Level: A	oril 1, 2		Date: Ju	ly 21, 202

Date: July 21, 2021 Quote Number: QUO-848944-D3J9M4



Sales Code	Std/ Opt	Description	\$ List	Weight
8070830	0	Main Instrumentation Panel Digital Cluster 15" Display includes: Speedometer, Tachometer, Primary Air Pressure, Secondary Air Pressure, Fuel Level, DEF Level, DPF Filter Status, Fuel Economy, Oil Pressure, Coolant Temp, OAT and Voltmeter.	0	0
8110070	S	Headlights Projector Module Pod Fender mounted turn signals, projector module low beam, complex reflector high beam, pod mounted	0	0
8120990	S	(5) Marker Lights, Aero LED On roof, visor, or fairing	0	0
8133960	S	Daytime Running Lights The brake interlock turns the daytime running lights off when the parking brakes are engaged. This is required on all Canadian vehicles.	0	0
8140000	S	Incandescent Oval Stop/Turn/Tail/Backup In tractor taper end of frame crossmember	0	0
Paint				
8500710	S	Standard Paint Color Selection	-200	0
8530770	S	(1) Color Axalta Two Stage - Cab/Hood Base Coat/Clear Coat N85020 A - L0006EY WHITE N85500 CAB ROOF L0006EY WHITE N85300 FENDER L0006EY WHITE N85200 FRAME L0001EA BLACK N85400 HOOD TOP L0006EY WHITE	0	0
Shipping	-			
Options	Not Si	ubject To Discount		
9400090	S	Peterbilt Class 8 Standard Coverage 1 year/100,000 Miles (160,000 km)	0	0
9400092	S	PACCAR MX Standard Coverage 2 yrs/250,000 mi (400,000 km)/6,250 hrs	0	0
Miscella	neous			
9409001	S	Day Cab / Prestige Interior (DM)	0	0
9409831	S	2021 EPA Emissions Engine Warranty Only	0	0

Promotions

Order Comments



Total List Price (W/O Freight & Warranty & Surcharges) Marketing and Service Support Fee Prepaid Freight Total Surcharge/Options Not Subject To Discount

Total Weight

\$181,202 \$895 \$2,825 \$0

14,867

Prices and Specifications Subject to Change Without Notice.

Unpublished options may require review/approval. Dimensional and performance data for unpublished options may vary from that displayed in CRM.

PRICING DISCLAIMER

While we make every effort to maintain the web site to preserve pricing accuracy, prices are subject to change without notice. Although the information in this price list is presented in good faith and believed to be correct at the time of printing, we make no representations or warranties as to the completeness or accuracy of this information. We reserve the right to change, delete or otherwise modify the pricing information which is represented herein without any prior notice. We carefully check pricing specifications, but occasionally errors can occur, therefore we reserve the right to change such prices without notice. We disclaim all liability for any errors or omissions in the materials. In no event will we be responsible for any damages of any nature whatsoever from the reliance upon information from these materials. Please check your order prebills to confirm your pricing information



Shipping Destinations

Intermediate Destination: none

Final Destinations	Quantity



DEALER SUPPORT

Peterbilt's extensive dealer network means you or your driver is never far from Peterbilt parts, service and sales expertise.

PACCAR Financial provides the financing and insurance tools FINANCIAL that are key to the success of any trucking operation and will

work with your Peterbilt dealer to customize a financing package that suits your needs.



This full-service leasing program offers contract maintenance, logistics services, insurance, fuel tax reporting and other support services available to PacLease customers.

PACCARPARTS

The right part for your Peterbilt truck is always in stock thanks to the TruckCare Connect program. The PACCAR Parts online inventory management system and electronic cataloging help ensure instant accessibility of the right part for your needs.

www.peterbilt.com Complimentary Customer Assistance Call 1-800-4PETERBILT



CALL 1-800-552-0024 FOR MORE INFORMATION. PACLEASE & PACCAR FINANCIAL PLANS TAILORED TO YOUR NEEDS. PETERBILT MOTORS COMPANY, A DIVISION OF PACCAR. BUCKLE UP FOR SAFETY • PETE-XXXX 3/2017

Peterbilt





THE HERITAGE OF STYLE AND INNOVATION.

The new Model 567 Heritage package pays tribute to classic Peterbilt style and delivers productivity and value with a look and feel like no other truck on the road. The head-turning exterior features a bright bumper, grille bars, exhaust stacks, mirrors and sunvisor, as well as a chrome air intake bezel and metal hood latches. The 567 Heritage commands attention with polished rocker panels, battery boxes, fuel tanks and more. Each truck is adorned with exclusive Heritage badging on the grille and sleeper. The aluminum cab structure is durable for long-lasting endurance, while its wide, spacious cab interior surrounds the driver in comfort and efficiency. Configured with a 121-inch BBC and set-forward front axle (SFFA) to optimize payloads and weight distribution, it's as versatile as it is distinctive. Whether highway or jobsite, the 567 Heritage will make all who drive it the envy of all who see it.

DRIVE DISTINCT

Inside the cab, the Model 567 Heritage surrounds the driver with comfort and class The Heritage interior features a black dash top, wood-finish trim and unique brown leather accents



THE BEST SEAT IN THE HOUSE

The Heritage interior includes premium leather seats with accent stitching to complement the cab design and an embroidered Heritage logo in the headrest.



POWERFUL PERFORMANCE

The PACCAR MX-13 Engine provides excellent performance and superior fuel economy. The Heritage is available with the MX-13 with up to 510 hp and 1,850 ft.-lb. of torque for industry-leading reliability and uptime.



SLEEP IN STYLE

The Model 567 Heritage is equipped with a sleeper that features wood trim on storage compartments and cabinets. The unique interior is rounded out with a two-tone sleeper back wall embroidered with the Heritage logo.







Model 567 Standard Features

(Base Model Option Code 0005671)



FRAME

- Steel rails with gussets to maximize RBM.
- Huck bobtail fasteners provide a consistent and durable clamping force up to 600% greater than bolted frames. Tamper resistant round head and collar offers improved paint adhesion and corrosion resistance. Swage indicating features on collar allows for visual inspection of clamped joint.
- 1 piece C-Channel cross member with cast gussets.
- Rubber-lined clamps along frame rail to protect air & electric lines routed in frame.
- Chassis hose and wiring bundles conveniently routed through gussets provides protection for lines.
- Two frame mounted tow pins.

STEER AXLE

- Available with setback front axle configuration for increased maneuverability and optimized weight distribution.
- Factory front axle alignment to improve handling and reduce tire wear.
- Steering gear angled 8 degrees for improved wheel cut.
- Zerk fittings on tie rod ends, kingpins, and draglink ball joints for ease of maintenance and help extend service life of components.
- Greaseless spring pins reduce maintenance and improve ride quality.
- Standard oil seals for long lasting leak protection.
- Cognis EMGARD[®] Synthetic Axle Lube reduces wear and extends maintenance intervals, resulting in increased uptime. Provides improved fluid flow to protect components in extreme cold conditions and withstand the stress from high temperatures, extending component life.
- Glidekote splines on steering shaft extend service life of components.

DRIVE AXLE

- Laser factory axle alignment (accurate to .030 of an inch) to improve handling and reduce tire wear.
- Magnetic rear axle oil drain plug captures and holds any metal fragments in drive axle lube to extend service life.
- Parking brakes on all drive axles for optimal performance.
- Cognis EMGARD[®] Synthetic Axle Lube reduces wear and extends maintenance intervals, resulting in increased uptime. Provides improved fluid flow to protect components in extreme cold conditions and withstand the stress from high temperatures, extending component life.

ENGINES & RELATED SYSTEMS

- Selective Catalytic Reduction (SCR) System provides the most fuel efficient, reliable and cost effective solution to the 2010 EPA regulations. The SCR system consists of several new standard components on the truck - a dosing pump, a DEF tank, an injector and the SCR ammonia catalyst.
- Chevron Delo 400 LE SAE 10W30 engine oil is specially formulated for new low emissions engines.
- Magnetic engine oil drain plug captures and holds any metal fragments in engine oil to extend service life.
- Silicone radiator and heater hoses enhance value, durability and reliability.
- ClimaTech extended life coolant extends maintenance intervals which reduces maintenance costs.
- Low coolant level sensor warns of low coolant condition to prevent engine damage.
- Constant tension and torque band clamps reduce leaks.
- Stainless steel hardline manifold reduces coolant hoses in the engine compartment to improve durability and appearance.
- Thermal fuse in the air conditioning compressor clutch allows the pulley to free spin in the event of a compressor failure, thus reducing belt wear and vehicle downtime.
- Weather pack silicone sealed electrical chassis connectors enhance value, durability and reliability.
- 12 Volt System with circuit protection for reliable easy maintenance and service.
- High efficiency cooling system provides a large surface area for heat exchange.
 - SBFA 1438 sq. in. frontal area
- Composite fan is light-weight but strong and corrosion resistant.
- Full fan shroud, ring and rubber boot improves under hood airflow and provides a robust fan-to-radiator shroud interface for greater cooling capacity.
- Anti-freeze effective to -30 degrees F helps protect the engine.
- Maintenance free 12V batteries provide reliable power for starting and accessories.
- Stranded copper battery cables are double aught (00) or larger to reduce resistance.
- Washer bottle with 1.3 gallon capacity extends maintenance intervals to refill.
- Polished stainless steel grille with a distinctive punched oval grille pattern provides a durable bright finish.
- Stainless steel flex exhaust tubing & clamps provide durability.

- Optimized exhaust routing to simplify the truck order process and provide optimal performance.
- 5" diameter chrome plated steel standpipe cools exhaust for safety.

TRANSMISSION & RELATED SYSTEMS

- Synthetic lubricant to reduce friction, improve efficiency and extend component life.
- Magnetic transmission oil drain plug captures and holds any metal fragments in transmission oil to extend service life.
- Lightweight aluminum bell housing.
- Coated driveshaft splines extend service life.
- Configured clutch to simplify the truck order process and provide optimal performance.
- Torque limiting clutch brake

AIR SYSTEM

- Engine mounted air compressor with remote mounted air system filter dryer to reduce moisture in air system components.
- Teflon-lined, stainless steel braided compressor discharge hose provides long service life in high operating temperatures.

FUEL TANKS

- Aluminum fuel tanks with heavy-duty aluminum brackets and stainless steel straps.
- Under cab fuel tanks include steps for cab access.
- Single fuel tank will receive a single draw / single return fuel system.
- Dual fuel tanks will receive dual draw / dual return fuel system equalizes fuel load.
- Top draw fuel plumbing reduces chance of introducing air into the fuel system during low fuel level conditions due to the central placement of the fuel pickup tube.
- Optimized filler neck location on under cab fuel tanks optimizes access and safety.
- Paddle handle filler cap with threadless filler neck.
- Wire braid fuel lines increase durability and reduce potential for leaks.

ELECTRICAL SYSTEM

- Multiplex electrical design utilizing the industry standard J1939 data bus that sends multiple signals over a single wire instead of having an individual wire for each function. This allows each component (engine, transmission and instrumentation) to communicate to each other. This design improves reliability and offers increased functionality.
- Proprietary Electronic Service Analyst (ESA) allows dealer to monitor the electrical system, isolate sensors and gauges, and keep a log of service history.
- Automatically resetting circuit breakers in selected circuits.
- Braided chassis harness cover provides durability.
- Convoluted tube covering on harnesses protects from chaffing.
- Wires numbered every 4 inches or less for ease of serviceability.
- Power distribution center in cab is centrally located in a protected environment for easy access.

CAB / HOOD

- Proprietary all-aluminum cab is light weight and durable for long service life.
- Resilient and highly durable metton hood with 121" BBC and stainless steel oval mesh grille.
- Swept back fenders optimize air flow.
- Spring assisted, hood opening for serviceability.
- Proprietary anti-blow-down locking mechanism that keeps the hood open during servicing and prevents unintentional closing.
- Hood latch on each side secures the hood to the cowl.
- Aerodynamic hood ornament.
- Three point rubber cab mounting.
- One piece roof reduces potential for leaks.
- Lap seam construction and aircraft fasteners has greater clamp load than rivets.
- Double wall stamped aluminum doors provide virtually water-tight, rattle-free performance.
- Full length, light weight hidden gravity-hinge system that provides low resistance and ease for closing doors providing durability.
- Interior Left and Right Side Grab Handles for easy access into the cab.
- Electric windshield wipers and washers with intermittent wiper function.
- Convex mirror over RH door and below each large aerodynamically designed rear view mirror for improved visibility and safety.

Standard Features	In	terior Leve	el
	Platinum	Premier	Prestige
Textured upper accents on dash instrument panels in a gun metal grey that reduces driver glare, is less likely to scratch and scuff, and is easier to clean, while the lower dash panels are perfectly matched to your cab's interior color.		•	•
Elegant burlwood upper accents on dash instrument panels in a gun metal grey that reduces driver glare, is scratch resistant and is less likely to fade or show while the lower dash panels are perfectly matched to your cab's interior color.	•		
Black bezels on gauges			•
Bright bezels on gauges	•	•	
Contoured door pads featuring integrated ergonomic armrests for driver comfort	•	•	•
Satin burlwood insert on contoured door pads		•	•
High gloss burlwood insert on contoured door pads with vinyl inserts	•		
LH & RH door mounted map pockets with door mounted step lights	•	•	•

Power lift passenger window controls integrated into the door panel are		•	•
within easy reach of the driver for safe and convenient operation.			
Power windows and door locks on both doors integrated into the door panel	•		
are within easy reach of the driver for safe and convenient operation.			
Padded vinyl headliner is easy to clean.	•	•	•
Three inside sunvisors provide driver and passenger comfort and	•	•	•
convenience.			
Two glide-out cup holders	٠	•	•
Cast rubber flooring with integral sound barrier.			•
Fully carpeted floor covering with integral sound barrier.	٠	•	
Heater / air conditioner with dedicated side window defroster	٠	•	•
18" soft touch steering wheel	٠	•	•
Key start ignition for an automotive feel.	•	•	•
Ignition and doors keyed alike for driver convenience.	٠	•	•
Under Cab Air Horn	٠	•	•
Integrated "dead pedal" for driver comfort.	٠	•	•
Four ergonomically positioned entry / egress grab handles	٠	•	•
Proprietary non-slip threshold plate accented with a chrome inset and	•	•	•
Peterbilt Red Oval adds a touch of Peterbilt class to safety and convenience.			
LED Header mounted dome light	•	•	•
LED Driver and passenger dome and reading lights	•	•	•
Retractable three-point seatbelts on driver and passenger seats	٠	•	•
Convex mirror over RH door	•	•	•
12-volt power outlet in dash	•	•	•

<u>LIGHTS</u>

- Projector module pod headlights provide outstanding visibility.
- 'Headlight on Warning' when headlights are active with door open and ignition off. The high beam headlamp icon flashes and sounds an audible alarm.
- Headlights turn on automatically when windshield wiper blades are activated.
- Lighting system is protected by an impact resistant Lexan[®] lens and requires no special tools for lamp adjustment or bulb replacement.
- Rear combination stop / turn / tail lights.

DASH & INSTRUMENTATION

- Driver Information Display that allows the driver to view diagnostic information and monitor truck system behavior. Information such as fuel economy, optimum engine speed and engine and transmission system management provides driver feedback and improves operating performance.
- Ergonomic dash provides enhanced driver comfort and productivity.
- Dash features an "in-mold" color process that imbeds the color into the material making the color permanent and eliminating peeling and fading.
- LED backlit gauges to prevent eye fatigue.

- Electronic speedometer with trip odometer.
- Electronic tachometer with hour meter and outside air temperature display.
- Voltmeter.
- Primary and secondary air pressure gauges.
- Engine oil pressure gauge.
- Engine coolant temperature gauge.
- Fuel level gauge.
- Standard warning lights with audible alarm for high coolant temperature, low oil pressure and low air pressure.
- Warning indicators for high beam, parking brake, turn signals, low fuel, and road surface ice potential.
- Seat belt reminder.
- Cruise control for driver convenience.
- Standard electrical switches for head lights, marker lights, hazard lights, regeneration (DPF) and dimmer lights.
- Rocker switches with long-life LED indicators that are easy to reach for driver safety and convenience.
- Multi-function turn stalk with flash-to-pass feature intermittent windshield wiper and headlamp beam control.

<u>PAINT</u>

• DuPont Imron Elite two-stage non-metallic paint, one color cab / hood.



Model 567



Platinum Level Interior, simply stated, is the most luxurious interior in a Class 8 truck. Drivers will appreciate the attention to detail that results in the highest quality and finest fit and finish characteristics available.

Premier Level Interior, based on the Prestige Level Interior, the Premier Level Interior adds bright trim on the dash and gauges as well as sleeper cabinet doors and standard carpet throughout. This interior is perfect for customers who want an extra measure of Peterbilt style but are not interested in the Platinum Level Interior.

Prestige Level Interior represents the essence of form and function, providing a high quality interior with a comfortable and stylish work and living environment.

	Accessories				
Option	Description	Platinum	Premier	Prestige	
Standard	Two Manual Cupholders	Standard	Standard	Standard	
Standard	(2) 12V Power Ports	Standard	Standard	Standard	
6939120	Record Holder Mounted on Side of Passenger Seat Utility	Optional	Optional	Optional	
	Base				
7001640	Rear Wall Notebook/Record Holder	Optional	Optional	Optional	
7322130	Cup Holder (Floor Mounted)	Optional	Optional	Optional	
7850015	Rear Wall Deep Record Holder	Optional	Optional	Optional	
7852080	Push Out Tray/Work Surface Over Glove Box	Standard			
7852090	Cigar Lighter and Ashcup	Optional	Optional	Optional	
7900090	Triangle Reflector Kit Ship-Loose	Optional	Optional	Optional	



	Audio			
Option	Description	Platinum	Premier	Prestige
7725490	 Wiring for Furnished by Owner Head Unit Includes: Wiring for Head Unit Available with Optional - Standard Speaker System 		Optional	Optional
7725715	 ConcertClass Head Unit without CD, with Bluetooth Includes: Constant power to radio memory Auxiliary input jack AM/FM radio Weatherband Bluetooth phone and audio thru audio speaker system and microphone Available with Optional - Standard Speaker System 			Optional
7725720	No Head Unit or Audio Speakers Selected			Optional
7725725	 ConcertClass Head Unit with CD and Bluetooth Includes: Constant power to radio memory Auxiliary input jack AM/FM radio with CD Weatherband Bluetooth phone and audio thru audio speaker system and microphone MP3 & USB Capability Available with Optional - Standard Speaker System 		Optional	Optional
7725745	 ConcertClass Satellite Head Unit with CD & Bluetooth Includes: Constant power to radio memory Auxiliary input jack AM/FM Satellite radio with CD Weatherband Bluetooth phone and audio thru audio speaker system and microphone 		Optional	Optional



	 MP3 & USB Capability Available with Optional - MidLevel or Premium Speaker System 			
7789620	 SmartNav Includes: 7" Display Touch Screen Virtual Gauge Screens Calculator Alarm Clock True Truck Navigation by Garmin Blue tooth Connected Hands-Free Calling Auxiliary input jack AM/FM with CD Weatherband MP3 & USB Capability Available with Optional - MidLevel or Premium Speaker System 	Standard	Optional	Optional

	Audio Speakers				
Option	Description	Premium	Premier	Prestige	
7725710	Standard Speaker Package for Cab - (2) Speakers			Optional	
7725730	Premium Speaker Package for Cab - (6) Speakers	Optional	Optional	Optional	
7725740	Midlevel Speaker Package for Cab - (4) Speakers		Optional	Optional	
7725750	Standard Cab Speakers for F/O Audio - (4) Speakers		Optional	Optional	
7725770	Standard Speaker Package for Sleeper - (2) Speakers			Optional	
7725780	Midlevel Speaker Package for Sleeper - (2) Speakers w/Subwoorfers		Optional	Optional	
7725790	Premium Speaker Package for Sleeper - (2) Speakers w/Amp and Subwoofer	Optional	Optional	Optional	

	СВ				
Option	Description	Platinum	Premier	Prestige	
7740130	Cobra 29 CB Radio Mtd Center of Header with Weatherband	Optional	Optional	Optional	
7740140	Cobra 29 CB Radio Mtd Center of Header without Weatherband	Optional	Optional	Optional	
7748145	CB Terminals/Wiring MTD Under Header W/MTG Bracket	Optional	Optional	Optional	
7740150	Wiring, Microphone Clip, Speaker F/O CB Radio Mtd Center of Header	Optional	Optional	Optional	



7748150	(1) Antenna For Factory Installed or F/O CB, MTD LH Side of Body	Optional	Optional	Optional
7748610	(1) Antenna for Factory Installed or F/O CB, Mtd LH Side of Roof	Optional	Optional	Optional
7748740	(2) Antennas for Factory Installed or F/O CB, Mtd RH/LH Side of Roof	Optional	Optional	Optional
7782230	Radio Antenna Mounted Logger Style	Optional	Optional	Optional

	Colors			
Option	Description	Platinum	Premier	Prestige
Standard	Color Coordinated Dash and Interior	Standard	Standard	Standard
7037110	Platinum Interior – Platinum Graphite	Optional		
7037120	Heritage Interior	Optional		
7037130	Prestige Interior – Sterling Gray			Optional
7037140	Prestige Interior - Saddle Gray			Optional
7037150	Premier Interior – Sterling Gray		Optional	
7037160	Premier Interior - Saddle		Optional	
7037170	Platinum Interior – Sterling Gray	Optional		
7037180	Platinum Interior – Saddle			

(Image below is a reference only. Specific Configurations will vary based on model, interior level and options selected. Left: Platinum Interior level; Right: Prestige Interior level)





Sterling Gray Notes:

- Platinum Interior Level (option 7037170) contains:
 - o Sterling Gray Interior Color
 - o Panel In-Mold Color Matched to Interior Color
 - o Sterling Gray Door Pads with Woodgrain Accents
 - Sterling Gray Seat Color
- Premier Interior Level (option 7037150) contains:
 - o Sterling Gray Interior Color
 - o Panel In-Mold Color Matched to Interior Color
 - Sterling Gray Doors Pads
 - Sterling Gray Seat Color
- Prestige Interior Level (option 7037130) contains:
 - o Sterling Gray Interior Color
 - Sterling Gray Doors Pad
 - Sterling Gray Seat Color

(Left: Platinum Interior level; Right: Prestige Interior level)



Saddle Tan Notes:

- Platinum Interior Level (option 7037180) contains:
 - \circ Saddle Tan Interior Color
 - Panel In-Mold Color Matched to Interior Color
 - Saddle Tan Door Pad



o Saddle Tan Seat Color

• Premier Interior Level – (option 7037160) contains:

- o Saddle Tan Interior Color
- o Panel In-Mold Color Matched to Interior Color
- Saddle Tan Door Pad
- Saddle Tan Seat Color

• Prestige Interior Level – (option 7037140) contains:

- o Saddle Tan Interior Color
- Charcoal Panels
- Saddle Tan Door Pad
- o Saddle Tan Seat Color

	Communication				
Option	Description	Platinum	Premier	Prestige	
7749490	Sirius-XM Satellite Radio Service Provider	Standard	Optional	Optional	
7788025	Provision for F/O VHF Radio in header.	Optional	Optional	Optional	
7788980	Bracket Only for F/O Communication System Antenna; Mounted Top Center Back of Cab or Sleeper	Optional	Optional	Optional	
7788985	Bracket Only for F/O Communication System; Dual Antenna Mounted Top Center Back of Cab or Sleeper	Optional	Optional	Optional	
7789240	Wiring Provisions for PeopleNet	Optional	Optional	Optional	
7789660	F/O Qualcomm IMCT - Display & Antenna Wiring, BOC/BOS Bracket	Optional	Optional	Optional	
7789670	F/O Qualcomm OmniVision MCP200 - Wiring for Cellular Antenna & Bracket	Optional	Optional	Optional	
7789700	F/O Qualcomm OmniVision 100T - Wiring & BOC/BOS Bracket	Optional	Optional	Optional	
7789710	F/O Qualcomm OmniVision MCP110 - Wiring & BOC/BOS Bracket	Optional	Optional	Optional	
7789730	F/O Qualcomm OmniVision MCP200 - Wiring for Cellular & Satellite Antenna	Optional	Optional	Optional	
7789740	F/O Qualcomm OmniVision MCP100 - Wiring & BOC/BOS Bracket	Optional	Optional	Optional	

	Dash			
Option	Description	Platinum	Premier	Prestige
8071340	Bright bezels on gauges	Standard	Standard	Optional
Standard	Driver Information Display	Standard	Standard	Standard
Standard	Black bezels on gauges			Standard
Standard	Key Start Ignition	Standard	Standard	Standard



	Doors				
Option	Description	Platinum	Premier	Prestige	
Standard	Contoured Door Pads with Integrated Ergonomic Armrests	Standard	Standard	Standard	
Standard	In-Mold Color Door Pads with Door Mounted Map Pocket on Doors with Built-in Courtesy Lights		Standard	Standard	
Standard	Contoured Door Pads with Vinyl Inserts with Door Mounted Map Pockets on Doors with Built-in Courtesy Lights	Standard			
Standard	Ignition and Doors Keyed Alike	Standard	Standard	Standard	
Standard	Interior Left & Right Side Grab Handles	Standard	Standard	Standard	
6540740	Peterbilt Keyless Entry	Standard	Optional	Optional	

Fire Extinguisher					
Option	Description	Platinum	Premier	Prestige	
7900270	5 LB 3A:40BC Fire Extinguisher Cab Mounted See Mounting Location	Optional	Optional	Optional	

Flooring				
Option	Description	Platinum	Premier	Prestige
Standard	Cast Rubber Flooring with Integral Sound Barrier			Standard
Standard	Fully Carpeted Floor Covering with Integral Sound Barrier	Standard	Standard	
Standard	Integrated "Dead Pedal"	Standard	Standard	Standard
Standard	Proprietary Non-slip Threshold Plate Accented with a Chrome Inset and Peterbilt Red Oval	Standard		
	In-Mold Color Threshold Plate		Standard	Standard
7040110	Carpet in place of Extruded Rubber Floor Covering			Optional
7040150	Rubber Floor in place of Carpet in Cab only	Optional	Optional	

Headliner				
Option	Description	Platinum	Premier	Prestige
Standard	Padded Fabric Headliner	Standard	Standard	Standard

HVAC					
Option	Description	Platinum	Premier	Prestige	
7322010	Combo Fresh Air Heater / Air Conditioner with Dedicated Side Window Defroster	Standard	Standard	Standard	
7330770	Air Conditioning Excise Tax - Canada	Optional	Optional	Optional	



7330880	Adtl Fine Particulate Filter for HVAC System	Optional	Optional	Optional
7330900	Heater Shutoff Valve – 1/2 Turn Valve	Optional	Optional	Optional

	Insulation				
Option	Description	Platinum	Premier	Prestige	
6540160	Thermal Insulation Package	Optional	Optional	Optional	
6540660	SmartSound Cab Insulation Package	Optional	Optional	Optional	

Lights					
Option	Description	Platinum	Premier	Prestige	
Standard	Driver and Passenger Dome and Reading Lights	Standard	Standard	Standard	
Standard	Footwell Lighting	Standard	Standard	Standard	

	Steering			
Option	Description	Platinum	Premier	Prestige
Standard	18" Soft-Touch Steering Wheel	Standard	Standard	Standard
Standard	Single Electric Horn	Standard	Standard	Standard
7001520	Adjustable Steering Column	Standard	Optional	Optional
7001630	Multifunction Steering Wheel	Optional	Optional	Optional

Sunvisor				
Option	Description	Platinum	Premier	Prestige
Standard	Three Inside Sunvisors (Center Sunvisor Omitted with F/O Cab)	Standard	Standard	Standard
7001580	Vanity Mirrors on Inside Sunvisors	Optional	Optional	Optional

	Windows				
Option	Description	Platinum	Premier	Prestige	
7210420	Dark Window Tint In Place Of Standard	Optional	Optional	Optional	
7210510	3-Piece Glass Rear Cab Window, Fixed	Optional	Optional	Optional	
	3-Piece Glass Rear Cab Window, Sliding Center	Optional	Optional	Optional	
7210550	1-Piece Glass Rear Cab Window, Fixed	Standard	Standard	Standard	
	1-Piece Glass Rear Cab Window, Sliding Center	Optional	Optional	Optional	
7210580	Omit Day Cab Rear Window	Optional	Optional	Optional	

Windshield					
Option	Description		Platinum	Premier	Prestige



7230060 On	e-Piece Curved Windshield	Standard	Standard	Standard
------------	---------------------------	----------	----------	----------