



INDUSTRY-LEADING DURABILITY

There's no other curbside collection cart that's built to last quite like a Toter. Constructed using Toter's Advanced Rotational Molding™ process, Toter carts are built to keep working long after others fail - more than 2x longer. They're backed by a 12-year body warranty, the best in the industry. Toter carts are extremely flexible, impact-resistant, and easily handle the day-to-day abuse of curbside waste collection.



Toter carts feature a heavy-duty wear strip to withstand dragging across rough surfaces.



Only Toter carts have a Rugged Rim® to extend the life of the cart.

Think Tough.



Toter's Advanced Rotational Molding™ process creates a stronger can that is built for toughness and maximum impact resistance.

- Stress-free, zero-pressure process, unlike injection molded carts
- No seams means superior strength
- Tough and durable
- 12-year body warranty
- Fade-resistant



Toter carts are extremely impact-resistant – they flex, but don't break.





Toter carts are easy to tilt and roll to the curb.

Built for Extremes!

EXTREME PURPOSE

Toter carts are designed and built for function, with craftsman-like attention to detail. With ideal handle height, rugged wheels, and best-in-class ergonomics, maneuvering is a breeze, even when completely full.

EXTREME STABILITY

Stable and steady, Toter carts can easily stand up to wind as well as the day-to-day abuse of curbside collection. And they won't fall over when they're returned to the curb after dumping.




INDUSTRY-LEADING CART TRACKING TECHNOLOGY

Toter's industry-leading cart delivery and tracking solution, ToterTrax, gives you the power to track your carts in real-time through its state-of-the-art RFID tracking technology. Designed specifically for assembly and delivery projects, ToterTrax provides you with control of your assets from a simple-to-use web portal. Cart delivery is verified through our GPS and time stamping system and instantly sends data to your fingertips when the route is complete.


ToterTrax Features:

- Real-time asset management
- Real-time visibility of current delivery status
- Real-time visibility of geo coordinates and time stamp data
- Unique RFID tag number with matching serial number for superior accuracy
- User-friendly web portal



ToterTrax provides real-time visibility of delivery services and data – right from the comfort of your office.

CART FEATURES



Ideal handle height and best-in-class ergonomics provide easier maneuverability.

Textured surface resists scuffs and scratches and hides unsightly dirt.

Factory-installed 360° rotating steel stop bar is compatible with semi-automated garbage collection trucks.

5/8" axle provides over 2,000 lbs. of bending strength. Molded-in axle journal provides 6x more support than drilled holes.

Rugged wheels make maneuvering a breeze – even when completely full.

Advanced Rotational Molding™ creates a stronger cart that is built for toughness and maximum resistance.



- Unique industry-leading aerodynamic design prevents cart from falling down when lid is flipped back
- Toter carts meet ANSI standard Z245.30 for safety and Z245.60 for lifter compatibility
- Multi-lingual user safety instructions molded on top and underside of lid
- Bottom wear strip provides added abrasion protection

OPTIONS

- One-color hot stamps and raised imprint on lid
- Large, four-color in-mold label on lid
- Cart identification barcode
- UHF RFID tag mounted inside handle
- Large area on the side for custom graphics including one-color hot stamps, raised imprints or four-color in-mold labels













96-gallon EVR® II **Universal / Nestable**

Part Number:

79296

Size (I x w x h)

35-1/2" X 29-3/4" X 43-1/2"

Load Rating

335 lbs/151.9 kg

Wheel Diameter



Part Number:

79264

Size (I x w x h)

31-1/2" x 24-1/4" x 41-3/4"

Load Rating

224 lbs/101.6 kg

Wheel Diameter



Part Number:

79248

Size (I x w x h)

28-3/4" x 23-1/2" x 37-1/2"

Load Rating

168 lbs/76.3 kg

Wheel Diameter



Part Number:

79216

Size (I x w x h)

24" x 19-3/4" x 37.25"

Load Rating

56 lbs / 25 kg

Wheel Diameter

10"







35-gallon EVR® II Universal*

Part Number:

79235

Size (I x w x h)

23-3/4" X 19-3/4" X 38-1/4"

Load Rating

122 lbs/55 kg

Wheel Diameter

32-gallon EVR® II **Universal / Nestable**

Part Number:

79232

Size (I x w x h)

24" x 19-3/4" x 37-1/2"

Load Rating

112 lbs/50.8 kg

Wheel Diameter

21 & 24-gallon EVR® II Universal**

Part Number:

79221 & 79224*

Size (I x w x h)

23-1/2" X 19-3/4" X 34-1/2"

Load Rating

21 gal- 73.5 lbs/33.4 kg

24 gal- 84.0 lbs/38.1 kg **Wheel Diameter**

- * Does not nest when fully assembled.
- ** Does not nest when fully assembled, and is below Type B saddle height, which requires the collector to lift the cart approx. 3 inches for semi-automated lifters.

ORGANICS CARTS

Toter two-wheel carts and caster carts are specifically designed to withstand heavy, wet organic waste. These heavy-duty, commercial-grade carts feature impressive load ratings up to 300 lbs. (load ratings vary by cart size). Toter organics carts are leak-resistant with a fully enclosed stop bar journal under normal usage.

Available in 21-, 32-, 48-gallon sizes

Part	Size	Dimensions (L x W x H)	Wheel Size	Load Rating
79321	21-gallon	23-1/2" x 19-3/4" x 34-1/2"	10"	131 lbs / 59 kg
79332	32-gallon	24" x 19-3/4" x 37-1/2"	8"	200 lbs / 91 kg
79348	48-gallon	28-3/4" x 23-1/2" x 37-1/2"	10"	300 lbs / 136 kg

OPTIONAL FEATURES:

Lids to keep critters out with a locking gravity latch that opens automatically when cart is picked up by the waste collector



EXCEEDS ANSI STANDARD Independently tested to withstand 6-1/4 lbs per gallon.

AVAILABLE COLORS

Toter carts are available in a variety of colors and textures. Granite finishes mask normal wear by helping hide scuffs, scratches, and dirt, keeping cans looking new for years.



Colors shown are as accurate as printing allows. Actual product colors are subject to variation from printed sample.

*Available at an additional charge

UNIVERSAL WASTE INDUSTRY COMPATIBILITY

Toter's EVR-II Series carts are built with a universal design – they're compatible with ANSI compliant fully-automated truck arms and semi-automated lifters.





Toter carts are compatible with both fully automated arms (left) and semi-automated lifters (right).



STACKABLE, NESTABLE, AND READY TO-ROLL

Toter's EVR-II Series carts are stackable and nestable — even when fully assembled. When shipped fully assembled, they're ready-to-roll, and can be delivered more quickly, more efficiently, and with fewer trips. Toter carts can also be shipped assembled with everything except wheels, significantly reducing labor and delivery expenses. Toter also offers optional on-route assembly and delivery service.

Toter® carts support sustainability in a variety of ways:

1) REDUCED MATERIAL CONSUMPTION

Compared to other carts, each 96-gallon Toter cart is manufactured with up to five fewer pounds of plastic.

2) LONGEST SERVICE LIFE

Toter offers a 15- to 20+ year active service life, compared to a 10-year service life for injection-molded carts. Toter carts are manufactured with a stress-free, Advanced Rotational Molding™ process using medium density polyethylene (MDPE), giving Toter carts a superior strength-to-weight ratio when compared to injection-molded carts containing high density polyethylene (and high residual stress). Longer service life essentially eliminates early cart replacement, reducing material consumption by at least 50%.

3) RECYCLED CONTENT

Toter carts are manufactured with up to 50% recycled content.



4) RECYCLABLE

Toter carts are fully recyclable. In fact, Toter recycles used carts into new carts every single day.

5) REDUCED FUEL COSTS AND LOWER EMISSIONS

With a 0.2% warranty claim rate—the industry's lowest, by the way—Toter carts are virtually maintenance-free. Toter's lower annual failure rate reduces the number of repairs and replacement trips. And because Toter carts nest, service providers can deliver up to three times more carts per trip.

MORE PRODUCTS AVAILABLE AT TOTER.COM

