#### **2023 TRANSIT** MAJOR PRODUCT FEATURES

To learn more about the features on this vehicle, go to www.fordesourcebook.com To learn more about the Transit body codes, go to www.transitbodydecoder.com

#### MODEL/SERIES/AVAILABILITY CHANGES

- New 9,950 GVWR 148" WB, SRW Cargo Van Low Roof (F1Y, F2Y), Medium Roof (F7C, F8C) and High Roof (F5X, F6X) configurations have been added to the program
- New 9,950 GVWR Extended 148" WB, SRW Cargo Van High Roof (F7X, F8X) configurations have been added to the program
- New 9.950 GVWR 156" and 178" WB SRW Cutaway (F1P, F2P) and Chassis Cab (F1Z, F2Z) configurations have been added to the program

#### **PACKAGES/OPTIONS ADDED**

- New Blue Metallic (FT) and Blue Mist (MT) paint colors
- New Virtual Rearview Mirror (90C) is available on Cargo Van, Crew Van and Passenger Van
- New 16" Sparkle Silver Alloy Wheel (Heavy-Duty Front Axle configurations only) (64K)
- New 16" Matte Black Alloy Wheel (Heavy-Duty Front Axle configurations only) (64G)
- Auto Start-Stop Technology is now included with the 3.5L PFDi engine (998)
- New Fleet Fuel Economy Package (98B) is available
- New Fleet Safety Package (59C) is available
- Front Sensing System (59B) has been added for Cutaway and Chassis Cab
- New All-Weather Floor Mats (86W) have been added that are available with vinyl floor covering
- New White Noise Back Up Alarm is available for E-Transit (63G)
- New Black HID Headlamps (91C)
- New Reverse Speed Limiter is standard on E-Transit
- New SYNC 4 with AM/FM stereo w/out navigation (58L)
- Auto Start-Stop Removal (19X) has been added for 3.5L PFDi and 3.5L EcoBoost® engines
- Wi-Fi 4G LTE Hotspot Delete (19Z)

#### **PACKAGES/OPTIONS CHANGED**

- Right Hand Door Delete (60X) is now available on E-Transit
- Intelligent Access with push-button start (41J) is now available on Cutaway models
- Passenger Seat Delete packages (21J, 21K, 211) are now available with E-Transit
- Auto Start-Stop Switch Delete (formerly sales code 57A) is now only available with the Fleet Fuel Economy Package (98B)
- Back Up Alarm (43B) is now available with E-Transit
- Fixed Shelving (66F, 66E, 66J) are now available with E-Transit and High Roof configurations
- Reverse Sensing System (43R) is now available on Cutaway and Chassis Cab
- Single AGM Battery 70 amp-hr is now standard on all engines
- Dark Palazzo Gray Cloth, 4-way manual swivel Driver and 4-way manual swivel Passenger seats (21T) is now available on Low Roof Cargo Van
- Blind Spot Assist 1.0 (65A) is now available on Cutaway and Chassis Cab
- RV Prep Package (47D) is available on all Cargo Van roof
- School Bus Prep Package (47C) and Multi-Function School Activity Bus Prep Package (47Q) are now available with E-
- Parcel Delivery Package (47G) availability has changed, refer to Packages Options Section
- Decal #2 (51F) is now up to 30 ft<sup>2</sup> and Decal #3 (51G) is now up
- Power Adjusting, Manual-Folding (543) and Power Adjusting, Manual-Folding Heated with Turn Signals (544) Long Arm Mirrors are available with Right Hand Door Delete (60X)
- Spare Tire and Wheel Delete (51A) no longer includes the Tire Repair Kit

#### PACKAGES/OPTIONS CHANGED (continued)

- Parcel Delivery Package (47G) is no longer available with 3.5L EcoBoost® V6 engine (99G)
- Chrome-trimmed Halogen Headlamps with Autolamp have been replaced with Chrome HID Headlamps as standard on Passenger Van XLT
- Pro Power Onboard is now optional on Cutaway
- Power Sliding Door (65C) has moved from standard to upgradeable in the Livery Package (47L) and is late availability
- Mobile Power Cord Delete (17S) is no longer a Fleet Only option

#### PACKAGES/OPTIONS DELETED

- Deleted Blue Jeans (N1) paint color
- 16" Black Steel Wheel with Gloss Black Center Caps (642)
- 16" Forged Aluminum Wheel (formerly sales code 64G)
- Body codes K1Y, K2Y, K1C, K2C
- 5-Passenger Seating (96U), 8-Passenger Seating (96L), 8-Passenger Seating (96M)
- Auto Start-Stop Switch Delete (formerly sales code 57A)
- Single Battery 70 amp-hr
- Decal #4 Up to 70 ft<sup>2</sup> (51H) and Decal #5 Up to 95 ft<sup>2</sup> (51J)
- Chrome-trimmed Halogen Headlamps
- Steering Column Lock
- Tire Repair Kit
- Cutaway/Chassis Cab Running Boards (68C)

#### LATE AVAILABILITY ITEMS

- Adventure Prep Package (47N)
- Cutaway and Chassis Cab configurations with the 3.5L PFDi V6 engine (998)

#### LATEST ORDER GUIDE UPDATES

- 2 keys with depopulated (no keyless functionality) key fobs (19Y)
- Updated description for 3-Passenger Front seat packs (212, 213, 216, 217)
- Updated description for SYNC 4 audio package (58L)
  E-Transit with audio packages 58B and 58C include Connected Navigation with 3 Years of Service available through Ford Pro Intelligence. See page 38 for more details.
- Reference images added for Matte Black Alloy Wheel (64G) and Sparkle Silver Alloy Wheel (64K)

#### **Product Changes and Features Availability**

- 1 -

Features, options and package content subject to change. Please check www.fmcdealer.com for the most current information

#### **E-TRANSIT CONFIGURATIONS**

Series	Body Code	Body Type	Roof Height	Wheelbase	Drive
T-350	W1Y	Cargo Van	Low Roof	Regular 130"	RWD/SRW
T-350	W1Y	Cargo Van	Low Roof	Long 148"	RWD/SRW
T-350	W9C	Cargo Van	Medium Roof	Regular 130"	RWD/SRW
T-350	W9C	Cargo Van	Medium Roof	Long 148"	RWD/SRW
T-350	W1X	Cargo Van	High Roof	Long 148"	RWD/SRW
T-350	W3X	Cargo Van	High Roof	Extended 148"	RWD/SRW
T-350	W5Z	Chassis Cab	Low Roof	Extended 178"	RWD/SRW
T-350	W5P	Cutaway	Low Roof	Extended 178"	RWD/SRW

- 2 -

EXTERIOR	CARGO VAN	CREW VAN	PASSENGER	PASSENGER	CUTAWAY	CHASSIS
Body Side Moldings – Carbon			VAN XL	VAN XLT		CAB
Black	•	•	•	•	•	•
Front License Plate Bracket	•	•	•	•	•	•
Rear-window Defroster	_	•	•	•	_	_
<u>Bumpers</u>						
Front Bumper – Body Colored	<del>-</del>		<del>-</del>	•	<del>-</del>	<del></del>
Front Bumper – Carbon Black, Body Colored with Lower	•	•	•	_	•	•
Valence Rear Bumper – Carbon Black,	•	•	•	•	_	_
without Integral Step <u>Doors – Rear</u>						
50/50 Hinged Rear Door, 180- degree Opening	•	•	•	•	_	_
Doors - Side						
Sliding Passenger-side Door	•	•	•	•	_	_
Exterior Lighting - Front						
Front Fog Lamps	_	_	_	•	_	_
Halogen Headlamps with Autolamp	•	•	•	_	•	•
Chrome HID Headlamps with Autolamp	_	_	_	•	_	_
Headlamp Courtesy Delay  Note: The headlamps stay on for						_
a set period of time after the owner turns off the ignition.	_	·	- The state of the	· ·	- The state of the	
Roof Marker Lamps (Included on						
DRW Cargo Van, Crew Van, Passenger Van XL and	•	•	•	•	•	•
Passenger Van XLT)						
Exterior Lighting – Rear						
Center High Mount Stop Lamp (CHMSL)	•	•	•	•	_	
Taillamps	•	•	•	•	•	•
Fuel (n/a with E-Transit)						
Auxiliary Fuel Port. Not available with E-Transit.	•	•	•	•	•	•
Fuel Tank – Capless Fuel Fill, 25 U.S. gallons (midship)	•	•	•	•	•	•
Charging/Battery						
Mobile Power Cord (120V/240V). Standard on E-Transit.						
Note: Switchable cord end to	*				*	*
allow customer charge	*E-Transit only	_	<u> </u>	<u> </u>	*E-Transit only	*E-Transit only
functionality with 120V (NEMA 5-	L Hanok omy				L manok omy	L Transit only
15) up to 15 Amps or 240V						
(NEMA 14-50) up to 32 Amps Grille						
Honeycomb Mesh Grille with						
Carbon Black Surround	•	•	•	<u> </u>	•	•
Honeycomb Mesh Grille with Chrome Surrond	_	_	_	•	_	_
Three Bar Grille with Dynamic	<b>.</b>				_	4
Blue Center Bars and Chrome Surround. Standard on E-Transit.	●* *E-Transit only	_	<u>—</u>	<u>—</u>	●* *E-Transit only	●* *E-Transit only
Exterior Mirrors Mirror Delete		_			•	•
Short-Arm, Power Adjusting, Manual-Folding	•	•	•	_	_	_
Short-Arm, Power Adjusting, Power-Folding Heated with Turn	_	_	_	•	_	_
Signals						
Running Boards						
Running Board	<u> </u>	•	<u> </u>	_	<b>—</b>	<u> </u>

			• -			
EXTERIOR (continued)	CARGO VAN	CREW VAN	PASSENGER VAN XL	PASSENGER VAN XLT	CUTAWAY	CHASSIS CAB
<u>Tires – Single Rear Wheel</u> (SRW)						
235/65R16C 121/119 R BSW all- season	•	•	•	•	•	•
Tires - Dual Rear Wheel (DRW)						
195/75R16C 107/105 R BSW all-						
season (RWD with Standard Front Axle configurations only)	•	•	•	•	•	•
205/75R16C 113/111 BSW all-						
season (AWD, 11,000lb GVWR	_			_	_	
or RWD with Heavy-Duty Front	•	•	_	_	_	•
Axle configurations only)  Towing						
Rear Recovery Tow Hook	•	•	•	•	_	_
Wheels - SRW						
16" Silver Steel Wheel with Black Hubcap (Standard Front Axle configurations only)	•	•	•	<u>—</u>	•	•
16" Steel Wheel with Full Silver						
Wheel Cover (Standard Front Axle configurations and E-Transit	●* *E-Transit only	<u>—</u>	<u>—</u>	•	●* *E-Transit only	●* *E-Transit only
only)	E-Halisii Olliy				E-Transit Only	E-Transit Only
16" Silver Steel Wheel. Includes						
Silver Hubcaps with Exposed	•	•	•	•	•	•
Lug Nuts (Heavy-Duty Front Axle configurations only)						
Wheels - DRW						
16" Heavy-Duty Silver Steel						
Wheel. Includes Silver Hubcaps with Exposed Lug Nuts						
Note: The center ornament only	•	•	•	•	•	•
comes on the front wheels, and						
not on the rear wheels.						
Wheels - Spare Tire Full-size Spare Tire and Wheel	•	•	•	•	_	
Windows/Glass						
Windows All-around	_	_	•	•	_	_
Rear-window	<del></del>	•	•	•	<del></del>	•
No Cargo Area Windows High-Strength Laminated Glass	•	<del>-</del>	<del>-</del>	<del>-</del>	<del>-</del>	<del>-</del>
(Sliding Doors only)	•	•	<del>-</del>	<del>-</del>	<u> </u>	_
Tinted Glass	•	•	•	•	•	•
INTERIOR Step Well Pads – Black	•	•	•	•		
Center Console	•	•			<del>-</del>	
Small Center Console with						
integrated shifter and deployable						
cup holder. Included and only available with 3-passenger	•	<del></del>	<del></del>	<del></del>	•	•
seating (212, 213, 216 and 217).						
Medium Center Console with						
integrated shifter and dual	•	•	•	_	•	•
cupholders  Medium Center Console with						
Integrated Rotary Gear Shift Dial	●* *E Transit only	<u>—</u>	<u>—</u>	<u>—</u>	●* *E Transit only	●* *E Transit only
and cup holder	*E-Transit only				*E-Transit only	*E-Transit only
Large Center Console with Integrated Shifter, dual						
cupholders and additional	<u> </u>	<u> </u>	_	•	_	_
storage area						
Door-Locks and Windows						
Glove Box – Locking Rear Cargo Door – Interior Exit	•	•	•	•	•	•
Handle	•	•	<del></del>	<del></del>	<del>-</del>	_

-						
INTERIOR (continued)	CARGO VAN	CREW VAN	PASSENGER VAN XL	PASSENGER VAN XLT	CUTAWAY	CHASSIS CAB
Rear Cargo Door – Exterior Lock Cylinder	•	•	•	•	_	_
Power Equipment Group (Power						
Locks and Windows) with	•	•	•	•	•	•
Remote Keyless-Entry						
Floor Covering						
Vinyl, Front only	•	_	<u> </u>	<u> </u>	•	•
Vinyl, Front and Rear	—	•	•	_	_	_
Carpet, Front and Rear	<u> </u>	_	<u> </u>	•	_	_
Rearview Mirror						
Rearview Mirror (When Equipped with Rear Glass).	_	•	•	•	_	•
Rearview Mirror Delete (When	_					
Equipped Without Rear Glass)	•	_	_	_	•	_
Interior Lighting						
Front Dome Lamp with Map Lights and Theater Dimming	•	•	•	•	•	•
Rear Dome Lamp with Map Lights				_		
and Theater Dimming	<del>-</del>	_	<del>-</del>	•	_	_
Partial Rear Compartment						
Lighting (2 LED lights located at C-pillar)	•	_	_	_	_	_
Full Rear Compartment Lighting	_	•	•	•	_	_
Rear Compartment LED Lamp						
Switch	_	•	_	_	_	_
Accessory Delay – 30 minutes	•	•	•	•	•	•
Interior Trim						
Front Overhead Shelf Delete	•	•	•	•	•	•
A-Pillar Assist Handles (Driver		•			•	•
and Passenger-side)		•			•	•
B-Pillar Assist Handle	•*	•	•	•	_	_
(Passenger-side)	*Low Roof Only		_			
D-Pillar Weld Nuts	•	•	<del>-</del>	_	_	_
Headliner – Cloth, Front only	•	•	<del>-</del>	_	•	•
Headliner – Cloth, Full length Rear View Camera	<del>-</del>	_	•	•	_	_
No Rear View Camera Note: For incomplete vehicles, upfitter must add a rear view camera to vehicles that are 10,000lb GVWR or less to						
complete the vehicle and meet FMVSS 111 requirements. Rear Video Camera and Prep Kit (61A) is available as a dunnage kit that requires upfitter installation.	_	_	<del>-</del>	<del>-</del>	•	•
Seating - Front						
Driver and Front-passenger						
Manual Reclining Bucket Seats						
with Adjustable Headrest	•	•	•	•	•	•
(Includes driver-side and						
passenger-side inboard armrest)						
Rear-Seat(s) Recline and Inboard Armrest						
Note: Last row of seats do not	<u> </u>	_	<del>-</del>	•	_	_
recline.						
Manual Driver-side Lumbar						
Support	_	_	•	•	_	_
Seating – Rear (Refer to the Rear	Seat Matrix on na	age 24 for comple	ete seat details)			
5-Passenger Seating. 1st row: 2			,			
seats, 2 <sup>nd</sup> row: 3 seats.	_	•	<del>-</del>	_	_	_

INTERIOR (continued)	CARGO VAN	CREW VAN	PASSENGER VAN XL	PASSENGER VAN XLT	CUTAWAY	CHASSIS CAB
12-Passenger Seating. 1st row: 2 seats, 2nd row: 3 seats, 3rd row: 3 seats, 4th row: 4 seats. Standard with Long Length Passenger Van.	_	_	•	•	_	_
15-Passenger Seating. 1st row: 2 seats, 2nd row: 3 seats, 3rd row: 3 seats, 4th row: 3 seats, 5th row: 4 seats. Standard with Extended Length Passenger Van.	_	_	•	•	_	_
Sun Visors						
Sun Visors	•	_	_	_	•	•
Illuminated Sun Visors	_	•	•	•	_	_
FUNCTIONAL Alternator – 250 amp (3.5L PFDi						
V6 and 3.5L EcoBoost® V6 engines).	•	•	•	•	•	•
Frame Rail Extension Adapters	_	_	<u> </u>	_	•	•
Horn – Single-note	•	•	•	•	•	•
Air Conditioning						
Front only	•	•	_	_	•	•
Front and Rear	<del>-</del>	<u> </u>	•	•	_	_
<u>Audio</u>						
Antenna – Fender Mounted	•	•	•	•	•	•
AM/FM stereo with 4.0" multi- function display, Bluetooth, and Dual USB ports	•	•	•	_	•	•
SYNC 4 with 12.0" multi-function display, AM/FM stereo, Bluetooth, Dual USB ports, Embedded Voice Recognition and Connected (Subscription) Navigation	●* *E-Transit only	_	_	•	●* *E-Transit only	●* *E-Transit only
Batteries						
Single AGM Battery – 70 amp-hr	•	•	•	•	•	
Brakes	•	•		•	•	•
Brakes – 4-wheel Anti-lock Disc Brakes  Note: Depending on driving habits and configuration, the brake pad life is up to 50% improved. In addition, brake pad wear indicators are now included and will send a warning message to the cluster if brake pads reach a certain wear threshold.	•	•	•	•	•	•
Parking Brake – Electric (SRW configurations only)	•	•	•	•	•	•
Parking Brake – Mechanical (9,950lb DRW/10,360lb GVWR configurations only)	•	•	•	•	•	•
Parking Brake – Push Down Mechanical (11,000lb GWVR configurations only)	•	<u>—</u>	<u>—</u>	_	•	•
Embedded Modem						

FUNCTIONAL (continued)	CARGO VAN	CREW VAN	PASSENGER VAN XL	PASSENGER VAN XLT	CUTAWAY	CHASSIS CAB
FordPass™ Connect						
Note: Ford Telematics and Data						
Services are telematics services						
available for fleet customers,						
providing access to						
manufacturer-grade vehicle data						
including but not limited to						
location, speed, idle time,						
remaining fuel, diagnostics, and						
maintenance alerts. FordPass						
Connect™ 4G Wi-Fi Modem						
(available with SYNC 4 only),						
enables telematics services						
directly from Ford or through						
authorized third-party providers.						
Learn more at						
commercialsolutions.ford.com or						
email fcs1@ford.com or by calling 833-FCS-Ford. (833-327-	•	•	•	•	•	•
3673). *Available on vehicles						
with embedded modem or						
equipped with approved plug-in						
device (PID). May require						
modem activation. Ford						
Telematics and Ford Data						
Services require a purchased						
subscription. Terms and						
conditions apply. Telematics						
service and features, and access						
to vehicle data depend on						
subscription and compatible						
AT&T network availability.						
Evolving technology/cellular						
networks/vehicle capability may limit functionality and prevent						
operation of connected features.						
Telematics Essentials**						
<b>Note:</b> A complimentary version						
of Ford Telematics that gives						
fleet customers access to vehicle						
health insights such as odometer						
reading, diagnostic trouble codes						
and information around oil life,						
engine hours and recalls with						
more expected features coming						
3 <sup>rd</sup> and 4 <sup>th</sup> quarter, 2021.			_	_		_
**Complimentary product. Available on vehicles with embedded modem.	•	•	•	•	•	•
Requires modem activation. Terms						
and conditions apply. Telematics						
service and features, and access to						
vehicle data depend on compatible						
AT&T network availability. Evolving						
technology/cellular networks/vehicle						
capability may limit functionality and						
prevent operation of connected						
features.						
Frontal Area Limitation						

	:		:	:	:	:
FUNCTIONAL (continued)	CARGO VAN	CREW VAN	PASSENGER VAN XL	PASSENGER VAN XLT	CUTAWAY	CHASSIS CAB
Base Frontal Area Limitation  Note: Provides a Vehicle Emission Control Information label with a frontal area restriction up to 72 ft². Frontal area limitation requires second unit body to meet profile restrictions. For additional information please reference the Incomplete Vehicle Manual and SVE Bulletins.  Instrumentation	_	_	_	_	•	•
Tachometer, Fuel Level and Coolant Temperature (Gas Engines)	•	•	•	•	•	•
Battery Level, Power Gauge and Power Availability (E-Transit) Interior Power	●* *E-Transit only	_	_	_	•* *E-Transit only	●* *E-Transit only
PowerPoint – 12V  Note: One is located in the instrument panel and one in center console.	•	•	•	•	•	•
USB Ports – 5 amps <b>Note:</b> Depending on seating configuration, one is located in each of the 2 <sup>nd</sup> row, 3 <sup>rd</sup> row, 4 <sup>th</sup> row and 5 <sup>th</sup> row.	_	_	•	•	_	_
Speed Limiting Device 75-mph Governed Top Speed. Standard on E-Transit Cutaway and Chassis Cab.	_	_	_	_	●* *E-Transit only	●* *E-Transit only
★Reverse Speed Limiter – Standard on E-Transit	●* *E-Transit only	_	_	_	●* *E-Transit only	●* *E-Transit only
Steering Electric Power Assisted Steering (EPAS)	•	•	•	•	•	•
Steering Wheel – Power Rack and Pinion	•	•	•	•	•	•
Steering Wheel – Tilt and Telescoping Suspension	•	•	•	•	•	•
Front – Independent MacPherson- strut, Stabilizer Bar	•	•	•	•	•	•
Rear – Leaf Springs, Heavy-duty Gas Shock Absorbers. Gas engine configurations only.	•	•	•	•	•	•
Rear – Independent with coil springs, semi-trailing arm (STA) and stabilizer bar. E-Transit only.  SAFETY/SECURITY	•* *E-Transit only	_	_	_	•* *E-Transit only	•* *E-Transit only
Autolocking Drive Away with Crash Unlocking.	•	•	•	•	•	•
AdvanceTrac® w/Roll Stability Control™ (RSC®)	•	•	•	•	•	•
Safety Belts — 3-point, All Positions  Note: Belt minder is included on the driver and front passenger seat(s).	•	•	•	•	•	•
SecuriLock® Passive Anti-Theft System (PATS) with engine immobilizer	•	•	•	•	•	•

-											
SAFETY/SECURITY (continued)	CARGO VAN	CREW VAN	PASSENGER VAN XL	PASSENGER VAN XLT	CUTAWAY	CHASSIS CAB					
SOS Post-Crash Alert System™.  Not available with Radio Prep Package (58T) and AM/FM Stereo with 4" Screen (58U).  Note: Automatically flashes the hazard lights and intermittently sounds the horn when the airbag deploys.	•	•	•	•	•	•					
Tire Pressure Monitoring System (TPMS).	•	•	•	•	•	•					
Stationary Elevated Idle Control (SEIC)	•	•	•	•	•	•					
<u>Airbags</u>											
Driver and Passenger Airbags	•	•	•	•	•	•					
Passenger-side Airbag Cut-off Switch. Not available with Passenger Seat Delete (21J, 21K and 211) or Right Hand Door Delete (60X) configurations	•	•	_	_	•	•					
Safety Canopy® Side-curtain	•	•	•	•	•	•					
Airbags FORD CO-PILOT360™	-					-					
TECHNOLOGY Forward Collison Warning											
Hill Start Assist	•	•	•	•	•	•					
Post-Collison Braking  Note: Can potentially lessen the severity of a secondary collision by automatically applying moderate brake pressure when an initial collision event is	•	•	•	•	•	•					
detected.											
Side Wind Stabilization	•	•	•	•	•	•					
Ford Co-Pilot360™  Pre-Collision Assist with Automatic Emergency Braking (AEB)  Note: If a potential collision is detected, a warning flashes and an alert sounds, and if the driver's response is not sufficient, the system can automatically apply the brakes to help minimize a frontal collision.	•	•	•	•	•	•					
Blind Spot Assist 1.0  Note: Includes Blind Spot Information System (BLIS®) with Cross-traffic Alert and Trailer Coverage.	_	_	<del>-</del>	•	<del>-</del>	_					
Lane-Keeping System  Note: Includes Lane-Keeping Alert and Driver Alert. This feature can alert the driver, during day or night, if their vehicle is unintentionally leaving its intended lane.	•	•	•	_	•	•					
Auto High-Beam Headlamps	•	•	•	•	•	•					
Rear View Camera with Trailer Hitch Assist.											
Note: Camera will be high-mount	•	J	•	<del></del>	_						
for Medium Roof and High Roof.  High Resolution Digital Camera.	●* *E-Transit only.	_		•	_						
Exterior Sensors	E-Hansil Only.										
Reverse Sensing System	_	_	<u> </u>	•	_	_					

2023 TRANSIT 08/01/22 **PROPRIETARY** 

#### **STANDARD EQUIPMENT**

FORD CO-PILOT360™ TECHNOLOGY (continued)	CARGO VAN	CREW VAN	PASSENGER VAN XL	PASSENGER VAN XLT	CUTAWAY	CHASSIS CAB
Side Sensing System	_	_	_	•	_	_
Windshield Wipers						
Automatic Rain-Sensing Windshield Wipers	•	•	•	•	•	•

★ = New for this model year • = Available - 10 -

			•				
SODY CODES	Body	CARGO	CREW		PASSENGER	CUTAWAY	CHASSIS
	<b>Type</b> Order	VAN	VAN	VAN XL	VAN XLT	GOTAWAT	CAB
	Code	101A	201A	301A	302A	501A	701A
NOTE: Body Codes have changed	l, double-check before in	outting orders.	Also, you must	input Wheelbas	e into CONCEP	S now	
OW ROOF							
<b>Fransit-150 (GVWR: Cargo Van 8,6</b> Regular (130")	670#   Crew Van 8,670#) RWD	E1Y	E1Z			1	
Regular (130°)	AWD	E2Y	E9Z	_	_	_	
_ong (148")	RWD	E1Y	E1Z	_	_	_	_
ong (148")	AWD	E2Y	E9Z		_	_	_
<b>Fransit-250 (GVWR: Cargo Van 9,0</b> Regular (130")	070#   Crew Van 9,070#   0 RWD	Sutaway 9,070# R1Y	R1Z	9,070# <u>)</u>			_
Regular (130")	AWD	R2Y	R2Z	_	_	_	
Regular (138″)	RWD	_	_	_	_	R5P	R5Z
Regular (138")	AWD	_	_	_		R7P	R7Z
∟ong (148") ∟ong (148")	RWD AWD	R1Y R2Y	R1Z R2Z	_	_	_	_
ong (156")	RWD	— —	—	_	_	R5P	R5Z
Long (156")	AWD	_	_	_	_	R7P	R7Z
Transit-350 (GVWR: Cargo Van 9,5	500#   Crew Van 9, 250#, e	except with Lon	ng (148") is 9,50	0#   Passenger \	Van 9,250#, exc	ept with 14 or 1	5-Passenge
Seating and RWD is 9,400#   Pase Regular (130")	senger van with 14 or 15- RWD	W1Y	W1Z	s 9,550#   Cutaw	/ay 9,500#   Cha	ssis Cab 9,5007	<del>‡)</del>
Regular (130")	AWD	W2Y	W2Z	_	_	_	_
Regular (138″)	RWD	_	_	_	_	W5P	W5Z
Regular (138")	AWD					W7P	W7Z
₋ong (148") ₋ong (148")	RWD AWD	W1Y W2Y	W1Z W2Z	X2Y X9Y	X2Y X9Y	_	_
ong (156")	RWD	VVZ 1 —	VV2Z —	— A91 —	— A91	W5P	W5Z
_ong (156")	AWD	_	_	_	_	W7P	W7Z
Extended (178")	RWD	_	_	_		W5P	W5Z
Extended (178") <b>kTransit-350 HD SRW (GVWR: C</b> a	AWD			(May 90 MDH)	_	W7P	W7Z
ong (148")	RWD	F1Y	— —		_	_	_
ong (148")	AWD	F2Y	_	_	_	_	_
ong (156")	RWD	_	_	_	_	F1P	F1Z
Long (156") Extended (178")	AWD RWD	_		_	_	F2P F1P	F2Z F1Z
Extended (178")	AWD	_	_	_	_	F2P	F2Z
Fransit-350 HD DRW (GVWR: Cuta		9,950#)				. =:	
Regular (138")	RWD	_	_	_		F6P	F6Z
Regular (138") Long (156")	AWD RWD	_	_	_	_	F8P F6P	F8Z F6Z
Long (156")	AWD	_	_	_	_	F8P	F8Z
Extended (178")	RWD	_	_	_	_	F6P	F6Z
Extended (178")	AWD		_	_	_	F8P	F8Z
<u>Fransit-350 HD DRW (GVWR: Cuta</u> Regular (138")	RWD	ab 10,360#)				S6P	S6Z
Regular (138")	AWD	_				S8P	S8Z
ong (156")	RWD	_	_	_	_	S6P	S6Z
ong (156")	AWD	_	_	_		S8P	S8Z
Extended (178") Extended (178")	RWD AWD	_	_	_	_	S6P S8P	S6Z S8Z
Fransit-350 HD DRW (GVWR: Cuta		ab 11.000#)		_	_	301	302
Regular (138")	RWD		_	_	_	U6P	U6Z
Regular (138")	AWD	_	_	_	_	U8P	U8Z
∟ong (156") ∟ong (156")	RWD AWD	_			_	U6P U8P	U6Z U8Z
Extended (178")	RWD	=	=	_	_	U6P	U6Z
Extended (178")	AWD		_	_	_	U8P	U8Z
MEDIUM ROOF Fransit-150 (GVWR: Cargo Van 8.6	670#   Cross Van 0 070#\						
<del>rransit-150 (GVWR: Cargo Van 8,6</del> Regular (130")	670#   Crew Van 8,670#) RWD	E1C	E1D	_	_	_	
Regular (130")	AWD	E2C	E2D	_	_	_	_
_ong (148")	RWD	E1C	E1D	_	_	_	_
₋ong (148") Fransit-250 (GVWR: Cargo Van 9.0	AWD	E2C	E2D				
<u>l ransit-250 (GVWR: Cargo Van 9,0</u> Regular (130")	0/0#   Crew Van 9,0/0#) RWD	R1C	R1D	1 _			
Regular (130")	AWD	R2C	R2D	_	_	_	_
_ong (148")	RWD	R1C	R1D	_	_	_	_
ong (148") Francit 350 (CVIMB: Corgo Van 0.6	AWD	R2C	R2D	——————————————————————————————————————	——————————————————————————————————————	— — — — — — — — — — — — — — — — — — —	— 
Fransit-350 (GVWR: Cargo Van 9,5 Seating and RWD is 9,400#   Pas					an 9,250#, exce	<u>:pt with 14 or 15</u>	<u>)-rassenger</u>
Segular (130")	RWD	W9C	W1D	——————————————————————————————————————	_	_	_
Regular (130″)	AWD	W2C	W2D	_	_	_	_
ong (148")	RWD	W9C	W1D	X2C	X2C	_	_
₋ong (148") <b>★Transit-350 HD SRW (GVWR: Ca</b>	AWD	W2C	W2D	X9C	X9C		_
ong (148")	RWD	F7C	I –	_	_		_
₋ong (148")	AWD	F8C	_	_			
HIGH ROOF	270 11 0 11 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2						
<u>Fransit-250 (GVWR: Cargo Van 9,0</u> ₋ong (148")	070#   Crew Van 9,070#) RWD	R1X	R1V				
ong (148")	AWD	R2X	R2V	_		_	_
t New for this model year	,5		0.00		nol / D. Doolros	10 " / 5	EL . O .:

 $\star$  = New for this model year

S = Standard / O = Optional / P = Packaged Option / F = Fleet Option with valid FIN code / I = Included

BODY CODES	Po dv	CARCO	CREW	DASSENCER	DASSENCED		CHASSIS
BODY CODES	Body Type	CARGO VAN	CREW VAN	PASSENGER VAN XL	PASSENGER VAN XLT	CUTAWAY	CHASSIS
	Order	101A	201A	301A	302A	501A	701A
LUCII BOOF (i'mi')	Code	10171	20171	00171	00271	00171	70171
HIGH ROOF (continued) Extended (148")	RWD	R3X	_	_	_	_	_
Extended (148")	AWD	R3U	_	_	_	_	_
Transit-350 (GVWR: Cargo Van 9,500#   Crew Va			9,250#, except \	with 14 or 15-Pa	ssenger Seatin	g and RWD is 9	<u>,400#  </u>
Passenger Van with 14 or 15-Passenger Seating Long (148")	RWD	W1X	W1V	X2X	X2X	_	_
Long (148")	AWD	W2X	W2V	X9X	X9X	_	_
Extended (148")	RWD	W3X	_	_	_		_
Extended (148")  ★Transit-350 HD SRW (GVWR: Cargo Van 9,950#	AWD	WBH/	_	_	_	_	_
Long (148")	RWD	F5X	_	_	_	_	_
Long (148")	AWD	F6X	_	_	_	_	_
Extended (148") Extended (148")	RWD AWD	F7X F8X	_	_	_	_	_
Transit-350 HD DRW (GVWR: Cargo Van 9,950#			_	_	<u> </u>	<del>_</del>	_
Extended (148")	RWD	F4X	F4V	_	_	_	_
Extended (148")	AWD	F4U	F4W		_	_	_
Transit-350 HD DRW (GVWR: Cargo Van 10,360# Extended (148")	RWD	n 10,360#   Pass   S4X	senger van 10,3 S4V	060#) U4X	U4X	_	_
Extended (148")	AWD	S4U	S4W	U5X	U5X	_	_
Transit-350 HD DRW (GVWR: Cargo Van							
11,000#) Extended (148")	RWD	U8X	1	I .			
Extended (148") Extended (148")	AWD	U8U		_	=	==	_
POWERTRAIN							
Engine							ı
3.5L PFDi V6. Not available on Cargo Van (S4U U8X and U8U). Crew Van (S4W). Passenger Van							
XL/XLT (U5X), Cutaway (S6P, S8P, U6P and							
U8P) or Chassis Cab (S6Z, S8Z, U6Z and U8Z).							
Late availability with Cutaway and Chassis Cab configurations.	998	S	S	S	S	S	S
Note: Includes port injection and E-85 Flex-Fuel							
Capable capability and Auto Start-Stop							
technology. 3.5L EcoBoost® V6. Standard on Cargo Van (S4U,							
U8X and U8U), Crew Van (S4W), Passenger Van						0/0	
XL/XLT (U5X), Cutaway (S6P, S8P, U6P and	99G	S/O	S/O	S/O	S/O	S/O	S/O
U8P) and Chassis Cab (S6Z, S8Z, U6Z and U8Z).							
Note: Includes Auto Start-Stop technology.  Electric Motor (E-Transit) with 68kWH Standard							
Range High-Voltage Battery. Only Available on							
Cargo Van (W1Y, W9C, W1X and W3X), 178"	99K	0	_	_	_	0	0
Wheelbase Cutaway (W5P) and 178" Wheelbase Chassis Cab (W5Z).							
★Auto Start-Stop Removal. Required option with	401/	_		_	•	•	
3.5L PFDi and 3.5L EcoBoost® engines.	19X	0	0	0	0	0	0
Transmission 10-Speed Automatic Overdrive with SelectShift®.			1	I			I
Auxiliary Transmission Oil Cooler is standard. Not	44U	S	s	S	S	S	S
available with E-Transit.				_			
Single-Speed Transmission. Only available with the	44A	0	_	_	_	0	0
Electric Motor/E-Transit (99K).  EXTERIOR							
Roof Marker Lamp Delete. Standard on SRW							
Cargo Van, Crew Van and Passenger Van XL/XLT							
<b>Note:</b> Vehicle shipped with temporary tape over five (5) holes. Upfitter is responsible to seal holes	18A	S	S	S	S	0	_
on Cutaway only.							
Bumpers			,	1			
Front Bumper – Body Colored. Includes Front Fog							
Lamps (55D). Cargo Van, Crew Van and Passenger Van XL requires Side Sensing System							
(94A).	53G	0	0	0	S	0	0
Note: Body colored front bumpers are offered in							
every exterior color. The front bumper will match the exterior color.							
Rear Bumper – Carbon Black, with integral step.	425				0		
Optional on Low Roof only.	43E	0	0	0	0	_	_
<u>Doors</u> 50/50 Hinged Rear Door, 253-degree Opening Only							
available on Long and Extended Length	18P	0	0	0	0	_	_
configurations.							
60/40 Hinged Passenger-side Door (Low Roof only)	59A	0	_	0	0		_
Power Sliding Door. Only available on Medium/High Roof configurations. Not available with Regular							
Length configurations or Cargo Van U8U/U8X.	65C	0	_	0	0	_	_
Note: Power Sliding Door contains anti-pinch							
feature to help prevent injury.							

<sup>★ =</sup> New for this model year

BODY CODES	Body Type	CARGO VAN	CREW VAN	PASSENGER VAN XL	PASSENGER VAN XLT	CUTAWAY	CHASSIS CAB
	Order Code	101A	201A	301A	302A	501A	701A
EXTERIOR (continued) Right Hand Door Delete. Included with School Bus Prep Package (47C), MFSAB Prep Package (47Q) and available with Shuttle Bus Prep Package (47S). Note: Intended for upfitters who plan to modify the factory roof. Includes only front driver airbag. See Package/Option page for details.	60X	_	_	_	_	I/P/O	_
Exterior Lighting – Front Chrome High-Intensity Discharge (HID) Headlamps. Not available on Chassis Cab and Cutaway with 3.5L PFDi V6 (998) engine. Included in Exterior Upgrade Package – SRW (18D) and DRW (18L). Note: HID headlamps emit a brighter, more natural light than halogen headlamps, which can help improve visibility. HID headlamps also include LED signature surround.	91A	0	0	0	S	0	0
★Black High-Intensity Discharge (HID) Headlamps. Not available on Chassis Cab and Cutaway with 3.5L PFDi V6 (998) engine. Included in the RV Prep Package (47D) and Motorhome Prep Package (47M).  Note: Not available with Exterior Upgrade Package – SRW (18D) and DRW (18L). HID headlamps emit a brighter, more natural light than halogen headlamps, which can help improve visibility. HID headlamps also include LED signature surround.	91C	0	0	0	_	0	0
Wiper Activated Headlamps	91B	0	0	0	S	0	0
Front Fog Lamps. Included in Side Sensing System (94A) and in Motorhome Prep Package (47M). Also included in Exterior Upgrade Package – SRW (18D) and DRW (18L).  Note: Auxiliary lamps that are generally integrated into the front fascia and designed to help illuminate the roadway during poor visibility.	55D	O/I	O/I	Ο/Ι	S	Ο/Ι	O/I
Exterior Lighting – Rear Separate Stop Turn Tail Lamp – LED Enabled. Included in Ambulance Prep Package – Cutaway (47F), School Bus Prep Package (47C) and Multi- Function School Activity Bus Prep Package (47Q).	43Q	_	_	_	_	O/I	0
Fuel Tank  Extended Range Fuel Tank – Capless Fuel Fill, 31 U.S. gallons (midship). Not available on E-Transit, Regular Length configurations and Passenger Van XL/XLT (X9X) with the combination of the 15- Passenger Seating (96P) and the 3.5L EcoBoost® V6 (99G) engine.	655	0	0	0	0	0	0
Auxiliary Fuel Port Extension Line. Optional on Cargo Van Long and Extended Length and includes Extended Range Fuel Tank (655).  Note: Allows for access to the Auxiliary Fuel Port without removing fuel tank  Charging	63F	0	_	_	_	_	_
★Mobile Power Cord Delete. Optional with E- Transit.	17S	0	_	_	_	0	0
Mirrors – Short-Arm  Power Adjusting, Manual-Folding. Not available with Blind Spot Assist 1.0 (65A) or Right Hand Door Delete (60X).	541	S	S	S	_	0	_
Power Adjusting, Manual-Folding Heated with Turn Signals. Not available with Blind Spot Assist 1.0 (65A) or Right Hand Door Delete (60X). Mirrors – Long-Arm	545	0	0	0	_	0	0
Power Adjusting, Manual-Folding. Not available with Blind Spot Assist 1.0 (65A) Power Adjusting, Manual-Folding Heated with Turn Signals. Cargo Van, Crew Van and Passenger	543 544	O O/P	O O/P	O O/P	— O/P	O/P	_ o
Van XL/XLT are available with Blind Spot Assist 1.0 (65A).  Running Boards	U44	O/P	O/P	0/F	0/F	0/F	
Running Boards Running Board.  Note: Running board covers the B-C Pillar Passenger-side.	68H	0	S	0	0	_	_

-							
BODY CODES	Body Type	CARGO VAN	CREW VAN	PASSENGER VAN XL	PASSENGER VAN XLT	CUTAWAY	CHASSIS CAB
	Order	101A	201A	301A	302A	501A	701A
EXTERIOR (continued)	Code						
Power Running Board. Not available on Cargo Van with Vinyl, Front and Rear (16E), Interior Upgrade Package – Cargo Van (96C), Load Area Protection Package (96D) or with E-Transit.  Note: Running board covers the B-C Pillar Passenger-side.	68L	0	-	0	0	_	-
Extended Length Running Boards. Not available with E-Transit.  Note: Running board covers the A-B Pillar Driverside and A-C Pillar Passenger-side.	68J	0	0	0	0	_	_
Trailering Tow/Haul Mode with Trailer Wiring Provisions. Included in Motorhome Prep Package (47M). See Package/Options page for details.	53D	0	0	0	0	O/I	0
Trailer Brake Controller (TBC). Requires Cruise Control (60C), Adaptive Cruise Control (60D), Audio Package 58E or 58F and requires Heavy-Duty Trailer Tow Package (53B) or Tow/Haul Mode with Trailer Wiring Provisions (53D). Not available with E-Transit or 3-Passenger seating (212, 213, 216 and 217).	67D	0	0	0	0	0	0
Heavy-Duty Trailer Tow Package Note: Deletes Rear Tow Hook. See Package/Option page for details.	53B	0	0	0	0	_	_
Wheels – SRW  16" Steel Wheel with Full Silver Wheel Cover (Standard Front Axle configurations only and standard with E-Transit). Included with Exterior Upgrade Package – SRW (Standard Front Axle configurations only) (18D).	64H	S/I/O	I/O	0	S	S/I/O	S/I/O
16" Silver Aluminum Alloy Wheel (Standard Front Axle configurations only). Available with Exterior Upgrade Package – SRW (Standard Front Axle configurations only) (18D).	647	P/O	P/O	0	0	P/O	P/O
16" Black Aluminum Alloy Wheel (Standard Front Axle configurations only). Available with Exterior Upgrade Package – SRW (Standard Front Axle configurations only) (18D).	644	P/O	P/O	0	0	P/O	P/O
★16" Sparkle Silver Alloy Wheel (Heavy-Duty Front Axle configurations only). Available with Exterior Upgrade Package – SRW (Heavy-Duty Front Axle configurations only) (18D).	64K	P/O	P/O	0	0	P/O	P/O
★16" Matte Black Alloy Wheel (Heavy-Duty Front Axle configurations only). Available with Exterior Upgrade Package – SRW (Heavy-Duty Front Axle configurations only) (18D).	64G	P/O	P/O	0	0	P/O	P/O
Wheels – DRW 16" Heavy-Duty Forged Aluminum Wheel (Standard Front Axle configurations only). Available with Exterior Upgrade Package – DRW (Standard Front Axle configurations only) (18L).	76E	P/O	P/O	0	0	P/O	P/O
16" Heavy-Duty Forged Aluminum Wheel (Heavy-Duty Front Axle configurations only). Available with Exterior Upgrade Package – DRW (Heavy-Duty Front Axle Configurations only) (18L).	76G	P/O	P/O	0	0	P/O	P/O
Wheels – Spare Tire Spare Tire and Wheel. Included in the Ambulance Prep Package – Cutaway (47F) Note: Includes 3 ton jack, tool kit and full-size matching tire	51D	S	S	S	S	O/I	0
Spare Tire and Wheel Delete.	51A	0	0	0	0	S	S
Windows (Refer to the Windows Offering Chart of Fixed Rear Cargo Door Glass. Includes Rear-	n page 21 17A	for complete w	indow details)	_	_	_	S
window Defroster.  Fixed Rear Cargo Door Glass and Fixed 2 <sup>nd</sup> row Passenger-side Glass. Includes Rear-window Defroster.	17B	0	_	_	_	_	_
Fixed Rear Cargo Door Glass and Fixed Driver and Passenger-side Glass. Includes Rear-window Defroster.	17D	_	S	_	_	_	_
Windows-All-Around, Fixed. Includes Rear-window Defroster.	17F	0	_	S	S	_	-
Egress Window. Requires Windows-All-Around, Fixed (17F) and Privacy Glass (92E). Not available on Low Roof Passenger Vans. <b>Note:</b> Replaces 2 <sup>nd</sup> row Driver-side window.	17L	_	_	0	0	_	_

BODY CODES	Body	CARGO	CREW	PASSENGER	PASSENGER		CHASSIS
5051 00520	Type	VAN	VAN	VAN XL	VAN XLT	CUTAWAY	CAB
	Order Code	101A	201A	301A	302A	501A	701A
EXTERIOR (continued)	Oodo						
Glass Safety Glass. Included with Multi-Function School Activity Bus (MFSAB) Prep (47Q) and School Bus Prep (47C) packages. Note: Applies to the front and side windows. Provides additional safety that makes the glass less likely to break, or less likely to pose a threat when broken.	65B	_	_	-	-	0/I	-
High Strength Laminated Glass. Available with Windows-All-Around, Fixed (17F) only. Optional on Medium/High Roof, Long Length Cargo Van. Not available on Low Roof.  Note: High strength laminated glass applies to 2 <sup>nd</sup> -4 <sup>th</sup> row windows. This option provides a pathway to FMVSS 226 compliance.	92A	0	_	-	-	_	-
Privacy Glass. Includes Rear-window Defroster. Requires Fixed Rear Cargo Door Glass (17A), Fixed Rear Cargo Door Glass and Fixed Passenger-side Glass (17B), Fixed Rear Cargo Door Glass and Fixed Driver and Passenger-side Glass (17D) or Windows-All-Around, Fixed (17F). Note: Provides protection of vehicle occupant(s) and occupant personal belongings. The glass also provides occupant comfort by helping to reduce vehicle cool-down time.	92E	0	0	0	0	_	-
INTERIOR Cruise Control. Includes Adjustable Speed Limiting							
Device (ASLD). Not available with audio package 58F.  Note: The ASLD feature is great for city driving; it							
allows the driver to set an upper speed limit for the vehicle. If the vehicle begins to approach the upper speed limit then audible and visual warning are given.	60C	0	0	0	S	0	0
B-Pillar Assist Handle (Passenger-side)  Note: Handle is standard on Low Roof Cargo Van D-Pillar Assist Handles	41B	S/O	S	S	S	_	_
Note: Located on the Driver and Passenger-side. Due to space requirements, the Driver-side handle is deleted if Front/Rear Aux A/C and Heater (Driver controlled) (57G) is also ordered. Note: Not Available with any Shelving Options (66H, 66G, 66E, 66F, 66J)	66C	0	0	_	ı	_	_
Illuminated Sun Visors. Included with Interior Upgrade Package – Cargo Van (96C) and Interior Upgrade Package – Cutaway/Chassis Cab (47A).	85C	O/I	S	S	S	O/I	O/I
Rearview Mirror. Included with rear glass window configurations (17A, 17B, 17D and 17F). Not available with Rear View Display in Rearview Mirror (61B).	90B	ı	S	S	S	0	S
★Virtual Rearview Mirror. Placed in the traditional rearview mirror mount location, this always on, auto-dimming enhanced mirror provides full virtual rearview images when obstructions such as a bulkhead, cargo or no rear windows are present. Returns to mirror mode when the camera is turned off. Not available with Low Roof.	90C	0	0	0	0	_	_
Note: This is not a reverse back-up camera. Full Rear Compartment Lighting. Includes cargo area LED lights at C-pillar, D-pillar and mid-ship (ELWB only). Rear Compartment LED Switch is only included on Cargo Van and Crew Van. C-Pillar LED lights are not included on Crew Van.	15F	0	S	S	S	_	-
Cargo Tie-Down Hooks (Cargo Van: 6 tie-down hooks; Crew Van: 4 tie-down hooks)	17P	0	0	_	_	_	_
Front Overhead Shelf. Not available on Low Roof Cargo Van, Crew Van, and Passenger Van.	66D	0	0	0	0	0	0
Bulkheads Bulkhead – Lockable Door with Window. Optional only on Medium Roof and High Roof. Includes B-Pillar Assist Handle (41B). Note: The bulkhead is located behind the driver and passenger seats in the Cargo Van, and separates them from the cargo area.	47T	0	_	-	-	-	-
Bulkhead – Window Only. Optional only on Low Roof and Medium Roof. Includes B-Pillar Assist Handle (41B).	47U	0	_	_	_	_	_

**PROPRIETARY** 

## 2023 TRANSIT OPTIONAL EQUIPMENT

BODY CODES	Body Type	CARGO VAN	CREW VAN	PASSENGER VAN XL	PASSENGER VAN XLT	CUTAWAY	CHASSIS CAB
	Order Code	101A	201A	301A	302A	501A	701A
INTERIOR (continued)	Code						
Bulkhead – Crew Van. Composite material with no Window. Not available on Low Roof.  Note: The bulkhead is located behind the 2 <sup>nd</sup> row of seats in Crew Van and separates passengers from the cargo area.  Shelving	47V	_	0	-	_	_	_
Foldable Aluminum Shelving, two levels per side. Requires Bulkhead – Lockable Door with Window (47T). Available with High Roof and Long and Extended Lengths only. Not available with Interior Upgrade Package (96C), Load Area Protection Package (96D), Power Sliding Door (65C), D-Pillar Assist Handles (66C), Windows-All-Around (17F) Pro Power Onboard (90E), Front/Rear Aux A/C and Heater (57G) or Power Running Board (68L). Foldable Aluminum Shelving, one level per side.	66H	0	-	-	-	_	-
Requires Bulkhead – Lockable Door with Window (47T). Available with High Roof and Long and Extended Lengths only. Not available with Interior Upgrade Package (96C), Load Area Protection Package (96D), Power Sliding Door (65C), Windows-All-Around (17F), D-Pillar Assist Handles (66C), Pro Power Onboard (90E), Front/Rear Aux A/C and Heater (57G) or Power Running Board (68L).	66G	0	_	-	_	_	_
Fixed Shelving, multi-level – passenger side only. Requires a Bulkhead option (47T or 47U). Available with Regular and Long Lengths only. Not available with Interior Upgrade Package (96C), Load Area Protection Package (96D), Windows-All-Around (17F), Front/Rear Aux A/C and Heater (57G), D-Pillar Assist Handles (66C), or Pro Power Onboard (90E).	66F	0	-	-	_	_	_
Fixed Shelving, multi-level – driver side only. Requires a Bulkhead option (47T or 47U). Available with Regular and Long Length Cargo Vans only. Not available with Interior Upgrade Package (96C), Load Area Protection Package (96D), Windows-All-Around (17F), Front/Rear Aux A/C and Heater (57G) or D-Pillar Assist Handles (66C).	66E	0	_	_	_	_	_
Fixed Shelving, multi-level – driver and passenger sides. Requires a Bulkhead option (47T or 47U). Available with Regular and Long Length Cargo Vans only. Not available with Interior Upgrade Package (96C), Load Area Protection Package (96D), D-Pillar Assist Handles (66C), Windows-All-Around (17F), Front/Rear Aux A/C and Heater (57G) or Pro Power Onboard (90E).	66J	0	-	-	_	_	_
Center Console Large Center Console. Included with Upfitter Package (67C) and Trailer Brake Controller (67D). Not available with E-Transit. Note: Includes an integrated shifter, a dual cup holder and an additional storage area	67E	O/I	O/I	O/I	S	O/I	O/I
Center Console with Right-Side Shifter. Allows for ease of leg turn. Optional on Cargo Van Medium/High Roof SRW and Cutaway SRW configurations and on the following RWD and DRW configurations only – Cargo (F4X) and Cutaway (F6P). Only available with the 3.5L PFDi V6 (998) engine.  Not available with Upfitter Package (67C), Trailer Brake Controller (67D), Radio Prep Pack (58T) or Rear View Display in Rearview Mirror (61B).	67F	0	_	_	_	0	_
Floor Covering Vinyl, Front only. Included with the Builders Prep Package (47E) for Passenger Van XL. Note: Wheel Well Liners and Scuff Plates Kit are not included.	16C	S	_	ı	_	S	S
Vinyl, Front and Rear. Included in Interior Upgrade Package – Cargo Van (96C) and Load Area Protection Package (96D). Not available with Front/Rear Aux A/C and Heater (Driver controlled) (57G) on Cargo Van, Heavy-Duty Cargo Flooring (60B) or Heavy-Duty Scuff Plate Kit (85B).  Note: Wheel Well Liners are included as part of the rear vinyl floor covering. On the Crew Van, the vinyl flooring is only in the 1st and 2nd rows.	16E	0/I	s	s	0	_	-

<sup>★ =</sup> New for this model year

S = Standard / O = Optional / P = Packaged Option / F = Fleet Option with valid FIN code / I = Included

BODY CODES	Body	CARGO	CREW	PASSENGER		CUTAWAY	CHASSIS
	Type Order Code	<b>VAN</b> 101A	<b>VAN</b> 201A	301A	VAN XLT 302A	501A	<b>CAB</b> 701A
INTERIOR (continued)	Code						
Carpet, Front only. Included with Builders Prep Package (47E). Not available with E-Transit. <b>Note:</b> Deletes all rear floor covering.	16G	0	_	_	I	0	0
Carpet. Front and Rear	16H	_	_	0	S	_	_
Carpet Floor Mats, Front. Only available with carpet floor covering (16G/16H).	86B	0	_	0	0	0	0
Heavy-Duty Cargo Flooring. Includes Heavy-Duty Scuff Plate Kit (85B). Not available with Vinyl, Front and Rear (16E) – Cargo Van only or Front/Rear Aux A/C and Heater (Driver controlled) (57G).  Note: Crew Vans will receive heavy-duty scuffs for rear cargo doors only.	60B	0	0	_	-	_	_
Seating - Front (Refer to the Front Seat Matrix on	page 23 f	or complete se	at details)				
Dark Palazzo Gray Cloth, 2-way manual Driver and 2-way manual Passenger seats. Cargo Van and Chassis Cab are only available with 10,360/11,000lb GVWR configurations Not available with E-Transit.  Note: Roof modification by the upfitter is required to meet the criteria for application exception/exclusion to FMVSS 214 Side impact Protection Section S9 Vehicle-To-Pole Requirements on vehicles 10,000lb GVWR or less. Refer to the regulatory text of FMVSS 214 for the definition of "modified roof".	21C	0	_	_	_	0	0
Ebony Cloth, 2-way manual Driver and 2-way manual Passenger seats. Cargo Van and Chassis Cab are only available with 10,360 / 11,000 GVWR configurations. Not available with E-Transit.  Note: Roof modification by the upfitter is required to meet the criteria for application exception/exclusion to FMVSS 214 Side impact Protection Section S9 Vehicle-To-Pole Requirements on vehicles 10,000lb GVWR or less. Refer to the regulatory text of FMVSS 214 for the definition of "modified roof".	21D	O	_	-	-	Ο	Ο
Dark Palazzo Gray Vinyl, 2-way manual Driver and 2-way manual Passenger seats with Driver seat armrest only.	21G	S	S	0	-	S	S
Passenger Seat Delete Dark Palazzo Gray Vinyl, 2-way manual Driver seat. Cargo Van is only available with 10,360lb/11,000lb GVWR configurations.  Note: Roof modification by the upfitter is required to meet the criteria for application exception/exclusion to FMVSS 214 Side impact Protection Section S9 Vehicle-To-Pole Requirements on vehicles 10,000lb GVWR or less. Refer to the regulatory text of FMVSS 214 for the definition of "modified roof".	21J	0	_		_	0	_
Passenger Seat Delete Dark Palazzo Gray Cloth, 2-	21K	0	_		_	0	_
way manual Driver seat.  Seating – Front (Refer to the Front Seat Matrix on			at details)		<del></del>		
Dark Palazzo Gray Cloth, 2-way manual Driver and 2-way manual Passenger seats. Not available with E-Transit.	21L	O O	O O	-	S	0	0
Ebony Cloth, 2-way manual Driver and 2-way manual Passenger seats.	21M	0	0	S	0	0	0
Dark Palazzo Gray Vinyl, 2-way manual Driver and 2-way manual Passenger seats with Driver and Passenger seat armrests.	21P	0	0	0	-	0	0
Dark Palazzo Gray Cloth, 10-way power heated Driver and 10-way power heated Passenger seats. Not available with E-Transit.	21Q	0	0	_	0	0	0
Ebony Cloth, 10-way power heated Driver and 10- way power heated Passenger seats. Not available with E-Transit.	21R	0	0	0	0	0	0
Ebony Leather, 10-way power heated Driver and 10-way power heated Passenger seats. Not available with E-Transit.	21S	0	_	_	0	0	_
Dark Palazzo Gray Cloth, 4-way manual swivel Driver and 4-way manual swivel Passenger seats. Includes Dual AGM Batteries (63E). Not available on E-Transit, or with 9,950lb DRW / 10,360lb GVWR configurations.	21T	0	_	_	_	0	_

BODY CODES	Body Type	CARGO VAN	CREW VAN	PASSENGER VAN XL	PASSENGER VAN XLT	CUTAWAY	CHASSIS CAB	
	Order Code	101A	201A	301A	302A	501A	701A	
INTERIOR (continued)  3-Passenger front seating Dark Palazzo Gray Vinyl, 2-way manual Driver and 2-way manual dual Passenger seats. Unlike the Driver Seat, dual Passenger Seat insert and bolster material will be identical in Ebony vinyl material. Cargo Van is only available with 10,360/11,000lb GVWR and Chassis Cab is only available with 10,360/11,000lb GVWR. Not Available with E-Transit. Note: Roof modification by the upfitter is required to meet the criteria for application exception/ exclusion to FMVSS 214 Side impact Protection Section S9 Vehicle-To-Pole Requirements on vehicles 10,000lb GVWR or less. Refer to the regulatory text of FMVSS 214 for the definition of "modified roof".	212	Ο	_	_	_	0	Ο	
3-Passenger front seating Dark Palazzo Gray Vinyl, 2-way manual Driver and 2-way manual dual Passenger seats. Unlike the Driver Seat, dual Passenger Seat insert and bolster material will be identical in Ebony vinyl material. Not Available with E-Transit.	213	0	_	-	_	0	0	
3-Passenger front seating Ebony Cloth, 2-way manual Driver and 2-way manual dual Passenger seats. Unlike the Driver Seat, dual Passenger Seat insert and bolster material will be identical in Ebony cloth material. Cargo Van is only available with 10,360/11,000lb GVWR and Chassis Cab is only available with 10,360/11,000lb GVWR. Not available with E-Transit.  Note: Roof modification by the upfitter is required to meet the criteria for application exception/exclusion to FMVSS 214 Side impact Protection Section S9 Vehicle-To-Pole Requirements on vehicles 10,000lb GVWR or less. Refer to the regulatory text of FMVSS 214 for the definition of "modified roof".	216	Ο	_	_	_	0	Ο	
3-Passenger front seating Ebony Cloth, 2-way manual Driver and 2-way manual dual Passenger seats. Unlike the Driver Seat, dual Passenger Seat insert and bolster material will be identical in Ebony cloth material. Not available with E-Transit.	217	0	-	-	-	0	0	
Dark Palazzo Gray Cloth, 4-way manual swivel Driver and 4-way manual swivel Passenger seats. Includes Dual AGM Batteries (63E). Not available with E-Transit or 9,950lb DRW / 10,360lb GVWR Cutaway configurations. Cargo Van is only available with 11,000lb GVWR configurations.  Note: Roof modification by the upfitter is required to meet the criteria for application exception/exclusion to FMVSS 214 Side impact Protection Section S9 Vehicle-To-Pole Requirements on vehicles 10,000lb GVWR or less. Refer to the regulatory text of FMVSS 214 for the definition of "modified roof".	218	0	_	_	_	0	_	
Ebony Cloth, 2-way manual Driver and 2-way manual Passenger seats without armrests.	219	0	_	_	_	0	-	
Passenger Seat Delete Ebony Cloth, 2-way manual Driver seat without an armrest.  Note: Roof modification by the upfitter is required to meet the criteria for application exception/ exclusion to FMVSS 214 Side impact Protection Section S9 Vehicle-To-Pole Requirements on vehicles 10,000lb GVWR or less. Refer to the regulatory text of FMVSS 214 for the definition of "modified roof".	211	_	_	_	_	0	_	

**PROPRIETARY** 

BODY CODES	Body Type	CARGO VAN	CREW VAN	PASSENGER VAN XL	PASSENGER VAN XLT	CUTAWAY	CHASSIS CAB			
	Order Code	101A	201A	301A	302A	501A	701A			
INTERIOR (continued)	Code									
Seating - Rear (Refer to the Rear Seat Matrix on p	page 29 fo	r complete sea	details)							
1-Passenger, 2-Passenger and 3-Passenger Seating. 2-Passenger Seating is standard on Cargo Van, Cutaway and Chassis Cab, except when Passenger Seat Delete (21J, 21K and 211) is ordered, then it's 1-Passenger Seating. 2- Passenger Seating is standard on Passenger Van										
with Builders Prep Package (47E). 2-Passenger Seating (with additional rear seat attachment points) is optional on Passenger Van without Builders Prep Package (47E). 3-Passenger seating is standard on Cargo Van, Cutaway and Chassis Cab when 3-Passenger seating (212, 213, 216 and 217) are ordered.  Note: 13 rear seats are removed, but seat attachment points are still present. This note only applies to 2-Passenger Seating on Passenger Van without Builders Prep Package (47E).	96K	S	_	S/O	S/O	S	S			
2-Passenger Seating. Optional with Long Length     Passenger Van without Builders Prep Package     (47E) only.     Note: 10 rear seats are removed, but seat     attachment points are still present.	96X	_	_	0	0	_	_			
8-Passenger Seating. 1st row: 2 seats, 2nd row: 3 seats, 3rd row: 3 seats. Optional with Long Length Passenger Van. Not vailable with Low Roof Passenger Van.  Note: 4 rear seats are removed, but seat attachment points are still present.	96V	_	_	0	0	_	_			
10-Passenger Seating. 1st row: 2 seats, 2nd row: 2 seats, 3rd row: 3 seats, 4th row: 3 seats. Optional with Extended Length Passenger Van.  Note: 4 rear seats are removed, but seat attachment points are still present.	96W	-	-	0	0	-	_			
14-Passenger Seating. 1st row: 2 seats, 2nd row: 2 seats, 3rd row: 3 seats, 4th row: 3 seats, 5th row: 4 seats. Optional with Long Length Passenger Van.	96S	_	_	О	0	_	_			
14-Passenger Seating. 1 <sup>st</sup> row: 2 seats, 2 <sup>nd</sup> row: 2 seats, 3 <sup>rd</sup> row: 3 seats, 4 <sup>th</sup> row: 3 seats, 5 <sup>th</sup> row: 4 seats. Optional with Extended Length Passenger Van.	96T	-	-	0	0	-	_			
15-Passenger Seating. 1st row: 2 seats, 2nd row: 3 seats, 3rd row: 3 seats, 4th row: 3 seats, 5th row: 4 seats. Optional with Long Length Passenger Van.	96P	_	_	0	0	_	_			
FUNCTIONAL  Auxiliary Fuse Panel with High Spec Interface Connector. Includes Dual AGM Batteries (63E) and Modified Vehicle Wiring System (53K).	87E	0	0	0	0	0	0			
Dual Alternator (250 amps each). Includes Auxiliary Fuse Panel with High Spec Interface Connector (87E). Included with Ambulance Prep Packages (47B and 47F). Includes Power Outlet – 110V/400W (90D) on Cargo Van, Cutaway and Chassis Cabs without Push Down Manual Parking Brake (90G) or 11,000lb GVWR. Not available with the 3.5L PFDi V6 (998) engine, Passenger Seat Delete (21J / 21K / 211), 3-Passenger seating (212, 213, 216 and 217) or E-Transit.	63C	O/I	O	0	O	O/I	О			
Horn – Dual-note. Included on School Bus Prep Package (47C), MFSAB Prep Package (47Q), Ambulance Prep Package – Cargo Van (47B) and Ambulance Prep Pacakge – Cutaway (47F).	85D	0	0	0	0	0	0			
Keyless Entry Keypad Modified Vehicle Wiring System. Included with Builders Package (47E), Ambulance Prep Package – Cargo Van (47B), RV Prep Package (47D) and Auxiliary Fuse Panel with High Spec Interface Connector (87E). Requires Dual AGM Batteries (63E) on Cargo Van, Crew Van and	52C 53K	O/I	O/I	O/I	O/I	S	O S			
Passenger Van. Intelligent Access with push-button start	41J	0	0	0	0	0	0			

BODY CODES	Body	CARGO	CREW		PASSENGER	CUTAWAY	CHASSIS
	Type Order	VAN	VAN	VAN XL	VAN XLT		CAB
	Code	101A	201A	301A	302A	501A	701A
FUNCTIONAL (continued)							
Push Down Manual Parking Brake. Standard with 11,000lb GVWR configurations and optional on Cargo Van and Cutaway DRW, except 11,000lb GVWR. Not available with Power Outlet – 110V/400W (90D).  Note: The push down manual parking brake feature allows the driver to push the hand lever to the fully down position, while the parking brake remains engaged. This is particularly useful in situations where additional clearance to pass over the parking brake lever is necessary, such as a swivel seat.  Air Conditioning	90G	S/O	_	_	_	S/O	S
Front/Rear Aux A/C and Heater (Driver controlled).  Not available with E-Transit, Passenger Seat Delete (21J, 21K and 211) and 3-Passenger seating (212, 213, 216 and 217), Cargo Van with Vinyl, Front and Rear (16E), Interior Upgrade Package – Cargo Van (96C) or Load Area Protection Package (96D).  Note: Heat is distributed from rear of front- passenger seat. A/C is distributed from the rear of van.  Audio – Audio Packs (Refer to the chart on page	57G	0	0	S	S	-	-
Vehicle Insight Tools and for more information	on feature	s included with	Gas Fngine Co	ansit Ford Com	inercial Solutio	ins Energy Man	agement and
AM/FM stereo with 4" multi-function display, Bluetooth, and Dual USB ports. Standard on Gas Engine Cargo Van, Crew Van, Passenger Van XL when Rear View Camera with Trailer Hitch Assist is selected. Standard on Gas Engine Cutaway and Chassis Cab.  – 4 speakers (4 front) – Cargo Van, Crew Van, Cutaway and Chassis Cab  – 8 speakers (4 front/4 rear) – Passenger Van XL Note: Not available with E-Transit.	58U	s included with	S S	S	_	S	S
SYNC 3 with 4" multi-function display, AM/FM stereo, Bluetooth, and Dual USB ports. Optional on Gas Engine Cargo Van, Crew Van, Passenger Van XL when Rear View Camera with Trailer Hitch Assist is selected. Optional on Gas Engine Cutaway and Chassis Cab.  – 4 speakers (4 front) – Cargo Van, Crew Van, Cutaway and Chassis Cab  – 8 speakers (4 front/4 rear) – Passenger Van XL Note: Not available with E-Transit.	58V	0	O	O	_	O	0
★SYNC 4 with AM/FM stereo w/out Navigation. Includes 12" display, Bluetooth, Dual USB ports and Embedded Voice Recognition. Includes Electronic Air Temperature Control. Optional on Gas Engine Cargo Van, Crew Van and Passenger Van when High Resolution Digital Camera (61E) or 360-Degree Camera with Split View and Front Washer (61D) is selected. And is optional on Gas Engine Cutaway and Chassis Cab.  4 speakers (4 front) – Cargo Van, Crew Van, Cutaway and Chassis Cab  8 speakers (4 front/4 rear) – Passenger Van XL and Passenger Van XLT Late Availability.	58L	0	0	0	0	0	0
SYNC 4 with AM/FM stereo and 12" display, Bluetooth, Dual USB ports, Embedded Voice Recognition and Connected Navigation(90 Day Trial). Includes Electronic Air Temperature Control. Standard on E-Transit and Gas Engine Passenger Van XLT and on Gas Engine Cargo Van, Crew Van and Passenger Van XL when High Resolution Digital Camera (61E) or 360-Degree Camera with Split View and Front Washer (61D) is selected. And is optional on Gas Engine Cutaway and Chassis Cab.  – 4 speakers (4 front) – Cargo Van, Crew Van, Cutaway and Chassis Cab  – 8 speakers (4 front/4 rear) – Passenger Van XL and Passenger Van XLT  Note: E-Transit includes Connected Navigation with 3 Years of Service available through Ford Pro Intelligence. See page 38 for more details.	58B	S/—	S/—	S/—	S	S/O	S/O

BODY CODES	Body Type	CARGO VAN	CREW VAN	PASSENGER VAN XL	PASSENGER VAN XLT	CUTAWAY	CHASSIS CAB
	Order Code	101A	201A	301A	302A	501A	701A
FUNCTIONAL (continued)	Code						
SYNC 4 with SiriusXM® with 360L, HD Radio™ and 12" multi-function display, AM/FM stereo, Bluetooth, Dual USB ports, Embedded Voice Recognition and Connected Navigation(90 Day Trial). Includes Electronic Air Temperature Control. Optional on E-Transit, Gas Engine Cargo Van, Crew Van and Passenger Van when High Resolution Digital Camera (61E) or 360-Degree Camera with Split View and Front Washer (61D) is selected. And is optional on Gas Engine Cutaway and Chassis Cab.  — 4 speakers (4 front) — Cargo Van, Crew Van, Cutaway and Chassis Cab  — 8 speakers (4 front/4 rear) — Passenger Van XL and Passenger Van XLT  Note: E-Transit includes Connected Navigation with 3 Years of Service available through Ford Pro Intelligence. See page 38 for more details.	58C	Ο	O	O	0	Ο	0
SYNC 4 with Sirius XM® with 360L, HD Radio™, Navigation and 12" multi-function display, AM/FM stereo, Bluetooth, Dual USB ports, Embedded Voice Recognition and Connected Built-In Navigation(3 Years of Service) with Traffic Sign Recognition (TSR) and Intelligent Speed Assist (ISA). Includes Electronic Air Temperature Control and Cruise Control (60C). Optional on E-Transit, Gas Engine Cargo Van, Crew Van and Passenger Van when High Resolution Digital Camera (61E) or 360-Degree Camera with Split View and Front Washer (61D) is selected. And is optional on Gas Engine Cutaway and Chassis Cab.  —4 speakers (4 front) — Cargo Van, Crew Van, Cutaway and Chassis Cab  —8 speakers (4 front/4 rear) — Passenger Van XL and Passenger Van XLT	58E	Ο	Ο	Ο	Ο	Ο	Ο
SYNC 4 with SiriusXM® with 360L, HD Radio™, Navigation, Intelligent Adaptive Cruise Control (IACC) and 12" multi-function display, AM/FM stereo, Bluetooth, Dual USB ports, Embedded Voice Recognition and Connected Built-In Navigation(3 Years of Service) with Traffic Sign Recognition (TSR), Intelligent Speed Assist (ISA), Intersection Assist and Intelligent Adaptive Cruise Control (iACC). Includes Electronic Air Temperature Control. Optional on E-Transit, Gas Engine Cargo Van, Crew Van and Passenger Van when High Resolution Digital Camera (61E) or 360-Degree Camera with Split View and Front Washer (61D) is selected. And is optional on Gas Engine Cutaway and Chassis Cab.  — 4 speakers (4 front) — Cargo Van, Crew Van, Cutaway and Chassis Cab  — 8 speakers (4 front/4 rear) — Passenger Van XL and Passenger Van XLT	58F	0	0	O	0	0	O
★Wi-Fi 4G LTE Hotspot Delete. Required option. Not available with audio packages 58L, 58B, 58C, 58E, 58F.	19Z	0	0	0	_	0	0
Audio – Speakers 6 speakers (4 front/2 rear). Optional with Audio Packs 58U, 58V, 58E, 58B, 58C, 58E and 58F on Cargo Van, Crew Van and Cutaway. Not available with RV Prep Package (47D). Note: Rear speakers shipped in dunnage box for Cutaway only.	91L	0	0	_	_	0	_
Axle Heavy-Duty Front Axle. Not available with E- Transit. Note: Up to 4,630 lb FGAWR. Refer to the Axle Availability charts beginning on page 28 for complete option details.	41E	S/O/I	S/O	S/—	S/—	S/O/I	S/O/I
Batteries  Dual AGM Batteries. (70 amp-hr each). Included with Power Outlet – 110V/400W (90D), Auxiliary Fuse Panel with High Spec Interface Connector (87E), and the combination of X9C, X9X or X9Y and 15-Passenger Seating.	63E	O/I	O/I	O/I	O/I	O/I	O/I

BODY CODES	Body	CARGO	CREW		PASSENGER	CUTAWAY	CHASSIS
	Order	<b>VAN</b> 101A	<b>VAN</b> 201A	VAN XL 301A	VAN XLT 302A	501A	<b>CAB</b> 701A
FUNCTIONAL (continued)	Code						
Frontal Area Limitation			1	1		1	
Enhanced Frontal Area Limitation 1  Note: Provides a Vehicle Emission Control Information label with a frontal area restriction between 60 and 70 ft²depending on vehicle configuration. Frontal area limitation requires second unit body to meet profile restrctions. For additional information please reference the Incomplete Vehicle Manual posted on www.fordbbas.com for details.Dealers should consult with body builder to determine frontal area of completed vehicle.	15D	_	_	_	_	0	0
Enhanced Frontal Area Limitation 2. Available on 10,360 or 11,000lb GVWR configurations only and with E-Transit. When ordered with E-Transit 65-mph Governed Top Speed Limiting Device (52M) is standard.  Note: Provides a Vehicle Emission Control Information label with a frontal area restriction between 72 and 75 ft²depending on vehicle configuration. Frontal area limitation requires second unit body to meet profile restrictions. For additional information please reference the Incomplete Vehicle Manual posted on www.fordbbas.com for details.Dealers should consult with body builder to determine frontal area of completed vehicle.  Heating	15E	_	_	_	_	Ο	0
Engine Block Heater (400W Rating). Not available with E-Transit. <b>Note:</b> Recommended when minimum temperature is 10°F or below.	41H	0	0	0	0	0	0
Instrumentation Vehicle Maintenance Monitor. Includes Engine Hour Meter on 3.5L PFDi V6 (998) and 3.5L EcoBoost® V6 (996) engines only. Note: Depending on the engine, this feature will display engine hour meter, oil life, oil level and tire pressure status.	61C	0	0	0	0	0	0
Interior Power  Power Outlet – 110V/400W. Includes Dual AGM Batteries (63E). Included with Dual Alternator (63C) on vehicles without Push Down Manual Parking Brake (90G), 11,000lb GVWR or 3- Passenger seating (212, 213, 216 and 217). Not available with E-Transit, Passenger Seat Delete (21J, 21K and 211), or 3-Passenger seating (212, 213, 216 and 217), Front/Rear Aux A/C, Heater (Driver controlled) (57G), 11,000lb GVWR configurations or Push Down Manual Parking Brake (90G).  Note: High-power outlets deliver up to 400 watts of power, allowing drivers to easily charge smaller corded tools, battery chargers or mobile devices on-site.	90D	Ο	_	_	_	O	0
Powerpoint – 12V. One located in the rear of	87A	0	0	_		_	_
vehicle Pro Power Onboard – 120V/2.4kW. Only available with E-Transit.Includes 12V Powerpoint (87A) on Cargo Van configurations. For Cutaway and Chassis Cab configurations, a secondary outlet and harness will be supplied in vehicle dunnage. Placement and connection of the rear outlet is the responsibility of the final stage manufacturer. Includes Intelligent Access with push-button start (41J) Note: Pro Power Onboard allows the vehicle to be used as a power source for tools to be plugged in to. Upfitter Accessories	90E	0	_	_	-	0	0
Upfitter Package. Includes High Capacity Upfitter Switches, Large Center Console (67E) and Auxiliary Fuse Panel with High Spec Interface Connector (87E). Not available with E-Transit or 3-Passenger seating (212, 213, 216 and 217).	67C	0	0	0	0	0	0

BODY CODES	Body	CARGO	CREW		PASSENGER	CUTAWAY	CHASSIS
	Type Order	<b>VAN</b> 101A	<b>VAN</b> 201A	301A	VAN XLT 302A	501A	<b>CAB</b> 701A
FUNCTIONAL (continued)	Code	10171	20171	00171	00271	00171	70170
FUNCTIONAL (continued) Upfitter Interface Module (UIM). Not available with 360-Degree Camera with Split View and Front Washer (61D), High Resolution Digital Camera (61E) or with audio packages 58L, 58B, 58C, 58E, 58F. Note: This technology makes it easy for upfitters to operate aftermarket equipment, such as lift buckets or cranes. Upfitters can connect/program the optional upfitter switches to operate aftermarket-installed equipment with up to 9 digitally configurable inputs. Please see fleet.ford.com/partsandservice/upfitter-interface for additional information.  SAFETY/SECURITY	55A	0	0	0	_	0	0
Perimeter Alarm.	59D	0	0	0	0	_	_
Keys: 2 additional (4 total) with key fobs.	86F	0	0	0	0	0	0
★ Keys: 2 with depopulated (no keyless functionality) key fobs. Not available with Perimeter Alarm (59D), Power Sliding Door (65C) or Intelligent Access with push-button start (41J). Required option.	19Y	0	0	0	0	0	0
MyKey®. Crew Van, Passenger Van XL, Passenger Van XLT, Cutaway and Chassis Cab require Cruise Control (60C). Cargo Van requires Cruise Control (60C) or Adaptive Cruise Control (60D) with Interior Upgrade Package (96C). Not available with audio package 58F.  Camera – Rear View	62B	0	0	О	0	0	0
Rear Video Camera and Prep Kit. Will display in rearview mirror when ordered with Radio Prep Package (58T), otherwise will display in multifunction display  Note: For incomplete vehicles, upfitter must add a rear view camera to vehicles that are 10,000lb GVWR or less to complete the vehicle and meet FMVSS 111 requirements. Rear Video Camera and Prep Kit (61A) is available as a dunnage kit that requires upfitter installation.	61A	_	_	-	_	0	0
Rear View Display in Rearview Mirror. Includes Radio Prep Package (58T). Not available with E-Transit, Low Roof configurations, Cruise Control (60C), Adaptive Cruise Control (60D), Interior Upgrade Package – Cargo Van (96C), Center Console with Right Side Shifter (67F), Blind Spot Assist 1.0 (65A) or Reverse Brake Assist (43S). Note: When vehicle is in Reverse, this feature displays an image of what's directly behind the vehicle. This image will appear in the rear view mirror.	61B	0	О	_	_	_	-
FORD CO-PILOT360™ TECHNOLOGY							
Adaptive Cruise Control. Includes Adjustable Speed Limiting Device (ASLD) and Intersection Assist. Not available with audio packages 58E and 58F. Note: Adaptive cruise control keeps a constant speed without having to work the brake or accelerator pedals. Plus it automatically maintains a driver-inputted preset distance (or gap) from vehicles ahead.	60D	0	0	0	0	0	0
Enhanced Active Park Assist. Requires Blind Spot Assist 1.0 (65A). Includes Front Sensing System (59B), Side Sensing System (94A) and Reverse Sensing System (43R). Not available with Extended Length configurations or Rear Bumper Delete (43F).  Note: Enhanced active park assist helps make parking less stressful. It helps steer the vehicle, in Reverse, into a perpendicular parking space or steer the vehicle into or out of a parallel parking space.	94B	0	0	0	0	_	_

BODY CODES	Body Type Order	CARGO VAN	CREW VAN	PASSENGER VAN XL	PASSENGER VAN XLT	CUTAWAY	CHASSIS CAB
	Code	101A	201A	301A	302A	501A	701A
FORD CO-PILOT360™ TECHNOLOGY (continued	)						
Blind Spot Assist 1.0. Includes Blind Spot Information System (BLIS®) with Cross-traffic Alert and Trailer Coverage. Includes Short-Arm, Power Adjusting, Power-Folding Heated with Turn Signals on Cargo Van, Crew Van and Passenger Van and Power Adjusting, Manual-Folding Heated with Turn Signals (544) on Cutaway and Chassis Cab and Reverse Sensing System (43R). Available with optional Power Adjusting, Manual-Folding Heated with Turn Signals (544). Blind Spot Assist 1.0 combines Blind Spot Information System (BLIS®) with Lane Keeping Aid to provide a visual warning and resistive steering torque to prevent a collision should an object be recognized in the vehicles blind spot while changing lanes.  Note 1: Blind Spot Assist deletes the standard Short-Arm, Power Adjusting, Manual-Folding Mirrors (541) on Cargo Van, Crew Van and Passenger Van XL. Not available with Radio Prep Package (58T) or Audio Packs 58U and 58V. Reverse Sensing System (43R) is not included when Rear Bumper Delete (43F) on Cargo Van is selected.	65A	0	0	O	S	O	0
Note 2: For Cutaway and Chassis Cab, Blind Spot Assist 1.0 and Reverse Sensing System requires upfitter installation of the rear sensors (6) per the instructions provided in BEMM to function properly. This Feature has been configured "on" from the vehicle assembly plant.							
Reverse Brake Assist. Requires Blind Spot Assist 1.0 (65A). Includes Reverse Sensing System (43R) and 360-Degree Camera with Split View and Front Washer (61D). Not available with Rear Bumper Delete (43F) and Audio Packs 58U, 58V and 58T.  Note: If the system determines a collision is imminent while in reverse, automatic braking is applied to avoid a crash or mitigate an impact. System operation will be effected by aftermarket rear step or other rear-mounted equipment.  Camera – Front & Rear View	<b>43</b> S	0	О	О	Ο	_	-
360-Degree Camera with Split View and Front Washer. Includes Front Fog Lamps (55D), Reverse Sensing System (43R) and Honeycomb Mesh Grille with Chrome Surround. Only available with Audio Packs 58L, 58B, 58C, 58E and 58F. Not available with Upfitter Interface Module (55A) or Rear Bumper Delete (43F).  Note: Front, side and rear facing cameras allow	61D	0	0	0	0	_	-
the driver to toggle through different camera views via a button located on the instrument panel.  High Resolution Digital Camera. Standard on E-Transit Cargo Van and Gas Engine Passenger Van XLT and optional on Gas Engine Cargo Van, Crew Van and Passenger Van XL with Audio Packs 58L, 58B, 58C, 58E and 58F.  Exterior Sensors	61E	S/O	0	0	S	-	-
Reverse Sensing System. Included with Blind Spot Assist 1.0 (65A), Side Sensing System (94A), Enhanced Active Park Assist (94B) and Reverse Brake Assist (43S). Not available with Rear Bumper Delete (43F) – Cargo Van only.	43R	O/I	O/I	O/I	S	I	I
Side Sensing System. Requires Blind Spot Assist 1.0 (65A). Includes Reverse Sensing System (43R) and Front Sensing System (59B). Not available with Rear Bumper Delete (43F).  Note: Works similar to the Reverse Sensing System, as it sounds a tone when the vehicle gets close to surrounding vehicles and other objects.	94A	0	0	0	S	_	_
★Front Sensing System. Requires Blind Spot Assist 1.0 (65A). Includes Reverse Sensing System (43R) and Front Fog Lamps (55D). Included in Side Sensing System (94A) and Enhanced Active Park Assist (94B).	59B	I	I	I	S	0	0

BODY CODES	Body Type	CARGO VAN	CREW VAN	PASSENGER VAN XL	PASSENGER VAN XLT	CUTAWAY	CHASSIS CAB
	Order Code	101A	201A	301A	302A	501A	701A
FORD CO-PILOT360™ TECHNOLOGY (continued							
PACKAGES/KITS Audio Prep Packages Radio Prep Package. Includes antenna, cover plate in place of radio, wiring that is normally provided with single-CD audio packages and speakers. A radio chassis is not provided. Not available with E-Transit, Low Roof Cargo Van, Low Roof Crew							
Van, Cruise Control (60C), Blind Spot Assist 1.0 (65A), Adaptive Cruise Control (60D), MyKey® (62B), Interior Upgrade Package – Cargo Van (96C), Interior Upgrade Package – Cutaway/Chassis Cab (47A), Motorhome Prep Package (47M), Center Console with Right Side Shifter (67F), RV Prep Package (47D), Reverse Brake Assist (43S) or Front Sensing System (59B).  Note: Radio Prep Package is included on Cargo Van and Crew Van when the Rear View Display in Rearview Mirror (61B) is selected. Optional on	58T	I	ı	-	_	0	0
Cutaway and Chassis Cab. Not available with Side Sensing System (94A), Reverse Sensing System (43R) and Enhanced Active Park Assist (94B). – 4 speakers (4 front) – Cargo Van, Crew Van, Cutaway and Chassis Cab Exterior Prep Packages							
Exterior Prep Package SRW. Included in Shuttle Bus Prep Package (47S).  Not available on E-Transit.	18D	0	0	_	S	O/I	0
Exterior Upgrade Package – DRW. Included in Shuttle Bus Prep Package (47S).  Heating Prep Packages	18L	0	0	_	S	O/I	0
Auxiliary Heater Prep Package without Rear Controls. Available with Builders Prep Package (47E) on Passenger Van XL/XLT. Not available with Front/Rear Aux A/C and Heater (Driver controlled) (57G) or with E-Transit.	62A	0	0	Р	Р	0	0
Auxiliary Heater / AC Prep Package without Rear Controls. Available with Builders Prep Package (47E). Included in Ambulance Prep Package – Cutaway (47F). Not available with Front/Rear Aux A/C and Heater (Driver controlled) (57G) or with E-Transit.  Note: Package includes stub lines for delivery of coolant/refrigerant for easy addition of an aftermarket rear heater and A/C system. Requires aftermarket upfit of a climate control system.  Interior Prep Packages	62C	0	0	Р	Р	O/I	0
Interior Upgrade Package – Cargo Van. Refer to the Packaged Options section for more details.	96C	0	_	_	_	_	_
Interior Upgrade Package – Cutaway/Chassis Cab. Refer to the Packaged Options section for more details.	47A	_	_	_	_	0	0
Trim Packages Load Area Protection Package. Refer to the Packaged Options section for more details. Note: Includes complete rear polypropylene panels on side walls and doors.	96D	0	_	_	_	_	_
Scuff Plate Kit. Not available with Load Area Protection Package (96D), Interior Upgrade Package – Cargo Van (96C) or Vinyl, Front and Rear Floor Covering (16E).  Note: Scuff plate kit includes plastic scuffs for rear cargo doors and side cargo door (60/40 Hinged Passenger-side Door or Sliding Passenger-side Door). Scuff plate kit is not installed on vehicle, needs to be installed by upfitter/dealership.	85A	0	-	-	_	-	_
Heavy-Duty Scuff Plate Kit. Not available with the Vinyl, Front and Rear Floor Covering (16E), Load Area Protection Package (96D) or the Interior Upgrade Package – Cargo Van (96C) unless ordered with Heavy-Duty Cargo Flooring (60B).  Note: Heavy-duty scuff plate kit includes heavy-duty scuffs for rear cargo doors and side cargo door (60/40 Hinged Passenger-side Door or Sliding Passenger-side Door). Heavy-duty scuff plate kit is not installed on vehicle, needs to be installed by upfitter/dealership.	85B	O/I	I	_	_	_	_

BODY CODES	Body Type	CARGO VAN	CREW VAN	PASSENGER VAN XL	PASSENGER VAN XLT	CUTAWAY	CHASSIS CAB
	Order Code	101A	201A	301A	302A	501A	701A
PACKAGES/KITS (continued)	0000						
Miscellaneous Prep Packages  Ambulance Prep Package – Cargo Van. Refer to			ı	ı			
the Packaged Options section for more details.  Ambulance Prep Package – Cutaway. Refer to the	47B	0	_	_	_	_	_
Packaged Options section for more details.  Builder's Prep Package. Refer to the Packaged	47F	_	_	_	_	0	_
Options section for more details.  Motorhome Prep Package. Refer to the Packaged	47E	_	_	0	0	_	_
Options section for more details. Shuttle Bus Prep Package. Refer to the Packaged	47M	_	_	_	_	0	_
Options section for more details. RV Prep Package. Refer to the Packaged Options	47S	_	_	_	_	0	_
section for more details.  Parcel Delivery Package. Refer to the Packaged	47D	0	_	_	_	_	_
Options section for more details. FORD ACCESSORIES	47G	0	_	_	_	0	_
Back Up Alarm.							
<b>Note:</b> The back up alarm has 102 dB(A) warning capability.	43B	0	0	0	0	0	0
★White Noise Back Up Alarm. Not available with Back Up Alarm (43B). Available with E-Transit only. Mote: The back up alarm has 87 dB (+/-4) warning	63G	0	_	_	_	0	0
capability.  Heavy Duty Tray Style Floor Mats (Front). Only		-		_	-	-	
available with carpet floor covering (16G/16H).  * All-Weather Floor Mats (Front). Available with	86N	0	_	0	0	0	0
vinyl floor covering (16C and 16E).	86W	0	0	0	0	0	0
Remote Start. Not available with E-Transit.  Wheel Well Liners – Black (Front only)	68B 15C	0	0	0	0	0	0
FACTORY-INVOICED, DEALER-INSTALLED ACC			Ü	U	U	U	0
Stainless Steel Wheel Liners. Factory-Invoiced, Dealer-Installed Accessory. Only available on DRW configurations and the standard 16" Heavy-Duty Silver Steel Wheel with Exposed Lug Nuts. Not available with AWD, Heavy-Duty Front Axle (41E) or 11,000lb GVWR configurations.	87B	0	0	0	0	0	0
FLEET ORDERS ONLY OPTIONS (Requires Valid							
Rear Bumper Delete Daytime Running Lamps Note: Provide enhanced vehicle visibility during	43F 942	F	 F	 F	 F	S	S F
daylight conditions.  Exterior Mirror Delete. Available on Ambulance					·		
Prep Package – Cutaway (47F). Multi-Function School Activity Bus (MFSAB) Prep	54X	F	F	_	_	S	S
Package. Refer to the Packaged Options section for more details.	47Q	_	_	_	_	F	_
Orange Safety Belts. Not available with 10-way power seat (21Q, 21R and 21S), swivel seat (21T and 218) or 3-Passenger seating (212, 213, 216 and 217).  Note: Belt minder is included on the front driver and passenger seat(s).	76C	F	F	-	_	F	F
School Bus Prep Package. Refer to the Packaged Options section for more details.	47C	_	_	_	_	F	_
Livery Package(Livery FIN Required). Refer to the Packaged Options section for more details.	47L	_	_	_	F	_	_
Decal Options (Refer to the Decal Options on pa	ge 28 for c	omplete details	)				
Decal #1 – Up to 15 ft <sup>2</sup> .	51E	F	F	F	F	_	
Decal #2 – Up to 30 ft². Decal #3 – Up to 50 ft².	51F 51G	F F	F F	F F	F F	_	_
Speed Limiting Device			,				
55-mph Governed Top Speed. Included with E- Transit Cutaway and Chassis Cab when Enhanced Frontal Area Limitation 2 (15E) is	52M	F	F	F	F	F/I	F/I
selected. 70-mph Governed Top Speed	52H	F	F	F	F	F	F
75-mph Governed Top Speed. Standard on E-	52N	F	F	F	F	S/F	S/F
Transit Cutaway and Chassis Cab.  ★Fleet Safety Package. Refer to the Packaged Options section for more details	59C	F	F	F	F	F	F
Options section for more details.  ★Fleet Fuel Economy Package Refer to the	98B	F	F	F	F	F	F
Packaged Options section for more details.  Automatic Engine Idle Shutdown							
Includes Smart Acceleration Truncation which Ingine Idle Shutdown 5 Minute Timer	provides in 55E	nproved fuel ec	onomy and ene	ergy efficiency b	y limiting powe	er on unladen vo	ehicles. F
Engine Idle Shutdown 5 Minute Timer Engine Idle Shutdown 10 Minute Timer	55E 55F	F	F	F	F	F	F
Engine Idle Shutdown 15 Minute Timer	55G	F	F	F	F	F	F
Engine Idle Shutdown 20 Minute Timer	55H	F	F	F Ontion	F	F	F Clost Optic

<sup>★ =</sup> New for this model year

S = Standard / O = Optional / P = Packaged Option / F = Fleet Option with valid FIN code / I = Included

#### 09/13/22

## 2023 TRANSIT OPTIONAL EQUIPMENT

**PROPRIETARY** 

BODY CODES	Body Type	CARGO VAN	CREW VAN	PASSENGER VAN XL	PASSENGER VAN XLT	CUTAWAY	CHASSIS CAB			
	Order Code	101A	201A	301A	302A	501A	701A			
FLEET ORDERS ONLY OPTIONS (Requires Valid FIN or Dealer Code) (continued)										
Wheels										
DRW – 16" Heavy-Duty White Steel Wheel with Exposed Lug Nuts (Standard Front Axle configurations only). Available with Exterior Upgrade Package – DRW (18L). Optional on DRW only.	76D	P/F	P/F	F	F	P/F	P/F			
SRW – 16" White Steel Wheel with Black Hubcap (Standard Front Axle configurations only). Not available with Exterior Upgrade Package – SRW (18D). Optional on SRW only.	64C	F	F	F	_	F	F			

 $\star$  = New for this model year

#### **WINDOW OFFERINGS**

= Standard Glass		2023 Tra	ansit - W	indow C	Offerings	
= Door without Glass			AR WHEEL		DUAL REA	R WHEEL
= Fixed Glass Option	LOW	ROOF	MEDIUM &	HIGH ROOF	HIGH	ROOF
= Egress Window	Sliding Passenger-side Door	60/40 Hinged Passenger-side Door	Sliding Passenger-side Door	Power Sliding Door	Sliding Passenger-side Door	Power Sliding Door
No Rear Glass Standard on Cargo Vans Side Door Glass: No Rear Door Glass: No Bodyside Glass: No	Û	Û	Û	Û	Û	<b>Û</b>
Fixed Rear Cargo Door Glass Optional on Cargo Van. Side Door Glass: No Rear Door Glass: Yes Bodyside Glass: No	17A	17A	17A	17A	17A	17A
Fixed Rear Cargo Door Glass and Fixed Passenger-side Glass Optional on Cargo Van. Side Door Glass: Yes Rear Door Glass: Yes Bodyside Glass: No	178	178	178	178	178	178
Fixed Rear Cargo Door Glass and Fixed Driver and Passenger-side Glass Standard on Crew Van. Side Door Glass: Yes Rear Door Glass: Yes Bodyside Glass: Yes	N/A	N/A	170	N/A	170	N/A
Windows-All-Around, Fixed Optional on Cargo Van. Standard/Optional on Passenger Van. Side Door Glass: Yes Rear Door Glass: Yes Bodyside Glass: Yes	175	17F	175	175	177	17F
Egress Window Optional on Passenger Van. Side Door Glass: Yes Rear Door Glass: Yes Bodyside Glass: Yes Note: Only available with Windows-All -Around, Fixed (17F). Requires Privacy Glass (92E). Not available on Low Roof Passenger Vans.	171	171	171	171	171	171

- 28 -

Ford Division

#### **DECAL OPTIONS**



Decal #1 (51E): – Up to 15 sq-ft<sup>1</sup>



Decal #2 (51F): – Up to 30 sq-ft<sup>14</sup>



Decal #3 (51G):

– Up to 50 sq-ft<sup>14</sup>

<sup>&</sup>lt;sup>1</sup> Fleet only option. Pricing is for non-reflective material, 25 vehicle order minimum, and graphic design must be completed and approved by Ford prior to ordering vehicle in CONCEPS. To get started visit the Ford Commercial Graphics website and click on Factory Orderable Option Form link. Complete and submit the request form and attach your graphic design (if available). A Ford Commercial Graphics representative will follow-up to finalize the graphic design and provide a design proof for customer review and approval, and to determine which graphic option code and price applies. Lastly, customer can then proceed to place vehicle order and graphic option code in CONCEPS.

<sup>★ =</sup> New for this model year

#### **FRONT SEAT MATRIX**

Order Code	Seat Pack#	Color	Material	Driver Seat Control	Passenger Seat Control	Single Passenger Seat	Dual Passenger Seat	Driver Heated Seat	Passenger Heated Seat	Driver Lumbar Support	Passenger Lumbar Support	Driver Armrest	Passenger Armrest
21C	2	Dark Palazzo Gray	Cloth	2-Way Manual	2-Way Manual	Yes	No	No	No	Yes	No	Yes	Yes
21D	3	Ebony	Cloth	2-Way Manual	2-Way Manual	Yes	No	No	No	Yes	No	Yes	Yes
21G	6	Dark Palazzo Gray	Vinyl	2-Way Manual	2-Way Manual	Yes	No	No	No	No	No	Yes	No
21J	8	Dark Palazzo Gray	Vinyl	2-Way Manual	No	No	No	No	No	No	No	Yes	No
21K	9	Dark Palazzo Gray	Cloth	2-Way Manual	No	No	No	No	No	Yes	No	Yes	No
21L	10	Dark Palazzo Gray	Cloth	2-Way Manual	2-Way Manual	Yes	No	No	No	Yes	No	Yes	Yes
21M	11	Ebony	Cloth	2-Way Manual	2-Way Manual	Yes	No	No	No	Yes	No	Yes	Yes
21P	13	Dark Palazzo Gray	Vinyl	2-Way Manual	2-Way Manual	Yes	No	No	No	No	No	Yes	Yes
21Q	14	Dark Palazzo Gray	Cloth	10-Way Power	10-Way Power	Yes	No	Yes	Yes	Yes	Yes	Yes	Yes
21R	15	Ebony	Cloth	10-Way Power	10-Way Power	Yes	No	Yes	Yes	Yes	Yes	Yes	Yes
21S	16	Ebony	Leather	10-Way Power	10-Way Power	Yes	No	Yes	Yes	Yes	Yes	Yes	Yes
21T	17	Dark Palazzo Gray	Cloth	4-Way Manual Swivel Seat	4-Way Manual Swivel Seat	Yes	No	No	No	Yes	No	Yes	Yes
212	25	Dark Palazzo Gray	Vinyl	2-Way Manual	2-Way Manual	Yes	Yes	No	No	No	No	Yes	No
213	26	Dark Palazzo Gray	Vinyl	2-Way Manual	2-Way Manual	Yes	Yes	No	No	No	No	Yes	No
216	29	Ebony	Cloth	2-Way Manual	2-Way Manual	Yes	Yes	No	No	Yes	No	Yes	No
217	30	Ebony	Cloth	2-Way Manual	2-Way Manual	Yes	Yes	No	No	Yes	No	Yes	No
218	31	Dark Palazzo Gray	Cloth	4-Way Manual Swivel Seat	4-Way Manual Swivel Seat	Yes	No	No	No	Yes	No	Yes	Yes
219	32	Dark Palazzo Gray	Cloth	2-Way Manual	2-Way Manual	Yes	No	No	No	Yes	No	No	No
211	33	Dark Palazzo Gray	Cloth	2-Way Manual	No	No	No	No	No	No	No	No	No

- 30 -

#### **FRONT SEAT MATRIX (Continued)**

Order Code	Seat Pack #	Color	Material	2-Way Adjustable Headrest	Driver Beltminder System	Passenger CRS Top Tether Anchorage	Driver Front Airbag	Passenger Front Airbag	Driver Thorax Airbags	Passenger Thorax Airbags	Driver Curtain Airbags (Front Only)	Passenger Curtain Airbags (Front Only)	Driver Curtain Airbags (Front and Rear)	Passenger Curtain Airbags (Front and Rear)
21C	2	Dark Palazzo Gray	Cloth	Yes	Yes	Yes	Yes	Yes	No	No	No	No	No	No
21D	3	Ebony	Cloth	Yes	Yes	Yes	Yes	Yes	No	No	No	No	No	No
21G	6	Dark Palazzo Gray	Vinyl	Yes	Yes	Yes	Yes	Yes	Yes	Yes	Yes	Yes	Yes <sup>1</sup>	Yes <sup>1</sup>
21J	8	Dark Palazzo Gray	Vinyl	Yes	Yes	No	Yes	No	No	No	No	No	No	No
21K	9	Dark Palazzo Gray	Cloth	Yes	Yes	No	Yes	No	Yes	No	Yes	Yes	No	No
21L	10	Dark Palazzo Gray	Cloth	Yes	Yes	Yes	Yes	Yes	Yes	Yes	Yes	Yes	Yes <sup>1</sup>	Yes <sup>1</sup>
21M	11	Ebony	Cloth	Yes	Yes	Yes	Yes	Yes	Yes	Yes	Yes	Yes	Yes <sup>1</sup>	Yes <sup>1</sup>
21P	13	Dark Palazzo Gray	Vinyl	Yes	Yes	Yes	Yes	Yes	Yes	Yes	Yes	Yes	Yes <sup>1</sup>	Yes <sup>1</sup>
21Q	14	Dark Palazzo Gray	Cloth	Yes	Yes	Yes	Yes	Yes	Yes	Yes	Yes	Yes	Yes <sup>1</sup>	Yes <sup>1</sup>
21R	15	Ebony	Cloth	Yes	Yes	Yes	Yes	Yes	Yes	Yes	Yes	Yes	Yes <sup>1</sup>	Yes <sup>1</sup>
218	16	Ebony	Leather	Yes	Yes	Yes	Yes	Yes	Yes	Yes	Yes	Yes	Yes <sup>1</sup>	Yes <sup>1</sup>
21T	17	Dark Palazzo Grav	Cloth	Yes	Yes	Yes	Yes	Yes	Yes	Yes	Yes	Yes	No	No
212	25	Dark Palazzo Gray	Vinyl	Yes	Yes	Yes	Yes	Yes	No	No	No	No	No	No
213	26	Dark Palazzo Gray	Vinyl	Yes	Yes	Yes	Yes	Yes	Yes	Yes	Yes	Yes	No	No
216	29	Ebony	Cloth	Yes	Yes	Yes	Yes	Yes	No	No	No	No	No	No
217	30	Ebony	Cloth	Yes	Yes	Yes	Yes	Yes	Yes	Yes	Yes	Yes	No	No
218	31	Dark Palazzo Gray	Cloth	Yes	Yes	Yes	Yes	Yes	No	No	No	No	No	No
219	32	Dark Palazzo Gray	Cloth	Yes	Yes	Yes	Yes	Yes	Yes	Yes	Yes	Yes	No	No
211	33	Dark Palazzo Gray	Cloth	Yes	Yes	No	Yes	No	No	No	No	No	No	No

<sup>&</sup>lt;sup>1</sup> Contains Driver and Passenger Curtain Airbags (Front and Rear) when a Passenger Van XL or Passenger Van XLT is selected.

#### **REAR SEAT MATRIX**

Order Code	Seat Pack #	Passenger Seating	Second Row Seating	Third Row Seating	Fourth Row Seating	Fifth Row Seating	Rear Seat Center Armrest	Second Row Double Seat (D)	Second Row Triple Narrow Seat (K)
96K	Less	1, 2 or 3 <sup>1,2</sup>	No	No	No	No	No	No	No
96X	Less-2	2 <sup>2</sup>	No	No	No	No	No	No	No
(2)	1	5	Yes	No	No	No	No	No	No
96V	12	8 <sup>2</sup>	Yes	Yes	No	No	No <sup>3</sup>	No	Yes
528	4	10	Yes	Yes	Yes	No	No <sup>3</sup>	Yes	No
96W	13	10 <sup>2</sup>	Yes	Yes	Yes	No	No <sup>3</sup>	Yes	No
5 <del>2</del> 6	5	12	Yes	Yes	Yes	No	No <sup>3</sup>	No	Yes
96S	9	14	Yes	Yes	Yes	Yes	No <sup>3</sup>	Yes	No
96T	10	14	Yes	Yes	Yes	Yes	No <sup>3</sup>	Yes	No
150	7	15	Yes	Yes	Yes	Yes	No <sup>3</sup>	No	Yes
96P	6	15	Yes	Yes	Yes	Yes	No <sup>3</sup>	No	Yes

- 32 -

#### **REAR SEAT MATRIX CONTINUED**

Order Code	Seat Pack#	Second Row Triple Wide Seat (C)	Third Row Single/Double Seat (D+F)	Third Row Triple Wide Seat (C)	Fourth Row Single/Double Seat (D+Q)	Fourth Row Triple Wide Seat (C)	Fourth Row Double/Double Seat (J+J)	Fifth Row Single/Double/ Single Seat (Y+X+Y)	Fifth Row Double/Double Seat (J+J)
96K	Less	No	No	No	No	No	No	No	No
96X	Less-2	No	No	No	No	No	No	No	No
(*)	1	Yes	No	No	No	No	No	No	No
96V	12	No	Yes	No	No	No	No	No	No
828	4	No	Yes	No	No	Yes	No	No	No
96W	13	No	Yes	No	Yes	No	No	No	No
-	5	No	Yes	No	No	No	Yes	No	No
96S	9	No	Yes	No	Yes	No	No	Yes	No
96T	10	No	Yes	No	Yes	No	No	No	Yes
	7	No	Yes	No	Yes	No	No	No	Yes
96P	6	No	Yes	No	Yes	No	No	Yes	No


- 33 -

<sup>&</sup>lt;sup>1</sup> 2-Passenger Seats are standard on Cargo Van, Cutaway and Chassis Cab, except when Passenger Seat Delete (21J, 21K and 211) is ordered, then it's 1-Passenger Seat. 2-Passenger Seats are standard on Passenger Van with Builders Prep Package (47E). 3-Passenger seating is standard on Cargo Van, Cutaway and Chassis Cab when 3-Passenger seating (212, 213, 216 and 217) are ordered. <sup>2</sup> Incomplete Vehicle; some rear seats are removed, but seat attachment points still exist

<sup>&</sup>lt;sup>3</sup> Included on Passenger Van XLT

#### **OPTIONAL EQUIPMENT**

#### **SEATING CONFIGURATIONS**



#### **OPTIONAL EQUIPMENT**

#### NOMINAL TONNAGE (CARGO VAN)

CARGO VAN		Series (T-xxx)	Drive Type	Nominal Tonnage <sup>1</sup>
	E1Y	T-150	RWD	3/4
	E2Y	T-150	AWD	3/4
	R1Y	T-250	RWD	3/4
Low Roof	R2Y	T-250	AWD	3/4
LOW KOOI	W1Y	T-350	RWD	1
	W2Y	T-350	AWD	1
	F1Y	T-350HD	RWD	1
	F2Y	T-350HD	AWD	1
	E1C	T-150	RWD	3/4
	E2C	T-150	AWD	3/4
	R1C	T-250	RWD	3/4
	R2C	T-250	AWD	3/4
Medium Roof	W9C	T-350	RWD	1
	W2C	T-350	AWD	1
	F7C	T-350HD	RWD	1
	F8C	T-350HD	AWD	1
		T 050	DIME	0/4
	R1X	T-250	RWD	3/4
	R2X	T-250	AWD	3/4
	R2X R3U	T-250 T-250	AWD AWD	3/4 3/4
	R2X R3U R3X	T-250 T-250 T-250	AWD AWD RWD	3/4 3/4 3/4
	R2X R3U R3X W1X	T-250 T-250 T-250 T-350	AWD AWD RWD RWD	3/4 3/4 3/4 1
	R2X R3U R3X W1X W2X	T-250 T-250 T-250 T-350 T-350	AWD AWD RWD RWD AWD	3/4 3/4 3/4 1 1
	R2X R3U R3X W1X W2X W3X	T-250 T-250 T-250 T-350 T-350 T-350	AWD AWD RWD RWD AWD RWD	3/4 3/4 3/4 1 1
	R2X R3U R3X W1X W2X W3X W3U	T-250 T-250 T-250 T-350 T-350 T-350 T-350	AWD AWD RWD RWD AWD AWD RWD	3/4 3/4 3/4 1 1 1
High Roof	R2X R3U R3X W1X W2X W3X W3U F5X	T-250 T-250 T-250 T-350 T-350 T-350 T-350 T-350HD	AWD AWD RWD RWD AWD RWD RWD RWD RWD AWD RWD	3/4 3/4 3/4 1 1 1 1
High Roof	R2X R3U R3X W1X W2X W3X W3U F5X F6X	T-250 T-250 T-250 T-350 T-350 T-350 T-350HD T-350HD	AWD AWD RWD RWD AWD AWD RWD AWD AWD AWD AWD	3/4 3/4 3/4 1 1 1 1 1
High Roof	R2X R3U R3X W1X W2X W3X W3U F5X F6X F7X	T-250 T-250 T-250 T-350 T-350 T-350 T-350HD T-350HD T-350HD	AWD AWD RWD RWD AWD RWD AWD AWD AWD RWD AWD RWD RWD AWD	3/4 3/4 3/4 1 1 1 1 1 1
High Roof	R2X R3U R3X W1X W2X W3X W3U F5X F6X F7X F8X	T-250 T-250 T-250 T-350 T-350 T-350 T-350HD T-350HD T-350HD T-350HD	AWD AWD RWD RWD AWD RWD AWD AWD RWD AWD RWD AWD RWD AWD AWD AWD	3/4 3/4 3/4 1 1 1 1 1 1 1
High Roof	R2X R3U R3X W1X W2X W3X W3U F5X F6X F7X F8X F4X	T-250 T-250 T-250 T-350 T-350 T-350 T-350HD T-350HD T-350HD T-350HD T-350HD	AWD AWD RWD RWD AWD RWD AWD RWD AWD RWD AWD RWD AWD RWD AWD RWD RWD	3/4 3/4 3/4 1 1 1 1 1 1 1 1
High Roof	R2X R3U R3X W1X W2X W3X W3U F5X F6X F7X F8X F4X F4U	T-250 T-250 T-250 T-350 T-350 T-350 T-350 T-350HD T-350HD T-350HD T-350HD T-350HD T-350HD T-350HD T-350HD	AWD AWD RWD RWD AWD RWD AWD AWD RWD AWD RWD AWD RWD AWD RWD AWD RWD AWD AWD RWD	3/4 3/4 3/4 1 1 1 1 1 1 1 1 1
High Roof	R2X R3U R3X W1X W2X W3X W3U F5X F6X F7X F8X F4X F4U S4X	T-250 T-250 T-250 T-350 T-350 T-350 T-350 T-350HD	AWD AWD RWD RWD AWD RWD RWD RWD	3/4 3/4 3/4 1 1 1 1 1 1 1 1 1 1
High Roof	R2X R3U R3X W1X W2X W3X W3U F5X F6X F7X F8X F4X F4U S4X	T-250 T-250 T-250 T-350 T-350 T-350 T-350 T-350HD	AWD AWD RWD RWD AWD	3/4 3/4 3/4 1 1 1 1 1 1 1 1 1 1
High Roof	R2X R3U R3X W1X W2X W3X W3U F5X F6X F7X F8X F4X F4U S4X	T-250 T-250 T-250 T-350 T-350 T-350 T-350 T-350HD	AWD AWD RWD RWD AWD RWD RWD RWD	3/4 3/4 3/4 1 1 1 1 1 1 1 1 1 1

#### **OPTIONAL EQUIPMENT**

#### NOMINAL TONNAGE (CREW VAN)

CREW VAN		Series (T-xxx)	Drive Type	Nominal Tonnage <sup>1</sup>
	E1Z	T-150	RWD	3/4
	E9Z	T-150	AWD	3/4
Low Boof	R1Z	T-250	RWD	3/4
Low Roof	R2Z	T-250	AWD	3/4
	W1Z	T-350	RWD	1
	W2Z	T-350	AWD	1
				<u> </u>
	E1D	T-150	RWD	3/4
	E2D	T-150	AWD	3/4
Medium Roof	R1D	T-250	RWD	3/4
Medium Rooi	R2D	T-250	AWD	3/4
	W1D	T-350	RWD	1
	W2D	T-350	AWD	1
	R1V	T-250	RWD	3/4
	R2V	T-250	AWD	3/4
	W1V	T-350	RWD	1
High Boof	W2V	T-350	AWD	1
High Roof	F4V	T-350HD	RWD	1
	F4W	T-350HD	AWD	1
	S4W	T-350HD	AWD	1
	S4V	T-350HD	RWD	1

#### NOMINAL TONNAGE (PASSENGER VAN)

PASSENGER VAN		Series (T-xxx)	Drive Type	Nominal Tonnage <sup>1</sup>
Low Roof	X2Y	T-350	RWD	1/2
LOW ROOT	X9Y	T-350	AWD	1/2
Medium Roof	X2C	T-350	RWD	1/2
Medidii Rooi	X9C	T-350	AWD	1/2
	X2X	T-350	RWD	1/2
High Boof	X9X	T-350	AWD	1/2
High Roof	U4X	T-350HD	RWD	1/2
	U5X	T-350HD	AWD	1/2

- 36 -

<sup>&</sup>lt;sup>1</sup> Nominal tonnage is a general classification of the van's payload capacities. Reference the van's published maximum payload rating and/or GVWR rating to know how much weight a specific configuration can carry.

# OPTIONAL EQUIPMENT

### NOMINAL TONNAGE (CUTAWAY)

CUTAWAY	CUTAWAY		Drive Type	Nominal Tonnage <sup>1</sup>
	R5P	T-250	RWD	3/4
	R7P	T-250	AWD	3/4
	W5P	T-350	RWD	1
	W7P	T-350	AWD	1
	F1P	T-350HD	RWD	1
Low Roof	F2P	T-350HD	AWD	1
LOW ROOT	F6P	T-350HD	RWD	1
	F8P	T-350HD	AWD	1
	S6P	T-350HD	RWD	1
	S8P	T-350HD	AWD	1
	U6P	T-350HD	RWD	1
	U8P	T-350HD	AWD	1

NOMINAL TONNAGE (CHASSIS CAB)

CUTAWAY	CUTAWAY		Drive Type	Nominal Tonnage <sup>1</sup>
	R5P	T-250	RWD	3/4
	R7P	T-250	AWD	3/4
	W5P	T-350	RWD	1
	W7P	T-350	AWD	1
	F1P	T-350HD	RWD	1
Low Roof	F2P	T-350HD	AWD	1
Low Rooi	F6P	T-350HD	RWD	1
	F8P	T-350HD	AWD	1
	S6P	T-350HD	RWD	1
	S8P	T-350HD	AWD	1
	U6P	T-350HD	RWD	1
	U8P	T-350HD	AWD	1

- 37 -

**PROPRIETARY** 

<sup>&</sup>lt;sup>1</sup> Nominal tonnage is a general classification of the van's payload capacities. Reference the van's published maximum payload rating and/or GVWR rating to know how much weight a specific configuration can carry.

# 2023 TRANSIT OPTIONAL EQUIPMENT

SYNC 4 with 12" Display (58B)	SYNC 4 with SiriusXM® with 360L, HD Radio™ and 12" Display (58C)	SYNC 4 with SiriusXM® with 360L, HD Radio™, Navigation and 12" Display (58E)	SYNC 4 with SiriusXM® with 360L, HD Radio Navigation and Intelligent Adaptive Cruise Control (iACC) and 12" Display (58F)
	Features Included for Comme	rcial and Business Customers	
Access to the BlueOval Charge Network Ford Pro Public Charge Management Driver Public Charging tools Home Charging Reimbursement Ford Pro E-Telematics Dashboard Connected Navigation	Access to the BlueOval Charge Network Ford Pro Public Charge Management Driver Public Charging tools Home Charging Reimbursement Ford Pro E-Telematics Dashboard Connected Navigation	Access to the BlueOval Charge Network Ford Pro Public Charge Management Driver Public Charging tools Home Charging Reimbursement Ford Pro E-Telematics Dashboard Connected Built-In Navigation	Access to the BlueOval Charge Network Ford Pro Public Charge Management Driver Public Charging tools Home Charging Reimbursement Ford Pro E-Telematics Dashboard Connected Built-In Navigation
	Complimenta	ry Offer Period	
3 years	3 years	3 years	3 years
	Contact Ford Pro Intelligence to active	vate your complimentary subscription	·
	URL: https://pro.ford.c	com/en-us/intelligence/	

	Audio Package Features Include	d with Gas Engine Configurations	
SYNC 4 with 12" Display (58B)	SYNC 4 with SiriusXM® with 360L, HD Radio™ and 12* Display (58C)	SYNC 4 with SiriusXM® with 360L, HD Radio™, Navigation and 12" Display (58E)	SYNC 4 with SiriusXM® with 360L, HD Radio™ Navigation and Intelligent Adaptive Cruise Contro (iACC) and 12" Display (58F)
Connected Navigation - 90-day trial	Connected Navigation - 90-day trial	Connected Built-In Navigation - 3 years of service	Connected Built-In Navigation - 3 years of service
SiriusXM® with 360L - Includes a three (3)- month prepaid subscription	SiriusXM® with 360L - Includes a three (3)- month prepaid subscription	SiriusXM® with 360L - Includes a three (3)- month prepaid subscription	SiriusXM® with 360L - Includes a three (3)- month prepaid subscription
HD Radio™ Capability	HD Radio™ Capability	HD Radio™ Capability	HD Radio™ Capability

#### FRONT AXLE AVAILABILITY (CARGO VAN)

		3.5L PFD	i V6 (998)	3.5L EcoBo	ost® V6 (99G)	Electric Motor	(E-Transit) (99K)	
CARGO VAN	J	Standard Front Axle	Heavy-Duty Front Axle (41E)	Standard Front Axle	Heavy-Duty Front Axle (41E)	Standard Front Axle	Heavy-Duty Front Axle (41E)	
Regular (130")	E1Y	S	0	S	0	-	-:	
rvegular (150 )	E2Y	-	S	199	S	120	20	
Long (148")	E1Y	S	0	S	O/I <sup>5</sup>	150	===	
Long (140 )	E2Y	2	S	(2)	S	120	2	
034 - 25 256224524	R1Y	S	0	S	0	-	=)	
Regular (130")	R2Y	5	S	-	S	928	25	
STATE OF STA	R1Y	S	O/I <sup>5</sup>	S	O/I <sup>5</sup>	(#)	-	
Long (148")	R2Y	8	S	929	S		21	
	W1Y	S	0	S	0	S	27	
Regular (130")	W2Y	-	S		S	-	2	
20 Sept 1 September 20	W1Y	S	O/I <sup>3,4,5</sup>	-	S	S	2	
Long (148")	W2Y	-	S	120	S	- 3	2	
Long (148")	F1Y	-	S	(2)	S	-	20	
31 /	F2Y		S	157	S	550	9 56	
Decule 44207	E1C	S	0	S	0	120	20	
Regular (130")	E2C	-	S	270	S	(750)	-	
1 (4.400)	E1C	S	0	S	O/I <sup>5</sup>	(2)	B B	
Long (148")	E2C	5	S	251	S	(20)	53	
	R1C	S	0	S	0	20	2	
Regular (130")	R2C	-	S	-	s	(=)	-	
	R1C	S	O/I <sup>5</sup>	S	O/I <sup>5</sup>	2	2	
Long (148*)	R2C	-	S	-	S	100	-	
				752		14.500	[2]	
Regular (130")	W9C	S	0	S	0	S	S 5/	
	W2C	-	S O/I <sup>1,2,3,4,5</sup>	(20)	S	3-1		
Long (148")	W9C	S	72.00	V.70	S	S	0 58	
	W2C	*	S		S	3-8	-	
Long (148")	F7C	5	S	223	S	750	- 50	
Long (140 )	F8C		S	(*)	S	348	8	
	R1X	S	O/I <sup>5</sup>	S	O/I <sup>5</sup>	(-)	-	
Long (148")	R2X	-	S	-	S	120	2	
		2						
Extended-Length (148")	R3X	S	0	S	0	( <del>-</del> )	53	
	R3U	2	S		S	323	21	
Long (148")	W1X	S	O/I <sup>1,2,4,5</sup>	(*)	S	S	92	
Long (140 )	W2X	8	S	828	S	120	2	
	W3X	S	0	S	0	S	8 20	
Extended-Length (148")	W3U	-	S	-	S	- 3	5	
Long (148")	F5X	9	S	-	S		25	
	F6X	5	S	370	S	270	2	
Extended-Length (148")	F7X	86	S	928	S	120	29	
Estonada Longin (140 )	F8X		S	12	S	350	-51	
	F4X	S	O/I <sup>1</sup>	S		1550	5.	
Extended-Length (148")	F4U	-	S	-	S	( <del>-</del> )	5)	
×			<u>(                                    </u>					
Extended-Length (148")	S4X	S	O/I <sup>1</sup>	S	-	150	50	
(a.	S4U	= '	) <del>-</del>	(-)	S	(±)	=	
Extended-Length (148")	U8X	5	in .	7.51	S	350	5.	
Estended Length (140 )	U8U	-	14	120	S		20	

- 39 -

 <sup>&</sup>lt;sup>1</sup> Included in Power Sliding Door (65C)
 <sup>2</sup> Included in Bulkhead – Lockable Door with Window (47T)
 <sup>3</sup> Included in Bulkhead – Window Only (47U)

<sup>&</sup>lt;sup>4</sup> Included in Seat Pack 17 (21T) <sup>5</sup> Included in Seat Pack 26 (213) and 30 (217)

# FRONT AXLE AVAILABILITY (CREW VAN)

		3.5L PF[	Di V6 (998)	3.5L EcoBo	ost® V6 (99G)
CREW VAN	2	Standard Front Axle	Heavy-Duty Front Axle (41E)	Standard Front Axle	Heavy-Duty Front Axle (41E)
Regular (130")	E1Z	S	0	S	0
Regular (150 )	E9Z	¥1	S	65	S
Long (140")	E1Z	S O		(2)	S
Long (148")	E9Z	2	S	840	S
Regular (130")	R1Z	S	0	S	0
Regular (150 )	R2Z	e e	S	92	S
Long (148")	R1Z	S	0	598	S
Long (146 )	R2Z	9	S	848	S
Regular (130")	W1Z	S	0	S	0
Regulai (150 )	W2Z	8	S	3 <u>2</u> 3	S
Long (148")	W1Z	S	0	0.00	S
Long (140 )	W2Z	El .	S	12	S
Regular (130")	E1D	S	0	S	0
Regular (150 )	E2D		S	3.75	S
Long (148")	E1D	S	0	-	S
Long (146 )	E2D		S	1073	S
Regular (130")	R1D	S	0	S	0
Regulai (150 )	R2D	-	S	2.5	S
Long (148")	R1D	S	0	520	S
Long (146 )	R2D	-	S	350	S
Regular (130")	W1D	S	0	S	0
Kegulai (150 )	W2D	5	S	25	S
Long (148")	W1D	S	0	828	S
Long (146 )	W2D	ē.	S		S
Long (148")	R1V	S	0	); <del>1</del> 3	S
Long (146 )	R2V	-	S	(-)	S
Long (148")	W1V	S	0	373	S
Long (146 )	W2V	4	S	(a <b>-</b> )	S
Extended-Length (148")	F4V	S	0	221	S
Latended-Length (146°)	F4W	2	S	84)	S
Extended-Length (148")	S4V	S	0	5 <b>*</b> 3	S
Latended-Length (146 )	S4W	쉳	<u> </u>	54.	S

- 40 -

## FRONT AXLE AVAILABILITY (PASSENGER VAN)

		3.5L PF[	Di V6 (998)	3.5L EcoBo	ost® V6 (99G)	
PASSENGER VAN		Standard Front Axle	Heavy-Duty Front Axle (41E)	Standard Front Axle	Heavy-Duty Front Axle (41E)	
Long (149")	X2Y	S	-	S	-	
Long (148")	X9Y	의	S	(4)	S	
Long (148")	X2C	S	-	S	-	
Long (146 )	X9C	2	S	528	S	
Long (140")	X2X	S		S	-	
Long (148")	X9X	24	S	120	S	
Eutondad Longth (140")	U4X	S	2	S	-	
Extended-Length (148")	U5X	7		955	S	

# FRONT AXLE AVAILABILITY (CUTAWAY)

4		3.5L PFE	Di V6 (998)	3.5L EcoBo	ost® V6 (99G)	Electric Motor (E-Transit) (99K)		
CUTAWAY		Standard Front Axle	Heavy-Duty Front Axle (41E)	Standard Front Axle	Heavy-Duty Front Axle (41E)	Standard Front Axle	Heavy-Duty Front Axle (41E)	
DI (420!!)	R5P	S	0	S	0	7-	-	
Regular (138")	R7P	8	S		S	-	-	
I MECIN	R5P	S	0	S	0	7-	-	
Long (156")	R7P	6	S	9	S	(4)	-	
B 1 11000	W5P	S	0	S	0	-	-	
Regular (138")	W7P		S	8	S	323	-	
1 (450)	W5P	S	0	S	0	50-1	-	
Long (156")	W7P	-	S	8	S	928	2	
F. 4 4. 41 41 (470!!)	W5P	S	0	S	0	S		
Extended-Length (178")	W7P	- 2	S		S	326	9	
I (450))	F1P	-	S	-	S	(2.4)	-	
Long (156")	F2P	2	S	25	S	927	2	
Extended-Length (178")	F1P	(E)	S	<u>e</u>	S	93 <del>4</del> 8	=	
Extended-Length (178")	F2P	¥	S	8	S	828	<u>.</u> 2	
D 1 (420)	F6P	S	0	S	0	(4)	-	
Regular (138")	F8P		S	-	S	0.50		
L (450")	F6P	S	0	S	0	84	-	
Long (156")	F8P	5	S	-	S	253	5	
Extended-Length (178")	F6P	S	0	S	0	-	9	
Extended-Length (176 )	F8P	5	S	-	S	25		
D - 4200	S6P		14	S	0			
Regular (138")	S8P		858	-	S	n <del>ė</del> s	-	
L (45C!!)	S6P	8	828	S	O/l <sup>1</sup>	(12)	· ·	
Long (156")	S8P		878	-	S	257		
Extended-Length (178")	S6P	2	82:	S	O/l <sup>1</sup>	500	9	
Extended-Length (176 )	S8P		858	-	S	358		
DI (420%)	U6P	- 1	10	2	S	12	2	
Regular (138")	U8P	<u> </u>			S	72	-	
Long (156")	U6P	8	100	8	S	929	8	
Long (136 )	U8P		878	5	S	(#)		
Extended-Length (178")	U6P	8	301	25	S	828	2	
LAtendeu-Lengui (170 )	U8P	8	(+)	8	S	75	-	

- 41 -

Ford Division

<sup>&</sup>lt;sup>1</sup> Included in Seat Pack 25 (212), 26 (213), 29 (216), 30 (217)

## FRONT AXLE AVAILABILITY (CHASSIS CAB)

		3.5L PFE	)i V6 (998)	3.5L EcoBo	ost® V6 (99G)	Electric Motor (E-Transit) (99K)		
CHASSIS CAI	В	Standard Front Axle	Heavy-Duty Front Axle (41E)	Standard Front Axle	Heavy-Duty Front Axle (41E)	Standard Front Axle	Heavy-Duty Front Axle (41E)	
DI (4202)	R5Z	S	0	S	0	85	-	
Regular (138")	R7Z		S	2	S	(4)	2	
1 MEC!!\	R5Z	S	0	S	0	92		
Long (156")	R7Z	e	S	2	S	85		
STOR AN ADMINISTRA	W5Z	S	0	S	0		-	
Regular (138")	W7Z	-	S	-	S	(32)		
	W5Z	S	0	S	0		-	
Long (156")	W7Z	-	S		S	120	2	
F	W5Z	S	0	S	0	S	-	
Extended-Length (178")	W7Z	2	S	<u> </u>	S	3328	<u> </u>	
SS NO CONTRACTOR	F1Z	-	S	2	S		4	
Long (156")	F2Z		S	- 26	S	929	9	
	F1Z	æ	S	2	S	-	2	
Extended-Length (178")	F2Z	2	S	8	S	- 828	2	
DI (420)))	F6Z	S	0	S	0	840		
Regular (138")	F8Z	5	S		S	9579	5	
Long (156")	F6Z	S	0	S	0	84	9	
Long (156 )	F8Z	5	S	i i i	S	83	ē	
Extended-Length (178")	F6Z	S	0	S	0	100	-	
Extended-Length (170 )	F8Z	5	S	-	S	253	G	
7	S6Z	-	82	S	0	92		
Regular (138")	S8Z	-	0.00	-	S	5*8	-	
14500	S6Z	2	12	S	O/I <sup>1</sup>	322	2	
Long (156")	S8Z	15	85	5	S	25	8	
F	S6Z	2	92	S	O/I <sup>1</sup>			
Extended-Length (178")	S8Z		85	5	S	323	8	
B	U6Z		192	9	S	121	ğ	
Regular (138")	U8Z	-	8-8	-	S	7.5	-	
1 (4EC!!)	U6Z	2	- 2	25	S	928	8	
Long (156")	U8Z	8	888	-	S	92	-	
Eutended Leneth (470%)	U6Z	12	120	<u>2</u> 6	S	12	받	
Extended-Length (178")	U8Z	8	(*)	-	S	7.E		

- 42 -

<sup>&</sup>lt;sup>1</sup> Included in Seat Pack 25 (212), 26 (213), 29 (216), 30 (217)

#### **REAR AXLE AVAILABILITY** (CARGO VAN)

		3.5L PFDi V6 (998)								Electric Motor (E-Transit) (99K)
CARGO VAN		Non-L	imited	Limite	ed-Slip	Non-L	imited	Limite	d-Slip	Non-Limited
CARGO VAI	*	3.73	4.10	3.73	4.10	3.73	4.10	3.73	4.10	Electric Axle
		X73	X41	X7L	X4L	X73	X41	X7L	X4L	Liectiic Axie
Regular (130")	E1Y	S	-	O/I <sup>1</sup>	O/A <sup>2</sup>	S	-	O/I <sup>1</sup>	-	; <del>-</del>
Regular (150 )	E2Y		- 1	S	0	10.50	-	S	-	E-
Long (148")	E1Y	S	2	O/l1	O/A <sup>2</sup>	S	2	O/I <sup>1</sup>	3	<u> </u>
Long (146 )	E2Y	s sec	- 5	S	0	8 3ES 3		S	- 5	<b>4</b>
	Dav	-		0.11	0142	_	T	0.11		
Regular (130")	R1Y	S		0/11	O/A <sup>2</sup>	S	. 9	0/1		12
	R2Y	828	. 9	S	0	. 923		S	-	22
Long (148")	R1Y	S	~	O/I <sup>1</sup>	O/A <sup>2</sup>	S		O/I <sup>1</sup>		
	R2Y	3-6		S	0	0.00	-	S	-	\tag{2}
	W1Y	S	-	O/I <sup>1</sup>	O/A <sup>2</sup>	S	-	O/I <sup>1</sup>	-	S
Regular (130")	W2Y	10		S	101000000000000000000000000000000000000	10		S		
		190	=		0	-	-		Ξ.	)22 02-02
Long (148")	W1Y	S	- 5	O/I <sup>1</sup>	O/A <sup>2</sup>	8.58		S	- 0	S
	W2Y	5-8	-	S	0	55=8	~	S	Α.	£-
	Eav				0	2		_		
Long (148")	F1Y	2*3	-	2.5	S	2 <b>*</b> 8		S		9 <del>-</del>
	F2Y	-	-	-	S		-	S	- 2	7-
8007 300	E1C	S	-	O/I <sup>1</sup>	O/A <sup>2</sup>	S	_	O/I <sup>1,3</sup>	-	90 5 <b>-</b>
Regular (130")			2			-				
N N N N	E2C			S	0	10000	. 0	S	-	<u> </u>
Long (148")	E1C	S	-	O/I <sup>1</sup>	O/A <sup>2</sup>	S	-	O/I <sup>1,3</sup>	-	la l
20.19 (1.10 /	E2C	85	9	S	0	82	9	S	0	<u> </u>
继	DAG	-		0.11	0/42	-		0.13		
Regular (130")	R1C	S	-	O/I <sup>1</sup>	O/A <sup>2</sup>	S	-	O/I <sup>1,3</sup>	- 12	P4
9 , ,	R2C		೦	S	0	. 92	ಿ	S	೦	84
Long (148")	R1C	S	-	O/I <sup>1</sup>	O/A <sup>2</sup>	S		O/I <sup>1,3</sup>	- 4	
Long (140 )	R2C	1922	<u>@</u>	S	0	1982	32	S	655	4
										200
Regular (130")	W9C	S		O/I <sup>1</sup>	O/A <sup>2</sup>	S		O/I <sup>1,3</sup>	- 2	S
regular (150 )	W2C			S	0			S		
	W9C	S	- 2	O/I <sup>1</sup>	O/A <sup>2</sup>	S#3	- 2	S		S
Long (148")	W2C		-	S	0	-	-	S		
i i	1120			-						
Long (149")	F7C	828	2	828	S	82	2	S	8	<u> </u>
Long (148")	F8C	878		8.58	S	878	-	S	0	y <del>-</del>
<u> </u>										
Long (148")	R1X	1920	্ভ	300	S	S	্	O/I <sup>1,3</sup>	- 3	<u> </u>
Long (140 )	R2X	S*3		3 <del>*</del> 3	S	3 <b>*</b> 3		S		
後   [4]	l new							0.13		(1) 
Extended-Length (148")	R3X	350	- 5	1050	S	S	- 5	O/I <sup>1,3</sup>	-5	· · · · · · · · · · · · · · · · · · ·
provident uno covo di des Michael Michael III.	R3U	3.50	-	2.50	S	2.00	-	S	-	14
	W1X				0			S		e
Long (148")	100000000000000000000000000000000000000	8.73	- 5	9.50	S	8.78			- 5	S
	W2X	-	-	-	S	-	-	S	-	) <del>-</del>
	W3X	2-3	-	001	S	S	-	O/I <sup>1,3</sup>	-	S
Extended-Length (148")	W3U				S	-	- 0	S	- 0	-
(S)	1130		_		3			3		30
L (4 40m)	F5X	10:50	-	10.50	S	10 <del>-</del> 10	-	S	Э.	i <del>.</del>
Long (148")	F6X	100	23	920	S	100	2	S		<u> </u>
Extended-Length (148")	F7X	520	=	50=0	S	50=0		S	Α.	24
LAteriaeu-Lerigui (140 )	F8X	liez ]	8	1922	S	192	8	S	3	=======================================
						B 1582				2
Extended-Length (148")	F4X	S-0 (	- 2	8-2	S	S	- 2	O/I <sup>3</sup>	- 2	7-
	F4U				S		-	S		
©.	0.00				-		~~	0.13		
Extended-Length (148")	S4X	. 82	· ·	920	S	S	- 2	O/I <sup>3</sup>	- 0	\$ <del>-</del>
V. Contraction of the contractio	S4U	858	- 6	858	- 6	858	8	S	83	1 <del>-</del>
	HOV	S=3 A	74	in the same	192	T New T	120	-	100	25
Extended-Length (148")	U8X	102	<u> </u>	3000	_ =		_ =	S	_ =	9
	U8U	2.00		200		273		S		15

- 43 -

Included with Heavy-Duty Front Axle (41E)
 Available with Heavy-Duty Front Axle (41E)
 Included with Ambulance Prep Package – Cargo Van (47B)

# REAR AXLE AVAILABILITY (CREW VAN)

		3.	5L PFD	i V6 (99	98)	3.5L EcoBoost® V6 (99G)			
CREW VAN		Non-L	imited	Limite	ed-Slip	Non-L	imited	Limite	d-Slip
CREVV VAN		3.73	4.10	3.73	4.10	3.73	4.10	3.73	4.10
		X73	X41	X7L	X4L	X73	X41	X7L	X4L
Regular (130")	E1Z	S	-	O/I <sup>1</sup>	A <sup>2</sup>	S	-	O/I <sup>1</sup>	*
Regulai (150 )	E9Z	82	32	S	0	29	ಲ	S	33
Long (148")	E1Z	S	-	O/I <sup>1</sup>	O/A <sup>2</sup>	*	-	S	
Long (140 )	E9Z	82	9	S	0	- 12	្ធ	S	3
Regular (130")	R1Z	S		O/I <sup>1</sup>	A <sup>2</sup>	S		O/I <sup>1</sup>	
Regular (130 )	R2Z		- 2	S	0	-	- 2	S	ੁ
Long (148")	R1Z	S		O/I <sup>1</sup>	O/A <sup>2</sup>		=	S	- 4
Long (140 )	R2Z		- 2	S	0	- 1	- 2	S	3
Regular (130")	W1Z	S	- 4	O/I <sup>1</sup>	O/A <sup>2</sup>	S		O/I <sup>1</sup>	2
Regulai (150 )	W2Z	-	- 5	S	0	-		S	
Long (148")	W1Z	S	3	O/I <sup>1</sup>	O/A <sup>2</sup>	3	3	S	3
Long (140 )	W2Z	325		S	0			S	- 5
Deguler (120")	E1D	S	ु	O/I <sup>1</sup>	A <sup>2</sup>	S	ु	O/I <sup>1</sup>	9
Regular (130")	E2D	8.73		S	0		- 5	S	50
Long (148")	E1D	S	33	O/I <sup>1</sup>	O/A <sup>2</sup>	8	3	S	3)
Long (140 )	E2D	8.5		S	0	0.00		S	
Regular (130")	R1D	S	ু	O/I <sup>1</sup>	A <sup>2</sup>	S	্ভ	O/I <sup>1</sup>	발
regular (150 )	R2D	200		S	0	9*9		S	
Long (148")	R1D	S	33	O/I <sup>1</sup>	O/A <sup>2</sup>	10	<u></u>	S	33)
Long (140 )	R2D	:-:	-	S	0		-	S	8
Regular (130")	W1D	S	- 5	O/I <sup>1</sup>	O/A <sup>2</sup>	S	- 5	O/I <sup>1</sup>	- 5
Regulai (150 )	W2D		+	S	0		-	S	-
Long (148")	W <sub>1D</sub>	S	- 5	O/I <sup>1</sup>	O/A <sup>2</sup>		- 5	S	
Long (140 )	W2D	0.00	*	S	0	3.00	*	S	
Long (148")	R1V	878	- 6	875	S	872	- 5	S	
Long (146 )	R2V		*	-	S	-	*	S	- 4
Long (440")	W1V	2*3	-	293	S	273	-	S	-
Long (148")	W2V	3-2		-	S	3-3	2	S	2
Extended-Length (148")	F4V	3-3	-	-	S	1-1	-	S	-
Latendeu-Length (146 )	F4W	- 12	9	-	S	- 12	្ទ	S	S.
Extended-Length (148")	S4V	520	-	520	S	100	-	S	-
Lxtended-Length (148")	S4W		8	100	8	12.0	- 2	S	3

- 44 -

<sup>&</sup>lt;sup>1</sup> Included with Heavy Duty Front Axle (41E)
<sup>2</sup> Available with Heavy Duty Front Axle (41E)

#### **REAR AXLE AVAILABILITY** (PASSENGER VAN)

		3.	5L PFD	i V6 (99	98)	3.5L	EcoBoo	st® V6	(99G)
PASSENGER VAN		Non-Limited		Limite	d-Slip	Non-L	imited	Limited-Slip	
		3.73	4.10	3.73	4.10	3.73	4.10	3.73	4.10
		X73	X41	X7L	X4L	X73	X41	X7L	X4L
Long (140")	X2Y	S	7	0	0	S	-	0	-
Long (148")	X9Y		្ន	S	0	,	្ន	S	0
	X2C	S		0	0	S		0	-
Long (148")	X9C		핕	S	0		핕	S	3
L (4.40%)	X2X		-	5-3	S	S		0	-
Long (148")	X9X		ā		S		- 3	S	- 5
F4	U4X	82	2	82	S	S	2	0	2
Extended-Length (148")	U5X	853		878		858		S	- 12

#### **REAR AXLE AVAILABILITY** (CUTAWAY)

CUTAWAY		3.	5L PFD	i V6 (99	98)	3.5L EcoBoost® V6 (99G)				Electric Motor (E-Transit) (99K)
					Limited-Slip		Non-Limited		d-Slip	Non-Limited
COTAVVAT	COIAWAI		4.10	3.73	4.10		4.10	3.73	4.10	Electric Axle
		X73	X41	X7L	X4L		X41	X7L	X4L	Electric Axic
Regular (138")	R5P				S	S	-	O/I <sup>1</sup>	-	84
regular (150 )	R7P	92	8	92	S	82	8	S	8	<u></u>
Long (156")	R5P	196	*	3.00	S	S	-	O/I <sup>1</sup>	-	E=
Long (150 )	R7P	-	- 2	-	S	-		S	- 0	12
Regular (138")	W5P	120	- 1	- 120	S	S		O/I <sup>1</sup>	-	12
Regulai (130 )	W7P	128	- 2		S	100	- 2	S	2	
Long (156")	W5P	, 65 <del>-</del> 23		3320	S	S	-	O/I <sup>1</sup>	-	19
Long (136 )	W7P	, ises	- 23		S	, 1982	- 25	S	- 33	82
Extended-Length (178")	W5P	-		1040	S	S	-	O/I <sup>1</sup>	-	S
Extended-Length (176 )	W7P	-	3	-	S	-	ğ	S	ĕ	E E
Long (156")	F1P	-	- 2	-	S	3-2		S	- 2	12
Long (156 )	F2P	-	-5		S		- 5	S	- 5	5
Extended-Length (178")	F1P	-	-		S		2	S	- 2	9
Extended-Length (176 )	F2P	-	- 5		S	-		S	- 5	
DI (420!!)	F6P	-	- 2	92	S	S	- 2	O/I <sup>1</sup>	- 2	2
Regular (138")	F8P	873		850	S	853	-	S	8	5
Long (156")	F6P	82	9	828	S	S	0	0/1	8	i i
Long (156 )	F8P	8.78	0.0	878	S	8.78	- 5	S		ģē.
Futer de d 1 - math (470%)	F6P	820	0	92	S	S	- 0	O/l1	2	12
Extended-Length (178")	F8P	858		858	S	858		S	83	15
D 1 (420)))	S6P	-	ु	-	ु	S	ु	O/I <sup>1,2</sup>	3	12
Regular (138")	S8P	8*8		2.5		2*3		S		1=
1 (4ECW)	S6P	12.	22		Ş	S	ĕ	O/l <sup>1,2</sup>	- 8	<u>(</u>
Long (156")	S8P	8 <del>*</del> 8		273		2 <b>.</b> *3		S		1.0
F	S6P	12	8		3	S	0	O/I <sup>1,2</sup>	્રું	<u>.</u>
Extended-Length (178")	S8P	8-8		200		9-3		S		Et .
D 44001"	U6P	-	-	-	-	-	-	S	-	
Regular (138")	U8P	13-83	-	3-8	-	87-8	-	S	-	
Long (156")	U6P		- 5		- 5		- 5	S	- 5	¥ 4 45
Long (130 )	U8P	10±8	8	3.50		3.50	-	S	-	i e
Extended Longth /179"\	U6P		- 5		- 5			S	- 5	
Extended-Length (178")	U8P	199	8	3.50	-	85-8	-	S	-	is the

- 45 -

 <sup>&</sup>lt;sup>1</sup> Included with Heavy Duty Front Axle (41E)
 <sup>2</sup> Included with Ambulance Prep Package (47F)

# REAR AXLE AVAILABILITY (CHASSIS CAB)

CHASSIS CAB		3.	5L PFD	i V6 (99	98)	3.5L EcoBoost® V6 (99G)				Electric Motor (E-Transit) (99K)	
		Non-Limited		Limite	d-Slip	Non-L	imited	Limite	d-Slip	Non-Limited	
CHASSIS CA	<b>D</b>	3.73	4.10	3.73	4.10	3.73	4.10	3.73	4.10	Electric Axle	
		X73	X41	X7L	X4L	X73	X41	X7L	X4L	Electric Axie	
Regular (138")	R5Z	3.00	-	. 386	S	S	-	O/I <sup>1</sup>	-		
riogular (100 )	R7Z			100	S	82	ಲ	S	_ S	<u> </u>	
Long (156")	R5Z	2000	-	3000	S	S	-	O/I <sup>1</sup>	-	85	
Long (100 )	R7Z	82	9	828	S	82	9	S	9	<u> </u>	
	W5Z	(14)	-	1040	S	S	-	O/I <sup>1</sup>		12	
Regular (138")	W7Z	-	8		S	-	8	S	্	4	
1 MEC!!	W5Z	50.00		340	S	S	- 4	O/I <sup>1</sup>	- 4	22	
Long (156")	W7Z	, rea	ឧ		S		쩮	S	3	, 44	
Extended-Length (178")	W5Z	1920	-	520	S	S	-	O/I <sup>1</sup>	-	S	
Extended-Length (176 )	W7Z		35		S		8	S	8	<u> </u>	
The second secon	F1Z				S	-		S			
Long (156")	F2Z	-	-	-	S	-	-	S	-		
	F1Z		- 0		S	-	2	S		12	
Extended-Length (178")	F2Z	-	-	-	S	-	_	S	-		
Regular (138")	F6Z		_ C	-	S	S	್	O/I <sup>1</sup>	್ಷ	<u> </u>	
Productive State of the State o	F8Z	873	- 5	- 0.5	S	8.5	- 5	S	- 8	<i>E</i>	
Long (156")	F6Z	828		828	S	S		0/1		12	
	F8Z	85	- 5	855		-	- 5	S	2	\$	
Extended-Length (178")	F6Z F8Z			-	S	S		0/l <sup>1</sup>		. 8	
e e	FOZ	0.50	- 5	875	3	8.75	- 8	3	- 2		
Regular (138")	S6Z	192	8		ું	S	<u> </u>	O/I <sup>1</sup>	3	4	
regular (130 )	S8Z	0.00	3	2.5	- 1	9*9		S		2-	
Long (156")	S6Z	-	프		্ভ	S	্ৰ	O/I <sup>1</sup>	্ভ	84	
Long (130 )	S8Z	2 <b>*</b> 8		200		2*3		S		<u> </u>	
Extended-Length (178")	S6Z		2		ভ	S	발	O/I <sup>1</sup>	<u>§</u>	84	
3 ( )	S8Z	8.5		25				S	-	£ <del>-</del>	
D. C. Lander	U6Z	-	-	-	-	-	-	S	-		
Regular (138")	U8Z	3-6	-	3:00	-	30-83	-	S	-	8	
L (4EC")	U6Z	-		-	-	-		S			
Long (156")	U8Z		-		-		-	S	-		
Extended-Length (178")	U6Z		- 5		-		- 5	S	- 5		
LAtended-Length (170 )	U8Z	2000	*	3:50	-	0.00		S	8	.55	

- 46 -

<sup>&</sup>lt;sup>1</sup> Included with Heavy Duty Front Axle (41E)

## WHEELS

### WHEEL AVAILABILITY (SRW)



16" Silver Steel Wheel with Black Hubcap

(Standard on Standard Front Axle configurations)



16" Silver Steel Wheel with Silver Hubcaps and Exposed Lug Nuts (641)

(Standard on Heavy-Duty Front Axle configurations)



16" Steel Wheel with Full Silver Wheel Cover (64H)

(Standard on E-Transit)



16" Silver Aluminum Alloy Wheel (647)



16" Black Aluminum Alloy Wheel (644)



★16" Sparkle Silver Alloy Wheel (64K)



★16" Matte Black Alloy Wheel (64G)

#### Wheel Image Coming Soon

16" White Steel Wheel with Black Hubcap (64C – Fleet Only)

## **WHEELS**

### WHEEL AVAILABILITY (DRW)





16" Heavy-Duty Silver Steel Wheel with Silver Hubcaps and Exposed Lug Nuts

(Standard on Standard Front Axle configurations) & (Standard on Heavy-Duty Front Axle configurations)





16" Heavy-Duty Forged Aluminum Wheel

(76E - Standard Front Axle configurations) (76G – Heavy-Duty Front Axle configurations)





16" Heavy-Duty White Steel Wheel with Exposed Lug Nuts (76D – Fleet Only)

# 2023 TRANSIT COLOR & TRIM AVAILABILITY

INTERIOR MATERIAL	CODE	Cargo Van	Crew Van	Passenger Van XL	Passenger Van XLT	Cutaway	Chassis Cab
Ebony Cloth	СВ	0	0	S	0	0	0
Ebony Leather	LB	0	-	-	0	0	-
Dark Palazzo Grey Cloth	CK	0	0	-	S	0	0
Dark Palazzo Grey Vinyl	VK	S	S	0	-	S	S
Dark Palazzo Grey Vinyl (Driver Seat) + Ebony Vinyl (Passenger Seats)	VB	0	-	-	-	0	0

Note: Unlike the Driver Seat, dual Passenger Seat insert and bolster material will be identical









Ebony Cloth

**Ebony Leather** 

Dark Palazzo Grey Cloth

Dark Palazzo Grey Vinyl

EXTERIOR COLOR	CODE	Cargo Van	Crew Van	Passenger Van XL	Passenger Van XLT	Cutaway	Chassis Cab
Oxford White	YZ			-	-	-	-
Race Red	PQ	•	-	-	•	•	-
School Bus Yellow (Fleet only)	BY	•		•		•	
Agate Black Metallic	UM	•	•	•	•	•	•
Ingot Silver	UX	•		•		•	
Carbonized Gray Metallic	M7	•	•	•	•	•	•
★Blue Metallic	FT			-		-	-
Avalanche Gray Metallic	DR			-		•	•
Abyss Gray Metallic	ME			•	•		-
★Blue Mist	MT			•		•	•















ABYSS GRAY







★ = New for this model year

### **EXTERIOR UPGRADE PACKAGE - SRW (18D)**

#### Availability:

Cargo Van, Crew Van, Passenger Van XLT (Standard), Cutaway and Chassis Cab

#### Not available with:

- Passenger Van XL
- F-Transit

#### Includes:

- Chrome-HID Headlamps (91A) except when Cutaway or Chassis Cab with 3.5L PFDi V6 (998)
- Wiper Activated Headlamps (91B)
- Front Fog Lamps
- Honeycomb Mesh Grille with Chrome Surround
- 16" Steel Wheel with Full Silver Wheel Cover (Standard Front Axle configurations only) (64H) or 16" Silver Steel Wheel with Exposed Lug Nuts (Heavy-Duty Front Axle configurations only)

#### Upgradeable Features/Options (for additional charge):

- 16" Silver Aluminum Alloy Wheel (Standard Front Axle configurations only) (647)
- 16" Black Aluminum Alloy Wheel (Standard Front Axle configurations only) (644)
- 16" Matte Black Alloy Wheel (Heavy-Duty Front Axle configurations
- 16" Sparkle Silver Alloy Wheel (Heavy-Duty Front Axle configurations only) (64K)

### **EXTERIOR UPGRADE PACKAGE - DRW (18L)**

#### Availability:

Cargo Van, Crew Van, Passenger Van XLT (Standard), Cutaway and Chassis Cab

#### Not available with:

Passenger Van XL

#### Includes:

- Chrome HID Headlamps (91A) except when Cutaway or Chassis Cab with 3.5L PFDi V6 (998)
- Wiper Activated Headlamps (91B)
- Front Fog Lamps
- Honeycomb Mesh Grille with Chrome Surround
- 16" Heavy-Duty Silver Steel Wheel with Exposed Lug Nuts

#### Upgradeable Features/Options (for additional charge):

- 16" Heavy-Duty Forged Aluminum Wheel (Standard Front Axle configurations only) (76E)
- 16" Heavy-Duty Forged Aluminum Wheel (Heavy-Duty Front Axle configurations only) (76G)
- 16" Heavy-Duty White Steel Wheel with Exposed Lug Nuts (Standard Front Axle configurations only) (76D – Fleet Only)

#### **LOAD AREA PROTECTION PACKAGE (96D)**

#### Availability:

Cargo Vans

#### Not available with:

- Windows-All-Around, Fixed (17F)
- Power Running Board (68L)
- Scuff Plate Kit (85A)
- Heavy-Duty Scuff Plate Kit (85B), unless ordered with Heavy-Duty Cargo Flooring (60B)
- 11,000lb GVWR Cofigurations

#### Includes:

- Full-Height Polypropylene Cargo Area Panels
- Vinyl, Front and Rear (16E) (includes Wheel Well Liners)

#### Upgradeable Features/Options (for additional charge):

Heavy-Duty Cargo Flooring (60B)

#### INTERIOR UPGRADE PACKAGE - CUTAWAY/CHASSIS **CAB (47A)**

#### Availability:

Cutaway and Chassis Cabs

#### Not available with:

- E-Transit
- Right Hand Door Delete (60X)

#### Includes:

- Cruise Control (60C) except when audio package 58F is selected
- Dark Palazzo Gray Cloth, 2-way manual Driver and 2-way manual Passenger seat (21L)
- SYNC 3 with 4" Display (58V)
- SYNC 4 with AM/FM stereo and 12" display (58B) if Blind Spot Assist 1.0 (65A) is selected
- Vinyl Sunvisor with Illuminated Vanity Mirror (Driver and Passenger) (85C)

#### Upgradeable Features/Options (for additional charge):

- Dark Palazzo Gray Cloth, 2-way manual Driver and 2-way manual Passenger seat (21C)
- Ebony Cloth, 2-way manual Driver and 2-way manual Passenger seat (21D)
- Ebony Cloth, 2-way manual Driver and 2-way manual Passenger seat (21M)
- Dark Palazzo Gray Cloth, 10-way power Driver and 10-way power Passenger seats (21Q)
- Ebony Cloth, 10-way power Driver and 10-way power Passenger seats (21R)
- Ebony Leather, 10-way power Driver and 10-way power Passenger seats (21S)
- SYNC 4 with AM/FM stereo w/out navigation (58L)
- SYNC 4 with AM/FM stereo and 12" display (58B)
- SYNC 4 with SiriusXM® with 360L, HD Radio™ and 12" Display (58C)
- SYNC 4 with SiriusXM® with 360L, HD Radio™, Navigation and 12" Display (58E)
- SYNC 4 with SiriusXM® with 360L, HD Radio™, Navigation, Intelligent Adaptive Cruise Control (iACC) and 12" Display (58F)
- Adaptive Cruise Control (60D) except when MyKey® (62B), audio package 58E or 58F are selected

## INTERIOR UPGRADE PACKAGE – CARGO VAN (96C) Availability:

Cargo Vans

#### Not available with:

- Power Running Board (68L)
- Scuff Plate Kit (85A)
- Heavy-Duty Scuff Plate Kit (85B), unless ordered with Heavy-Duty Cargo Flooring (60B)

#### Includes:

- Full-Height Polypropylene Cargo Area Panels
- Vinyl, Front and Rear (16E)
- Short-Arm, Power Adjusting, Manual-Folding Mirrors (541) when Blind Spot Assist 1.0 (65A) is not selected
- Vinyl Sunvisor with Illuminated Vanity Mirror (Driver and Passenger) (85C)
- Dark Palazzo Gray Cloth, 2-way manual Driver and 2-way manual Passenger (21L) – included with Gas Engines only
- Ebony Cloth, 2-way manual Driver and 2-way manual Passenger seats (21M) – included with E-Transit
- Cruise Control (60C) except when audio package 58F is selected *Upgradeable Features/Options (for additional charge):*

#### Heavy-Duty Cargo Flooring (60B)

- Dark Palazzo Gray Cloth, 2-way manual Driver and 2-way manual Passenger (21C) – not available with E-Transit
- Ebony Čloth, 2-way manual Driver and 2-way manual Passenger (21D) – not available with E-Transit
- Ebony Cloth, 2-way manual Driver and 2-way manual Passenger (21M) – Gas Engines only
- Dark Palazzo Gray Cloth, 10-way power Driver and 10-way power Passenger seats (21Q) – not available with E-Transit
- Ebony Cloth, 10-way power Driver and 10-way power Passenger seats (21R) – not available with E-Transit
- Ebony Leather, 10-way power Driver and 10-way power Passenger seats (21S) – not available with E-Transit
- Short-Arm, Power Adjusting, Manual-Folding Heated with Turn Signals Mirrors (545)
- Long-Arm, Power Adjusting, Manual-Folding Heated with Turn Signals Mirrors (544)
- Adaptive Cruise Control (60D) not available with audio package 58E or 58F and is only available with E-Transit when ordered with MyKey® (62B)

#### **BUILDERS PREP PACKAGE (47E)**

#### Deletes:

- Rear Floor Covering
- Rear-Seats and Restraints
- Rear-Seat Rails and Fasteners

#### Availability:

Passenger Van XL and Passenger Van XLT

#### Not available with:

- Chrome HID Headlamps (91A) (applies to Passenger Van XL only) Includes:
- Dual AGM Batteries (63E)
- Front/Rear Aux A/C and Heater (Driver controlled) (57G) when Auxiliary Heater Prep Package without Rear Controls (62A) or Auxiliary Heater / AC Prep Package without Rear Controls (62C) are not ordered
- Modified Vehicle Wiring System (53K)
- Vinyl, Front only (16C) with Passenger Van XL and Carpet, Front only (16G) with Passenger Van XLT
- Less Rear Seat (96K)

#### Upgradeable Features/Options (for additional charge):

- Auxiliary Heater Prep Package without Rear Controls (62A) (Medium/High Roof only)
- Auxiliary Heater / AC Prep Package without Rear Controls (62C) (Medium and High Roof only)
- Black HID Headlamps (91C) (applies to Passenger Van XL only)

#### MODIFIED VEHICLE WIRING SYSTEM (53K)

#### Availability:

 Cargo Van, Crew Van, Passenger Van XL, Passenger Van XLT, Cutaway (Standard) and Chassis Cab (Standard)

## Required (Cargo Van, Crew Van, Passenger Van XL and Passenger Van XLT Only):

Dual AGM Batteries (63E)

#### Includes:

Modified vehicle connections for customized wiring harness provisions

#### **RV PREP PACKAGE (47D)**

#### Availability:

Cargo Van

#### Includes:

- Modified Vehicle Wiring System (53K)
- Heavy-Duty Trailer Tow Package (53B)
- Dark Palazzo Gray Cloth, 4-way manual swivel Driver and 4-way manual swivel Passenger (21T)
- SYNC 4 with SiriusXM® with 360L, HD Radio™, Navigation, Intelligent Adaptive Cruise Control (iACC) and 12" Display (58F)
- High Resolution Digital Camera (61E) when Reverse Brake Assist (43S) is not selected
- Front Fog Lamps (55D)
- Black HID Headlamps (91C) (Except when equipped w/ Exterior Upgrade Package – SRW (18D) or DRW (18L))
- Wiper Activated Headlamps (91B)
- Front Bumper, Body Colored (53G)
- Illuminated Sun Visors (85C)
- Carpet, Front only (16G)
- 8 speakers (4 front/4 rear)
- Side Sensing System (94A)
- Blind Spot Assist 1.0 (65A)

#### Upgradeable Features/Options (for additional charge):

- Dark Palazzo Gray Cloth, 4-way manual swivel Driver and 4-way manual swivel Passenger seats (218)
- 360-Degree Camera with Split View and Front Washer (61D) includes Honeycomb Mesh Grille with Chrome Surround
- SYNC 4 with AM/FM stereo w/out navigation (58L) includes Adaptive Cruise Control (60D)

#### Not available with:

- Radio Prep Package (58T)
- Rear View Display in Rearview Mirror (61B)
- MyKey® (62B)
- Bulkhead Lockable Door with Window (47T)
- Bulkhead Window Only (47U)
- Interior Upgrade Package (96C)
- Load Area Protection Package (96D)
- Heavy-Duty Cargo Flooring (60B)
- Rear Bumper Delete (43F)
- 9,950lb DRW / 10,360lb GVWR configurations
- E-Transit

NOTE 1: Rear speakers are shipped in a dunnage box.

#### **RIGHT HAND DOOR DELETE (60X)**

### Availability:

Cutaway

#### Not available with:

- Ambulance Prep Package Cutaway (47F) and Motorhome Prep Package (47M)
- Interior Upgrade Package Cutaway/Chassis Cab (47A)

#### Includes

- Passenger Seat Delete (21J)
- Exterior Mirror Delete (54X)
- Power Adjusting, Manual-Folding Heated with Turn Signals (544) if Blind Spot Assist 1.0 is selected

#### Upgradeable Features/Options (for additional charge):

- Passenger Seat Delete with Ebony Cloth Driver Seat (211)
- Power Adjusting, Manual-Folding (543) if Blind Spot Assist 1.0 is not selected
- Power Adjusting, Manual-Folding Heated with Turn Signals (544) if Blind Spot Assist 1.0 is not selected

NOTE 1: Intended for upfitters who modify the factory roof

NOTE 2: When adding an audio package, besides Radio Prep Package (58T), audio quality may slightly be diminished due to the deletion of the right hand door speaker.

#### **HEAVY-DUTY TRAILER TOW PACKAGE (53B)**

#### Availability:

- Cargo Van, Crew Van, Passenger Van XL and Passenger Van XLT Not available with:
- Rear Tow Hook
- F-Transit
- Rear Bumper Delete (43F)

#### Includes:

- Tow/Haul Mode with Trailer Wiring Provisions
- 4/7 Pin Connector Assembly and Rear Jumper
- Relay system for backup/B+/running lights
- Frame mounted hitch receiver

#### Included with:

• RV Prep Package (47D)

**NOTE:** This package does not include a Trailer Brake Controller (67D). Additionally, if customer wants a trailer brake controller after initial purchase, it will have to be an aftermarket trailer brake controller and aftermarket wiring harness.

## TOW/HAUL MODE WITH TRAILER WIRING PROVISIONS (53D)

#### Availability:

 Cargo Van, Crew Van, Passenger Van XL, Passenger Van XLT, Cutaway and Chassis Cab

#### Not available with:

E-Transit

#### Includes:

- · Trailer Wiring Harness to rear of vehicle for upfit
- Trailer Sway Control (TSC)
- 4/7 Pin Connector Assembly and Rear Jumper
- Tow/Haul Mode

#### Included with:

• Motorhome Prep Package (47M)

NOTE 1: This package does not include a Trailer Brake Controller (67D). Additionally, if customer wants a trailer brake controller after initial purchase, it will have to be an aftermarket trailer brake controller and aftermarket wiring harness.

**NOTE 2**: This package does not include the frame mounted hitch receiver.

#### **MOTORHOME PREP PACKAGE (47M)**

#### Availability:

Cutaway

#### Not available with:

- Right Hand Door Delete (60X)
- 9,950lb DRW / 10,360lb GVWR configurations
- F-Transit

#### Includes:

- SYNC 4 with SiriusXM® with 360L, HD Radio™, Navigation, Intelligent Adaptive Cruise Control (iACC) and 12" Display (58F)
- Tow/Haul Mode with Trailer Wiring Provisions (53D)
- Dual AGM Batteries (63E)
- Modified Vehicle Wiring System (53K)
- Dark Palazzo Gray Cloth, 4-way manual swivel Driver and 4-way manual swivel Passenger (21T)
- Black HID Headlamps (91C) (Except when equipped w/ Exterior Upgrade Package – SRW (18D) or DRW (18L) and/or 3.5L PFDi V6 (998))
- Front Fog Lamps (55D)
- Auxiliary Fuse Panel with High Spec Interface Connector (87E)

#### Upgradeable Features/Options (for additional charge):

- Ebony Cloth, 2-way manual Driver and 2-way manual Passenger seat (21D)
- Dark Palazzo Gray Cloth, 4-way manual swivel Driver and 4-way manual swivel Passenger seats (218)
- SYNC 4 with AM/FM stereo w/out navigation (58L) (will include Adaptive Cruise Control (60D) if MyKey (62B) is not selected)

#### SHUTTLE BUS PREP PACKAGE - (47S)

#### Availability:

Cutaway

#### Not available with:

E-Transit

#### Includes:

- Exterior Upgrade Package (18D) on SRW configurations
- Exterior Upgrade Package (18L) on DRW configurations
- Dual AGM Batteries (63E)
- Auxiliary Fuse Panel with High Spec Interface Connector (87E)
- Modified Vehicle Wiring System (53K)
- SYNC 3 with 4" Display (58V)
- SYNC 4 with AM/FM stereo and 12" display (58B) if Blind Spot Assist 1.0 (65A) is selected

#### Applicable Options (not part of Prep Package):

- Right Hand Door Delete (60X)
- SYNC 4 with AM/FM stereo w/out navigation (58L)
- SYNC 4 with AM/FM stereo and 12" display (58B)
- SYNC 4 with SiriusXM® with 360L, HD Radio™and 12" Display (58C)
- SYNC 4 with SiriusXM® with 360L, HD Radio<sup>™</sup>, Navigation and 12" Display (58E)
- SYNC 4 with SiriusXM® with 360L, HD Radio™, Navigation, Intelligent Adaptive Cruise Control (iACC), Intersection Assist and 12" Display (58F)
- Radio Prep Package (58T) is only available when Rear Video Camera and Prep Kit (61A) is selected

#### SCHOOL BUS PREP PACKAGE - (47C)

#### Availability:

- Cutaway
- Fleet only

#### Not available with:

• Extended Length configurations (Gas Engines only)

#### Includes:

- Safety Glass (65B)
- Right Hand Door Delete (60X)
- Dual AGM Batteries (63E)
- Separate Stop Turn Tail Lamp LED Enabled (43Q)
- Auxiliary Fuse Panel with High Spec Interface Connector (87E)
- Dual-note Horn (85D)
- Modified Vehicle Wiring System (53K)

NOTE: Requires Passenger Seat Delete (21J) and School Bus Yellow (BY) Paint

## MULTI-FUNCTION SCHOOL ACTIVITY BUS (MFSAB) PREP PACKAGE (47Q)

#### Availability:

- Cutaway
- Fleet only

#### Not available with:

• Extended Length configurations (Gas Engines only)

#### Includes:

- Safety Glass (65B)
- Right Hand Door Delete (60X)
- Dual AGM Batteries (63E)
- Separate Stop Turn Tail Lamp LED Enabled (43Q)
- Auxiliary Fuse Panel with High Spec Interface Connector (87E)
- Dual-note Horn (85D)
- Modified Vehicle Wiring System (53K)

NOTE: Requires Passenger Seat Delete (21J) and Oxford White (YZ)
Paint

## AMBULANCE PREP PACKAGE – CARGO VAN (47B)

- Medium Roof or High Roof Cargo Van with Sliding Passenger-side Cargo Door
- 3.5L EcoBoost® V6 (99G)

#### Not available with:

- Passenger Seat Delete (21J, 21K and 211)
- 3-Passenger Seating (212, 213, 216 and 217)
- F-Transit

#### Includes:

- Dual AGM Batteries (63E)
- Dual Alternator (63C)
- Fixed Rear Cargo Door Glass and Fixed Passenger-side Glass (17B)
- 3.73 Limited-Slip Axle (X7L)
- Modified Vehicle Wiring System (53K)
- Auxiliary Fuse Panel with High Spec Interface Connector (87E)
- Dual-note Horn (85D)

#### Upgradeable Features/Options (for additional charge):

• Privacy Glass (92E)

NOTE 1 Check with Upfitter on charge margin acceptability
NOTE 2 3.5L EcoBoost® V6 (99G) engine does not include Auto
Start-Stop technology on this particular application

#### AMBULANCE PREP PACKAGE - CUTAWAY (47F)

#### Availability:

- Cutaway
- 3.5L EcoBoost® V6 (10,360lb or 11,000lb GVWR configurations only) (99G)

#### Not available with:

- Passenger Seat Delete (21J, 21K and 211)
- 3-Passenger Seating (212, 213, 216 and 217)
- Right Hand Door Delete (60X)
- E-Transit

#### Includes:

- Short-Arm, Power Adjusting, Manual-Folding Mirrors (541)
- Power Adjusting, Manual-Folding Heated with Turn Signals (544) if Blind Spot Assist 1.0 (65A) is selected
- Dual AGM Batteries (63E)
- 3.73 Limited-Slip Axle
- Spare Tire and Wheel (51D)
- Separate Stop Turn Tail Lamp LED Enabled (43Q)
- Auxiliary Heater / AC Prep Package without Rear Controls (62C)
- Auxiliary Fuse Panel with High Spec Interface Connector (87E)
- Dual-note Horn (85D)
- Modified Vehicle Wiring System (53K)

#### Upgradeable Features/Options (for additional charge):

- Short-Arm, Power Adjusting, Manual-Folding Heated with Turn Signals Mirrors (545)
- Long-Arm, Power Adjusting, Manual-Folding Mirrors (543)
- Long-Arm, Power Adjusting, Manual-Folding Heated with Turn Signals Mirrors (544)
- Exterior Mirror Delete (54X)

NOTE 1: Check with Upfitter on charge margin acceptability
NOTE 2: 3.5L EcoBoost® V6 (99G) engine does not include Auto
Start-Stop technology on this particular application

#### **REAR VIDEO CAMERA AND PREP KIT (61A)**

#### Availability:

· Cutaway and Chassis Cab

#### Pre-installed Content Includes:

- · Cab Wiring
- Frame Wiring to the rear most cross member
- Will display in rearview mirror when ordered with Radio Prep Package (58T), otherwise will display in multi-function display

#### Upfitters Kit Includes:

- · Camera with mounting bracket
- 20' Jumper wire
- Camera mounting and aiming instructions

NOTE: For incomplete vehicles, upfitter must add a rear view camera to vehicles that are 10,000lb GVWR or less to complete the vehicle and meet FMVSS 111 requirements. Rear Video Camera and Prep Kit (61A) is available as a dunnage kit that requires upfitter installation

#### **UPFITTER PACKAGE (67C)**

#### Availability:

 Cargo Van, Crew Van, Passenger Van XL, Passenger Van XLT, Cutaway and Chassis Cab

#### Not Available with:

- E-Transit
- 3-Passenger Seating (212, 213, 216 and 217)

#### Includes:

- High Capacity Upfitter Switches
- Large Center Console (67E)
- Auxiliary Fuse Panel with High Spec Interface Connector (87E)
- Dual AGM Batteries (63E)
- Modified Vehicle Wiring System (53K)

### LIVERY PACKAGE (47L) (LIVERY FIN REQUIRED)

#### Availability:

- Medium or High Roof Passenger Van XLT with Long or Extended Length
- Fleet only (Livery FIN)

#### Not Available with:

• Builder's Prep Package (47E)

#### Includes:

- Ebony Leather, 10-way power Driver and 10-way power Passenger seats (21S)
- Chrome HID Headlamps (91A)
- Privacy Glass (92E)
- 16" Steel Wheel with Full Silver Wheel Cover (Standard Front Axle configurations only) (64H) or 16" Silver Steel Wheel with Exposed Lug Nuts (Heavy-Duty Front Axle configurations only) – SRW
- 16" Heavy-Duty Silver Steel with Exposed Lug Nuts, Standard and Heavy-Duty Front Axle configurations – DRW
- Keyless Entry Keypad (52C)
- Dual AGM Batteries (63E)
- Auxiliary Fuse Panel with High Spec Interface Connector (87E)
- Modified Vehicle Wiring System (53K)
- Wheel Well Liners Black (Front only) (15C)
- Egress Window (17L)

#### Upgradeable Features/Options (for additional charge):

- 16" Heavy-Duty Forged Aluminum Wheel DRW (Standard Front Axle configurations only) (76E)
- 16" Heavy-Duty Forged Aluminum Wheel DRW (Heavy-Duty Front Axle configurations only) (76G)
- Power Sliding Door (65C) Late Availability

#### PARCEL DELIVERY PACKAGE (47G)

#### Availability:

- Cargo Van
  - 3.5L PFDi V6 (998) (Medium/High Roof SRW and DRW Configuration F4X)
  - E-Transit (Long and Extended Lengths only)
- Cutaway
  - 3.5L PFDi V6 (998) (SRW configurations and DRW configuration F6P)
  - E-Transit

#### Includes:

- Center Console with Right-Side Shifter (67F) Gas Engines only
- Full Rear Compartment Lighting (15F) Cargo Van only
- 50/50 Hinged Rear Door, 253-degree Opening (18P) Long or Extended Length Cargo Van only
- Ebony Cloth 2-way manual Driver and 2-way manual Passenger seats without armrests (219)

#### Additional Options to consider (may result in additional charges):

- Rear Bumper Delete (43F) Cargo Van only
- B-Pillar Assist Handle (41B) Medium and High Roof Cargo Van only
- Passenger Seat Delete Ebony Cloth, 2-way manual Driver seat without an armrest (211) – Cutaway only and is included when Right Hand Door Delete (60X) is selected

#### Not Available with:

- Interior Upgrade Package Cargo Van (96C)
- Load Area Protection Package (96D)
- Exterior Upgrade Package (18D/18L)
- Upfitter Package (67C)
- Trailer Brake Controller (67D)

#### **★FLEET FUEL ECONOMY PACKAGE (98B)**

#### Availability:

- 3.5L PFDi V6 (998)
- Fleet Orders Only

#### Includes:

- Smart Acceleration Truncation
- Engine Idle Shutdown 5 Minute Timer (55E)
- 75-mph Governed Top Speed (52N)
- Auto Start-Stop Switch Delete

#### Upgradeable Features/Options (for additional charge):

- Engine Idle Shutdown 10 Minute Timer (55F)
- Engine Idle Shutdown 15 Minute Timer (55G)
- Engine Idle Shutdown 20 Minute Timer (55H)
- 70-mph Governed Top Speed (52H)65-mph Governed Top Speed (52M)

NOTE 1: With this package, EcoMode is always on.

NOTE 2: Auto Start-Stop Switch Delete deletes Auto Stop-Start Technology disable button on dash, however, the feature remains permanently active.

#### **★FLEET SAFETY PACKAGE (59C)**

#### Availability:

Fleet Orders Only

#### Includes:

- Driver Alert
- Pre-Collision Assist with Automatic Emergency Braking (AEB)
- · Lane Keeping Aid
- Auto High Beam
- Reverse Speed Limiter

#### Additional Options to consider (may result in additional charges):

- Blind Spot Assist 1.0 (65A)
- Reverse Brake Assist (43S)

NOTE: With this package, the safety features are set to "ON" with no driver ability to change settings.

- 54 -

#### PROPRIETARY

# 2023 TRANSIT PACKAGED OPTIONS

#### **EMISSSIONS REQUIREMENT LOCATIONS**

CALIFORNIA EMISSIONS STATES

 $\mathsf{CA}, \mathsf{CT}, \mathsf{DE}, \mathsf{MA}, \mathsf{MD}, \mathsf{ME}, \mathsf{NJ}, \mathsf{NY}, \mathsf{OR}, \mathsf{PA}, \mathsf{RI}, \mathsf{VT}, \mathsf{WA}$ 

**CROSS BORDER STATES** 

AZ, DC, ID, NH, NV, OH, VA, WV

FEDERAL EMISSIONS STATES

Remaining States/Regions

#### **EMISSIONS STANDARD/OPTIONAL EQUIPMENT**

*50-STATE EMISSIONS SYSTEM* ...... 425

Standard equipment on all Transit gas engine configurations.

#### ZERO EVAPORATED EMISSIONS SYSTEM

Standard equipment on all E-Transit configurations ...... 425

#### **MISCELLANEOUS**

 COV Required
 79V

 Priced DORA
 C09

#### **VEHICLE SPECIAL ORDER (VSO)**

FLEET ONLY. See <a href="www.fmcdealer.com">www.fmcdealer.com</a> for current VSO Order Guide. This live guide includes VSO option codes, descriptions and pricing. Email <a href="wsw.vsomail@ford.com">wsw.vsomail@ford.com</a> or call 1.800.34.FLEET, menu 4 w/any VSO questions you may have.

## POWERTRAIN

### **FUEL ECONOMY**

TRUCKS W/GROSS VEHICLE WEIGHT RATINGS OVER 8,500 POUNDS ARE NOT INCLUDED IN THE EPA FUEL ECONOMY RATING SYSTEM. FUEL ECONOMY INFORMATION ON THESE MODELS IS GENERALLY NOT AVAILABLE BECAUSE OF WIDE VARIANCES IN VEHICLE LOADING AND OPERATIONAL CONDITIONS BETWEEN VARIOUS CUSTOMER APPLICATIONS.

### **ENGINE HORSEPOWER AND TORQUE RATINGS**

		NOMINAL	50-STATES			
		COMPRESSION	HORSEPOWER	TORQUE		
ENGINE	TRANSMISSION	RATIO	H.P. @ RPM	LBFT. @ RPM		
3.5L PFDi V6	10-Speed Automatic Overdrive	11.8:1	275HP @ 6, 250	260 @ 4,000		
3.5L EcoBoost® V6	10-Speed Automatic Overdrive	10.0:1	310HP @ 5,000	400 @ 2,500		
Electric Motor (E-Transit)	Single-Speed	N/A	198kW / 266 HP	317 LBFT.		