

# SAT 23-04-1011

Prepared For: ITEM 7-BUILD

[Fleet] 2023 Chevrolet Silverado 1500 (CK10543) 4WD Crew Cab 147" Work Truck (18)





## **Table of Contents**

- Dealership Information
- Price Summary
- · Weight Rating
- Technical Specifications
- · Selected Model and Options
- Standard Equipment

This document contains information considered Confidential between GM and its Clients uniquely. The information provided is not intended for public disclosure. Prices, specifications, and availability are subject to change without notice, and do not include certain fees, taxes and charges that may be required by law or vary by manufacturer or region. Performance figures are guidelines only, and actual performance may vary. Photos may not represent actual vehicles or exact configurations. Content based on report preparer's input is subject to the accuracy of the input provided.



## **Reliable Chevrolet**

Prepared By:

Doug Adams Reliable Chevrolet 972-952-1561 dadams@reliablechevrolet.com

This document contains information considered Confidential between GM and its Clients uniquely. The information provided is not intended for public disclosure. Prices, specifications, and availability are subject to change without notice, and do not include certain fees, taxes and charges that may be required by law or vary by manufacturer or region. Performance figures are guidelines only, and actual performance may vary. Photos may not represent actual vehicles or exact configurations. Content based on report preparer's input is subject to the accuracy of the input provided.



## **Price Summary**

PRICE SUMMARY

	MSRP
Base Price	\$44,600.00
Total Options	\$7,180.00
Vehicle Subtotal	\$51,780.00
Destination Charge	\$1,795.00
Grand Total	\$53,575.00

This document contains information considered Confidential between GM and its Clients uniquely. The information provided is not intended for public disclosure. Prices, specifications, and availability are subject to change without notice, and do not include certain fees, taxes and charges that may be required by law or vary by manufacturer or region. Performance figures are guidelines only, and actual performance may vary. Photos may not represent actual vehicles or exact configurations. Content based on report preparer's input is subject to the accuracy of the input provided.



[Fleet] 2023 Chevrolet Silverado	1500 (CK10543) 4WD Crew Cab 147	' Work Truck (18) (✔ Complete)
----------------------------------	---------------------------------	--------------------------------

## Weight Ratings

WEIGHT RATINGS				
Front Gross Axle Weight Rating:	N/A			
Rear Gross Axle Weight Rating:	N/A			
Gross Vehicle Weight Rating:	7100.00 lbs			

This document contains information considered Confidential between GM and its Clients uniquely. The information provided is not intended for public disclosure. Prices, specifications, and availability are subject to change without notice, and do not include certain fees, taxes and charges that may be required by law or vary by manufacturer or region. Performance figures are guidelines only, and actual performance may vary. Photos may not represent actual vehicles or exact configurations. Content based on report preparer's input is subject to the accuracy of the input provided.



## **Technical Specifications**

#### Powertrain

#### Transmission

Drivetrain	Four Wheel Drive	Trans Order Code	MI2
Trans Type	10	Trans Description Cont.	Automatic w/Paddle Shifters
Trans Description Cont. Again	N/A	First Gear Ratio (:1)	4.69
Second Gear Ratio (:1)	2.98	Third Gear Ratio (:1)	2.15
Fourth Gear Ratio (:1)	1.8	Fifth Gear Ratio (:1)	1.52
Sixth Gear Ratio (:1)	1.28	Reverse Ratio (:1)	4.86
Clutch Size	N/A	Trans Power Take Off	N/A
Final Drive Axle Ratio (:1)	N/A	Transfer Case Model	Magna MP3023/
Transfer Case Gear Ratio (:1), High	1.00	Transfer Case Gear Ratio (:1), Low	2.69
Transfer Case Power Take Off	N/A	Seventh Gear Ratio (:1)	1.00
Eighth Gear Ratio (:1)	0.85	Ninth Gear Ratio (:1)	0.69
Tenth Gear Ratio (:1)	0.63		
leage			
EPA Fuel Economy Est - Hwy	20 (2022) MPG	Cruising Range - City	384.00 mi
EPA Fuel Economy Est - City	16 (2022) MPG	Fuel Economy Est-Combined	18 (2022) MPG
Cruising Range - Hwy	480.00 mi	Estimated Battery Range	N/A
ngine			
Engine Order Code	L84	Engine Type	Gas V8
Displacement	5.3L/325	Fuel System	Direct Injection
SAE Net Horsepower @ RPM	355 @ 5600	SAE Net Torque @ RPM	383 @ 4100
Engine Oil Cooler	N/A		
ectrical			
Cold Cranking Amps @ 0° F (Primary)	730	Cold Cranking Amps @ 0° F (2nd)	N/A
······································	100	5 1 2 2 ( 7)	

This document contains information considered Confidential between GM and its Clients uniquely. The information provided is not intended for public disclosure. Prices, specifications, and availability are subject to change without notice, and do not include certain fees, taxes and charges that may be required by law or vary by manufacturer or region. Performance figures are guidelines only, and actual performance may vary. Photos may not represent actual vehicles or exact configurations. Content based on report preparer's input is subject to the accuracy of the input provided.



wertrain			
ooling System			
Total Cooling System Capacity	N/A		
ehicle			
enicie			
missions			
Tons/yr of CO2 Emissions @ 15K mi/year	9.8 (2022)	EPA Greenhouse Gas Score	N/A
hassis			
Veight Information			
Standard Weight - Front	0.00 lbs	Standard Weight - Rear	0.00 lbs
Base Curb Weight	N/A	Gross Axle Wt Rating - Front	N/A
Gross Axle Wt Rating - Rear	N/A	Curb Weight - Front	2845 lbs
Curb Weight - Rear	1981 lbs	Option Weight - Front	0.00 lbs
Option Weight - Rear	0.00 lbs	Reserve Axle Capacity - Front	N/A
Reserve Axle Capacity - Rear	N/A	As Spec'd Curb Weight	4826.00 lbs
As Spec'd Payload	2274.00 lbs	Maximum Payload Capacity	2274.00 lbs
Gross Combined Wt Rating	15000 lbs	Gross Axle Weight Rating	N/A
Curb Weight	4826.00 lbs	Reserve Axle Capacity	N/A
Total Option Weight	0.00 lbs	Payload Weight Front	0 lbs
Payload Weight Rear	0 lbs	Gross Vehicle Weight Rating	7100.00 lbs
Frailering			
Dead Weight Hitch - Max Trailer Wt.	5000 lbs	Dead Weight Hitch - Max Tongue Wt.	500 lbs
Wt Distributing Hitch - Max Trailer Wt.	9200 lbs	Wt Distributing Hitch - Max Tongue Wt.	920 lbs
Fifth Wheel Hitch - Max Trailer Wt.	8600 lbs	Fifth Wheel Hitch - Max Tongue Wt.	2150 lbs
Maximum Trailering Capacity	9500 lbs		
Frame			
Frame Type	Box Ladder	Sect Modulus Rails Only	N/A
Frame RBM	N/A	Frame Strength	N/A
Frame Thickness	N/A		

specifications, and availability are subject to change without notice, and do not include certain fees, taxes and charges that may be required by law or vary by manufacturer or region Performance figures are guidelines only, and actual performance may vary. Photos may not represent actual vehicles or exact configurations. Content based on report preparer's input is subject to the accuracy of the input provided.



#### Chassis

Suspension			
Suspension Type - Front	Independent	Suspension Type - Rear	Solid Axle
Spring Capacity - Front	N/A	Spring Capacity - Rear	N/A
Axle Type - Front	N/A	Axle Type - Rear	N/A
Axle Capacity - Front	N/A	Axle Capacity - Rear	N/A
Axle Ratio (:1) - Front	3.23	Axle Ratio (:1) - Rear	3.23
Shock Absorber Diameter - Front	N/A	Shock Absorber Diameter - Rear	N/A
Stabilizer Bar Diameter - Front	1.30 in	Stabilizer Bar Diameter - Rear	N/A
īres			
Front Tire Order Code	QAE	Rear Tire Order Code	QAE
Spare Tire Order Code	QBR	Front Tire Size	275/60R20SL
Rear Tire Size	275/60R20SL	Spare Tire Size	275/60R20
Front Tire Capacity	N/A	Rear Tire Capacity	N/A
Spare Tire Capacity	N/A	Revolutions/Mile @ 45 mph - Front	N/A
Revolutions/Mile @ 45 mph - Rear	N/A	Revolutions/Mile @ 45 mph - Spare	N/A
Vheels			
Front Wheel Size	20 x 9 in	Rear Wheel Size	20 x 9 in
Spare Wheel Size	20 x 9 in	Front Wheel Material	Steel
Rear Wheel Material	Steel	Spare Wheel Material	Steel
steering			
Steering Type	Electric Rack & Pinion	Steering Ratio (:1), Overall	N/A
Steering Ratio (:1), On Center	N/A	Steering Ratio (:1), At Lock	N/A
Turning Diameter - Curb to Curb	46.9 ft	Turning Diameter - Wall to Wall	N/A
Brakes			
Brake Type	Pwr	Brake ABS System	4-Wheel
	N1/A	Disc - Front (Yes or )	Yes
Brake ABS System (Second Line)	N/A		100

This document contains information considered Confidential between GM and its Clients uniquely. The information provided is not intended for public disclosure. Prices, specifications, and availability are subject to change without notice, and do not include certain fees, taxes and charges that may be required by law or vary by manufacturer or region. Performance figures are guidelines only, and actual performance may vary. Photos may not represent actual vehicles or exact configurations. Content based on report preparer's input is subject to the accuracy of the input provided.



#### [Fleet] 2023 Chevrolet Silverado 1500 (CK10543) 4WD Crew Cab 147" Work Truck (18) ( Complete ) Chassis **Brakes** Rear Brake Rotor Diam x Thickness 13.6 x 0.79 in Drum - Rear (Yes or ) N/A Rear Drum Diam x Width N/A **Fuel Tank** Fuel Tank Capacity, Approx 24 gal Aux Fuel Tank Capacity, Approx N/A **Fuel Tank Location** N/A Aux Fuel Tank Location N/A **Dimensions Interior Dimensions** 6 Passenger Capacity Front Head Room 43.03 in 44.53 in Front Leg Room Front Shoulder Room 66.02 in Front Hip Room 61.18 in Second Head Room 40.12 in Second Leg Room Second Shoulder Room 43.4 in 65.16 in 60.24 in Second Hip Room Exterior Dimensions Wheelbase 147.43 in Length, Overall w/o rear bumper N/A Length, Overall w/rear bumper N/A Length, Overall 231.88 in Width, Max w/o mirrors 81.24 in Height, Overall 75.51 in Overhang, Front N/A Overhang, Rear w/o bumper N/A Front Bumper to Back of Cab N/A Cab to Axle N/A Cab to End of Frame N/A Ground to Top of Load Floor N/A Ground to Top of Frame N/A Frame Width, Rear N/A Ground Clearance, Front 8.08 in Ground Clearance, Rear 8.08 in Body Length 0.00 ft Cab to Body N/A **Cargo Area Dimensions** 69.92 in N/A Cargo Box Length @ Floor Cargo Box Width @ Top, Rear Cargo Box Width @ Floor 71.4 in Cargo Box Width @ Wheelhousings 50.63 in Cargo Box (Area) Height 22.4 in Tailgate Width N/A

This document contains information considered Confidential between GM and its Clients uniquely. The information provided is not intended for public disclosure. Prices, specifications, and availability are subject to change without notice, and do not include certain fees, taxes and charges that may be required by law or vary by manufacturer or region. Performance figures are guidelines only, and actual performance may vary. Photos may not represent actual vehicles or exact configurations. Content based on report preparer's input is subject to the accuracy of the input provided.



[Fleet] 2023 Chevrolet Silverado 1500 (CK10543) 4WD Crew Cab 147" Work Truck (18) (	Complete)

#### Dimensions

#### **Cargo Area Dimensions**

Cargo Volume

62.9 ft<sup>3</sup>

Ext'd Cab Cargo Volume

N/A

This document contains information considered Confidential between GM and its Clients uniquely. The information provided is not intended for public disclosure. Prices, specifications, and availability are subject to change without notice, and do not include certain fees, taxes and charges that may be required by law or vary by manufacturer or region. Performance figures are guidelines only, and actual performance may vary. Photos may not represent actual vehicles or exact configurations. Content based on report preparer's input is subject to the accuracy of the input provided.



ODEL				
CODE	MODEL			MSRP
CK10543	2023 Chevrolet Silverado 1500 4WD Crew Cab 147" Work Truch	k		\$44,600.0
OLORS				
CODE	DESCRIPTION			
G6M	Dark Ash Metallic			
MISSIONS				
CODE	DESCRIPTION	FRONT WEIGHT	REAR WEIGHT	MSRP
FE9	Emissions, Federal requirements	0.00 lbs	0.00 lbs	\$0.00
NGINE				
CODE	DESCRIPTION	FRONT WEIGHT	REAR WEIGHT	MSRP
L84	Engine, 5.3L EcoTec3 V8 (355 hp [265 kW] @ 5600 rpm, 383 lb-ft of torque [518 Nm] @ 4100 rpm); featuring available Dynamic Fuel Management that enables the engine to operate in 17 different patterns between 2 and 8 cylinders, depending on demand, to optimize power delivery and efficiency (Requires (G80) autolocking differential on CC10543 Crew Cab models. Not available with C*10703 Regular Cab model.)	0.00 lbs	0.00 lbs	\$1,595.0
RANSMISSION				
CODE	DESCRIPTION	FRONT WEIGHT	REAR WEIGHT	MSRP
MI2	Transmission, 10-speed automatic, electronically controlled with overdrive and tow/haul mode. Includes Cruise Grade Braking and Powertrain Grade Braking (Included and only available with (9C1) Police Pursuit Package, (5W4) Special Services Package or (FHS) E85 FlexFuel capability.)	0.00 lbs	0.00 lbs	Inc.
VWR				
CODE	DESCRIPTION	FRONT WEIGHT	REAR WEIGHT	MSRP
C5Y	GVWR, 7100 lbs. (3221 kg) (Requires Crew Cab 4WD model with (L84) 5.3L EcoTec3 V8 engine.)	0.00 lbs	0.00 lbs	Inc.

specifications, and availability are subject to change without notice, and do not include certain fees, taxes and charges that may be required by law or vary by manufacturer or region. Performance figures are guidelines only, and actual performance may vary. Photos may not represent actual vehicles or exact configurations. Content based on report preparer's input is subject to the accuracy of the input provided.



leet] 2023 C	hevrolet Silverado 1500 (CK10543) 4WD Crew Cab 14	7" Work Tru	u <b>ck (18)</b> (🗸 c	omplete)
(LE				
CODE	DESCRIPTION	FRONT WEIGHT	REAR WEIGHT	MSRF
GU5	Rear axle, 3.23 ratio (Included and only available with (L84) 5.3L EcoTec3 V8 engine.)	0.00 lbs	0.00 lbs	Inc.
	QUIPMENT GROUP			
CODE	DESCRIPTION	FRONT WEIGHT	REAR WEIGHT	MSRF
1WT	Work Truck Preferred Equipment Group includes standard equipment	0.00 lbs	0.00 lbs	\$0.00
HEELS				
CODE	DESCRIPTION	FRONT WEIGHT	REAR WEIGHT	MSRF
PXT	Wheels, 20" x 9" (50.8 cm x 22.9 cm) Black painted steel (Included and only available with (9C1) Police Pursuit Package.)	0.00 lbs	0.00 lbs	Inc.
RES				
CODE	DESCRIPTION	FRONT WEIGHT	REAR WEIGHT	MSRI
QAE	Tires, 275/60R20SL all-terrain, blackwall (Included and only available with (9C1) Police Pursuit Package.)	0.00 lbs	0.00 lbs	Inc.
ARE TIRE				
CODE	DESCRIPTION	FRONT WEIGHT	REAR WEIGHT	MSRI
RMW	Tire, spare 275/60R20 all-terrain, blackwall (Included and only available with (9C1) Police Pursuit Package.)	0.00 lbs	0.00 lbs	Inc.
INT				
CODE	DESCRIPTION	FRONT WEIGHT	REAR WEIGHT	MSRI
G6M	Dark Ash Metallic	0.00 lbs	0.00 lbs	\$0.00

This document contains information considered Confidential between GM and its Clients uniquely. The information provided is not intended for public disclosure. Prices, specifications, and availability are subject to change without notice, and do not include certain fees, taxes and charges that may be required by law or vary by manufacturer or region. Performance figures are guidelines only, and actual performance may vary. Photos may not represent actual vehicles or exact configurations. Content based on report preparer's input is subject to the accuracy of the input provided.



SEAT TYPE				
CODE	DESCRIPTION	FRONT WEIGHT	REAR WEIGHT	MSRP
AZ3	Seats, front 40/20/40 split-bench with covered armrest storage and under-seat storage (lockable) (STD)	0.00 lbs	0.00 lbs	\$0.00
SEAT TRIM				
CODE	DESCRIPTION	FRONT WEIGHT	REAR WEIGHT	MSRP
H2G	Jet Black, Vinyl seat trim	0.00 lbs	0.00 lbs	\$0.00
RADIO				
CODE	DESCRIPTION	FRONT WEIGHT	REAR WEIGHT	MSRP
IOR	Audio system, Chevrolet Infotainment 3 system 7" diagonal color touchscreen, AM/FM stereo. Additional features for compatible phones include: Bluetooth audio streaming for 2 active devices, voice command pass-through to phone, wired Apple CarPlay and Android Auto capable. (STD)	0.00 lbs	0.00 lbs	\$0.00

This document contains information considered Confidential between GM and its Clients uniquely. The information provided is not intended for public disclosure. Prices, specifications, and availability are subject to change without notice, and do not include certain fees, taxes and charges that may be required by law or vary by manufacturer or region. Performance figures are guidelines only, and actual performance may vary. Photos may not represent actual vehicles or exact configurations. Content based on report preparer's input is subject to the accuracy of the input provided.



#### **ADDITIONAL EQUIPMENT - PACKAGE**

CODE	DESCRIPTION	FRONT WEIGHT	REAR WEIGHT	MSRP
9C1	Police Pursuit Package includes (K47) high-capacity air filter, (KW5) 220-amp alternator, (KI4) 120-volt power outlet, (KC9) 120- volt bed-mounted power outlet, (J55) Heavy Duty Brakes, (PXT) 20" Black painted steel wheels, (RNQ) 20" Black painted steel spare wheel, (QAE) 275/60R20SL all-terrain, blackwall tires, (RMW) 275/60R20 all-terrain, blackwall spare tire, (VZ2) speedometer calibration, (JHD) Hill Descent Control, (5J1) Calibration, keyless remote panic button exterior lights/horn disable, (NZZ) skid plates, (G80) auto-locking differential, (K34) cruise control, (NQH) 2-speed transfer case, (5J3) calibration and surveillance mode interior & exterior lighting, (6J7) headlamp and taillamp flasher system, (5LO) red/red taillamp flasher calibration and (5J9) red/white taillamp flasher calibration (Requires (Z71) Z71 Off-Road Package or (Z7X) Suspension Package. Requires CK10543 4WD Crew Cab Short Bed, (L84) 5.3L EcoTec3 V8 engine and either (ZLQ) WT Fleet Convenience Package or (PCV) WT Convenience Package. Not available with (5W4) Special Service Package.	0.00 lbs	0.00 lbs	\$4,720.00
Z71	Z71 Off-Road Package includes (Z71) Off-Road suspension, (JHD) Hill Descent Control, (NZZ) skid plates and (K47) heavy-duty air filter (Requires Crew Cab or Double Cab 4WD model, (L84) 5.3L EcoTec3 V8 engine, (Z82) Trailering Package and AT or MT tires. Includes Z71 hard badge, (G80) locking differential and (NQH) 2- speed transfer case. Not available with (L3B) 2.7L Turbo engine.)	0.00 lbs	0.00 lbs	\$0.00
Z82	Trailering Package includes trailer hitch, 7-pin and 4-pin connectors and (CTT) Hitch Guidance (With (L84) 5.3L EcoTec3 V8 engine requires (G80) locking differential. Included with (PEB) WT Value Package.)	0.00 lbs	0.00 lbs	\$395.00
ZLQ	WT Fleet Convenience Package includes (K34) cruise control and (DLF) power mirrors (Upgradeable to (DPO) trailer mirrors and includes (DD8) auto dimming rearview mirror. Not available with (PCV) WT Convenience Package.)	0.00 lbs	0.00 lbs	\$370.00

This document contains information considered Confidential between GM and its Clients uniquely. The information provided is not intended for public disclosure. Prices, specifications, and availability are subject to change without notice, and do not include certain fees, taxes and charges that may be required by law or vary by manufacturer or region. Performance figures are guidelines only, and actual performance may vary. Photos may not represent actual vehicles or exact configurations. Content based on report preparer's input is subject to the accuracy of the input provided.



#### ADDITIONAL EQUIPMENT - MECHANICAL

CODE	DESCRIPTION	FRONT WEIGHT	REAR WEIGHT	MSRP
G80	Auto-locking rear differential (Required with (L84) 5.3L EcoTec3 V8 engine when (Z82) Trailering Package is ordered. Included with (Z71) Z71 Off-Road Package or (9C1) Police Pursuit Package.)	0.00 lbs	0.00 lbs	Inc.
J55	Brakes, Heavy-Duty 4-wheel antilock, 4-wheel disc (Included and only available with (9C1) Police Pursuit Package.)	0.00 lbs	0.00 lbs	Inc.
JHD	Hill Descent Control (Included and only available with (Z71) Z71 Off-Road Package or (9C1) Police Pursuit Package.)	0.00 lbs	0.00 lbs	Inc.
K47	Air filter, heavy-duty (Included and only available with (BAQ) Work Truck Package, (Z71) Z71 Off-Road Package, (VYU) Snow Plow Prep Package, (5W4) Special Service Package or (9C1) Police Pursuit Package. Available free flow as a SEO.)	0.00 lbs	0.00 lbs	Inc.
KC4	Cooling, external engine oil cooler (Included and only available with V8 engines.)	0.00 lbs	0.00 lbs	Inc.
KNP	Cooling, auxiliary external transmission oil cooler (Included and only available with V8 engines.)	0.00 lbs	0.00 lbs	Inc.
NQH	Transfer case, two-speed electronic Autotrac with push button control (4WD models only) (Included and only available with (Z71) Z71 Off-Road Package or (9C1) Police Pursuit Package. Free flow requires Regular Cab model.)	0.00 lbs	0.00 lbs	Inc.
NZZ	Skid Plates (Included with (BAQ) Work Truck Package, (Z71) Z71 Off-Road Package, (VYU) Snow Plow Prep Package or (9C1) Police Pursuit Package.)	0.00 lbs	0.00 lbs	Inc.

This document contains information considered Confidential between GM and its Clients uniquely. The information provided is not intended for public disclosure. Prices, specifications, and availability are subject to change without notice, and do not include certain fees, taxes and charges that may be required by law or vary by manufacturer or region. Performance figures are guidelines only, and actual performance may vary. Photos may not represent actual vehicles or exact configurations. Content based on report preparer's input is subject to the accuracy of the input provided.



#### **ADDITIONAL EQUIPMENT - EXTERIOR**

CODE	DESCRIPTION	FRONT WEIGHT	REAR WEIGHT	MSRP
5J9	Calibration, Taillamp Flasher, Red/White Calibration flashes back- up (white) and brake (red) lamps alternatingly when activated. (Requires C*10*43 model. Included and only available with (5W4) Special Service Vehicle or (9C1) Police Pursuit Package.)	0.00 lbs	0.00 lbs	Inc.
5LO	Calibration, Taillamp Flasher, Red/Red Calibration flashes back-up (white) and brake (red) lamps alternatingly when activated. (Requires C*10*43 model. Included and only available with (5W4) Special Service Vehicle or (9C1) Police Pursuit Package.)	0.00 lbs	0.00 lbs	Inc.
6J7	Flasher System Headlamp and taillamp, DRL compatible with control wire (Requires C*10*43 model. Included and only available with (5W4) Special Service Vehicle or (9C1) Police Pursuit Package.)	0.00 lbs	0.00 lbs	Inc.
DLF	Mirrors, outside heated power-adjustable (Standard on Regular Cab models. Included and only available with (ZLQ) WT Fleet Convenience Package or (PCV) WT Convenience Package on Crew Cab and Double Cab models. When (PQA) WT Safety Package is ordered, includes (DP6) high gloss Black mirror caps.)	0.00 lbs	0.00 lbs	Inc.
QT5	Tailgate, gate function manual with EZ Lift includes power lock and release	0.00 lbs	0.00 lbs	\$150.00
RNQ	Wheel, full-size spare, matching 20" (50.8 cm) steel wheel without center cap (Included and only available with (9C1) Police Pursuit Package.)	0.00 lbs	0.00 lbs	Inc.

This document contains information considered Confidential between GM and its Clients uniquely. The information provided is not intended for public disclosure. Prices, specifications, and availability are subject to change without notice, and do not include certain fees, taxes and charges that may be required by law or vary by manufacturer or region. Performance figures are guidelines only, and actual performance may vary. Photos may not represent actual vehicles or exact configurations. Content based on report preparer's input is subject to the accuracy of the input provided.



	UIPMENT - INTERIOR			
CODE	DESCRIPTION	FRONT WEIGHT	REAR WEIGHT	MSRP
5J1	Calibration, keyless remote panic button exterior lights/horn disable (Requires C*10*43 model and included and only available with (5W4) Special Service Vehicle or (9C1) Police Pursuit Package.)	0.00 lbs	0.00 lbs	Inc.
5J3	Calibration, Surveillance Mode Interior & Exterior Lighting Calibration to disable interior & exterior automatic lighting. Feature is activated by adding wire connection to the BCM by customer/upfitter. (Requires C*10*43 model and included and only available with (5W4) Special Service Vehicle or (9C1) Police Pursuit Package.)	0.00 lbs	0.00 lbs	Inc.
K34	Cruise control, electronic with set and resume speed, steering wheel-mounted (Included with (ZLQ) WT Fleet Convenience Package, (PCV) WT Convenience Package or (9C1) Police Pursuit Package. Upgradeable to (KSG) Adaptive Cruise Control.)	0.00 lbs	0.00 lbs	Inc.
KC9	Power outlet, bed mounted, 120-volt (400 watts shared with (KI4) instrument panel mounted power outlet) (Included and only available with (KI4) Power outlet. Not available with (ZW9) pickup bed delete.)	0.00 lbs	0.00 lbs	Inc.
KI4	Power outlet, instrument panel, 120-volt (400 watts shared with (KC9) bed mounted power outlet) (Includes (UBI) USB ports. Requires (QT5) EZ Lift power lock and release tailgate. Beginning with the start of production certain vehicles will be forced to include (RFO) Not Equipped with USB ports rear.)	0.00 lbs	0.00 lbs	Inc.
R7N	Not Equipped with Steering Column Lock, see dealer for details *CREDIT*	0.00 lbs	0.00 lbs	(\$50.00)
UBI	USB ports, rear, dual, charge-only (Included and only available with (KI4) 120-volt power outlet. Beginning with the start of production certain vehicles will be forced to include (RFO) Not Equipped with USB ports rear.)	0.00 lbs	0.00 lbs	Inc.
	UIPMENT - SAFETY-INTERIOR			
CODE	DESCRIPTION	FRONT WEIGHT	REAR WEIGHT	MSRP
CTT	Hitch Guidance dynamic single line to aid in trailer alignment for hitching (Included and only available with (Z82) Trailering Package.)	0.00 lbs	0.00 lbs	Inc.
	Options Total	0.00 lbs	0.00 lbs	\$7,180.00

This document contains information considered Confidential between GM and its Clients uniquely. The information provided is not intended for public disclosure. Prices, specifications, and availability are subject to change without notice, and do not include certain fees, taxes and charges that may be required by law or vary by manufacturer or region. Performance figures are guidelines only, and actual performance may vary. Photos may not represent actual vehicles or exact configurations. Content based on report preparer's input is subject to the accuracy of the input provided.



## **Standard Equipment**

Package	
	Chevy Safety Assist includes (UHY) Automatic Emergency Braking, (UKJ) Front Pedestrian Braking, (UHX) Lane Keep Assist with Lane Departure Warning, (UE4) Following Distance Indicator, (UEU) Forward Collision Alert and (TQ5) IntelliBeam
Mechanical	
	Durabed, pickup bed
	Engine, 2.7L Turbo High-Output (310 hp [231 kW] @ 5600 rpm, 430 lb-ft of torque [583 Nm] @ 3000 rpm) (STD) (Not available with (Z71) Z71 Off-Road Package, (VYU) Snow Plow Prep Package or (ZW9) pickup bed delete.)
	Transmission, 8-speed automatic, electronically controlled with overdrive and tow/haul mode. Includes Cruise Grade Braking and Powertrain Grade Braking (STD) (Included and only available with (L3B) 2.7L Turbo engine.)
	Rear axle, 3.42 ratio
	GVWR, 7000 lbs. (3175 kg) (STD) (Requires Crew Cab or Double Cab 4WD model and (L3B) 2.7L Turbo engine.)
	Push Button Start
	Automatic Stop/Start (Not available with (5W4) Special Services Package, (9C1) Police Pursuit Package or (FHS) E85 FlexFuel capability.)
	Transfer case, single speed electronic Autotrac with push button control (4WD models only)
	Four wheel drive
	Battery, heavy-duty 730 cold-cranking amps/80 Amp-hr, maintenance-free with rundown protection and retained accessory power
	Alternator, 220 amps (Included with (L3B) 2.7L Turbo engine, (VYU) Snow Plow Prep Package, (5W4) Special Service Package or (9C1) Police Pursuit Package.)
	Recovery hooks, front, frame-mounted, Black (Included with 4WD models or on 2WD models with (PQA) WT Safety Package. Available free flow on 2WD models.)
	Frame, fully-boxed, hydroformed front section
	Suspension Package, Standard
	Steering, Electric Power Steering (EPS) assist, rack-and-pinion
	Brakes, 4-wheel antilock, 4-wheel disc with DURALIFE rotors
	Brake lining wear indicator
	Capless Fuel Fill
	Exhaust, single outlet
Exterior	
	Wheels, 17" x 8" (43.2 cm x 20.3 cm) Ultra Silver painted steel (STD)

Wheels, 17" x 8" (43.2 cm x 20.3 cm) Ultra Silver painted steel (STD)

This document contains information considered Confidential between GM and its Clients uniquely. The information provided is not intended for public disclosure. Prices, specifications, and availability are subject to change without notice, and do not include certain fees, taxes and charges that may be required by law or vary by manufacturer or region. Performance figures are guidelines only, and actual performance may vary. Photos may not represent actual vehicles or exact configurations. Content based on report preparer's input is subject to the accuracy of the input provided.



Futurian	
Exterior	
	Tires, 255/70R17 all-season, blackwall (STD)
	Tire, spare 255/70R17 all-season, blackwall (STD) (Included with (QBN) 255/70R17 all-season, blackwall tires.)
	Wheel, 17" x 8" (43.2 cm x 20.3 cm) full-size, steel spare
	Tire carrier lock, keyed cylinder lock that utilizes same key as ignition and door
	Bumpers, front, Black (semi-gloss)
	Bumpers, rear, Black (semi-gloss)
	CornerStep, rear bumper
	Cargo tie downs (12), fixed rated at 500 lbs per corner
	Headlamps, halogen reflector with halogen Daytime Running Lamps
	IntelliBeam, automatic high beam on/off
	Lamps, cargo area, cab mounted integrated with center high mount stop lamp, with switch in bank on left side of steering wheel (incandescent on Regular Cab models, LED on Crew Cab and Double Cab models)
	Taillamps with incandescent tail, stop and reverse lights
	Mirrors, outside manual, Black (Standard on Crew Cab and Double Cab models only. Not available on Regular Cab models.)
	Glass, solar absorbing, tinted
	Door handles, Black
	Tailgate and bed rail protection cap, top
	Tailgate, standard
	Tailgate, locking utilizes same key as ignition and door (Removed when (QT5) EZ Lift power lock and release tailgate is ordered.)
	Tailgate, gate function manual, no EZ Lift
Entertainment	
	Audio system, Chevrolet Infotainment 3 system 7" diagonal color touchscreen, AM/FM stereo. Additional features for compatible phones include: Bluetooth audio streaming for 2 active devices, voice command pass-through to phone, wired Apple CarPlay and Android Auto capable. (STD)
	Audio system feature, 6-speaker system (Requires Crew Cab or Double Cab model.)
	Bluetooth for phone, connectivity to vehicle infotainment system
Interior	
	Seats, front 40/20/40 split-bench with covered armrest storage and under-seat storage (lockable) (STD)
	Seat trim, Vinyl
	Seat adjuster, driver 4-way manual

This document contains information considered Confidential between GM and its Clients uniquely. The information provided is not intended for public disclosure. Prices, specifications, and availability are subject to change without notice, and do not include certain fees, taxes and charges that may be required by law or vary by manufacturer or region. Performance figures are guidelines only, and actual performance may vary. Photos may not represent actual vehicles or exact configurations. Content based on report preparer's input is subject to the accuracy of the input provided.



Interior	
	Seat adjuster, passenger 4-way manual
	Seat, rear 60/40 folding bench (folds up), 3-passenger (includes child seat top tether anchor) (Requires Crew Cab or Double Cab model.)
	Floor covering, rubberized-vinyl (Not available with LPO floor liners.)
	Steering wheel, urethane
	Steering column, Tilt-Wheel, manual with wheel locking security feature
	Instrument cluster, 6-gauge cluster featuring speedometer, fuel level, engine temperature, tachometer, voltage and oil pressure
	Driver Information Center, 3.5" diagonal monochromatic display
	Exterior Temperature Display located in radio display
	Rear Seat Reminder (Requires Crew Cab or Double Cab model.)
	Window, power front, drivers express up/down
	Window, power front, passenger express down
	Windows, power rear, express down (Not available with Regular Cab models.)
	Door locks, power
	Remote Keyless Entry, with 2 transmitters
	Power outlet, front auxiliary, 12-volt
	Power outlet, front auxiliary, 12-volt USB Ports, 2, Charge/Data ports located on instrument panel
	USB Ports, 2, Charge/Data ports located on instrument panel
	USB Ports, 2, Charge/Data ports located on instrument panel Air conditioning, single-zone manual
	USB Ports, 2, Charge/Data ports located on instrument panel Air conditioning, single-zone manual Air vents, rear, heating/cooling (Not available on Regular Cab models.)
Safety-Mechanical	USB Ports, 2, Charge/Data ports located on instrument panel Air conditioning, single-zone manual Air vents, rear, heating/cooling (Not available on Regular Cab models.) Mirror, inside rearview, manual tilt
Safety-Mechanical	USB Ports, 2, Charge/Data ports located on instrument panel Air conditioning, single-zone manual Air vents, rear, heating/cooling (Not available on Regular Cab models.) Mirror, inside rearview, manual tilt
Safety-Mechanical	USB Ports, 2, Charge/Data ports located on instrument panel Air conditioning, single-zone manual Air vents, rear, heating/cooling (Not available on Regular Cab models.) Mirror, inside rearview, manual tilt Assist handles front A-pillar mounted for driver and passenger, rear B-pillar mounted
Safety-Mechanical	USB Ports, 2, Charge/Data ports located on instrument panel Air conditioning, single-zone manual Air vents, rear, heating/cooling (Not available on Regular Cab models.) Mirror, inside rearview, manual tilt Assist handles front A-pillar mounted for driver and passenger, rear B-pillar mounted Automatic Emergency Braking
Safety-Mechanical Safety-Exterior	USB Ports, 2, Charge/Data ports located on instrument panel Air conditioning, single-zone manual Air vents, rear, heating/cooling (Not available on Regular Cab models.) Mirror, inside rearview, manual tilt Assist handles front A-pillar mounted for driver and passenger, rear B-pillar mounted Automatic Emergency Braking Front Pedestrian Braking StabiliTrak, stability control system with Proactive Roll Avoidance and traction control, includes electronic trailer

This document contains information considered Confidential between GM and its Clients uniquely. The information provided is not intended for public disclosure. Prices, specifications, and availability are subject to change without notice, and do not include certain fees, taxes and charges that may be required by law or vary by manufacturer or region. Performance figures are guidelines only, and actual performance may vary. Photos may not represent actual vehicles or exact configurations. Content based on report preparer's input is subject to the accuracy of the input provided.



Safety-Interior	
	Airbags, dual-stage frontal airbags for driver and front outboard passenger; Seat-mounted side-impact airbags for driver and front outboard passenger; Head-curtain airbags for front and rear outboard seating positions; Includes front outboard Passenger Sensing System for frontal outboard passenger airbag (Always use seat belts and child restraints. Children are safer when properly secured in a rear seat in the appropriate child restraint. See the Owner's Manual for more information.)
	HD Rear Vision Camera
	Lane Keep Assist with Lane Departure Warning
	Following Distance Indicator
	Forward Collision Alert
	Teen Driver a configurable feature that lets you activate customizable vehicle settings associated with a key fob, to help encourage safe driving behavior. It can limit certain available vehicle features, and it prevents certain safety systems from being turned off. An in-vehicle report card gives you information on driving habits and helps you to continue to coach your new driver
	Buckle to Drive prevents vehicle from being shifted out of Park until driver seat belt is fastened; times out after 20 seconds and encourages seat belt use, can be turned on and off in Settings menu
	Tire Pressure Monitoring System, auto learn includes Tire Fill Alert (does not apply to spare tire)
WARRANTY	
	Warranty Note: <<< Preliminary 2023 Warranty >>> Basic Years: 3 Basic Miles/km: 36,000 Drivetrain Years: 5 Drivetrain Miles/km: 60,000 Drivetrain Note: HD Duramax Diesel: 5 Years/100,000 Miles; Qualified Fleet Purchases: 5 Years/100,000 Miles Corrosion Years (Rust-Through): 6 Corrosion Years: 3 Corrosion Miles/km (Rust-Through): 100,000 Corrosion Miles/km: 36,000 Roadside Assistance Years: 5 Roadside Assistance Miles/km: 60,000 Roadside Assistance Note: HD Duramax Diesel: 5 Years/100,000 Miles; Qualified Fleet Purchases: 5 Years/100,000 Miles Maintenance Note: 1 Year/1 Visit

This document contains information considered Confidential between GM and its Clients uniquely. The information provided is not intended for public disclosure. Prices, specifications, and availability are subject to change without notice, and do not include certain fees, taxes and charges that may be required by law or vary by manufacturer or region. Performance figures are guidelines only, and actual performance may vary. Photos may not represent actual vehicles or exact configurations. Content based on report preparer's input is subject to the accuracy of the input provided.