CHRIS COLLINS | 979-567-6129 | CHRIS@CALDWELLCOUNTRY.COM

[Fleet] 2023 Chevrolet 6500XD LCF Diesel (CT73203) 2WD Reg Cab 152"

( V Complete )

### **Selected Model and Options**

8.4	O			
IVI	( )	. 1	_	

CODE	MODEL
------	-------

2023 Chevrolet 6500XD LCF Diesel 2WD Reg Cab 152" CT73203

### **COLORS**

ODTIONS

CODE	DESCRIPTION
OODL	DECOKII IION

Arc White 16U

UP	IIONS		

CODE	DESCRIPTION
800	Rear axle, 4.88 ratio (Standard and only available on 6500 XD model.)
16U	Arc White
1WT	Preferred Equipment Group includes standard equipment
A1G	Seat, high back driver only air suspension system and fixed passenger seat (STD)
FE9	Emissions, Federal certification, with a 5 year/100K mile warranty. Standard on all models
H72	Medium Ash Gray, Cloth Seat Trim
LCB	Engine, Diesel 6-Cylinder Cummins 260 hp and 660 lb-ft of torque (STD)
MPQ	Transmission Allison 2550RDS 6-speed automatic with park pawl. Includes PTO Gear, with access only on driver's side of transmission (Standard and only available on 6500 XD model.) (STD)
RTP	Wheels, 22.5 x 8.25 steel, painted white (STD)
UIZ	Audio System, AM/FM stereo with CD player, auxiliary jack, USB port and Bluetooth (STD)
YCF	Tires, Front, LT225/70R22.5 low profile LRR (low rolling resistance) tubeless steel belted radial. Front Highway tread. (Standard on 6500 XD model, not available on 7500 XD model.) (STD)
YCR	Tires, Rear, LT225/70R22.5 low profile LRR (low rolling resistance) tubeless steel belted radial. Rear Highway traction tread. (Standard on 6500 XD model, not available on 7500 XD.) (STD)

### **Options Total**

This document contains information considered Confidential between GM and its Clients uniquely. The information provided is not intended for public disclosure. Prices, specifications, and availability are subject to change without notice, and do not include certain fees, taxes and charges that may be required by law or vary by manufacturer or region. Performance figures are guidelines only, and actual performance may vary. Photos may not represent actual vehicles or exact configurations. Content based on report preparer's input is subject to the accuracy of the input provided.

Data Version: 17672. Data Updated: Oct 9, 2022 6:47:00 PM PDT.

# **Standard Equipment**

Mechanical	
	Engine, Diesel 6-Cylinder Cummins 260 hp and 660 lb-ft of torque (STD)
	Transmission Allison 2550RDS 6-speed automatic with park pawl. Includes PTO Gear, with access only on driver's side of transmission (Standard and only available on 6500 XD model.) (STD)
	Rear axle, 4.88 ratio (Standard and only available on 6500 XD model.)
	Air cleaner, heavy-duty, 11" diameter dry paper single element. Air cleaner canister standard with air restriction gauge. Back of cab location.
	Drivetrain, rear-wheel drive
	Battery, dual 750 cold-cranking amps, 12 volt, maintenance free with threaded post
	Alternator, 160 amps
	Frame, ladder-type channel frame. Full C section straight frame 33.5" (85.1 cm) wide. Yield strength 80,000 psi, section modulus 12.69 cu.in. and RBM 1,015,000 lb-ft/in per rail.
	Incomplete vehicle certification
	Wheelbase, 152" (386.1 cm)
	GVWR, 25,950 lbs. (11,770 kg) (Standard on 6500 XD model and available on 7500 XD model.)
	Front suspension, 12,000 lbs. (5450 kg) tapered leaf semi-elliptical steel alloy. Includes shock absorbers with stabilizer bar
	Rear Suspension, 21,000 lbs. (9525 kg), semi-elliptical steel alloy bolted multi-leaf and shock absorbers
	Front axle, 12,000 lbs. (5,450 kg), Dana E-1254-W
	Rear axle, 19,000 lbs. (8618 kg) R050, full-floating single-speed with oil lubricated rear wheel-bearings, Dana Spicer 19060S (Standard and only available on 6500 XD model.)
	Vehicle Application Truck
	Brakes, dual circuit Air service with 4-wheel anti-lock, brake system is standard with an exhaust brake
	Exhaust brake
	Fuel Tank, 50 Gallon, (189L), rectangular steel fuel tank mounted on left hand frame rail. Fuel water separator with indicator light. (Not available on 7500 XD model.)
	Exhaust, single horizontal outlet
Exterior	
	Wheels, 22.5 x 8.25 steel, painted white (STD)
	Tires, Front, LT225/70R22.5 low profile LRR (low rolling resistance) tubeless steel belted radial. Front Highway tread. (Standard on 6500 XD model, not available on 7500 XD model.) (STD)
	Tires, Rear, LT225/70R22.5 low profile LRR (low rolling resistance) tubeless steel belted radial. Rear Highway traction tread. (Standard on 6500 XD model, not available on 7500 XD.) (STD)

This document contains information considered Confidential between GM and its Clients uniquely. The information provided is not intended for public disclosure. Prices, specifications, and availability are subject to change without notice, and do not include certain fees, taxes and charges that may be required by law or vary by manufacturer or region. Performance figures are guidelines only, and actual performance may vary. Photos may not represent actual vehicles or exact configurations. Content based on report preparer's input is subject to the accuracy of the input provided.

Data Version: 17672. Data Updated: Oct 9, 2022 6:47:00 PM PDT.

CHRIS COLLINS | 979-567-6129 | CHRIS@CALDWELLCOUNTRY.COM

[Fleet] 2023 Chevrolet 6500XD LCF Diesel (CT73203) 2WD Reg Cab 152" (

✓ Complete )

Exterior	
	Grille, color-keyed bar and grille surround
	Glass, tinted
	Grille, Silver
	Mirror, outside left hand and right hand dual cab mounted exterior with convex mirror
	LED Headlamps
Entertainment	
	Audio System, AM/FM stereo with CD player, auxiliary jack, USB port and Bluetooth (STD)
	Audio system feature, 2 speakers
Interior	
	Seat, high back driver only air suspension system and fixed passenger seat (STD)
	Seat trim, Cloth
	Cup holders
	Floor mats
	Steering wheel, urethane
	Steering column, Tilt-Wheel and telescoping steering column
	Driver Information Center, Multi-Information Display (MID) (monitors vital functions including diesel exhaust fluid levels (DEF), particulate matter emissions level in the diesel particulate filter (DPF), diesel particulate filter regeneration, service reminders for engine oil, transmission oil, differential oil, power steering fluid, engine oil filter, and fuel filters. The MID provides fuel economy reporting by average, instant, and trip.)
	Windows, power
	Door locks, power
	Cruise control, electronic, automatic
	Windshield washer bottle access, underhood
	Air conditioning, single-zone manual, integral in-dash mounted
	Storage, door pockets
	Lighting, interior dome
	Storage, seatback pockets
Safety-Mechanical	
	Park brake, Air, Cable actuated, internal expanding drum type, transmission mounted
Safety-Exterior	
	Daytime Running Lamps

This document contains information considered Confidential between GM and its Clients uniquely. The information provided is not intended for public disclosure. Prices, specifications, and availability are subject to change without notice, and do not include certain fees, taxes and charges that may be required by law or vary by manufacturer or region. Performance figures are guidelines only, and actual performance may vary. Photos may not represent actual vehicles or exact configurations. Content based on report preparer's input is subject to the accuracy of the input provided.

Data Version: 17672. Data Updated: Oct 9, 2022 6:47:00 PM PDT.

### **WARRANTY**

Warranty Note: <<< Preliminary 2023 Warranty Note >>>

Basic Years: 3

Basic Miles/km: Unlimited Drivetrain Years: 3

Drivetrain Miles/km: Unlimited

Corrosion Years: 4

Corrosion Miles/km: Unlimited

Rear Axle Years: 3

Rear Axle Miles/km: Unlimited

Frame Rail Years: 3

Frame Rail Miles/km: Unlimited

Frame Rail Note: 3 years/Unlimited Miles (no charge) AND up to 5 years/Unlimited miles (50% charge)

Roadside Assistance Years: 3

Roadside Assistance Miles/km: Unlimited

Maintenance Note: 1 Year/1 Visit

This document contains information considered Confidential between GM and its Clients uniquely. The information provided is not intended for public disclosure. Prices, specifications, and availability are subject to change without notice, and do not include certain fees, taxes and charges that may be required by law or vary by manufacturer or region. Performance figures are guidelines only, and actual performance may vary. Photos may not represent actual vehicles or exact configurations. Content based on report preparer's input is subject to the accuracy of the input provided.

Data Version: 17672. Data Updated: Oct 9, 2022 6:47:00 PM PDT.

## **Weight Ratings**

WEIGHT RATINGS		
Front Gross Axle Weight Rating:	11000 lbs	
Rear Gross Axle Weight Rating:	19000 lbs	
Gross Vehicle Weight Rating:	25950.00 lbs	

This document contains information considered Confidential between GM and its Clients uniquely. The information provided is not intended for public disclosure. Prices, specifications, and availability are subject to change without notice, and do not include certain fees, taxes and charges that may be required by law or vary by manufacturer or region. Performance figures are guidelines only, and actual performance may vary. Photos may not represent actual vehicles or exact configurations. Content based on report preparer's input is subject to the accuracy of the input provided.

Data Version: 17672. Data Updated: Oct 9, 2022 6:47:00 PM PDT.

# **Technical Specifications**

Ро	wertrain			
Tr	ransmission			
	Drivetrain	Rear Wheel Drive	Trans Order Code	MPQ
	Trans Type	6	Trans Description Cont.	Automatic
	Trans Description Cont. Again	N/A	First Gear Ratio (:1)	N/A
	Second Gear Ratio (:1)	N/A	Third Gear Ratio (:1)	N/A
	Fourth Gear Ratio (:1)	N/A	Fifth Gear Ratio (:1)	N/A
	Sixth Gear Ratio (:1)	N/A	Reverse Ratio (:1)	N/A
	Clutch Size	N/A	Trans Power Take Off	N/A
	Final Drive Axle Ratio (:1)	N/A	Transfer Case Model	N/A
	Transfer Case Power Take Off	N/A	Second Reverse Gear Ratio (:1)	N/A
	Third Reverse Gear Ratio (:1)	N/A	Fourth Reverse Gear Ratio (:1)	N/A
	Fifth Reverse Gear Ratio (:1)	N/A	Sixth Reverse Gear Ratio (:1)	N/A
	Transmission Manufacturer	Allison	Transmission Type	N/A
Eı	ngine			
	Engine Order Code	LCB	Engine Type	Turbocharged I6
	Displacement	N/A	Fuel System	Direct Injection
	SAE Net Horsepower @ RPM	260 @ 2400	SAE Net Torque @ RPM	660 @ 1600
	Engine Oil Cooler	N/A	Governed Engine Speed (RPM)	N/A
	Engine Series	N/A		
EI	ectrical			
	Cold Cranking Amps @ 0° F (Primary)	750	Cold Cranking Amps @ 0° F (2nd)	750
	Cold Cranking Amps @ 0° F (3rd)	N/A	Maximum Alternator Capacity (amps)	160
C	ooling System			
	Total Cooling System Capacity	N/A		

This document contains information considered Confidential between GM and its Clients uniquely. The information provided is not intended for public disclosure. Prices, specifications, and availability are subject to change without notice, and do not include certain fees, taxes and charges that may be required by law or vary by manufacturer or region. Performance figures are guidelines only, and actual performance may vary. Photos may not represent actual vehicles or exact configurations. Content based on report preparer's input is subject to the accuracy of the input provided.

Data Version: 17672. Data Updated: Oct 9, 2022 6:47:00 PM PDT.



CHRIS COLLINS | 979-567-6129 | CHRIS@CALDWELLCOUNTRY.COM

[Fleet] 2023 Chevrolet 6500XD LCF Diesel (CT73203) 2WD Reg Cab 152"

( 🗸 Complete	)
--------------	---

Vehicle			
Vehicle			
Axle Ratio - Low Rear (:1)	N/A	As Spec Curb Weight - Front	6503.00 lbs
As Spec Curb Weight - Rear	3515.00 lbs		
Chassis			
Weight Information			
Standard Weight - Front	0.00 lbs	Standard Weight - Rear	0.00 lbs
Total Weight	10368.00 lbs	Gross Axle Wt Rating - Front	11000 lbs
Gross Axle Wt Rating - Rear	19000 lbs	Curb Weight - Front	6503 lbs
Curb Weight - Rear	3515 lbs	Option Weight - Front	0.00 lbs
Option Weight - Rear	0.00 lbs	Reserve Axle Capacity - Front	4497.00 lbs
Reserve Axle Capacity - Rear	15485.00 lbs	As Spec'd Curb Weight	10018.00 lbs
As Spec'd Payload	15932.00 lbs	Gross Combined Wt Rating	30000 lbs
Cargo Weight	0.00 lbs	Gross Vehicle Weight	10368.00 lbs
Axle Weight	N/A	Gross Axle Weight Rating	30000.00 lbs
Curb Weight	10018.00 lbs	Reserve Axle Capacity	19982.00 lbs
Total Option Weight	0.00 lbs	Payload Weight Front	0.00 lbs
Payload Weight Rear	0.00 lbs	Maximum Axle Rating Front	11000.00 lbs
Maximum Axle Rating Rear	19000.00 lbs	Maximum Axle Rating Total	30000.00 lbs
Gross Vehicle Weight Rating	25950.00 lbs	Front PayLoad	N/A
Rear Payload	N/A	Total Payload Weight (Cargo + Driver + Body)	350.00 lbs
Frame			
Frame Type	Ladder-Type C- Section	Sect Modulus Rails Only	12.69 in <sup>3</sup>
Frame RBM	1015000	Frame Strength	80000 lbs
Frame Thickness	N/A		
Suspension			
Suspension Type - Front	Independent w/Tapered Leaf	Suspension Type - Rear	Independent w/Multi-Leaf

This document contains information considered Confidential between GM and its Clients uniquely. The information provided is not intended for public disclosure. Prices, specifications, and availability are subject to change without notice, and do not include certain fees, taxes and charges that may be required by law or vary by manufacturer or region. Performance figures are guidelines only, and actual performance may vary. Photos may not represent actual vehicles or exact configurations. Content based on report preparer's input is subject to the accuracy of the input provided.

Data Version: 17672. Data Updated: Oct 9, 2022 6:47:00 PM PDT.



CHRIS COLLINS | 979-567-6129 | CHRIS@CALDWELLCOUNTRY.COM

[Fleet] 2023 Chevrolet 6500XD LCF Diesel (CT73203) 2WD Reg Cab 152"



### Chassis

_			
Sile	nan	CIA	'n
Sus	NEII	SIU	ш

	Springs		Springs
Spring Capacity - Front	12000 lbs	Spring Capacity - Rear	21000 lbs
Axle Type - Front	Dana E-1254-W	Axle Type - Rear	Dana Spicer 19060S
Axle Capacity - Front	12000 lbs	Axle Capacity - Rear	19000 lbs
Axle Ratio (:1) - Front	N/A	Axle Ratio (:1) - Rear	4.88
Shock Absorber Diameter - Front	N/A	Shock Absorber Diameter - Rear	N/A
Stabilizer Bar Diameter - Front	N/A	Stabilizer Bar Diameter - Rear	N/A

#### **Tires**

Front Tire Order Code	YCF	Rear Tire Order Code	YCR
Spare Tire Order Code	N/A	Front Tire Size	LT225/70R22.5
Rear Tire Size	LT225/70R22.5	Spare Tire Size	N/A
Front Tire Capacity	N/A	Rear Tire Capacity	N/A
Spare Tire Capacity	N/A	Revolutions/Mile @ 45 mph - Front	N/A
Revolutions/Mile @ 45 mph - Rear	N/A	Revolutions/Mile @ 45 mph - Spare	N/A
Tire Rating Total	N/A		

#### Wheels

Front Wheel Size	22.5 x 8.25 in	Rear Wheel Size	22.5 x 8.25 in
Spare Wheel Size	N/A	Front Wheel Material	Steel
Rear Wheel Material	Steel	Spare Wheel Material	N/A
Front Bolt Pattern	N/A	Rear Bolt Pattern	N/A
Spare Bolt Pattern	N/A		

### Steering

Steering Type	Pwr	Steering Ratio (:1), On Center	N/A
Steering Ratio (:1), At Lock	N/A	Turning Diameter - Curb to Curb	43.7 ft
Turning Diameter - Wall to Wall	N/A		

This document contains information considered Confidential between GM and its Clients uniquely. The information provided is not intended for public disclosure. Prices, specifications, and availability are subject to change without notice, and do not include certain fees, taxes and charges that may be required by law or vary by manufacturer or region. Performance figures are guidelines only, and actual performance may vary. Photos may not represent actual vehicles or exact configurations. Content based on report preparer's input is subject to the accuracy of the input provided.

Data Version: 17672. Data Updated: Oct 9, 2022 6:47:00 PM PDT.



CHRIS COLLINS | 979-567-6129 | CHRIS@CALDWELLCOUNTRY.COM

[Fleet] 2023 Chevrolet 6500XD LCF Diesel (CT73203) 2WD Reg Cab 152" (

✓ Complete )

assis		
akes		
Brake Type	Pwr	Brake ABS System
Brake ABS System (Second Line)	N/A	Disc - Front (Yes or )
Disc - Rear (Yes or )	N/A	Front Brake Rotor Diam x Thickness
Rear Brake Rotor Diam x Thickness	N/A	Drum - Front (Yes or )
Front Drum Diam x Width	N/A	Drum - Rear (Yes or )
Rear Drum Diam x Width	N/A	
el Tank		
Fuel Tank Capacity, Approx	50 gal	Aux Fuel Tank Capacity, Approx
Fuel Tank Location	Left Frame Rail	Aux Fuel Tank Location
ailering		
Trailer Weight	0.0 lbs	
nensions		
erior Dimensions		
Passenger Capacity	3	Front Head Room
Front Leg Room	N/A	Front Shoulder Room
Front Hip Room	N/A	
terior Dimensions		
Wheelbase	152 in	Length, Overall w/o rear bumper
Length, Overall	N/A	Width, Max w/o mirrors
Height, Overall	112 in	Overhang, Front
Overhang, Rear w/o bumper	N/A	Front Bumper to Back of Cab
Cab to Axle	127.0 in	Cab to End of Frame
Ground to Top of Load Floor	N/A	Ground to Top of Frame
Frame Width, Rear	33.5 in	Ground Clearance, Front
Ground Clearance, Rear	N/A	Body Length
Cab to Body	0.0 in	Frontal Area

This document contains information considered Confidential between GM and its Clients uniquely. The information provided is not intended for public disclosure. Prices, specifications, and availability are subject to change without notice, and do not include certain fees, taxes and charges that may be required by law or vary by manufacturer or region. Performance figures are guidelines only, and actual performance may vary. Photos may not represent actual vehicles or exact configurations. Content based on report preparer's input is subject to the accuracy of the input provided.

Data Version: 17672. Data Updated: Oct 9, 2022 6:47:00 PM PDT.



CHRIS COLLINS | 979-567-6129 | CHRIS@CALDWELLCOUNTRY.COM

[Fleet] 2023 Chevrolet 6500XD LCF Diesel (CT73203) 2WD Reg Cab 152" (

✓ Complete )



### **Medium Duty**

### **Medium Duty Performance**

Front Axle % N/A Rear Axle %
Driver Weight 350.0 lbs Front Ground Load
Rear Ground Load N/A 1st gear High Speed (Hi
2nd gear High Speed (High Axle Gear)  N/A  3rd gear High Speed (High
th gear High Speed (High Axle Gear)  N/A  5th gear High Speed (High
th gear High Speed (High Axle Gear)  N/A  1st gear Low Speed (High A
nd gear Low Speed (High Axle Gear)  N/A  3rd gear Low Speed (High A
n gear Low Speed (High Axle Gear)  N/A  5th gear Low Speed (High A
gear Low Speed (High Axle Gear)  N/A  1st gear High Speed (Low A
d gear High Speed (Low Axle Gear)  N/A  3rd gear High Speed (Low A
gear High Speed (Low Axle Gear)  N/A  5th gear High Speed (Low Axle Gear)
gear High Speed (Low Axle Gear)  N/A  1st gear Low Speed (Low Ax
gear Low Speed (Low Axle Gear) N/A 3rd gear Low Speed (Low Axle Gear)
gear Low Speed (Low Axle Gear) N/A 5th gear Low Speed (Low Ax
gear Low Speed (Low Axle Gear) N/A Reduction
que @ Clutch Engage N/A Starting Grade Index
Gear Tractive Effort (High Axle Gear)  N/A  2nd Gear Tractive Effort (High
Gear Tractive Effort (High Axle Gear) N/A 4th Gear Tractive Effort (High
Gear Tractive Effort (High Axle Gear) N/A 6th Gear Tractive Effort (Hig
ear Tractive Effort (Low Axle Gear)  N/A  2nd Gear Tractive Effort (Low
Gear Tractive Effort (Low Axle Gear)  N/A  4th Gear Tractive Effort (Low
Gear Tractive Effort (Low Axle Gear)  N/A  6th Gear Tractive Effort (Low
Gear Gradeability (High Axle Gear)  N/A  2nd Gear Gradeability (High
Gear Gradeability (High Axle Gear)  N/A  4th Gear Gradeability (High
Gear Gradeability (High Axle Gear)  N/A  6th Gear Gradeability (High
Gear Gradeability (Low Axle Gear)  N/A  2nd Gear Gradeability (Low
Gear Gradeability (Low Axle Gear) N/A 4th Gear Gradeability (Low Axle Gear)
Gear Gradeability (Low Axle Gear) N/A 6th Gear Gradeability (Low Axle Gear)
eared Road Speed 0.00 MPH Actual Loaded Speed

This document contains information considered Confidential between GM and its Clients uniquely. The information provided is not intended for public disclosure. Prices, specifications, and availability are subject to change without notice, and do not include certain fees, taxes and charges that may be required by law or vary by manufacturer or region. Performance figures are guidelines only, and actual performance may vary. Photos may not represent actual vehicles or exact configurations. Content based on report preparer's input is subject to the accuracy of the input provided.

Data Version: 17672. Data Updated: Oct 9, 2022 6:47:00 PM PDT.

### **Medium Duty**

### **Medium Duty Performance**


Grade (%)	2.0	Maximum Speed Gradeability	N/A
Torque Converter	N/A	Maximum Capacity @ 0° F	1500.00
% of Body on Front Axle	79.28	% of Body on Rear Axle	20.72
Body Weight Front	0.00 lbs	Body Weight Rear	0.00 lbs
Actual Loaded Speed (First Part, MPH)	N/A	Actual Loaded Speed (Second Part, RPM)	
Actual Loaded Speed (Third Part, Gear)		Road Type	Concrete
Body Weight	0.0 lbs	Driver Weight Front	N/A
Driver Weight Rear	N/A	Medium Duty Body Type	None
Front Total Load	6503.00 lbs	Rear Total Load	3515.00 lbs

This document contains information considered Confidential between GM and its Clients uniquely. The information provided is not intended for public disclosure. Prices, specifications, and availability are subject to change without notice, and do not include certain fees, taxes and charges that may be required by law or vary by manufacturer or region. Performance figures are guidelines only, and actual performance may vary. Photos may not represent actual vehicles or exact configurations. Content based on report preparer's input is subject to the accuracy of the input provided.

Data Version: 17672. Data Updated: Oct 9, 2022 6:47:00 PM PDT.

## **Weight Distribution**

SPECIFICATION SUMMARY	
Model #	CT73203
Truck/Tractor	
Wheelbase (WB)	152 in
Cab to Axle (CA)	127.0 in
Cab to Body/Swing Clear (BOC)	0.0 in
Body Length	0.0 ft
Body Weight	0.0 lbs
Cargo Weight	0.00 lbs
Front GAWR	11000 lbs
Rear GAWR	19000 lbs
GVWR	25950.00 lbs



CA: 127.0 in

BOC: 0.0 in

WB: 152 in

Fr%: N/A
Front Wt: 6503.00 lbs

Rr%: N/A

Rear Wt: 3515.00 lbs

GAWR/GVWR	GVW	Remaining Payload Wt	
25950.00 lbs	10368.00 lbs	15,582.00 lbs	

This document contains information considered Confidential between GM and its Clients uniquely. The information provided is not intended for public disclosure. Prices, specifications, and availability are subject to change without notice, and do not include certain fees, taxes and charges that may be required by law or vary by manufacturer or region. Performance figures are guidelines only, and actual performance may vary. Photos may not represent actual vehicles or exact configurations. Content based on report preparer's input is subject to the accuracy of the input provided.

Data Version: 17672. Data Updated: Oct 9, 2022 6:47:00 PM PDT.

## **Weight Distribution**

PECIFICATION DETAILS			
	Front Axle	Rear Axle	Total
Actual			
Chassis	6503.00 lbs	3515.00 lbs	10018.00 lbs
Body	0.00 lbs	0.00 lbs	0.0 lbs
Payload	0.00 lbs	0.00 lbs	0.00 lbs
Trailer			0.0 lbs
Totals	6503.00 lbs	3515.00 lbs	10368.00 lbs
Capacity			
Axle	11000 lbs	19000 lbs	30000.00 lbs
Suspension	12000 lbs	21000 lbs	33,000.00 lbs
Tire	N/A	N/A	N/A
Total Axle Rating	11000.00 lbs	19000.00 lbs	30000.00 lbs

Data Version: 17672. Data Updated: Oct 9, 2022 6:47:00 PM PDT.

This document contains information considered Confidential between GM and its Clients uniquely. The information provided is not intended for public disclosure. Prices, specifications, and availability are subject to change without notice, and do not include certain fees, taxes and charges that may be required by law or vary by manufacturer or region. Performance figures are guidelines only, and actual performance may vary. Photos may not represent actual vehicles or exact configurations. Content based on report preparer's input is subject to the accuracy of the input provided.



CHRIS COLLINS | 979-567-6129 | CHRIS@CALDWELLCOUNTRY.COM

[Fleet] 2023 Chevrolet 6500XD LCF Diesel (CT73203) 2WD Reg Cab 152" (

✓ Complete )



### **Geared Road Speed**

SPECIFICATION SUMMARY	
Model #	CT73203
Engine Order Code	LCB
Model Manufacturer	N/A
Туре	Turbocharged I6
Displacement	N/A
Horsepower	260 @ 2400
Starting Torque	N/A
Transmission Order Code	MPQ
Model Manufacturer	Allison
Туре	6-Speed Automatic
Rear Axle Order Code	
Model Manufacturer	N/A
Weight Rating	19000 lbs
Ratio:1	4.88
Rear Tires	LT225/70R22.5
Revolutions/Mile Front	N/A
Revolutions/Mile Rear	N/A
Surface Type	Concrete
Desired Grade	2%

#### **Geared Road Speed**



**Actual Loaded Speed** 



0% Grade in gear

2% Grade in gear


Note: Simulated speedometer appearance may not correspond with selected equipment.

This document contains information considered Confidential between GM and its Clients uniquely. The information provided is not intended for public disclosure. Prices, specifications, and availability are subject to change without notice, and do not include certain fees, taxes and charges that may be required by law or vary by manufacturer or region. Performance figures are guidelines only, and actual performance may vary. Photos may not represent actual vehicles or exact configurations. Content based on report preparer's input is subject to the accuracy of the input provided.

Data Version: 17672. Data Updated: Oct 9, 2022 6:47:00 PM PDT.

### **Gradeability Chart**

SPECIFICATION SUMMARY	
Model #	CT73203
Engine Order Code	LCB
Model Manufacturer	N/A
Туре	Turbocharged I6
Displacement	N/A
Horsepower	260 @ 2400
Starting Torque	N/A
Transmission Order Code	MPQ
Model Manufacturer	Allison
Туре	6-Speed Automatic
Rear Axle Order Code	
Model Manufacturer	N/A
Weight Rating	19000 lbs
Ratio:1	4.88
Rear Tires	LT225/70R22.5
Revolutions/Mile Front	N/A
Revolutions/Mile Rear	N/A
Surface Type	Concrete
Desired Grade	2%



This document contains information considered Confidential between GM and its Clients uniquely. The information provided is not intended for public disclosure. Prices, specifications, and availability are subject to change without notice, and do not include certain fees, taxes and charges that may be required by law or vary by manufacturer or region. Performance figures are guidelines only, and actual performance may vary. Photos may not represent actual vehicles or exact configurations. Content based on report preparer's input is subject to the accuracy of the input provided.


Data Version: 17672. Data Updated: Oct 9, 2022 6:47:00 PM PDT.

## **Turning Circle**

SPECIFICATION SUMMARY	
Model #	CT73203
Front Axle Order Code	
Capacity (lbs)	12000 lbs
Wheelbase Order Code	
Wheelbase (in)	152 in
Front Wheel Order Code	
Size/Type (in)	22.5 x 8.25 in
Front Tire Order Code	YCF
Size/Type	LT225/70R22.5

### Wall to Wall (ft): N/A

Wall to Wall diameter is measured from the outermost part of the cab.



Curb to Curb (ft): 43.7 ft

Curb to Curb diameter is measured from the outside of the front tire.

This document contains information considered Confidential between GM and its Clients uniquely. The information provided is not intended for public disclosure. Prices, specifications, and availability are subject to change without notice, and do not include certain fees, taxes and charges that may be required by law or vary by manufacturer or region. Performance figures are guidelines only, and actual performance may vary. Photos may not represent actual vehicles or exact configurations. Content based on report preparer's input is subject to the accuracy of the input provided.

Data Version: 17672. Data Updated: Oct 9, 2022 6:47:00 PM PDT.