



[Fleet] 2023 Chevrolet Silverado 1500 (CC10703) 2WD Reg Cab 126" Work Truck (Complete)

Selected Model and Options

MODEL

CODE	MODEL
CC10703	2023 Chevrolet Silverado 1500 2WD Reg Cab 126" Work Truck

COLORS

CODE	DESCRIPTION
G6M	Dark Ash Metallic


OPTIONS

CODE	DESCRIPTION
—	Option/package discount (Requires (L3B) 2.7L Turbo engine or (PEB) WT Value Package.) *DISCOUNT*
1WT	Work Truck Preferred Equipment Group includes standard equipment
AZ3	Seats, front 40/20/40 split-bench with covered armrest storage and under-seat storage (lockable) (STD)
FE9	Emissions, Federal requirements
G6M	Dark Ash Metallic
GU6	Rear axle, 3.42 ratio
H2G	Jet Black, Vinyl seat trim
IOR	Audio system, Chevrolet Infotainment 3 system 7" diagonal color touchscreen, AM/FM stereo. Additional features for compatible phones include: Bluetooth audio streaming for 2 active devices, voice command pass-through to phone, wired Apple CarPlay and Android Auto capable. (STD)
L3B	Engine, 2.7L Turbo High-Output (310 hp [231 kW] @ 5600 rpm, 430 lb-ft of torque [583 Nm] @ 3000 rpm) (STD) (Not available with (Z71) Z71 Off-Road Package, (VYU) Snow Plow Prep Package or (ZW9) pickup bed delete.) *GROSS*
MQE	Transmission, 8-speed automatic, electronically controlled with overdrive and tow/haul mode. Includes Cruise Grade Braking and Powertrain Grade Braking (STD) (Included and only available with (L3B) 2.7L Turbo engine.)
QBN	Tires, 255/70R17 all-season, blackwall (STD)
QBR	Tire, spare 255/70R17 all-season, blackwall (STD) (Included with (QBN) 255/70R17 all-season, blackwall tires.)
R7N	Not Equipped with Steering Column Lock, see dealer for details *CREDIT*
RD6	Wheels, 17" x 8" (43.2 cm x 20.3 cm) Ultra Silver painted steel (STD)

Options Total

This document contains information considered Confidential between GM and its Clients uniquely. The information provided is not intended for public disclosure. Prices, specifications, and availability are subject to change without notice, and do not include certain fees, taxes and charges that may be required by law or vary by manufacturer or region. Performance figures are guidelines only, and actual performance may vary. Photos may not represent actual vehicles or exact configurations. Content based on report preparer's input is subject to the accuracy of the input provided.
Data Version: 17672. Data Updated: Oct 9, 2022 6:47:00 PM PDT.



[Fleet] 2023 Chevrolet Silverado 1500 (CC10703) 2WD Reg Cab 126" Work Truck ( Complete)

Standard Equipment


Package	Chevy Safety Assist includes (UHY) Automatic Emergency Braking, (UKJ) Front Pedestrian Braking, (UHX) Lane Keep Assist with Lane Departure Warning, (UE4) Following Distance Indicator, (UEU) Forward Collision Alert and (TQ5) IntelliBeam
---------	---

Mechanical	Durabed, pickup bed
	Engine, 2.7L Turbo High-Output (310 hp [231 kW] @ 5600 rpm, 430 lb-ft of torque [583 Nm] @ 3000 rpm) (STD) (Not available with (Z71) Z71 Off-Road Package, (VYU) Snow Plow Prep Package or (ZW9) pickup bed delete.)
	Transmission, 8-speed automatic, electronically controlled with overdrive and tow/haul mode. Includes Cruise Grade Braking and Powertrain Grade Braking (STD) (Included and only available with (L3B) 2.7L Turbo engine.)
	GVWR, 6700 lbs. (3039 kg) (Requires 2WD Regular Cab Standard Bed model.)
	Rear axle, 3.42 ratio
	Push Button Start
	Automatic Stop/Start (Not available with (5W4) Special Services Package, (9C1) Police Pursuit Package or (FHS) E85 FlexFuel capability.)
	Rear wheel drive
	Battery, heavy-duty 730 cold-cranking amps/80 Amp-hr, maintenance-free with rundown protection and retained accessory power
	Alternator, 220 amps (Included with (L3B) 2.7L Turbo engine, (VYU) Snow Plow Prep Package, (5W4) Special Service Package or (9C1) Police Pursuit Package.)
	Frame, fully-boxed, hydroformed front section
	Suspension Package, Standard
	Steering, Electric Power Steering (EPS) assist, rack-and-pinion
	Brakes, 4-wheel antilock, 4-wheel disc with DURALIFE rotors
	Brake lining wear indicator
	Capless Fuel Fill
	Exhaust, single outlet

Exterior	Wheels, 17" x 8" (43.2 cm x 20.3 cm) Ultra Silver painted steel (STD)
	Tires, 255/70R17 all-season, blackwall (STD)
	Tire, spare 255/70R17 all-season, blackwall (STD) (Included with (QBN) 255/70R17 all-season, blackwall tires.)
	Wheel, 17" x 8" (43.2 cm x 20.3 cm) full-size, steel spare

This document contains information considered Confidential between GM and its Clients uniquely. The information provided is not intended for public disclosure. Prices, specifications, and availability are subject to change without notice, and do not include certain fees, taxes and charges that may be required by law or vary by manufacturer or region. Performance figures are guidelines only, and actual performance may vary. Photos may not represent actual vehicles or exact configurations. Content based on report preparer's input is subject to the accuracy of the input provided.
Data Version: 17672. Data Updated: Oct 9, 2022 6:47:00 PM PDT.



[Fleet] 2023 Chevrolet Silverado 1500 (CC10703) 2WD Reg Cab 126" Work Truck ( Complete)

Exterior

Tire carrier lock, keyed cylinder lock that utilizes same key as ignition and door

Bumpers, front, Black (semi-gloss)

Bumpers, rear, Black (semi-gloss)

CornerStep, rear bumper

Cargo tie downs (12), fixed rated at 500 lbs per corner

Headlamps, halogen reflector with halogen Daytime Running Lamps

IntelliBeam, automatic high beam on/off

Lamps, cargo area, cab mounted integrated with center high mount stop lamp, with switch in bank on left side of steering wheel (incandescent on Regular Cab models, LED on Crew Cab and Double Cab models)

Taillamps with incandescent tail, stop and reverse lights

Mirrors, outside heated power-adjustable (Standard on Regular Cab models. Included and only available with (ZLQ) WT Fleet Convenience Package or (PCV) WT Convenience Package on Crew Cab and Double Cab models. When (PQA) WT Safety Package is ordered, includes (DP6) high gloss Black mirror caps.)

Glass, solar absorbing, tinted

Door handles, Black

Tailgate and bed rail protection cap, top

Tailgate, standard

Tailgate, locking utilizes same key as ignition and door (Removed when (QT5) EZ Lift power lock and release tailgate is ordered.)

Tailgate, gate function manual, no EZ Lift

Entertainment

Audio system, Chevrolet Infotainment 3 system 7" diagonal color touchscreen, AM/FM stereo. Additional features for compatible phones include: Bluetooth audio streaming for 2 active devices, voice command pass-through to phone, wired Apple CarPlay and Android Auto capable. (STD)

Audio system feature, 2-speaker system (Requires Regular Cab model.)

Bluetooth for phone, connectivity to vehicle infotainment system

Interior

Seats, front 40/20/40 split-bench with covered armrest storage and under-seat storage (lockable) (STD)

Seat trim, Vinyl

Seat adjuster, driver 4-way manual

Seat adjuster, passenger 4-way manual

Floor covering, rubberized-vinyl (Not available with LPO floor liners.)


This document contains information considered Confidential between GM and its Clients uniquely. The information provided is not intended for public disclosure. Prices, specifications, and availability are subject to change without notice, and do not include certain fees, taxes and charges that may be required by law or vary by manufacturer or region. Performance figures are guidelines only, and actual performance may vary. Photos may not represent actual vehicles or exact configurations. Content based on report preparer's input is subject to the accuracy of the input provided.

Data Version: 17672. Data Updated: Oct 9, 2022 6:47:00 PM PDT.



CALDWELL COUNTRY CHEVROLET-FORD-CJDR

CHRIS COLLINS | 979-567-6129 | CHRIS@CALDWELLCOUNTRY.COM

[Fleet] 2023 Chevrolet Silverado 1500 (CC10703) 2WD Reg Cab 126" Work Truck ( Complete)

Interior

Steering wheel, urethane

Steering column, Tilt-Wheel, manual with wheel locking security feature

Instrument cluster, 6-gauge cluster featuring speedometer, fuel level, engine temperature, tachometer, voltage and oil pressure

Driver Information Center, 3.5" diagonal monochromatic display

Exterior Temperature Display located in radio display

Window, power front, drivers express up/down

Window, power front, passenger express down

Door locks, power

Remote Keyless Entry, with 2 transmitters

Power outlet, front auxiliary, 12-volt

USB Ports, 2, Charge/Data ports located on instrument panel

Air conditioning, single-zone manual

Mirror, inside rearview, manual tilt

Assist handles front A-pillar mounted for driver and passenger, rear B-pillar mounted

Safety-Mechanical

Automatic Emergency Braking

Front Pedestrian Braking

StabiliTrak, stability control system with Proactive Roll Avoidance and traction control, includes electronic trailer sway control and hill start assist

Safety-Exterior

Daytime Running Lamps with automatic exterior lamp control

Safety-Interior

Airbags, dual-stage frontal airbags for driver and front outboard passenger; Seat-mounted side-impact airbags for driver and front outboard passenger; Head-curtain airbags for front and rear outboard seating positions; Includes front outboard Passenger Sensing System for frontal outboard passenger airbag (Always use seat belts and child restraints. Children are safer when properly secured in a rear seat in the appropriate child restraint. See the Owner's Manual for more information.)

HD Rear Vision Camera

Lane Keep Assist with Lane Departure Warning

Following Distance Indicator

Forward Collision Alert


This document contains information considered Confidential between GM and its Clients uniquely. The information provided is not intended for public disclosure. Prices, specifications, and availability are subject to change without notice, and do not include certain fees, taxes and charges that may be required by law or vary by manufacturer or region. Performance figures are guidelines only, and actual performance may vary. Photos may not represent actual vehicles or exact configurations. Content based on report preparer's input is subject to the accuracy of the input provided.

Data Version: 17672. Data Updated: Oct 9, 2022 6:47:00 PM PDT.



CALDWELL COUNTRY CHEVROLET-FORD-CJDR

CHRIS COLLINS | 979-567-6129 | CHRIS@CALDWELLCOUNTRY.COM

[Fleet] 2023 Chevrolet Silverado 1500 (CC10703) 2WD Reg Cab 126" Work Truck ( Complete)

Safety-Interior

Teen Driver a configurable feature that lets you activate customizable vehicle settings associated with a key fob, to help encourage safe driving behavior. It can limit certain available vehicle features, and it prevents certain safety systems from being turned off. An in-vehicle report card gives you information on driving habits and helps you to continue to coach your new driver

Buckle to Drive prevents vehicle from being shifted out of Park until driver seat belt is fastened; times out after 20 seconds and encourages seat belt use, can be turned on and off in Settings menu

Tire Pressure Monitoring System, auto learn includes Tire Fill Alert (does not apply to spare tire)

WARRANTY

Warranty Note: <<< Preliminary 2023 Warranty >>>

Basic Years: 3

Basic Miles/km: 36,000

Drivetrain Years: 5

Drivetrain Miles/km: 60,000

Drivetrain Note: HD Duramax Diesel: 5 Years/100,000 Miles; Qualified Fleet Purchases: 5 Years/100,000 Miles

Corrosion Years (Rust-Through): 6

Corrosion Years: 3

Corrosion Miles/km (Rust-Through): 100,000

Corrosion Miles/km: 36,000

Roadside Assistance Years: 5

Roadside Assistance Miles/km: 60,000

Roadside Assistance Note: HD Duramax Diesel: 5 Years/100,000 Miles; Qualified Fleet Purchases: 5 Years/100,000 Miles

Maintenance Note: 1 Year/1 Visit

This document contains information considered Confidential between GM and its Clients uniquely. The information provided is not intended for public disclosure. Prices, specifications, and availability are subject to change without notice, and do not include certain fees, taxes and charges that may be required by law or vary by manufacturer or region. Performance figures are guidelines only, and actual performance may vary. Photos may not represent actual vehicles or exact configurations. Content based on report preparer's input is subject to the accuracy of the input provided.

Data Version: 17672. Data Updated: Oct 9, 2022 6:47:00 PM PDT.



[Fleet] 2023 Chevrolet Silverado 1500 (CC10703) 2WD Reg Cab 126" Work Truck

(Complete)


Weight Ratings

WEIGHT RATINGS	
Front Gross Axle Weight Rating:	N/A
Rear Gross Axle Weight Rating:	N/A
Gross Vehicle Weight Rating:	6700.00 lbs

This document contains information considered Confidential between GM and its Clients uniquely. The information provided is not intended for public disclosure. Prices, specifications, and availability are subject to change without notice, and do not include certain fees, taxes and charges that may be required by law or vary by manufacturer or region. Performance figures are guidelines only, and actual performance may vary. Photos may not represent actual vehicles or exact configurations. Content based on report preparer's input is subject to the accuracy of the input provided.

Data Version: 17672. Data Updated: Oct 9, 2022 6:47:00 PM PDT.



[Fleet] 2023 Chevrolet Silverado 1500 (CC10703) 2WD Reg Cab 126" Work Truck ( Complete)

Technical Specifications

Chassis

Weight Information

Standard Weight - Front	0.00 lbs	Standard Weight - Rear	0.00 lbs
Base Curb Weight	N/A	Gross Axle Wt Rating - Front	N/A
Gross Axle Wt Rating - Rear	N/A	Curb Weight - Front	2613 lbs
Curb Weight - Rear	1675 lbs	Option Weight - Front	0.00 lbs
Option Weight - Rear	0.00 lbs	Reserve Axle Capacity - Front	N/A
Reserve Axle Capacity - Rear	N/A	As Spec'd Curb Weight	4288.00 lbs
As Spec'd Payload	2412.00 lbs	Maximum Payload Capacity	2412.00 lbs
Gross Combined Wt Rating	14000 lbs	Gross Axle Weight Rating	N/A
Curb Weight	4288.00 lbs	Reserve Axle Capacity	N/A
Total Option Weight	0.00 lbs	Payload Weight Front	0 lbs
Payload Weight Rear	0 lbs	Gross Vehicle Weight Rating	6700.00 lbs

Trailer

Dead Weight Hitch - Max Trailer Wt.	5000 lbs	Dead Weight Hitch - Max Tongue Wt.	500 lbs
Wt Distributing Hitch - Max Trailer Wt.	9100 lbs	Wt Distributing Hitch - Max Tongue Wt.	910 lbs
Fifth Wheel Hitch - Max Trailer Wt.	9000 lbs	Fifth Wheel Hitch - Max Tongue Wt.	2250 lbs
Maximum Trailering Capacity	9100 lbs		

Frame

Frame Type	Box Ladder	Sect Modulus Rails Only	N/A
Frame RBM	N/A	Frame Strength	N/A
Frame Thickness	N/A		

Suspension

Suspension Type - Front	Independent	Suspension Type - Rear	Solid Axle
Spring Capacity - Front	N/A	Spring Capacity - Rear	N/A
Axle Type - Front	N/A	Axle Type - Rear	N/A
Axle Capacity - Front	N/A	Axle Capacity - Rear	N/A
Axle Ratio (:1) - Front	N/A	Axle Ratio (:1) - Rear	3.42

This document contains information considered Confidential between GM and its Clients uniquely. The information provided is not intended for public disclosure. Prices, specifications, and availability are subject to change without notice, and do not include certain fees, taxes and charges that may be required by law or vary by manufacturer or region. Performance figures are guidelines only, and actual performance may vary. Photos may not represent actual vehicles or exact configurations. Content based on report preparer's input is subject to the accuracy of the input provided.
Data Version: 17672. Data Updated: Oct 9, 2022 6:47:00 PM PDT.



[Fleet] 2023 Chevrolet Silverado 1500 (CC10703) 2WD Reg Cab 126" Work Truck (Complete)

Chassis

Suspension

Shock Absorber Diameter - Front	N/A	Shock Absorber Diameter - Rear	N/A
Stabilizer Bar Diameter - Front	1.30 in	Stabilizer Bar Diameter - Rear	N/A

Tires

Front Tire Order Code	QBN	Rear Tire Order Code	QBN
Spare Tire Order Code	QBR	Front Tire Size	255/70R17
Rear Tire Size	255/70R17	Spare Tire Size	255/70R17
Front Tire Capacity	N/A	Rear Tire Capacity	N/A
Spare Tire Capacity	N/A	Revolutions/Mile @ 45 mph - Front	N/A
Revolutions/Mile @ 45 mph - Rear	N/A	Revolutions/Mile @ 45 mph - Spare	N/A

Wheels

Front Wheel Size	17 x 8 in	Rear Wheel Size	17 x 8 in
Spare Wheel Size	17 x 8 in	Front Wheel Material	Steel
Rear Wheel Material	Steel	Spare Wheel Material	Steel

Steering

Steering Type	Electric Rack & Pinion	Steering Ratio (:1), Overall	N/A
Steering Ratio (:1), On Center	N/A	Steering Ratio (:1), At Lock	N/A
Turning Diameter - Curb to Curb	40.7 ft	Turning Diameter - Wall to Wall	N/A

Brakes

Brake Type	Pwr	Brake ABS System	4-Wheel
Brake ABS System (Second Line)	N/A	Disc - Front (Yes or)	Yes
Disc - Rear (Yes or)	Yes	Front Brake Rotor Diam x Thickness	13.5 x 1.18 in
Rear Brake Rotor Diam x Thickness	13.6 x 0.79 in	Drum - Rear (Yes or)	N/A
Rear Drum Diam x Width	N/A		

Fuel Tank


Fuel Tank Capacity, Approx	24 gal	Aux Fuel Tank Capacity, Approx	N/A
----------------------------	--------	--------------------------------	-----

This document contains information considered Confidential between GM and its Clients uniquely. The information provided is not intended for public disclosure. Prices, specifications, and availability are subject to change without notice, and do not include certain fees, taxes and charges that may be required by law or vary by manufacturer or region. Performance figures are guidelines only, and actual performance may vary. Photos may not represent actual vehicles or exact configurations. Content based on report preparer's input is subject to the accuracy of the input provided.
Data Version: 17672. Data Updated: Oct 9, 2022 6:47:00 PM PDT.



CALDWELL COUNTRY CHEVROLET-FORD-CJDR

CHRIS COLLINS | 979-567-6129 | CHRIS@CALDWELLCOUNTRY.COM

[Fleet] 2023 Chevrolet Silverado 1500 (CC10703) 2WD Reg Cab 126" Work Truck ( Complete)

Chassis

Fuel Tank

Fuel Tank Location	N/A	Aux Fuel Tank Location	N/A
--------------------	-----	------------------------	-----

Vehicle

Emissions

Tons/yr of CO2 Emissions @ 15K mi/year	8.8	EPA Greenhouse Gas Score	N/A
--	-----	--------------------------	-----

Powertrain

Transmission

Drivetrain	Rear Wheel Drive	Trans Order Code	MQE
Trans Type	8	Trans Description Cont.	Automatic
Trans Description Cont. Again	N/A	First Gear Ratio (:1)	4.56
Second Gear Ratio (:1)	2.97	Third Gear Ratio (:1)	2.08
Fourth Gear Ratio (:1)	1.69	Fifth Gear Ratio (:1)	1.27
Sixth Gear Ratio (:1)	1.00	Reverse Ratio (:1)	3.82
Clutch Size	N/A	Trans Power Take Off	N/A
Final Drive Axle Ratio (:1)	N/A	Transfer Case Model	N/A
Transfer Case Gear Ratio (:1), High	N/A	Transfer Case Gear Ratio (:1), Low	N/A
Transfer Case Power Take Off	N/A	Seventh Gear Ratio (:1)	0.85
Eighth Gear Ratio (:1)	0.65		

Mileage

EPA Fuel Economy Est - Hwy	22 MPG	Cruising Range - City	456.00 mi
EPA Fuel Economy Est - City	19 MPG	Fuel Economy Est-Combined	20 MPG
Cruising Range - Hwy	528.00 mi	Estimated Battery Range	N/A

Engine

Engine Order Code	L3B	Engine Type	Turbocharged Gas I4
Displacement	2.7L/166	Fuel System	Direct Injection
SAE Net Horsepower @ RPM	310 @ 5600	SAE Net Torque @ RPM	430 @ 3000
Engine Oil Cooler	N/A		


This document contains information considered Confidential between GM and its Clients uniquely. The information provided is not intended for public disclosure. Prices, specifications, and availability are subject to change without notice, and do not include certain fees, taxes and charges that may be required by law or vary by manufacturer or region. Performance figures are guidelines only, and actual performance may vary. Photos may not represent actual vehicles or exact configurations. Content based on report preparer's input is subject to the accuracy of the input provided.

Data Version: 17672. Data Updated: Oct 9, 2022 6:47:00 PM PDT.



CALDWELL COUNTRY CHEVROLET-FORD-CJDR

CHRIS COLLINS | 979-567-6129 | CHRIS@CALDWELLCOUNTRY.COM

[Fleet] 2023 Chevrolet Silverado 1500 (CC10703) 2WD Reg Cab 126" Work Truck ( Complete)

Powertrain

Electrical

Cold Cranking Amps @ 0° F (Primary)	730	Cold Cranking Amps @ 0° F (2nd)	N/A
Cold Cranking Amps @ 0° F (3rd)	N/A	Maximum Alternator Capacity (amps)	220

Cooling System

Total Cooling System Capacity	N/A
-------------------------------	-----

Dimensions

Interior Dimensions

Passenger Capacity	3	Front Head Room	43.11 in
Front Leg Room	44.53 in	Front Shoulder Room	66.02 in
Front Hip Room	60.9 in	Second Head Room	N/A
Second Leg Room	N/A	Second Shoulder Room	N/A
Second Hip Room	N/A		

Exterior Dimensions

Wheelbase	126.49 in	Length, Overall w/o rear bumper	N/A
Length, Overall w/rear bumper	N/A	Length, Overall	210.94 in
Width, Max w/o mirrors	81.14 in	Height, Overall	75.7 in
Overhang, Front	N/A	Overhang, Rear w/o bumper	N/A
Front Bumper to Back of Cab	N/A	Cab to Axle	N/A
Cab to End of Frame	N/A	Ground to Top of Load Floor	N/A
Ground to Top of Frame	N/A	Frame Width, Rear	N/A
Ground Clearance, Front	7.87 in	Ground Clearance, Rear	7.87 in
Body Length	0.00 ft	Cab to Body	N/A

Cargo Area Dimensions

Cargo Box Length @ Floor	79.44 in	Cargo Box Width @ Top, Rear	N/A
Cargo Box Width @ Floor	71.4 in	Cargo Box Width @ Wheelhousings	50.63 in
Cargo Box (Area) Height	22.4 in	Tailgate Width	N/A
Cargo Volume	71.7 ft³	Ext'd Cab Cargo Volume	N/A

This document contains information considered Confidential between GM and its Clients uniquely. The information provided is not intended for public disclosure. Prices, specifications, and availability are subject to change without notice, and do not include certain fees, taxes and charges that may be required by law or vary by manufacturer or region. Performance figures are guidelines only, and actual performance may vary. Photos may not represent actual vehicles or exact configurations. Content based on report preparer's input is subject to the accuracy of the input provided.

Data Version: 17672. Data Updated: Oct 9, 2022 6:47:00 PM PDT.