





Technical Specifications

Powertrain Transmission Drivetrain Rear Wheel Drive Trans Order Code M5U Automatic Trans Type Trans Description Cont. Trans Description Cont. Again First Gear Ratio (:1) 4.56 N/A Second Gear Ratio (:1) 2.97 Third Gear Ratio (:1) 2.08 Fourth Gear Ratio (:1) 1.69 Fifth Gear Ratio (:1) 1.27 Sixth Gear Ratio (:1) 1.00 Reverse Ratio (:1) 3.82 Clutch Size N/A Trans Power Take Off N/A Final Drive Axle Ratio (:1) N/A Transfer Case Model N/A Transfer Case Gear Ratio (:1), High N/A Transfer Case Gear Ratio (:1), Low N/A Transfer Case Power Take Off N/A Seventh Gear Ratio (:1) 0.85 Eighth Gear Ratio (:1) 0.65 Mileage N/A N/A EPA Fuel Economy Est - Hwy Cruising Range - City EPA Fuel Economy Est - City N/A Fuel Economy Est-Combined N/A N/A Cruising Range - Hwy N/A **Estimated Battery Range Engine** Gas V6 **Engine Order Code** LV1 **Engine Type** Displacement 4.3L/-TBD-Fuel System **Direct Injection** SAE Net Horsepower @ RPM 276 @ 5200 SAE Net Torque @ RPM 298 @ 3900 **Engine Oil Cooler** Yes **Electrical** Cold Cranking Amps @ 0° F (Primary) 600 N/A Cold Cranking Amps @ 0° F (2nd) Cold Cranking Amps @ 0° F (3rd) N/A Maximum Alternator Capacity (amps) 105

This document contains information considered Confidential between GM and its Clients uniquely. The information provided is not intended for public disclosure. Prices, specifications, and availability are subject to change without notice, and do not include certain fees, taxes and charges that may be required by law or vary by manufacturer or region. Performance figures are guidelines only, and actual performance may vary. Photos may not represent actual vehicles or exact configurations. Content based on report preparer's input is subject to the accuracy of the input provided.

13.6 qts

Data Version: 17632. Data Updated: Oct 4, 2022 6:51:00 PM PDT.

Total Cooling System Capacity

Cooling System

Oct 5, 2022



ehicle			
Emissions			
Tons/yr of CO2 Emissions @ 15K mi/year	N/A	EPA Greenhouse Gas Score	N/A
/ehicle			
Rear Door Type	Dual Swing-out		
hassis			
Veight Information			
Standard Weight - Front	66.00 lbs	Standard Weight - Rear	43.00 lbs
Base Curb Weight	N/A	Gross Axle Wt Rating - Front	4100 lbs
Gross Axle Wt Rating - Rear	5360 lbs	Curb Weight - Front	2921 lbs
Curb Weight - Rear	2172 lbs	Option Weight - Front	1.00 lbs
Option Weight - Rear	0.00 lbs	Reserve Axle Capacity - Front	1112.00 lbs
Reserve Axle Capacity - Rear	3145.00 lbs	As Spec'd Curb Weight	5203.00 lbs
As Spec'd Payload	3397.00 lbs	Maximum Payload Capacity	3507.00 lbs
Gross Combined Wt Rating	15000 lbs	Gross Axle Weight Rating	9460.00 lbs
Curb Weight	5093.00 lbs	Reserve Axle Capacity	4257.00 lbs
Total Option Weight	1.00 lbs	Payload Weight Front	0 lbs
Payload Weight Rear	0 lbs	Gross Vehicle Weight Rating	8600.00 lbs
Frailering			
Dead Weight Hitch - Max Trailer Wt.	5000 lbs	Dead Weight Hitch - Max Tongue Wt.	500 lbs
Wt Distributing Hitch - Max Trailer Wt.	7400 lbs	Wt Distributing Hitch - Max Tongue Wt.	740 lbs
Fifth Wheel Hitch - Max Trailer Wt.	N/A	Fifth Wheel Hitch - Max Tongue Wt.	N/A
Maximum Trailering Capacity	10000 lbs		
Frame			
Frame Type	Ladder	Sect Modulus Rails Only	N/A
Frame RBM	N/A	Frame Strength	N/A
Frame Thickness	N/A		

This document contains information considered Confidential between GM and its Clients uniquely. The information provided is not intended for public disclosure. Prices, specifications, and availability are subject to change without notice, and do not include certain fees, taxes and charges that may be required by law or vary by manufacturer or region. Performance figures are guidelines only, and actual performance may vary. Photos may not represent actual vehicles or exact configurations. Content based on report preparer's input is subject to the accuracy of the input provided.

Data Version: 17632. Data Updated: Oct 4, 2022 6:51:00 PM PDT.



hassis			
Suspension			
Suspension Type - Front	Coil Spring	Suspension Type - Rear	Hypoid Multi-L
Spring Capacity - Front	4100 lbs	Spring Capacity - Rear	5360 lbs
Axle Type - Front	Independent	Axle Type - Rear	Semi-Floating
Axle Capacity - Front	4100 lbs	Axle Capacity - Rear	5360 lbs
Axle Ratio (:1) - Front	N/A	Axle Ratio (:1) - Rear	3.42
Shock Absorber Diameter - Front	N/A	Shock Absorber Diameter - Rear	N/A
Stabilizer Bar Diameter - Front	1.38 in	Stabilizer Bar Diameter - Rear	N/A
Fires .			
Front Tire Order Code	XLP	Rear Tire Order Code	YLP
Spare Tire Order Code	ZLP	Front Tire Size	LT245/75R16
Rear Tire Size	LT245/75R16E	Spare Tire Size	LT245/75R16
Front Tire Capacity	2205 lbs	Rear Tire Capacity	3042 lbs
Spare Tire Capacity	N/A	Revolutions/Mile @ 45 mph - Front	N/A
Revolutions/Mile @ 45 mph - Rear	N/A	Revolutions/Mile @ 45 mph - Spare	N/A
Vheels			
Front Wheel Size	16 x 6.5 in	Rear Wheel Size	16 x 6.5 in
Spare Wheel Size	16 x 6.5 in	Front Wheel Material	Steel
Rear Wheel Material	Steel	Spare Wheel Material	Steel
Steering			
Steering Type	Pwr	Steering Ratio (:1), Overall	N/A
Steering Ratio (:1), On Center	17.2	Steering Ratio (:1), At Lock	17.2
Turning Diameter - Curb to Curb	49.2 ft	Turning Diameter - Wall to Wall	N/A
Brakes			
Brake Type	Pwr	Brake ABS System	4-Wheel
Brake ABS System (Second Line)	N/A	Disc - Front (Yes or)	Yes
Disc - Rear (Yes or)	Yes	Front Brake Rotor Diam x Thickness	12.8 x 1.5 in
Rear Brake Rotor Diam x Thickness	13.0 x 1.1 in	Drum - Rear (Yes or)	N/A

This document contains information considered Confidential between GM and its Clients uniquely. The information provided is not intended for public disclosure. Prices, specifications, and availability are subject to change without notice, and do not include certain fees, taxes and charges that may be required by law or vary by manufacturer or region. Performance figures are guidelines only, and actual performance may vary. Photos may not represent actual vehicles or exact configurations. Content based on report preparer's input is subject to the accuracy of the input provided.

Data Version: 17632. Data Updated: Oct 4, 2022 6:51:00 PM PDT.



rakes			
Rear Drum Diam x Width	N/A		
uel Tank			
Fuel Tank Capacity, Approx	31 gal	Aux Fuel Tank Capacity, Approx	N/A
Fuel Tank Location	Mid-frame	Aux Fuel Tank Location	N/A
mensions			
terior Dimensions			
Passenger Capacity	2	Front Head Room	40.85 in
Front Leg Room	41.35 in	Front Shoulder Room	68.85 in
Front Hip Room	65.47 in	Second Head Room	N/A
Second Leg Room	N/A	Second Shoulder Room	N/A
Second Hip Room	N/A		
xterior Dimensions			
Wheelbase	135.15 in	Length, Overall w/rear bumper	N/A
Length, Overall	224.05 in	Width, Max w/o mirrors	79.25 in
Height, Overall	84.75 in	Overhang, Front	39.7 in
Overhang, Rear w/o bumper	N/A	Front Bumper to Back of Cab	N/A
Cab to Axle	N/A	Cab to End of Frame	N/A
Ground to Top of Load Floor	30.3 in	Ground to Top of Frame	N/A
Frame Width, Rear	N/A	Ground Clearance, Front	9.72 in
	8.62 in	Body Length	0.00 ft
Ground Clearance, Rear			
Ground Clearance, Rear Rear Door Opening Height	49.4 in	Rear Door Opening Width	53.42 in
	49.4 in N/A	Rear Door Opening Width Side Door Opening Width	53.42 in N/A
Rear Door Opening Height			
Rear Door Opening Height Side Door Opening Height	N/A	Side Door Opening Width	N/A
Rear Door Opening Height Side Door Opening Height Step Up Height - Front	N/A 27.67 in	Side Door Opening Width	N/A
Rear Door Opening Height Side Door Opening Height Step Up Height - Front Cab to Body	N/A 27.67 in	Side Door Opening Width	N/A

This document contains information considered Confidential between GM and its Clients uniquely. The information provided is not intended for public disclosure. Prices, specifications, and availability are subject to change without notice, and do not include certain fees, taxes and charges that may be required by law or vary by manufacturer or region. Performance figures are guidelines only, and actual performance may vary. Photos may not represent actual vehicles or exact configurations. Content based on report preparer's input is subject to the accuracy of the input provided.

Data Version: 17632. Data Updated: Oct 4, 2022 6:51:00 PM PDT.



	4		
(\	Complete)	

Dimensions

Cargo	Area	Dime	ensions
Oui go	AI CU		,,,,,,,,,,,

Cargo Box Width @ Floor	N/A	Cargo Box Width @ Wheelhousings	52.47 in
Cargo Box (Area) Height	55.08 in	Tailgate Width	N/A
Cargo Volume	239.4 ft ³	Ext'd Cab Cargo Volume	N/A

Exterior

Doors

Side Door Type Swing-out

This document contains information considered Confidential between GM and its Clients uniquely. The information provided is not intended for public disclosure. Prices, specifications, and availability are subject to change without notice, and do not include certain fees, taxes and charges that may be required by law or vary by manufacturer or region. Performance figures are guidelines only, and actual performance may vary. Photos may not represent actual vehicles or exact configurations. Content based on report preparer's input is subject to the accuracy of the input provided.

Data Version: 17632. Data Updated: Oct 4, 2022 6:51:00 PM PDT.



Selected	Model and	I Options
----------	-----------	------------------

Selectea Mode MODEL	i and Options			
CODE	MODEL			MSRP
CG23405	2023 Chevrolet Express Cargo Van RWD 2500 135"			\$38,100.00
COLORS				
CODE	DESCRIPTION			
GAZ	Summit White			
BODY CODE				
CODE	DESCRIPTION	FRONT WEIGHT	REAR WEIGHT	MSRP
ZW9	Body, standard (STD)	0.00 lbs	0.00 lbs	\$0.00
EMISSIONS				
CODE	DESCRIPTION	FRONT WEIGHT	REAR WEIGHT	MSRP
FE9	Emissions, Federal requirements	0.00 lbs	0.00 lbs	\$0.00
ENGINE				
CODE	DESCRIPTION	FRONT WEIGHT	REAR WEIGHT	MSRP
LV1	Engine, 4.3L V6 with Direct Injection and Variable Valve Timing, includes aluminum block construction (276 hp [206 kW] @ 5200 rpm, 298 lb-ft of torque [404 Nm] @ 3900 rpm) (STD) (Reference the Engine/Axle page for availability.)	0.00 lbs	0.00 lbs	\$0.00
TRANSMISSION				
CODE	DESCRIPTION	FRONT WEIGHT	REAR WEIGHT	MSRP
M5U	Transmission, 8-speed automatic, electronically controlled with overdrive and tow/haul mode. Includes Cruise Grade Braking, Powertrain Grade Braking and Tap-Up/Tap-Down Driver Shift Control (STD) (Requires (LV1) 4.3L gas V6 engine. Reference the Engine/Axle page for availability.)	0.00 lbs	0.00 lbs	\$0.00

This document contains information considered Confidential between GM and its Clients uniquely. The information provided is not intended for public disclosure. Prices, specifications, and availability are subject to change without notice, and do not include certain fees, taxes and charges that may be required by law or vary by manufacturer or region. Performance figures are guidelines only, and actual performance may vary. Photos may not represent actual vehicles or exact configurations. Content based on report preparer's input is subject to the accuracy of the input provided.

Data Version: 17632. Data Updated: Oct 4, 2022 6:51:00 PM PDT.



AXLE				
CODE	DESCRIPTION	FRONT WEIGHT	REAR WEIGHT	MSRP
GU6	Rear axle, 3.42 ratio (Reference the Engine/Axle page for availability.)	0.00 lbs	0.00 lbs	\$0.00
SIDE DOOR				
CODE	DESCRIPTION	FRONT WEIGHT	REAR WEIGHT	MSRP
E24	Door, swing-out passenger-side, 60/40 split (STD)	0.00 lbs	0.00 lbs	\$0.00
PREFERRED EG	QUIPMENT GROUP			
CODE	DESCRIPTION	FRONT WEIGHT	REAR WEIGHT	MSRP
1WT	Work Van Preferred Equipment Group includes standard equipment	0.00 lbs	0.00 lbs	\$0.00
SPARE TIRE				
CODE	DESCRIPTION	FRONT WEIGHT	REAR WEIGHT	MSRP
ZLP	Tire, spare LT245/75R16E all-season, blackwall located at rear underbody of vehicle (STD)	0.00 lbs	0.00 lbs	\$0.00
PAINT SCHEME				
CODE	DESCRIPTION	FRONT WEIGHT	REAR WEIGHT	MSRP
ZY1	Paint, solid	0.00 lbs	0.00 lbs	\$0.00
PAINT				
CODE	DESCRIPTION	FRONT WEIGHT	REAR WEIGHT	MSRP
GAZ	Summit White	0.00 lbs	0.00 lbs	\$0.00
SEAT TYPE				
CODE	DESCRIPTION	FRONT WEIGHT	REAR WEIGHT	MSRP
AR7	Seats, front bucket with vinyl trim and head restraints, includes inboard armrests (STD) (Requires (**W) interior trim.)	0.00 lbs	0.00 lbs	\$0.00

This document contains information considered Confidential between GM and its Clients uniquely. The information provided is not intended for public disclosure. Prices, specifications, and availability are subject to change without notice, and do not include certain fees, taxes and charges that may be required by law or vary by manufacturer or region. Performance figures are guidelines only, and actual performance may vary. Photos may not represent actual vehicles or exact configurations. Content based on report preparer's input is subject to the accuracy of the input provided.

Data Version: 17632. Data Updated: Oct 4, 2022 6:51:00 PM PDT.



SEAT TRIM				
SEAT INIIVI				
CODE	DESCRIPTION	FRONT WEIGHT	REAR WEIGHT	MSRP
93W	Medium Pewter, Vinyl Seat Trim	0.00 lbs	0.00 lbs	\$0.00
SEATING ARRANG	GEMENT			
CODE	DESCRIPTION	FRONT WEIGHT	REAR WEIGHT	MSRP
ZX2	Seating arrangement, driver and front passenger high-back buckets, with head restraints and vinyl or cloth trim (STD) (Not available with (AJ3) driver-side only frontal airbag.)	0.00 lbs	0.00 lbs	\$0.00
RADIO				
CODE	DESCRIPTION	FRONT WEIGHT	REAR WEIGHT	MSRP
UOF	Audio system, AM/FM stereo with MP3 player seek-and-scan, digital clock, TheftLock, random select, auxiliary jack and 2 front door speakers (STD) (Not available with (U2K) SiriusXM Radio or (WP9) Communications Package.)	0.00 lbs	0.00 lbs	\$0.00
ADDITIONAL EQU	IPMENT - INTERIOR			
CODE	DESCRIPTION	FRONT WEIGHT	REAR WEIGHT	MSRP
DAA	Visors, driver and front passenger, vinyl in lieu of standard cloth	1.00 lbs	0.00 lbs	\$0.00
	Options Total	1.00 lbs	0.00 lbs	\$0.00

This document contains information considered Confidential between GM and its Clients uniquely. The information provided is not intended for public disclosure. Prices, specifications, and availability are subject to change without notice, and do not include certain fees, taxes and charges that may be required by law or vary by manufacturer or region. Performance figures are guidelines only, and actual performance may vary. Photos may not represent actual vehicles or exact configurations. Content based on report preparer's input is subject to the accuracy of the input provided.

Data Version: 17632. Data Updated: Oct 4, 2022 6:51:00 PM PDT.



Standard Equipment

Otandara Equi	
Package	
	Power Convenience Package includes (A31) power windows and (AU3) power door locks
Mechanical	
	Engine, 4.3L V6 with Direct Injection and Variable Valve Timing, includes aluminum block construction (276 hp [206 kW] @ 5200 rpm, 298 lb-ft of torque [404 Nm] @ 3900 rpm) (STD) (Reference the Engine/Axle page for availability.)
	Transmission, 8-speed automatic, electronically controlled with overdrive and tow/haul mode. Includes Cruise Grade Braking, Powertrain Grade Braking and Tap-Up/Tap-Down Driver Shift Control (STD) (Requires (LV1) 4.3L gas V6 engine. Reference the Engine/Axle page for availability.)
	Body, standard (STD)
	GVWR, 8600 lbs. (3901 kg) (Reference the Engine/Axle page for availability.)
	Rear axle, 3.42 ratio (Reference the Engine/Axle page for availability.)
	Rear wheel drive
	Cooling, external engine oil cooler
	Battery, 600 cold-cranking amps, maintenance-free with rundown protection and retained accessory power
	Alternator, 105 amps (Not available with (Y3H) Paratransit Package, (C69) rear air conditioning or (9L7) Wiring junction block equipment accessory.)
	Frame, full-length box ladder-type
	Suspension, front independent with coil springs and stabilizer bar
	Suspension, rear hypoid drive axle with multi-leaf springs
	Steering, power
	Brakes, 4-wheel antilock, 4-wheel disc
	Fuel tank capacity, mid-frame and approximately 31 gallons (117.3L)
	Exhaust, aluminized stainless-steel muffler and tailpipe
Exterior	
	Door, swing-out passenger-side, 60/40 split (STD)
	Wheels, 4 - 16" x 6.5" (40.6 cm x 16.5 cm) steel includes Gray center caps and steel spare
	Tire, spare LT245/75R16E all-season, blackwall located at rear underbody of vehicle (STD)
	Tires, front LT245/75R16E all-season, blackwall
	Tires, rear LT245/75R16E all-season, blackwall
	Bumpers, front and rear painted Black with step-pad
	Headlamps, dual halogen composite

This document contains information considered Confidential between GM and its Clients uniquely. The information provided is not intended for public disclosure. Prices, specifications, and availability are subject to change without notice, and do not include certain fees, taxes and charges that may be required by law or vary by manufacturer or region. Performance figures are guidelines only, and actual performance may vary. Photos may not represent actual vehicles or exact configurations. Content based on report preparer's input is subject to the accuracy of the input provided.

Data Version: 17632. Data Updated: Oct 4, 2022 6:51:00 PM PDT.



Exterior	
	Mirrors, outside heated power-adjustable, Black, manual-folding
	Glass, Solar-Ray light-tinted, all windows
	Wipers, front intermittent wet-arm with pulse washers
	License plate kit, front
Entertainment	
	Audio system, AM/FM stereo with MP3 player seek-and-scan, digital clock, TheftLock, random select, auxiliary jack and 2 front door speakers (STD) (Not available with (U2K) SiriusXM Radio or (WP9) Communications Package.)
	Wi-Fi Hotspot capable (Included and only available with (UE1) OnStar. Terms and limitations apply. See onstar.com or dealer for details.)
Interior	
	Seats, front bucket with vinyl trim and head restraints, includes inboard armrests (STD) (Requires (**W) interior trim.)
	Seating arrangement, driver and front passenger high-back buckets, with head restraints and vinyl or cloth trim (STD) (Not available with (AJ3) driver-side only frontal airbag.)
	Console, engine cover with open storage bin
	Floor covering, full-length Black rubberized-vinyl (Not available with (RFM) rear floor covering delete or (PCH) Hotel Shuttle Package.)
	Steering wheel, steel sleeve column with theft-deterrent locking feature, Black
	Instrumentation, analog with speedometer, odometer with trip odometer, fuel level, voltmeter, engine temperature and oil pressure
	Oil life monitor
	Warning tones, headlamp on and key-in-ignition
	Driver Information Center includes fuel range, average speed, oil life, tire pressure monitoring, fuel used, ice warning, engine hours, average fuel economy, tachometer, and maintenance reminders. Compass and outside temperature available if equipped.
	Door locks, power with lock-out protection (Included with (ZQ2) Power Convenience Package. NOTE: Does not include (ATG) Remote Keyless Entry. (ATG) Remote Keyless Entry must be ordered separately.)
	Windows, power (Included with (ZQ2) Power Convenience Package.)
	Tow/haul mode selector, instrument panel-mounted
	Theft-deterrent system, vehicle, PASS-Key III
	Power outlets, 2 auxiliary on engine console cover with covers, 12-volt
	Power outlet, 120-volt
	Air conditioning, single-zone manual
	Defogger, side windows

This document contains information considered Confidential between GM and its Clients uniquely. The information provided is not intended for public disclosure. Prices, specifications, and availability are subject to change without notice, and do not include certain fees, taxes and charges that may be required by law or vary by manufacturer or region. Performance figures are guidelines only, and actual performance may vary. Photos may not represent actual vehicles or exact configurations. Content based on report preparer's input is subject to the accuracy of the input provided.

Data Version: 17632. Data Updated: Oct 4, 2022 6:51:00 PM PDT.



Interior	
	Cup holders, 3 on the engine console cover
	Trim panels, hinged rear side doors and hinged rear doors (Not available with (Y3H) Paratransit Package.)
	Mirror, inside rearview includes Rear Vision Camera display
	Headliner, cloth, over driver and passenger
	Visors, driver and front passenger, vinyl
	Assist handles, driver and right-front passenger
	Lighting, interior with 4 dome lights 1 overhead and 3 LED's on cross members in cargo area, includes defeat switch and door handle-activated switches
	Cargo tie-downs 6 D-ring attachments on cargo area floor (Not available with (Y3H) Paratransit Package or (ZP6) 5-passenger Express Crew Van.)
	Chevrolet Connected Access capable (Included and only available with (UE1) OnStar. Subject to terms. See onstar.com or dealer for details.)
Safety-Mechanical	
	Brake/transmission shift interlock, for automatic transmissions
	Hill Start Assist
	StabiliTrak, traction assistance and vehicle stability enhancement system
Safety-Exterior	
	Door beams, steel-side
	Daytime Running Lamps
Safety-Interior	
	Airbags, frontal, front driver and right front passenger (Includes passenger-side airbag deactivation switch. Included with (ZX2) driver and right front passenger high-back bucket seats or (ZP6) 5-passenger Express Crew Van Package. Not available with (ZX1) driver only high-back bucket seat or (AJ3) driver-side only frontal airbag. Always use seat belts and child restraints. Children are safer when properly secured in a rear seat in the appropriate child restraint. See the Owner's Manual for more information.)
	Airbags, seat-mounted side-impact for driver and right-front passenger and roof-rail mounted head-curtain for 1-row coverage with (ZX1) driver only high-back bucket seat or (ZX2) driver and right-front passenger high-back bucket seats, and 2-row coverage with (ZP6) 5-passenger Express Crew Van Package (Always use seat belts and child restraints. Children are safer when properly secured in a rear seat in the appropriate child restraint. See the Owner's Manual for more information.)
	Airbag deactivation switch, frontal passenger-side (Not available with (AJ3) driver only airbag. Always use seat belts and child restraints. Children are safer when properly secured in a rear seat in the appropriate child restraint. See the Owner's Manual for more information.)
	OnStar and Chevrolet connected services capable (Terms and limitations apply. See onstar.com or dealer for details.)
	Rear Vision Camera display integrated into rearview mirror (Display included with (DRJ) inside rearview mirror.)

This document contains information considered Confidential between GM and its Clients uniquely. The information provided is not intended for public disclosure. Prices, specifications, and availability are subject to change without notice, and do not include certain fees, taxes and charges that may be required by law or vary by manufacturer or region. Performance figures are guidelines only, and actual performance may vary. Photos may not represent actual vehicles or exact configurations. Content based on report preparer's input is subject to the accuracy of the input provided.

Data Version: 17632. Data Updated: Oct 4, 2022 6:51:00 PM PDT.



Safety-Interior

Tire Pressure Monitoring System (does not apply to spare tire)

WARRANTY

Warranty Note: <<< Preliminary 2023 Warranty >>>

Basic Years: 3

Basic Miles/km: 36,000 Drivetrain Years: 5 Drivetrain Miles/km: 60,000

Drivetrain Note: Qualified Fleet Purchases: 5 Years/100,000 Miles

Corrosion Years (Rust-Through): 6

Corrosion Years: 3

Corrosion Miles/km (Rust-Through): 100,000

Corrosion Miles/km: 36,000 Roadside Assistance Years: 5

Roadside Assistance Miles/km: 60,000

Roadside Assistance Note: Qualified Fleet Purchases: 5 Years/100,000 Miles

Maintenance Note: 1 Year/1 Visit

This document contains information considered Confidential between GM and its Clients uniquely. The information provided is not intended for public disclosure. Prices, specifications, and availability are subject to change without notice, and do not include certain fees, taxes and charges that may be required by law or vary by manufacturer or region. Performance figures are guidelines only, and actual performance may vary. Photos may not represent actual vehicles or exact configurations. Content based on report preparer's input is subject to the accuracy of the input provided.

Data Version: 17632. Data Updated: Oct 4, 2022 6:51:00 PM PDT.