





Technical Specifications

Powertrain			
Transmission			
Drivetrain	Rear Wheel Drive	Trans Order Code	M5U
Trans Type	8	Trans Description Cont.	HD Automatic
Trans Description Cont. Again	N/A	First Gear Ratio (:1)	4.56
Second Gear Ratio (:1)	2.97	Third Gear Ratio (:1)	2.08
Fourth Gear Ratio (:1)	1.69	Fifth Gear Ratio (:1)	1.27
Sixth Gear Ratio (:1)	1.00	Reverse Ratio (:1)	3.82
Clutch Size	N/A	Trans Power Take Off	N/A
Final Drive Axle Ratio (:1)	N/A	Transfer Case Model	N/A
Transfer Case Gear Ratio (:1), High	N/A	Transfer Case Gear Ratio (:1), Low	N/A
Transfer Case Power Take Off	N/A	Seventh Gear Ratio (:1)	0.85
Eighth Gear Ratio (:1)	0.65		
Mileage			
EPA Fuel Economy Est - Hwy	N/A	Cruising Range - City	N/A
EPA Fuel Economy Est - City	N/A	Fuel Economy Est-Combined	N/A
Cruising Range - Hwy	N/A	Estimated Battery Range	N/A
Engine			
Engine Order Code	LV1	Engine Type	Gas V6
Displacement	4.3L/-TBD-	Fuel System	Direct Injection
SAE Net Horsepower @ RPM	276 @ 5200	SAE Net Torque @ RPM	298 @ 3900
Engine Oil Cooler	Yes		
Electrical			
Cold Cranking Amps @ 0° F (Primary)	600	Cold Cranking Amps @ 0° F (2nd)	N/A
Cold Cranking Amps @ 0° F (3rd)	N/A	Maximum Alternator Capacity (amps)	150
Cooling System			
Total Cooling System Capacity	N/A		

This document contains information considered Confidential between GM and its Clients uniquely. The information provided is not intended for public disclosure. Prices, specifications, and availability are subject to change without notice, and do not include certain fees, taxes and charges that may be required by law or vary by manufacturer or region. Performance figures are guidelines only, and actual performance may vary. Photos may not represent actual vehicles or exact configurations. Content based on report preparer's input is subject to the accuracy of the input provided.

Data Version: 17640. Data Updated: Oct 5, 2022 6:49:00 PM PDT.



Vehicle			
Emissions			
Tons/yr of CO2 Emissions @ 15K mi/year	N/A	EPA Greenhouse Gas Score	N/A
Vehicle			
Rear Door Type	Dual Swing-Out		
· ·	Buan Swing Sut		
Chassis			
Weight Information			
Standard Weight - Front	0.00 lbs	Standard Weight - Rear	0.00 lbs
Base Curb Weight	N/A	Gross Axle Wt Rating - Front	4100 lbs
Gross Axle Wt Rating - Rear	5360 lbs	Curb Weight - Front	3049 lbs
Curb Weight - Rear	2781 lbs	Option Weight - Front	0.00 lbs
Option Weight - Rear	0.00 lbs	Reserve Axle Capacity - Front	1051.00 lbs
Reserve Axle Capacity - Rear	2579.00 lbs	As Spec'd Curb Weight	5830.00 lbs
As Spec'd Payload	2770.00 lbs	Maximum Payload Capacity	2770.00 lbs
Gross Combined Wt Rating	15000 lbs	Gross Axle Weight Rating	9460.00 lbs
Curb Weight	5830.00 lbs	Reserve Axle Capacity	3630.00 lbs
Total Option Weight	0.00 lbs	Payload Weight Front	0 lbs
Payload Weight Rear	0 lbs	Gross Vehicle Weight Rating	8600.00 lbs
Trailering			
Dead Weight Hitch - Max Trailer Wt.	5000 lbs	Dead Weight Hitch - Max Tongue Wt.	500 lbs
Wt Distributing Hitch - Max Trailer Wt.	6700 lbs	Wt Distributing Hitch - Max Tongue Wt.	670 lbs
Fifth Wheel Hitch - Max Trailer Wt.	N/A	Fifth Wheel Hitch - Max Tongue Wt.	N/A
Maximum Trailering Capacity	9600 lbs		
Frame			
Frame Type	Ladder-Type	Sect Modulus Rails Only	N/A
Frame RBM	N/A	Frame Strength	N/A
Frame Thickness	N/A		

This document contains information considered Confidential between GM and its Clients uniquely. The information provided is not intended for public disclosure. Prices, specifications, and availability are subject to change without notice, and do not include certain fees, taxes and charges that may be required by law or vary by manufacturer or region. Performance figures are guidelines only, and actual performance may vary. Photos may not represent actual vehicles or exact configurations. Content based on report preparer's input is subject to the accuracy of the input provided.

Data Version: 17640. Data Updated: Oct 5, 2022 6:49:00 PM PDT.



assis			
uspension			
Suspension Type - Front	Coil Spring		Suspension Type - Rear
Spring Capacity - Front	4100 lbs		Spring Capacity - Rear
Axle Type - Front	Independent		Axle Type - Rear
Axle Capacity - Front	4100 lbs		Axle Capacity - Rear
Axle Ratio (:1) - Front	N/A		Axle Ratio (:1) - Rear
Shock Absorber Diameter - Front	N/A		Shock Absorber Diameter - Rear
Stabilizer Bar Diameter - Front	1.38 in		Stabilizer Bar Diameter - Rear
- Fires			
Front Tire Order Code	XLP	Re	ar Tire Order Code
Spare Tire Order Code	ZLP		Tire Size
Rear Tire Size	LT245/75R16E	Spare Tire	
Front Tire Capacity	2060 lbs	Rear Tire Capa	
Spare Tire Capacity	N/A		@ 45 mph - Front
Revolutions/Mile @ 45 mph - Rear	N/A		@ 45 mpn - Front @ 45 mph - Spare
Revolutions/iville @ 45 mpn - Real	IVA	Revolutions/iville	45 mpn - Spare
/heels			
Front Wheel Size	16 x 6.5 in	Rear Wheel Size	
Spare Wheel Size	16 x 6.5 in	Front Wheel Material	
Rear Wheel Material	Steel	Spare Wheel Material	
Steering	Dun	Otania a D. C. (4) O	
Steering Type	Pwr	Steering Ratio (:1), Overall	
Steering Ratio (:1), On Center	17.2	Steering Ratio (:1), At Lock	
Turning Diameter - Curb to Curb	49.2 ft	Turning Diameter - Wall to W	/all
Brakes			
Brake Type	Pwr	Brake ABS System	
Brake ABS System (Second Line)	N/A	Disc - Front (Yes or)	
Disc - Rear (Yes or)	Yes	Front Brake Rotor Diam x Thick	.

This document contains information considered Confidential between GM and its Clients uniquely. The information provided is not intended for public disclosure. Prices, specifications, and availability are subject to change without notice, and do not include certain fees, taxes and charges that may be required by law or vary by manufacturer or region. Performance figures are guidelines only, and actual performance may vary. Photos may not represent actual vehicles or exact configurations. Content based on report preparer's input is subject to the accuracy of the input provided.

Data Version: 17640. Data Updated: Oct 5, 2022 6:49:00 PM PDT.



sis			
res			
Rear Brake Rotor Diam x Thickness	13 x 1.1 in	Drum - Rear (Yes or)	N/A
Rear Drum Diam x Width	N/A		
el Tank			
Fuel Tank Capacity, Approx	31 gal	Aux Fuel Tank Capacity, Approx	N/A
Fuel Tank Location	Mid-Frame	Aux Fuel Tank Location	N/A
ensions			
erior Dimensions			
Passenger Capacity	12	Front Head Room	40.85 in
Front Leg Room	41.35 in	Front Shoulder Room	68.85 in
Front Hip Room	65.48 in	Second Head Room	38.42 in
Second Leg Room	36.3 in	Second Shoulder Room	68.6 in
Second Hip Room	65.62 in	Third Head Room	38.5 in
Third Leg Room	36.58 in	Third Shoulder Room	65.75 in
Third Hip Room	63.25 in	Fourth Head Room	38.3 in
Fourth Leg Room	36.58 in	Fourth Shoulder Room	69.1 in
Fourth Hip Room	65.65 in		
erior Dimensions			
Wheelbase	135.2 in	Length, Overall w/rear bumper	N/A
Length, Overall	223.95 in	Width, Max w/o mirrors	79.25 in
Height, Overall	84.5 in	Overhang, Front	39.7 in
Overhang, Rear w/o bumper	N/A	Front Bumper to Back of Cab	N/A
Cab to Axle	N/A	Cab to End of Frame	N/A
Ground to Top of Load Floor	31.9 in	Ground to Top of Frame	N/A
Frame Width, Rear	N/A	Ground Clearance, Front	9.7 in
Ground Clearance, Rear	8.6 in	Body Length	0.00 ft
Rear Door Opening Height	47.2 in	Rear Door Opening Width	53.42 in

This document contains information considered Confidential between GM and its Clients uniquely. The information provided is not intended for public disclosure. Prices, specifications, and availability are subject to change without notice, and do not include certain fees, taxes and charges that may be required by law or vary by manufacturer or region. Performance figures are guidelines only, and actual performance may vary. Photos may not represent actual vehicles or exact configurations. Content based on report preparer's input is subject to the accuracy of the input provided.

Data Version: 17640. Data Updated: Oct 5, 2022 6:49:00 PM PDT.



terior Dimensions			
Step Up Height - Front	27.6 in	Step Up Height - Side	28.1 in
Cab to Body	N/A		
argo Area Dimensions			
Cargo Area Length @ Floor to Console	153.6 in	Cargo Area Length @ Floor to Seat 1	126.2 ir
Cargo Area Length @ Floor to Seat 2	N/A	Cargo Area Length @ Floor to Seat 3	N/A
Cargo Box Width @ Top, Rear	N/A	Cargo Area Width @ Beltline	N/A
Cargo Box Width @ Floor	N/A	Cargo Box Width @ Wheelhousings	50.4 in
Cargo Box (Area) Height	51.8 in	Tailgate Width	N/A
Cargo Volume	N/A	Cargo Volume to Seat 1	218.5 ft
Cargo Volume to Seat 2	N/A	Cargo Volume to Seat 3	N/A
Cargo Volume to Seat 4	N/A	Ext'd Cab Cargo Volume	N/A

Side Door Type

Swing-Out

This document contains information considered Confidential between GM and its Clients uniquely. The information provided is not intended for public disclosure. Prices, specifications, and availability are subject to change without notice, and do not include certain fees, taxes and charges that may be required by law or vary by manufacturer or region. Performance figures are guidelines only, and actual performance may vary. Photos may not represent actual vehicles or exact configurations. Content based on report preparer's input is subject to the accuracy of the input provided.

Data Version: 17640. Data Updated: Oct 5, 2022 6:49:00 PM PDT.



Selected Mode	l and Options			
MODEL				
CODE	MODEL			MSRP
CG23406	2023 Chevrolet Express Passenger RWD 2500 135" LS			\$42,300.00
COLORS				
CODE	DESCRIPTION			
G7C	Red Hot			
EMISSIONS				
CODE	DESCRIPTION	FRONT WEIGHT	REAR WEIGHT	MSRP
FE9	Emissions, Federal requirements	0.00 lbs	0.00 lbs	\$0.00
ENGINE				
CODE	DESCRIPTION	FRONT WEIGHT	REAR WEIGHT	MSRP
LV1	Engine, 4.3L V6 with Direct Injection and Variable Valve Timing, includes aluminum block construction (276 hp [206 kW] @ 5200 rpm, 298 lb-ft of torque [404 Nm] @ 3900 rpm) (Reference the Engine/Axle page for availability.) (STD)	0.00 lbs	0.00 lbs	\$0.00
TRANSMISSION				
CODE	DESCRIPTION	FRONT WEIGHT	REAR WEIGHT	MSRP
M5U	Transmission, 8-speed automatic, electronically controlled with overdrive and tow/haul mode. Includes Cruise Grade Braking, Powertrain Grade Braking and Tap-Up/Tap-Down Driver Shift Control (Requires (LV1) 4.3L gas V6 engine. Reference the Engine/Axle page for availability.) (STD)	0.00 lbs	0.00 lbs	\$0.00
AXLE				
CODE	DESCRIPTION	FRONT WEIGHT	REAR WEIGHT	MSRP
GU6	Rear axle, 3.42 ratio (Reference the Engine/Axle page for availability.)	0.00 lbs	0.00 lbs	\$0.00

This document contains information considered Confidential between GM and its Clients uniquely. The information provided is not intended for public disclosure. Prices, specifications, and availability are subject to change without notice, and do not include certain fees, taxes and charges that may be required by law or vary by manufacturer or region. Performance figures are guidelines only, and actual performance may vary. Photos may not represent actual vehicles or exact configurations. Content based on report preparer's input is subject to the accuracy of the input provided.

Data Version: 17640. Data Updated: Oct 5, 2022 6:49:00 PM PDT.



SIDE DOOR					
CODE	DESCRIPTION	FRONT WEIGHT	REAR WEIGHT	MSRP	
E24	Door, swing-out passenger-side, 60/40 split (STD)	0.00 lbs	0.00 lbs	\$0.00	
PREFERRED EQU	REFERRED EQUIPMENT GROUP				
CODE	DESCRIPTION	FRONT WEIGHT	REAR WEIGHT	MSRP	
1LS	LS Preferred Equipment Group includes standard equipment	0.00 lbs	0.00 lbs	\$0.00	
PAINT SCHEME					
CODE	DESCRIPTION	FRONT WEIGHT	REAR WEIGHT	MSRP	
ZY1	Paint, solid (STD)	0.00 lbs	0.00 lbs	\$0.00	
PAINT					
CODE	DESCRIPTION	FRONT WEIGHT	REAR WEIGHT	MSRP	
G7C	Red Hot	0.00 lbs	0.00 lbs	\$0.00	
SEATING ARRAN	GEMENT				
CODE	DESCRIPTION	FRONT WEIGHT	REAR WEIGHT	MSRP	
ZX5	Seating, 12-passenger, (2-3-3-4 seating configuration) 4-passenger seat is a 50/50 split, 2-piece configuration (STD)	0.00 lbs	0.00 lbs	\$0.00	
SEAT TYPE					
CODE	DESCRIPTION	FRONT WEIGHT	REAR WEIGHT	MSRP	
AR7	Seats, front bucket with vinyl trim and head restraints, includes inboard armrests (Requires (93W) interior trim. When ordering a seating arrangement that includes rear seats, includes rear bench seats with vinyl trim. Head restraints are not available on rear bench seats.) (STD)	0.00 lbs	0.00 lbs	\$0.00	

Data Version: 17640. Data Updated: Oct 5, 2022 6:49:00 PM PDT.

This document contains information considered Confidential between GM and its Clients uniquely. The information provided is not intended for public disclosure. Prices, specifications, and availability are subject to change without notice, and do not include certain fees, taxes and charges that may be required by law or vary by manufacturer or region. Performance figures are guidelines only, and actual performance may vary. Photos may not represent actual vehicles or exact configurations. Content based on report preparer's input is subject to the accuracy of the input provided.



SEAT TRIM				
CODE	DESCRIPTION	FRONT WEIGHT	REAR WEIGHT	MSRP
93W	Medium Pewter, Custom Vinyl	0.00 lbs	0.00 lbs	\$0.00
RADIO				
CODE	DESCRIPTION	FRONT	REAR	MSRP
		WEIGHT	WEIGHT	
U0F	Audio system, AM/FM stereo with MP3 player seek-and-scan, digital clock, TheftLock, random select, auxiliary jack and 2 front door speakers (Not available with (U2K) SiriusXM Radio or (WP9) Communications Package.) (STD)	0.00 lbs	0.00 lbs	\$0.00

This document contains information considered Confidential between GM and its Clients uniquely. The information provided is not intended for public disclosure. Prices, specifications, and availability are subject to change without notice, and do not include certain fees, taxes and charges that may be required by law or vary by manufacturer or region. Performance figures are guidelines only, and actual performance may vary. Photos may not represent actual vehicles or exact configurations. Content based on report preparer's input is subject to the accuracy of the input provided.

Data Version: 17640. Data Updated: Oct 5, 2022 6:49:00 PM PDT.



Standard Equipment

Otanidal a Equip	
Package	
	Power Convenience Package includes (A31) power windows and (AU3) power door locks
Mechanical	
	Engine, 4.3L V6 with Direct Injection and Variable Valve Timing, includes aluminum block construction (276 hp [206 kW] @ 5200 rpm, 298 lb-ft of torque [404 Nm] @ 3900 rpm) (Reference the Engine/Axle page for availability.) (STD)
	Transmission, 8-speed automatic, electronically controlled with overdrive and tow/haul mode. Includes Cruise Grade Braking, Powertrain Grade Braking and Tap-Up/Tap-Down Driver Shift Control (Requires (LV1) 4.3L gas V6 engine. Reference the Engine/Axle page for availability.) (STD)
	GVWR, 8600 lbs. (3901 kg) (Reference the Engine/Axle page for availability.)
	Rear axle, 3.42 ratio (Reference the Engine/Axle page for availability.)
	Cooling, External Engine Oil Cooler
	Tow/haul mode selector, instrument panel-mounted
	Rear-wheel drive
	Battery, 600 cold-cranking amps, maintenance-free with rundown protection and retained accessory power
	Alternator, 150 amps
	Frame, ladder-type
	Suspension, front independent with coil springs and stabilizer bar
	Suspension, rear hypoid drive axle with multi-leaf springs
	Steering, power
	Brakes, 4-wheel antilock, 4-wheel disc
	Fuel tank capacity, mid-frame and approximately 31 gallons (117.3L)
	Exhaust, aluminized stainless-steel muffler and tailpipe
Exterior	
	Body, standard (STD)
	Door, swing-out passenger-side, 60/40 split (STD)
	Wheels, 4 - 16" x 6.5" (40.6 cm x 16.5 cm) steel includes Gray center caps and steel spare
	Tires, front LT245/75R16E all-season, blackwall
	Tires, rear LT245/75R16E all-season, blackwall
	Tire, spare LT245/75R16 all-season, blackwall
	Bumpers, front and rear painted Black with step-pad

This document contains information considered Confidential between GM and its Clients uniquely. The information provided is not intended for public disclosure. Prices, specifications, and availability are subject to change without notice, and do not include certain fees, taxes and charges that may be required by law or vary by manufacturer or region. Performance figures are guidelines only, and actual performance may vary. Photos may not represent actual vehicles or exact configurations. Content based on report preparer's input is subject to the accuracy of the input provided.

Data Version: 17640. Data Updated: Oct 5, 2022 6:49:00 PM PDT.



risk of
g-out
xiliary age.)
trim. Head
ation
ice utside
) i

This document contains information considered Confidential between GM and its Clients uniquely. The information provided is not intended for public disclosure. Prices, specifications, and availability are subject to change without notice, and do not include certain fees, taxes and charges that may be required by law or vary by manufacturer or region. Performance figures are guidelines only, and actual performance may vary. Photos may not represent actual vehicles or exact configurations. Content based on report preparer's input is subject to the accuracy of the input provided.

Data Version: 17640. Data Updated: Oct 5, 2022 6:49:00 PM PDT.



Interior	
	Warning tones, headlamp on and key-in-ignition
	Compass, 8-point digital located in the Driver Information Center
	Windows, power (Included with (ZQ2) Power Convenience Package.)
	Door locks, power with lock-out protection (NOTE: Does not include (ATG) Remote Keyless Entry. (ATG) Remote Keyless Entry must be ordered separately.)
	Theft-deterrent system, vehicle, PASS-Key III
	Power outlets 2 auxiliary on engine console cover with covers, 12-volt
	Power outlet, 120-volt
	Air conditioning, single-zone manual
	Air conditioning, rear
	Heater, rear auxiliary
	Defogger, front and side windows
	Mirror, inside rearview, with Rear Vision Camera display
	Headliner, cloth
	Visors, driver and front passenger, padded with cloth trim and dual vanity mirrors, illuminated on passenger-side
	Assist handles, driver and right-front passenger
	Lighting, interior with 2 dome lights defeat switch and door handle-activated switches
	Lighting, auxiliary with reading and underhood lights
	Chevrolet Connected Access capable (Included and only available with (UE1) OnStar. Subject to terms. See onstar.com or dealer for details.)
Safety-Mechanical	
	StabiliTrak, traction assistance and vehicle stability enhancement system
	Brake/transmission shift interlock for automatic transmissions
	Hill Start Assist
Safety-Exterior	
	Door beams, steel-side
	Daytime Running Lamps
	Rear Vision Camera (Display is included with (DRJ) Inside rearview mirror.)

This document contains information considered Confidential between GM and its Clients uniquely. The information provided is not intended for public disclosure. Prices, specifications, and availability are subject to change without notice, and do not include certain fees, taxes and charges that may be required by law or vary by manufacturer or region. Performance figures are guidelines only, and actual performance may vary. Photos may not represent actual vehicles or exact configurations. Content based on report preparer's input is subject to the accuracy of the input provided.

Data Version: 17640. Data Updated: Oct 5, 2022 6:49:00 PM PDT.



Safety-Interior	
	Airbags, frontal, front driver and right front passenger includes passenger-side airbag deactivation switch (Always use seat belts and child restraints. Children are safer when properly secured in a rear seat in the appropriate child restraint. See the Owner's Manual for more information.)
	Airbags, seat-mounted side-impact for driver and right-front passenger and roof-rail mounted head-curtain provides coverage for outboard seating positions for first 3-rows only. Enhanced-technology glass is provided for fourth row with (ZX5) 12-passenger seating and fourth and fifth rows with (ZP3) 15-passenger seating (Always use seat belts and child restraints. Children are safer when properly secured in a rear seat in the appropriate child restraint. See the Owner's Manual for more information.)
	Airbag deactivation switch, frontal passenger-side (Always use seat belts and child restraints. Children are safer when properly secured in a rear seat in the appropriate child restraint. See the Owner's Manual for more information.)
	OnStar and Chevrolet connected services capable (Terms and limitations apply. See onstar.com or dealer for details.)
	Child seat anchors all three passenger rear seats have two anchors for outboard seating positions and tethers for two seating positions. See the Owner's Manual for more information
	Tire Pressure Monitoring System (does not apply to spare tire)
MADDANTY	

WARRANTY

Warranty Note: <<< Preliminary 2023 Warranty >>>

Basic Years: 3

Basic Miles/km: 36,000 Drivetrain Years: 5 Drivetrain Miles/km: 60,000

Drivetiali ivilles/kiii. 60,000

Drivetrain Note: Qualified Fleet Purchases: 5 Years/100,000 Miles

Corrosion Years (Rust-Through): 6

Corrosion Years: 3

Corrosion Miles/km (Rust-Through): 100,000

Corrosion Miles/km: 36,000 Roadside Assistance Years: 5

Roadside Assistance Miles/km: 60,000

Roadside Assistance Note: Qualified Fleet Purchases: 5 Years/100,000 Miles

Maintenance Note: 1 Year/1 Visit

This document contains information considered Confidential between GM and its Clients uniquely. The information provided is not intended for public disclosure. Prices, specifications, and availability are subject to change without notice, and do not include certain fees, taxes and charges that may be required by law or vary by manufacturer or region. Performance figures are guidelines only, and actual performance may vary. Photos may not represent actual vehicles or exact configurations. Content based on report preparer's input is subject to the accuracy of the input provided.

Data Version: 17640. Data Updated: Oct 5, 2022 6:49:00 PM PDT.