MAJOR PRODUCT CHANGES

OVERVIEW

The 2023 Super Duty® Chassis Cab reinforces the long tradition of F-Series toughness and continues to meet the needs of a multitude of commercial vocations, as well as personal use towing customers. Trademark "Built Ford Tough®" attributes such as capability to get the job done, quality, reliability, power, breadth and depth of product choices are solidly behind Chassis Cab users.

To learn more about the features on this vehicle, go to www.fordesourcebook.com

MODEL/SERIES/AVAILABILITY

XL, XLT, Lariat

MECHANICAL

★ New/Changed

- 7.3L 2 Valve DEVCT NA PFI V8 engine (99A)
- TorqShift® ten-speed automatic w/ Selectable Drive Modes standard
- PTO Provision Standard
- Manual Regeneration standard on 6.7L engine
- 4x4 standard on Lariat
- Deleted
 - 6.2L 2 Valve Gas engine

EXTERIOR

- * New/Changed
 - 18" Bright Machined and Carbonized Gray Painted Aluminum Wheel (64C)
- Deleted
- LT265/70Rx17E OWL A/T tire
- * New Colors
 - Azure Grav Metallic Tri-Coat (G4)
- Deleted Colors
 - Atlas Blue

INTERIOR/COMFORT

- * New/Changed
 - 4.2" LCD Productivity Screen standard on XL and XLT
 - Easy Entry Driver's Seat w/ Memory standard on Lariat
 - Power Equipment Group standard
 - Manually Telescoping, Folding Trailer Tow Mirrors with Power/Heated Glass, heated Convex Spotter Mirror, Integrated Clearance Lamps/Turn Signals – standard
 - Cruise Control Standard
- Deleted
- Power Sliding Rear Glass XL & XLT
- Interior Seat Camel XLT
- Bench Seat Lariat

SAFETY/SECURITY

★ New/Changed

None

- None
- Deleted

- FORD CO-PILOT360™ TECHNOLOGY
- ★ New/Changed
 - None

FUNCTIONAL

- * New/Changed
 - Ford Pro Upfit Integration System (Interface with equipment only; not cloud-connected. Note: cloud-connected version will be late availability) – standard
 - Engine Idle Shutdown Programmable (86K) standard on XL and XLT
 - Interior Work Surface (52S) optional
 - Pro Power Onboard 2KW (43K) optional
 - Remote Start System std on Lariat
 - Trailer Brake Controller Standard
 - SYNC® 4 standard on XL and XLT

PACKAGES

- * New/Changed
 - XL Chrome Package (96V)
 - XLT Value Package
- Deleted
 - XL Décor Group
 - Payload Downgrade Package F-350 SRW
 - CNG/Propane Gaseous Engine Prep Package for 6.2L
 - Lariat Value Package

Product Changes and Features Availability

Features, options and package content subject to change. Please check www.fmcdealer.com for the most current information.

2023 SUPER DUTY® CHASSIS CAB (F-350CC / F-450CC / F-550 / F-600) **MAJOR PRODUCT SUMMARY**

The all-new 2023 F-SUPER DUTY® reinforces the tough image of the F-Series and continues to meet the needs of both commercial and personal use towing customers.

MCCHARGAN Brokes - Four-relied Doc Brosses, And Social State System (ASS) Brokes - Four-relied Doc Brosses, And Social State System (ASS) - 7.33, YO (FUTT No PT I Vide School Short Services) - 7.33, YO (FUTT No PT I Vide School Short Sh	The following equipment is standard as indicated. Each series includes the standard equip	ment of the previous series, except where otherwise noted:	
Company Company Company Company Company Company	XL	XLT	LARIAT All XI T content plus:
Post Control Action Services	MECHANICAL		
Fig. 12 Fig.	Brakes – Four-wheel Disc Brakes; Anti-lock Brake System (ABS)	Bumper – front, chrome	
- Control Cont			
- System Control and Proposed Dischard Private			
Member Notes (1-20 proper hour)		INTERIOR/COMFORT	
Transmission Tran			
Property of the content of the con			
System Accordance with the control of the cont		Floor covering – color-coordinated full carpet	 F-350 DRW – 17" Forged Polished Aluminum w/bright hub covers/center ornaments
Find the section of the control of t			
Search Section (Control of Control of Contro	Fender vents – front	 Front, high-series cloth 40/20/40 split bench – 20% center under-seat storage, 	INTERIOR/COMFORT
Sub-relationate Sub-re			 12" LCD Productivity Screen: includes menus for Gauge Setup, Trip Computer, Fuel
Service of the control of the contro			
Book Continued Prince - Prince of Security - Securit		Window – rear, fixed privacy glass	
Table white in white where the street where white the street white is a street where white the street white is a street white it is a street where white is a street white it is			Instrumentation Center – 8" LCD Productivity Screen with steering wheel-mounted five (5)
Trail remove visions (where the first of the content of the conten			
* Mode Company of Young Parties Start when White Life Committed Co		<u>FUNCTIONAL</u>	
- Position - For year in read and sense where the formation is a consequent or any process of the control of th	Wheels		
- Foll DEPS - 17 Apper Parties and Follow and Processions or connection or including a final parties of the procession o			Seats, Front
- Workshort Willows committee Williams Scholar Committee Williams Scholar Committee Williams Scholar Committee - A condition Sch			
Michael Words - Internation Proceedings Procedings Procedin			 8-way power driver & front-passenger seats (six-way power-adjustable track, two-
### AFF TO Produce Pro			way power recline and two-way power lumbar) with Memory
- # 2 Company of the Company (and the Company Field Internal Action of the Company Field Internal Action of the Company Field Internal Action of the Company	·		
A A constance—service communication of the and assessing victorial framework in the control of	 4.2" LCD Productivity Screen: Includes menus for Gauge Setup, Trip Computer, Fuel 		 Rear under-seat storage (SuperCab); floor fold-flat and locking (Crew Cab)
A controller control in the control of the control			
Does the -manuscraph bands and safears - Per Secretoria, Justical Assignment State (State of The Face Control) - Assignment State (State of State	Air conditioning vents – black w/chrome ring and knob		vanity mirrors
Processory—Section to largety way Addition—recover 15th or Springer Addition—and the Company of the Compa			
More control with Total styling the Control Telescope Place of State Place And State			
Order contrast value interest the sent demy light Proverficiation of the Control Security Security Control Security Secu			
Provided in the control of the cont			Mirrors – Power-folding with Autofold, PowerScope® Telescoping, Power Glass Trailer Town Mirrors with Hard Type Glass Hall be lettered to 150 Country Assessment Automatical Mills.
Security stays of the control of the	Power Equipment Group – 1 st row (front-seat) windows w/one-touch up/down, power 2 nd		
Beach Control (1) When (4, 40)200 dig bloom whether amends, complete and change (18) years a control (18) of the control (18)			
Billians - Lead under the Lead under the with this and telescoping deserge wheel/column: included the lead under the lead und			
Secret your beard — beard verticates and which are not bearcoping steering wheel/columner, reducted these (1) beards recognished with the vertical process of the control of the vertical process of t			
### Sim value — Good controlland why, drive wiscolar, passarger wintroovered minor insert with a few controlland w			
with 15th Overhead Console Virtidors Press For Console in Overhead Console Virtidors Press For Console Virtidors P	three (3) button message control		
Window—Read (Control or Verbied Control Window—Read (See Size Mile Control Window—Read (See Size Mile Control Window—Read (See Size Mile Control Advanced Tools with RECED (Red Stacking Control Advanced Tools with RECED (Red Stacking Control Advanced Tools with RECED (Red Stacking Control Policy and passenger frontal allowage and the device seath recognition or received service and time are allowed as according to your of color programmer method at the recognition or received and passenger frontal adding passenger doed deadwindow neither Individual Tire Presoum Montroring System (TRAS) — Food and Food Chry Individual Tire Presoum Montroring System (TRAS) — Food and Food Chry Individual Tire Presoum Montroring System (TRAS) — Food and Food Chry Individual Tire Presoum Montroring System (TRAS) — Food and Food Chry Individual Tire Presoum Montroring System (TRAS) — Food and Food Chry Individual Tire Presoum Montroring System (Trad) — Food and Food Chry Individual Tire Presoum Montroring System (Trad) — Food and Food Chry Individual Tire Presoum Montroring System (Trad) — Food and Food Chry Individual Tire Presoum Montroring System (Trad) — Food and Food Chry Individual Tire Presoum Montroring System (Trad) — Food and Food Chry Individual Tire Presoum Montroring System (Trad) — Food and Food Chry Individual Tire Presoum Montroring System (Trad) Security of the Presoum Montroring System (Trad) Security of the System (Trad) Se			
Absorber Tende with RDCB (Roll Spaliny Corrors will automatedally never throught and spall with RDCB (Roll Spaliny Corrors will automatedally never throught and spall received in the RDCB (Roll Spaliny Corror will) Bell Andersel' Bront safety bett immedial Divine and passenger fortical states pessenger side description earlich Hadamper - Charl Seem powel falled Faboyan Andersel' Bront Seem powel falled Roll Spaliny (Corror Agreement Agent and the Part Spaling Control Spaling Corror Agent A			Note: SiriusXM audio and data services each require a subscription sold separately, or as
See Extra Control (1) and SCO (1) (10) shalling Control (1) Dear with Richard (1) for Shalling Control (1) Dear with Richard (1) and shalling passages side deciduation which I head-inger—Control Shalling passages side deciduation which I head-inger—Control Shalling passages side deciduation which I head-inger—Control (1) and air quality manufacture of present Microline (1) and air quality manufacture of presents of presents and season of present			
Bell Michael (front safety but remodur) Driver and passerger frontal artising passerger safe descrivation switch Hastadrage - Quale beam priver effects altabage I Individual Tar Press Michael (Special Press) Lamps - Roof marker/clearance - LED Lamps - Roof marker/clearance - LED Lamps - Roof marker/clearance - LED Safety Beats - White I Michael I Tar Press Michael (Special Press) Removed beat and a substitution of the safety of t			according to your chosen payment method at then-current rates. Fees and taxes apply. To
District and passenger football strategy reserved and activation which headings— Carbo complete (Section 1998) Larges—Rod market/dearmos—LED Winters—manually steecoping-billing trailer for with power-heated glass, heated conyex spetter mirror, integrated clearance lamps than signals. Remotal keysias steecoping-billing trailer from with power-heated glass, heated conyex spetter mirror, integrated clearance lamps than signals. Remotal keysias steecoping-billing trailer from with power-heated glass, heated conyex spetter mirror, integrated clearance lamps than signals. Remotal keysias steel power-hand signals are steel power-hand signals and signals are steel power-hand signals. Social Code Passive Anti-This System (PATS) Social			cancel you must call SiriusXM at 1-866-635-2349. See SiriusXM Customer Agreement for
Lender-Commentationaries — Let Commentationaries — Let			
Lamps—Root marketicides area — LED Minors — manually belsecopyrighting trailer tow with power/heated glass, heated colvex spotser error, integrated clearance lamps/turn signals Rendos keyless esterily Saticity Bels — wheelpht adjustment (front-cuband seating positions only) Saticity System (Incl. sides cuttin antataga) Saticity System (Incl. sides cuttin antataga cuttin an			Note: Includes a three (3)-month prepaid subscription. Service is not available in Alaska
spotes mirror, integrated clearance lampsabum signals Remote keylises earthy Safety Encryol System (first discussion and and and and and and and and and an	Lamps – Roof marker/clearance – LED		
Remote keyless entry Safety Bush — whethight adjustment (from-outboard seating positions only) Safety Canceyes System (cell. disk-curtain aristags) Sationary Elevand Idle Cornel (Cell. disk-curtain aristags) South Passive Arist That System (PATS) South Passive Arist That System (PATS) South Passive Arist That System (PATS) Audiba Lamo P			
- Safety Cancy System (etc.) described in adjustment (ferni-outboard selling positions only) - Safety Cancy System (etc.) described (SEC) - Safety Cancy System (etc.) described (SEC) - So Described New York System (etc.) described (SEC) - So Described New York System (etc.) described (SEC) - So Described New York System (etc.) described (SEC) - So Described New York System (etc.) described (SEC) - Auto-Lamp - Auto-Camp - A	Remote keyless entry		
Sacutiously seaw Anti-Time System (PTS) SoS Post-Crash Alert System (PTS) SoS Post-Crash Alert System (PTS) AutoLamp – Auto Chronic (Steering water Anti-Time System (PTS) AutoLamp – Auto Chronic (Steering water Anti-Time System (PTS) - AutoLamp – Auto Chronic (Steering water Anti-Time System (PTS) - Curises Control (Steering water Anti-Time System (PTS) - Curises Control (Steering water Anti-Time System (PTS) - Pre-Collision Auto (PTM Headamps - Curises Control (Steering water Anti-Time System (PTS) - Pre-Collision Auto Prof. Pre-Collision Auto Prof. Pre-Collision Auto-Prof. Pre-Collision Auto-Pre-Collision Auto-Pre-Collision Auto-Pre-Collision Auto-Pre-Collision Auto-Pre-Collision Auto-Pre-Collision A			 Cloud Connected
- Specificación Plassive Anti-Thetit System (PATS) - SOS Pedic Cardialy® and Android Auto® Compatibility - SOS Pedic Cardialy® And Art System® - Sos Pedic Cardialy® And Extra System (PATS) - Autoble Lamb Reparture Warning - Autoble Auton Departure Warning - Autoble Auton Reparture Warning - Autoble Auton (Seering wheel-mounted) - Pre-Collision Assist (PCA) with Automatic Emergency Braking (AEB) - Punctional Alternations: -			
FORD CO-PILOTS86** TECHNOLOGY Audus Lane Departure Warring Curuse Control (Steering wheel-mounted) Pre-Collision Auto nOrth Headairups Pre-Collision Assati (ECA) with Automatic Emergency Braking (AEB) FUNCTIONAL Alternation: - 73.1. 2 Valve Gas - 190 AMP - 6.71.4 Valve OHV Power Strokes V8 Turbo Diesel - 259 AMP Audus - AMPH Steren (Bour (4) speakers) - Connected Upiliter Iretration Module Ford*pas** Connect SQ WF-I Modern - 5 SQ 1.EV WF-I Floatings connect SQ WF-I Modern - 5 SQ 1.EV WF-I Floatings connect SQ WF-I Modern - 5 SQ 1.EV WF-I Floatings connect SQ WF-I Modern - 5 SQ 1.EV WF-I Floatings connect SQ WF-I Modern - 5 SQ 1.EV WF-I Floatings connect SQ WF-I Modern - 6 The Cart of Headaics and an advanced provides data to support relamatics and data services including but not alimited to whelicie Statiss.* - 7 Ford*pas** Connect SQ WF-I Modern provides data to support relamatics and data services including but not alimited to whelicie Statiss.* - 8 The Confidence of SQ WF-I Modern provides data to support relamatics and data services including but not alimited to whelicie Statiss.* - 8 The Confidence of SQ WF-I Modern provides data to support relamatics and data services including but not alimited to whelicie Statiss.* - 9 STACIO Headaics.* - 10 STACIO Connected of WF-I Modern provides data to support relamatics and call as services including but not alimited to whelicie Statiss.* - 10 STACIO Connected of WF-I Modern and warring with the SQ WF-I Modern and the SQ WF-			
- Audoble Lane Departure Warring - Audo Con/Off Headadraps - Croise Control (Steering wheel-mounted) - Pre-Collision Saste (PCA) with Automatic Emergency Braking (AEB) FUNCTIONAL - Alternations: - 7.3 L2 Valve Gas – 190 AMP - 6.7 L 4 Valve OR IV Power Stroke® V8 Turbo Diesel – 250 AMP - 4.01 — Alternations: - Connected Upititur Interface Module - FordPass V Reserve (four (4) peakers) - FordPass V Reserve (four (4) peakers) - Schedule specific times to remotely start vehicle - Schedule specific times to remotely start vehicle - Check vehicle status ² - Note: Ford Telematics and Justice of the four four four four four four four four			
AutoLamp — Auto On/OIT Headamps Cruise Control (Stering wheel-nounter) Pre-Collision Assist (PCA) with Automatic Emergency Braking (AEB) FUNCTIONAL Alternators: — 7.3.1. 2 Valve Gas — 190 AMP — 6.7.1.4 4 Valve CHV Power Stroke® V8 Turbo Diesel — 250 AMP Auto — AMFini Sterior (tour (4) speakers) Connected Uptiler Interface Module FordPass™ Connect 50 Wi-Fi Moder — 5. GS LTE Wi-Fi Integrate Connect up to 10 devices¹ — Remotely start, lock and unlock vehicle² Schedule specific mises to merebly start vehicle² — Locate parked vehicle² — Locate parked vehicle² — Check vehicle satuar² Mote: Ford Telematics™ and Data Services Pray included for Fieer Only: FordPass™ Connect 50 Wi-Fi Moder on whole location, speed, if de time, fuel, vehicle diagnostics and maintenance afters. Device enables felematics services through Ford or authorized provisers. Activate of your fines for Connected Uptiles Provises. Activate of your fines for Connected Connected — 8" LDC Capacitive Touchscreen with Swipe Capability Wireless Charging Pad (40/console/40 only) Wireless Charging Pad (40/console/40 only) — Wireless Charging Pad (40/console/40 only) — Wireless Charging Pad (40/console/40 only) — All LDC Alpeacher Council Connected — Applicate Wireless Drove Connected — Applicate Wireless Drove Connected — Applicate Council Cou	A DELLA DELL		
Pre-Collsion Assist (PCA) with Automatic Emergency Braking (AEB) FUNCTIONAL. Alternation: — 7.3.1. 2 Vave Gas − 190 AMP — 6. 7.1. 4 Valve OHV Power Stroke® V8 Turbo Diesel − 250 AMP • Autoi − AMFM Stereo (four (4) speakers) • Connected Upfiler Interface Module • FordPass™ Connect SG Wi-Fi Modem — 5 GS LTE Wi-Fi hospote connects up to 10 devices¹ — Remotely start, tock and unlock vehicle² • Schedule specific limes to remotely start vehicle³ — Locate parked vehicle³ — Locate parked vehicle³ — Check vehicle status² Mote: Ford Telematics™ and Data Services Prop included for Fiset Only: FordPass™ Connect SG Wi-Fi Modem provides data to support telematics and data services including but not limited to vehicle location, speed jide time, file, vehicle diagnostics and maintenance alerts. Device enables telematics services through Ford or authorized providers. Activate at www.filest ford com or call 833-FCS-FORD or 833-327-3673 • Stabilizer has — from 8 rear • SYNC® 4 — 8" LDD Capacitive Touchscreen with Swipe Capability — Wireless Phone Connected — Appl.in® WiApp Catalog — 311 Assist® — Apple Calar Play® and Android Auto™ Compatibility — Digital Owner's Manual	AutoLamp – Auto On/Off Headlamps		
■ Alternations:			
Allomators: 7.3 L.2 Valve Gas – 190 AMP 6.7 L.4 Valve OHV Power Stroke® V8 Turbo Diesel – 250 AMP Audio – AM/FM stereo (four (4) speakers) Connected Upfitter Interface Module Ford*pass™ Connect 55 Wi-Fi Modern S GLTE Wi-Fi Tobspot connects up to 10 devices¹ Remotely start, lock and unlock vehicle² Schedule specific times to remotely start vehicle² Schedule specific times to temotely start vehicle² Check vehicle status² Note: Ford Telematics™ and Data Services Prep included for Fleet Only: Ford*pass™ Connect 55 Wi-Fi Modern provides data to support telematics and data services including but not limited to whelice location, speed, tile time, fuel, vehicle diagnostics and maintenance alerts. Device enables telematics services through Ford or authorized providers. Activate at www.fileet.ford.com or call 833-FCS-FORD or 833-327-3673. Stabilizer bars – front & rear SYNCO® 81 Stabilizer bars – front & rear Cloud Connected AppLink® w/App Catalog 911 Assist® Apple CaPlay® and Android Auto™ Compatibility Digital Owner's Manual			
— 6.7L 4 Valve OHV Power Stroke® V8 Turbo Diesel – 250 AMP Audio – AMFM stereo (four (4) speakers) Connected Upfilter Interface Module FordPass™ Connect 55 Wi-Fi Modern — 56 LT Wi-Fi höspto connects up to 10 devices¹ — Remotely start, lock and unlock vehicle² — Scheduel specific times to remotely start vehicle² — Locate parked vehicle² — Check vehicle status² Note: Ford Telematics™ and Data Services Prep included for Fiset Only: FordPass™ Connect 55 Wi-Fi Modern provides data to support telematics and data services including but not limited to vehicle location, speak, filed time, fuel, vehicle diagnossics and maintenance alters. Device enables telematics services through Ford or authorized providers. Activate at www.files.ford.com or call 833-FCS-FORD or 833-327-3673. • Stabilizer bars – front & rear • \$1 LCD Capacitive Touchscreen with Swipe Capability — Wireless Phone Connected — Applin® WiApp Catalog 9 11 Assist® — Apple CarPlay® and Android Auto™ Compatibility Digital Owner's Manual	Alternators:		
 Aution – AMFM stereo (four (4) speakers) Connected Upfilter Interface Module FordPass™ Connect SG WF-II Modem — SG LTE WF-II hotspot connects up to 10 devices¹ — Remotely start, lock and unlock vehicle² — Schedule specific times to remotely start vehicle² — Locate parked vehicle³ — Chock vehicle status² Mote: Ford Telenatics™ and Data Services Prep included for Fieet Only: FordPass™ Connect SG WF-II Modem provides data to support telematics and data services including but not limited to vehicle location, speed, idle time, fuel, vehicle diagnostics and maintenance alerts. Device enables telematics services through Ford or authorized providers. Activate at www.lieet.ford.com or call 833-FCS-FORD or 833-327-3973 Slabilizer bars – Iront & rear SYNC® 4 — 8° LCD Capacitive Touchscreen with Swipe Capability — Wireless Phone Connection — Cloud Connected — Applin® WApp Catalog — 911 Assist® — Apple CarPlay® and Android Auto™ Compatibility — Digital Owner's Manual 			
 FordPass™ Connect 5G Wi-Fi Modem — 5G LTE Wi-Fi hotspot connects up to 10 devices¹ — Remotely start, lock and unlock vehicle² — Schedule specific times to remotely start vehicle³ — Locate parked vehicle³ — Check vehicle status² Mote: Ford Telematics™ and Data Services Prep included for Fleet Only: FordPass™ Connect 5G Wi-Fi Modem provides data to support telematics and data services including but not limited to vehicle location, speed, idle time, fuel, vehicle diagnostics and maliterance alerts. Device enables telematics services through Ford or authorized providers. Activate at www.fleet.ford.com or call 833-FCS-FORD or 833-327-3673. Stabilizer bars – Ironit & rear SYNC® 4 8° LCD Capacitive Touchscreen with Swipe Capability Wireless Phone Connection Cloud Connected Applic RaiPlay® and Android Auto™ Compatibility Digital Owner's Manual 			
- SG LTE Wi-Fi hotspot connects up to 10 devices¹ - Remotely start, lock and unlock vehicle² - Schedule specific times to remotely start vehicle² - Locate parked vehicle³ - Check vehicle status² - Note: Ford Telematics™ and Data Services Prop included for Fleet Only: FordPass™ Connect SG Wi-Fi Modern provides data to support telematics and data services including but not limited to vehicle location, speed, ide time, fuel, vehicle diagnossics and maintenance alerts. Device enables telematics services through Ford or authorized providers. Activate at www.lifeet.ford.com or call 833-FCS-FORD or 833-327-3673 Sabilizer bars – front & rear - SYNC@ 4 - 8° LOD Capacitive Touchscreen with Swipe Capability - Wireless Phone Connection - Cloud Connected - Appline® wiApp Catalog - 911 Assist® - Apple CariPay® and Android Auto™ Compatibility - Digital Owner's Manual			
— Remotely start, lock and unlock vehicle ² — Schedule specific times to remotely start vehicle ² — Locate parked vehicle ³ — Check vehicle status ² — Wote: Ford Telematics ³⁴ and Data Services Prep included for Fleet Only: Ford Fass ³⁴ Connect 5G Wi-Fi Modern provides data to support telematics and data services including but not limited to vehicle location, speed, dide time, flut, vehicle diagnossics and maintenance alerts. Device enables telematics services through Ford or authorized providers. Activate at www.fleet ford.com or call 833-FCS-FORD or 833-327-3673. ■ Stabilizer bars – front & rear ■ SYNOS 4 ■ 8° LCD Capacitive Touchscreen with Swipe Capability ■ Wireless Phone Connection □ Cloud Connected ■ AppLink® w/App Catalog ■ 911 Assist® ■ Apple CarPlay® and Android Auto™ Compatibility □ Digital Owner's Manual			
— Locate parked vehicle* Check vehicle status² Note: Ford Telematics™ and Data Services Prep included for Fleet Only: FordPass™ Connect 5G Wi-Fi Modern provides date to support telematics and data services including but not filmled to vehicle location, speed, filet time, fuel, vehicle diagnossics and maintenance alorts. Device enables telematics services through Ford or authorized providers. Activate at www.fleet.ford.com or call 833-FCS-FORD or 833-327-3673. Stabilizer bars — front & rear SYNOB 4 — 8° LCD Capacitive Touchscreen with Swipe Capability Wireless Phone Connection Cloud Connected Applin® WiApp Catalog 911 Assist® Apple CarPlay® and Android Auto™ Compatibility Digital Owner's Manual	 Remotely start, lock and unlock vehicle² 		
Check vehicle status² Note: Ford Telematics™ and Data Services Prep included for Fleet Only: FordPass™ Connect 5G Wi-Fi Modem provides data to support telematics and data services including but not limited to vehicle location, speed, idle time, fuel, vehicle diagnostics and mainternance alerts. Device enables telematics services through Ford or authorized providers. Activate at www.fleet.ford.com or call 833-FCS-FORD or 833-327-3673. Stabilizer bars – front & rear SYNC® 4 8° LCD Capacitive Touchscreen with Swipe Capability Wireless Phone Connection Cloud Connected Applin& WiApp Catalog 11 Assist® Apple CaiPlay® and Android Auto™ Compatibility Digital Owner's Manual			
FordPass™ Connect SG Wi-Fi Modern provides data to support telematics and data services including but not limited to vehicle location, speed, ide time, fuel, vehicle diagnostics and maintenance aleris. Device enables telematics services through Ford or authorized providers. Activate at www.fleet.ford.com or call 833-FCS-FORD or 833-327-3673. Stabilizer bars - front & rear SYNC® 4 8 *LCD Capacitive Touchscreen with Swipe Capability Wireless Phone Connection Cloud Connected Applicative Wapp Catalog 911 Assist® Apple CaiPlay® and Android Auto™ Compatibility Digital Owner's Manual	 Check vehicle status² 		
services including but not limited to vehicle location, speed, idle time, fuel, vehicle diagnostics and maintenance alers. Device anables telematics services through Ford or authorized provides. Activate at www.liest.ford.com or call 833-FCS-FORD or 833-327-3673. Slabilizer bars – Iront & rear SYNC® 4 8° LCD Capacitive Touchscreen with Swipe Capability Wireless Phone Connection Cloud Connected Applin® WApp Catalog 911 Assist® Apple CarPlay® and Android Auto™ Compatibility Digital Owner's Manual			
Ford or authorized providers. Activate at www.fleet.ford.com or call 833-FCS-FORD or 833-327-3673. Stabilizer bars – front & rear SYNC® 4 8 *LCD Capacitive Touchscreen with Swipe Capability Wireless Phone Connection Cloud Connected AppLink® w/App Catalog 11 Assist® Apple CarPlay® and Android Auto ™ Compatibility Digital Owner's Manual			
or 833-327-3673 Stabilizer bars - front & rear StYNC9 4 = - B* LCO Capacitive Touchscreen with Swipe Capability Wireless Phone Connection Cloud Connected Applin® WApp Catalog 911 Assist® Apple CarPlays and Android Auto™ Compatibility Digital Owner's Manual			
Slabilizer bars – front & rear SYNCD 4 8 *LCD Capacitive Touchscreen with Swipe Capability Wireless Phone Connection Cloud Connected AppLink® w/App Catalog 911 Assist® Apple CarPlay® and Android Auto™ Compatibility Digital Owner's Manual			
— 8° LCD Capacitive Touchscreen with Swipe Capability — Wireless Phone Connection — Cloud Connected — AppLink® w/App Catalog — 911 Assist® — Apple CarPlay® and Android Auto™ Compatibility — Digital Owner's Manual	Stabilizer bars – front & rear		
Wireless Phone Connection Cloud Connected AppLink® w/App Catalog 11 Assist® Apple CarPlay® and Android Auto™ Compatibility Digital Owner's Manual			
 — AppLink® w/App Catalog — 911 Assist® — Apple CarlPlay® and Android Auto™ Compatibility — Digital Owner's Manual 	 Wireless Phone Connection 		
— 911 Assist® — Apple CarPlay® and Android Auto™ Compatibility — Digital Owner's Manual			
 Apple CarPlay® and Android Auto™ Compatibility Digital Owner's Manual 			
	 Apple CarPlay® and Android Auto™ Compatibility 		
¹ Includes a complimentary trial subscription of 3 months or 3 gigabytes – whichever comes first, Wireless Service Plan required after trial subscription ends. Visit att.com/ford to start complimentary trial and sign up for a Wireless Service Plan required after trial subscription ends.			

¹ Includes a complimentary trial subscription of 3 months or 3 gigabytes – whichever comes first, Wireless Service Plan required after trial subscription ends. Visit att.com/ford to start complimentary trial and sign up for a Wireless Service Plan Plan ² Includes Service for one year from the vehicle sale date as recorded by the dealer

- 2 -

Product Changes and Features Availability
Features, options and package content subject to change. Please check www.fmcdealer.com for the most current information.

— Now for this model was a content subject to change.

10/05/00	2023 SUPER DUTY® CHASSIS CAB
10/25/22	(F-350CC / F-450CC / F-550 / F-600)
	MAJOR PRODUCT SUMMARY

PROPRIETARY

Please see Standard Equipment pages for more details.

³ Navigation services require SYNC®4 and FordPass Connect (optional on select vehicles), complimentary connect service and the FordPass app (see FordPass Terms for details). Eligible vehicles receive a complimentary 3-year trial of navigation services that begins on the new vehicle warranty start date. Customers must unlock the navigation service trial by activating the eligible vehicle with a FordPass member account. If not subscribed by the end of the complimentary period, the connected navigation service will terminate, and the system will revert to embedded offline navigation.

Connected service and features depend on compatible AT&T network availability. Evolving technology/cellular networks/vehicle capability may limit functionality and prevent operation of connected features.

FordPass App, compatible with select smartphone platforms, is available via a download. Message and data rates may apply.

Product Changes and Features Availability

- 3 -

Features, options and package content subject to change. Please check www.fmcdealer.com for the most current information.

STANDARD EQUIPMENT

The following features are standard on every 2023 SUPER DUTY® Chassis Cab vehicle:

MECHANICAL

- Brakes Four-wheel Disc Brakes with Anti-Lock Brake System
 (ABS)
- Operator Commanded Regeneration (OCR) (6.7L Power Stroke® Diesel Engine Only)
- Transmission Power Take-Off Provision

EXTERIOR

- Doors
 - Two (Regular Cab only)
 - Four (SuperCab/Crew Cab only)
- Fuel Tank
 - 40 gallon aft axle
 - Diesel Exhaust Fluid (DEF) Tank Location:
 - Aft-of-axle fuel tank is paired with the DEF tank located in the mid ship location, between the frame rails.
 - Mid ship fuel tank is paired with the DEF tank located outside of the frame rail
 - Dual tanks are paired with the DEF tank located outside of the frame rail
- Glass
 - Solar-tinted complete (Std. on XL)
 - Privacy (Std. on XLT and Lariat; NA front-seat windows)
- Manual Locking Hubs (4x4)
- Scuff plates front, color-coordinated
- "Three-Blink" lane change signal
- Tow hooks front, (two) (2)
- Trailer wiring 7 wire harness w/relays, blunt cut and labeled
- Windshield wipers intermittent

INTERIOR/COMFORT

- Convenience
 - Coat hooks, LH/RH color-coordinated
 - Dash top tray
 - Dome lamp LH/RH door activated & I/P switch operated w/delay
 - Handles, grab driver & front-passenger
 - Handles, roof ride front-passenger (also over rear-doors on Crew Cab)
 - Map lights dual (front and rear w/Crew Cab)
 - 12V Powerpoint, auxiliary
- Door-trim color-coordinated molded w/grab handle & reflector
- Gauges and Meters Fuel, Transmission Temperature, Engine Coolant Temperature, Oil Pressure (Gas engine) and Turbo (Diesel engine) Gauges; Speedometer, Odometer and Tachometer
- Headliner color-coordinated cloth
- Instrument panel color-coordinated w/ glove box, four (4) air registers w/positive shut-off and powerpoint
- Instrumentation Center
 - 4.2" LCD Productivity Screen in IP Cluster (standard on XL and XLT)
 - 12" LCD Productivity Screen in IP Cluster (Standard on Lariat)

INTERIOR/COMFORT (continued)

- Power Equipment Group 1st row (front-seat) windows w/ one-touch up/down, power 2nd row (rear-seat) windows (Super/Crew Cab); power/door-locks w/backlit switches & accessory delay
- Overhead Console with 6 Upfitter Switches
- Steering power
- Steering damper

SAFETY/SECURITY

- AdvanceTrac® with RSC® (Roll Stability Control™)
- Airbags
 - Driver and Passenger frontal and side airbag/curtain
 - Passenger side airbag deactivation switch
- Child tethers (Regular Cab front-passenger and all rear-seating positions)
- Individual Tire Pressure Monitoring System (TPMS) F-350 SRS & DRW and F-600 only
- Lamps LED Roof marker/clearance
- Safety Belts
 - Belt-Minder® (front safety belt reminder) chime and flashing warning lights on I/P if belts not buckled
 - Color-coordinated safety belts w/height adjustment (frontoutboard seating positions only)
- SecuriLock® Passive Anti-Theft System (PATS)
- SOS Post-Crash Alert System™
- Stationary Elevated Idle Control (SEIC)

FORD CO-PILOT360™ TECHNOLOGY

- AutoLamp Auto On/Off Headlamps
- Cruise Control (steering wheel-mounted)

FUNCTIONAL

- Alternator
 - XL:
 - 7.3L 2 Valve Gas 190 AMP
 - 6.7L 4 Valve Diesel 250 AMP
 - XLT:
 - o 7.3L 2 Valve Gas 410 AMP Dual
 - o 6.7L 4 Valve Diesel 350 AMP Dual
 - Lariat:
 - o 7.3L 2 Valve Gas 410 AMP Dual
 - o 6.7L 4 Valve Diesel 350 AMP Dual
- Ford Pro Upfit Integration System
- Hood release
- Horn dual electric
- Intelligent Oil-Life Monitor® (6.7L Power Stroke® Diesel engine)
- Oil minder system
- Shock absorbers heavy-duty gas
- Springs, rear auxiliary
- Stabilizer bar front and rear
- Trailer Brake Controller

The following features are standard on selected 2023MY SUPER DUTY® Chassis Cab vehicles:

MECHANICAL	XL	XLT	LARIAT
Engine Engine			
7.3L 2V DEVCT NA PFI V8 Gas (F-450/F-550/F-600)	•	•	•
<u>Transmission</u>			
Ten-Speed 10R140 with Neutral Idle Automatic Transmission with Selectable Drive Modes:			
Normal, Tow/Haul, Eco, Deep Sand/Snow & Slippery	•	•	•
Base Alternator			
190 Amp (F-350/F-450/F-550/F-600 w/ 7.3L Gas)	•		
250 Amp (F-350/F-450/F-550/F-600 w/ 6.7L Diesel)	•		
350 Amp Dual (F-350/F-450/F-550/F-600 w/ 6.7L Diesel)		•	•
410 Amp (F-350/F-450/F-550/F-600 w/ 7.3L Gas)		•	•
Axle			
Monobeam front axle w/coil spring suspension (F-350 4x4, F-450, F-550 and F-600)	•	•	•
Independent Twin-I-beam front axle w/coil spring suspension (F-350 4x2)	•	•	

- ★ = New for this model year
- = Available

STANDARD EQUIPMENT

MECHANICAL (continued)	XL	XLT	LARIAT
Battery			
750 CCA, 78 AH Single (7.3L Gas)	•		
750 CCA, 68 AH Dual (7.3L Gas XLT & Lariat and std. on 6.7L Diesel)	•	•	•
Fuel Tanks			
40 gallon aft axle	•	•	•
Engine Idle Shutdown – Programable	•	•	
KEY EXTERIOR FEATURES	i.		i
Bumper – Front			
Black painted steel w/grained MIC top cover and black lower air dam	•		
Chrome w/grained MIC top cover and black lower air dam		•	•
Grille			
Black MIC	•		
Bright Chrome – two (2) bar		•	
Chrome – two (2) bar (includes additional chrome inserts)			•
Handles – Door and Tailgate			
Black	•	•	
Body-color	-		•
Headlamps/Taillamps/Lamps			
Quad-beam halogen jewel effect	•	•	
LED Reflector			•
Halogen Taillamps		•	
LED Fog lamps	•		
LED Roof Marker/Clearance Lamps	•	•	
Utility Lighting System (LED Side-mirror Spotlights) (see mirror descriptions below)			
Mirrors			
Manually telescoping/folding trailer tow with power/heated glass, heated convex spotter mirror,			
Integrated Clearance Lamps/Turn Signals	•	•	
Power-folding with Autofold, PowerScope® Telescoping, Power Glass Trailer Tow Mirrors with			
Heat, Turn Signal, High-Intensity LED Security Approach Lamps, Utility Lighting System (LED			
Side-mirror Spotlights)			
Wheels (SRW)			
18" Argent Painted Steel w/painted hub covers/center ornaments (F-350)			
18" Sparkle Silver Painted Cast Aluminum w/bright hub covers/center ornaments (F-350)	<u> </u>	•	
18" Bright Machined Cast Aluminum w/Carbonized Gray Painted Pockets and bright hub			
covers/center ornaments (F-350)			•
Wheels (DRW)			
17" Argent Painted Steel (hub covers/center ornaments not included (F-350)	•	•	
17" Forged Polished Aluminum w/bright hub covers/center ornaments (F-350)	<u> </u>		•
19.5" Argent Painted Steel (F-450/F-550/F-600)	•	•	
19.5" Forged Polished Aluminum w/bright hub covers/center ornaments (F-450/F-550)	•		
Windows and Glass			
1 st Row (front-seat) – Power w/one-touch up/down	•	•	
2 nd Row (rear-seat) – Power	•(2,3)	•(2,3)	•(2,3)
Rear (backlight) – Fixed	•(2,3)	• (2,3)	₹(∠,∪)
Rear (backlight) – Power-sliding w/defrost	-		•
Solar-tinted glass (complete)	•		
Privacy glass, (rear backlight on all cabs; 2 nd Row (rear-seat) windows on SuperCab and Crew	-		
Cab. Other glass is solar-tinted.)		•	•
KEY INTERIOR/COMFORT FEATURES			
Air Conditioning			
Manual, Single Zone	•	•	
Dual-Zone Electronic Automatic Temperature Control (DEATC)			•
Baci Zone Electronic Automatic Temperature Control (DEATO)			•

^{★ =} New for this model year

STANDARD EQUIPMENT

KEY INTERIOR/COMFORT FEATURES (continued)	XL	XLT	LARIAT
Audio			
AM/FM stereo MP3 Player(speakers; four (4) w/ Regular Cab, six (6) w/ SuperCab and Crew			
Cab)	•		
AM/FM stereo MP3 player (speakers; four (4) with Regular Cab, six (6) with SuperCab and Crew			
Cab)		•	
★SiriusXM® with 360L Radio			
Note: Includes a three (3)-month prepaid subscription. Service is not available in Alaska and			
Hawaii.			
Note: SiriusXM audio and data services each require a subscription sold separately, or as a			
package, by Sirius XM Radio Inc. If you decide to continue service after your trial, the			
subscription plan you choose will automatically renew thereafter and you will be charged			•
according to your chosen payment method at then-current rates. Fees and taxes apply. To			
cancel you must call SiriusXM at 1-866-635-2349. See SiriusXM Customer Agreement for			
complete terms at www.siriusxm.com. All fees and programming subject to change. Sirius, XM			
and all related marks and logos are trademarks of Sirius XM Radio Inc			
B&O® Sound System by Bang & Olufsen w/ HD Radio™ (eight (8) speakers including			
subwoofer)			•
SYNC® 4			
 8" LCD Capacitive Touchscreen with Swipe Capability 			
Wireless Phone Connection			
 Cloud Connected 	_	_	
– AppLink® w/ App Catalog	•	•	
− 911 Assist®			
– Apple CarPlay™ and Android Auto™ Compatibility			
– Digital Owner's Manual			
★SYNC® 4 with Enhanced Voice Recognition			
– 12" LCD Capacitive Touchscreen with Swipe Capability			
Information On Demand Panel			
- Wireless Phone Connection			
- Cloud Connected			
– AppLink® w/ App Catalog			•
– 911 Assist®			
 Apple CarPlay® and Android Auto™ Compatibility 			
– Digital Owner's Manual			
- Conversational Voice Command Recognition			
- Connected Built-In Navigation ¹			
FordPass™ Connect 5G			
- Wi-Fi Modem			
Wi-Fi® hotspot connects up to 10 devices ² Permetally start leak and upleak yehiole ³			
- Remotely start, lock and unlock vehicle ³ School the process to remotely start vehicle ³			
 Schedule specific times to remotely start vehicle³ Locate parked vehicle³ 			
Locate parked venicle Check vehicle status ³	•	•	•
Note: Ford Telematics™ and Data Services Prep included for Fleet Only: FordPass™ Connect			
5G Wi-Fi Modem provides data to support telematics and data services including but not limited			
to vehicle location, speed, idle time, fuel, vehicle diagnositics and maintenance alerts. Device			
enables telematics services through Ford or authorized providers. Activate at			
www.fleet.ford.com or call 833-FCS-FORD or 833-327-3673.			
Cupholders			
Dual, instrument panel-mounted	•	•	•
Integrated w/armrest on rear-seat			•(3)
Door-Trim			(0)
Armrest, grab handle and reflector	•		
Soft armrest, grab handle, power window/lock switches and reflector; front map pockets on			
Regular Cab and SuperCab; front and rear map pockets on Crew Cab		•	
Soft armrest, grab handle, power window/lock switches, upper applique, reflector; front map			
pockets on SuperCab; front and rear map pockets on Crew Cab			•

¹ Navigation services require SYNC®4 and FordPass Connect (optional on select vehicles), complimentary connect service and the FordPass app (see FordPass Terms for details). Eligible vehicles receive a complimentary 3-year trial of navigation services that begins on the new vehicle warranty start date. Customers must unlock the navigation service trial by activating the eligible vehicle with a FordPass member account. If not subscribed by the end of the complimentary period, the connected navigation service will terminate, and the system will revert to embedded offline navigation.

Connected service and features depend on compatible AT&T network availability. Evolving technology/cellular networks/vehicle capability may limit functionality and prevent operation of connected features.

FordPass App, compatible with select smartphone platforms, is available via a download. Message and data rates may apply.

² Includes a trial subscription of 3 months or 3 gigabytes – whichever comes first, Wireless Service Plan required after trial subscription ends

³ Includes Service for one year from the vehicle sale date as recorded by the dealer

^{★ =} New for this model year

STANDARD EQUIPMENT

KEY INTERIOR/COMFORT FEATURES (continued)	XL	XLT	LARIAT
Floor Covering Black vinyl	•		
Color-coordinated carpet and carpeted floor mats (includes rear mats on SuperCab & Crew Cab)	•		
(deleted when all-weather floor mats are ordered)		•	•
Instrumentation Center 4.2 Productivity Screen display includes menus for Gauge Setup, Trip Computer, Fuel Economy			
and Towing/Off-Road applications five (5) button message control on steering wheel (included	•	•	
with the SYNC® and SYNC® Services)		_	
12" Productivity Screen display includes menus for Gauge Setup, Trip Computer, Fuel Economy			•
and Towing/Off-Road applications; five (5) button message control on steering wheel Overhead Console – with dual storage bin and map lights	_		
Power Equipment	•	•	•
Accessory delay	•	•	•
Door-locks w/backlit switches	•	•	•
Windows w/backlit switches	•	•	•
Powerpoint and 110V/400W Outlet One (1) Powerpoint in front center under-seat storage		•	
Two (2) Powerpoints in instrumentation center	•	•	•
Two (2) Powerpoints in rear side of Flow-through Console			•
110V/400W Outlet dash mounted		•	•
110V/150W Outlet in rear side of Flow-through Console 110V/150W Inverter outlet in IP			•
Rearview Mirror		•	•
11.5" day/night	•	•	
Electrochromic self-dimming			•
Remote Start System			•
Seats (Front) HD vinyl, 40/20/40 split bench w/center armrest, cupholder and storage			
Cloth, 40/20/40 split bench, 20% center under-seat storage, w/center armrest, cupholder and	•		
storage		•	
Leather seating surfaces, 40/Console/40			•
Manual lumbar support, driver's side	•	•	
8-way power driver & power front-passenger seats (four-way power-adjustable track, two-way power recline and two-way power lumbar)			•
Two-way adjustable driver/passenger headrests	•	•	•
Easy Entry Driver's Seat w/ Memory			•
Seats (Rear) SuperCab			
Vinyl, 60/40 fold-up bench seat	•		
Cloth, 60/40 fold-up bench seat Premium vinyl seating surfaces		•	
Seats (Rear) Crew Cab			•
60/40 bench w/flip-up/fold-down w/2 outboard head restraints and a center head restraint	•		
60/40 bench w/flip-up seats & fold-down backrests, two (2) outboard head restraints and a		•	
center head restraint.			
60/40 bench w/flip-up seats & fold-down backrests w/under-seat partitioned lockable fold-flat storage, two (2) outboard head restraints and a center head restraint. Dual integrated			•
cupholders in armrest			
Vinyl	•		
Cloth		•	
Leather Steering Wheel			•
Urethane – Black – w/redundant audio and SYNC® controls	•	•	
Leather-Wrapped – w/redundant audio and SYNC® controls (Lariat, color-coordinated)			•
Cruise Control (steering wheel-mounted)	•	•	•
Tilt and Telescoping steering wheel/column (Manual on XL and XLT; Power with memory on	•	•	•
Lariat) Sun Visors			
Color-coordinated vinyl, driver w/pocket, passenger w/uncovered mirror	•		
Color-coordinated Cloth, both driver and passenger w/covered mirrors		•	
Color-coordinated Cloth; both driver and passenger w/covered illuminated visor vanity mirror			•
SAFETY/SECURITY AdvanceTrac® with RSC® (Roll Stability Control™)	XL	XLT	LARIAT
Advanced Security Pack (incl. Inclination / Intrusion Sensors)	•	•	•
AutoLamp (Auto On/Off Headlamps), Rainlamp Wiper Activated Headlamps	•	•	•
Autolock, Auto unlock		•	•
Remote Keyless Entry	•	•	•
SecuriLock® Passive Anti-Theft System (PATS) Trailor Sway Control and Hill Start Assist	•	•	•
Trailer Sway Control and Hill Start Assist	•	•	•

^{★ =} New for this model year

10/25/22

2023 SUPER DUTY® CHASSIS CAB (F-350CC / F-450CC / F-550 / F-600)

STANDARD EQUIPMENT

SAFETY/SECURITY (continued)	XL	XLT	LARIAT
<u>Airbags</u>			
Driver & Passenger side	•	•	•
Passenger-side deactivation switch	•	•	•

★ = New for this model year

• = Available

PROPRIETARY

PROPRIETARY

2023 SUPER DUTY® CHASSIS CAB (F-350CC / F-450CC / F-550 / F-600)

FUNCTIONAL EQUIPMENT

AXLE AVAILABILITY

									Electroni	c-Locking
Series	Engine	Transmission							3.73	4.30
Octrics	Eligilic		X37	X41	X48	X4N	X4L	X8L	X3E	X4M
F-350 SRW	7.3L 2V DEVCT NA PFI V8 Gas	TorqShift® Ten-Speed Automatic w/SelectShift® Automatic	_	_	l	_	_	_	_	S
F-330 3KW	6.7L 4V OHV Power Stroke® V8 Turbo Diesel B20	TorqShift® Ten-Speed Automatic w/SelectShift® Automatic		_	_	_	_	_	S	_
F-350 DRW	7.3L 2V DEVCT NA PFI V8 Gas	TorqShift® Ten-Speed Automatic w/SelectShift® Automatic	S	_	_	_	0	_	_	_
F-350 DRW	6.7L 4V OHV Power Stroke® V8 Turbo Diesel B20	TorqShift® Ten-Speed Automatic w/SelectShift® Automatic	S	_	_	0	_	_	_	_
	6.7L 4V OHV Power Stroke® V8 Turbo Diesel B20	TorqShift® Ten-Speed Automatic w/SelectShift® Automatic	_	S	_	0	_	_	_	_
F-450	6.7L 4V OHV Power Stroke® V8 Turbo Diesel B20	Transmission	_	_						
1 -430	6.7L 4V OHV Power Stroke® V8 Turbo Diesel B20			_	_	_	S ²	_	_	_
	7.3L 2V DEVCT NA PFI V8 Gas			_	S	_	-	0	_	_
	6.7L 4V OHV Power Stroke® V8 Turbo Diesel B20			S	_	0	_	_	_	_
F-550	6.7L 4V OHV Power Stroke® V8 Turbo Diesel B20	TorqShift® Ten-Speed Automatic w/SelectShift® Automatic		_	_	_	O ³	_	_	_
1 -550	6.7L 4V OHV Power Stroke® V8 Turbo Diesel B20	w/SelectShift® Automatic	_	_	ı	_	S ⁴	_	_	_
	7.3L 2V DEVCT NA PFI V8 Gas	w/SelectShift® Automatic	_	_	S⁵	_	N X4L X8L X3E X S O O O O	_		
F-600	6.7L 4V OHV Power Stroke® V8 Turbo Diesel B20	w/SelectShift® Automatic	_	_	-	_	S	_	_	_
1 -000	7.3L 2V DEVCT NA PFI V8 Gas		_	_	-	_	_	S	_	_

★ = New for this model year

S = Standard, O = Optional, P = Packaged Option

¹ Requires Trailer Tow Package – High Capacity (535)
² Standard when Extra Heavy Duty Front End Suspension (67P)
³ Requires Trailer Tow Package – High Capacity (535) with Payload Downgrade Package (68D), Trailer Tow Package – High Capacity (535) with Base Payload or Extra Heavy-Duty Front End Suspension (67P)
⁴ Standard when Extra Heavy Duty Front End Suspension (67P) is ordered
⁵ Not available with the Payload Upgrade Package (68U) or Payload Plus Upgrade Package (68M)

^{1 =} Regular Cab only, 2 = SuperCab only, 3 = Crew Cab only

FUNCTIONAL EQUIPMENT

			20	223MY (F-350 / F-450 / F-550 / F-600) Super Duty 7.3L Gas - Chassis Cab		Alternators					
<u>Series</u>	Engine	<u>Drive</u>	Option Code	Description	XL	XLT	Lariat				
			(43C)	110V/400W Inverter (Req Dual Battery / Std XLT & Lariat)	Stational	Standard	Stational				
			Standard	6 Upfitter Switches							
F350			(473)	Snow Plow Pkg.							
F450	7.3L Gas	4x2 &	(43C)	Inverter & Upfitter Switches	67B						
F550	2 Valve V8	4x4	(43C & 473)	Inverter & Snow Plow							
F600			(473)	Upfitters Switches & Snowplow	Alternators						
			(43C & 473)	Invert. & Upfit Switch & Snowplow	67B						
			(86M)	Dual Battery (Standard XLT & Lariat)							
			(47A)	Ambulance Package							
			(43K)	2kW Pro Power Onboard	Included	Included	Included				
						Standard (190 Amp)					
					67A (:	850 Amp Dual: 190 Amp + 16	O Amp)				
					678 (4	10 Amp Dual: 250 Amp + 160	(Amp)				
					Include	d (Dual 12V 250 Amp + 24V 1	Standard Standard Included Included Standard (190 Amp) 67E (190 Amp) 80 Data 110 Amp 110 Amp) 9 Data 120 Amp) 9 Data 120 Amp 110 Amp)				

			202	3MY (F-350 / F-450 / F-550 / F-600) Super Duty		Alternators	
				6.7L Diesel - Chassis Cab			
Series	Engine	Drive	Option Code	Description	XL	XLT	Lariat
					Standard	Standard (678 opt.)	Standard (678 opt.)
			(43C)	110V/400W Inverter (Req Dual Battery / Std XLT & Lariat)			
			Standard	6 Upfitter Switches			
F350			(473)	Snow Plow Pkg.			
F450	6.7L Diesel	4x2 &	(43C)	Inverter & Upfitter Switches	67A		
F550	4 Valve V8	4x4	(43C & 473)	Inverter & Snow Plow			
F600			(473)	Upfitters Switches & Snowplow			
			(43C & 473)	Invert. & Upfit Switch & Snowplow			
			Standard on 6.7L	Dual Battery			
			(47A)	Ambulance Package	67B	67B	
			(43K)	2kW Pro Power Onboard	Included	Included	Included
						Standard (250 Amp)	
					67A (3	50 Amp Dual: 190 Amp + 16	0 Amp)
					67B (4:	10 Amp Dual: 250 Amp + 16) Amp)
					Included	(Dual 12V 250 Amp + 24V 1	.50 Amp)

FUNCTIONAL EQUIPMENT

WHEEL AVAILABILITY - SRW ONLY



18" Argent Painted Steel w/painted hub cover/center ornament (Std. on XL F-350 SRW) - 64F



18" Sparkle Silver Painted Cast Aluminum w/bright hub cover/center ornament (Std. on XLT F-350 SRW) -648



18" Bright Machined Cast and Carbonized Gray Painted (Std. on Lariat) - 64C

WHEEL AVAILABILITY - DRW ONLY



17" Argent Painted Steel (hub covers/center ornament not included) (Std. on XL and XLT F-350) – 64K



17" Forged Polished Aluminum w/bright hub cover/center ornament (Std. on Lariat F-350; Opt. on XL and XLT F-350) - 64J



19.5" Argent Painted Steel (19.5"x6.75"; std on XL and XLT F-600) - 64B



19.5" Argent Painted Steel (19.5"x6"; hub cover/center ornament not included; Std. on XL and XLT F-450 and F-550) – 64Z



19.5" Forged Polished Aluminum w/bright hub cover/center ornament; 19.5"x6.75" (Opt. on XLT F-600) – 64M



19.5" Forged Polished Aluminum w/bright hub cover/center ornament; 19.5"x6" (Std. on Lariat F-450 and F-550; Opt. on XLT F-450 and F-550) -

17" or 19.5" Stainless Steel Wheel Covers (Front & Rear) (Opt. on XL and XLT) - 945

1 = Regular Cab only, 2 = SuperCab only, 3 = Crew Cab only

★ = New for this model year

S = Standard, O = Optional, P = Packaged Option

OPTIONAL EQUIPMENT

	XL XLT LARI												LAT		
			350		F-550	F-600		350		F-550	F-600		350		F-550
	Order		DRW 640A	650A	660A	680A		DRW 643A	653A	663A	683A		DRW 648A	658A	668A
BODYSTYLE & WHEELBASE	Code		-												
Regular Cab 4X2 – Cab to Axle 60"	145"	F3E	F3G	F4G	F5G	F6K	F3E	F3G	F4G	F5G	F6K	_	_	_	_
Regular Cab 4X2 – Cab to Axle 84"	169" 193"	_	F3G	F4G F4G	F5G	F6K	_	F3G	F4G F4G	F5G	F6K	_	_	_	_
Regular Cab 4X2 – Cab to Axle 108" Regular Cab 4X2 – Cab to Axle 120"	205"	_		F4G F4G	F5G F5G	F6K F6K			F4G	F5G F5G	F6K F6K	_			_
Regular Cab 4X4 – Cab to Axle 60"	145"	F3F	F3H	F4H	F5H	F6L	F3F	F3H	F4H	F5H	F6L	_	_	_	_
Regular Cab 4X4 – Cab to Axle 84"	169"	_	F3H	F4H	F5H	F6L	_	F3H	F4H	F5H	F6L	_	_	_	_
Regular Cab 4X4 – Cab to Axle 108"	193"	_	_	F4H	F5H	F6L	_		F4H	F5H	F6L	_	_	_	_
Regular Cab 4X4 – Cab to Axle 120" SuperCab 4X2 – Cab to Axle 60"	205" 168"	X3E	X3G	F4H X4G	F5H X5G	F6L	X3E	X3G	F4H X4G	F5H X5G	F6L	_	_	_	. —
SuperCab 4X2 – Cab to Axie 60 SuperCab 4X2 – Cab to Axie 84"	192"			X4G X4G	X5G	_	\		X4G X4G	X5G	_	_	_	_	
SuperCab 4X4 – Cab to Axle 60"	168"	X3F	ХЗН	X4H	X5H	_	X3F	ХЗН	X4H	X5H	_	X3F	ХЗН	X4H	X5H
SuperCab 4X4 – Cab to Axle 84"	192"	ļ _		X4H	X5H	_	l . —_		X4H	X5H	_	_	_	X4H	X5H
Crew Cab 4X2 – Cab to Axle 60"	179"	W3E	W3G	W4G	W5G	_	W3E	W3G	W4G	W5G			_		
Crew Cab 4X2 – Cab to Axle 84" Crew Cab 4X4 – Cab to Axle 60"	203" 179"	W3F	W3H	W4G W4H	W5G W5H		W3F	W3H	W4G W4H	W5G W5H	_	W3F	W3H	W4H	W5H
Crew Cab 4X4 – Cab to Axle 84"	203"	- VV3I		W4H	W5H		- VV3I		W4H	W5H		- VV3I	- VV3II	W4H	W5H
ENGINE/TRANSMISSION															
★7.3L 2V DEVCT NA PFI V8 Gas/TorqShift®															
Ten-Speed 10R140 with Neutral Idle	0001/440	s	s	s	s	s	s	s	S	S	S	S	S	S	S
Automatic with Selectable Drive Modes: Normal, Eco, Slippery Roads, Tow/Haul, Trail	99N/44G	5	5	5	5	5	5	5	5	5	5	5	5	5	0
(4x2), Off-Raod (4x4)															
6.7L 4 Valve OHV Power Stroke® V8 Turbo															
Diesel B20 with manual push-button Engine-															
Exhaust Braking/TorqShift® Ten-Speed 10R140 with Neutral Idle Automatic with															
Selectable Drive Modes: Normal. Eco.	99T/44G	0	0	0	0	0	0	0	0	0	0	0	0	0	0
Slippery Roads, Tow/Haul, Trail (4x2), Off-															
Road (4x4) w/Transmission Power Take-Off															
Provision															
WHEELS 4-Wheels (SRW); 6 Wheels (DRW). Spare Who	eel included	with S	pare Ti	re.											
17" Argent Painted Steel (Hub Covers/Center	64K		S					S							
Ornaments not included)	04N	_	3		_		_	3	_	_	_	_	_	_	
17" Forged Polished Aluminum w/Bright Hub	641														
Covers/Center Ornaments (4 aluminum outer and 2 steel inner)	64J	_	0	_	_	_	_	0	_	_	_	_	S	_	_
18" Argent Painted Steel w/Painted Hub	0.45														
Cover/Center Ornaments	64F	S	_	_	_	_	_	_	_	_	_	_	_	_	
18" Bright Machined and Carbonized Gray	64C	_	_		_	_	_		_	_	_	s	_	_	_
Painted Aluminum 18" Sparkle Silver Painted Cast Aluminum															
w/Bright Hub Covers/Center Ornaments	648	_	_	_	_	_	S	_	_	_	_	_	_	_	_
19.5" Ärgent Painted Steel (19.5"x 6")	64Z	_	_	S	S	_	_	_	S	S	_	_	_	_	_
19.5" Argent Painted Steel (19.5"x 6.75")	64B	_	_	_	_	S	_	_	_	_	S	_	_	_	_
19.5" Forged Polished Aluminum w/Bright Hub Covers/Center Ornaments (19.5" x 6")	64D	_	_		_		_		0	0	_	_	_	S	S
19.5" Forged Polished Aluminum w/Bright Hub											_				
Covers/Center Ornaments (19.5" x 6.75")	64M	_	_	_	_	_	_	_	_	_	0	_	_	_	-
TIRES															
4 Tires (SRW); 6 Tires (DRW)		-1-1	0		- 4 1 41-			1 45	Foods.		4		-1-166-61		
Spare Tire required in Rhode Island, optional manufacturers to meet production capacity		states.	Spare	may n	ot be tr	ie sam	e as ro	ad tire	. Fora i	reserve	s the r	ignt to	Sniit ti	re	
LT245/75Rx17E BSW A/S PLU	TD8	_	S	_	_	_	_	S	_	_	_	_	S	_	_
LT245/75Rx17E BSW A/T	TBM	_	Ō	_	_	_	_	0	_	_	_	_	0	_	_
LT245/75Rx17E OWL A/T (DRW inner rear)	TBL	-	_	_	_	_	_	0	_	_	_	_	0	_	_
LT275/65Rx18E BSW A/S LT275/70Rx18E BSW A/T Plus, 4X4	TCH TDX	S		_	_	_	S	_		_		S	_		_
225/70Rx19.5G BSW A/P	TGJ			S	S	_	_		S	S		_		S	S
245/70RX19.5G BSW A/P	TD5	_	_	_	_	S	_	_	_	_	S	_	_	_	_
225/70Rx19.5G BSW Traction (includes 4	TC: -								_	_					
traction tires on the rear and 2 A/P tires on the front.)	TGM	_	_	0	0	_	_	_	0	0	_	_	_	0	0
225/70Rx19.5G BSW Traction, 4X4 (includes 4															
traction tires on the rear and 2 traction tires on															
the front. Not recommended for over the road	TGK	_	_	0	0	_	_	_	0	0	_	_	_	0	0
applications; could incur irregular front tire															
wear and/or NVH.) 245/70RX19.5 BSW Traction (includes 6															
traction tires.)	TGT	_	-	_	_	0	-	_	_	_	0	_	_	_	_
245/70Rx19.5 BSW Traction (includes 4															
traction tires on the rear and 2 A/P tires on the	TGU	_	-	_	_	0	_	_	_	_	0	_	_	_	_
front.)															

^{1 =} Regular Cab only, 2 = SuperCab only, 3 = Crew Cab only

□ = New for this model year

F = Fleet Only Option

S = Standard, O = Optional, P = Packaged Option

OPTIONAL EQUIPMENT

				XL					XLT			LARIAT				
			350 DDW	F-450	F-550	F-600	F-C	DRW	F-450	F-550	F-600	F-C	DRW	F-450	F-55	
	Order 630A 640A 650A 660A 680A 69							643A	653A	663A	683A		648A	658A	668	
TIRES	Code	00071	0.1071	00071	000,1	00071	000,1	0 10/1	000,1	000,1	000,1	000,1	0.1071	000,1	000	
4 Tires (SRW); 6 Tires (DRW)																
Spare Tire required in Rhode Island, optional manufacturers to meet production capacity				may no	ot be th	ne sam	e as ro	ad tire	. Ford I	eserve	s the r	ight to	shift ti	re		
Spare Tire, Wheel and Jack (Excludes carrier;	,			•		•				•	_			•	_	
includes Hydraulic Jack (61J); required in RI)	512	0	0	0	0	0	0	0	0	0	0	0	0	0	0	
Jack (Three-ton Mechanical – F-350 SRW /																
Four-ton Hydraulic – F-350 DRW / Six-ton Hydraulic – F-450, F-550 & F-600) (required in	61J	0	0	0	0	0	0	0	0	0	0	0	0	0	0	
RI)																
Spare Tire and Wheel Delete (only available to	51D	0	0	0	0	0	0	0	0	0	0	0	0	0	0	
Pool Accounts for sales to RI) GROUPS/PACKAGES (see Packaged Options			for cor			_		ions)	_	-	_	_	_	-		
XL Chrome Package	96V	Jages	IOI COI	0	COIILEI	it allu i	CSUITCU	ions)	_				_	_		
XLT Value Package	17V			_					0				_	_		
Heavy-Service Front Suspension Package (NA	67H			0					0				()		
w/F-600) Extra Heavy-Service Suspension Package (NA				_					_				_	_		
w/F-600)	67X			0					0				()		
Extra Heavy-Duty Front End Suspension –				_					_				_			
7500 lbs. Front GAWR – F450/F550 only; std on F-600 (requires 4.30 or 4.88 axle)	67P			0					0				()		
Payload Downgrade Package (see extended																
description for details) avail. On F-450 & F-	68D			0					0				(`		
550: NA w/ Trailer Tow Package – High	OOD			O					O					,		
Capacity (535) on F-550) 16,000 GVWR Package (avail. on F-450 only)	68L			0					0				()		
Payload Upgrade Package (F-550 only w/7.3L				_					_					,		
Gas and 145" WB)	68U			0					0							
Payload Plus Upgrade Package (avail. on F-	68M			0			0					0				
550 only) Snow Plow Prep Package (reg. 4x4 on F-350)																
Note: Reference alternator chart for required	473		0 0)			
engine / alternator requirements																
Trailer Tow Package – High Capacity (avail. on F-450 & F-550 only; regs. 6.7L Engine (99T);																
regs. Payload Plus Upgrade Pkg (68M) on F-	535			0				0					0			
550)																
Low Deflection Package (avail. on F-450, F-	000			_								0				
550 & F-600 only (NĀ w/4x4 w/145"WB or F-600 w/ 145" WB, 4x2))	86S			0					0			0				
CNG/Propane Gaseous Engine Prep Package																
(req. 7.3L Gas Engine w/ F-450, F-550 or F-	98G			0			0					_				
600 & Regular Cab) FUNCTIONAL																
Aft-Axle Frame Extension (req. 145" or 169"																
wheelbase) – F-450/F-550/F-600 only (145"																
Wheelbase/60" CA – 42.4" aft-of-axle frame				_					_							
extension increases AF dimension to 89.4") (169" Wheelbase/84" CA – 32.4" aft-of-axle	63C			0					0				_	_		
frame extension increases AF dimension to																
79.6")																
Engine Block Heater	41H			0					0)		
Skid Plates – Transfer Case (4X4 only) ★Pro Power Onboard – 2kW (regs. Dual	41P)		
Battery (86M))	43K			0					0				()		
Dual Battery (Dual Battery – 68AH/65 AGM;																
incl. with 6.7L Diesel; std on 7.3L Gas XL w/	86M			S/O					S				5	3		
110V/400W Outlet (43C) or Ambulance Pkg. (47A/47L) – std on 7.3L Gas XLT and Lariat)																
Alternators (*Refer to alternator charts on pg	7 for furthe	er detai	ls)													
332 Amp Alternators (req. 6.7L Power Stroke®																
Diesel engine; required with 110V/400W Outlet (43C) and Snow Plow Pkg. (473) when	67A			0					S				5	3		
the 6.7L is ordered)																
FUNCTIONAL (continued)																
110 Amp Dual Alternators (250 + 160 Amp; see																
alternaor charts for ordering requiremnts and restrictions; req. 6.7L Power Stroke® Diesel																
engine; required with Rapid-Heat																
Supplemental Cab Heater (41A), unless	67B			0					S/O				S	(O		
ordered with ★Pro Power Onboard – 2KW	076			0					3/0				3/	9		
(43K), Ambulance (47A/47L) or Fire Truck (47J); req. 7.3L Gas reqs. Dual Battery (86M)																
- std on XLT & Lariat, required with																
120V/400W Outlet (43C) on XL)																

^{1 =} Regular Cab only, 2 = SuperCab only, 3 = Crew Cab only

□ = New for this model year

S = Standard, O = Optional, P = Packaged Option

F = Fleet Only Option

PROPRIETARY

OPTIONAL EQUIPMENT

	VI	VI T	LADIAT
			LARIAT F-350 F-450 F-550
	SRW DRW	SRW DRW	SRW DRW
Order Code	630A 640A 650A 660A 680A	633A 643A 653A 663A 683A	638A 648A 658A 668A
67E	0	_	_
65M	0	0	o
65C	0	0	0
54F	_	0	S
18B	0	0	0
59H	0	0	0
872	0	0	0
166			0
528	O		_
41A	0	0	0
43C	0	S	S
•		_	_
4	Ö	_	_
2		O-2,3	
			ions on packages)
47A	F	F	_
47L	F	F	_
47J	F	F	_
927	F	F	_
04.V			0
	_		0
76C	O	O	0
91S	0	0	-
91G	0	0	_
61S	0	0	0
tinued)			
945	0	0	_
61L	0	0	0
16T	_	O-2,3	O-2,3
	Code 67E 65M 65C 54F 18B 59H 872 166 52S 41A 43C ge for additi 1 L 4 2 de) (see Pace 47A 47L 47J 927 21X 76C 91S 91G 61S tinued) 945 61L	Order Code 630A DRW 640A 650A 660A 680A 67E O O 650A 660A 680A 65M O O O O O 54F — — O <td> F-350 F-450 F-550 F-600 F-350 F-350 F-350 F-600 F-350 F-35</td>	F-350 F-450 F-550 F-600 F-350 F-350 F-350 F-600 F-350 F-35

- 14 -

S = Standard, O = Optional, P = Packaged Option F = Fleet Only Option

^{1 =} Regular Cab only, 2 = SuperCab only, 3 = Crew Cab only

COLOR & TRIM AVAILABILITY

				INTERIOR AND SEAT COLOR		
	INTERIOR COLOR			Black/ Onyx	Baja ¹ , ³	
XL	HD Vinyl, 40/20/40 Split Bench w/center armrest, cupholder an manual lumbar (driver's side only)	d storage;	Slate AS			
	Cloth, 40/20/40 Split Bench w/center armrest, cupholder and st lumbar (driver's side only)	torage; manual	1S			
	 Vinyl, 40/Mini Console/40 manual lumbar (driver's side only) Cloth, 40/Mini Console/40 manual lumbar (driver's side only) 		LS 4S			
	• Cloth, 40/20/40 split bench, 20% center under-seat storage, w/	h, 40/20/40 split bench, 20% center under-seat storage, w/center armrest,				
XLT	manual lumbar (driver's side only)	`			3J	
	Cloth, 40/Console/40; Two-way adjustable driver/passenger headrests manual lumbar (driver's side only); Flow-through Console with 110V/400W outlet in rear (SuperCab & Crew Cab Only).		2\$		2J	
Lariat	 Front, leather seating surfaces, 40/Console/40; 8-way power driver and passenger seating, Two-way adjustable driver/passenger headrests, matching 60/40 Rear Bench w/partitioned locking under-seat storage and 12V 			5B	5J	
	Powerpoint, Flow-through Console with 110v/150w Inverter outle	et in rear.				
VI	EXTERIOR COLOR	MONOTONE		Availability		
XL Agate	Black Metallic	UM	•			
	atter Blue Metallic	HX	•			
	nized Gray Metallic	M7	•			
	Silver Metallic	JS	•			
	d White	Z 1	•			
Race I		PQ	•			
	Gray Metallic	D1	•			
XLT	Black Metallic	UM	•		•	
	atter Blue Metallic	HX	•		•	
	nized Gray Metallic	M7	•		•	
Iconic	Silver Metallic	JS	•		•	
Oxford	d White	Z 1	•		•	
Race I		PQ	•		•	
	Red Metallic Tinted Clearcoat ² , ³	D4	•		•	
	Gray Metallic	D1	•		•	
LARIAT		1104				
	Black Metallic atter Blue Metallic	UM HX		•	•	
	Gray Metallic Tri-Coat	G4		•		
	nized Gray Metallic	M7		•	•	
	Silver Metallic	JS		•	•	
	I White	Z 1		•	•	
Race I		PQ		•	•	
	Red Metallic Tinted Clearcoat ²	D4		•	•	
	/hite Metallic Tri-Coat ²	AZ		•	•	
	Gray Metallic	D1		•	•	
	ONLY EXTERIOR COLORS - (REQUIRES VALID FIN CODE)4	MONOTONE		Availability		
XL Green	3	GR	•			
Orang		MB	•			
	I Bus Yellow	BY	•			
Vermil	lion Red ³	E4	•			
Yellow	<u>3 </u>	AT	•			
XLT						
Green	3	GR	•			
Orang		MB	•			
	I Bus Yellow	BY	•			
Yellow	lion Red ³ 3	E4 AT	•			
reliow		ΑI	•			

¹ Crew Cab Only ² Extra Charge Paint

 $^{^3}$ NA w/ $\star F\mbox{-}600$, XLT F-450/550 Regular Cab 4x2 and Aft-Axle Frame Extension (63C)

⁴ Fleet only exterior colors will be priced as VSO colors.

^{★ =} New for this model year

PACKAGED OPTIONS/EMISSIONS

XL CHROME PACKAGE (96V)

Availability:

Optional on XL

Includes:

- Bright chrome hub covers and center ornaments (F-350 SRW only)
- Chrome front bumper
- Bright Grille
- Power Sliding Rear Glass w/ Rear Window Defrost (SuperCab and Crew Cab only)
- Remote Start
- Halogen Fog Lamps

XLT VALUE PACKAGE (17V)

Availability:

· Optional on XLT

Includes:

- Autolock/Auto unlock
- Electrochromic Rear View Mirror
- · Power Driver's Seat (eight-way)
- Rear Under Seat Storage (NA w/ Regular Cab; fixed/non-locking on SuperCab; foldable/locking on Crew Cab)
- SecuriCode[™] keyless entry keypad (driver's side)
- Heated Driver Seat (NA w/ Regular Cab)
- · Rear Window Defrost
- Remote Start
- Power Adjustable Pedals
- Halogen Fog Lamps

TRAILER TOW PACKAGE - HIGH CAPACITY (535)

Availability:

• Optional on all F-450 and F-550

Not available with:

• Ambulance Prep Packages (47A/47L)

Requires:

- 6.7L Power Stroke® Diesel engine (99T)
- Payload Plus Upgrade Pkg (68M) on F-550

Includes:

- Trailer brake wiring kit
- Increase GCW on diesel engine from 32,500 lbs. to 35,000 lbs. (F-450)
- Increase GCW on diesel engine from 32,500 lbs. to 40,000 lbs. (F-550)
- Upgraded rear-axle

NOTE: Salesperson's Portfolio or Trailer Towing Guide should be consulted for specific trailer towing or camper limits and corresponding required equipment, axle ratios and model availability. See Supplemental Reference for vehicle height consideration.

SNOW PLOW PREP PACKAGE (473)

Availability:

· Optional on all Chassis Cabs

Not available with:

 Heavy-Service Front Suspension Package (67H), Extra Heavy-Service Suspension Package (67X), Ambulance Prep Packages (47A/47L) or Fire/Rescue Prep Package w/EPA Special Emissions – For Diesel Engine (47J)

Requires:

• 4x4 (F-350 only)

Includes:

- Alternator: 6.7L 350 Amp Dual Alternators (67A); 7.3L 250 Amp Alternator (67E) on XL
- Pre-selected springs (See Order Guide Supplemental Reference for springs/FGAWR of specific vehicle configurations)

Options Available: (Highly recommended for max power output)

• 410 Amp Dual Alternators (67B) (diesel only)

NOTE 1: Restrictions apply; see Supplemental Reference or Body Builders Layout Book for details.

NOTE 2: Also allows for the attachment of a winch

NOTE 3: Highly recommended to add (86M) dual battery on 7.3L gas engine

HEAVY-SERVICE FRONT SUSPENSION PACKAGE (67H) Availability:

· Optional on all Chassis Cabs

Usage:

 Recommended only on vehicles which will permanently utilize aftermarket equipment such as heavy-duty winches, brush guards or other apparatus which loads the front axle to the specified Gross Axle Weight Rating (GAWR).

Not available with:

- Ambulance Prep Packages (47A/47L), Fire/Rescue Prep Package w/EPA Special Emissions – For Diesel Engine (47J), Snow Plow Prep Package (473) or Extra Heavy-Service Suspension Package (67X)
- F-600A

Includes:

 Heavy-service front springs. (Pre-selected. See Order Guide Supplemental Reference for springs/FGAWR of specific vehicle configurations.)

NOTE 1: May result in a deterioration of ride quality.

NOTE 2: Vehicle ride height will increase w/the addition of this package

EXTRA HEAVY-SERVICE SUSPENSION PACKAGE (67X) Availability:

· Optional on all Chassis Cabs

Jsage

Recommended only on vehicles which will permanently utilize
aftermarket equipment such as heavy-duty winches, brush guards
or other apparatus which loads the front axle to the specified Gross
Axle Weight Rating (GAWR).

Not available with:

- Ambulance Prep Packages (47A/47L), Fire/Rescue Prep Package w/EPA Special Emissions – For Diesel Engine (47J), Snow Plow Prep Package (473) or Heavy-Service Front Suspension Package (67H)
- F-600A

Includes:

 Extra heavy-service front springs (Pre-selected. See Order Guide Supplemental Reference for springs/FGAWR of specific vehicle configurations.)

NOTE 1: May result in a deterioration of ride quality.

NOTE 2: Vehicle ride height will increase w/the addition of this package

EXTRA HEAVY DUTY FRONT END SUSPENSION – 7500 GAWR (67P)

Availability:

- Optional on F-450 or F-550
- Standard on F-600

Usage:

 Incomplete vehicle package – req. further manufacture and certification by a final stage manufacturer

Not available with:

 Heavy-Service Front Suspension Package (67H), Extra Heavy-Service Suspension Package (67X)

Includes:

- 16 -

- (3) Unique Front Axle
 - 7500 LB GAWR for 4x2 Chassis
 - 7500 LB GAWR for 4x4 Chassis @ 4.30 Ratio
 - 7500 LB GAWR for 4x4 Chassis @ 4.88 Ratio
- Max 7500 lbs. Front Springs/GAWR rating for configuration selected

PACKAGED OPTIONS/EMISSIONS

AMBULANCE PREP PACKAGE (47A)

Availability:

• Optional on XL and XLT (Fleet Only)

Usage:

- Incomplete vehicle package req. further manufacture and certification by a final stage manufacturer
- Ford vehicles are suitable for producing ambulances only if equipped w/the Ford Ambulance Prep Package. In addition, Ford urges ambulance manufacturers to follow the recommendations of the Ford Incomplete Vehicle Manual and the Ford Truck Body Builders Layout Book (and pertinent supplements).
- Using a Ford vehicle without the Ford Ambulance Package to produce an ambulance voids the Ford warranty

Not available with:

 Snow Plow Prep Package (473), Trailer Tow Package – High Capacity (535), Heavy-Service Front Suspension Package (67H), Extra Heavy-Service Suspension Package (67X), Ambulance Prep Package w/Special Emissions (47L) or Fire/Rescue Prep Package w/EPA Special Emissions – For Diesel Engine (47J)

Requires:

- 6.7L Power Stroke® Diesel engine (99T)
- 7.3L Gas engine (99N)

Includes:

- 410 Amp Dual Alternator (67B)
- Upgraded Front Springs / GAWR rating, please see Supplemental Order Guide, or visit <u>fordbbas.com</u> for complete details. (F-450, F-550, F-600)
- 5250 to 5990 lbs. Max Front Springs / Front GAWR (F-350) see supplemental Order Guide for complete details
- 4.10 Limited-slip "Wide track" axle included w/F-350 DRW (X4W) 6.7L Power Stroke® Diesel engine (99T) only

Options Available:

• "Standard" width 4.10 Limited-slip rear-axle w/DRW (X4N)

NOTE: Stationary Elevated Idle Control (SEIC) has been integrated into the engine control module.

AMBULANCE PREP PACKAGE W/EPA SPECIAL EMERGENCY VEHICLE EMISSIONS (47L)

Availability:

• Optional on XL and XLT (Fleet Only)

Usage:

- Incomplete vehicle package req. further manufacture and certification by a final stage manufacturer
- Ford vehicles are suitable for producing ambulances with special emissions only if equipped w/the Ford Ambulance Prep Package w/EPA Special Emergency Vehicle Emissions. In addition, Ford urges ambulance manufacturers to follow the recommendations of the Ford Incomplete Vehicle Manual and the Ford Truck Body Builders Layout Book (and pertinent supplements).
- Using a Ford vehicle without the Ford Ambulance Package w/EPA Special Emergency Vehicle Emissions to produce an ambulance with special emissions voids the Ford warranty

Not available with:

 Snow Plow Prep Package (473), Trailer Tow Package – High Capacity (535), Heavy-Service Front Suspension Package (67H), Extra Heavy-Service Suspension Package (67X), Ambulance Prep Package (47A) or Fire/Rescue Prep Package w/EPA Special Emissions – For Diesel Engine (47J)

Requires:

• 6.7L Power Stroke® Diesel engine (99T)

Includes:

- 410 Amp Dual Alternator (67B)
- Upgraded Front Springs / GAWR rating, please see Supplemental Order Guide, or visit <u>fordbbas.com</u> for complete details. (F-450, F-550, F-600)
- 5250 to 5990 lbs. Max Front Springs / Front GAWR (F-350) see supplemental Order Guide for complete details
- "Wide track" axle included w/F-350 DRW (X4W)

Options Available:

- "Standard" width 4.10 Limited-slip rear-axle w/DRW (X4N)
- NOTE 1: Stationary Elevated Idle Control (SEIC) has been integrated into the engine control module.
- NOTE 2: Engine Calibration significantly reduces the possibility of depower mode when in stationary PTO operation
- NOTE 3: Must meet the definition of an Emergency Vehicle, "an Ambulance or Fire Truck" per 40 CFR 86.1803.01 in the Federal Register.
- NOTE 4: California Code of Regulations allows for the sale of Federally certified emergency vehicles in California.

FIRE/RESCUE PREP PACKAGE W/EPA SPECIAL EMISSIONS – FOR DIESEL ENGINE (47J)

Availability:

Optional on XL and XLT (Fleet Only)

Usage:

- Incomplete vehicle package req. further manufacture and certification by a final stage manufacturer
- Ford urges fire/rescue vehicle manufacturers to follow the recommendations of the Ford Incomplete Vehicle Manual and the Ford Truck Body Builders Layout Book (and pertinent supplements).

Not available with:

 Snow Plow Prep Package (473), Heavy-Service Front Suspension Package (67H), Extra Heavy-Service Suspension Package (67X) or Ambulance Prep Packages (47A/47L)

Requires:

• 6.7L Power Stroke® Diesel engine (99T)

Includes:

- 410 Amp Dual Alternators (67B)
- Upgraded Front Springs / GAWR rating, please see Supplemental Order Guide, or visit fordbbas.com for complete details.

NOTE 1: Stationary Elevated Idle Control (SEIC) has been integrated into the engine control module.

NOTE 2: Engine Calibration significantly reduces the possibility of depower mode when in stationary PTO operation

PACKAGED OPTIONS/EMISSIONS

- NOTE 3: Must meet the definition of an Emergency Vehicle, "an Ambulance or Fire Truck" per 40 CFR 86.1803.01 in the Federal Register.
- NOTE 4: California Code of Regulations allows for the sale of Federally certified emergency vehicles in California.

PAYLOAD DOWNGRADE PACKAGE (68D)

Availability:

Optional F-450 and F-550

Not available with:

- F-350
- Trailer Tow Package High Capacity (535) on F-550

Includes:

- 15,000 lbs. Gross Vehicle Weight Rating (F-450 Only)
- 17,500 lbs. Gross Vehicle Weight Rating (F-550 Only)

PAYLOAD UPGRADE PACKAGE (68U)

Availability:

 Optional on XL and XLT F-550 Chassis Cabs 145" wheelbase with 7.3L Gas engine (99N)

Requires:

• 4.88 Limited-slip rear-axle (X8L)

Includes:

- Increased GVWR to 19,000 lbs.
- Upgraded frame
- Upgraded rear-axle

NOTE: See Order Guide Supplemental Reference for further details on GVWR and payload ranges

PAYLOAD PLUS UPGRADE PACKAGE (68M)

Availability:

Optional on F-550

Not available with:

145" wheelbase on gas engine

Includes:

- Increases GVWR from 18,000 lbs. to 19,500 lbs.
- Increases max RGAWR to 14,706
- Low Deflection/High Capacity Rear Springs
- Upgraded frame
- Upgraded rear-axle

Options Available:

• Low Deflection Spacer (86S)

NOTE: See Order Guide Supplemental Reference for further details on GVWR.

16,000 GVWR PACKAGE (68L)

Availability:

· Optional on all F-450 Chassis Cabs

Includes:

• Provides 16,000 lbs. Gross Vehicle Weight Rating

LOW DEFLECTION SPACER (86S)

Availability:

• Optional on F-450, F-550 and F-600 Chassis Cabs

Not available with:

- 4x4 w/145" WB
- F-600 w/ 145" WB 4x2

Usage

Recommended for rear-biased loading, such as wrecker/retriever applications

Includes:

· 2" spacer blocks

CNG/Propane GASEOUS ENGINE PREP PACKAGE (98G) Availability:

- Optional on all XL and XLT F-450, F-550 and F-600 Requires:
- 7.3L Gas engine (99N)
- Regular Cab

Includes:

Hardened Engine Intake Valves and Valve Seats

NOTE: This package does not include CNG/Propane fuel tanks, lines, etc. Vehicle will be equipped with the standard factory gasoline fuel system. Additional equipment combined with Certified calibration reflash is required, from an external upfitter, to convert the vehicle to a CNG/Propane fueled vehicle. See Alternative Fuel Buyers Guide:

www.ford.com/altfuelbuyersquide

Ford Motor Company does not provide an exhaust or evaporative emissions certificate with this option when converted to use CNG or Propane fuel. Ford does not represent that a vehicle converted to use CNG or Propane will comply with all applicable U.S. or Canadian safety standards. It is the responsibility of the final stage manufacturer (bodybuilder, installer, alterer or subsequent stage manufacturer) to determine that any vehicle converted to use CNG or Propane complies with U.S. Federal, California or Canadian exhaust and evaporative emission requirements, Federal fuel economy standards, U.S. and Canadian safety standards, labeling and any other requirements

REAR VIEW CAMERA AND PREP KIT (872)

Availability:

Optional on all Chassis Cabs

Pre-installed Content Includes:

- Cab Wiring
- Frame Wiring to the rear most cross member

Upfitters kit Includes:

- Camera with mounting bracket
- 20' jumper wire
- · Camera mounting and aiming instructions

Vehicle Special Order (VSO)

FLEET ONLY. See www.fmcdealer.com for current VSO Order Guide. This live guide includes VSO option codes, descriptions and pricing. Email wsw.vsomail@ford.com or call 1.800.34.FLEET, menu 4 with any VSO questions you may have.

High Sulfur Diesel Fuel Usage

Vehicles for intended usage with diesel fuel sulfur content greater than 15ppm require Euro II (>500ppm sulfur) or Euro III (<500ppm sulfur) packages to avoid engine functionality issues.

Packages are available through Export Order Guide with the appropriate US EPA exemption or verifiable export usage.

NOTE: JP8 fuel is supported and compatible with these packages

Leaded Fuel Capable

NOTE: Post build modification kits are not available. Vehicles must be ordered correctly for the market that they are to be sold and operated in. 10/25/22

2023 SUPER DUTY® CHASSIS CAB (F-350CC / F-450CC / F-550 / F-600)

PROPRIETARY

PACKAGED OPTIONS/EMISSIONS

European Certified Headlamps

European certified headlamp package is available for export usage through Export Order Guide.

NOTE: Post build modification kits are not available. Vehicles must be ordered correctly for the market that they are to be sold and operated in.

MISCELLANEOUS OPTIONS	
COV required	79V
Priced DORA	C09

PAYLOAD PACKAGE SELECTOR CHART – Refer to Supplemental Reference Section for Payload Information.

EMISSIONS STANDARD/OPTIONAL EQUIPMENT			
50-STATE EMISSIONS SYSTEM425	į		
Standard on all Vehicles			

-	RONT LICENSE PLATE
E	BRACKET153
	Standard in states requiring two license plates

PROPRIETARY

POWERTRAIN

ENGINE HORSEPOWER AND TORQUE RATINGS*

		NOMINAL	50-STATE	
		COMPRESSION	HORSEPOWER	TORQUE
ENGINE	TRANSMISSION	RATIO	H.P. @ RPM	FT. LBS. @ RPM
ALL				
7.3L 2V Gas DEVCT NA PFI V8	TorqShift® Ten-Speed Automatic w/SelectShift® Automatic	TBD	TBD @ TBD	TBD @ TBD
6.7L 4V OHV Power Stroke® V8 Turbo Diesel B20	TorqShift® Ten-Speed Automatic w/SelectShift® Automatic	TBD	TBD @ TBD	TBD @ TBD

FUEL ECONOMY

TRUCKS WITH GROSS VEHICLE WEIGHT RATINGS OVER 8,500 POUNDS ARE NOT INCLUDED IN THE EPA FUEL ECONOMY RATING SYSTEM. FUEL ECONOMY INFORMATION ON THESE MODELS IS GENERALLY NOT AVAILABLE BECAUSE OF WIDE VARIANCES IN VEHICLE LOADING AND OPERATIONAL CONDITIONS BETWEEN VARIOUS CUSTOMER APPLICATIONS.