2024 F-650 Diesel Crew Cab Base (W6D) Price Level: 415



Client Proposal

Prepared by: Admir Sarac Office: 972-864-6815 Email: admirs@prestigegarland.com Date: 11/01/2022



Randall Reed's Planet Ford 635 | 3601 S. Shiloh Rd., Garland, Texas, 750414015 Office: 972-864-3673 | Fax: 972-864-3644

Price Level: 415

Selected Equip & Specs

Dimensions

- GCWR: 50,000 lbs.
- Vehicle body length: 270"
- Vehicle body height: 93"
- Front track: 80"
- Turning radius (to curb): 25'
- Rear tire outside width: 96"
- Frame section modulus: 13 cu.in.
- Frame rail depth: 10"
- Frame rail thickness: 0"
- Front bumper to front axle: 39"
- Rear brake diameter: 15.0"
- Headroom second-row: 40.8"
- Leg room second-row: 42.1"
- Shoulder room second-row: 68.0"
- Hip room second-row: 67.6"

Powertrain

- 6.7L V-8 diesel direct injection, intercooled turbo, diesel, engine with 270HP
- Compression ignition system
- Torque: 700 lb.-ft.@1500 RPM
- Fuel/water separator
- Engine retarder system
- 75 mph speed limiter
- Rear-wheel drive
- Low-speed ABS traction control

Fuel Economy and Emissions

• Federal emissions

Suspension and Handling

• Standard ride suspension

Driveability

- Hydraulic disc brakes
- 4-wheel antilock (ABS) brakes
- Hill start assist
- Leaf spring front suspension
- Rigid axle rear suspension
- Hydraulic power-assist steering system

- Driver distance from axle: 54"
- Vehicle body width: 97"
- Wheelbase: 182"
- Rear track: 73"
- Cab to axle: 72"
- Axle to end of frame: 49"
- Frame yield strength (psi): 50000
- Frame rail width: 3"
- Frame rail section: 10"
- Front brake diameter: 15.0"
- Headroom first-row: 40.7"
- Leg room first-row: 41.4"
- Shoulder room first-row: 68.0"
- Hip room first-row: 67.6"
- Engine cylinders: V-8
- Horsepower: 270 HP@2400 RPM
- Radiator
- Auxiliary power take-off
- * RNDM shift indicator
- 10-speed automatic
- Recommended fuel: diesel
- Standard rear differential
- Standard grade front shock absorbers
- Front and rear ventilated disc brakes
- Four channel ABS brakes
- Rigid axle front suspension
- Tapered leaf front suspension
- Leaf spring rear suspension
- Re-circulating ball steering



Price Level: 415

Selected Equip & Specs (cont'd)

2-wheel steering system

Body Exterior

- Side assist steps
- Clearcoat paint
- Black side window trim
- Black door handles
- 2 front tow hooks
- Black grille
- Black door mirrors
- Convex spotter in driver and passenger side door mirrors
- Conventional right rear passenger door
- White front wheels
- White rear wheels
- Disc rear wheel

Convenience

- Manual door locks
- Manual first-row windows
- Driver foot rest
- Standard glove box
- 2 beverage holders
- Dashboard storage
- Steering column lever gearshift location
- Upfitter switches

Comfort

- Manual climate control
- Full headliner coverage
- Full floor coverage
- Carpet rear seatback upholstery
- Manual telescopic steering wheel

Seats and Trim

- Seating capacity: 5
- Folding driver seat back
- 4 driver seats way-direction
- Bucket passenger seat
- Low passenger seat back
- Manual fore/aft

- 4 doors
- Monotone paint
- Black windshield trim
- Black front bumper
- Straight front bumper ends
- Hood mounted grille
- Trailer style side mirrors
- Conventional left rear passenger door
- English measure truck 279/82R22.5 AS BSW front and rear tires
- Steel front wheels
- Steel rear wheels
- 22.5 x 8.25-inch front and dual rear wheels
- Cruise control with steering wheel mounted controls
- Partial floor console
- Fixed rear windshield
- Front beverage holders
- Instrument panel bin
- Dual electric horn
- Trip computer
- Cloth headliner material
- Full vinyl floor covering
- Vinyl rear seat upholstery
- Manual tilting steering wheel
- Urethane steering wheel
- Bucket driver seat
- Low driver seat back
- Manual fore/aft
- Fixed passenger seat back
- 4 passenger seats way-direction
- Driver seat armrest



Price Level: 415

Selected Equip & Specs (cont'd) Front passenger seat armrest

- Front passenger seat am
- Split-bench rear seat

Entertainment Features

- AM/FM stereo radio
- Auxiliary input jack
- Speakers number: 2
- Steering wheel mounted audio controls
- Fixed audio antenna

Lighting, Visibility and Instrumentation

- Analog instrumentation display
- In-radio display clock
- Oil pressure gauge
- Oil temperature gauge
- Engine hour meter
- Light tinted windows
- Halogen headlights
- Multiple enclosed headlights
- DRL preference setting
- Speed sensitive wipers
- Variable instrument panel light
- Cab clearance lights

Technology and Telematics

• Handsfree wireless device connectivity

Safety and Security

- Front height adjustable seatbelts
- Electronic stability control system

Dimensions

General Weights

Curb weight	10,386 lbs.
Front GAWR	8500 lbs.
GVWR	26000 lbs.

Trailering Weights

GCWR	50,000 lbs.
------	-------------

Weights

- Fixed rear seats
- Vinyl front seat upholstery
- Seek scan
- External memory control
- Standard grade speakers
- Wireless audio streaming
- Trip odometer
- Tachometer
- Engine/electric motor temperature gauge
- Transmission fluid temperature gauge
- Diesel exhaust fluid (def) gauge
- Aero-composite headlights
- Auto on/off headlight control
- Delay-off headlights
- Variable intermittent front windshield wipers
- Rear reading lights
- Daytime running lights
- Delay interior courtesy lights
- 1 USB port
- Vehicle tracker

Rear curb weight	3,370 lbs.
Rear GAWR	17500 lbs.
GCWR	50000 lbs.



Prepared by: Admir Sarac 11/01/2022

2024 F-650 Diesel Crew Cab Base (W6D)

Price Level: 415

Selected Equip & Specs (cont'd) Max RBM (in.-lbs.) 665,500 max RBM (in.-lbs.)

Front Weights

Front curb weight	.7,016 lbs.
Spring rating front	8,500 lbs.

Rear Weights

Axle capacity rear	17,500 lbs.
Tire/wheel capacity rear	23,360 lbs.

Exterior Measurements

Vehicle body length	270"
Vehicle body height	
Front frame height loaded	36"
Front frame height unloaded	
Rear frame height loaded	
Turning radius (to bumper)	
Width - mirrors extended	
Rear track	
Turning radius (to curb)	25'
Rear tire outside width	
Frame section modulus	13 cu.in.
Frame rail depth	
Frame rail thickness	0"
Front bumper to front axle	
Headroom	
Headroom first-row	40.7"
Legroom	
Leg room first-row	41.4"
Shoulder Room	
Shoulder room first-row	68.0"
Hip Room	
Hip room first-row	67.6"

Powertrain

Engine

Engine	6.7L V-8 diesel direct injection,
intercooled t	urbo, diesel, engine with 270HP
Engine cylinde	rs
Ignition	Compression ignition system

Nominal RBM (in.-lbs.) 632,000 nominal RBM (in.-lbs.)

Axle capacity front	8,500 lbs.
Tire/wheel capacity front	12,350 lbs.
Spring rating rear	19,000 lbs.

Vehicle body width	
Wheelbase	
Front brake diameter	15.0"
Rear brake diameter	15.0"
Rear frame height unloaded	
Width - mirrors folded	
Front track	80"
Driver distance from axle	54"
Cab to axle	
Axle to end of frame	49"
Frame yield strength (psi)	50000
Frame rail width	
Frame rail section	

Headroom second-row	40.8"
Leg room second-row	42.1"

Shoulder room second-row	68.0"

Hip room second-row	67.6"
	0110

Valves per cylinder	
Engine location	Front mounted engine
Engine mounting direction	Longitudinal mounted

Prices and content availability as shown are subject to change and should be treated as estimates only. Actual base vehicle, package and option pricing may vary from this estimate because of special local pricing, availability or pricing adjustments not reflected in the dealer's computer system. See salesperson for the most current information.

engine



Prepared by: Admir Sarac 11/01/2022

Randall Reed's Planet Ford 635 | 3601 S. Shiloh Rd. Garland Texas | 750414015

2024 F-650 Diesel Crew Cab Base (W6D)

Price Level: 415

Selected Equip & Specs (cont'd)

Engine block material Iron engine block

Engine Specs

Displacement 6	5.7L
Bore	3.9"
Compression ratio	6.2

Engine Power

Horsepower	270 HP@2400	RPM

Alternator

Alternator amps		200A
-----------------	--	------

Battery

Battery type	Dual lead acid battery
Battery step	Battery step
Battery run down protectio	n Battery run down
protection	

Engine Extras

Radiator	
* Shift indicator	Auxiliary power take-off RNDM shift indicator

Transmission

Transmission	10-speed automatic
--------------	--------------------

Speed limiter	75 mph speed limiter
Lock-up transmission	Lock-up transmission
Second gear ratio	2.919
Fourth gear ratio	1.773
Sixth gear ratio	1.277
Seventh gear ratio	1
Ninth gear ratio	0.687
Stall ratio	1.97

Sequential shift control Sequential shift control PTO transmission provision PTO transmission provision

Drive Type

Drive type	Rear-wheel drive
Drivetrain	
* Axle ratio	5.29

Cylinder head material. Aluminum cylinder head

cc 405.9 cu.in. Stroke 4.25" Governed RPM 3200 RPM
Torque 700 lbft.@1500 RPM
Alternator type Heavy-duty alternator
Battery rating 1500CCA Battery location Battery location forward right
Fuel/water separator Fuel/water separator Engine retarder Engine retarder system
Transmission electronic control Transmission
Overdrive transmission Overdrive transmission
First gear ratio 4.615
Third gear ratio 2.132
Fifth gear ratio 1.519
Reverse gear ratio 4.695
Eighth gear ratio 0.851
Tenth gear ratio 0.632
Selectable mode transmission Selectable mode transmission
Transmission oil cooler Transmission oil cooler

Axle speed Single axle speed



Price Level: 415

Selected Equip & Specs (cont'd)

Exhaust	
TailpipeAluminized steel single exhaustAdditional muffler locationrightAdditional tailpipe locationright	Additional muffler type horizontal Additional tailpipe type horizontal
Fuel	
Fuel type diesel	
Fuel Tank	
Front left fuel tank shape rectangular DEF capacity 8.00 gal.	Front left fuel tank capacity 65.01 US gallons
Drive Feature	
Traction controlLow-speed ABS traction control	Differential Standard rear differential
Fuel Economy and Emissions	
Emissions Federal emissions	
Suspension and Handling	
Suspension	
Suspension Standard ride suspension	Front shock absorbers Standard grade front shock absorbers
Driveability	
Brakes	
Brake type Hydraulic disc brakes	Ventilated brakes Front and rear ventilated disc brakes
ABS brakes Four channel ABS brakes	ABS brakes 4-wheel antilock (ABS) brakes
Brake Assistance	
Hill start assist Hill start assist	
Front Suspension	
Suspension ride type front Rigid axle front suspension	Suspension type front Leaf spring front suspension
Front Spring	
Regular front springs Regular front springs	Springs front Tapered leaf front suspension
Rear Spring	
Springs rear Multi-leaf rear suspension	Rear springs Regular grade rear springs

Springs rear Multi-leaf rear suspension Auxiliary rear spring Rubber auxiliary rear spring



Price Level: 415

Selected Equip & Specs (cont'd)

Rear Suspension Suspension type rear Leaf spring rear Suspension ride type rear Rigid axle rear suspension suspension Steering Steering Hydraulic power-assist steering Steering type Re-circulating ball steering system Steering type number of wheels 2-wheel steering system **Exterior** Front Wheels Front wheels diameter 22.5" Front wheels width 8.3 Rear Wheels 22.5" Rear wheels diameter Rear wheels width 8.3" Front And Rear Wheels Appearance none Front Tires

Aspect	
Sidewalls	BSW
Туре	english measure truck tire
Front wheel - RPM	

Rear Tires

Aspect	
Sidewalls	BSW
Туре	nglish measure truck tire
Rear wheel - RPM	

Body Exterior	
----------------------	--

Exterior Features

Number of doors	4 doors
Front splash guards Front sp	blash guards

Frame

Clean CA frame Clean CA frame

Body

Body panels...Composite and galvanized steel body panels

Mirrors

Prices and content availability as shown are subject to change and should be treated as estimates only. Actual base vehicle, package and option pricing may vary from this estimate because of special local pricing, availability or pricing adjustments not reflected in the dealer's computer system. See salesperson for the most current information.

Side steps	Side assist steps
------------	-------------------

Diameter 22.5" Tread AS Width 279mm

Diameter	22.5"
Tread	AS
Width	279mm



Prepared by: Admir Sarac 11/01/2022

Randall Reed's Planet Ford 635 | 3601 S. Shiloh Rd. Garland Texas | 750414015

2024 F-650 Diesel Crew Cab Base (W6D)

Price Level: 415

Selected Equip & Specs (cont'd)

Convex spotter Convex spotter in driver and passenger side door mirrors

Tires

Front tires LT load rating G

Wheels

Front wheel type Disc front wheel Number of front wheel stude 10 front wheel stude

Convenience

Door Locks Manual door locks

Cruise Control

Cruise control Cruise control with steering wheel mounted controls

Exterior Mirrors

Folding door mirrors Manual folding door mirrors

Front Side Windows

First-row windows Manual first-row windows

Floor Console

Floor console Partial floor console

Passenger Visor

Visor passenger mirror Passenger visor mirror

Power Outlets

12V power outlets 2 12V power outlets

Pedals

Driver foot rest

Rear Windshield

Rear windshield Fixed rear windshield

Storage

Number of beverage holders	2 beverage holders
Glove box	Standard glove box
Dashboard storage	Dashboard storage

Windows Rear Side

Second-row windows Manual second-row windows

Rear tires LT load rating G

Dual rear wheels Dual rear wheels Number of rear wheel studs 10 rear wheel studs

Beverage holders Front beverage holders Instrument panel storage Instrument panel bin



Price Level: 415

Selected Equip & Specs (cont'd)

Miscellaneous	
Trip computer Trip computer	Gearshift location Steering column lever gearshift location
Upfitter switches Upfitter switches	Horn Dual electric horn
Comfort	
Climate Control	
Climate control Manual climate control	
Headliner	
Headliner material Cloth headliner material	Headliner coverage Full headliner coverage
Floor Trim	
Floor covering Full vinyl floor covering	Floor coverage Full floor coverage
Second-Row Seat Trim	
Rear seat upholstery. Vinyl rear seat upholstery	Rear seatback upholstery Carpet rear seatback upholstery
Steering Wheel	
Steering wheel telescopic Manual telescopic steering wheel Steering wheel tilt Manual tilting steering wheel	Steering wheel material Urethane steering wheel
Seats and Trim	
Seat Capacity	
Seating capacity	
Front Seats	
Front seat type Bucket driver seat	Front seat type Bucket passenger seat
Driver seat back Folding driver seat back	Driver seat back type Low driver seat back
Driver seats way-direction 4 driver seats way- direction	Driver seat fore/aft
Passenger seat back Fixed passenger seat back	Passenger seat back type Low passenger seat back
Passenger seats way-direction 4 passenger seats way-direction	Passenger seat fore/aft Manual fore/aft
Armrests front driver Driver seat armrest	Armrests front passenger Front passenger seat armrest
Rear Seats	
Bench seats Split-bench rear seat Folding second-row seats 60-40 folding rear seats	Rear seats fixed or removable Fixed rear seats Rear seat direction Front facing rear seat

Prices and content availability as shown are subject to change and should be treated as estimates only. Actual base vehicle, package and option pricing may vary from this estimate because of special local pricing, availability or pricing adjustments not reflected in the dealer's computer system. See salesperson for the most current information.



Prepared by: Admir Sarac 11/01/2022

Randall Reed's Planet Ford 635 | 3601 S. Shiloh Rd. Garland Texas | 750414015

2024 F-650 Diesel Crew Cab Base (W6D)

Price Level: 415

Selected Equip & Specs (cont'd)

Rear seat folding position Fold-up rear seat cushion	
Front Seat Trim	
Front seat upholstery. Vinyl front seat upholstery	Front seatback upholstery. Carpet front seatback upholstery
Gearshifter Material	
Gearshifter material Urethane gear shifter material	
Entertainment Features	
Radio Features	
Aux input jack Auxiliary input jack Seek scan	External memoryExternal memory control
Speakers	
Speakers Standard grade speakers	Speakers number 2
Audio Features	
Steering mounted audio control Steering wheel mounted audio controls	Wireless streaming Wireless audio streaming
Lighting, Visibility and Instrumentation	
Instrumentation	
Trip odometer Trip odometer	Instrumentation display Analog instrumentation display
Instrumentation Displays	
Clock In-radio display clock	
Instrumentation Gauges	
Tachometer Tachometer Oil temperature gauge Oil temperature gauge	Oil pressure gauge Oil pressure gauge Transmission temperature gauge Transmission fluid temperature gauge
Engine/electric motor temperature gauge Engine/electric motor temperature gauge DEF fluid gauge Diesel exhaust fluid (def) gauge	Engine hour meter Engine hour meter
Instrumentation Warnings Oil pressure warning Low brake fluid warning Low brake fluid warning Headlights on reminder Headlights on reminder	Low fuel warning Low fuel warning Battery charge warning Battery charge warning Key in vehicle warning Key in vehicle warning



Prepared by: Admir Sarac 11/01/2022

2024 F-650 Diesel Crew Cab Base (W6D)

Price Level: 415

Selected Equip & Specs (cont'd)

Door ajar warning Door ajar warning Transmission fluid temperature warning Transmission fluid temp warning

Glass

Tinted windows Light tinted windows

Headlights

HeadlightsHalogen headlightsAuto headlightsAuto on/off headlight controlDelay off headlightsDelay-off headlights

Front Windshield

Wipers Variable intermittent front windshield wipers

Interior Lighting

Variable panel light.....Variable instrument panel light

Lights

Running lightsDaytime running lightsClearance lightsCab clearance lights

Technology and Telematics

Connectivity

Handsfree Handsfree wireless device connectivity

USB Ports

USB ports 1 USB port

Safety and Security

Seatbelts

Height adjustable seatbelts Front height adjustable seatbelts

Security System

Vehicle tracker Vehicle tracker

Traction Control

Electronic stability control Electronic stability control system

Service interval warningService interval indicator Low diesel exhaust fluid (DEF) warning Low diesel exhaust fluid (DEF) warning

Headlight type Aero-composite headlights Multiple headlights Multiple enclosed headlights DRL preference setting DRL preference setting

Speed sensitive wipers ... Speed sensitive wipers

Rear reading lights Rear reading lights

Interior courtesy lights Delay interior courtesy lights



Price Level: 415

Available C Selected	Code	Description	MSRP	Invoice
General Info				
	ORDER1	Initial Order Date: 10/27/2022	N/C	N/C
Engines				
\checkmark	99C	6.7L Power Stroke V8 Turbo Diesel - 270 HP @ 2400 RPM	STD	STD
	_	Exhaust Brake and manual regen capability 200. Includes CARB clean idle label - may be removed i	-	2 1500 rpm.
	99E	6.7L Power Stroke V8 Turbo Diesel - 300 HP @ 2500 RPM	\$1,995.00	\$1,761.00
	-	Exhaust Brake and manual regen capability 300. Includes CARB clean idle label - may be removed i	•	2 1500 rpm.
	99X	6.7L Power Stroke V8 Turbo Diesel - 330 HP @ 2600 RPM	\$3,495.00	\$3,084.00
	_	Exhaust Brake and manual regen capability 100. Includes CARB clean idle label - may be removed i	-	2 1500 rpm.
\checkmark	425	50-State Emissions	N/C	N/C
	41H	Engine Block Heater, Phillips, 120 Volt/750 Watt	\$155.00	\$137.00
	Includes removable			
	98R Allows Driver to Inh	Active Regen Control	\$205.00 a Safe location.	\$181.00
	916	Speed Limit - 65mph	N/C	N/C
	917	Speed Limit - 70mph	N/C	N/C



Price Level: 415

Available Selected	Options (cc		MSRP	Invoice
	62G	Description Air Compressor, Bendix, 13.2 CFM Capacity - Includes Direct Reading Air Pressure Gauge Air Source when Air Brakes are not selected.	\$1,175.00	\$1,037.00
		All Source when All Blakes are not selected.		
	94A	Engine Idle Shutdown Timer - 5 Minutes	\$25.00	\$23.00
	94B	Engine Idle Shutdown Timer - 10 Minutes	\$25.00	\$23.00
	94C	Engine Idle Shutdown Timer - 15 Minutes	\$25.00	\$23.00
	94D	Engine Idle Shutdown Timer - 20 Minutes	\$25.00	\$23.00
Transmissio	าร			
\checkmark	44D	Ford TorqShift HD 10-Speed Automatic - Double Overdrive, with PTO Provision	STD	STD
	Includes tow/hau			
Front Wheels	s & Tires			
\checkmark	643 (285.75MM BC) f	Wheels, Front 22.5x8.25 White Powder Coated Steel, 10-Hole hub piloted, flanged nut, metric mount, 8.25 DC rims; with	STD	STD
	64H	Wheels, Front 22.5x8.25 Aluminum, 10-Hole Alcoa Bright Polished w/Dura-Bright Seal on Both Sides	\$735.00	\$649.00



Price Level: 415

Available Selected	Options (co	nt'd) Description	MSRP	Invoice
	649	Wheels, Front 22.5x8.25 Black Wheel ub piloted, flanged nut, metric mount, 8.25 DC rims; with s	\$60.00	\$53.00
	T2B	Tires, Front Two 11R22.5G Goodyear Fuel Max RSA (497 rev/mile)	STD	STD
	T2A	Tires, Front Two 11R22.5H Goodyear Fuel Max RSA (497 rev/mile)	\$45.00	\$40.00
	T2E	Tires, Front Two 11R22.5H Michelin X Multi Energy Z (501 rev/mile)	\$240.00	\$212.00
	ТСН	Tires, Front Two 255/70R22.5H Goodyear Endurance RSA (566 rev/mile)	\$40.00	\$36.00
	T2F	Tires, Front Two 275/80R22.5G Michelin X Multi Energy Z (515 rev/mile)	\$190.00	\$168.00
	TRA	Tires, Front Two 295/75R22.5H Continental HSR3 (514 rev/mile)	\$130.00	\$115.00
	645 (275MM BC) hub (Wheels, Front 19.5x6.75 White Powder Coated Steel, 8-Hole biloted, flanged nut, metric mount, 6.75 DC rims; with stee	N/C I hubs.	N/C
	646 (285.75MM BC) ht	Wheels, Front 19.5x7.5 White Powder Coated Steel, 10-Hole ub piloted, flanged nut, metric mount, 7.50 DC rims; with s	\$25.00 teel hubs.	\$23.00



Price Level: 415

	Options (co			
Selected	Code	Description	MSRP	Invoice
	648	Wheels, Front 19.5x6.75 Aluminum, 8-Hole Alcoa Clean Buff w/Dura-Bright Seal on Both Sides	\$470.00	\$414.00
	64D	Wheels, Front 19.5x7.5 Aluminum, 10-Hole Alcoa Bright Polished w/Dura-Bright Seal on Both Sides	\$630.00	\$556.00
	T9A	Tires, Front Two 245/70R19.5G Hankook AH35 (628 rev/mile)	N/C	N/C
	тдк	Tires, Front Two 245/70R19.5H Michelin AGILIS HDZ (619 rev/mile)	\$80.00	\$71.00
	T9F	Tires, Front Two 245/70R19.5H Hankook AH35 (628 rev/mile)	\$40.00	\$36.00
	Т9В	Tires, Front Two 265/70R19.5G Hankook AH35 (613 rev/mile)	\$75.00	\$67.00
Rear Wheels	s & Tires			
\checkmark	663 (285.75MM BC) I	Wheels, Rear 22.5x8.25 White Powder Coated Steel, 10-Hole nub piloted, flanged nut, metric mount, 8.25 DC rims; with s	STD	STD
	66H	Wheels, Rear 22.5x8.25 Aluminum, 10-Hole Alcoa Bright Polished w/Dura-Bright Seal on	\$830.00	\$733.00

Inner wheel is white powder-coated steel.

Both Sides



Price Level: 415

Available Selected	Options (co	-	MSRP	Invoice
	66C	Description Wheels, Rear 22.5x8.25 DRW Aluminum, 10-Hole Alcoa Bright Polished w/Dura-Bright Seal on Both Sides	\$1,470.00	\$1,297.00
	Inner wheel is al	luminum.		
	669	Wheels, Rear 22.5x8.25 Black Wheel	\$120.00	\$106.00
	(285.75MM BC)	hub piloted, flanged nut, metric mount, 8.25 DC rims; with	steel hubs.	
	60Z	Wheel, Spare 22.5x8.25 White Powder Coated Steel, 10-Hole - Quantity (One only)	\$145.00	\$128.00
\checkmark	R2B	Tires, Rear Four 11R22.5G Goodyear Fuel Max RSA (497 rev/mile)	STD	STD
	R2A	Tires, Rear Four 11R22.5H Goodyear Fuel Max RSA (497 rev/mile)	\$95.00	\$84.00
	R2G	Tires, Rear Four 11R22.5G Goodyear Fuel Max RTD (493 rev/mile)	\$140.00	\$124.00
	R2H	Tires, Rear Four 11R22.5H Goodyear Fuel Max RTD (493 rev/mile)	\$175.00	\$155.00
	R2E	Tires, Rear Four 11R22.5H Michelin X Multi Energy Z (501 rev/mile)	\$480.00	\$424.00



Price Level: 415

Available Options (cont'd) Selected Code Description MSRP Invoice				
RMB	Tires, Rear Four 11R22.5H Michelin X Multi D (494 rev/mile)	\$405.00	\$357.00	
R2K	Tires, Rear Four 255/70R22.5H Goodyear Fuel Max RTD (563 rev/mile)	\$140.00	\$124.00	
RCH	Tires, Rear Four 255/70R22.5H Goodyear Fuel Max RSA (563 rev/mile)	\$80.00	\$71.00	
R2J	Tires, Rear Four 275/80R22.5G Michelin X Multi Energy D (514 rev/mile)	\$265.00	\$234.00	
R2F	Tires, Rear Four 275/80R22.5G Michelin X Multi Energy Z (515 rev/mile)	\$375.00	\$331.00	
RRC	Tires, Rear Four 295/75R22.5H Continental HDR2 ECO PLUS (514 rev/mile)	\$310.00	\$273.00	
RRA	Tires, Rear Four 295/75R22.5H Continental HSR3 (514 rev/mile)	\$260.00	\$229.00	
665 (275MM BC) hub	Wheels, Rear 19.5x6.75 White Powder Coated Steel, 8-Hole piloted, flanged nut, metric mount, 6.75 DC rims; with steel	\$25.00 I hubs.	\$23.00	
668	Wheels, Rear 19.5x6.75 Aluminum, 8-Hole Alcoa Clean Buff w/Dura-Bright Seal on Both Sides - Outside Mount	\$705.00	\$622.00	



Price Level: 415

Available Options (cont'd)				
Selected	Code	Description	MSRP	Invoice
	66A	Wheels, Rear 19.5x6.75 DRW Aluminum, 8-Hole Alcoa Clean Buff w/Dura-Bright Seal on Both Sides - Outside Mount	\$940.00	\$830.00
	Inner wheel is alu	iminum.		
	666	Wheels, Rear 19.5x7.5 White Powder Coated Steel, 10-Hole	\$50.00	\$44.00
	(285.75MM BC) n	nub piloted, flanged nut, metric mount, 7.50 DC rims; with s	steel nubs.	
	66D	Wheels, Rear 19.5x7.5 Aluminum, 10-Hole Alcoa Bright Polished w/Dura-Bright Seal on Both Sides	\$725.00	\$640.00
	66B Inner wheel is alu	Wheels, Rear 19.5x7.5 DRW Aluminum, 10-Hole Alcoa Bright Polished w/Dura-Bright Seal on Both Sides	\$1,260.00	\$1,112.00
	60W	Wheel, Spare 19.5x6.75, White Powder Coated Steel, 8-Hole - Quantity (One only)	\$145.00	\$128.00
	60X	Wheel, Spare 19.5x7.5, White Powder Coated Steel, 10-Hole - Quantity (One only)	\$145.00	\$128.00
	R9A	Tires, Rear Four 245/70R19.5G Hankook AH35 (621 rev/mile)	N/C	N/C
	R9C	Tires, Rear Four 245/70R19.5G Hankook DH35 (632 rev/mile)	\$80.00	\$71.00



Price Level: 415

Available	Options (co	ont'd)		
Selected	Code	Description	MSRP	Invoice
	R9B	Tires, Rear Four 265/70R19.5G Hankook AH35 (613 rev/mile)	\$150.00	\$132.00
	R9D	Tires, Rear Four 265/70R19.5G Hankook DH35 (614 rev/mile)	\$100.00	\$88.00
	R9F	Tires, Rear Four 245/70R19.5H Hankook AH35 (621 rev/mile)	\$80.00	\$71.00
	R9E	Tires, Rear Four 245/70R19.5H Hankook DH35 (632 rev/mile)	\$165.00	\$145.00
	RGK	Tires, Rear Four 245/70R19.5H Michelin AGILIS HDZ (619 rev/mile)	\$165.00	\$145.00
Brakes				
\checkmark	67H	Hydraulic Brake System - Bosch HydroMax w/Traction Control	STD	STD
	Full power with au mounted parking	itomatic adjustment, 4-channel ABS antilock brake systen brake, Orscheln lever control, right of driver and hand ope	n. Includes 12" x 3" (Bosch) I rated park brake lever.	DSSA type rear axle
	152	Trailer Connection Socket - 7- Way, Wired for Turn Signals Combined with Stop	\$100.00	\$88.00
	Mounted at rear o accommodation p	f frame, for combined trailer stop, tail, turn, marker light ci ackage with cab connections for mounting customer insta	rcuits. Includes electric traile Iled electric brake unit.	r brake
	154	Trailer Connection Socket - 7- Way, Wired for Turn Signals, Separate of Stop	\$100.00	\$88.00
	Mounted at rear o accommodation p	f frame, for separate trailer stop, tail, turn, marker light cin ackage with cab connections for mounting customer insta	cuits. Includes electric trailer Iled electric brake unit.	brake



Price Level: 415

vailable (Dptions (co Code	Nt'd) Description	MSRP	Invoice
	67A	Air Brakes (4 WHEEL DRUM) - Straight Truck w/Traction Control	\$2,530.00	\$2,233.00
	Includes: - Air Dryer, Bendix Mounted left fram compressor).	AD/IS w/Heater ne rail (for Hydraulic brake diesel applications that includ	e air suspension or stand alc	ne engine air
	67C	Air Brakes (FRONT DISC / REAR DRUM) - Straight Truck w/Traction Control	\$3,020.00	\$2,665.00
	hand operated par Includes: - Air Dryer, Bendix	capacity air compressor, instrument panel mounted yello k brake lever.		
	18A Deletes the standa	Electronic Stability Control DELETE and ESC feature.	Variable	Variable
	98B	Final Upfit Center of Gravity - Low CG (38" to 48" FINAL	N/C	N/C
	must be selected k upfit CG is known,	Center of Gravity) Electronic Stability Control Standard. When air brakes a by dealer when ordering. If the final CG is not known, use and the unit requires ESC for other features (such as D hen ordering air brake during the specing process. Call	e the ESC delete (18A) featu river Assist Technology) sele	re. Where the final ect the appropriate
	98C	Final Upfit Center of Gravity -	N/C	N/C
		Medium CG (48" to 58" FINAL		
	must be selected b upfit CG is known,	Center of Gravity) Electronic Stability Control Standard. When air brakes a by dealer when ordering. If the final CG is not known, use and the unit requires ESC for other features (such as D hen ordering air brake during the specing process. Call	e the ESC delete (18A) featu river Assist Technology) sele	re. Where the final ect the appropriate
	98E	Final Upfit Center of Gravity -	N/C	N/C
		High CG (58" to 68" FINAL Center of Gravity)		
	With MV23 having	Electronic Stability Control Standard. When air brakes a	are selected the "final unfit of	enter of gravity (CC
	must be selected k upfit CG is known,	by dealer when ordering. If the final CG is not known, use and the unit requires ESC for other features (such as D hen ordering air brake during the specing process. Call 1	e the ESC delete (18A) featu river Assist Technology) sele	re. Where the final ect the appropriate



Randall Reed's Planet Ford 635 | 3601 S. Shiloh Rd. Garland Texas | 750414015

2024 F-650 Diesel Crew Cab Base (W6D)

Price Level: 415

Available C	Options (co	ont'd)		
Selected	Code	Description	MSRP	Invoice
	98F	Final Upfit Center of Gravity - Tanker High CG (58" to 68" FINAL Center of Gravity)	N/C	N/C
	must be selected upfit CG is known	g Electronic Stability Control Standard. When air brakes a by dealer when ordering. If the final CG is not known, use , and the unit requires ESC for other features (such as Dr , hen ordering air brake during the specing process. Call 1	e the ESC delete (18A) featu river Assist Technology) sele	re. Where the final ct the appropriate
	98J	Final Upfit Center of Gravity - Tanker Medium CG (48" to 58"	N/C	N/C
		FINAL Center of Gravity)		
	must be selected upfit CG is known	g Electronic Stability Control Standard. When air brakes a by dealer when ordering. If the final CG is not known, use , and the unit requires ESC for other features (such as Dr , hen ordering air brake during the specing process. Call T	e the ESC delete (18A) featu iver Assist Technology) sele	re. Where the final ct the appropriate
	62F	Brake Chamber Spring Relocated	\$45.00	\$40.00
	Relocated to rear	of rear axle for maximum ground clearance.		
	62D	Air Dryer, Bendix AD/IS w/Heater	\$460.00	\$406.00
	Mounted left fram compressor).	e rail (for Hydraulic brake diesel applications that include	air suspension or stand alon	e engine air
	158	Trailer Air Brake Package	\$365.00	\$322.00
	Includes air lines i	to rear of frame, hand control valve and tractor protection	valve.	
	159	Trailer Connection Socket - 7- Way, Wired for Turn Signals Combined with Stop	\$100.00	\$88.00
	Mounted at rear o lights).	f frame, for combined trailer stop, tail, turn (compatible wi	ith trailers that use combined	stop, tail, turn
	157	Trailer Connection Socket - 7- Way, Wired for Turn Signals, Separate of Stop	\$100.00	\$88.00
		f frame, for separate trailer stop, tail, turn, marker light cir ith separate stop/turn).	cuits (compatible with trailer	s that have amber of

Front Axle and Suspension



Price Level: 415

Available Selected	Options (co	nt'd) Description	MSRP	Invoice
\checkmark	43A	8,500 lb. Cap. Non-Driving - Dana D-850F	STD	STD
	43N	10,000 lb. Cap. Non-Driving - Dana E-1002l - I-Beam Type	\$685.00	\$605.00
	WARNING! The Implications.	e selection of this Axle may cause the GVWR t	o exceed 26,000 lbs.,	with CDL
\checkmark	61B	Taper-Leaf Springs, Parabolic - 8,500 lb. Cap	STD	STD
	2-leaf, 62" x 3.15".	Also includes, standard duty, dual, double acting shock a	bsorbers.	
	61C	Taper-Leaf Springs, Parabolic - 10,000 lb. Cap	\$125.00	\$111.00
	2-leaf, 62" x 3.15".	Also includes, standard duty, dual, double acting shock a	bsorbers.	
	61D	Taper-Leaf Springs, Parabolic - 12,000 lb. Cap	\$305.00	\$269.00
	2-leaf, 62" x 3.15".	Also includes, standard duty, dual, double acting shock a	bsorbers.	
	15S	Front Stabilizer Bar	\$490.00	\$433.00
	60A	Lube, Front Axle, EmGard 50W, Synthetic Oil	\$50.00	\$44.00
Rear Axle and	d Suspension			
\checkmark	472	17,500 lb. Single-Speed - Dana S17-140	STD	STD
		vith Gentech Quiet Gears and 190 wheel ends. NOTE: Wh tability and gradeability.	en specifying an axle ratio,	check performance
	474	19,000 lb. Single-Speed - Dana S19-140	\$670.00	\$591.00
	WARNING! The Implications.	e selection of this Axle may cause the GVWR t	o exceed 26,000 lbs.,	with CDL
	•	vith Gentech Quiet Gears and 190 wheel ends. NOTE: Wh tability and gradeability.	en specifying an axle ratio,	check performance



Price Level: 415

Available Selected	Options (co Code	ont'd) Description	MSRP	Invoice
	higher torque eng	Driveshaft Upgrade e line is optional. Heavy duty drive line components are requir ines or deep reduction low gear(s). The heavier SPL-140 drive ore durability is required by the vocation or customer.	N/A ed in more demanding a eshaft is powertrain dep	N/A applications, such as endent and should
	68M 11-leaf. Includes 2	Multi-Leaf Springs - 19,000 lb. Cap 2,000 lb auxiliary springs for load stabilization.	STD	STD
	68P 11-leaf. Includes 2	Multi-Leaf Springs - 21,000 lb. Cap 2,000 lb auxiliary springs for load stabilization.	\$110.00	\$97.00
	961	Shock Absorbers, Rear - Double Acting	\$165.00	\$145.00
	607	Lube, Rear Axle, EmGard 75W- 90, Synthetic Oil	\$100.00	\$88.00
	X4A PRNDM/RNDN	4.10 Axle Ratio // determined by Rear Axle Ratio and Tire Size.	N/C	N/C
	X4S PRNDM/RNDM	4.56 Axle Ratio // determined by Rear Axle Ratio and Tire Size.	N/C	N/C
	X4G PRNDM/RNDM	4.88 Axle Ratio I determined by Rear Axle Ratio and Tire Size.	N/C	N/C
\checkmark	X5B PRNDM/RNDN	5.29 Axle Ratio I determined by Rear Axle Ratio and Tire Size.	N/C	N/C
	X5D PRNDM/RNDN	5.57 Axle Ratio I determined by Rear Axle Ratio and Tire Size.	N/C	N/C



Price Level: 415

Available Selected	Options (cor	∩t'd) Description	MSRP	Invoice
	X6A	6.14 Axle Ratio	N/C	N/C
	PRNDM/RNDM	determined by Rear Axle Ratio and Tire Size		
	X6D	6.50 Axle Ratio	N/C	N/C
	PRNDM/RNDM	determined by Rear Axle Ratio and Tire Size		
Wheelbase				
\checkmark	182WB	182" Wheelbase/72" CA/49" AF/270" OAL	STD	STD
	194WB	194" Wheelbase/84" CA/49" AF/282" OAL	\$85.00	\$75.00
	212WB	212" Wheelbase/102" CA/70" AF/321" OAL	\$365.00	\$322.00
	218WB	218" Wheelbase/108" CA/70" AF/327" OAL	\$430.00	\$380.00
	230WB	230" Wheelbase/120" CA/75" AF/344" OAL	\$440.00	\$389.00
	236WB	236" Wheelbase/126" CA/75" AF/350" OAL	\$515.00	\$454.00
	248WB	248" Wheelbase/136" CA/81" AF/368" OAL	\$855.00	\$754.00
	254WB	254" Wheelbase/144" CA/81" AF/374" OAL	\$875.00	\$773.00
	260WB	260" Wheelbase/150" CA/87" AF/386" OAL	\$890.00	\$786.00



Price Level: 415

	Available Options (cont'd) Selected Code Description MSRP Invoice				
Selected	Code	Description	IVISKP	IIIVOICE	
	266WB	266" Wheelbase/156" CA/87" AF/392" OAL	\$910.00	\$803.00	
	278WB	278" Wheelbase/168" CA/100" AF/417" OAL	\$945.00	\$834.00	
Frame					
\checkmark	534	Single Channel - Straight 'C' 12.64 SM, 50,000 PSI	STD	STD	
	632,000 RBM. Hig	h strength low alloy steel; 10.125" x 3.062" x 0.312" (257.	2mm x 77.8mm x 8.0mm).		
	533	Single Channel - Straight 'C' 10.75 SM, 80,000 PSI	N/C	N/C	
	860,000 RBM. Hig	h strength low alloy steel; 9.125" x 3.062" x 0.312" (232.8	mm x 77.8mm x 7.9mm).		
	536	Single Channel - Straight 'C' 14.18 SM, 120,000 PSI	\$365.00	\$322.00	
	1,701,600 RBM. H	leat treated alloy steel; 10.125" x 3.580" x 0.312" (257.2m)	m x 90.9mm x 8.0mm).		
	535	Single Channel - Straight 'C' 15.14 SM, 80,000 PSI	\$490.00	\$433.00	
	1,211,200 RBM. H	ligh strength low alloy steel. 10.250" x 3.092" x 0.375" (26	0.4mm x 78.5mm x 9.5mm)).	
	532	Frame Extension, Front - Integral 20" In Front of Grille	\$490.00	\$433.00	
	Includes: - Grille, Fixed - Bla - Bumper, Front - I	-			
	765	Bumper, Front - Full Width, Chrome Plated Steel - (Included in (90E) Exterior Appearance Group)	\$490.00	\$433.00	
	767	Bumper, Front - Swept Back, Painted Steel	\$345.00	\$305.00	



Price Level: 415

Available	Options (cc	ont'd)		
Selected	Code	Description	MSRP	Invoice
	Dark shadow gray	/ color.		
	76X	Bumper, Front - Delete - Also Deletes Mounting Brackets	-\$135.00	-\$119.00
	76F	3" Front Bumper Extension	\$175.00	\$155.00
	76Y	Tow Hooks - Delete	-\$70.00	-\$61.00
	18D	Special Rating GVWR - Limited to 25,999 lb. GVWR	\$120.00	\$106.00
	Only available	to GAWR combinations that EXCEED 26,000 I	bs.	
	19D	Frame Rail Drill #3	\$50.00	\$44.00
	Factory pre-drilled conversion.	d holes in frame rails to support aftermarket install of Hydra	ulic pump system for EZ-T	RAC 4x4
	19E	Frame Rail Drill #2	\$50.00	\$44.00
	Factory pre-drilled	d holes in frame rails to support aftermarket install of transf	er case brackets for a Meri	tor 4x4 conversion.
	86C	Chrome Grille Surround - (Included in (90E) Exterior Appearance Group)	\$245.00	\$216.00
	86B	Grille, Fixed - Black/Gray	\$125.00	\$111.00
Exhaust				
\checkmark	91G	Under Cab, Right Side Outlet, Switchback-Style	STD	STD
	Single, horizontal	muffler, right side, under cab, outside of frame rail with rea	ar discharge.	
	91B	Back of Cab, Right Side Outlet, Torpedo-Style	N/C	N/C
	Single, horizontal	muffler/pipe, inline, right side exhaust with underbody exit,	in front of axle.	



Price Level: 415

Selected	Options (co Code	Description	MSRP	Invoice
	91D	Under Cab, Vertical Outlet, Right Side, Switchback-Style - Intrudes 2" into clean CA	\$715.00	\$631.00
		e selection of this Exhaust could reduce the av muffler, right side under cab outside of frame rail with very mout exit.		
Fuel Tanks				
\checkmark	65E	Fuel Tank - LH 65 Gallon Rectangular - Aluminum	STD	STD
	65F	Fuel Tank - 115 Gallon Rectangular - Aluminum - LH 65-gal, RH 50-gal	\$915.00	\$807.00
Electrical / Alt	ternator / Battery	/		
\checkmark	STDALT	Extra Heavy Duty Alternator - 12-Volt, 200 Amp Denso SC5	STD	STD
	17D	Dual Heavy Duty Alternators - 357 Amp Capacity - 200 & 157 amp Denso SC5/SC2	\$855.00	\$754.00
	17A	Extra Heavy Duty Alternator - 12-Volt, 240 Amps	\$410.00	\$362.00
	55M	Jump Start Stud - Remote Mounted	\$90.00	\$80.00
\checkmark	STDBAT	Battery - Two 750 CCA, 1500 Total, Includes Steel Battery Box	STD	STD
	12 Volt, Motorcraft.			



Price Level: 415

Available	Options (co	nt'd)		
Selected	Code	Description	MSRP	Invoice
	63B	Battery - Two 900 CCA, 1800 Total, Includes Steel Battery Box	\$60.00	\$53.00
	12 Volt, Motorcraft.			
	63D	Battery - Three 900 CCA, 2700 Total, Includes Steel Battery Box	\$250.00	\$221.00
	12 Volt, Motorcraft.			
	63Y	Battery - Temporary Mount for Truck Chassis	\$235.00	\$208.00
	164	Roof Marker/Clearance Lights - Clear Lenses, 5 Lights (Replaces Standard Amber Lenses)	\$30.00	\$27.00
	16X For Airport or App	Roof Marker/Clearance Lights - Delete lications that receive modified roof coverings.	N/C	N/C
	59C	Body Builder Wiring - At End of Frame, Combined - (ILO Standard - Back of Cab Combined)	\$135.00	\$119.00 ps, back up lamps.
	Also includes 2 ad	Iditional pass through wires to cab.		
		Body Builder Wiring - At Back of Cab, Separate - (ILO Standard - Back of Cab Combined) connectors for 2 ground circuits, with separate left/stop, sep	\$70.00 parate right/stop, back up lai	\$61.00 mps. Also includes 2
	additional pass thr	rough wires to cab.		
	59E	Body Builder Wiring - At End of Frame, Separate - (ILO Standard - Back of Cab Combined)	\$135.00	\$119.00



Price Level: 415

elected	Code	Description	MSRP	Invoice
	Includes sealed of additional pass th	connectors for 2 ground circuits, with separate left/stop, separate rough wires to cab.	e right/stop, back up la	mps. Also includes 2
	17M	Back-Up Alarm - Electric, 102 dBA	\$110.00	\$97.00
	962	Daytime Running Lamps (Not Configurable)	\$25.00	\$23.00
	86M	Upfitter Interface Module	\$320.00	\$282.00
	55X Deletes stop, turr	Tail Light Delete n, tail and backup lights. Does not omit cable to end of frame.	N/C	N/C
	16V Available in mess	Voltmeter sage center.	\$100.00	\$88.00
eats				
\checkmark	88A	30/0/30 Fixed Driver & Fixed Passenger w/Consolette - Vinyl	STD	STD
	88B	30/0/30 Fixed Driver & Fixed Passenger w/Consolette - Cloth	\$125.00	\$111.00
	881	30/70 Fixed Driver & Fixed 2- Passenger Bench - Vinyl	\$350.00	\$309.00
	882	30/70 Fixed Driver & Fixed 2- Passenger Bench - Cloth	\$475.00	\$420.00
	88C	30/0/0 Fixed Driver only - Vinyl	-\$120.00	-\$106.00
	88D	30/0/0 Fixed Driver only - Cloth	N/C	N/C



Randall Reed's Planet Ford 635 | 3601 S. Shiloh Rd. Garland Texas | 750414015

2024 F-650 Diesel Crew Cab Base (W6D)

Price Level: 415

Available Selected	e Options (co Code	MSRP	Invoice	
	88R	30/0/30 Air Ride Driver (Integral Air Pump) & Fixed Passenger w/Consolette - Vinyl	\$440.00	\$389.00
	88S	30/0/30 Air Ride Driver (Integral Air Pump) & Fixed Passenger w/Consolette - Cloth	\$565.00	\$498.00
	88G	30/70 Air Ride Driver (External Air Source) & Fixed 2- Passenger Bench - Vinyl	\$395.00	\$349.00
	88H	30/70 Air Ride Driver (External Air Source) & Fixed 2- Passenger Bench - Cloth	\$520.00	\$459.00
	88J	30/0/30 Air Ride Driver (Integral Air Pump) & Air Ride Passenger (Integral Air Pump) w/Consolette - Vinyl	\$855.00	\$754.00
	88K	30/0/30 Air Ride Driver (Integral Air Pump) & Air Ride Passenger (Integral Air Pump) w/Consolette - Cloth	\$980.00	\$865.00
	88L	30/70 Air Ride Driver (Integral Air Pump) & Fixed 2-Passenger Bench - Vinyl	\$440.00	\$389.00
	88M	30/70 Air Ride Driver (Integral Air Pump) & Fixed 2-Passenger Bench - Cloth	\$565.00	\$498.00
	88T	30/0/0 Air Ride Driver Only (External Air Source) - Vinyl	\$275.00	\$243.00



Price Level: 415

Available Options (cont'd) Selected Code Description MSRP				
	0000	Description		Invoice
	88U	30/0/0 Air Ride Driver Only (External Air Source) - Cloth	\$400.00	\$353.00
	88N	30/0/30 Air Ride Driver (External Air Source) & Fixed Passenger w/Consolette - Vinyl	\$395.00	\$349.00
	88P	30/0/30 Air Ride Driver (External Air Source) & Fixed Passenger w/Consolette - Cloth	\$520.00	\$459.00
	88E	30/0/30 Air Ride Driver (External Air Source) & Air Ride Passenger (External Air Source) w/Consolette - Vinyl	\$810.00	\$715.00
	88F	30/0/30 Air Ride Driver (External Air Source) & Air Ride Passenger (External Air Source) w/Consolette - Cloth	\$935.00	\$825.00
	88W	30/0/0 Air Ride Driver Only (Integral Air Pump) - Vinyl	\$315.00	\$278.00
	88X	30/0/0 Air Ride Driver Only (Integral Air Pump) - Cloth	\$440.00	\$389.00
	88Y	40/20/40 Fixed Driver & Fixed Passenger w/Unique 20% Fold- Down Console - Vinyl	\$420.00	\$370.00
	88Z	40/20/40 Fixed Driver & Fixed Passenger w/Unique 20% Fold- Down Console - Cloth	\$545.00	\$481.00



Price Level: 415

Selected	Code	Description	MSRP	Invoice	
\checkmark	87C	60/40 Rear Bench Seat w/Flip- Up Cushion and Fold-Down Back	STD	STD	
	Trim will match se	elected driver seat material.			
	87X	Rear Bench - Delete	-\$120.00	-\$106.00	
Cab Interior					
\checkmark	600A	Preferred Equipment Package 600A	N/C	N/C	
	 Wheel Seals, Re Manual Regen II Engine Exhaust Extra Heavy Dut Painted Grille - I Lights - Roof Ma Tow Hooks, Froi Four Body Build With connector a Floor Covering - Intelligent Oil Lif Steering Column Steering Wheel Body Builder Wi Includes sealed 	ront - Oil lubricated, SKF ScotSeal PlusXL Seals ear - Oil lubricated, SKF ScotSeal PlusXL Seals initiation - Driver Interface in Message Center Brake ty Alternator - 12-Volt, 200 Amp Denso SC5 Plastic arker/Clearance - Amber Lenses, 5 Lights nt (2) - Frame-Mounted, Painted Black ler Switches - Mounted in Center Instrument Panel access located in engine compartment. Amperages vary of Black Vinyl	Audio Controls	mps, back up lamps	
	87H	Driver Assist Technology	\$1,410.00	\$1,244.00	
	Package. Hydraulic Brake				
	Control. Includes: - Enhanced Clust Electronic speec indicator lights. Al	nous Emergency Braking, Forward Collision Warning, Lar er w/High-Level 8-Inch Display dometer (MPH/KPH), includes oil pressure, coolant tempe lso included is enhanced 3-button Message Center with o economy, hour meter and warning messages. Transmiss	erature, DEF gauge, fuel gau odometer, trip odometer, dist	ge, tachometer, and ance to empty for	
	87A	Driver Assist Technology	\$3,050.00	\$2,692.00	
		Package (w/Bendix Wingman			
	Advanced). Air Brake Includes Autonomous Emergency Braking, Forward Collision Warning, Lane Departure Warning, Adaptive Cruise Control and Auto High Beam Control. Includes:				



Price Level: 415

Selected	Code	Description	MSRP	Invoice
	indicator lights. A	dometer (MPH/KPH), includes oil pressure, coolant temper Iso included is enhanced 3-button Message Center with od economy, hour meter and warning messages. Transmissio	lometer, trip odometer, dista	ance to empty for
	61M	Rear View Camera w/Mirror Display	\$510.00	\$450.00
	Rear view mirror	video with full length display included in kit. To be installed	by Upfitter.	
	90A	Appearance Group	\$830.00	\$733.00
	Includes: - Chrome Trimme - 60/40 Rear Ben Trim will match s - Power Equipme	unted overhead console with dual sunglass bins and integr ed Air Registers w/Positive Shut-Off ch Seat w/Flip-Up Cushion and Fold-Down Back selected driver seat material. nt Group - (Included in (90A) Appearance Group) front side windows, power rear side windows, power door le		
	17W	Wi-Fi 4G LTE Hotspot Delete	-\$20.00	-\$17.00
	92J	Enhanced Cluster w/High-Level 8-Inch Display	\$235.00	\$208.00
	indicator lights. A	ometer (MPH/KPH), includes oil pressure, coolant tempera Iso included is enhanced 3-button Message Center with od economy, hour meter and warning messages. Transmissio	lometer, trip odometer, dista	ance to empty for
	90P	Power Equipment Group - (Included in (90A) Appearance Group)	\$470.00	\$414.00
	Includes power fr	ont side windows, power rear side windows, power door lo	cks and door trim panel.	
	57N Includes fresh air	Air Conditioning Delete heater and defroster only.	-\$100.00	-\$88.00
	86H	Rapid-Heat Supplemental Cab Heater	\$610.00	\$538.00
		Alaska, Colorado, Idaho, Iowa, Maine, Michiga w York, North Dakota, South Dakota, Vermont		
	96C	Pull Out Cup Holder For Two Cups - Instrument Panel Mounted	\$30.00	\$27.00



Price Level: 415

Available Options (cont'd)					
Selected	Code	Description	MSRP	Invoice	
	55P	110 A/C Outlet - in Lower Center Finish Panel	\$100.00	\$88.00	
	214	4 Speaker Option for 588 Radio	\$30.00	\$27.00	
	58P Deletes radio and cover and dash-n	Radio Prep Package I dash-mounted aux input jack. Includes radio/speaker wirin nounted aux audio input jack instrument panel cover.	N/C ng, 2 speakers, antenna, ra	N/C dio instrument panel	
	58B Deletes radio, spe speaker locations	Radio Delete Package eakers, antenna and antenna cable. Includes radio instrum for future radio upfit if owner desires.	-\$60.00 ent panel cover and aux au	-\$53.00 Idio jack cover and	
	588	Radio: AM/FM Stereo w/2 Speakers, USB input, Clock Display and Bluetooth	STD	STD	
	85B	Keyed Alike - Not Available with Anti-Theft System, Requires Multiple-Unit Order	\$45.00	\$40.00	
	85L	Keyed Alike - Option 1 - Not Available with Anti-Theft System, Requires Multiple-Unit Order	\$45.00	\$40.00	
	85M	Keyed Alike - Option 2 - Not Available with Anti-Theft System, Requires Multiple-Unit Order	\$45.00	\$40.00	
	85N	Keyed Alike - Option 3 - Not Available with Anti-Theft System, Requires Multiple-Unit Order	\$45.00	\$40.00	



Price Level: 415

Available Selected	Options (co	ont'd) Description	MSRP	Invoice
	85P	Keyed Alike - Option 4 - Not Available with Anti-Theft System, Requires Multiple-Unit Order	\$45.00	\$40.00
	85A	SecuriLock Passive Anti-Theft System	\$120.00	\$106.00
	The SecuriLock P programmed to th electronically code aftermarket remot	Passive Anti-Theft System is designed to help prevent the le vehicle, is used. It helps protect against drive-away the ed ignition key features billions of possible codes to start t te start systems.	engine from being started ur t through an electronically co he vehicle and is not compa	nless a coded key, oded ignition key, its tible with non-OEM
	90M	Interior Rear View Mirror	\$75.00	\$67.00
Cab Exterior				
	90E Includes: - Bumper, Front - - Chromed Fende	Exterior Appearance Group Full Width, Chrome Plated Steel - (Included in (90E) Exte	\$730.00	\$645.00
		urround - (Included in (90E) Exterior Appearance Group)		
	85K	Remote Keyless Entry w/2 Key Fobs	\$195.00	\$172.00
	94T	Tamper-Proof Odometer	\$30.00	\$27.00
	59A	Horn, Air - Black, Single Trumpet	\$90.00	\$80.00
	Air solenoid opera	ated, chassis mounted on rail back of bumper.		
\checkmark	54H	Mirrors, Dual - Rectangular, XL2020 - 96" Width	STD	STD
	Integral spot mirro	or, sail type, manual fold, solid black finish.		
	54M	Mirrors, Dual - Heated Rectangular, XL2020 - 96" Width	\$85.00	\$75.00
	Integral spot mirro	or, sail type, manual fold, solid black finish.		



Price Level: 415

Available Selected	Options (co		MSRP	Invoice
Selected	Code	Description	WISKF	IIIVOICE
	54P	Mirrors, Dual - Heated & Motorized Rectangular, XL2020 - 96" Width	\$245.00	\$216.00
	Integral spot mirro	r, sail type, solid black finish.		
	54B	Mirrors, Dual - Rectangular, XL2020 - 96" Width w/Chrome Cap	\$60.00	\$53.00
	Integral spot mirro	or, sail type, manual fold.		
	54N	Mirrors, Dual - Heated Rectangular, XL2020 - 96" Width w/Chrome Cap	\$120.00	\$106.00
	Integral spot mirro	or, sail type, manual fold.		
	54A	Mirrors, Dual - Heated & Motorized Rectangular, XL2020 - 96" Width w/Chrome Cap	\$305.00	\$269.00
	Integral spot mirro	or, sail type.		
	54J	Mirrors, Dual - Rectangular, XL2020 - 102" Width	\$30.00	\$27.00
	Integral spot mirro	or, sail type, manual fold, solid black finish.		
	54C	Mirrors, Dual - Heated Rectangular, XL2020 - 102" Width	\$90.00	\$80.00
	Integral spot mirro	or, sail type, manual fold, solid black finish.		
	54R	Mirrors, Dual - Heated & Motorized Rectangular, XL2020 - 102" Width	\$275.00	\$243.00
	Integral spot mirro	or, sail type, solid black finish.		
	54D	Mirrors, Dual - Rectangular, XL2020 - 102" Width w/Chrome Cap	\$90.00	\$80.00
	Integral spot mirro	or, sail type, manual fold.		



Price Level: 415

Available Selected	Options (cc	ont'd) Description	MSRP	Invoice
Selected	Code	Description	WIGRE	IIIVOICE
	54E	Mirrors, Dual - Heated Rectangular, XL2020 - 102" Width w/Chrome Cap	\$150.00	\$132.00
	Integral spot mirro	or, sail type, manual fold.		
	54K	Mirrors, Dual - Heated & Motorized Rectangular, XL2020 - 102" Width w/Chrome Cap	\$335.00	\$296.00
	Integral spot mirro	or, sail type.		
	54F	Mirrors, Trailer Tow, Powered - Sail Mount - w/Power Telescoping & Power Folding	\$365.00	\$322.00
	Includes power he mounted.	eated glass, heated convex spotter and integrated clearan	nce lights/turn signals. Heat c	controls dash
	63F	Aux Spot Mirrors - Front Fender Mounted - (2) Driver Side and Passenger Side	\$225.00	\$199.00
	63G	Aux Spot Mirror - Front Fender Mounted - (1) Passenger Side Only	\$120.00	\$106.00
	165	Mud Flap Holder Without Flaps	\$95.00	\$84.00
	166	Mud Flap Holder With Flaps	\$155.00	\$137.00
Ship-Thru				
	21A	Pre-Delivery Inspection	N/C	N/C
	Selection requi	ires that you also choose either (314) or (31F) quired with any final Ship-To that is not a deale	or (31V) to have the In er.	spection
	314	Ship-Thru - Manning	\$0.00	\$10.00



Price Level: 415

Selected	Options (co Code	Description	MSRP	Invoice
	MAY be selected arrangements of	ed w/o adding (21A). For MODIFICATIONS O directly with Manning (please use CVT Resour	NLY, Dealer must mak rces for add. Info).	ie.
	31F	Ship-Thru - NFS National Fleet Services	N/C	N/C
	MAY be selected arrangements of	ed w/o adding (21A). For MODIFICATIONS O directly with NFS (please use CVT Resources	NLY, Dealer must mak for add. Info).	ie -
Miscellaneous	;			
\checkmark	PAINT	Paint Type - Environmentally Friendly, "3 - Wet System"	STD	STD
	79V	COV Required	N/C	N/C
	Send a paper (or MI.	Certificate of Origin for a Vehicle (COV) for the	se states that file elect	tronically - CA
\checkmark	L23	Raw Material Surcharge	\$0.00	\$600.00
Fleet Options				
	19A	Ambulance Prep Pkg w/Special Emissions	\$1,285.00	\$1,134.00
	REQUIRES va	lid FIN code.		
	certification by a f if equipped with th urges ambulance Body Builders Lay EPA Special Eme NOTE 1: Stationa calibration signific operator comman Emergency Vehic of Regulations all Includes: - Dual Heavy Duty	ecial Emergency Vehicle Emissions. Incomplete vehicle pr final stage manufacturer. Ford vehicles are suitable for pro- he Ford Ambulance Prep Package with EPA Special Emer- manufacturers to follow the recommendations of the Ford yout Book (and pertinent supplements). Using a Ford vehicle ergency Vehicle Emissions to produce an ambulance with any Elevated Idle Control (SEIC) has been integrated into t cantly reduces the possibility of depower mode when in st aded regen down to 30% of DPF filter full, instead of 100% cle, an Ambulance or Fire Truck per 40 CFR 86.1803.01 ir ows for the sale of Federally certified emergency vehicles by Alternators - 357 Amp Capacity - 200 & 157 amp Denso 900 CCA, 2700 Total, Includes Steel Battery Box aft.	oducing ambulances with sp rgency Vehicle Emissions. In Incomplete Vehicle Manual icle without the Ford Ambulis special emissions voids the he engine control module. Nationary PTO operation. NC is NOTE 4: Must meet the de- the Federal Register. NOT in California.	ecial emissions only n addition, Ford I and the Ford Truck ance Package with Ford warranty. IOTE 2: Engine DTE 3: Allows efinition of an
\square	19F	Fire/Rescue Prep Pkg w/EPA	\$1,285.00	\$1,134.00



Randall Reed's Planet Ford 635 | 3601 S. Shiloh Rd. Garland Texas | 750414015

vailable	Options (co	ont'd)			
Selected	Code	Description	MSRP	Invoice	
	REQUIRES va	lid FIN code.			
	certification by a the Ford Incompl Stationary Elevat significantly reduc regen down to 30 Ambulance or Fir for the sale of Fer Includes: - Dual Heavy Dut	ecial Emergency Vehicle Emissions. Incomplete vehicle final stage manufacturer. Ford urges Fire/Rescue Vehicle ete Vehicle Manual and the Ford Truck Body Builders La ed Idle Control (SEIC) has been integrated into the engin ces the possibility of depower mode when in stationary F /% of DPF filter full, instead of 100%. NOTE 4: Must mee e Truck per 40 CFR 86.1803.01 in the Federal Register. derally certified emergency vehicles in California. Y Alternators - 357 Amp Capacity - 200 & 157 amp Dens 900 CCA, 2700 Total, Includes Steel Battery Box aft.	e manufacturers to follow the yout Book (and pertinent sup ne control module. NOTE 2: B TO operation. NOTE 3: Oper the definition of an Emerger NOTE 5: California Code of f	recommendations of plements). NOTE 1: Engine calibration rator commanded ncy Vehicle, an	
	19B	Beverage Delivery Package	\$60.00	\$53.00	
	Includes body builder wiring at back of cab at frame, sealed connectors for 2 ground circuits, with combined left/stop, combined right/stop, stop lamps, park lamps, back up lamps, also includes 2 additional pass through wires to cab with 6 feet additional length to accommodate drop frame beverage body application.				
	B4A	Net Invoice Fleet Option	\$0.00	\$7.00	
	56A	CPA Fleet Incentive	N/C	N/C	
	56B	Commercial Repurchase	N/C	N/C	
	56F	FRCS Long Term	N/C	N/C	
	56K	Long Term Fleet Incentive	\$0.00	-\$2,750.00	
	56M	National Fleet Incentive	\$0.00	-\$2,750.00	
	56Y	DDR Program	N/C	N/C	
	55D	Driver Assistance - FLEET SETTINGS	\$35.00	\$31.00	
	Requires Valid	Code.			



Price Level: 415

Available (Options (co	ont'd)		
Selected	Code	Description	MSRP	Invoice
	87S	Fleet Safety Kit	N/A	N/A
	Late availability	y.		
	Includes 5 lb fire e not installed at pla	extinguisher class A, B and C with mounting brackets, trian ant).	gle reflector and vehicle fus	e kit (shipped loose
VSO Options				
	SP101	VSO - Monotone Special Paint (Minimum Quantity 3)	N/A	N/A
	SPF	VSO - Special Paint Formulation (Minimum Quantity 3)	N/A	N/A

11/01/2022

2024 F-650 Diesel Crew Cab Base (W6D)

Price Level: 415

Major Equipment

(Based on selected options, shown at right) 10-speed automatic

- * Side assist steps
- * White rear wheels
- * Disc rear wheel
- * Front tires LT load rating: G
- * Overdrive transmission
- * Transmission electronic control
- * Alternator Amps: 200A
- * Low-speed ABS traction control
- * Dual lead acid battery
- * Fuel/water separator
- * Engine retarder system
- * Wireless audio streaming
- * Seek scan
- * External memory control
- * Wheelbase: 182"
- * Axle to end of frame: 49"
- * Tire/wheel capacity rear: 23,360 lbs.
- * Spring rating front: 8,500 lbs.
- * Dual electric horn
- * Manual folding door mirrors

		As Configured Vel
	Exterior: Oxford White	STANDARD VEHICLE PF
	Interior: Gray	Preferred Equipment Pacl
*	White front wheels	6.7L Power Stroke V8 Tur RPM
*	Steel rear wheels	
*	22.5 x 8.25-inch front and dual rear wheels	50-State Emissions
*	English measure truck 279/82R22.5 AS BSW front and rear tires	Ford TorqShift HD 10-Spe with PTO Provision
*	Lock-up transmission	Wheels, Front 22.5x8.25
*	PTO transmission provision	Hole
*	Aluminized steel single exhaust	Tires, Front Two 11R22.5
*	Battery rating: 1500CCA	rev/mile)
*	Battery run down protection	Wheels, Rear 22.5x8.25 V
*	Auxiliary power take-off	Hole
*	Steering wheel mounted audio controls	Tires, Rear Four 11R22.5
*	AM/FM stereo radio	rev/mile)
*	Auxiliary input jack	Hydraulic Brake System -
	Vehicle body length: 270"	Control
	Cab to axle: 72"	8,500 lb. Cap. Non-Driving
*	Axle capacity rear: 17,500 lbs.	Taper-Leaf Springs, Paral
*	Axle capacity front: 8,500 lbs.	17,500 lb. Single-Speed -
*	Standard ride suspension	
*	Trin computer	Multi-Leaf Springs - 19,00

- * Trip computer
- * DRL preference setting

Randall Reed's Planet Ford 635 | 3601 S. Shiloh Rd. Garland Texas | 750414015

As Configured Vehicle	ISRP	
STANDARD VEHICLE PRICE \$82,11	30.00	
Preferred Equipment Package 600A	N/C	
6.7L Power Stroke V8 Turbo Diesel - 270 HP @ 2400 RPM	STD	
50-State Emissions	N/C	
Ford TorqShift HD 10-Speed Automatic - Double Overdrive, with PTO Provision STD		
Wheels, Front 22.5x8.25 White Powder Coated Steel, 10 Hole		
Tires, Front Two 11R22.5G Goodyear Fuel Max RSA (49 rev/mile)		
Wheels, Rear 22.5x8.25 White Powder Coated Steel, 10 Hole)- . STD	
Tires, Rear Four 11R22.5G Goodyear Fuel Max RSA (49 rev/mile)		
Hydraulic Brake System - Bosch HydroMax w/Traction Control	STD	
8,500 lb. Cap. Non-Driving - Dana D-850F	STD	
Taper-Leaf Springs, Parabolic - 8,500 lb. Cap	STD	
17,500 lb. Single-Speed - Dana S17-140	STD	
Multi-Leaf Springs - 19,000 lb. Cap	STD	
182" Wheelbase/72" CA/49" AF/270" OAL	STD	



11/01/2022

2024 F-650 Diesel Crew Cab Base (W6D)

Price Level: 415

Major Equipment

- * Daytime running lights
- * Variable intermittent front windshield wipers
- * Electronic stability control system
- * Fixed rear seats
- Split-bench rear seat
- * Fold-up rear seat cushion
- * Folding driver seat back
- * 4 driver seats way-direction
- * Bucket passenger seat
- * Low passenger seat back
- * Manual fore/aft
- * Front passenger seat armrest
- * Carpet front seatback upholstery
- * 4-wheel antilock (ABS) brakes

Fuel Economy





* Light tinted windows

* Speed sensitive wipers	Under Cab, Right Side Outlet, Switchback-Style STD
* Manual climate control* 60-40 folding rear seats	Fuel Tank - LH 65 Gallon Rectangular - Aluminum STD
* Front facing rear seat	14 Gal. Single Tank Fuel Fill. Mandatory Charge Applied, Based On Tank Selection \$0.00
* Bucket driver seat* Low driver seat back	Extra Heavy Duty Alternator - 12-Volt, 200 Amp Denso SC5 Included
* Manual fore/aft* Fixed passenger seat back	Battery - Two 750 CCA, 1500 Total, Includes Steel Battery Box STD
* 4 passenger seats way-direction* Driver seat armrest	30/0/30 Fixed Driver & Fixed Passenger w/Consolette - Vinyl STD
* Vinyl front seat upholstery* Hydraulic disc brakes	60/40 Rear Bench Seat w/Flip-Up Cushion and Fold-Down Back STD
* Hill start assist	Radio: AM/FM Stereo w/2 Speakers, USB input, Clock Display and Bluetooth STD
	Mirrors, Dual - Rectangular, XL2020 - 96" Width STD
	Paint Type - Environmentally Friendly, "3 - Wet System" STD
	Raw Material Surcharge \$0.00
Hwy	Bumper, Front - Black, Full Width Included
N/A	Wheel Seals, Front - Oil lubricated, SKF ScotSeal PlusXL

Seals

Wheel Seals, Rear - Oil lubricated, SKF ScotSeal PlusXL Seals

MSRP

STD

Included

Included

Randall Reed's Planet Ford 635 | 3601 S. Shiloh Rd. Garland Texas | 750414015

Single Channel - Straight 'C' 12.64 SM, 50,000 PSI

As Configured Vehicle

Prices and content availability as shown are subject to change and should be treated as estimates only. Actual base vehicle, package and option pricing may vary from this estimate because of special local pricin	ıg, availability
or pricing adjustments not reflected in the dealer's computer system. See salesperson for the most current information.	

11/01/2022

2024 F-650 Diesel Crew Cab Base (W6D)

Price Level: 415



As Configured Vehicle	MSRP
Manual Regen Initiation - Driver Interface in Message Center	
Engine Exhaust Brake	Included
Painted Grille - Plastic	Included
Lights - Roof Marker/Clearance - Amber Lenses, 5 Lights	Included
Tow Hooks, Front (2) - Frame-Mounted, Painted Black	Included
Four Body Builder Switches - Mounted in Center Instr Panel	
Floor Covering - Black Vinyl	Included
Intelligent Oil Life Monitor	Included
Steering Column - Tilt / Telescoping	Included
Steering Wheel - Black PVC w/Integral Cruise Control Switches, includes Audio Controls	
Body Builder Wiring - At Back of Cab, Combined	Included
5.29 Axle Ratio	N/C
Oxford White	N/C
Gray	N/C
SUBTOTAL \$82	,130.00



11/01/2022

2024 F-650 Diesel Crew Cab Base (W6D)

Price Level: 415

Randall Reed's Planet Ford 635 | 3601 S. Shiloh Rd. Garland Texas | 750414015

As Configured Vehicle	MSRP
Destination Charge	\$2,095.00
TOTAL	\$84,225.00