

Price Level: 415

Selected Equip & Specs

Dimensions

GCWR: 50.000 lbs.

Vehicle body length: 296"

Vehicle body height: 88"

Front track: 84"

Turning radius (to curb): 27'

Rear tire outside width: 96"

Frame section modulus: 11 cu.in.

Frame rail depth: 9"

Frame rail thickness: 0"

Tapered end frame rail depth: 6"

Front bumper to front axle: 39"

Rear brake diameter: 15.0"

Headroom second-row: 40.8"

Leg room second-row: 42.1"

Shoulder room second-row: 68.0"

Hip room second-row: 67.6"

Driver distance from axle: 54"

• Vehicle body width: 97"

• Wheelbase: 194"

• Rear track: 73"

Cab to axle: 84"

• Axle to end of frame: 63"

• Frame yield strength (psi): 80000

• Frame rail width: 3"

• Frame rail section: 8"

• Tapered end frame rail width: 3"

• Front brake diameter: 15.0"

• Headroom first-row: 40.7"

Leg room first-row: 41.4"

Shoulder room first-row: 68.0"

• Hip room first-row: 67.6"

Powertrain

6.7L V-8 diesel direct injection, intercooled turbo, diesel, engine with 270HP

Compression ignition system

Torque: 700 lb.-ft.@1500 RPM

Heated fuel/water separator

Engine retarder system

10-speed automatic

Recommended fuel: diesel

Standard rear differential

• Engine cylinders: V-8

Horsepower: 270 HP@2400 RPM

Radiator

· Auxiliary power take-off

• 75 mph speed limiter

· Rear-wheel drive

Low-speed ABS traction control

Fuel Economy and Emissions

Federal emissions

Suspension and Handling

• Standard ride suspension

Driveability

- Hydraulic disc brakes
- 4-wheel antilock (ABS) brakes
- Hill start assist
- Leaf spring front suspension
- Rigid axle rear suspension

- Standard grade front shock absorbers
- Front and rear ventilated disc brakes
- Four channel ABS brakes
- · Rigid axle front suspension
- Tapered leaf front suspension
- · Leaf spring rear suspension



Price Level: 415

Selected Equip & Specs (cont'd)

- Hydraulic power-assist steering system
- · 2-wheel steering system

Body Exterior

- Side assist steps
- Clearcoat paint
- Black side window trim
- Black door handles
- 2 front tow hooks
- Black grille
- Black door mirrors
- Convex spotter in driver and passenger side door mirrors
- Conventional right rear passenger door
- White front wheels
- White rear wheels
- Disc rear wheel

Convenience

- Manual door locks
- Manual first-row windows
- Driver foot rest
- Standard glove box
- 2 beverage holders
- Dashboard storage
- Steering column lever gearshift location
- Upfitter switches

Comfort

- Manual climate control
- Full headliner coverage
- Full floor coverage
- Carpet rear seatback upholstery
- Manual telescopic steering wheel

Seats and Trim

- Seating capacity: 5
- Folding driver seat back
- 4 driver seats way-direction
- Bucket passenger seat
- Low passenger seat back

- · Re-circulating ball steering
- 4 doors
- Monotone paint
- · Black windshield trim
- · Black front bumper
- Straight front bumper ends
- Hood mounted grille
- Trailer style side mirrors
- Conventional left rear passenger door
- Metric measure truck 245/70R19.5 AS BSW front and rear tires
- · Steel front wheels
- · Steel rear wheels
- 19.5 x 6.75-inch front and dual rear wheels
- Cruise control with steering wheel mounted controls
- · Partial floor console
- Fixed rear windshield
- Front beverage holders
- Instrument panel bin
- Dual electric horn
- Trip computer
- · Cloth headliner material
- Full vinyl floor covering
- · Vinyl rear seat upholstery
- Manual tilting steering wheel
- · Urethane steering wheel
- Bucket driver seat
- · Low driver seat back
- Manual fore/aft
- Fixed passenger seat back
- 4 passenger seats way-direction



Price Level: 415

Selected Equip & Specs (cont'd)

- Manual fore/aft
- Front passenger seat armrest
- Split-bench rear seat

Entertainment Features

- AM/FM stereo radio
- Auxiliary input jack
- Speakers number: 2
- Steering wheel mounted audio controls
- Fixed audio antenna

- · Driver seat armrest
- · Fixed rear seats
- Vinyl front seat upholstery
- · Seek scan
- External memory control
- Standard grade speakers
- · Wireless audio streaming

Lighting, Visibility and Instrumentation

- Analog instrumentation display
- In-radio display clock
- Oil pressure gauge
- Oil temperature gauge
- Engine hour meter
- Light tinted windows
- Halogen headlights
- Multiple enclosed headlights
- DRL preference setting
- Speed sensitive wipers
- Variable instrument panel light
- Cab clearance lights

- Trip odometer
- Tachometer
- Engine/electric motor temperature gauge
- · Transmission fluid temperature gauge
- Diesel exhaust fluid (def) gauge
- Aero-composite headlights
- · Auto on/off headlight control
- · Delay-off headlights
- Variable intermittent front windshield wipers
- Rear reading lights
- · Daytime running lights
- · Delay interior courtesy lights

Technology and Telematics

· Handsfree wireless device connectivity

Safety and Security

- Front height adjustable seatbelts
- Electronic stability control system

- 1 USB port
- Vehicle tracker

Dimensions

General Weights

Curb weight	9,889 lbs.
Front GAWR	8500 lbs.
GVWR	22000 lbs.

Rear curb weight 3,641 lbs. Rear GAWR 13500 lbs. GCWR 50000 lbs.

Trailering Weights

50,000 lbs. **GCWR**

Weights



Price Level: 415

Selected Equip & Specs (Max RBM (inlbs.) 917,600 ma	ax RBM (inlbs.)
Nominal RBM (inlbs.) 860,000 r (inlbs.)	nominal RBM		
Front Weights			
Front curb weight Spring rating front		Axle capacity front Tire/wheel capacity front	•
Rear Weights			
Axle capacity rear Tire/wheel capacity rear		Spring rating rear	15,500 lbs.
Exterior Measurements			
Vehicle body length Vehicle body height		Vehicle body width Wheelbase	
Front frame height loaded		Front brake diameter	
Front frame height unloaded		Rear brake diameter	
Rear frame height loaded		Rear frame height unloaded	
Turning radius (to bumper) Width - mirrors extended		Width - mirrors folded Front track	
Rear track		Driver distance from axle	
Turning radius (to curb)		Cab to axle	
Rear tire outside width		Axle to end of frame	
Frame section modulus		Frame yield strength (psi)	
Frame rail depth	9"	Frame rail width	
Frame rail thickness		Frame rail section	
Tapered end frame rail depth Front bumper to front axle		Tapered end frame rail width	3"
Headroom			
Headroom first-row	40.7"	Headroom second-row	40.8"
Legroom			
Leg room first-row	41.4"	Leg room second-row	42.1"
Shoulder Room			
Shoulder room first-row	68.0"	Shoulder room second-row	68.0"
Hip Room			
Hip room first-row	67.6"	Hip room second-row	67.6"
Powertrain			
Engine			
Engine 6.7L V-8 diesel die intercooled turbo, diesel, engine	•	Valves per cylinder	4



Price Level: 415

1.00 2010.1.10	
Selected Equip & Specs (cont'd)	
Engine cylinders V-8 Ignition Compression ignition system	Engine location Front mounted engine Engine mounting direction Longitudinal mounted
Engine block material Iron engine block	engine Cylinder head material Aluminum cylinder head
Engine Specs	
Displacement 6.7L	cc 405.9 cu.in.
Bore	Stroke 4.25"
Compression ratio 16.2	Governed RPM 3200 RPM
Engine Power	
Horsepower 270 HP@2400 RPM	Torque 700 lbft.@1500 RPM
Alternator	
Alternator amps 200A	Alternator type Heavy-duty alternator
Battery	
Battery type Dual lead acid battery Battery step Battery run down protection Battery run down protection	Battery rating 1500CCA Battery location Battery location forward right
Engine Extras	
Radiator Radiator	Fuel/water separator Heated fuel/water separator
Auxiliary power take-off Auxiliary power take-off	Engine retarder Engine retarder system
Transmission	
Transmission 10-speed automatic	Transmission electronic control Transmission electronic control
Speed limiter 75 mph speed limiter	Overdrive transmission Overdrive transmission
Lock-up transmission Lock-up transmission	First gear ratio 4.615
Second gear ratio 2.919	Third gear ratio 2.132
Fourth gear ratio 1.773	Fifth gear ratio 1.519
Sixth gear ratio 1.277	Reverse gear ratio 4.695
Seventh gear ratio 1	Eighth gear ratio 0.851
Ninth gear ratio 0.687 Stall ratio 1.97	Tenth gear ratio 0.632 Selectable mode transmission Selectable mode
Stall fatio 1.97	transmission
Transmission oil cooler Transmission oil cooler	PTO transmission provision PTO transmission provision
Drive Type	
Drive type Rear-wheel drive	
Drivetrain	
Axle speed Single axle speed	





2024 F-650 Diesel Crew Cab Base (W6E)

Price Level: 415

Selected Equip & Specs (cont'd)

Exl	ha	ust

Tailpipe Aluminized steel single exhaust Additional muffler type horizontal Additional muffler location right Additional tailpipe location right

Fuel

Fuel type diesel

Fuel Tank

Front left fuel tank shape rectangular Front left fuel tank capacity 65.01 US gallons

BEF capacity 8.00 gal.

Drive Feature

Traction control Low-speed ABS traction control Differential Standard rear differential

Fuel Economy and Emissions

Emissions

Emissions Federal emissions

Suspension and Handling

Suspension

Suspension Standard ride suspension Front shock absorbers Standard grade front shock absorbers

Driveability

Brakes

Brake type Hydraulic disc brakes Ventilated brakes Front and rear ventilated disc brakes

ABS brakes ABS brakes ABS brakes 4-wheel antilock (ABS) brakes

Brake Assistance

Hill start assist Hill start assist

Front Suspension

Suspension ride type front Rigid axle front Suspension type front Leaf spring front

suspension suspension

Front Spring

Regular front springs Springs Front Tapered leaf front suspension

Rear Spring

Springs rear Multi-leaf rear suspension Rear springs Regular grade rear springs

Rear Suspension

Prices and content availability as shown are subject to change and should be treated as estimates only. Actual base vehicle, package and option pricing may vary from this estimate because of special local pricing, availability or pricing adjustments not reflected in the dealer's computer system. See salesperson for the most current information.

6



Price Level: 415

Price Level: 415	
Selected Equip & Specs (cont'd) Suspension type rear suspension Leaf spring rear suspension	Suspension ride type rear Rigid axle rear suspension
Steering	
Steering Hydraulic power-assist steering system Steering type number of wheels 2-wheel steering system	Steering typeRe-circulating ball steering
·	
Exterior	
Front Wheels	
Front wheels diameter 19.5"	Front wheels width 6.8"
Rear Wheels	
Rear wheels diameter 19.5"	Rear wheels width 6.8"
Front And Rear Wheels	
Appearance none	
Front Tires	
Aspect 70 Sidewalls BSW Type metric measure truck tire Front wheel - RPM 628	Diameter19.5"TreadASWidth245mm
Rear Tires	
Aspect 70 Sidewalls BSW Type metric measure truck tire Rear wheel - RPM 621	Diameter19.5"TreadASWidth245mm
Body Exterior	
Exterior Features	
Number of doors 4 doors Front splash guards Front splash guards	Side steps Side assist steps
Frame	
Clean CA frame Clean CA frame	Tapered rear frame Tapered rear frame
Body	
Body panels Composite and galvanized steel body panels	
Mirrors	
Convex spotter Convex spotter in driver and passenger side door mirrors	



Price Level: 415

Selected Equip & Specs (cont'd)

Tires

Front tires LT load rating G Rear tires LT load rating G

Wheels

Front wheel type Disc front wheel

Number of front wheel studs 8 front wheel studs

Dual rear wheels Dual rear wheels

Number of rear wheel studs 8 rear wheel studs

Convenience

Door Locks

Door locks Manual door locks

Cruise Control

Cruise control with steering wheel mounted controls

Exterior Mirrors

Folding door mirrors Manual folding door mirrors

Front Side Windows

First-row windows Manual first-row windows

Floor Console

Floor console Partial floor console

Passenger Visor

Visor passenger mirror Passenger visor mirror

Power Outlets

12V power outlets 2 12V power outlets

Pedals

Driver foot rest Driver foot rest

Rear Windshield

Rear windshield Fixed rear windshield

Storage

Number of beverage holders 2 beverage holders
Glove box Standard glove box
Dashboard storage Dashboard storage

Windows Rear Side

Second-row windows Manual second-row

windows

Miscellaneous

Beverage holders Front beverage holders Instrument panel storage Instrument panel bin



Price Level: 415	
1100 2000. 410	
Selected Equip & Specs (cont'd) Trip computer Trip computer	Gearshift location Steering column lever gearshift location
Upfitter switches Upfitter switches	Horn Dual electric horn
Comfort	
Climate Control Climate control Manual climate control	
Headliner Headliner material Cloth headliner material	Headliner coverage Full headliner coverage
Floor Trim	_
Floor covering Full vinyl floor covering	Floor coverage Full floor coverage
Second-Row Seat Trim	
Rear seat upholstery Vinyl rear seat upholstery	Rear seatback upholstery Carpet rear seatback upholstery
Steering Wheel	
Steering wheel telescopic steering wheel Steering wheel tilt Manual tilting steering wheel	Steering wheel material Urethane steering wheel
Seats and Trim	
Seat Capacity	
Seating capacity 5	
Front Seats	
Front seat type Bucket driver seat Driver seat back Folding driver seat back Driver seats way-direction 4 driver seats way-direction	Front seat type Bucket passenger seat Driver seat back type Low driver seat back Driver seat fore/aft Manual fore/aft
Passenger seat backFixed passenger seat back	Passenger seat back type Low passenger seat back
Passenger seats way-direction 4 passenger seats way-direction	Passenger seat fore/aft Manual fore/aft
Armrests front driver Driver seat armrest	Armrests front passenger Front passenger seat armrest
Rear Seats	
Bench seats Split-bench rear seat Folding second-row seats 60-40 folding rear seats	Rear seats fixed or removable Fixed rear seats Rear seat direction Front facing rear seat

Prices and content availability as shown are subject to change and should be treated as estimates only. Actual base vehicle, package and option pricing may vary from this estimate because of special local pricing, availability or pricing adjustments not reflected in the dealer's computer system. See salesperson for the most current information.

Rear seat folding position Fold-up rear seat

cushion



Price Level: 415

Selected Equip & Specs (cont'd)

Front Seat Trim

Front seat upholstery Vinyl front seat upholstery

Front seatback upholstery Carpet front seatback upholstery

Gearshifter Material

Gearshifter material Urethane gear shifter

material

Entertainment Features

Radio Features

Aux input jack Auxiliary input jack Seek scan Seek scan External memory External memory control

Speakers

Speakers Standard grade speakers

Speakers number 2

Audio Features

Steering mounted audio control Steering wheel

mounted audio controls

Wireless streaming Wireless audio streaming

Lighting, Visibility and Instrumentation

Instrumentation

Trip odometer Trip odometer

Instrumentation display Analog instrumentation

display

Instrumentation Displays

Clock In-radio display clock

Instrumentation Gauges

Tachometer Tachometer Oil temperature gauge Oil temperature gauge

Oil pressure gauge Oil pressure gauge Transmission temperature gauge Transmission

fluid temperature gauge

Engine hour meter Engine hour meter

Engine/electric motor temperature

gauge Engine/electric motor temperature

gauge

DEF fluid gauge Diesel exhaust fluid (def)

gauge

Instrumentation Warnings

Oil pressure warning

Oil pressure warning Low brake fluid warning Low brake fluid warning Headlights on reminder Headlights on reminder Door ajar warning Door ajar warning

Low fuel warning Low fuel warning Battery charge warning Battery charge warning Key in vehicle warning Key in vehicle warning Service interval warning Service interval indicator



Price Level: 415

Selected Equip & Specs (cont'd)

Transmission fluid temperature

warning Transmission fluid temp warning

Glass

Tinted windows Light tinted windows

Headlights

Headlights Halogen headlights Auto headlights Auto on/off headlight control

Delay off headlights Delay-off headlights

Front Windshield

Wipers Variable intermittent front windshield

wipers

Interior Lighting

Variable panel light Variable instrument panel

light

Lights

Running lights Daytime running lights

Clearance lights Cab clearance lights

Technology and Telematics

Connectivity

Handsfree wireless device Handsfree.

connectivity

USB Ports

USB ports 1 USB port

Safety and Security

Seatbelts

Height adjustable seatbelts Front height

adjustable seatbelts

Security System

Vehicle tracker Vehicle tracker

Traction Control

Electronic stability control Electronic stability

control system

Low diesel exhaust fluid (DEF) warning Low diesel exhaust fluid (DEF) warning


Headlight type Aero-composite headlights Multiple headlights Multiple enclosed headlights DRL preference setting DRL preference setting

Speed sensitive wipers Speed sensitive wipers

Rear reading lights Rear reading lights

Interior courtesy lights Delay interior courtesy

lights





Randall Reed's Planet Ford 635 | 3601 S. Shiloh Rd. Garland Texas | 750414015




2024 F-650 Diesel Crew Cab Base (W6E)

Price Level: 415

Available C	Options			
Selected	Code	Description	MSRP	Invoice
General Info				
	ORDER1	Initial Order Date: 10/27/2022	N/C	N/C
Engines				
\checkmark	99C	6.7L Power Stroke V8 Turbo Diesel - 270 HP @ 2400 RPM	STD	STD
	_	Exhaust Brake and manual regen capabilit 00. Includes CARB clean idle label - may be removed	•	2 1500 rpm.
	99E	6.7L Power Stroke V8 Turbo Diesel - 300 HP @ 2500 RPM	\$1,995.00	\$1,761.00
		Exhaust Brake and manual regen capabilit		2 1500 rpm.
	99X	6.7L Power Stroke V8 Turbo Diesel - 330 HP @ 2600 RPM	\$3,495.00	\$3,084.00
	_	Exhaust Brake and manual regen capabilit		2 1500 rpm.
\checkmark	425	50-State Emissions	N/C	N/C
	41H	Engine Block Heater, Phillips, 120 Volt/750 Watt	\$155.00	\$137.00
	Includes removable	grille cover.		
	98R Allows Driver to Inh	Active Regen Control ibit Automatic Regen until Regen can be performed in	\$205.00 a Safe location.	\$181.00
	916	Speed Limit - 65mph	N/C	N/C
	917	Speed Limit - 70mph	N/C	N/C





Randall Reed's Planet Ford 635 | 3601 S. Shiloh Rd. Garland Texas | 750414015

2024 F-650 Diesel Crew Cab Base (W6E)

Price Level: 415

Available	Options (conf	t'd)		
Selected	Code	Description	MSRP	Invoice
	62G	Air Compressor, Bendix, 13.2 CFM Capacity - Includes Direct Reading Air Pressure Gauge	\$1,175.00	\$1,037.00
	For use as an Air	Source when Air Brakes are not selected.		
	94A	Engine Idle Shutdown Timer - 5 Minutes	\$25.00	\$23.00
	94B	Engine Idle Shutdown Timer - 10 Minutes	\$25.00	\$23.00
	94C	Engine Idle Shutdown Timer - 15 Minutes	\$25.00	\$23.00
	94D	Engine Idle Shutdown Timer - 20 Minutes	\$25.00	\$23.00
Transmission	าร			
\checkmark	44D	Ford TorqShift HD 10-Speed Automatic - Double Overdrive, with PTO Provision	STD	STD
	Includes tow/haul.			
Front Wheels	s & Tires			
\checkmark	645 (275MM BC) hub pilo	Wheels, Front 19.5x6.75 White Powder Coated Steel, 8-Hole ted, flanged nut, metric mount, 6.75 DC rims; with stee	STD el hubs.	STD
	648	Wheels, Front 19.5x6.75 Aluminum, 8-Hole Alcoa Clean Buff w/Dura-Bright Seal on Both Sides	\$470.00	\$414.00




11/01/2022


Randall Reed's Planet Ford 635 | 3601 S. Shiloh Rd. Garland Texas | 750414015

2024 F-650 Diesel Crew Cab Base (W6E)

Price Level: 415

Available O	• ` `	,		
Selected	Code	Description	MSRP	Invoice
	646	Wheels, Front 19.5x7.5 White Powder Coated Steel, 10-Hole	\$25.00	\$23.00
	(285.75MM BC)) hub piloted, flanged nut, metric mount, 7.50 DC rims; with st	eel hubs.	
	64D	Wheels, Front 19.5x7.5 Aluminum, 10-Hole Alcoa Bright Polished w/Dura-Bright Seal on Both Sides	\$630.00	\$556.00
\checkmark	Т9А	Tires, Front Two 245/70R19.5G Hankook AH35 (628 rev/mile)	STD	STD
	TGK	Tires, Front Two 245/70R19.5H Michelin AGILIS HDZ (619 rev/mile)	\$70.00	\$61.00
	T9F	Tires, Front Two 245/70R19.5H Hankook AH35 (628 rev/mile)	\$40.00	\$36.00
	Т9В	Tires, Front Two 265/70R19.5G Hankook AH35 (613 rev/mile)	\$75.00	\$67.00
Rear Wheels & 1	Γires			
\checkmark	665	Wheels, Rear 19.5x6.75 White Powder Coated Steel, 8-Hole	STD	STD
	(275MM BC) hu	ub piloted, flanged nut, metric mount, 6.75 DC rims; with steel	hubs.	
	668	Wheels, Rear 19.5x6.75 Aluminum, 8-Hole Alcoa Clean Buff w/Dura-Bright Seal on Both Sides - Outside Mount	\$705.00	\$622.00
	With white stee	I wheels inside mount.		






2024 F-650 Diesel Crew Cab Base (W6E)

Price Level: 415

Available (Options (co	ont'd)		
Selected	Code	Description	MSRP	Invoice
	66A	Wheels, Rear 19.5x6.75 DRW Aluminum, 8-Hole Alcoa Clean Buff w/Dura-Bright Seal on Both Sides - Outside Mount	\$940.00	\$830.00
	Inner wheel is alu	ıminum.		
	666	Wheels, Rear 19.5x7.5 White Powder Coated Steel, 10-Hole	\$50.00	\$44.00
	(285.75MM BC) I	nub piloted, flanged nut, metric mount, 7.50 DC rims; with	steel hubs.	
	66D	Wheels, Rear 19.5x7.5 Aluminum, 10-Hole Alcoa Bright Polished w/Dura-Bright Seal on Both Sides	\$725.00	\$640.00
	66B Inner wheel is alu	Wheels, Rear 19.5x7.5 DRW Aluminum, 10-Hole Alcoa Bright Polished w/Dura-Bright Seal on Both Sides uminum.	\$1,260.00	\$1,112.00
	60W	Wheel, Spare 19.5x6.75, White Powder Coated Steel, 8-Hole - Quantity (One only)	\$145.00	\$128.00
	60X	Wheel, Spare 19.5x7.5, White Powder Coated Steel, 10-Hole - Quantity (One only)	\$145.00	\$128.00
\vee	R9A Includes: - GVWR Limit: 25	Tires, Rear Four 245/70R19.5G Hankook AH35 (621 rev/mile)	STD	STD
	R9C	Tires, Rear Four 245/70R19.5G Hankook DH35 (632 rev/mile)	\$80.00	\$71.00



11/01/2022

2024 F-650 Diesel Crew Cab Base (W6E)

Price Level: 415

Available	Options (co	ont'd)		
Selected	Code		MSRP	Invoice
	R9B	Tires, Rear Four 265/70R19.5G Hankook AH35 (613 rev/mile)	\$150.00	\$132.00
	R9D	Tires, Rear Four 265/70R19.5G Hankook DH35 (614 rev/mile)	\$100.00	\$88.00
	R9F	Tires, Rear Four 245/70R19.5H Hankook AH35 (621 rev/mile)	\$80.00	\$71.00
	R9E	Tires, Rear Four 245/70R19.5H Hankook DH35 (632 rev/mile)	\$165.00	\$145.00
	RGK	Tires, Rear Four 245/70R19.5H Michelin AGILIS HDZ (619 rev/mile)	\$165.00	\$145.00
Brakes				
\checkmark	67H	Hydraulic Brake System - Bosch HydroMax w/Traction Control	STD	STD
	Full power with at mounted parking	utomatic adjustment, 4-channel ABS antilock brake systen brake, Orscheln lever control, right of driver and hand ope	n. Includes 12" x 3" (Bosch) i erated park brake lever.	DSSA type rear axle
	152	Trailer Connection Socket - 7- Way, Wired for Turn Signals Combined with Stop	\$100.00	\$88.00
	Mounted at rear of accommodation p	of frame, for combined trailer stop, tail, turn, marker light ci package with cab connections for mounting customer insta	rcuits. Includes electric traile Illed electric brake unit.	r brake
	154	Trailer Connection Socket - 7- Way, Wired for Turn Signals, Separate of Stop	\$100.00	\$88.00
	Mounted at rear of accommodation p	of frame, for separate trailer stop, tail, turn, marker light circ backage with cab connections for mounting customer insta	cuits. Includes electric trailer Illed electric brake unit.	brake



11/01/2022

Randall Reed's Planet Ford 635 | 3601 S. Shiloh Rd. Garland Texas | 750414015

2024 F-650 Diesel Crew Cab Base (W6E)

Price Level: 415

Selected	Options (co	Description	MSRP	Invoice
	67A	Air Brakes (4 WHEEL DRUM) -	\$2,530.00	\$2,233.00
	07 A	Straight Truck w/Traction	•	,
		_		
	Maritar O Plua wi	Control	doe 15" v 1" front broken de	ial direct reading air
	pressure gauges, yellow knob parki chambers mounte Rear brake size a during acceleratic Deletes hand ope Includes: - Air Dryer, Bendi Mounted left frai	th ABS, Bendix Anti-Lock Brake System, 4-channel. Inclubrake lines color coded nylon, Bendix 13.2 CFM capacity ing brake control valve, automatic slack adjusters front anded on front of rear axle, three drain valves and two air tand components dependent upon axle selection. Uses exion. Usage determined by the air brake package selected. Earated park brake lever. "A AD/IS w/Heater" "The ABS, Bendix Anti-Lock Brake lever and two air tanget and the tanget and t	v air compressor, instrument d rear, two rear spring parkir ks (Reference Body Builders sting ABS system to minimiz (Not recommended with Hi-I	panel mounted ng air brake I Book for location). te wheel slipping Rail Train Systems).
	compressor).			
	18A	Electronic Stability Control	Variable	Variable
		DELETE		
	Deletes the stand			
	62D	Air Dryer, Bendix AD/IS w/Heater	\$460.00	\$406.00
	Mounted left fram compressor).	e rail (for Hydraulic brake diesel applications that include	air suspension or stand alor	ne engine air
	98B	Final Upfit Center of Gravity -	N/C	N/C
		Low CG (38" to 48" FINAL		
		Center of Gravity)		
	must be selected upfit CG is known	g Electronic Stability Control Standard. When air brakes a by dealer when ordering. If the final CG is not known, use a, and the unit requires ESC for other features (such as Di when ordering air brake during the specing process. Call	e the ESC delete (18A) featu river Assist Technology) sele	re. Where the final ect the appropriate
	98C	Final Upfit Center of Gravity -	N/C	N/C
	300	Medium CG (48" to 58" FINAL		
		Center of Gravity)		
	With MY23 having	g Electronic Stability Control Standard. When air brakes a	re selected, the "final upfit c	enter of aravitv (CG
	must be selected upfit CG is known	by dealer when ordering. If the final CG is not known, use a, and the unit requires ESC for other features (such as Da when ordering air brake during the specing process. Call	e the ESC delete (18A) featuriver Assist Technology) sele	re. Where the final a ect the appropriate
	98E	Final Upfit Center of Gravity -	N/C	N/C
	JUL	High CG (58" to 68" FINAL		
		Center of Gravity)		
	With MY23 having	g Electronic Stability Control Standard. When air brakes a	re selected, the "final unfit o	enter of gravity (CG
	must be selected upfit CG is known	by dealer when ordering. If the final CG is not known, use n, and the unit requires ESC for other features (such as Di when ordering air brake during the specing process. Call	e the ESC delete (18A) featu river Assist Technology) sele	re. Where the final ect the appropriate




11/01/2022

Randall Reed's Planet Ford 635 | 3601 S. Shiloh Rd. Garland Texas | 750414015

2024 F-650 Diesel Crew Cab Base (W6E)

Price Level: 415

Available (Options (co	ont'd)		
Selected	Code	Description	MSRP	Invoice
	98F	Final Upfit Center of Gravity - Tanker High CG (58" to 68" FINAL Center of Gravity)	N/C	N/C
	must be selected upfit CG is known	g Electronic Stability Control Standard. When air brakes ai by dealer when ordering. If the final CG is not known, use n, and the unit requires ESC for other features (such as Dri when ordering air brake during the specing process. Call T	the ESC delete (18A) featur ver Assist Technology) sele	re. Where the final ct the appropriate
	98J	Final Upfit Center of Gravity -	N/C	N/C
		Tanker Medium CG (48" to 58" FINAL Center of Gravity)		
	must be selected upfit CG is known	g Electronic Stability Control Standard. When air brakes at by dealer when ordering. If the final CG is not known, use a, and the unit requires ESC for other features (such as Dri when ordering air brake during the specing process. Call T	the ESC delete (18A) featur ver Assist Technology) sele	re. Where the final ct the appropriate
	158	Trailer Air Brake Package	\$365.00	\$322.00
		to rear of frame, hand control valve and tractor protection	valve.	
	157	Trailer Connection Socket - 7-	\$100.00	\$88.00
		Way, Wired for Turn Signals,		
		Separate of Stop		
		of frame, for separate trailer stop, tail, turn, marker light circ ith separate stop/turn).	cuits (compatible with trailers	s that have amber or
	159	Trailer Connection Socket - 7- Way, Wired for Turn Signals	\$100.00	\$88.00
	Mounted at rear o	Combined with Stop of frame, for combined trailer stop, tail, turn (compatible with	h trailers that use combined	stop, tail, turn
Front Axle and	d Suspension			
\checkmark	43A	8,500 lb. Cap. Non-Driving - Dana D-850F	STD	STD
\checkmark	61B	Taper-Leaf Springs, Parabolic - 8,500 lb. Cap	STD	STD
	2-leaf, 62" x 3.15'	". Also includes, standard duty, dual, double acting shock a	absorbers.	
	15S	Front Stabilizer Bar	\$490.00	\$433.00



11/01/2022

2024 F-650 Diesel Crew Cab Base (W6E)

Price Level: 415

1 110e Level. 413				
	Options (co	•		
Selected	Code	Description	MSRP	Invoice
	60A	Lube, Front Axle, EmGard 50W, Synthetic Oil	\$50.00	\$44.00
	61C	Taper-Leaf Springs, Parabolic - 10,000 lb. Cap	\$125.00	\$111.00
	2-leaf, 62" x 3.15	". Also includes, standard duty, dual, double acting shock a	bsorbers.	
Rear Axle and	d Suspension			
$\overline{\checkmark}$	471	13,500 lb. Single-Speed	STD	STD
	***	with 190 wheel ends. NOTE: When specifying an axle ratio	, check performance guidel	ines for startability
	472	17,500 lb. Single-Speed - Dana S17-140	\$165.00	\$145.00
		with Gentech Quiet Gears and 190 wheel ends. NOTE: Wh rtability and gradeability.	en specifying an axle ratio,	check performance
	18P	Driveshaft Upgrade	N/A	N/A
	higher torque end	re line is optional. Heavy duty drive line components are rec gines or deep reduction low gear(s). The heavier SPL-140 of ore durability is required by the vocation or customer.	quired in more demanding a driveshaft is powertrain dep	pplications, such as endent and should
\checkmark	68K	Multi-Leaf Springs - 15,500 lb.	STD	STD
	10-leaf. Includes	Cap 2,000 lb auxiliary springs for load stabilization.		
	68M	Multi-Leaf Springs - 19,000 lb. Cap	\$110.00	\$97.00
	11-leaf. Includes	2,000 lb auxiliary springs for load stabilization.		
	961	Shock Absorbers, Rear - Double Acting	\$165.00	\$145.00
	607	Lube, Rear Axle, EmGard 75W- 90, Synthetic Oil	\$100.00	\$88.00
	X4A	4.10 Axle Ratio	N/C	N/C



11/01/2022

Randall Reed's Planet Ford 635 | 3601 S. Shiloh Rd. Garland Texas | 750414015

2024 F-650 Diesel Crew Cab Base (W6E)

Price Level: 415

Available (Options (co	nt'd)		
Selected	Code	Description	MSRP	Invoice
	PRNDM/RNDM	I determined by Rear Axle Ratio and Tire Size.		
	X4S	4.56 Axle Ratio	N/C	N/C
	PRNDM/RNDM	1 determined by Rear Axle Ratio and Tire Size.		
	X4G	4.88 Axle Ratio	N/C	N/C
	PRNDM/RNDM	I determined by Rear Axle Ratio and Tire Size.		
	X5B	5.29 Axle Ratio	N/C	N/C
	PRNDM/RNDM	1 determined by Rear Axle Ratio and Tire Size.		
	X5D	5.57 Axle Ratio	N/C	N/C
	PRNDM/RNDM	I determined by Rear Axle Ratio and Tire Size.		
Wheelbase				
\checkmark	194WB	194" Wheelbase/84" CA/63" AF/296" OAL	STD	STD
	218WB	218" Wheelbase/108" CA/75" AF/332" OAL	\$430.00	\$380.00
	254WB	254" Wheelbase/144" CA/96" AF/389" OAL	\$875.00	\$773.00
Frame				
\checkmark	537	Single Channel - 10.75 SM, 80,000 PSI	STD	STD
	860,000/520,000 i (165.1mm x 77.8n	RBM. 9.125" x 3.062" x 0.312" (231.8mm x 77.8mm x 8.0mm)	w/transition to 6.500" x	3.062" x 0.312"




11/01/2022


Randall Reed's Planet Ford 635 | 3601 S. Shiloh Rd. Garland Texas | 750414015

2024 F-650 Diesel Crew Cab Base (W6E)

Price Level: 415

Available	Options (co	ont'd)		
Selected	Code	Description	MSRP	Invoice
	765	Bumper, Front - Full Width, Chrome Plated Steel - (Included in (90E) Exterior Appearance Group)	\$490.00	\$433.00
	76X	Bumper, Front - Delete - Also Deletes Mounting Brackets	-\$135.00	-\$119.00
	76Y	Tow Hooks - Delete	-\$70.00	-\$61.00
	86C	Chrome Grille Surround - (Included in (90E) Exterior Appearance Group)	\$245.00	\$216.00
	86B	Grille, Fixed - Black/Gray	\$125.00	\$111.00
Exhaust				
\checkmark	91G	Under Cab, Right Side Outlet, Switchback-Style	STD	STD
	Single, horizonta	I muffler, right side, under cab, outside of frame rail with rea	ar discharge.	
	91B	Back of Cab, Right Side Outlet, Torpedo-Style	N/C	N/C
	Single, horizontal	I muffler/pipe, inline, right side exhaust with underbody exit,	in front of axle.	
	91D	Under Cab, Vertical Outlet, Right Side, Switchback-Style - Intrudes 2" into clean CA	\$715.00	\$631.00
	WARNING! Th	ne selection of this Exhaust could reduce the av	ailable CA dimension.	
	Single, horizonta heat shield and to	I muffler, right side under cab outside of frame rail with vert urnout exit.	ical exhaust passenger side	rear corner with
Fuel Tanks				
\checkmark	65E	Fuel Tank - LH 65 Gallon Rectangular - Aluminum	STD	STD






2024 F-650 Diesel Crew Cab Base (W6E)

Price Level: 415

Available	Available Options (cont'd)					
Selected	Code	Description	MSRP	Invoice		
	65F	Fuel Tank - 115 Gallon Rectangular - Aluminum - LH 65-gal, RH 50-gal	\$915.00	\$807.00		
Electrical / Al	ternator / Battery					
\checkmark	STDALT	Extra Heavy Duty Alternator - 12-Volt, 200 Amp Denso SC5	STD	STD		
	17A	Extra Heavy Duty Alternator - 12-Volt, 240 Amps	\$410.00	\$362.00		
	17D	Dual Heavy Duty Alternators - 357 Amp Capacity - 200 & 157 amp Denso SC5/SC2	\$855.00	\$754.00		
	55M	Jump Start Stud - Remote Mounted	\$90.00	\$80.00		
\vee	STDBAT 12 Volt, Motorcraft.	Battery - Two 750 CCA, 1500 Total, Includes Steel Battery Box	STD	STD		
	63B 12Volt, Motorcraft.	Battery - Two 900 CCA, 1800 Total, Includes Steel Battery Box	\$60.00	\$53.00		
	63D 12 Volt, Motorcraft.	Battery - Three 900 CCA, 2700 Total, Includes Steel Battery Box	\$250.00	\$221.00		
	63Y	Battery - Temporary Mount for Truck Chassis	\$235.00	\$208.00		




11/01/2022

2024 F-650 Diesel Crew Cab Base (W6E)

Price Level: 415

		nt'd)	Options (co	Available
Invoice	MSRP	Description	Code	Selected
\$27.00	\$30.00	Roof Marker/Clearance Lights - Clear Lenses, 5 Lights (Replaces Standard Amber Lenses)	164	
N/C	N/C	Roof Marker/Clearance Lights - Delete lications that receive modified roof coverings.	16X For Airport or Appli	
\$119.00	\$135.00	Body Builder Wiring - At End of Frame, Combined - (ILO Standard - Back of Cab Combined)	59C	
		ditional pass through wires to cab.	Also includes 2 add	
\$61.00 mps. Also includes 2	\$70.00 parate right/stop, back up lar	Body Builder Wiring - At Back of Cab, Separate - (ILO Standard - Back of Cab Combined) connectors for 2 ground circuits, with separate left/stop, separate wires to cab.	59D Includes sealed co additional pass three	
\$119.00	\$135.00	Body Builder Wiring - At End of Frame, Separate - (ILO Standard - Back of Cab Combined) onnectors for 2 ground circuits, with separate left/stop, sep	59E	
		ough wires to cab.	additional pass thro	
\$97.00	\$110.00	Back-Up Alarm - Electric, 102 dBA	17M	
\$23.00	\$25.00	Daytime Running Lamps (Not Configurable)	962	
\$282.00	\$320.00	Upfitter Interface Module	86M	







Randall Reed's Planet Ford 635 | 3601 S. Shiloh Rd. Garland Texas | 750414015

2024 F-650 Diesel Crew Cab Base (W6E)

Price Level: 415

Available Selected	Options (co	ont'd) Description	MSRP	Invoice
	55X	Tail Light Delete n, tail and backup lights. Does not omit cable to end of fram	N/C	N/C
	16V Available in mess	Voltmeter sage center.	\$100.00	\$88.00
Seats				
\checkmark	88A	30/0/30 Fixed Driver & Fixed Passenger w/Consolette - Vinyl	STD	STD
	88B	30/0/30 Fixed Driver & Fixed Passenger w/Consolette - Cloth	\$125.00	\$111.00
	881	30/70 Fixed Driver & Fixed 2- Passenger Bench - Vinyl	\$350.00	\$309.00
	882	30/70 Fixed Driver & Fixed 2- Passenger Bench - Cloth	\$475.00	\$420.00
	88C	30/0/0 Fixed Driver only - Vinyl	-\$120.00	-\$106.00
	88D	30/0/0 Fixed Driver only - Cloth	N/C	N/C
	88R	30/0/30 Air Ride Driver (Integral Air Pump) & Fixed Passenger w/Consolette - Vinyl	\$440.00	\$389.00
	88S	30/0/30 Air Ride Driver (Integral Air Pump) & Fixed Passenger w/Consolette - Cloth	\$565.00	\$498.00
	88G	30/70 Air Ride Driver (External Air Source) & Fixed 2- Passenger Bench - Vinyl	\$395.00	\$349.00






2024 F-650 Diesel Crew Cab Base (W6E)

Price Level: 415

Available	Options (co	ont'd)		
Selected	Code	Description	MSRP	Invoice
	88H	30/70 Air Ride Driver (External Air Source) & Fixed 2- Passenger Bench - Cloth	\$520.00	\$459.00
	88J	30/0/30 Air Ride Driver (Integral Air Pump) & Air Ride Passenger (Integral Air Pump) w/Consolette - Vinyl	\$855.00	\$754.00
	88K	30/0/30 Air Ride Driver (Integral Air Pump) & Air Ride Passenger (Integral Air Pump) w/Consolette - Cloth	\$980.00	\$865.00
	88L	30/70 Air Ride Driver (Integral Air Pump) & Fixed 2-Passenger Bench - Vinyl	\$440.00	\$389.00
	88M	30/70 Air Ride Driver (Integral Air Pump) & Fixed 2-Passenger Bench - Cloth	\$565.00	\$498.00
	88T	30/0/0 Air Ride Driver Only (External Air Source) - Vinyl	\$275.00	\$243.00
	88U	30/0/0 Air Ride Driver Only (External Air Source) - Cloth	\$400.00	\$353.00
	88N	30/0/30 Air Ride Driver (External Air Source) & Fixed Passenger w/Consolette - Vinyl	\$395.00	\$349.00
	88P	30/0/30 Air Ride Driver (External Air Source) & Fixed Passenger w/Consolette - Cloth	\$520.00	\$459.00





2024 F-650 Diesel Crew Cab Base (W6E)

Price Level: 415

30/0/30 Air Ride Driver (External Air Source) & Air Ride	\$810.00	\$715.00
Passenger (External Air Source) w/Consolette - Vinyl		
30/0/30 Air Ride Driver (External Air Source) & Air Ride Passenger (External Air Source) w/Consolette - Cloth	\$935.00	\$825.00
30/0/0 Air Ride Driver Only (Integral Air Pump) - Vinyl	\$315.00	\$278.00
30/0/0 Air Ride Driver Only (Integral Air Pump) - Cloth	\$440.00	\$389.00
40/20/40 Fixed Driver & Fixed Passenger w/Unique 20% Fold- Down Console - Vinyl	\$420.00	\$370.00
40/20/40 Fixed Driver & Fixed Passenger w/Unique 20% Fold- Down Console - Cloth	\$545.00	\$481.00
60/40 Rear Bench Seat w/Flip- Up Cushion and Fold-Down Back	STD	STD
	-\$120.00	-\$106.00
	30/0/30 Air Ride Driver (External Air Source) & Air Ride Passenger (External Air Source) w/Consolette - Cloth 30/0/0 Air Ride Driver Only (Integral Air Pump) - Vinyl 30/0/0 Air Ride Driver Only (Integral Air Pump) - Cloth 40/20/40 Fixed Driver & Fixed Passenger w/Unique 20% Fold- Down Console - Vinyl 40/20/40 Fixed Driver & Fixed Passenger w/Unique 20% Fold- Down Console - Cloth 60/40 Rear Bench Seat w/Flip- Up Cushion and Fold-Down	30/0/30 Air Ride Driver (External Air Source) & Air Ride Passenger (External Air Source) w/Consolette - Cloth 30/0/0 Air Ride Driver Only (Integral Air Pump) - Vinyl 30/0/0 Air Ride Driver Only (Integral Air Pump) - Cloth 40/20/40 Fixed Driver & Fixed Passenger w/Unique 20% Fold- Down Console - Vinyl 40/20/40 Fixed Driver & Fixed Passenger w/Unique 20% Fold- Down Console - Cloth 60/40 Rear Bench Seat w/Flip- Up Cushion and Fold-Down Back Il match selected driver seat material.



11/01/2022

Randall Reed's Planet Ford 635 | 3601 S. Shiloh Rd. Garland Texas | 750414015

2024 F-650 Diesel Crew Cab Base (W6E)

Price Level: 415

Available Options (cont'd)

Selected Code Description MSRP Invoice

Includes:

- Bumper, Front Black, Full Width
- Wheel Seals, Front Oil lubricated, SKF ScotSeal PlusXL Seals
- Wheel Seals, Rear Oil lubricated, SKF ScotSeal PlusXL Seals
- Manual Regen Initiation Driver Interface in Message Center
- Engine Exhaust Brake
- Extra Heavy Duty Alternator 12-Volt, 200 Amp Denso SC5
- Painted Grille Plastic
- Lights Roof Marker/Clearance Amber Lenses, 5 Lights
- Tow Hooks, Front (2) Frame-Mounted, Painted Black
- Four Body Builder Switches Mounted in Center Instrument Panel

With connector access located in engine compartment. Amperages vary by switch: 10, 15, 25, 25.

- Floor Covering Black Vinyl
- Intelligent Oil Life Monitor
- Steering Column Tilt / Telescoping
- Steering Wheel Black PVC w/Integral Cruise Control Switches, includes Audio Controls
- Body Builder Wiring At Back of Cab, Combined

Includes sealed connectors for 2 ground circuits, with combined left/stop, combined right/stop, park lamps, back up lamps. Also includes 2 additional pass through wires to cab.

J 87H

Driver Assist Technology Package. Hydraulic Brake \$1,410.00 \$1,244.00

Includes Autonomous Emergency Braking, Forward Collision Warning, Lane Departure Warning and Auto High Beam Control.

Includes

- Enhanced Cluster w/High-Level 8-Inch Display

Electronic speedometer (MPH/KPH), includes oil pressure, coolant temperature, DEF gauge, fuel gauge, tachometer, and indicator lights. Also included is enhanced 3-button Message Center with odometer, trip odometer, distance to empty for fuel, average fuel economy, hour meter and warning messages. Transmission temperature in message center.

_J 87A

Driver Assist Technology Package (w/Bendix Wingman Advanced). Air Brake

Includes Autonomous Emergency Braking, Forward Collision Warning, Lane Departure Warning, Adaptive Cruise Control

and Auto High Beam Control. Includes:

90A

- Enhanced Cluster w/High-Level 8-Inch Display

Electronic speedometer (MPH/KPH), includes oil pressure, coolant temperature, DEF gauge, fuel gauge, tachometer, and indicator lights. Also included is enhanced 3-button Message Center with odometer, trip odometer, distance to empty for fuel, average fuel economy, hour meter and warning messages. Transmission temperature in message center.

____ 61M

Rear View Camera w/Mirror Display

Appearance Group

\$510.00

\$3,050.00

\$450.00

\$2,692.00


Rear view mirror video with full length display included in kit. To be installed by Upfitter.

\$830.00

\$733.00

Includes front-mounted overhead console with dual sunglass bins and integral front map reading lights. Includes:

- Chrome Trimmed Air Registers w/Positive Shut-Off
- 60/40 Rear Bench Seat w/Flip-Up Cushion and Fold-Down Back Trim will match selected driver seat material.



11/01/2022

2024 F-650 Diesel Crew Cab Base (W6E)

Price Level: 415

Available	Options (co	ont'd)		
Selected	Code	Description	MSRP	Invoice
		nt Group - (Included in (90A) Appearance Group) front side windows, power rear side windows, power door l	ocks and door trim panel.	
	17W	Wi-Fi 4G LTE Hotspot Delete	-\$20.00	-\$17.00
	92J	Enhanced Cluster w/High-Level 8-Inch Display	\$235.00	\$208.00
	indicator lights. A	ometer (MPH/KPH), includes oil pressure, coolant temperai lso included is enhanced 3-button Message Center with od economy, hour meter and warning messages. Transmission	ometer, trip odometer, dista	ance to empty for
	90P	Power Equipment Group - (Included in (90A) Appearance Group)	\$470.00	\$414.00
	Includes power fr	ont side windows, power rear side windows, power door lo	cks and door trim panel.	
	57N Includes fresh air	Air Conditioning Delete heater and defroster only.	-\$100.00	-\$88.00
	86H	Rapid-Heat Supplemental Cab Heater	\$610.00	\$538.00
	Required with Hampshire, Ne	Alaska, Colorado, Idaho, Iowa, Maine, Michigar w York, North Dakota, South Dakota, Vermont	n, Minnesota, Montana , Wisconsin, Wyoming	a, New J.
	96C	Pull Out Cup Holder For Two Cups - Instrument Panel Mounted	\$30.00	\$27.00
	55P	110 A/C Outlet - in Lower Center Finish Panel	\$100.00	\$88.00
	214	4 Speaker Option for 588 Radio	\$30.00	\$27.00
	58P Deletes radio and cover and dash-n	Radio Prep Package I dash-mounted aux input jack. Includes radio/speaker wirir nounted aux audio input jack instrument panel cover.	N/C ng, 2 speakers, antenna, rad	N/C dio instrument panel
	58B	Radio Delete Package	-\$60.00	-\$53.00



11/01/2022

Randall Reed's Planet Ford 635 | 3601 S. Shiloh Rd. Garland Texas | 750414015

2024 F-650 Diesel Crew Cab Base (W6E)

Price Level: 415

Selected	Code	Description	MSRP	Invoice
		eakers, antenna and antenna cable. Includes radio instrumo s for future radio upfit if owner desires.	ent panel cover and aux au	dio jack cover and
\checkmark	588	Radio: AM/FM Stereo w/2 Speakers, USB input, Clock Display and Bluetooth	STD	STD
	85B	Keyed Alike - Not Available with Anti-Theft System, Requires Multiple-Unit Order	\$45.00	\$40.00
	85L	Keyed Alike - Option 1 - Not Available with Anti-Theft System, Requires Multiple-Unit Order	\$45.00	\$40.00
	85M	Keyed Alike - Option 2 - Not Available with Anti-Theft System, Requires Multiple-Unit Order	\$45.00	\$40.00
	85N	Keyed Alike - Option 3 - Not Available with Anti-Theft System, Requires Multiple-Unit Order	\$45.00	\$40.00
	85P	Keyed Alike - Option 4 - Not Available with Anti-Theft System, Requires Multiple-Unit Order	\$45.00	\$40.00
	programmed to the	SecuriLock Passive Anti-Theft System Passive Anti-Theft System is designed to help prevent the ender the vehicle, is used. It helps protect against drive-away theft led ignition key features billions of possible codes to start the start systems.	through an electronically co	oded ignition key, its
	90M	Interior Rear View Mirror	\$75.00	\$67.00




11/01/2022

Randall Reed's Planet Ford 635 | 3601 S. Shiloh Rd. Garland Texas | 750414015

2024 F-650 Diesel Crew Cab Base (W6E)

Price Level: 415

Available	Options (co	ont'd)		
Selected	Code	Description	MSRP	Invoice
Cab Exterior				
	- Chromed Fende	Exterior Appearance Group Full Width, Chrome Plated Steel - (Included in (90E) Exterior Badge Surround - (Included in (90E) Exterior Appearance Group)	\$730.00 rior Appearance Group)	\$645.00
	85K	Remote Keyless Entry w/2 Key Fobs	\$195.00	\$172.00
	94T	Tamper-Proof Odometer	\$30.00	\$27.00
	59A Air solenoid opera	Horn, Air - Black, Single Trumpet ated, chassis mounted on rail back of bumper.	\$90.00	\$80.00
\vee	54H Integral spot mirro	Mirrors, Dual - Rectangular, XL2020 - 96" Width or, sail type, manual fold, solid black finish.	STD	STD
	54M Integral spot mirro	Mirrors, Dual - Heated Rectangular, XL2020 - 96" Width or, sail type, manual fold, solid black finish.	\$85.00	\$75.00
	54P Integral spot mirro	Mirrors, Dual - Heated & Motorized Rectangular, XL2020 - 96" Width or, sail type, solid black finish.	\$245.00	\$216.00
	54B	Mirrors, Dual - Rectangular, XL2020 - 96" Width w/Chrome Cap	\$60.00	\$53.00
	Integral spot mirro	or, sail type, manual fold.		



11/01/2022

2024 F-650 Diesel Crew Cab Base (W6E)

Price Level: 415

Available	Options (co	ont'd)		
Selected	Code	Description	MSRP	Invoice
	54N	Mirrors, Dual - Heated Rectangular, XL2020 - 96" Width w/Chrome Cap	\$120.00	\$106.00
	Integral spot mirro	or, sail type, manual fold.		
	54A	Mirrors, Dual - Heated & Motorized Rectangular, XL2020 - 96" Width w/Chrome Cap	\$305.00	\$269.00
	Integral spot mirro	or, sail type.		
	54J	Mirrors, Dual - Rectangular, XL2020 - 102" Width	\$30.00	\$27.00
	Integral spot mirro	or, sail type, manual fold, solid black finish.		
	54C	Mirrors, Dual - Heated Rectangular, XL2020 - 102" Width	\$90.00	\$80.00
	Integral spot mirro	or, sail type, manual fold, solid black finish.		
	54R	Mirrors, Dual - Heated & Motorized Rectangular, XL2020 - 102" Width	\$275.00	\$243.00
	Integral spot mirro	or, sail type, solid black finish.		
	54D	Mirrors, Dual - Rectangular, XL2020 - 102" Width w/Chrome Cap	\$90.00	\$80.00
	Integral spot mirro	or, sail type, manual fold.		
	54E	Mirrors, Dual - Heated Rectangular, XL2020 - 102" Width w/Chrome Cap	\$150.00	\$132.00
	Integral spot mirro	or, sail type, manual fold.		
	54K	Mirrors, Dual - Heated & Motorized Rectangular, XL2020 - 102" Width w/Chrome Cap	\$335.00	\$296.00
	Integral spot mirro	or, sail type.		



11/01/2022

Randall Reed's Planet Ford 635 | 3601 S. Shiloh Rd. Garland Texas | 750414015

2024 F-650 Diesel Crew Cab Base (W6E)

Price Level: 415

Available	Options (co	ont'd)		
Selected	Code	Description	MSRP	Invoice
	54F	Mirrors, Trailer Tow, Powered - Sail Mount - w/Power Telescoping & Power Folding	\$365.00	\$322.00
	Includes power he mounted.	eated glass, heated convex spotter and integrated clearand	ce lights/turn signals. Heat conti	ols dash
	63F	Aux Spot Mirrors - Front Fender Mounted - (2) Driver Side and Passenger Side	\$225.00	\$199.00
	63G	Aux Spot Mirror - Front Fender Mounted - (1) Passenger Side Only	\$120.00	\$106.00
	165	Mud Flap Holder Without Flaps	\$95.00	\$84.00
Ship-Thru				
	21A	Pre-Delivery Inspection	N/C	N/C
	Selection requi performed. Red	res that you also choose either (314) or (31F) o quired with any final Ship-To that is not a deale	or (31V) to have the Inspe r.	ection
	314	Ship-Thru - Manning	\$0.00	\$10.00
		ed w/o adding (21A). For MODIFICATIONS ON directly with Manning (please use CVT Resourc		
	31F	Ship-Thru - NFS National Fleet Services	N/C	N/C
	MAY be selected arrangements of	ed w/o adding (21A). For MODIFICATIONS ON directly with NFS (please use CVT Resources t	ILY, Dealer must make for add. Info).	
Miscellaneou	S			
\checkmark	PAINT	Paint Type - Environmentally Friendly, "3 - Wet System"	STD	STD



11/01/2022

Randall Reed's Planet Ford 635 | 3601 S. Shiloh Rd. Garland Texas | 750414015

2024 F-650 Diesel Crew Cab Base (W6E)

Price Level: 415

Invoice	MSRP	Description	Code	Selected
N/C	N/C	COV Required	79V	
ronically - CA	se states that file elec	rtificate of Origin for a Vehicle (COV) for tho	Send a paper Ce or MI.	
\$600.00	\$0.00	Raw Material Surcharge	L23	\checkmark
				Teet Options
\$1,134.00	\$1,285.00	Ambulance Prep Pkg w/Special Emissions	19A	
REQUIRES valid FIN code.				
ecial emissions only n addition, Ford I and the Ford Truck ance Package with Ford warranty. IOTE 2: Engine OTE 3: Allows efinition of an	ducing ambulances with sp gency Vehicle Emissions. I Incomplete Vehicle Manua cle without the Ford Ambul special emissions voids the se engine control module. I tionary PTO operation. NO NOTE 4: Must meet the d the Federal Register. NOT in California.	Il Emergency Vehicle Emissions. Incomplete vehicle par I stage manufacturer. Ford vehicles are suitable for proford Ambulance Prep Package with EPA Special Emeron and Emeron and Pertinent Supplements). Using a Ford vehicle Emissions to produce an ambulance with Elevated Idle Control (SEIC) has been integrated into tilly reduces the possibility of depower mode when in start are good of the possibility of the filter full, instead of 100% an Ambulance or Fire Truck per 40 CFR 86.1803.01 in a for the sale of Federally certified emergency vehicles atternators - 357 Amp Capacity - 200 & 157 amp Denso CCA, 2700 Total, Includes Steel Battery Box	certification by a final if equipped with the urges ambulance m Body Builders Layo. EPA Special Emerg NOTE 1: Stationary calibration significat operator commande Emergency Vehicle, of Regulations allow Includes: - Dual Heavy Duty A	
\$1,134.00	\$1,285.00	Fire/Rescue Prep Pkg w/EPA	19F	
		Special Emissions	DEOLUDEO - II	
REQUIRES valid FIN code. Includes EPA Special Emergency Vehicle Emissions. Incomplete vehicle package - requires further manufacture and certification by a final stage manufacturer. Ford urges Fire/Rescue Vehicle manufacturers to follow the recommendations of the Ford Incomplete Vehicle Manual and the Ford Truck Body Builders Layout Book (and pertinent supplements). NOTE 1: Stationary Elevated Idle Control (SEIC) has been integrated into the engine control module. NOTE 2: Engine calibration significantly reduces the possibility of depower mode when in stationary PTO operation. NOTE 3: Operator commanded regen down to 30% of DPF filter full, instead of 100%. NOTE 4: Must meet the definition of an Emergency Vehicle, an Ambulance or Fire Truck per 40 CFR 86.1803.01 in the Federal Register. NOTE 5: California Code of Regulations allows for the sale of Federally certified emergency vehicles in California. Includes: - Dual Heavy Duty Alternators - 357 Amp Capacity - 200 & 157 amp Denso SC5/SC2 - Battery - Three 900 CCA, 2700 Total, Includes Steel Battery Box 12 Volt, Motorcraft.				
	\$0.00	Net Invoice Fleet Option	B4A	
\$7.00	•			




11/01/2022

Randall Reed's Planet Ford 635 | 3601 S. Shiloh Rd. Garland Texas | 750414015

2024 F-650 Diesel Crew Cab Base (W6E)

Price Level: 415

Available C	Options (co	ont'd)		
Selected	Code	Description	MSRP	Invoice
	56B	Commercial Repurchase	N/C	N/C
	56F	FRCS Long Term	N/C	N/C
	56K	Long Term Fleet Incentive	\$0.00	-\$2,750.00
	56M	National Fleet Incentive	\$0.00	-\$2,750.00
	56Y	DDR Program	N/C	N/C
	55D	Driver Assistance - FLEET SETTINGS	\$35.00	\$31.00
	Requires Valid	d Code.		
	assist - alert sen	re locked and cannot be changed by driver or fleet administ sitivity set to NORMAL, distance indication is set to ON, act bing set to ON, sensitivity set to NORMAL, auto lamp delay et to ON.	tive braking set to ON. pre (collision warning set
	87S	Fleet Safety Kit	N/A	N/A
	Late availabili			
	Includes 5 lb fire not installed at p	extinguisher class A, B and C with mounting brackets, triar lant).	ngle reflector and vehicle fu	se kit (shipped loose
VSO Options				
	SP101	VSO - Monotone Special Paint (Minimum Quantity 3)	N/A	N/A
	SPF	VSO - Special Paint Formulation (Minimum Quantity 3)	N/A	N/A



Prepared by: Admir Sarac 11/01/2022

2024 F-650 Diesel Crew Cab Base (W6E)

Price Level: 415

Major Equipment		As Configured Vehicle MSRP
(Based on selected options, shown at right)	Exterior: Oxford White	STANDARD VEHICLE PRICE \$81,440.00
10-speed automatic	Interior: Gray	Preferred Equipment Package 600A N/C
* Side assist steps	* White front wheels	6.7L Power Stroke V8 Turbo Diesel - 270 HP @ 2400 RPM STD
* White rear wheels	* Steel rear wheels	50-State Emissions N/C
* Disc rear wheel	* 19.5 x 6.75-inch front and dual rear wheels	
* Front tires LT load rating: G	 Metric measure truck 245/70R19.5 AS BSW front and rear tires 	Ford TorqShift HD 10-Speed Automatic - Double Overdrive, with PTO Provision
* Overdrive transmission	* Lock-up transmission	Wheels, Front 19.5x6.75 White Powder Coated Steel, 8-
* Transmission electronic control	* PTO transmission provision	Hole STD
* Alternator Amps: 200A	* Aluminized steel single exhaust	Tires, Front Two 245/70R19.5G Hankook AH35 (628
* Low-speed ABS traction control	* Battery rating: 1500CCA	rev/mile) STD
* Dual lead acid battery	* Battery run down protection	Wheels, Rear 19.5x6.75 White Powder Coated Steel, 8-
* Heated fuel/water separator	* Auxiliary power take-off	Hole STD
* Engine retarder system	 Steering wheel mounted audio controls 	Tires, Rear Four 245/70R19.5G Hankook AH35 (621
* Wireless audio streaming	* AM/FM stereo radio	rev/mile) STD
* Seek scan	* Auxiliary input jack	Hydraulic Brake System - Bosch HydroMax w/Traction
* External memory control	Vehicle body length: 296"	Control STD
* Wheelbase: 194"	* Cab to axle: 84"	8,500 lb. Cap. Non-Driving - Dana D-850F STD
* Axle to end of frame: 63"	* Axle capacity rear: 13,500 lbs.	Taper-Leaf Springs, Parabolic - 8,500 lb. Cap STD
* Tire/wheel capacity rear: 17,200 lbs.	* Axle capacity front: 8,500 lbs.	13,500 lb. Single-Speed STD
* Spring rating front: 8,500 lbs.	* Standard ride suspension	
* Dual electric horn	* Trip computer	Multi-Leaf Springs - 15,500 lb. Cap STD
* Manual folding door mirrors	* DRL preference setting	194" Wheelbase/84" CA/63" AF/296" OAL STD



Prepared by: Admir Sarac 11/01/2022

2024 F-650 Diesel Crew Cab Base (W6E)

Price Level: 415

Major Equipment	t
-----------------	---

- * Daytime running lights
- * Variable intermittent front windshield wipers
- * Electronic stability control system
- * Fixed rear seats
- Split-bench rear seat
- * Fold-up rear seat cushion
- * Folding driver seat back
- * 4 driver seats way-direction
- * Bucket passenger seat
- * Low passenger seat back
- * Manual fore/aft
- * Front passenger seat armrest
- * Carpet front seatback upholstery
- * 4-wheel antilock (ABS) brakes

- * Light tinted windows
- * Speed sensitive wipers
- * Manual climate control
- * 60-40 folding rear seats
- * Front facing rear seat
- * Bucket driver seat
- * Low driver seat back
- * Manual fore/aft
- * Fixed passenger seat back
- * 4 passenger seats way-direction
- * Driver seat armrest
- * Vinyl front seat upholstery
- * Hydraulic disc brakes
- * Hill start assist


Fuel Economy







As Configured Vehicle MSRP
Single Channel - 10.75 SM, 80,000 PSI STD
Under Cab, Right Side Outlet, Switchback-Style STD
Fuel Tank - LH 65 Gallon Rectangular - Aluminum STD
14 Gal. Single Tank Fuel Fill. Mandatory Charge Applied, Based On Tank Selection \$0.00
Extra Heavy Duty Alternator - 12-Volt, 200 Amp Denso SC5 Included
Battery - Two 750 CCA, 1500 Total, Includes Steel Battery Box STD
30/0/30 Fixed Driver & Fixed Passenger w/Consolette - Vinyl STD
60/40 Rear Bench Seat w/Flip-Up Cushion and Fold-Down Back STD
Radio: AM/FM Stereo w/2 Speakers, USB input, Clock Display and Bluetooth STD
Mirrors, Dual - Rectangular, XL2020 - 96" Width STD
Paint Type - Environmentally Friendly, "3 - Wet System" STD
Raw Material Surcharge \$0.00
Bumper, Front - Black, Full Width Included
Wheel Seals, Front - Oil lubricated, SKF ScotSeal PlusXL Seals Included
Wheel Seals, Rear - Oil lubricated, SKF ScotSeal PlusXL Seals Included



Prepared by: Admir Sarac 11/01/2022

2024 F-650 Diesel Crew Cab Base (W6E)

Price Level: 415

As Configured Vehicle	MSRP
Manual Regen Initiation - Driver Interface in Me Center	
Engine Exhaust Brake	Included
Painted Grille - Plastic	Included
Lights - Roof Marker/Clearance - Amber Lense Lights	
Tow Hooks, Front (2) - Frame-Mounted, Painte Black	
Four Body Builder Switches - Mounted in Cent Panel	
Floor Covering - Black Vinyl	Included
Intelligent Oil Life Monitor	Included
Steering Column - Tilt / Telescoping	Included
Steering Wheel - Black PVC w/Integral Cruise Switches, includes Audio Controls	
Body Builder Wiring - At Back of Cab, Combine	ed Included
GVWR Limit: 25,600 lbs.	Included
Oxford White	N/C
Gray	N/C
SUBTOTAL	\$81,440.00



11/01/2022

Randall Reed's Planet Ford 635 | 3601 S. Shiloh Rd. Garland Texas | 750414015

2024 F-650 Diesel Crew Cab Base (W6E)

Price Level: 415

TOTAL	\$83,535.00
Destination Charge	\$2,095.00
As Configured Vehicle	MSRP