

Price Level: 415

# Selected Equip & Specs

#### **Dimensions**

GCWR: 50,000 lbs.

Vehicle body length: 260"

Vehicle body height: 88"

Front track: 84"

Turning radius (to curb): 22'

Rear tire outside width: 96"

Frame section modulus: 11 cu.in.

Frame rail depth: 9"

Frame rail thickness: 0"

Tapered end frame rail depth: 6"

Front bumper to front axle: 39"

Rear brake diameter: 15.0"

Leg room first-row: 41.4"

• Hip room first-row: 67.6"

Driver distance from axle: 54"

• Vehicle body width: 97"

• Wheelbase: 158"

Rear track: 73"

Cab to axle: 84"

• Axle to end of frame: 63"

• Frame yield strength (psi): 80000

• Frame rail width: 3"

• Frame rail section: 8"

• Tapered end frame rail width: 3"

• Front brake diameter: 15.0"

• Headroom first-row: 40.7"

• Shoulder room first-row: 68.0"

#### **Powertrain**

 6.7L V-8 diesel direct injection, intercooled turbo, diesel, engine with 270HP

Compression ignition system

Torque: 700 lb.-ft.@1500 RPM

Heated fuel/water separator

Engine retarder system

10-speed automatic

Recommended fuel: diesel

Standard rear differential

• Engine cylinders: V-8

Horsepower: 270 HP@2400 RPM

Radiator

Auxiliary power take-off

• 75 mph speed limiter

· Rear-wheel drive

Low-speed ABS traction control

#### **Fuel Economy and Emissions**

• Federal emissions

#### Suspension and Handling

• Standard ride suspension

#### **Driveability**

- · Hydraulic disc brakes
- 4-wheel antilock (ABS) brakes
- Hill start assist
- Leaf spring front suspension
- Rigid axle rear suspension
- Hydraulic power-assist steering system
- 2-wheel steering system

- Standard grade front shock absorbers
- · Front and rear ventilated disc brakes
- Four channel ABS brakes
- · Rigid axle front suspension
- Tapered leaf front suspension
- Leaf spring rear suspension
- Re-circulating ball steering



Price Level: 415

# Selected Equip & Specs (cont'd)

#### **Body Exterior**

- Side assist steps
- Clearcoat paint
- Black side window trim
- Black door handles
- 2 front tow hooks
- Black grille
- Black door mirrors
- Convex spotter in driver and passenger side door mirrors
- · White front wheels
- White rear wheels
- Disc rear wheel

#### Convenience

- Manual door locks
- Manual first-row windows
- Driver foot rest
- Standard glove box
- 2 beverage holders
- Dashboard storage
- Steering column lever gearshift location
- Upfitter switches
- Manual climate control
- Full headliner coverage
- Full floor coverage
- Manual telescopic steering wheel
- **Seats and Trim**

Comfort

- Seating capacity: 2
- Folding driver seat back
- 4 driver seats way-direction
- Bucket passenger seat
- Low passenger seat back
- Manual fore/aft
- Front passenger seat armrest

#### **Entertainment Features**

AM/FM stereo radio

- 2 doors
- Monotone paint
- Black windshield trim
- Black front bumper
- · Straight front bumper ends
- Hood mounted grille
- Trailer style side mirrors
- Metric measure truck 245/70R19.5 AS BSW front and rear tires
- · Steel front wheels
- · Steel rear wheels
- 19.5 x 6.75-inch front and dual rear wheels
- Cruise control with steering wheel mounted controls
- · Partial floor console
- Fixed rear windshield
- Front beverage holders
- Instrument panel bin
- Dual electric horn
- Trip computer
- · Cloth headliner material
- · Full vinyl floor covering
- · Manual tilting steering wheel
- · Urethane steering wheel
- · Bucket driver seat
- · Low driver seat back
- Manual fore/aft
- · Fixed passenger seat back
- 4 passenger seats way-direction
- · Driver seat armrest
- Vinyl front seat upholstery
- · Seek scan



Price Level: 415

# Selected Equip & Specs (cont'd)

- Auxiliary input jack
- Speakers number: 2
- Steering wheel mounted audio controls
- Fixed audio antenna

- External memory control
- · Standard grade speakers
- Wireless audio streaming

#### **Lighting, Visibility and Instrumentation**

- Analog instrumentation display
- In-radio display clock
- Oil pressure gauge
- Oil temperature gauge
- Engine hour meter
- Light tinted windows
- Halogen headlights
- Multiple enclosed headlights
- DRL preference setting
- Speed sensitive wipers
- Variable instrument panel light
- Cab clearance lights

- Trip odometer
- Tachometer
- Engine/electric motor temperature gauge
- Transmission fluid temperature gauge
- Diesel exhaust fluid (def) gauge
- · Aero-composite headlights
- · Auto on/off headlight control
- · Delay-off headlights
- · Variable intermittent front windshield wipers
- Front reading lights
- · Daytime running lights
- · Delay interior courtesy lights

#### Technology and Telematics

· Handsfree wireless device connectivity

• 1 USB port

#### Safety and Security

Vehicle tracker

· Electronic stability control system

#### **Dimensions**

#### General Weights

Curb weight	9,407 lbs.	Rear curb weight	3,538 lbs.
Front GAWR	8500 lbs.	Rear GAWR	13500 lbs.
GVWR	22000 lbs.	GCWR	50000 lbs.

### Trailering Weights

**GCWR** 50,000 lbs.

#### Weights

* Maximum GVWR	25,600 lbs.	Max RBM (inlbs.) 917,600 max RBM (inlbs.)
Nominal RBM (inlbs.) 860,0	000 nominal RBM	

#### Front Weights

(in.-lbs.)

Front curb weight	5,869 lbs.	Axle capacity front	8,500 lbs.
Spring rating front	8,500 lbs.	Tire/wheel capacity front	9,080 lbs.



Price Level: 415

# Selected Equip & Specs (cont'd)

Selected Equip & Specs	(cont'd)		
Rear Weights			
Axle capacity rear	13,500 lbs.	Spring rating rear	15,500 lbs.
Tire/wheel capacity rear			
Exterior Measurements			
Vehicle body length	260"	Vehicle body width	97"
Vehicle body height		Wheelbase	
Front frame height loaded		Front brake diameter	15.0"
Front frame height unloaded		Rear brake diameter	
Rear frame height loaded		Rear frame height unloaded	
Turning radius (to bumper)		Width - mirrors folded	
Width - mirrors extended		Front track	84"
Rear track		Driver distance from axle	
Turning radius (to curb)	22'	Cab to axle	84"
Rear tire outside width		Axle to end of frame	63"
Frame section modulus		Frame yield strength (psi)	
Frame rail depth		Frame rail width	
Frame rail thickness		Frame rail section	8"
Tapered end frame rail depth		Tapered end frame rail width	
Front bumper to front axle	39"		
Headroom			
Headroom first-row	40.7"		
Legroom			
Legroom	44 4"		
Leg room first-row	41.4		
Shoulder Room			
Shoulder room first-row	68.0"		
Hip Room			
Hip room first-row	67.6"		
Powertrain			
Engine			
Engine 6.7L V-8 diesel di	rect injection.	Valves per cylinder	4
intercooled turbo, diesel, engine	•	roman por cymrae	
Engine cylinders		Engine location Front mo	ounted engine
Ignition Compression ig		Engine mounting direction Longitud	•
· ·	-	engine	
Engine block material Iron	engine block	Cylinder head material Aluminum	cylinder head
Engine Specs			
5 1			

Prices and content availability as shown are subject to change and should be treated as estimates only. Actual base vehicle, package and option pricing may vary from this estimate because of special local pricing, availability or pricing adjustments not reflected in the dealer's computer system. See salesperson for the most current information.

6.7L

3.9"

Displacement


cc 405.9 cu.in.

Stroke 4.25"



Price Level: 415

1100 201011 110	
Selected Equip & Specs (cont'd) Compression ratio 16.2	Governed RPM 3200 RPM
Engine Power	
Horsepower 270 HP@2400 RPM	Torque 700 lbft.@1500 RPM
Alternator	
Alternator amps 200A	Alternator type Heavy-duty alternator
Battery	
Battery type Dual lead acid battery Battery step Battery run down protection Battery run down protection	Battery rating 1500CCA Battery location Battery location forward right
Engine Extras	
Radiator Radiator	Fuel/water separator Heated fuel/water separator
Auxiliary power take-off Auxiliary power take-off	Engine retarder Engine retarder system
Transmission	
Transmission 10-speed automatic	Transmission electronic control Transmission electronic control
Speed limiter Lock-up transmission Second gear ratio Fourth gear ratio Sixth gear ratio Lock-up transmission Second gear ratio Lock-up transmission 2.919 Fourth gear ratio L.277 Seventh gear ratio Ninth gear ratio Ninth gear ratio Lock-up transmission 1.277 0.687 0.687 0.687 0.687 0.687 0.687 0.687 0.687 0.687 0.687 0.687 0.687 0.687 0.687	Overdrive transmission First gear ratio Third gear ratio 2.132 Fifth gear ratio Reverse gear ratio Eighth gear ratio Tenth gear ratio Selectable mode transmission PTO transmission provision PTO transmission Overdrive transmission PVerdrive transmission 4.615 0.1519 0.851 0.851 0.632 0.632 0.632
	provision
Drive Type	
Drive type Rear-wheel drive	
Drivetrain	
Axle speed Single axle speed	
Exhaust	
Tailpipe Aluminized steel single exhaust Additional muffler location right Additional tailpipe location right	Additional muffler type horizontal Additional tailpipe type horizontal
Fuel	
Fuel type diesel	



2024 F-650 Diesel Regular Cab Base (F6E)

Price Level: 415

Selected Equip & Specs (cont'd)

Fuel Tank

Front left fuel tank shape rectangular DEF capacity 8.00 qal. Front left fuel tank capacity 50.01 US gallons

Drive Feature

Traction control Low-speed ABS traction control

Differential Standard rear differential

**Fuel Economy and Emissions** 

**Emissions** 

Emissions Federal emissions

Suspension and Handling

Suspension

Suspension Standard ride suspension

Front shock absorbers Standard grade front

shock absorbers

**Driveability** 

**Brakes** 

Brake type Hydraulic disc brakes

Ventilated brakes Front and rear ventilated disc

brakes

ABS brakes Four channel ABS brakes

ABS brakes 4-wheel antilock (ABS) brakes

Brake Assistance

Hill start assist Hill start assist

Front Suspension

Suspension ride type front Rigid axle front

suspension

Suspension type front Leaf spring front

suspension

Front Spring

Regular front springs Regular front springs

Springs front Tapered leaf front suspension

Rear Spring

Springs rear Multi-leaf rear suspension

Rear springs Regular grade rear springs

Rear Suspension

Suspension type rear Leaf spring rear

suspension

Suspension ride type rear Rigid axle rear

suspension

Steering

Steering Hydraulic power-assist steering

svstem

Steering type number of wheels 2-wheel steering

system

Steering type Re-circulating ball steering

Front Wheels



2024 F-650 Diesel Regular Cab Base (F6E)

Price Level: 415

# Selected Equip & Specs (cont'd)

#### **Exterior**

**Tires** 

Wheels

Front tires LT load rating G

Front wheel type Disc front wheel Number of front wheel studs 8 front wheel studs


Front wheels diameter 19.5"	Front wheels width 6.8"
Rear Wheels	
Rear wheels diameter 19.5"	Rear wheels width 6.8"
Front And Rear Wheels	
Appearance none	
Front Tires	
Aspect 70 Sidewalls BSW Type metric measure truck tire Front wheel - RPM 628	Diameter19.5"TreadASWidth245mm
Rear Tires	
Aspect 70 Sidewalls BSW Type metric measure truck tire Rear wheel - RPM 621	Diameter19.5"TreadASWidth245mm
Body Exterior	
Exterior Features	
Number of doors 2 doors Front splash guards Front splash guards	Side steps Side assist steps
Frame	
Clean CA frame Clean CA frame	Tapered rear frame Tapered rear frame
Body	
Body panels Composite and galvanized steel body panels	
Mirrors	
Convex spotter Convex spotter in driver and passenger side door mirrors	

Prices and content availability as shown are subject to change and should be treated as estimates only. Actual base vehicle, package and option pricing may vary from this estimate because of special local pricing, availability or pricing adjustments not reflected in the dealer's computer system. See salesperson for the most current information.

Rear tires LT load rating G

Dual rear wheels

Number of rear wheel studs 8 rear wheel studs



2024 F-650 Diesel Regular Cab Base (F6E)

Price Level: 415

# Selected Equip & Specs (cont'd)

#### Convenience

Door Locks

Door locks Manual door locks

Cruise Control

Cruise control with steering wheel mounted controls

**Exterior Mirrors** 

Folding door mirrors Manual folding door mirrors

Front Side Windows

First-row windows Manual first-row windows

Floor Console

Floor console Partial floor console

Passenger Visor

Visor passenger mirror Passenger visor mirror

Power Outlets

12V power outlets 2 12V power outlets

Pedals

Driver foot rest Driver foot rest

Rear Windshield

Rear windshield Fixed rear windshield

Storage

Number of beverage holders 2 beverage holders
Glove box Standard glove box
Dashboard storage Dashboard storage

Beverage holders Front beverage holders Instrument panel storage Instrument panel bin

Miscellaneous

Trip computer Trip computer Gearshift location Steering column lever

gearshift location

Upfitter switches Upfitter switches Horn Dual electric horn

Comfort

Climate Control

Climate control Manual climate control

Headliner

Headliner material Cloth headliner material Headliner coverage Full headliner coverage



Price Level: 415

OCICCICA EAGID & ODCGS (COITEA	Selected	Equip	& Specs	(cont'd
--------------------------------	----------	-------	---------	---------

Floor Trim

Floor covering Full vinyl floor covering Floor coverage Full floor coverage

Steering Wheel

Steering wheel telescopic Manual telescopic Steering wheel material Urethane steering wheel

steering wheel

Steering wheel tilt Manual tilting steering wheel

**Seats and Trim** 

Seat Capacity

Seating capacity 2

Front Seats

Front seat type Bucket driver seat Front seat type Bucket passenger seat Driver seat back type Low driver seat back Driver seat back Folding driver seat back

Driver seats way-direction 4 driver seats way-Driver seat fore/aft Manual fore/aft

direction

Passenger seat back type Low passenger seat Passenger seat back Fixed passenger seat back

back

Passenger seats way-direction 4 passenger seats

way-direction

Armrests front driver Driver seat armrest Armrests front passenger Front passenger seat

armrest

Passenger seat fore/aft Manual fore/aft

Front Seat Trim

Front seat upholstery. Vinyl front seat upholstery Front seatback upholstery. Carpet front seatback

upholstery

Gearshifter Material

Gearshifter material Urethane gear shifter

material

**Entertainment Features** 

Radio Features

Aux input jack Auxiliary input jack External memory External memory control

Seek scan Seek scan

Speakers

Speakers Standard grade speakers 2 Speakers number

Audio Features

Steering mounted audio control Steering wheel Wireless streaming Wireless audio streaming

mounted audio controls



Price Level: 415

# Selected Equip & Specs (cont'd)

#### Lighting, Visibility and Instrumentation

Instri	ımer	tation
1110110		itation

Trip odometer Instrumentation display Analog instrumentation display

#### Instrumentation Displays

Clock In-radio display clock

#### Instrumentation Gauges

Tachometer Oil pressure gauge Oil pressure gauge
Oil temperature gauge Oil temperature gauge Transmission fluid temperature gauge

Engine/electric motor temperature

gauge Engine/electric motor temperature gauge

DEF fluid gauge Diesel exhaust fluid (def)

gauge

#### Instrumentation Warnings

Oil pressure warning
Low brake fluid warning
Headlights on reminder
Door ajar warning
Door ajar warning
Transmission fluid temperature

Oil pressure warning
Low brake fluid warning
Headlights on reminder
Door ajar warning

warning Transmission fluid temp warning

Low fuel warning
Battery charge warning
Battery charge warning
Key in vehicle warning
Service interval warningService interval indicator
Low diesel exhaust fluid (DEF) warning
Low diesel
exhaust fluid (DEF) warning

Engine hour meter Engine hour meter

Glass

Tinted windows Light tinted windows

#### Headlights

Headlights Halogen headlights
Auto headlights Auto on/off headlight control
Delay off headlights Delay-off headlights

Headlight type Aero-composite headlights
Multiple headlights Multiple enclosed headlights
DRL preference setting DRL preference setting

#### Front Windshield

Wipers Variable intermittent front windshield wipers

Speed sensitive wipers Speed sensitive wipers

#### Interior Lighting

Variable panel light Variable instrument panel light


Front reading lights Front reading lights

Lights

Running lights Daytime running lights

Interior courtesy lights Delay interior courtesy

lights



11/01/2022

#### 2024 F-650 Diesel Regular Cab Base (F6E)

Price Level: 415

# Selected Equip & Specs (cont'd)

Clearance lights Cab clearance lights

#### **Technology and Telematics**

Connectivity

Handsfree wireless device Handsfree

connectivity

**USB Ports** 

USB ports 1 USB port

Safety and Security


Security System

Vehicle tracker Vehicle tracker

**Traction Control** 

Electronic stability control Electronic stability

control system






Randall Reed's Planet Ford 635 | 3601 S. Shiloh Rd. Garland Texas | 750414015



# 2024 F-650 Diesel Regular Cab Base (F6E)

Price Level: 415

Available (	Options			
Selected	Code	Description	MSRP	Invoice
General Info				
	ORDER1	Initial Order Date: 10/27/2022	N/C	N/C
Engines				
$\checkmark$	99C	6.7L Power Stroke V8 Turbo Diesel - 270 HP @ 2400 RPM	STD	STD
	_	Exhaust Brake and manual regen capability		2 1500 rpm.
	Governea RPIM: 32	200. Includes CARB clean idle label - may be removed	ir un-necessary.	
	99E	6.7L Power Stroke V8 Turbo Diesel - 300 HP @ 2500 RPM	\$1,995.00	\$1,761.00
	_	Exhaust Brake and manual regen capability 800. Includes CARB clean idle label - may be removed		2 1500 rpm.
	99X	6.7L Power Stroke V8 Turbo Diesel - 330 HP @ 2600 RPM	\$3,495.00	\$3,084.00
	Includes Engine	Exhaust Brake and manual regen capability	y. Torque: 750 ft.lbs. @	2 1500 rpm.
	Governed RPM: 34	100. Includes CARB clean idle label - may be removed	if un-necessary.	
	425	50-State Emissions	N/C	N/C
	41H	Engine Block Heater, Phillips, 120 Volt/750 Watt	\$155.00	\$137.00
	Includes removable	e grille cover.		
	98R Allows Driver to Inh	Active Regen Control  nibit Automatic Regen until Regen can be performed in	\$205.00	\$181.00
	Allows Driver to IIII	iibit Automatic Negeri until Negeri cari be performed iri	a Sale location.	
	916	Speed Limit - 65mph	N/C	N/C
	917	Speed Limit - 70mph	N/C	N/C







# 2024 F-650 Diesel Regular Cab Base (F6E)

Price Level: 415

Available	Options (cor	nt'd)		
Selected	Code	Description	MSRP	Invoice
	62G	Air Compressor, Bendix, 13.2 CFM Capacity - Includes Direct Reading Air Pressure Gauge	\$1,175.00	\$1,037.00
	For use as an A	ir Source when Air Brakes are not selected.		
	94A	Engine Idle Shutdown Timer - 5 Minutes	\$25.00	\$23.00
	94B	Engine Idle Shutdown Timer - 10 Minutes	\$25.00	\$23.00
	94C	Engine Idle Shutdown Timer - 15 Minutes	\$25.00	\$23.00
	94D	Engine Idle Shutdown Timer - 20 Minutes	\$25.00	\$23.00
Transmission	ns			
$\checkmark$	44D	Ford TorqShift HD 10-Speed Automatic - Double Overdrive, with PTO Provision	STD	STD
	Includes tow/haul.	warrierronden		
Front Wheels	s & Tires			
<b>✓</b>	645	Wheels, Front 19.5x6.75 White Powder Coated Steel, 8-Hole biloted, flanged nut, metric mount, 6.75 DC rims; with stee	STD	STD
	(2701/11/120) 11/14/14	motod, narged rat, metro means, c.re De rine, war dee		<b></b>
	648	Wheels, Front 19.5x6.75 Aluminum, 8-Hole Alcoa Clean Buff w/Dura-Bright Seal on Both Sides	\$470.00	\$414.00






Randall Reed's Planet Ford 635 | 3601 S. Shiloh Rd. Garland Texas | 750414015

# 2024 F-650 Diesel Regular Cab Base (F6E)

Price Level: 415

AVailable Selected	Options (co		MSRP	Invoice
Selected	646	Wheels, Front 19.5x7.5 White Powder Coated Steel, 10-Hole hub piloted, flanged nut, metric mount, 7.50 DC rims; with s	\$25.00	\$23.00
	64D	Wheels, Front 19.5x7.5 Aluminum, 10-Hole Alcoa Bright Polished w/Dura-Bright Seal on Both Sides	\$630.00	\$556.00
$\checkmark$	Т9А	Tires, Front Two 245/70R19.5G Hankook AH35 (628 rev/mile)	STD	STD
	TGK	Tires, Front Two 245/70R19.5H Michelin AGILIS HDZ (619 rev/mile)	\$70.00	\$61.00
	T9F	Tires, Front Two 245/70R19.5H Hankook AH35 (628 rev/mile)	\$40.00	\$36.00
	Т9В	Tires, Front Two 265/70R19.5G Hankook AH35 (613 rev/mile)	\$75.00	\$67.00
Rear Wheels	& Tires			
$\checkmark$	665 (275MM BC) hub	Wheels, Rear 19.5x6.75 White Powder Coated Steel, 8-Hole piloted, flanged nut, metric mount, 6.75 DC rims; with stee	STD I hubs.	STD
	668	Wheels, Rear 19.5x6.75 Aluminum, 8-Hole Alcoa Clean Buff w/Dura-Bright Seal on Both Sides - Outside Mount	\$705.00	\$622.00





11/01/2022

# 2024 F-650 Diesel Regular Cab Base (F6E)

Price Level: 415

Available	Options (co	nt'd)		
Selected	Code	Description	MSRP	Invoice
	66A	Wheels, Rear 19.5x6.75 DRW Aluminum, 8-Hole Alcoa Clean Buff w/Dura-Bright Seal on Both Sides - Outside Mount	\$940.00	\$830.00
	Inner wheel is alui	minum.		
	666	Wheels, Rear 19.5x7.5 White Powder Coated Steel, 10-Hole	\$50.00	\$44.00
	(285.75MM BC) h	ub piloted, flanged nut, metric mount, 7.50 DC rims; with	steel hubs.	
	66D	Wheels, Rear 19.5x7.5 Aluminum, 10-Hole Alcoa Bright Polished w/Dura-Bright Seal on Both Sides	\$725.00	\$640.00
	66B Inner wheel is alur	Wheels, Rear 19.5x7.5 DRW Aluminum, 10-Hole Alcoa Bright Polished w/Dura-Bright Seal on Both Sides minum.	\$1,260.00	\$1,112.00
	60W	Wheel, Spare 19.5x6.75, White Powder Coated Steel, 8-Hole - Quantity (One only)	\$145.00	\$128.00
	60X	Wheel, Spare 19.5x7.5, White Powder Coated Steel, 10-Hole - Quantity (One only)	\$145.00	\$128.00
$\checkmark$	R9A Includes: - GVWR Limit: 25,	Tires, Rear Four 245/70R19.5G Hankook AH35 (621 rev/mile)	STD	STD
	R9C	Tires, Rear Four 245/70R19.5G Hankook DH35 (632 rev/mile)	\$80.00	\$71.00





# 2024 F-650 Diesel Regular Cab Base (F6E)

Price Level: 415

	Options (co	ont'd)		
Selected	Code	Description	MSRP	Invoice
	R9B	Tires, Rear Four 265/70R19.5G Hankook AH35 (613 rev/mile)	\$150.00	\$132.00
	R9D	Tires, Rear Four 265/70R19.5G Hankook DH35 (614 rev/mile)	\$100.00	\$88.00
	R9F	Tires, Rear Four 245/70R19.5H Hankook AH35 (621 rev/mile)	\$80.00	\$71.00
	R9E	Tires, Rear Four 245/70R19.5H Hankook DH35 (632 rev/mile)	\$165.00	\$145.00
	RGK	Tires, Rear Four 245/70R19.5H Michelin AGILIS HDZ (619 rev/mile)	\$165.00	\$145.00
Brakes				
$\checkmark$	67H	Hydraulic Brake System - Bosch HydroMax w/Traction Control utomatic adjustment, 4-channel ABS antilock brake system	STD	STD
	mounted parking	brake, Orscheln lever control, right of driver and hand ope	erated park brake lever.	DOOA type real axie
	152	Trailer Connection Socket - 7- Way, Wired for Turn Signals Combined with Stop	\$100.00	\$88.00
	Mounted at rear of accommodation p	of frame, for combined trailer stop, tail, turn, marker light ci backage with cab connections for mounting customer insta	rcuits. Includes electric traile Illed electric brake unit.	r brake
	154	Trailer Connection Socket - 7- Way, Wired for Turn Signals, Separate of Stop	\$100.00	\$88.00
	Mounted at rear of accommodation p	of frame, for separate trailer stop, tail, turn, marker light cin backage with cab connections for mounting customer insta	cuits. Includes electric trailer Illed electric brake unit.	brake



11/01/2022

Randall Reed's Planet Ford 635 | 3601 S. Shiloh Rd. Garland Texas | 750414015

# 2024 F-650 Diesel Regular Cab Base (F6E)

Price Level: 415

Selected	Code	Description	MSRP	Invoice
	67A	Air Brakes (4 WHEEL DRUM) -	\$2,530.00	\$2,233.00
	•	Straight Truck w/Traction		
		Control		
	pressure gauges, yellow knob parki chambers mounte Rear brake size a during acceleratio Deletes hand ope Includes: - Air Dryer, Bendi	th ABS, Bendix Anti-Lock Brake System, 4-channel. Include brake lines color coded nylon, Bendix 13.2 CFM capacity ng brake control valve, automatic slack adjusters front and ed on front of rear axle, three drain valves and two air tankind components dependent upon axle selection. Uses existent Usage determined by the air brake package selected. (arated park brake lever.)  x AD/IS w/Heater me rail (for Hydraulic brake diesel applications that include	air compressor, instrument I rear, two rear spring parki Iss (Reference Body Builders sting ABS system to minimiz Not recommended with Hi-I	panel mounted ng air brake s Book for location). ze wheel slipping Rail Train Systems).
	18A	Electronic Stability Control	Variable	Variable
		DELETE		
	Deletes the stand	lard ESC feature.		
	98B	Final Upfit Center of Gravity -	N/C	N/C
		Low CG (38" to 48" FINAL		
		Center of Gravity)		
	must be selected upfit CG is known	g Electronic Stability Control Standard. When air brakes a by dealer when ordering. If the final CG is not known, use a, and the unit requires ESC for other features (such as Dr when ordering air brake during the specing process. Call T	the ESC delete (18A) featuiver Assist Technology) sele	re. Where the final ect the appropriate
	98C	Final Upfit Center of Gravity -	N/C	N/C
	300	Medium CG (48" to 58" FINAL		
		Center of Gravity)		
	must be selected upfit CG is known	g Electronic Stability Control Standard. When air brakes a by dealer when ordering. If the final CG is not known, use , and the unit requires ESC for other features (such as Dr when ordering air brake during the specing process. Call T	the ESC delete (18A) featuiver Assist Technology) sele	re. Where the final ect the appropriate
	98E	Final Upfit Center of Gravity -	N/C	N/C
_	002	High CG (58" to 68" FINAL		
		Center of Gravity)		
	must be selected upfit CG is known	g Electronic Stability Control Standard. When air brakes a by dealer when ordering. If the final CG is not known, use , and the unit requires ESC for other features (such as Dr when ordering air brake during the specing process. Call T	the ESC delete (18A) featuiver Assist Technology) sele	re. Where the final ect the appropriate
	98F	Final Upfit Center of Gravity -	N/C	N/C
_	501	Tanker High CG (58" to 68"		




11/01/2022

Randall Reed's Planet Ford 635 | 3601 S. Shiloh Rd. Garland Texas | 750414015

# 2024 F-650 Diesel Regular Cab Base (F6E)

Price Level: 415

	Options (co			
Selected	Code	Description	MSRP	Invoice
	must be selected upfit CG is known	g Electronic Stability Control Standard. When air brakes a by dealer when ordering. If the final CG is not known, use a, and the unit requires ESC for other features (such as Dr when ordering air brake during the specing process. Call T	the ESC delete (18A) featuiver Assist Technology) sele	re. Where the final cet the appropriate
	98J	Final Upfit Center of Gravity -	N/C	N/C
		Tanker Medium CG (48" to 58"		
		FINAL Center of Gravity)		
	must be selected upfit CG is known	g Electronic Stability Control Standard. When air brakes a by dealer when ordering. If the final CG is not known, use a, and the unit requires ESC for other features (such as Dr when ordering air brake during the specing process. Call T	e the ESC delete (18A) featu iver Assist Technology) sele	re. Where the final cet the appropriate
	62D	Air Dryer, Bendix AD/IS	\$460.00	\$406.00
		w/Heater		
	Mounted left fram compressor).	e rail (for Hydraulic brake diesel applications that include	air suspension or stand alon	e engine air
	158	Trailer Air Brake Package	\$365.00	\$322.00
		to rear of frame, hand control valve and tractor protection	valve.	
			¢400.00	Фоо оо
	157	Trailer Connection Socket - 7-	\$100.00	\$88.00
		Way, Wired for Turn Signals,		
	Manustadatusan	Separate of Stop	and the American Children of the fore the m	
		of frame, for separate trailer stop, tail, turn, marker light cir nith separate stop/turn).	cuits (compatible with trailer	s tnat nave amber or
	159	Trailer Connection Socket - 7-	\$100.00	\$88.00
	159	Way, Wired for Turn Signals	·	
		Combined with Stop		
	Mounted at rear o	of frame, for combined trailer stop, tail, turn (compatible wi	th trailers that use combined	l stop, tail, turn
	lights).	, , , , , , , , , , , , , , , , , , ,		
Front Axle an	d Suspension			
$\checkmark$	43A	8,500 lb. Cap. Non-Driving -	STD	STD
		Dana D-850F		
	61P	Topor Loof Springs Dorobolio	STD	STD
	61B	Taper-Leaf Springs, Parabolic - 8,500 lb. Cap	<b>3</b> . <b>-</b>	
	0 1001 0011 0 451	". Also includes, standard duty, dual, double acting shock	a h a a rh a ra	





11/01/2022

# 2024 F-650 Diesel Regular Cab Base (F6E)

Price Level: 415

		nt'd)	Options (co	Available
Invoice	MSRP	Description	Code	Selected
\$111.00	\$125.00	Taper-Leaf Springs, Parabolic - 10,000 lb. Cap	61C	
	absorbers.	. Also includes, standard duty, dual, double acting shock a	2-leaf, 62" x 3.15"	
\$433.00	\$490.00	Front Stabilizer Bar	15S	
\$44.00	\$50.00	Lube, Front Axle, EmGard 50W, Synthetic Oil	60A	
			d Suspension	Rear Axle and
STD	STD	13,500 lb. Single-Speed	471	$\checkmark$
nes for startability	, check performance guideli	vith 190 wheel ends. NOTE: When specifying an axle ratio	Single reduction was and gradeability.	
\$145.00	\$165.00	17,500 lb. Single-Speed - Dana S17-140	472	
check performance	nen specifying an axle ratio,	vith Gentech Quiet Gears and 190 wheel ends. NOTE: Whatability and gradeability.		
N/A	N/A	Driveshaft Upgrade	18P	
pplications, such as endent and should	quired in more demanding a driveshaft is powertrain depo	e line is optional. Heavy duty drive line components are red ines or deep reduction low gear(s). The heavier SPL-140 or re durability is required by the vocation or customer.	higher torque eng	
STD	STD	Multi-Leaf Springs - 15,500 lb.	68K	$\checkmark$
		Сар		
		2,000 lb auxiliary springs for load stabilization.	10-leaf. Includes 2	
\$97.00	\$110.00	Multi-Leaf Springs - 19,000 lb. Cap	68M	
		2,000 lb auxiliary springs for load stabilization.	11-leaf. Includes 2	
\$145.00	\$165.00	Shock Absorbers, Rear - Double Acting	961	
\$88.00	\$100.00	Lube, Rear Axle, EmGard 75W- 90, Synthetic Oil	607	






# 2024 F-650 Diesel Regular Cab Base (F6E)

Price Level: 415

ptions (cont'	-	MSRP	Invoice
X4A PRNDM/RNDM det	4.10 Axle Ratio	N/C	N/C
X4S PRNDM/RNDM det	4.56 Axle Ratio ermined by Rear Axle Ratio and Tire Size.	N/C	N/C
X4G PRNDM/RNDM det	4.88 Axle Ratio ermined by Rear Axle Ratio and Tire Size.	N/C	N/C
X5B PRNDM/RNDM det	5.29 Axle Ratio ermined by Rear Axle Ratio and Tire Size.	N/C	N/C
X5D PRNDM/RNDM det	5.57 Axle Ratio ermined by Rear Axle Ratio and Tire Size.	N/C	N/C
158WB	158" Wheelbase/84" CA/63" AF/260" OAL	STD	STD
182WB	182" Wheelbase/108" CA/75" AF/296" OAL	\$210.00	\$185.00
194WB	194" Wheelbase/120" CA/75" AF/308" OAL	\$325.00	\$287.00
218WB	218" Wheelbase/144" CA/81" AF/338" OAL	\$550.00	\$485.00
242WB	242" Wheelbase/168" CA/100" AF/381" OAL	\$805.00	\$710.00
	X4A PRNDM/RNDM det  X4S PRNDM/RNDM det  X4G PRNDM/RNDM det  X5B PRNDM/RNDM det  X5B PRNDM/RNDM det  158WB  182WB  194WB	X4A 4.10 Axle Ratio PRNDM/RNDM determined by Rear Axle Ratio and Tire Size.  X4S 4.56 Axle Ratio PRNDM/RNDM determined by Rear Axle Ratio and Tire Size.  X4G 4.88 Axle Ratio PRNDM/RNDM determined by Rear Axle Ratio and Tire Size.  X5B 5.29 Axle Ratio PRNDM/RNDM determined by Rear Axle Ratio and Tire Size.  X5D 5.57 Axle Ratio PRNDM/RNDM determined by Rear Axle Ratio and Tire Size.  X5D 5.57 Axle Ratio PRNDM/RNDM determined by Rear Axle Ratio and Tire Size.  158WB 158" Wheelbase/84" CA/63" AF/260" OAL  182WB 182" Wheelbase/108" CA/75" AF/308" OAL  218WB 218" Wheelbase/120" CA/75" AF/338" OAL	Code         Description         MSRP           X4A         4.10 Axle Ratio         N/C           PRNDM/RNDM determined by Rear Axle Ratio and Tire Size.         N/C           X4S         4.56 Axle Ratio         N/C           PRNDM/RNDM determined by Rear Axle Ratio and Tire Size.         N/C           X4G         4.88 Axle Ratio         N/C           PRNDM/RNDM determined by Rear Axle Ratio and Tire Size.         N/C           X5B         5.29 Axle Ratio         N/C           PRNDM/RNDM determined by Rear Axle Ratio and Tire Size.         N/C           X5D         5.57 Axle Ratio         N/C           PRNDM/RNDM determined by Rear Axle Ratio and Tire Size.         N/C           158WB         158" Wheelbase/84" CA/63" AF/260" OAL         STD           182WB         182" Wheelbase/108" CA/75" \$210.00         \$210.00           AF/296" OAL         \$325.00           218WB         218" Wheelbase/120" CA/75" \$325.00           AF/338" OAL         \$550.00           242WB         242" Wheelbase/168" CA/100"         \$805.00





Randall Reed's Planet Ford 635 | 3601 S. Shiloh Rd. Garland Texas | 750414015

# 2024 F-650 Diesel Regular Cab Base (F6E)

Price Level: 415

AVAIIADIE Selected	Options (co	Description	MSRP	Invoice
		Description	MORI	11110100
Frame				
$\checkmark$	537	Single Channel - 10.75 SM, 80,000 PSI	STD	STD
	860,000/520,000 l (165.1mm x 77.8n	RBM. 9.125" x 3.062" x 0.312" (231.8mm x 77.8mm x 8.0n nm x 8.0mm).	mm) w/transition to 6.500" x	3.062" x 0.312"
	765	Bumper, Front - Full Width, Chrome Plated Steel - (Included in (90E) Exterior Appearance Group)	\$490.00	\$433.00
	76X	Bumper, Front - Delete - Also Deletes Mounting Brackets	-\$135.00	-\$119.00
	76Y	Tow Hooks - Delete	-\$70.00	-\$61.00
	86C	Chrome Grille Surround - (Included in (90E) Exterior Appearance Group)	\$245.00	\$216.00
	86B	Grille, Fixed - Black/Gray	\$125.00	\$111.00
Exhaust				
$\checkmark$	91G	Under Cab, Right Side Outlet, Switchback-Style	STD	STD
	Single, horizontal	muffler, right side, under cab, outside of frame rail with rea	ar discharge.	
	91B	Back of Cab, Right Side Outlet, Torpedo-Style	N/C	N/C
	Single, horizontal	muffler/pipe, inline, right side exhaust with underbody exit,	, in front of axle.	
	91D	Under Cab, Vertical Outlet, Right Side, Switchback-Style - Intrudes 2" into clean CA	\$715.00	\$631.00



11/01/2022


Randall Reed's Planet Ford 635 | 3601 S. Shiloh Rd. Garland Texas | 750414015

# 2024 F-650 Diesel Regular Cab Base (F6E)

Price Level: 415

Available O				
Selected	Code Single, horizontal muff.	<b>Description</b> iler, right side under cab outside of frame rail with ver	msrP tical exhaust passenger side	Invoice e rear corner with
	heat shield and turnou	t exit.		
Fuel Tanks				
$\checkmark$	65B	Fuel Tank - LH 50 Gallon Rectangular - Aluminum	STD	STD
	65E	Fuel Tank - LH 65 Gallon Rectangular - Aluminum	\$425.00	\$376.00
	65F	Fuel Tank - 115 Gallon Rectangular - Aluminum - LH 65-gal, RH 50-gal	\$915.00	\$807.00
Electrical / Alter	nator / Battery			
$\checkmark$	STDALT	Extra Heavy Duty Alternator - 12-Volt, 200 Amp Denso SC5	STD	STD
	17D	Dual Heavy Duty Alternators - 357 Amp Capacity - 200 & 157 amp Denso SC5/SC2	\$855.00	\$754.00
	17A	Extra Heavy Duty Alternator - 12-Volt, 240 Amps	\$410.00	\$362.00
	55M	Jump Start Stud - Remote Mounted	\$90.00	\$80.00
$\checkmark$	STDBAT	Battery - Two 750 CCA, 1500 Total, Includes Steel Battery	STD	STD
	12 Volt, Motorcraft.	Box		





# 2024 F-650 Diesel Regular Cab Base (F6E)

Price Level: 415				
	Options (co	•		
Selected	Code	Description	MSRP	Invoice
	63B	Battery - Two 900 CCA, 1800 Total, Includes Steel Battery Box	\$60.00	\$53.00
	12Volt, Motorcraft.			
	63D	Battery - Three 900 CCA, 2700 Total, Includes Steel Battery Box	\$250.00	\$221.00
	12 Volt, Motorcraft.			
	63Y	Battery - Temporary Mount for Truck Chassis	\$235.00	\$208.00
	164	Roof Marker/Clearance Lights - Clear Lenses, 5 Lights (Replaces Standard Amber Lenses)	\$30.00	\$27.00
	16X	Roof Marker/Clearance Lights - Delete	N/C	N/C
	For Airport or Appli	ications that receive modified roof coverings.		
	59C	Body Builder Wiring - At End of Frame, Combined - (ILO Standard - Back of Cab Combined)	\$135.00	\$119.00
	Includes sealed co Also includes 2 add	nnectors for 2 ground circuits, with combined left/stop, coditional pass through wires to cab.	mbined right/stop, stop lam	os, back up lamps.
	59D	Body Builder Wiring - At Back of Cab, Separate - (ILO Standard - Back of Cab Combined)	\$70.00	\$61.00
	Includes sealed co additional pass thro	nnectors for 2 ground circuits, with separate left/stop, sep	parate right/stop, back up lai	mps. Also includes 2
	59E	Body Builder Wiring - At End of Frame, Separate - (ILO Standard - Back of Cab Combined)	\$135.00	\$119.00




11/01/2022


Randall Reed's Planet Ford 635 | 3601 S. Shiloh Rd. Garland Texas | 750414015

# 2024 F-650 Diesel Regular Cab Base (F6E)

Price Level: 415

Available Options (cont'd)				
Invoice	MSRP	Description	Code	Selected
mps. Also includes i	ate right/stop, back up lar	onnectors for 2 ground circuits, with separate left/stop, sepa rrough wires to cab.	Includes sealed co additional pass th	
\$97.00	\$110.00	Back-Up Alarm - Electric, 102 dBA	17M	
\$23.00	\$25.00	Daytime Running Lamps (Not Configurable)	962	
\$282.00	\$320.00	Upfitter Interface Module	86M	
N/C	N/C	Tail Light Delete n, tail and backup lights. Does not omit cable to end of frame	55X Deletes stop, turn	
\$88.00	\$100.00	Voltmeter age center.	16V Available in mess	
				Seats
STD	STD	30/0/30 Fixed Driver & Fixed Passenger w/Consolette - Vinyl	88A	$\checkmark$
\$111.00	\$125.00	30/0/30 Fixed Driver & Fixed Passenger w/Consolette - Cloth	88B	
\$309.00	\$350.00	30/70 Fixed Driver & Fixed 2- Passenger Bench - Vinyl	881	
\$420.00	\$475.00	30/70 Fixed Driver & Fixed 2- Passenger Bench - Cloth	882	
-\$106.00	-\$120.00	30/0/0 Fixed Driver only - Vinyl	88C	
N/C	N/C	30/0/0 Fixed Driver only - Cloth	88D	







2024 F-650 Diesel Regular Cab Base (F6E)

Price Level: 415

Available	Available Options (cont'd)				
Selected	Code	Description	MSRP	Invoice	
	88R	30/0/30 Air Ride Driver (Integral Air Pump) & Fixed Passenger w/Consolette - Vinyl	\$440.00	\$389.00	
	88S	30/0/30 Air Ride Driver (Integral Air Pump) & Fixed Passenger w/Consolette - Cloth	\$565.00	\$498.00	
	88G	30/70 Air Ride Driver (External Air Source) & Fixed 2- Passenger Bench - Vinyl	\$395.00	\$349.00	
	88H	30/70 Air Ride Driver (External Air Source) & Fixed 2- Passenger Bench - Cloth	\$520.00	\$459.00	
	88J	30/0/30 Air Ride Driver (Integral Air Pump) & Air Ride Passenger (Integral Air Pump) w/Consolette - Vinyl	\$855.00	\$754.00	
	88K	30/0/30 Air Ride Driver (Integral Air Pump) & Air Ride Passenger (Integral Air Pump) w/Consolette - Cloth	\$980.00	\$865.00	
	88L	30/70 Air Ride Driver (Integral Air Pump) & Fixed 2-Passenger Bench - Vinyl	\$440.00	\$389.00	
	88M	30/70 Air Ride Driver (Integral Air Pump) & Fixed 2-Passenger Bench - Cloth	\$565.00	\$498.00	
	88T	30/0/0 Air Ride Driver Only (External Air Source) - Vinyl	\$275.00	\$243.00	





# 2024 F-650 Diesel Regular Cab Base (F6E)

Price Level: 415

\$400.00 \$395.00 yl \$520.00	\$353.00 \$349.00
\$395.00 yl	
yl	\$349.00
\$520.00	
th	\$459.00
\$810.00 de	\$715.00
\$935.00 de	\$825.00
\$315.00	\$278.00
\$440.00	\$389.00
\$420.00 d-	\$370.00
\$545.00 d-	\$481.00
l I	\$315.00 \$440.00 \$420.00




11/01/2022


Randall Reed's Planet Ford 635 | 3601 S. Shiloh Rd. Garland Texas | 750414015

# 2024 F-650 Diesel Regular Cab Base (F6E)

Price Level: 415

Selected	Code	Description	MSRP	Invoice		
Cab Interior						
$\checkmark$	600A	Preferred Equipment Package 600A	N/C	N/C		
	- Wheel Seals, Re - Manual Regen II - Engine Exhaust - Extra Heavy Dut - Painted Grille - F - Lights - Roof Ma - Tow Hooks, Froi - Four Body Builde With connector a - Floor Covering - - Intelligent Oil Life - Steering Column - Steering Wheel - Body Builder Wii Includes sealed	ont - Oil lubricated, SKF ScotSeal PlusXL Seals ear - Oil lubricated, SKF ScotSeal PlusXL Seals initiation - Driver Interface in Message Center Brake by Alternator - 12-Volt, 200 Amp Denso SC5 Plastic brker/Clearance - Amber Lenses, 5 Lights but (2) - Frame-Mounted, Painted Black ber Switches - Mounted in Center Instrument Panel buccess located in engine compartment. Amperages vary but Black Vinyl	Audio Controls	mps, back up lamp:		
	87H	Driver Assist Technology	\$1,410.00	\$1,244.00		
	0711	Package. Hydraulic Brake				
	Control. Includes: - Enhanced Cluste Electronic speed indicator lights. Al	er w/High-Level 8-Inch Display lometer (MPH/KPH), includes oil pressure, coolant tempe so included is enhanced 3-button Message Center with o economy, hour meter and warning messages. Transmiss	erature, DEF gauge, fuel gau adometer, trip odometer, dista	ge, tachometer, and		
	87A	Driver Assist Technology	\$3,050.00	\$2,692.00		
		Package (w/Bendix Wingman				
	Advanced). Air Brake					
	and Auto High Be Includes: - Enhanced Cluste Electronic speed indicator lights. Al	ous Emergency Braking, Forward Collision Warning, Lar am Control. er w/High-Level 8-Inch Display lometer (MPH/KPH), includes oil pressure, coolant tempe so included is enhanced 3-button Message Center with o economy, hour meter and warning messages. Transmiss	erature, DEF gauge, fuel gau dometer, trip odometer, dista	ge, tachometer, and ance to empty for		
	G4M	Rear View Camera w/Mirror	\$510.00	\$450.00		
	61M	Display				







# 2024 F-650 Diesel Regular Cab Base (F6E)

Price Level: 415

Available	Options (co	ont'd)		
Selected	Code	Description	MSRP	Invoice
	90A	Appearance Group	\$735.00	\$649.00
	Includes front-mo Includes:	unted overhead console with dual sunglass bins and integ	ral front map reading lights.	
	- Chrome Trimme - Power Equipme	ed Air Registers w/Positive Shut-Off nt Group - (Included in (90A) Appearance Group) front side windows, power door locks and door trim panel.		
	17W	Wi-Fi 4G LTE Hotspot Delete	-\$20.00	-\$17.00
	92J	Enhanced Cluster w/High-Level 8-Inch Display	\$235.00	\$208.00
	indicator lights. A	ometer (MPH/KPH), includes oil pressure, coolant tempera lso included is enhanced 3-button Message Center with od economy, hour meter and warning messages. Transmission	lometer, trip odometer, dista	nce to empty for
	90P	Power Equipment Group -	\$470.00	\$414.00
		(Included in (90A) Appearance Group)		
	Includes power fr	ont side windows, power door locks and door trim panel.		
	57N Includes fresh air	Air Conditioning Delete heater and defroster only.	-\$100.00	-\$88.00
	86H	Rapid-Heat Supplemental Cab Heater	\$610.00	\$538.00
	Required with A Hampshire, Ne	Alaska, Colorado, Idaho, Iowa, Maine, Michiga w York, North Dakota, South Dakota, Vermont	n, Minnesota, Montana , Wisconsin, Wyoming	a, New
	96C	Pull Out Cup Holder For Two Cups - Instrument Panel Mounted	\$30.00	\$27.00
	55P	110 A/C Outlet - in Lower Center Finish Panel	\$100.00	\$88.00
	214	4 Speaker Option for 588 Radio	\$30.00	\$27.00
	58P	Radio Prep Package	N/C	N/C





# 2024 F-650 Diesel Regular Cab Base (F6E)

Price Level: 415

Available Selected	Options (co	ont'd)  Description	MSRP	Invoice
Selected	Deletes radio and	d dash-mounted aux input jack. Includes radio/speaker wiri nounted aux audio input jack instrument panel cover.		
		Radio Delete Package eakers, antenna and antenna cable. Includes radio instrum s for future radio upfit if owner desires.	-\$60.00 ent panel cover and aux au	-\$53.00
$\checkmark$	588	Radio: AM/FM Stereo w/2 Speakers, USB input, Clock Display and Bluetooth	STD	STD
	85B	Keyed Alike - Not Available with Anti-Theft System, Requires Multiple-Unit Order	\$45.00	\$40.00
	85L	Keyed Alike - Option 1 - Not Available with Anti-Theft System, Requires Multiple-Unit Order	\$45.00	\$40.00
	85M	Keyed Alike - Option 2 - Not Available with Anti-Theft System, Requires Multiple-Unit Order	\$45.00	\$40.00
	85N	Keyed Alike - Option 3 - Not Available with Anti-Theft System, Requires Multiple-Unit Order	\$45.00	\$40.00
	85P	Keyed Alike - Option 4 - Not Available with Anti-Theft System, Requires Multiple-Unit Order	\$45.00	\$40.00
	85A	SecuriLock Passive Anti-Theft System	\$120.00	\$106.00




11/01/2022


Randall Reed's Planet Ford 635 | 3601 S. Shiloh Rd. Garland Texas | 750414015

# 2024 F-650 Diesel Regular Cab Base (F6E)

Price Level: 415

	Options (co	•		
Selected	Code	Description	MSRP	Invoice
	programmed to th	Passive Anti-Theft System is designed to help prevent the evehicle, is used. It helps protect against drive-away thefused ignition key features billions of possible codes to start the start systems.	through an electronically co	oded ignition key, its
	90M	Interior Rear View Mirror	\$75.00	\$67.00
Cab Exterior				
	90E Includes:	Exterior Appearance Group	\$730.00	\$645.00
	- Bumper, Front - - Chromed Fende	Full Width, Chrome Plated Steel - (Included in (90E) Exter r Badge urround - (Included in (90E) Exterior Appearance Group)	ior Appearance Group)	
	85K	Remote Keyless Entry w/2 Key Fobs	\$195.00	\$172.00
	94T	Tamper-Proof Odometer	\$30.00	\$27.00
	59A	Horn, Air - Black, Single Trumpet	\$90.00	\$80.00
	Air solenoid opera	ated, chassis mounted on rail back of bumper.		
$\checkmark$	54H	Mirrors, Dual - Rectangular, XL2020 - 96" Width	STD	STD
	Integral spot mirro	or, sail type, manual fold, solid black finish.		
	54M	Mirrors, Dual - Heated Rectangular, XL2020 - 96" Width	\$85.00	\$75.00
	Integral spot mirro	or, sail type, manual fold, solid black finish.		
	54P	Mirrors, Dual - Heated &  Motorized Rectangular, XL2020 - 96" Width	\$245.00	\$216.00
	Integral spot mirro	or, sail type, solid black finish.		






# 2024 F-650 Diesel Regular Cab Base (F6E)

Price Level: 415

Available	Options (co	ont'd)		
Selected	Code	<b>Description</b>	MSRP	Invoice
	54B	Mirrors, Dual - Rectangular, XL2020 - 96" Width w/Chrome Cap	\$60.00	\$53.00
	Integral spot mirro	or, sail type, manual fold.		
	54N	Mirrors, Dual - Heated Rectangular, XL2020 - 96" Width w/Chrome Cap	\$120.00	\$106.00
	Integral spot mirro	or, sail type, manual fold.		
	54A	Mirrors, Dual - Heated & Motorized Rectangular, XL2020 - 96" Width w/Chrome Cap	\$305.00	\$269.00
	Integral spot mirro	or, sail type.		
	54J	Mirrors, Dual - Rectangular, XL2020 - 102" Width	\$30.00	\$27.00
	Integral spot mirro	or, sail type, manual fold, solid black finish.		
	54C	Mirrors, Dual - Heated Rectangular, XL2020 - 102" Width	\$90.00	\$80.00
	Integral spot mirro	or, sail type, manual fold, solid black finish.		
	54R	Mirrors, Dual - Heated & Motorized Rectangular, XL2020 - 102" Width	\$275.00	\$243.00
	Integral spot mirro	or, sail type, solid black finish.		
	54D	Mirrors, Dual - Rectangular, XL2020 - 102" Width w/Chrome Cap	\$90.00	\$80.00
	Integral spot mirro	or, sail type, manual fold.		
	54E	Mirrors, Dual - Heated Rectangular, XL2020 - 102" Width w/Chrome Cap	\$150.00	\$132.00
	Integral spot mirro	or, sail type, manual fold.		





# 2024 F-650 Diesel Regular Cab Base (F6E)

Price Level: 415

	Options (co	ont'a)		
Selected	Code	Description	MSRP	Invoice
	54K	Mirrors, Dual - Heated & Motorized Rectangular, XL2020 - 102" Width w/Chrome Cap	\$335.00	\$296.00
	Integral spot mirro	or, sail type.		
	54F	Mirrors, Trailer Tow, Powered - Sail Mount - w/Power Telescoping & Power Folding	\$365.00	\$322.00
	Includes power he mounted.	eated glass, heated convex spotter and integrated clearand	ce lights/turn signals. Heat o	controls dash
	63F	Aux Spot Mirrors - Front Fender Mounted - (2) Driver Side and Passenger Side	\$225.00	\$199.00
	63G	Aux Spot Mirror - Front Fender Mounted - (1) Passenger Side Only	\$120.00	\$106.00
	165	Mud Flap Holder Without Flaps	\$95.00	\$84.00
Ship-Thru				
		Pre-Delivery Inspection ires that you also choose either (314) or (31F) or		N/C
	performed. Re	quired with any final Ship-To that is not a deale	r.	
	314	Ship-Thru - Manning	\$0.00	\$10.00
	MAY be select arrangements	ed w/o adding (21A). For MODIFICATIONS ON directly with Manning (please use CVT Resourc	ILY, Dealer must mak ces for add. Info).	е
	31F	Ship-Thru - NFS National Fleet Services	N/C	N/C
	MAY be select arrangements	ed w/o adding (21A). For MODIFICATIONS ON directly with NFS (please use CVT Resources t	ILY, Dealer must mak for add. Info).	е



Invoice

Prepared by: Admir Sarac

11/01/2022

Selected

Randall Reed's Planet Ford 635 | 3601 S. Shiloh Rd. Garland Texas | 750414015

**MSRP** 

#### 2024 F-650 Diesel Regular Cab Base (F6E)

Price Level: 415

Availab	le O	ptions (	(cont'd)	

Code

19A

Miscellaneou	<b>JS</b> PAINT	Paint Type - Environmentally Friendly, "3 - Wet System"	STD	STD
	79V	COV Required	N/C	N/C
	Send a paper or MI.	Certificate of Origin for a Vehicle (COV) for those	se states that file electr	onically - CA
$\checkmark$	L23	Raw Material Surcharge	\$0.00	\$600.00
Fleet Options	S			

Ambulance Prep Pkg w/Special

**Description** 

#### REQUIRES valid FIN code.

Includes EPA Special Emergency Vehicle Emissions. Incomplete vehicle package - requires further manufacture and certification by a final stage manufacturer. Ford vehicles are suitable for producing ambulances with special emissions only if equipped with the Ford Ambulance Prep Package with EPA Special Emergency Vehicle Emissions. In addition, Ford urges ambulance manufacturers to follow the recommendations of the Ford Incomplete Vehicle Manual and the Ford Truck Body Builders Layout Book (and pertinent supplements). Using a Ford vehicle without the Ford Ambulance Package with EPA Special Emergency Vehicle Emissions to produce an ambulance with special emissions voids the Ford warranty. NOTE 1: Stationary Elevated Idle Control (SEIC) has been integrated into the engine control module. NOTE 2: Engine calibration significantly reduces the possibility of depower mode when in stationary PTO operation. NOTE 3: Allows operator commanded regen down to 30% of DPF filter full, instead of 100%. NOTE 4: Must meet the definition of an Emergency Vehicle, an Ambulance or Fire Truck per 40 CFR 86.1803.01 in the Federal Register. NOTE 5: California Code of Regulations allows for the sale of Federally certified emergency vehicles in California.

- Dual Heavy Duty Alternators - 357 Amp Capacity - 200 & 157 amp Denso SC5/SC2

Special Emissions

- Battery - Three 900 CCA, 2700 Total, Includes Steel Battery Box 12Volt, Motorcraft.

**Emissions** 

19F Fire/Rescue Prep Pkg w/EPA

\$1,285.00

\$1,285.00

\$1,134.00


\$1,134.00

#### REQUIRES valid FIN code.

Includes EPA Special Emergency Vehicle Emissions. Incomplete vehicle package - requires further manufacture and certification by a final stage manufacturer. Ford urges Fire/Rescue Vehicle manufacturers to follow the recommendations of the Ford Incomplete Vehicle Manual and the Ford Truck Body Builders Layout Book (and pertinent supplements). NOTE 1: Stationary Elevated Idle Control (SEIC) has been integrated into the engine control module. NOTE 2: Engine calibration significantly reduces the possibility of depower mode when in stationary PTO operation. NOTE 3: Operator commanded regen down to 30% of DPF filter full, instead of 100%. NOTE 4: Must meet the definition of an Emergency Vehicle, an Ambulance or Fire Truck per 40 CFR 86.1803.01 in the Federal Register. NOTE 5: California Code of Regulations allows for the sale of Federally certified emergency vehicles in California.

- Dual Heavy Duty Alternators 357 Amp Capacity 200 & 157 amp Denso SC5/SC2
- Battery Three 900 CCA, 2700 Total, Includes Steel Battery Box 12Volt, Motorcraft.





Randall Reed's Planet Ford 635 | 3601 S. Shiloh Rd. Garland Texas | 750414015

# 2024 F-650 Diesel Regular Cab Base (F6E)

Price Level: 415

Available C	options (co	ont'd) Description	MSRP	Invoice
	D4A		\$0.00	\$7.00
	B4A	Net Invoice Fleet Option		
	56A	CPA Fleet Incentive	N/C	N/C
	56B	Commercial Repurchase	N/C	N/C
	56F	FRCS Long Term	N/C	N/C
	56K	Long Term Fleet Incentive	\$0.00	-\$2,750.00
	56M	National Fleet Incentive	\$0.00	-\$2,750.00
	56Y	DDR Program	N/C	N/C
	55D	Driver Assistance - FLEET SETTINGS	\$35.00	\$31.00
	Requires Valid	Code.		
	assist - alert sens	e locked and cannot be changed by driver or fleet administr itivity set to NORMAL, distance indication is set to ON, acti ng set to ON, sensitivity set to NORMAL, auto lamp delay s to ON.	ve braking set to ON, pre	collision warning set
	87S	Fleet Safety Kit	N/A	N/A
	Late availability	/.		
	Includes 5 lb fire e not installed at pla	extinguisher class A, B and C with mounting brackets, trian ant).	gle reflector and vehicle fu	se kit (shipped loose
VSO Options				
	SP101	VSO - Monotone Special Paint (Minimum Quantity 3)	N/A	N/A
	SPF	VSO - Special Paint Formulation (Minimum Quantity 3)	N/A	N/A



11/01/2022

Randall Reed's Planet Ford 635 | 3601 S. Shiloh Rd. Garland Texas | 750414015

2024 F-650 Diesel Regular Cab Base (F6E)

Price Level: 415

Available Options (cont'd)

Selected Code Description MSRP Invoice



Prepared by: Admir Sarac 11/01/2022

2024 F-650 Diesel Regular Cab Base (F6E)

Price Level: 415		
Major Equipment		As Configured Vehicle MSRP
(Based on selected options, shown at right)		STANDARD VEHICLE PRICE \$76,780.00
10-speed automatic		Preferred Equipment Package 600A N/C
* Side assist steps	* White front wheels	6.7L Power Stroke V8 Turbo Diesel - 270 HP @ 2400 RPM STD
* White rear wheels	* Steel rear wheels	
* Disc rear wheel	* 19.5 x 6.75-inch front and dual rear wheels	50-State Emissions N/C
* Front tires LT load rating: G	<ul> <li>Metric measure truck 245/70R19.5 AS BSW front and rear tires</li> </ul>	Ford TorqShift HD 10-Speed Automatic - Double Overdrive, with PTO Provision STD
* Overdrive transmission	<ul><li>Lock-up transmission</li></ul>	Wheels, Front 19.5x6.75 White Powder Coated Steel, 8-
* Transmission electronic control	<ul> <li>PTO transmission provision</li> </ul>	Hole STD
* Alternator Amps: 200A	<ul> <li>* Aluminized steel single exhaust</li> </ul>	Tires, Front Two 245/70R19.5G Hankook AH35 (628
<ul> <li>Low-speed ABS traction control</li> </ul>	* Battery rating: 1500CCA	rev/mile) STD
* Dual lead acid battery	<ul><li>* Battery run down protection</li></ul>	Wheels, Rear 19.5x6.75 White Powder Coated Steel, 8-
<ul><li>* Heated fuel/water separator</li></ul>	<ul><li>* Auxiliary power take-off</li></ul>	Hole STD
* Engine retarder system	<ul> <li>Steering wheel mounted audio controls</li> </ul>	Tires, Rear Four 245/70R19.5G Hankook AH35 (621 rev/mile) STD
<ul> <li>Wireless audio streaming</li> </ul>	* AM/FM stereo radio	,
* Seek scan	<ul><li>* Auxiliary input jack</li></ul>	Hydraulic Brake System - Bosch HydroMax w/Traction Control STD
* External memory control	<ul><li>Vehicle body length: 260"</li></ul>	
* Wheelbase: 158"	* Cab to axle: 84"	8,500 lb. Cap. Non-Driving - Dana D-850F STD
* Axle to end of frame: 63"	* Axle capacity rear: 13,500 lbs.	Taper-Leaf Springs, Parabolic - 8,500 lb. Cap STD
* Tire/wheel capacity rear: 17,200 lbs.	* Axle capacity front: 8,500 lbs.	13,500 lb. Single-Speed STD
* Spring rating front: 8,500 lbs.	<ul> <li>Standard ride suspension</li> </ul>	Multi-Leaf Springs - 15,500 lb. Cap STD
* Dual electric horn	* Trip computer	
<ul> <li>Manual folding door mirrors</li> </ul>	* DRL preference setting	158" Wheelbase/84" CA/63" AF/260" OAL STD



Prepared by: Admir Sarac 11/01/2022

2024 F-650 Diesel Regular Cab Base (F6E)

Price Level: 415

Major Equipment	t
-----------------	---

- \* Daytime running lights
- \* Variable intermittent front windshield wipers
- \* Electronic stability control system
- \* Bucket driver seat
- \* Low driver seat back
- \* Manual fore/aft
- \* Fixed passenger seat back
- \* 4 passenger seats way-direction
- \* Driver seat armrest
- \* Vinyl front seat upholstery
- \* Hydraulic disc brakes

- \* Light tinted windows
- \* Speed sensitive wipers
- \* Manual climate control
- \* Folding driver seat back
- \* 4 driver seats way-direction
- \* Bucket passenger seat
- \* Low passenger seat back
- \* Manual fore/aft
- \* Front passenger seat armrest
- \* Carpet front seatback upholstery
- \* 4-wheel antilock (ABS) brakes

#### Fuel Economy





Hwy N/A

**MSRP** As Configured Vehicle Single Channel - 10.75 SM, 80,000 PSI Under Cab, Right Side Outlet, Switchback-Style STD Fuel Tank - LH 50 Gallon Rectangular - Aluminum STD 14 Gal. Single Tank Fuel Fill. Mandatory Charge Applied, Based On Tank Selection \$0.00 Extra Heavy Duty Alternator - 12-Volt, 200 Amp Denso SC5 Included Battery - Two 750 CCA, 1500 Total, Includes Steel Battery 30/0/30 Fixed Driver & Fixed Passenger w/Consolette -Vinyl STD Radio: AM/FM Stereo w/2 Speakers, USB input, Clock Display and Bluetooth STD Mirrors, Dual - Rectangular, XL2020 - 96" Width STD Paint Type - Environmentally Friendly, "3 - Wet System" STD Raw Material Surcharge \$0.00 Bumper, Front - Black, Full Width Included Wheel Seals, Front - Oil lubricated, SKF ScotSeal PlusXL Included Wheel Seals, Rear - Oil lubricated, SKF ScotSeal PlusXL Manual Regen Initiation - Driver Interface in Message Center Included

Prices and content availability as shown are subject to change and should be treated as estimates only. Actual base vehicle, package and option pricing may vary from this estimate because of special local pricing, availability or pricing adjustments not reflected in the dealer's computer system. See salesperson for the most current information.

37



Prepared by: Admir Sarac 11/01/2022

2024 F-650 Diesel Regular Cab Base (F6E)

Price Level: 415

As Configured Vehicle	MSRP
Engine Exhaust Brake	Included
Painted Grille - Plastic	Included
Lights - Roof Marker/Clearance - Amber Lenses, 5 Lights	Included
Tow Hooks, Front (2) - Frame-Mounted, Painted Black	Included
Four Body Builder Switches - Mounted in Center Inst Panel	
Floor Covering - Black Vinyl	Included
Intelligent Oil Life Monitor	Included
Steering Column - Tilt / Telescoping	Included
Steering Wheel - Black PVC w/Integral Cruise Control Switches, includes Audio Controls	
Body Builder Wiring - At Back of Cab, Combined	Included
GVWR Limit: 25,600 lbs.	Included
SUBTOTAL \$76	6,780.00
Destination Charge \$	2,095.00
TOTAL \$73	8,875.00