

Price Level: 415

# Selected Equip & Specs

#### **Dimensions**

GCWR: 50.000 lbs.

Vehicle body length: 281"

Vehicle body height: 88"

Front track: 84"

Turning radius (to curb): 25'

• Rear tire outside width: 96"

Frame section modulus: 11 cu.in.

Frame rail depth: 9"

Frame rail thickness: 0"

Tapered end frame rail depth: 6"

Front bumper to front axle: 39"

Rear brake diameter: 15.0"

Headroom second-row: 38.1"

Leg room second-row: 31.6"

Shoulder room second-row: 68.1"

Hip room second-row: 67.3"

Driver distance from axle: 54"

• Vehicle body width: 97"

• Wheelbase: 179"

Rear track: 73"

Cab to axle: 84"

• Axle to end of frame: 63"

• Frame yield strength (psi): 80000

Frame rail width: 3"

• Frame rail section: 8"

• Tapered end frame rail width: 3"

• Front brake diameter: 15.0"

• Headroom first-row: 40.7"

• Leg room first-row: 41.4"

• Shoulder room first-row: 68.0"

• Hip room first-row: 67.6"

#### **Powertrain**

 6.7L V-8 diesel direct injection, intercooled turbo, diesel, engine with 270HP

Compression ignition system

Torque: 700 lb.-ft.@1500 RPM

Heated fuel/water separator

• Engine retarder system

10-speed automatic

Recommended fuel: diesel

Standard rear differential

• Engine cylinders: V-8

Horsepower: 270 HP@2400 RPM

Radiator

Auxiliary power take-off

• 75 mph speed limiter

· Rear-wheel drive

Low-speed ABS traction control

### **Fuel Economy and Emissions**

Federal emissions

#### Suspension and Handling

• Standard ride suspension

#### Driveability

- · Hydraulic disc brakes
- 4-wheel antilock (ABS) brakes
- Hill start assist
- Leaf spring front suspension
- Rigid axle rear suspension

- Standard grade front shock absorbers
- Front and rear ventilated disc brakes
- Four channel ABS brakes
- · Rigid axle front suspension
- Tapered leaf front suspension
- Leaf spring rear suspension



Price Level: 415

# Selected Equip & Specs (cont'd)

- Hydraulic power-assist steering system
- · 2-wheel steering system

### **Body Exterior**

- Side assist steps
- Clearcoat paint
- Black side window trim
- Black door handles
- 2 front tow hooks
- Black grille
- Black door mirrors
- Convex spotter in driver and passenger side door mirrors
- Reverse opening right rear passenger door
- · White front wheels
- White rear wheels
- Disc rear wheel

#### Convenience

- Manual door locks
- Manual first-row windows
- Driver foot rest
- Standard glove box
- 2 beverage holders
- Dashboard storage
- Steering column lever gearshift location
- Upfitter switches

#### Comfort

- Manual climate control
- Full headliner coverage
- Full floor coverage
- Carpet rear seatback upholstery
- Manual telescopic steering wheel

#### Seats and Trim

- Seating capacity: 5
- Folding driver seat back
- 4 driver seats way-direction
- Bucket passenger seat
- Low passenger seat back

- · Re-circulating ball steering
- 4 doors
- Monotone paint
- · Black windshield trim
- · Black front bumper
- Straight front bumper ends
- Hood mounted grille
- Trailer style side mirrors
- · Reverse opening left rear passenger door
- Metric measure truck 245/70R19.5 AS BSW front and rear tires
- · Steel front wheels
- · Steel rear wheels
- 19.5 x 6.75-inch front and dual rear wheels
- Cruise control with steering wheel mounted controls
- · Partial floor console
- Fixed rear windshield
- Front beverage holders
- Instrument panel bin
- Dual electric horn
- Trip computer
- Cloth headliner material
- Full vinyl floor covering
- · Vinyl rear seat upholstery
- Manual tilting steering wheel
- · Urethane steering wheel
- Bucket driver seat
- · Low driver seat back
- Manual fore/aft
- Fixed passenger seat back
- 4 passenger seats way-direction



Price Level: 415

# Selected Equip & Specs (cont'd)

- Manual fore/aft
- Front passenger seat armrest
- Split-bench rear seat

#### **Entertainment Features**

- AM/FM stereo radio
- Auxiliary input jack
- Speakers number: 2
- Steering wheel mounted audio controls
- Fixed audio antenna

- · Driver seat armrest
- · Fixed rear seats
- Vinyl front seat upholstery
- · Seek scan
- External memory control
- Standard grade speakers
- · Wireless audio streaming

#### **Lighting, Visibility and Instrumentation**

- Analog instrumentation display
- In-radio display clock
- Oil pressure gauge
- Oil temperature gauge
- Engine hour meter
- Light tinted windows
- Halogen headlights
- Multiple enclosed headlights
- DRL preference setting
- Speed sensitive wipers
- Daytime running lights
- · Delay interior courtesy lights

- Trip odometer
- Tachometer
- Engine/electric motor temperature gauge
- Transmission fluid temperature gauge
- Diesel exhaust fluid (def) gauge
- · Aero-composite headlights
- · Auto on/off headlight control
- · Delay-off headlights
- Variable intermittent front windshield wipers
- Variable instrument panel light
- Cab clearance lights

### **Technology and Telematics**

· Handsfree wireless device connectivity

# Safety and Security

- · Front height adjustable seatbelts
- Electronic stability control system

- 1 USB port
- Vehicle tracker

#### **Dimensions**

#### General Weights

Curb weight	9,683 lbs.
Front GAWR	8500 lbs.
GVWR	22000 lbs.

Rear curb weight3,605 lbs.Rear GAWR13500 lbs.GCWR50000 lbs.

#### Trailering Weights

GCWR 50,000 lbs.

Weights





Price Level: 415

Selected Equip & Specs (cont'd)  * Maximum GVWR 25,600 lbs.  Nominal RBM (inlbs.) 860,000 nominal RBM (inlbs.)	Max RBM (inlbs.) 917,600 max RBM (inlbs.)
Front Weights	
Front curb weight 6,079 lbs. Spring rating front 8,500 lbs.	Axle capacity front 8,500 lbs. Tire/wheel capacity front 9,080 lbs.
Rear Weights	
Axle capacity rear 13,500 lbs. Tire/wheel capacity rear 17,200 lbs.	Spring rating rear 15,500 lbs.
Exterior Measurements	
Vehicle body length	Vehicle body width 97"
Vehicle body height	Wheelbase 179"
Front frame height loaded 32"	Front brake diameter 15.0"
Front frame height unloaded	Rear brake diameter 15.0"
Rear frame height loaded 32"	Rear frame height unloaded 33"
Turning radius (to bumper) 26'	Width - mirrors folded 90"
Width - mirrors extended 116"	Front track 84"
Rear track 73"	Driver distance from axle 54"
Turning radius (to curb) 25'	Cab to axle 84"
Rear tire outside width 96"	Axle to end of frame 63"
Frame section modulus 11 cu.in.	Frame yield strength (psi) 80000
Frame rail depth 9"	Frame rail width 3"
Frame rail thickness 0" Tapered end frame rail depth 6" Front bumper to front axle 39"	Frame rail section 8" Tapered end frame rail width 3"
Headroom	
Headroom first-row 40.7"	Headroom second-row 38.1"
Legroom	
Leg room first-row 41.4"	Leg room second-row 31.6"
Shoulder Room	
Shoulder room first-row 68.0"	Shoulder room second-row 68.1"
Hip Room	
Hip room first-row 67.6"	Hip room second-row 67.3"
Powertrain	
Engine	
Engine 6.7L V-8 diesel direct injection, intercooled turbo, diesel, engine with 270HP	Valves per cylinder 4





Price Level: 415

Selected Equip & Specs (cont'd)	Entra de la Companya
Engine cylinders V-8 Ignition Compression ignition system	Engine location Front mounted engine Engine mounting direction Longitudinal mounted engine
Engine block material Iron engine block	Cylinder head material. Aluminum cylinder head
Engine Specs	
Displacement 6.7L Bore 3.9" Compression ratio 16.2	cc       405.9 cu.in.         Stroke       4.25"         Governed RPM       3200 RPM
Engine Power	
Horsepower 270 HP@2400 RPM	Torque 700 lbft.@1500 RPM
Alternator	
Alternator amps 200A	Alternator type Heavy-duty alternator
Battery	
Battery type Dual lead acid battery Battery step Battery run down protection Battery run down protection	Battery rating 1500CCA Battery location Battery location forward right
Engine Extras	
Radiator Radiator	Fuel/water separator Heated fuel/water separator
Auxiliary power take-off Auxiliary power take-off	Engine retarder System
Transmission	
Transmission 10-speed automatic	Transmission electronic control Transmission electronic control
Speed limiter Lock-up transmission Second gear ratio Fourth gear ratio Sixth gear ratio  75 mph speed limiter Lock-up transmission 2.919 1.773 1.277	Overdrive transmission Overdrive transmission First gear ratio 4.615 Third gear ratio 2.132 Fifth gear ratio 1.519 Reverse gear ratio 4.695
Seventh gear ratio 1  Ninth gear ratio 0.687  Stall ratio 1.97	Eighth gear ratio 0.851  Tenth gear ratio 0.632  Selectable mode transmission Selectable mode transmission
Transmission oil cooler Transmission oil cooler	PTO transmission provision PTO transmission provision
Drive Type	
Drive type Rear-wheel drive	
Drivetrain	
Axle speed Single axle speed	



Price Level: 415

# Selected Equip & Specs (cont'd)

Exl	ha	ust

Tailpipe Aluminized steel single exhaust Additional muffler type horizontal Additional muffler location right Additional tailpipe location right

Fuel

Fuel type ...... diesel

Fuel Tank

Front left fuel tank shape rectangular Front left fuel tank capacity 65.01 US gallons DEF capacity 8.00 gal.

Drive Feature

Traction control Low-speed ABS traction control Differential Standard rear differential

#### **Fuel Economy and Emissions**

**Emissions** 

Emissions Federal emissions

### **Suspension and Handling**

Suspension

Suspension Standard ride suspension Front shock absorbers Standard grade front shock absorbers

#### **Driveability**

**Brakes** 

Brake type Hydraulic disc brakes Ventilated brakes Front and rear ventilated disc brakes

ABS brakes Four channel ABS brakes ABS brakes 4-wheel antilock (ABS) brakes

Brake Assistance

Hill start assist Hill start assist

Front Suspension

Suspension ride type front Rigid axle front Suspension type front Leaf spring front

suspension suspension

Front Spring

Regular front springs Springs Front Tapered leaf front suspension

Rear Spring

Springs rear Multi-leaf rear suspension Rear springs Regular grade rear springs

Rear Suspension



Price Level: 415

Price Level: 415	
Selected Equip & Specs (cont'd)  Suspension type rear suspension  Leaf spring rear suspension	Suspension ride type rear Rigid axle rear suspension
Steering	
Steering Hydraulic power-assist steering system Steering type number of wheels 2-wheel steering system	Steering typeRe-circulating ball steering
·	
Exterior	
Front Wheels	
Front wheels diameter 19.5"	Front wheels width 6.8"
Rear Wheels	
Rear wheels diameter 19.5"	Rear wheels width 6.8"
Front And Rear Wheels	
Appearance none	
Front Tires	
Aspect 70 Sidewalls BSW Type metric measure truck tire Front wheel - RPM 628	Diameter19.5"TreadASWidth245mm
Rear Tires	
Aspect 70 Sidewalls BSW Type metric measure truck tire Rear wheel - RPM 621	Diameter19.5"TreadASWidth245mm
Body Exterior	
Exterior Features	
Number of doors 4 doors Front splash guards Front splash guards	Side steps Side assist steps
Frame	
Clean CA frame Clean CA frame	Tapered rear frame Tapered rear frame
Body	
Body panels Composite and galvanized steel body panels	
Mirrors	
Convex spotter Convex spotter in driver and passenger side door mirrors	



Price Level: 415

# Selected Equip & Specs (cont'd)

**Tires** 

Front tires LT load rating G Rear tires LT load rating G

Wheels

Front wheel type Disc front wheel

Number of front wheel studs 8 front wheel studs

Dual rear wheels Dual rear wheels

Number of rear wheel studs 8 rear wheel studs

Convenience

Door Locks

Door locks Manual door locks

Cruise Control

Cruise control with steering wheel mounted controls

**Exterior Mirrors** 

Folding door mirrors Manual folding door mirrors

Front Side Windows

First-row windows Manual first-row windows

Floor Console

Floor console Partial floor console

Passenger Visor

Visor passenger mirror Passenger visor mirror

Power Outlets

12V power outlets 2 12V power outlets

Pedals

Driver foot rest Driver foot rest

Rear Windshield

Rear windshield Fixed rear windshield

Storage

Number of beverage holders 2 beverage holders
Glove box Standard glove box
Dashboard storage

Dashboard storage Dashboard storage

Windows Rear Side

Second-row windows Fixed second-row

windows

Miscellaneous

Beverage holders Front beverage holders Instrument panel storage Instrument panel bin





Price Level: 415

Selected Equip & S	pecs (cont'd)		
Trip computer		Gearshift location gearshift location	Steering column lever
Upfitter switches	Upfitter switches	Horn	Dual electric horn
Comfort			

Headliner

Climate Control

Climate control Manual climate control

Headliner material Cloth headliner material Headliner coverage Full headliner coverage

Floor Trim

Floor covering Full vinyl floor covering Floor coverage Full floor coverage

Second-Row Seat Trim

Rear seat upholstery. Vinyl rear seat upholstery Rear seatback upholstery Carpet rear seatback

upholstery

Steering Wheel

Steering wheel material Urethane steering wheel Steering wheel telescopic Manual telescopic

Steering wheel tilt Manual tilting steering wheel

steering wheel

#### **Seats and Trim**

### Seat Capacity

Seating capacity 5

#### Front Seats

Front seat type Bucket driver seat Front seat type Bucket passenger seat Driver seat back type Low driver seat back Driver seat back Folding driver seat back Driver seat fore/aft Manual fore/aft Driver seats way-direction 4 driver seats waydirection

Passenger seat back Fixed passenger seat back Passenger seat back type Low passenger seat back

Passenger seats way-direction 4 passenger seats wav-direction

Armrests front driver Driver seat armrest

Armrests front passenger Front passenger seat armrest

Passenger seat fore/aft Manual fore/aft

#### Rear Seats

seats

Bench seats Split-bench rear seat Rear seats fixed or removable Fixed rear seats Folding second-row seats 60-40 folding rear Rear seat direction Front facing rear seat

Rear seat folding position Fold-up rear seat

cushion



Randall Reed's Planet Ford 635 | 3601 S. Shiloh Rd. Garland Texas | 750414015



Price Level: 415

#### Front Seat Trim

Front seat upholstery Vinyl front seat upholstery

Front seatback upholstery Carpet front seatback upholstery

#### Gearshifter Material

Gearshifter material Urethane gear shifter

material

#### **Entertainment Features**

#### Radio Features

Aux input jack Auxiliary input jack Seek scan Seek scan External memory External memory control

Speakers

Speakers Standard grade speakers

Speakers number 2

#### Audio Features

Steering mounted audio control Steering wheel

mounted audio controls

Wireless streaming Wireless audio streaming

### **Lighting, Visibility and Instrumentation**

#### Instrumentation

Trip odometer Trip odometer

Instrumentation display Analog instrumentation

display

#### Instrumentation Displays

Clock In-radio display clock

### Instrumentation Gauges

Tachometer Tachometer Oil temperature gauge Oil temperature gauge

Oil pressure gauge Oil pressure gauge Transmission temperature gauge Transmission

fluid temperature gauge

Engine hour meter Engine hour meter

Engine/electric motor temperature

gauge Engine/electric motor temperature

gauge

DEF fluid gauge Diesel exhaust fluid (def)

gauge

#### Instrumentation Warnings

Oil pressure warning Oil pressure warning Low brake fluid warning Low brake fluid warning Headlights on reminder Headlights on reminder Door ajar warning Door ajar warning Low fuel warning Low fuel warning Battery charge warning Battery charge warning Key in vehicle warning Key in vehicle warning Service interval warning Service interval indicator



Randall Reed's Planet Ford 635 | 3601 S. Shiloh Rd. Garland Texas | 750414015

Ford

2024 F-650 Diesel SuperCab Base (X6E)

Price Level: 415

Selected Equip & Specs (cont'd)

Transmission fluid temperature warning Transmission fluid temp warning

Low diesel exhaust fluid (DEF) warning Low diesel exhaust fluid (DEF) warning

Glass

Tinted windows Light tinted windows

Headlights

Headlights Halogen headlights
Auto headlights Auto on/off headlight control
Delay off headlights Delay-off headlights

Headlight type Aero-composite headlights Multiple headlights Multiple enclosed headlights DRL preference setting DRL preference setting

Front Windshield

Wipers Variable intermittent front windshield wipers

Speed sensitive wipers Speed sensitive wipers

Interior Lighting

Variable panel light Variable instrument panel light

Lights

Running lights Daytime running lights

Clearance lights Cab clearance lights

Interior courtesy lights Delay interior courtesy lights

**Technology and Telematics** 

Connectivity

Handsfree Wireless device connectivity

**USB Ports** 

USB ports 1 USB port

Safety and Security

Seatbelts


Height adjustable seatbelts Front height adjustable seatbelts

Security System


Vehicle tracker Vehicle tracker

**Traction Control** 

Electronic stability control System



11/01/2022






2024 F-650 Diesel SuperCab Base (X6E)

Price Level: 415

Available C	Options			
Selected	Code	Description	MSRP	Invoice
General Info				
	ORDER1	Initial Order Date: 10/27/2022	N/C	N/C
Engines				
$\checkmark$	99C	6.7L Power Stroke V8 Turbo Diesel - 270 HP @ 2400 RPM	STD	STD
	_	Exhaust Brake and manual regen capabilit 00. Includes CARB clean idle label - may be removed	•	2 1500 rpm.
	99E	6.7L Power Stroke V8 Turbo Diesel - 300 HP @ 2500 RPM	\$1,995.00	\$1,761.00
		Exhaust Brake and manual regen capabilit		2 1500 rpm.
	99X	6.7L Power Stroke V8 Turbo Diesel - 330 HP @ 2600 RPM	\$3,495.00	\$3,084.00
	_	Exhaust Brake and manual regen capabilit		2 1500 rpm.
$\checkmark$	425	50-State Emissions	N/C	N/C
	41H	Engine Block Heater, Phillips, 120 Volt/750 Watt	\$155.00	\$137.00
	Includes removable	grille cover.		
	98R Allows Driver to Inh	Active Regen Control  ibit Automatic Regen until Regen can be performed in	\$205.00 a Safe location.	\$181.00
	916	Speed Limit - 65mph	N/C	N/C
	917	Speed Limit - 70mph	N/C	N/C




11/01/2022

# 2024 F-650 Diesel SuperCab Base (X6E)

Price Level: 415

Available	Options (co	ont'd)		
Selected	Code	Description	MSRP	Invoice
	62G	Air Compressor, Bendix, 13.2 CFM Capacity - Includes Direct Reading Air Pressure Gauge	\$1,175.00	\$1,037.00
	For use as an	Air Source when Air Brakes are not selected.		
	94A	Engine Idle Shutdown Timer - 5 Minutes	\$25.00	\$23.00
	94B	Engine Idle Shutdown Timer - 10 Minutes	\$25.00	\$23.00
	94C	Engine Idle Shutdown Timer - 15 Minutes	\$25.00	\$23.00
	94D	Engine Idle Shutdown Timer - 20 Minutes	\$25.00	\$23.00
Transmission	าร			
$\checkmark$	44D	Ford TorqShift HD 10-Speed Automatic - Double Overdrive, with PTO Provision	STD	STD
	Includes tow/hau			
Front Wheels	& Tires			
$\checkmark$	645	Wheels, Front 19.5x6.75 White Powder Coated Steel, 8-Hole	STD	STD
	(275MM BC) hub	piloted, flanged nut, metric mount, 6.75 DC rims; with stee	el hubs.	
	648	Wheels, Front 19.5x6.75 Aluminum, 8-Hole Alcoa Clean Buff w/Dura-Bright Seal on Both Sides	\$470.00	\$414.00






11/01/2022

Randall Reed's Planet Ford 635 | 3601 S. Shiloh Rd. Garland Texas | 750414015

# 2024 F-650 Diesel SuperCab Base (X6E)

Price Level: 415

Available C	Options (c	ont'd)		
Selected	Code	Description	MSRP	Invoice
	646	Wheels, Front 19.5x7.5 White Powder Coated Steel, 10-Hole	\$25.00	\$23.00
	(285.75MM BC)	hub piloted, flanged nut, metric mount, 7.50 DC rims; with s	teel hubs.	
	64D	Wheels, Front 19.5x7.5 Aluminum, 10-Hole Alcoa Bright Polished w/Dura-Bright Seal on Both Sides	\$630.00	\$556.00
	Т9А	Tires, Front Two 245/70R19.5G Hankook AH35 (628 rev/mile)	STD	STD
	TGK	Tires, Front Two 245/70R19.5H Michelin AGILIS HDZ (619 rev/mile)	\$70.00	\$61.00
	T9F	Tires, Front Two 245/70R19.5H Hankook AH35 (628 rev/mile)	\$40.00	\$36.00
	Т9В	Tires, Front Two 265/70R19.5G Hankook AH35 (613 rev/mile)	\$75.00	\$67.00
Rear Wheels &	Tires			
$\checkmark$	665	Wheels, Rear 19.5x6.75 White Powder Coated Steel, 8-Hole	STD	STD
	(275MM BC) hu	b piloted, flanged nut, metric mount, 6.75 DC rims; with stee	el hubs.	
	668	Wheels, Rear 19.5x6.75 Aluminum, 8-Hole Alcoa Clean Buff w/Dura-Bright Seal on Both Sides - Outside Mount	\$705.00	\$622.00
	With white steel	l wheels inside mount.		






Randall Reed's Planet Ford 635 | 3601 S. Shiloh Rd. Garland Texas | 750414015



# 2024 F-650 Diesel SuperCab Base (X6E)

Price Level: 415

Available (	Options (co	ont'd)		
Selected	Code	Description	MSRP	Invoice
	66A	Wheels, Rear 19.5x6.75 DRW Aluminum, 8-Hole Alcoa Clean Buff w/Dura-Bright Seal on Both Sides - Outside Mount	\$940.00	\$830.00
	Inner wheel is alu	ıminum.		
	666	Wheels, Rear 19.5x7.5 White Powder Coated Steel, 10-Hole	\$50.00	\$44.00
	(285.75MM BC) I	nub piloted, flanged nut, metric mount, 7.50 DC rims; with	steel hubs.	
	66D	Wheels, Rear 19.5x7.5 Aluminum, 10-Hole Alcoa Bright Polished w/Dura-Bright Seal on Both Sides	\$725.00	\$640.00
	66B Inner wheel is alu	Wheels, Rear 19.5x7.5 DRW Aluminum, 10-Hole Alcoa Bright Polished w/Dura-Bright Seal on Both Sides  uminum.	\$1,260.00	\$1,112.00
	60W	Wheel, Spare 19.5x6.75, White Powder Coated Steel, 8-Hole - Quantity (One only)	\$145.00	\$128.00
	60X	Wheel, Spare 19.5x7.5, White Powder Coated Steel, 10-Hole - Quantity (One only)	\$145.00	\$128.00
	R9A Includes: - GVWR Limit: 25	Tires, Rear Four 245/70R19.5G Hankook AH35 (621 rev/mile)	STD	STD
	R9C	Tires, Rear Four 245/70R19.5G Hankook DH35 (632 rev/mile)	\$80.00	\$71.00



11/01/2022

# 2024 F-650 Diesel SuperCab Base (X6E)

Price Level: 415

Available	Options (co	ont'd)		
Selected	Code	Description	MSRP	Invoice
	R9B	Tires, Rear Four 265/70R19.5G Hankook AH35 (613 rev/mile)	\$150.00	\$132.00
	R9D	Tires, Rear Four 265/70R19.5G Hankook DH35 (614 rev/mile)	\$100.00	\$88.00
	R9F	Tires, Rear Four 245/70R19.5H Hankook AH35 (621 rev/mile)	\$80.00	\$71.00
	R9E	Tires, Rear Four 245/70R19.5H Hankook DH35 (632 rev/mile)	\$165.00	\$145.00
	RGK	Tires, Rear Four 245/70R19.5H Michelin AGILIS HDZ (619 rev/mile)	\$165.00	\$145.00
Brakes				
$\checkmark$	67H	Hydraulic Brake System - Bosch HydroMax w/Traction Control	STD	STD
	Full power with a mounted parking	utomatic adjustment, 4-channel ABS antilock brake syster brake, Orscheln lever control, right of driver and hand ope	n. Includes 12" x 3" (Bosch) L erated park brake lever.	DSSA type rear axle
	152	Trailer Connection Socket - 7- Way, Wired for Turn Signals Combined with Stop	\$100.00	\$88.00
	Mounted at rear of accommodation p	of frame, for combined trailer stop, tail, turn, marker light ca package with cab connections for mounting customer insta	rcuits. Includes electric traile Illed electric brake unit.	r brake
	154	Trailer Connection Socket - 7- Way, Wired for Turn Signals, Separate of Stop	\$100.00	\$88.00
		of frame, for separate trailer stop, tail, turn, marker light cir backage with cab connections for mounting customer insta		brake



11/01/2022

Randall Reed's Planet Ford 635 | 3601 S. Shiloh Rd. Garland Texas | 750414015

# 2024 F-650 Diesel SuperCab Base (X6E)

Price Level: 415

Selected	Code	Description	MSRP	Invoice
	67A	Air Brakes (4 WHEEL DRUM) -	\$2,530.00	\$2,233.00
	•	Straight Truck w/Traction		
		Control		
	pressure gauges, yellow knob parki chambers mounte Rear brake size a during acceleratio Deletes hand ope Includes: - Air Dryer, Bendi	th ABS, Bendix Anti-Lock Brake System, 4-channel. Include brake lines color coded nylon, Bendix 13.2 CFM capacity ng brake control valve, automatic slack adjusters front and ed on front of rear axle, three drain valves and two air tankind components dependent upon axle selection. Uses existent Usage determined by the air brake package selected. (arated park brake lever.)  x AD/IS w/Heater me rail (for Hydraulic brake diesel applications that include	air compressor, instrument I rear, two rear spring parki Iss (Reference Body Builders sting ABS system to minimiz Not recommended with Hi-I	panel mounted ng air brake s Book for location). ze wheel slipping Rail Train Systems).
	18A	Electronic Stability Control	Variable	Variable
		DELETE		
	Deletes the stand	lard ESC feature.		
	98B	Final Upfit Center of Gravity -	N/C	N/C
	002	Low CG (38" to 48" FINAL		
		Center of Gravity)		
	must be selected upfit CG is known	g Electronic Stability Control Standard. When air brakes a by dealer when ordering. If the final CG is not known, use b, and the unit requires ESC for other features (such as Dr when ordering air brake during the specing process. Call T	the ESC delete (18A) featuiver Assist Technology) sele	re. Where the final ect the appropriate
	98C	Final Upfit Center of Gravity -	N/C	N/C
	300	Medium CG (48" to 58" FINAL		
		Center of Gravity)		
	must be selected upfit CG is known	g Electronic Stability Control Standard. When air brakes a by dealer when ordering. If the final CG is not known, use , and the unit requires ESC for other features (such as Dr when ordering air brake during the specing process. Call T	the ESC delete (18A) featuiver Assist Technology) sele	re. Where the final ect the appropriate
	98E	Final Upfit Center of Gravity -	N/C	N/C
		High CG (58" to 68" FINAL		
		Center of Gravity)		
	must be selected upfit CG is known	g Electronic Stability Control Standard. When air brakes a by dealer when ordering. If the final CG is not known, use , and the unit requires ESC for other features (such as Dr when ordering air brake during the specing process. Call T	the ESC delete (18A) featuiver Assist Technology) sele	re. Where the final ect the appropriate
	98F	Final Upfit Center of Gravity -	N/C	N/C
		Tanker High CG (58" to 68"		




11/01/2022

Randall Reed's Planet Ford 635 | 3601 S. Shiloh Rd. Garland Texas | 750414015

# 2024 F-650 Diesel SuperCab Base (X6E)

Price Level: 415

Selected	Options (co	Description	MSRP	Invoice
Selected	With MY23 having must be selected upfit CG is known	g Electronic Stability Control Standard. When air brakes a by dealer when ordering. If the final CG is not known, use a, and the unit requires ESC for other features (such as Dr. when ordering air brake during the specing process. Call T	re selected, the "final upfit ce the ESC delete (18A) featur iver Assist Technology) selec	enter of gravity (CG) re. Where the final ct the appropriate
	98J	Final Upfit Center of Gravity - Tanker Medium CG (48" to 58"	N/C	N/C
		FINAL Center of Gravity)		
	must be selected upfit CG is known	g Electronic Stability Control Standard. When air brakes at by dealer when ordering. If the final CG is not known, use a, and the unit requires ESC for other features (such as Dr. when ordering air brake during the specing process. Call T	the ESC delete (18A) featur iver Assist Technology) sele	re. Where the final of the appropriate
	62D	Air Dryer, Bendix AD/IS w/Heater	\$460.00	\$406.00
	Mounted left fram compressor).	re rail (for Hydraulic brake diesel applications that include a	air suspension or stand alon	e engine air
	158	Trailer Air Brake Package to rear of frame, hand control valve and tractor protection	\$365.00	\$322.00
	modeoc an inte			
	157	Trailer Connection Socket - 7- Way, Wired for Turn Signals, Separate of Stop	\$100.00	\$88.00
		of frame, for separate trailer stop, tail, turn, marker light circlith separate stop/turn).	cuits (compatible with trailers	s that have amber o
	159	Trailer Connection Socket - 7- Way, Wired for Turn Signals Combined with Stop	\$100.00	\$88.00
	Mounted at rear of lights).	of frame, for combined trailer stop, tail, turn (compatible wi	th trailers that use combined	stop, tail, turn
Front Axle an	d Suspension			
$\checkmark$	43A	8,500 lb. Cap. Non-Driving - Dana D-850F	STD	STD
$\checkmark$	61B	Taper-Leaf Springs, Parabolic - 8,500 lb. Cap	STD	STD
	2-leaf, 62" x 3.15	". Also includes, standard duty, dual, double acting shock of	absorbers.	





# 2024 F-650 Diesel SuperCab Base (X6E)

Price Level: 415

		nt'd)	Options (co	Available
Invoice	MSRP	Description	Code	Selected
\$433.00	\$490.00	Front Stabilizer Bar	15S	
\$44.00	\$50.00	Lube, Front Axle, EmGard 50W, Synthetic Oil	60A	
\$111.00	\$125.00	Taper-Leaf Springs, Parabolic - 10,000 lb. Cap	61C	
	bsorbers.	. Also includes, standard duty, dual, double acting shock a	2-leaf, 62" x 3.15"	
			d Suspension	Rear Axle an
STD	STD	13,500 lb. Single-Speed	471	$\checkmark$
nes for startability	check performance guideli	vith 190 wheel ends. NOTE: When specifying an axle ratio,	Single reduction value and gradeability.	
\$145.00	\$165.00	17,500 lb. Single-Speed - Dana S17-140	472	
check performance	en specifying an axle ratio,	with Gentech Quiet Gears and 190 wheel ends. NOTE: Whatability and gradeability.		
N/A	N/A	Driveshaft Upgrade	18P	
pplications, such as endent and should	quired in more demanding a triveshaft is powertrain depo	e line is optional. Heavy duty drive line components are red ines or deep reduction low gear(s). The heavier SPL-140 o re durability is required by the vocation or customer.	higher torque eng	
STD	STD	Multi-Leaf Springs - 15,500 lb.	68K	$\checkmark$
		Сар		
		2,000 lb auxiliary springs for load stabilization.	10-leaf. Includes 2	
\$97.00	\$110.00	Multi-Leaf Springs - 19,000 lb. Cap	68M	
		2,000 lb auxiliary springs for load stabilization.	11-leaf. Includes 2	
\$145.00	\$165.00	Shock Absorbers, Rear - Double Acting	961	
\$88.00	\$100.00	Lube, Rear Axle, EmGard 75W-	607	



11/01/2022

Randall Reed's Planet Ford 635 | 3601 S. Shiloh Rd. Garland Texas | 750414015

# 2024 F-650 Diesel SuperCab Base (X6E)

Price Level: 415

Available C	ptions (co	ont'd)		
Selected	Code	Description	MSRP	Invoice
	X4A PRNDM/RNDN	4.10 Axle Ratio  I determined by Rear Axle Ratio and Tire Size.	N/C	N/C
	X4S PRNDM/RNDN	4.56 Axle Ratio  I determined by Rear Axle Ratio and Tire Size.	N/C	N/C
	X4G PRNDM/RNDN	4.88 Axle Ratio  I determined by Rear Axle Ratio and Tire Size.	N/C	N/C
	X5B PRNDM/RNDN	5.29 Axle Ratio  I determined by Rear Axle Ratio and Tire Size.	N/C	N/C
	X5D PRNDM/RNDN	5.57 Axle Ratio  I determined by Rear Axle Ratio and Tire Size.	N/C	N/C
Wheelbase				
$\checkmark$	179WB	179" Wheelbase/84" CA/63" AF/281" OAL	STD	STD
	203WB	203" Wheelbase/108" CA/75" AF/317" OAL	\$165.00	\$145.00
	239WB	239" Wheelbase/144" CA/81" AF/359" OAL	\$580.00	\$512.00
Frame				
✓	537 860,000/520,000 (165.1mm x 77.8r	Single Channel - 10.75 SM, 80,000 PSI RBM. 9.125" x 3.062" x 0.312" (231.8mm x 77.8mm x 8.0mm) mm x 8.0mm).	STD  w/transition to 6.500" x	STD 3.062" x 0.312"




11/01/2022

Randall Reed's Planet Ford 635 | 3601 S. Shiloh Rd. Garland Texas | 750414015

# 2024 F-650 Diesel SuperCab Base (X6E)

Price Level: 415

Available Selected	Options (co	ont'd) Description	MSRP	Invoice
	765	Bumper, Front - Full Width, Chrome Plated Steel - (Included in (90E) Exterior Appearance Group)	\$490.00	\$433.00
	76X	Bumper, Front - Delete - Also Deletes Mounting Brackets	-\$135.00	-\$119.00
	76Y	Tow Hooks - Delete	-\$70.00	-\$61.00
	86C	Chrome Grille Surround - (Included in (90E) Exterior Appearance Group)	\$245.00	\$216.00
	86B	Grille, Fixed - Black/Gray	\$125.00	\$111.00
Exhaust				
$\checkmark$	91G Single, horizontal	Under Cab, Right Side Outlet, Switchback-Style I muffler, right side, under cab, outside of frame rail with rea	STD ar discharge.	STD
	91B Single, horizontal	Back of Cab, Right Side Outlet, Torpedo-Style muffler/pipe, inline, right side exhaust with underbody exit,	N/C in front of axle.	N/C
	91D	Under Cab, Vertical Outlet, Right Side, Switchback-Style - Intrudes 2" into clean CA	\$715.00	\$631.00
	_	ne selection of this Exhaust could reduce the av		
	heat shield and tu			
Fuel Tanks				
$\checkmark$	65E	Fuel Tank - LH 65 Gallon Rectangular - Aluminum	STD	STD




11/01/2022

# 2024 F-650 Diesel SuperCab Base (X6E)

Price Level: 415

Available	Options (con	t'd)		
Selected	Code	Description	MSRP	Invoice
	65F	Fuel Tank - 115 Gallon Rectangular - Aluminum - LH 65-gal, RH 50-gal	\$915.00	\$807.00
Electrical / Alt	ternator / Battery			
$\checkmark$	STDALT	Extra Heavy Duty Alternator - 12-Volt, 200 Amp Denso SC5	STD	STD
	17D	Dual Heavy Duty Alternators - 357 Amp Capacity - 200 & 157 amp Denso SC5/SC2	\$855.00	\$754.00
	17A	Extra Heavy Duty Alternator - 12-Volt, 240 Amps	\$410.00	\$362.00
	55M	Jump Start Stud - Remote Mounted	\$90.00	\$80.00
$\checkmark$	STDBAT  12Volt, Motorcraft.	Battery - Two 750 CCA, 1500 Total, Includes Steel Battery Box	STD	STD
	63B	Battery - Two 900 CCA, 1800 Total, Includes Steel Battery Box	\$60.00	\$53.00
	12 Volt, Motorcraft.			
	63D  12Volt, Motorcraft.	Battery - Three 900 CCA, 2700 Total, Includes Steel Battery Box	\$250.00	\$221.00
	63Y	Battery - Temporary Mount for Truck Chassis	\$235.00	\$208.00





11/01/2022

# 2024 F-650 Diesel SuperCab Base (X6E)

Price Level: 415

		nt'd)	Options (co	Available
Invoice	MSRP	Description	Code	Selected
\$27.00	\$30.00	Roof Marker/Clearance Lights - Clear Lenses, 5 Lights (Replaces Standard Amber Lenses)	164	
N/C	N/C	Roof Marker/Clearance Lights - Delete lications that receive modified roof coverings.	16X For Airport or Appli	
\$119.00	\$135.00	Body Builder Wiring - At End of Frame, Combined - (ILO Standard - Back of Cab Combined)	59C	
		ditional pass through wires to cab.	Also includes 2 add	
\$61.00 mps. Also includes 2	\$70.00 parate right/stop, back up lar	Body Builder Wiring - At Back of Cab, Separate - (ILO Standard - Back of Cab Combined) connectors for 2 ground circuits, with separate left/stop, separate wires to cab.	59D  Includes sealed co additional pass three	
\$119.00	\$135.00	Body Builder Wiring - At End of Frame, Separate - (ILO Standard - Back of Cab Combined)  onnectors for 2 ground circuits, with separate left/stop, sep	59E	
		ough wires to cab.	additional pass thro	
\$97.00	\$110.00	Back-Up Alarm - Electric, 102 dBA	17M	
\$23.00	\$25.00	Daytime Running Lamps (Not Configurable)	962	
\$282.00	\$320.00	Upfitter Interface Module	86M	





11/01/2022

### 2024 F-650 Diesel SuperCab Base (X6E)

Price Level: 415

	Options (co	•		
Selected	Code	Description	MSRP	Invoice
	55X Deletes stop, turn	Tail Light Delete  n, tail and backup lights. Does not omit cable to end of frame	N/C e.	N/C
	<b>16V</b> Available in mess	Voltmeter age center.	\$100.00	\$88.00
Seats				
$\checkmark$	88A	30/0/30 Fixed Driver & Fixed Passenger w/Consolette - Vinyl	STD	STD
	88B	30/0/30 Fixed Driver & Fixed Passenger w/Consolette - Cloth	\$125.00	\$111.00
	881	30/70 Fixed Driver & Fixed 2- Passenger Bench - Vinyl	\$350.00	\$309.00
	882	30/70 Fixed Driver & Fixed 2- Passenger Bench - Cloth	\$475.00	\$420.00
	88C	30/0/0 Fixed Driver only - Vinyl	-\$120.00	-\$106.00
	88D	30/0/0 Fixed Driver only - Cloth	N/C	N/C
	88Y	40/20/40 Fixed Driver & Fixed Passenger w/Unique 20% Fold- Down Console - Vinyl	\$420.00	\$370.00
	88Z	40/20/40 Fixed Driver & Fixed Passenger w/Unique 20% Fold- Down Console - Cloth	\$545.00	\$481.00
$\checkmark$	87B Trim will match se	60/40 Rear Bench Seat w/Bolster and Flip-Up Cushion elected driver seat material.	STD	STD




11/01/2022

Randall Reed's Planet Ford 635 | 3601 S. Shiloh Rd. Garland Texas | 750414015

# 2024 F-650 Diesel SuperCab Base (X6E)

Price Level: 415

Available	Options (co	ont'd)		
Selected	Code	Description	MSRP	Invoice
	87X	Rear Bench - Delete	-\$120.00	-\$106.00
Cab Interior				
$\checkmark$	600A  Includes: - Bumper, Front -	Preferred Equipment Package 600A  Black, Full Width ont - Oil lubricated, SKF ScotSeal PlusXL Seals	N/C	N/C
	- Manual Regen II Engine Exhaust - Extra Heavy Dut - Painted Grille - II Lights - Roof Ma - Tow Hooks, Froit - Four Body Build With connector a - Floor Covering Intelligent Oil Lift - Steering Column - Steering Wheel - Body Builder Wit Includes sealed	ty Alternator - 12-Volt, 200 Amp Denso SC5 Plastic arker/Clearance - Amber Lenses, 5 Lights nt (2) - Frame-Mounted, Painted Black er Switches - Mounted in Center Instrument Panel access located in engine compartment. Amperages vary Black Vinyl	es Audio Controls	mps, back up lamps.
	87H	Driver Assist Technology	\$1,410.00	\$1,244.00
		Package. Hydraulic Brake		
	Control. Includes: - Enhanced Clust Electronic speed indicator lights. Al	er w/High-Level 8-Inch Display dometer (MPH/KPH), includes oil pressure, coolant tem lso included is enhanced 3-button Message Center with economy, hour meter and warning messages. Transmi	perature, DEF gauge, fuel gau godometer, trip odometer, dista	ge, tachometer, and ance to empty for
	87A	Driver Assist Technology	\$3,050.00	\$2,692.00
		Package (w/Bendix Wingman		
	and Auto High Be Includes: - Enhanced Clust	Advanced). Air Brake nous Emergency Braking, Forward Collision Warning, Learn Control.  er w/High-Level 8-Inch Display dometer (MPH/KPH), includes oil pressure, coolant temp		
	indicator lights. Al	lso included is enhanced 3-button Message Center with economy, hour meter and warning messages. Transmi	odometer, trip odometer, dist	ance to empty for






# 2024 F-650 Diesel SuperCab Base (X6E)

Price Level: 415

Available	Available Options (cont'd)						
Selected	Code	Description	MSRP	Invoice			
	61M	Rear View Camera w/Mirror Display	\$510.00	\$450.00			
	Rear view mirror	video with full length display included in kit. To be installed	by Upfitter.				
	90A Includes front-mo	Appearance Group unted overhead console with dual sunglass bins and integ	\$830.00	\$733.00			
	Includes: - Chrome Trimme - 60/40 Rear Bend Trim will match s - Power Equipme	ed Air Registers w/Positive Shut-Off ch Seat w/Bolster and Flip-Up Cushion selected driver seat material. nt Group - (Included in (90A) Appearance Group) front side windows, manual rear side windows, power door					
	17W	Wi-Fi 4G LTE Hotspot Delete	-\$20.00	-\$17.00			
	92J	Enhanced Cluster w/High-Level 8-Inch Display	\$235.00	\$208.00			
	indicator lights. Al	ometer (MPH/KPH), includes oil pressure, coolant tempera lso included is enhanced 3-button Message Center with oc economy, hour meter and warning messages. Transmissi	lometer, trip odometer, dista	ance to empty for			
	90P	Power Equipment Group - (Included in (90A) Appearance	\$470.00	\$414.00			
	Includes power fro	Group) ont side windows, manual rear side windows, power door l	ocks and door trim panel.				
	57N Includes fresh air	Air Conditioning Delete heater and defroster only.	-\$100.00	-\$88.00			
	86H	Rapid-Heat Supplemental Cab Heater	\$610.00	\$538.00			
	Required with A Hampshire, Ne	Alaska, Colorado, Idaho, Iowa, Maine, Michiga w York, North Dakota, South Dakota, Vermont	n, Minnesota, Montana , Wisconsin, Wyoming	a, New I.			
	96C	Pull Out Cup Holder For Two Cups - Instrument Panel Mounted	\$30.00	\$27.00			
	55P	110 A/C Outlet - in Lower Center Finish Panel	\$100.00	\$88.00			








### Randall Reed's Planet Ford 635 | 3601 S. Shiloh Rd. Garland Texas | 750414015

2024 F-650 Diesel SuperCab Base (X6E)

Price Level: 415

Invoice	MSRP	Description	Options (co	Selected
\$27.00	\$30.00	4 Speaker Option for 588 Radio	214	
N/C dio instrument pane	N/C ng, 2 speakers, antenna, rad	Radio Prep Package dash-mounted aux input jack. Includes radio/speaker wiring bunted aux audio input jack instrument panel cover.	<b>58P</b> Deletes radio and cover and dash-m	
-\$53.00	-\$60.00	Radio Delete Package	58B	
ıdio jack cover and	ent panel cover and aux au	akers, antenna and antenna cable. Includes radio instrume for future radio upfit if owner desires.	Deletes radio, spe speaker locations	
STD	STD	Radio: AM/FM Stereo w/2 Speakers, USB input, Clock Display and Bluetooth	588	$\checkmark$
\$40.00	\$45.00	Keyed Alike - Not Available with Anti-Theft System, Requires Multiple-Unit Order	85B	
\$40.00	\$45.00	Keyed Alike - Option 1 - Not Available with Anti-Theft System, Requires Multiple-Unit Order	85L	
\$40.00	\$45.00	Keyed Alike - Option 2 - Not Available with Anti-Theft System, Requires Multiple-Unit Order	85M	
\$40.00	\$45.00	Keyed Alike - Option 3 - Not Available with Anti-Theft System, Requires Multiple-Unit Order	85N	




11/01/2022

# 2024 F-650 Diesel SuperCab Base (X6E)

Price Level: 415

Available	Options (co	ont'd)		
Selected	Code	Description	MSRP	Invoice
	85P	Keyed Alike - Option 4 - Not Available with Anti-Theft System, Requires Multiple-Unit Order	\$45.00	\$40.00
	85A	SecuriLock Passive Anti-Theft System	\$120.00	\$106.00
	programmed to th	Passive Anti-Theft System is designed to help prevent the ne vehicle, is used. It helps protect against drive-away thef ed ignition key features billions of possible codes to start to the start systems.	t through an electronically c	oded ignition key, its
	90M	Interior Rear View Mirror	\$75.00	\$67.00
Cab Exterior				
	- Chromed Fende	Exterior Appearance Group  Full Width, Chrome Plated Steel - (Included in (90E) Exter  Badge  urround - (Included in (90E) Exterior Appearance Group)	\$730.00 rior Appearance Group)	\$645.00
	85K	Remote Keyless Entry w/2 Key Fobs	\$195.00	\$172.00
	94T	Tamper-Proof Odometer	\$30.00	\$27.00
	59A	Horn, Air - Black, Single Trumpet	\$90.00	\$80.00
	Air solenoid opera	ated, chassis mounted on rail back of bumper.		
$\checkmark$	54H	Mirrors, Dual - Rectangular, XL2020 - 96" Width	STD	STD
	Integral spot mirro	or, sail type, manual fold, solid black finish.		
	54M	Mirrors, Dual - Heated Rectangular, XL2020 - 96" Width	\$85.00	\$75.00
	Integral spot mirro	or, sail type, manual fold, solid black finish.		






11/01/2022

# 2024 F-650 Diesel SuperCab Base (X6E)

Price Level: 415

Available Options (cont'd)				
Selected	Code	Description	MSRP	Invoice
	54P	Mirrors, Dual - Heated &  Motorized Rectangular, XL2020 - 96" Width	\$245.00	\$216.00
	Integral spot mirro	or, sail type, solid black finish.		
	54B	Mirrors, Dual - Rectangular, XL2020 - 96" Width w/Chrome Cap	\$60.00	\$53.00
	Integral spot mirro	or, sail type, manual fold.		
	54N	Mirrors, Dual - Heated Rectangular, XL2020 - 96" Width w/Chrome Cap	\$120.00	\$106.00
	Integral spot mirro	or, sail type, manual fold.		
	54A	Mirrors, Dual - Heated & Motorized Rectangular, XL2020 - 96" Width w/Chrome Cap	\$305.00	\$269.00
	Integral spot mirro	or, sail type.		
	54J	Mirrors, Dual - Rectangular, XL2020 - 102" Width	\$30.00	\$27.00
	Integral spot mirro	or, sail type, manual fold, solid black finish.		
	54C	Mirrors, Dual - Heated Rectangular, XL2020 - 102" Width	\$90.00	\$80.00
	Integral spot mirro	or, sail type, manual fold, solid black finish.		
	54R	Mirrors, Dual - Heated & Motorized Rectangular, XL2020 - 102" Width	\$275.00	\$243.00
	Integral spot mirro	or, sail type, solid black finish.		
	54D	Mirrors, Dual - Rectangular, XL2020 - 102" Width w/Chrome Cap	\$90.00	\$80.00
	Integral spot mirro	or, sail type, manual fold.		





Randall Reed's Planet Ford 635 | 3601 S. Shiloh Rd. Garland Texas | 750414015



# 2024 F-650 Diesel SuperCab Base (X6E)

Price Level: 415

	Options (co	•		
Selected	Code	Description	MSRP	Invoice
	54E	Mirrors, Dual - Heated Rectangular, XL2020 - 102" Width w/Chrome Cap	\$150.00	\$132.00
	Integral spot mirro	or, sail type, manual fold.		
	54K	Mirrors, Dual - Heated &  Motorized Rectangular, XL2020 - 102" Width w/Chrome Cap	\$335.00	\$296.00
	Integral spot mirro	or, sail type.		
	54F	Mirrors, Trailer Tow, Powered - Sail Mount - w/Power Telescoping & Power Folding	\$365.00	\$322.00
	Includes power homounted.	eated glass, heated convex spotter and integrated clearand	ce lights/turn signals. Heat o	controls dash
	63F	Aux Spot Mirrors - Front Fender Mounted - (2) Driver Side and Passenger Side	\$225.00	\$199.00
	63G	Aux Spot Mirror - Front Fender Mounted - (1) Passenger Side Only	\$120.00	\$106.00
	165	Mud Flap Holder Without Flaps	\$95.00	\$84.00
Ship-Thru				
	21A	Pre-Delivery Inspection	N/C	N/C
	performed. Re	ires that you also choose either (314) or (31F) or quired with any final Ship-To that is not a deale	or (31 v) to have the in r.	spection
	314	Ship-Thru - Manning	\$0.00	\$10.00
	MAY be select arrangements	ed w/o adding (21A). For MODIFICATIONS ON directly with Manning (please use CVT Resour	NLY, Dealer must mak ces for add. Info).	е



11/01/2022

Randall Reed's Planet Ford 635 | 3601 S. Shiloh Rd. Garland Texas | 750414015

# 2024 F-650 Diesel SuperCab Base (X6E)

Price Level: 415

Available	Options (co	ont'd)		
Selected	Code		MSRP	Invoice
	31F	Ship-Thru - NFS National Fleet Services	N/C	N/C
	MAY be select arrangements	ted w/o adding (21A). For MODIFICATIONS O directly with NFS (please use CVT Resources	NLY, Dealer must mal for add. Info).	ке
Miscellaneou	s			
$\checkmark$	PAINT	Paint Type - Environmentally Friendly, "3 - Wet System"	STD	STD
	79V	COV Required	N/C	N/C
	Send a paper or MI.	Certificate of Origin for a Vehicle (COV) for the	se states that file elec	tronically - CA
$\checkmark$	L23	Raw Material Surcharge	\$0.00	\$600.00
Fleet Options	3			
	19A	Ambulance Prep Pkg w/Special Emissions	\$1,285.00	\$1,134.00
	REQUIRES va	alid FIN code.		
	certification by a if equipped with turges ambulance Body Builders La EPA Special Em NOTE 1: Stations calibration signification commal Emergency Vehicof Regulations al Includes: - Dual Heavy Dui	recial Emergency Vehicle Emissions. Incomplete vehicle profinal stage manufacturer. Ford vehicles are suitable for profine Ford Ambulance Prep Package with EPA Special Emergency Vehicles to follow the recommendations of the Ford yout Book (and pertinent supplements). Using a Ford vehicle Emissions to produce an ambulance with any Elevated Idle Control (SEIC) has been integrated into the cantly reduces the possibility of depower mode when in standed regen down to 30% of DPF filter full, instead of 100% cole, an Ambulance or Fire Truck per 40 CFR 86.1803.01 in llows for the sale of Federally certified emergency vehicles the Alternators - 357 Amp Capacity - 200 & 157 amp Denson 900 CCA, 2700 Total, Includes Steel Battery Box aft.	oducing ambulances with sprgency Vehicle Emissions. In Incomplete Vehicle Manua icle without the Ford Ambul special emissions voids the he engine control module. In ationary PTO operation. NO 5. NOTE 4: Must meet the do not the Federal Register. NOT in California.	necial emissions only naddition, Ford addition, Ford Truck lance Package with Ford warranty.  NOTE 2: Engine  OTE 3: Allows efinition of an
	19F	Fire/Rescue Prep Pkg w/EPA	\$1,285.00	\$1,134.00
	REQUIRES va	Special Emissions alid FIN code.		



11/01/2022

Randall Reed's Planet Ford 635 | 3601 S. Shiloh Rd. Garland Texas | 750414015

### 2024 F-650 Diesel SuperCab Base (X6E)

Price Level: 415

# Available Options (cont'd)

Selected Code Description MSRP Invoice

Includes EPA Special Emergency Vehicle Emissions. Incomplete vehicle package - requires further manufacture and certification by a final stage manufacturer. Ford urges Fire/Rescue Vehicle manufacturers to follow the recommendations of the Ford Incomplete Vehicle Manual and the Ford Truck Body Builders Layout Book (and pertinent supplements). NOTE 1: Stationary Elevated Idle Control (SEIC) has been integrated into the engine control module. NOTE 2: Engine calibration significantly reduces the possibility of depower mode when in stationary PTO operation. NOTE 3: Operator commanded regen down to 30% of DPF filter full, instead of 100%. NOTE 4: Must meet the definition of an Emergency Vehicle, an Ambulance or Fire Truck per 40 CFR 86.1803.01 in the Federal Register. NOTE 5: California Code of Regulations allows for the sale of Federally certified emergency vehicles in California.

- Dual Heavy Duty Alternators 357 Amp Capacity 200 & 157 amp Denso SC5/SC2
- Battery Three 900 CCA, 2700 Total, Includes Steel Battery Box 12Volt, Motorcraft.

B4A	Net Invoice Fleet Option	\$0.00	\$7.00
56A	CPA Fleet Incentive	N/C	N/C
56B	Commercial Repurchase	N/C	N/C
56F	FRCS Long Term	N/C	N/C
56K	Long Term Fleet Incentive	\$0.00	-\$2,750.00
56M	National Fleet Incentive	\$0.00	-\$2,750.00
56Y	DDR Program	N/C	N/C
55D	Driver Assistance - FLEET SETTINGS	\$35.00	\$31.00
Requires Valid Code.			
Note: Settings are locked assist - alert sensitivity se	and cannot be changed by driver or fleet admi et to NORMAL, distance indication is set to ON, o ON, sensitivity set to NORMAL, auto lamp de	active braking set to ON, pre c	ollision warning set
87S	Fleet Safety Kit	N/A	N/A
Late availability.			
Includes 5 lb fire extinguis not installed at plant).	sher class A, B and C with mounting brackets, t	triangle reflector and vehicle fus	se kit (shipped loose

VSO Options



11/01/2022

Randall Reed's Planet Ford 635 | 3601 S. Shiloh Rd. Garland Texas | 750414015

# 2024 F-650 Diesel SuperCab Base (X6E)

Price Level: 415

Available	<b>Options</b>	(cont'd)
-----------	----------------	----------

Selected	Code	Description	MSRP	Invoice
	SP101	VSO - Monotone Special Paint (Minimum Quantity 3)	N/A	N/A
	SPF	VSO - Special Paint Formulation (Minimum Quantity 3)	N/A	N/A




Prepared by: Admir Sarac 11/01/2022

2024 F-650 Diesel SuperCab Base (X6E)

Price Level: 415		
Major Equipment		As Configured Vehicle MSRP
(Based on selected options, shown at right)		STANDARD VEHICLE PRICE \$78,745.00
10-speed automatic		Preferred Equipment Package 600A N/C
* Side assist steps	* White front wheels	6.7L Power Stroke V8 Turbo Diesel - 270 HP @ 2400 RPM STD
* White rear wheels	* Steel rear wheels	
* Disc rear wheel	* 19.5 x 6.75-inch front and dual rear wheels	50-State Emissions N/C
* Front tires LT load rating: G	<ul> <li>Metric measure truck 245/70R19.5 AS BSW front and rear tires</li> </ul>	Ford TorqShift HD 10-Speed Automatic - Double Overdrive, with PTO Provision STD
* Overdrive transmission	<ul><li>* Lock-up transmission</li></ul>	Wheels, Front 19.5x6.75 White Powder Coated Steel, 8-
* Transmission electronic control	<ul> <li>PTO transmission provision</li> </ul>	Hole STD
* Alternator Amps: 200A	<ul> <li>* Aluminized steel single exhaust</li> </ul>	Tires, Front Two 245/70R19.5G Hankook AH35 (628
<ul> <li>Low-speed ABS traction control</li> </ul>	* Battery rating: 1500CCA	rev/mile) STD
<ul> <li>Dual lead acid battery</li> </ul>	<ul> <li>Battery run down protection</li> </ul>	Wheels, Rear 19.5x6.75 White Powder Coated Steel, 8-
<ul> <li>Heated fuel/water separator</li> </ul>	<ul><li>* Auxiliary power take-off</li></ul>	Hole STD
* Engine retarder system	<ul> <li>Steering wheel mounted audio controls</li> </ul>	Tires, Rear Four 245/70R19.5G Hankook AH35 (621
* Wireless audio streaming	* AM/FM stereo radio	rev/mile) STD
* Seek scan	* Auxiliary input jack	Hydraulic Brake System - Bosch HydroMax w/Traction Control STD
* External memory control	<ul><li>* Vehicle body length: 281"</li></ul>	
* Wheelbase: 179"	* Cab to axle: 84"	8,500 lb. Cap. Non-Driving - Dana D-850F STD
* Axle to end of frame: 63"	* Axle capacity rear: 13,500 lbs.	Taper-Leaf Springs, Parabolic - 8,500 lb. Cap STD
* Tire/wheel capacity rear: 17,200 lbs.	* Axle capacity front: 8,500 lbs.	13,500 lb. Single-Speed STD
* Spring rating front: 8,500 lbs.	* Standard ride suspension	
* Dual electric horn	* Trip computer	Multi-Leaf Springs - 15,500 lb. Cap STD
* Manual folding door mirrors	* DRL preference setting	179" Wheelbase/84" CA/63" AF/281" OAL STD

Prices and content availability as shown are subject to change and should be treated as estimates only. Actual base vehicle, package and option pricing may vary from this estimate because of special local pricing, availability or pricing adjustments not reflected in the dealer's computer system. See salesperson for the most current information.

34



Prepared by: Admir Sarac 11/01/2022

2024 F-650 Diesel SuperCab Base (X6E)

Price Level: 415

Major Equipme	nt
---------------	----

- \* Daytime running lights
- \* Variable intermittent front windshield wipers
- \* Electronic stability control system
- \* Fixed rear seats
- \* Split-bench rear seat
- \* Fold-up rear seat cushion
- \* Folding driver seat back
- \* 4 driver seats way-direction
- \* Bucket passenger seat
- \* Low passenger seat back
- \* Manual fore/aft
- \* Front passenger seat armrest
- \* Carpet front seatback upholstery
- \* 4-wheel antilock (ABS) brakes

- \* Light tinted windows
- \* Speed sensitive wipers
- \* Manual climate control
- \* 60-40 folding rear seats
- \* Front facing rear seat
- \* Bucket driver seat
- \* Low driver seat back
- \* Manual fore/aft
- \* Fixed passenger seat back
- \* 4 passenger seats way-direction
- \* Driver seat armrest
- \* Vinyl front seat upholstery
- \* Hydraulic disc brakes
- Hill start assist

### Fuel Economy







**MSRP** As Configured Vehicle Single Channel - 10.75 SM, 80,000 PSI STD Under Cab, Right Side Outlet, Switchback-Style STD Fuel Tank - LH 65 Gallon Rectangular - Aluminum STD 14 Gal. Single Tank Fuel Fill. Mandatory Charge Applied, Based On Tank Selection \$0.00 Extra Heavy Duty Alternator - 12-Volt, 200 Amp Denso SC5 Included Battery - Two 750 CCA, 1500 Total, Includes Steel Battery 30/0/30 Fixed Driver & Fixed Passenger w/Consolette -Vinyl STD 60/40 Rear Bench Seat w/Bolster and Flip-Up Cushion STD Radio: AM/FM Stereo w/2 Speakers, USB input, Clock Display and Bluetooth STD Mirrors, Dual - Rectangular, XL2020 - 96" Width Paint Type - Environmentally Friendly, "3 - Wet System" STD Raw Material Surcharge \$0.00 Bumper, Front - Black, Full Width Included Wheel Seals, Front - Oil lubricated, SKF ScotSeal PlusXL Seals Included Wheel Seals, Rear - Oil lubricated, SKF ScotSeal PlusXL



Prepared by: Admir Sarac 11/01/2022

2024 F-650 Diesel SuperCab Base (X6E)

Price Level: 415

As Configured Vehicle MSRP
Manual Regen Initiation - Driver Interface in Message Center Included
Engine Exhaust Brake Included
Painted Grille - Plastic Included
Lights - Roof Marker/Clearance - Amber Lenses, 5 Lights Included
Tow Hooks, Front (2) - Frame-Mounted, Painted Black Included
Four Body Builder Switches - Mounted in Center Instrument Panel Included
Floor Covering - Black Vinyl Included
Intelligent Oil Life Monitor Included
Steering Column - Tilt / Telescoping Included
Steering Wheel - Black PVC w/Integral Cruise Control Switches, includes Audio Controls Included
Body Builder Wiring - At Back of Cab, Combined Included
GVWR Limit: 25,600 lbs. Included
SUBTOTAL \$78,745.00
Destination Charge \$2,095.00
TOTAL \$80,840.00