Price Level: 415

Selected Equip & Specs

Dimensions

- GCWR: 37,000 lbs.
- Vehicle body length: 270"
- Vehicle body height: 93"
- Front track: 81"
- Turning radius (to curb): 25'
- Rear tire outside width: 96"
- Frame section modulus: 13 cu.in.
- Frame rail depth: 10"
- Frame rail thickness: 0"
- Front bumper to front axle: 39"
- Rear brake diameter: 15.0"
- Headroom second-row: 40.8"
- Leg room second-row: 42.1"
- Shoulder room second-row: 68.0"
- Hip room second-row: 67.6"

Powertrain

- 7.3L V-8 variable valve control, engine with 335HP
- Injection Type: sequential MPI
- Horsepower: 335 HP@3750 RPM
- Radiator
- 75 mph speed limiter
- Rear-wheel drive
- Low-speed ABS traction control

Fuel Economy and Emissions

Federal emissions

Suspension and Handling

• Standard ride suspension

Driveability

- Hydraulic disc brakes
- 4-wheel antilock (ABS) brakes
- Hill start assist
- Leaf spring front suspension
- Rigid axle rear suspension
- Hydraulic power-assist steering system
- 2-wheel steering system

- Driver distance from axle: 54"
- Vehicle body width: 97"
- Wheelbase: 182"
- Rear track: 73"
- Cab to axle: 72"
- Axle to end of frame: 49"
- Frame yield strength (psi): 50000
- Frame rail width: 3"
- Frame rail section: 10"
- Front brake diameter: 15.0"
- Headroom first-row: 40.7"
- Leg room first-row: 41.4"
- Shoulder room first-row: 68.0"
- Hip room first-row: 67.6"
- Engine cylinders: V-8
- Spark ignition system
- Torque: 468 lb.-ft.@3750 RPM
- PRNDM shift indicator
- 6-speed automatic
- Recommended fuel: regular unleaded
- Standard rear differential
- Standard grade front shock absorbers
- Front and rear ventilated disc brakes
- Four channel ABS brakes
- Rigid axle front suspension
- Tapered leaf front suspension
- Leaf spring rear suspension
- Re-circulating ball steering



Price Level: 415

Selected Equip & Specs (cont'd)

Body Exterior

- Side assist steps
- Clearcoat paint
- Black side window trim
- Black door handles
- 2 front tow hooks
- Black grille
- Black door mirrors
- Convex spotter in driver and passenger side door mirrors
- Conventional right rear passenger door
- White front wheels
- White rear wheels
- Disc rear wheel

Convenience

- Manual door locks
- Manual first-row windows
- Driver foot rest
- Standard glove box
- 2 beverage holders
- Dashboard storage
- Steering column lever gearshift location

Comfort

- Manual climate control
- Full headliner coverage
- Full floor coverage
- Carpet rear seatback upholstery
- Manual telescopic steering wheel

Seats and Trim

- Seating capacity: 5
- Folding driver seat back
- 4 driver seats way-direction
- Bucket passenger seat
- Low passenger seat back
- Manual fore/aft
- Front passenger seat armrest
- Split-bench rear seat

- 4 doors
- Monotone paint
- Black windshield trim
- Black front bumper
- Straight front bumper ends
- Hood mounted grille
- Trailer style side mirrors
- Conventional left rear passenger door
- English measure truck 279/82R22.5 AS BSW front and rear tires
- Steel front wheels
- Steel rear wheels
- 22.5 x 8.25-inch front and dual rear wheels
- Cruise control with steering wheel mounted controls
- Partial floor console
- Fixed rear windshield
- Front beverage holders
- Instrument panel bin
- Dual electric horn
- Trip computer
- Cloth headliner material
- Full vinyl floor covering
- Vinyl rear seat upholstery
- Manual tilting steering wheel
- Urethane steering wheel
- Bucket driver seat
- Low driver seat back
- Manual fore/aft
- Fixed passenger seat back
- 4 passenger seats way-direction
- Driver seat armrest
- Fixed rear seats
- Vinyl front seat upholstery



Price Level: 415

Selected Equip & Specs (cont'd)

Entertainment Features

- AM/FM stereo radio
- Auxiliary input jack
- Speakers number: 2
- Steering wheel mounted audio controls
- Fixed audio antenna

Lighting, Visibility and Instrumentation

- Analog instrumentation display
- In-radio display clock
- Oil pressure gauge
- Oil temperature gauge
- Engine hour meter
- Aero-composite headlights
- Auto on/off headlight control
- Delay-off headlights
- Variable intermittent front windshield wipers
- Rear reading lights
- Daytime running lights
- Delay interior courtesy lights

Technology and Telematics

Handsfree wireless device connectivity

Safety and Security

- Front height adjustable seatbelts
- Electronic stability control system

Dimensions

General Weights

Curb weight	9,702 lbs.
Front GAWR	8500 lbs.
GVWR	26000 lbs.

Trailering Weights

GCWR	37,000 lbs.
------	-------------

Weights

Front Weights

Max RBM (in.-lbs.) 665,500 max RBM (in.-lbs.)

- Seek scan
- External memory control
- Standard grade speakers
- Wireless audio streaming
- Trip odometer
- Tachometer
- Engine/electric motor temperature gauge
- Transmission fluid temperature gauge
- · Light tinted windows
- Halogen headlights
- Multiple enclosed headlights
- DRL preference setting
- Speed sensitive wipers
- Variable instrument panel light
- Cab clearance lights
- 1 USB port
- Vehicle tracker

Rear curb weight	3,616 lbs.
Rear GAWR	17500 lbs.
GCWR	37000 lbs.

Nominal RBM (in.-lbs.) 632,000 nominal RBM (in.-lbs.)



Prepared by: Admir Sarac 11/01/2022

2024 F-650 Gas Crew Cab Base (W6A)

Price Level: 415

Selected Equip & Specs (cont'd)

Front curb weight	. Sai 680,0
Spring rating front	8,500 lbs.
Rear Weights	
Axle capacity rear	17,500 lbs.
Tire/wheel capacity rear	23,360 lbs.

Exterior Measurements

Vehicle body length	0"
Vehicle body height	3"
Front frame height loaded 3	6"
Front frame height unloaded	7"
Rear frame height loaded	
Turning radius (to bumper)	
Width - mirrors extended 11	
Rear track 7	
Turning radius (to curb) 2	
Rear tire outside width 9	
Frame section modulus 13 cu.i	
Frame rail depth 1	
Frame rail thickness	
Front bumper to front axle	9"
Headroom	
Headroom first-row 40.	7"
Legroom	
Leg room first-row 41.	4"
Shoulder Room	
Shoulder room first-row 68.	0"
Hip Room	
Hip room first-row 67.	6"

Powertrain

Ln	2	ın	\sim
	U		┏.
	3		-

Engine 7.3L V-8 variable valve control, engine		
with 335HP		
Engine cylinders V-8		
Engine location Front mounted engine		
Engine mounting direction Longitudinal mounted		
engine		
Cylinder head material. Aluminum cylinder head		

Engine Specs

Axle capacity front	8,500 lbs.
Tire/wheel capacity front	12,350 lbs.
Spring rating rear	19,000 lbs.

Vehicle body width	
Wheelbase	
Front brake diameter	15.0"
Rear brake diameter	15.0"
Rear frame height unloaded	
Width - mirrors folded	
Front track	
Driver distance from axle	
Cab to axle	
Axle to end of frame	49"
Frame yield strength (psi)	50000
Frame rail width	
Frame rail section	

Headroom second-row	40.8"
Leg room second-row	42.1"
Shoulder room second-row	68.0"
Hip room second-row	67.6"

Valves per cylinder	2
Ignition	sequential MPI Spark ignition system Iron engine block



Prepared by: Admir Sarac 11/01/2022

Randall Reed's Planet Ford 635 | 3601 S. Shiloh Rd. Garland Texas | 750414015

2024 F-650 Gas Crew Cab Base (W6A)

Price Level: 415

Selected Equip & Specs (cont'd)

Displacement7.3LBore4.22"Compression ratio10.5	cc 445 cu.in. Stroke 3.98"
Engine Power	
Horsepower 335 HP@3750 RPM	Torque
Alternator	
Alternator amps 210A	Alternator type Heavy-duty alternator
Battery	
Battery type Lead acid battery Battery step Battery run down protection Battery run down protection	Battery rating 900CCA Battery location Battery location forward right
Engine Extras	
Radiator Radiator	Shift indicator PRNDM shift indicator
Transmission	
Transmission 6-speed automatic	Transmission electronic control Transmission electronic control
Speed limiter75 mph speed limiterLock-up transmissionLock-up transmissionSecond gear ratio2.318Fourth gear ratio1.149Sixth gear ratio0.674Stall ratio2	Overdrive transmissionOverdrive transmissionFirst gear ratio3.974Third gear ratio1.516Fifth gear ratio0.858Reverse gear ratio3.128Selectable mode transmissionSelectable modetransmissionSelectable mode
Transmission oil cooler Transmission oil cooler	
Drive Type	
Drive type Rear-wheel drive	
Drivetrain	
Axle speed Single axle speed	
Exhaust	
Tailpipe Non stainless steel single exhaust Additional muffler location right Additional tailpipe location right	Additional muffler type horizontal Additional tailpipe type horizontal
Fuel	
Fuel type regular unleaded	
Fuel Tank	
Front left fuel tank shape rectangular	Front left fuel tank capacity 59.99 US gallons



Price Level: 415

Selected Equip & Specs (cont'd)

Drive Feature Differential Standard rear differential Traction controlLow-speed ABS traction control **Fuel Economy and Emissions** Emissions Emissions Federal emissions Suspension and Handling Suspension Suspension Standard ride suspension Front shock absorbers Standard grade front shock absorbers **Driveability Brakes** Brake type Hydraulic disc brakes Ventilated brakes Front and rear ventilated disc brakes ABS brakes Four channel ABS brakes Brake Assistance Hill start assist Hill start assist Front Suspension Suspension type front Leaf spring front Suspension ride type front Rigid axle front suspension suspension Front Spring Regular front springs Regular front springs Springs front Tapered leaf front suspension Rear Spring Rear springs Regular grade rear springs Multi-leaf rear suspension Springs rear Auxiliary rear spring Rubber auxiliary rear spring Rear Suspension Suspension type rear Leaf spring rear Suspension ride type rear Rigid axle rear suspension suspension Steering Steering Hydraulic power-assist steering Steering type Re-circulating ball steering system Steering type number of wheels 2-wheel steering

Exterior

system



Prepared by: Admir Sarac 11/01/2022

2024 F-650 Gas Crew Cab Base (W6A)

Price Level: 415

Selected Equip & Specs (cont'd)

Front Wheels	
Front wheels diameter 22.5)")
Rear Wheels	
Rear wheels diameter 22.5	`
Front And Rear Wheels	
Appearance non	е
Front Tires	
Aspect 8	2
Sidewalls BSV	V
Type english measure truck tir	
Front wheel - RPM 49	
Rear Tires	
Aspect 8	2
Sidewalls	V
Type english measure truck tir	е
Rear wheel - RPM 49	
ody Exterior	

Front wheels width	8.3"
Rear wheels width	8.3"

Diameter	22.5"
Tread	AS
Width	9mm

Diameter	22.5"
Tread	AS
Width	279mm

B

Exterior Features

Number of doors	4 doors
Front splash guards Front splas	h guards

Frame

Clean CA frame Clean CA frame

Body

Body panels Composite and galvanized steel body panels

Mirrors

Convex spotter Convex spotter in driver and passenger side door mirrors

Tires

Front tires LT load rating G

Wheels

Front wheel type Disc front wheel Number of front wheel stude 10 front wheel stude

Convenience

Side steps Side assist steps

Rear tires LT load rating G


Dual rear wheels Dual rear wheels Number of rear wheel studs 10 rear wheel studs



Price Level: 415

Selected Equip & Specs (cont'd)	
Door Locks	
Door locks Manual door locks	
Cruise Control	
Cruise control Cruise control with steering wheel mounted controls	
Exterior Mirrors	
Folding door mirrors Manual folding door mirrors	
Front Side Windows	
First-row windows Manual first-row windows	
Floor Console	
Floor console Partial floor console	
Passenger Visor	
Visor passenger mirror Passenger visor mirror	
Power Outlets	
12V power outlets 2 12V power outlets	
Pedals	
Driver foot rest Driver foot rest	
Rear Windshield	
Rear windshield Fixed rear windshield	
Storage	
Number of beverage holders2 beverage holdersGlove boxStandard glove boxDashboard storageDashboard storage	Beverage holders Front beverage holders Instrument panel storage Instrument panel bin
Windows Rear Side	
Second-row windows Manual second-row windows	
Miscellaneous	
Trip computer Trip computer	Gearshift location Steering column lever gearshift location
Horn Dual electric horn	
Comfort	
Climate Control	
Climate control Manual climate control	
Headliner	

Prepared by: Admir Sarac 11/01/2022



Gearshifter material Urethane gear shifter material

Entertainment Features



Price Level: 415

Selected Equip & Specs (cont'd)

Radio Features	
Aux input jack Auxiliary input jack Seek scan Seek scan	External memory External memory control
Speakers	
Speakers Standard grade speakers	Speakers number 2
Audio Features	
Steering mounted audio control Steering wheel mounted audio controls	Wireless streaming Wireless audio streaming
Lighting, Visibility and Instrumentation	
Instrumentation	
Trip odometer Trip odometer	Instrumentation displayAnalog instrumentation display
Instrumentation Displays	
Clock In-radio display clock	
Instrumentation Gauges	
Tachometer Tachometer Oil temperature gauge Oil temperature gauge	Oil pressure gauge Oil pressure gauge Transmission temperature gauge Transmission fluid temperature gauge
Engine/electric motor temperature gauge Engine/electric motor temperature gauge	Engine hour meter Engine hour meter
Instrumentation Warnings	
Oil pressure warning Oil pressure warning Low brake fluid warning Low brake fluid warning Headlights on reminder Headlights on reminder Door ajar warning Door ajar warning Transmission fluid temperature warning Transmission fluid temp warning	Low fuel warning Low fuel warning Battery charge warning Battery charge warning Key in vehicle warning Key in vehicle warning Service interval warningService interval indicator
Glass	
Tinted windows Light tinted windows	
Headlights	
Headlights Halogen headlights Auto headlights Auto on/off headlight control Delay off headlights Delay-off headlights	Headlight type Aero-composite headlights Multiple headlights Multiple enclosed headlights DRL preference setting DRL preference setting
Front Windshield	

Prices and content availability as shown are subject to change and should be treated as estimates only. Actual base vehicle, package and option pricing may vary from this estimate because of special local pricing, availability or pricing adjustments not reflected in the dealer's computer system. See salesperson for the most current information.



Prepared by: Admir Sarac 11/01/2022

2024 F-650 Gas Crew Cab Base (W6A)

Price Level: 415

Selected Equip & Specs (cont'd)

Wipers Variable intermittent front windshield wipers

Interior Lighting

Variable panel light....Variable instrument panel light

Lights

Running lights Daytime running lights

Clearance lights Cab clearance lights

Technology and Telematics

Connectivity

Handsfree Handsfree wireless device connectivity

USB Ports

USB ports 1 USB port

Safety and Security

Seatbelts

Height adjustable seatbelts Front height adjustable seatbelts

Security System

Vehicle tracker Vehicle tracker

Traction Control

Electronic stability control Electronic stability control system

Speed sensitive wipers Speed sensitive wipers

Rear reading lights Rear reading lights

Interior courtesy lights Delay interior courtesy lights



Price Level: 415

Available (Dptions Code	Description	MSRP	Invoice
General Info				
	ORDER1	Initial Order Date: 10/27/2022	N/C	N/C
Engines				
\checkmark	99N	7.3L 2V DEVCT NA PFI V8 Gas - 335 HP @ 3750 rpm	STD	STD
	Torque: 468 ft.lk	os. @ 3750 rpm.		
	425	50-State Emissions	N/C	N/C
	41H	Engine Block Heater, Phillips, 120 Volt/750 Watt	\$60.00	\$53.00
	916	Speed Limit - 65mph	N/C	N/C
	917	Speed Limit - 70mph	N/C	N/C
	tanks, lines, etc. Ve	Gaseous Fuel Prep Pack Prep. Includes hardened engine valve seats. NOTE: This ehicle will be equipped with the standard factory gasoline ibration reflash is required, from an external upfitter, to co	fuel system. Additional equi	ipment combined
	94A	Engine Idle Shutdown Timer - 5 Minutes	\$25.00	\$23.00
	94B	Engine Idle Shutdown Timer - 10 Minutes	\$25.00	\$23.00
	94C	Engine Idle Shutdown Timer - 15 Minutes	\$25.00	\$23.00
	94D	Engine Idle Shutdown Timer - 20 Minutes	\$25.00	\$23.00



Price Level: 415

Selected	Code	Description	MSRP	Invoice
Transmission	S			
\checkmark	44P	Ford TorqShift HD 6-Speed Automatic - Double Overdrive, LESS PTO Provision and Tow/Haul	STD	STD
	Includes tow/haul			
	41B	Transmission Power Take-Off Provision w/LiveDrive Capability and Tow/Haul	\$295.00	\$260.00
Front Wheels	& Tires			
\checkmark	643	Wheels, Front 22.5x8.25 White Powder Coated Steel, 10-Hole	STD	STD
	(285.75MM BC) h	ub piloted, flanged nut, metric mount, 8.25 DC rims; with st	eel hubs.	
	64H	Wheels, Front 22.5x8.25 Aluminum, 10-Hole Alcoa Bright Polished w/Dura-Bright Seal on Both Sides	\$735.00	\$649.00
	649	Wheels, Front 22.5x8.25 Black Wheel	\$60.00	\$53.00
	(285.75MM BC) h	ub piloted, flanged nut, metric mount, 8.25 DC rims; with si	eel hubs.	
\checkmark	T2B	Tires, Front Two 11R22.5G Goodyear Fuel Max RSA (497 rev/mile)	STD	STD
	T2A	Tires, Front Two 11R22.5H Goodyear Fuel Max RSA (497 rev/mile)	\$45.00	\$40.00



Price Level: 415

Available Selected	Options (co	ont'd) Description	MSRP	Invoice
	T2E	Tires, Front Two 11R22.5H Michelin X Multi Energy Z (501 rev/mile)	\$240.00	\$212.00
	тсн	Tires, Front Two 255/70R22.5H Goodyear Endurance RSA (566 rev/mile)	\$40.00	\$36.00
	T2F	Tires, Front Two 275/80R22.5G Michelin X Multi Energy Z (515 rev/mile)	\$190.00	\$168.00
	TRA	Tires, Front Two 295/75R22.5H Continental HSR3 (514 rev/mile)	\$130.00	\$115.00
	645 (275MM BC) hub	Wheels, Front 19.5x6.75 White Powder Coated Steel, 8-Hole o piloted, flanged nut, metric mount, 6.75 DC rims; with stee	N/C	N/C
	648	Wheels, Front 19.5x6.75 Aluminum, 8-Hole Alcoa Clean Buff w/Dura-Bright Seal on Both Sides	\$470.00	\$414.00
	Т9А	Tires, Front Two 245/70R19.5G Hankook AH35 (628 rev/mile)	N/C	N/C
	TGK	Tires, Front Two 245/70R19.5H Michelin AGILIS HDZ (619 rev/mile)	\$80.00	\$71.00
	T9F	Tires, Front Two 245/70R19.5H Hankook AH35 (628 rev/mile)	\$40.00	\$36.00



Price Level: 415

Available Selected	Options (co	ont'd) Description	MSRP	Invoice
	Т9В	Tires, Front Two 265/70R19.5G Hankook AH35 (613 rev/mile)	\$75.00	\$67.00
Rear Wheels	& Tires			
\checkmark	663 (285.75MM BC) f	Wheels, Rear 22.5x8.25 White Powder Coated Steel, 10-Hole hub piloted, flanged nut, metric mount, 8.25 DC rims; with	STD	STD
	66H Inner wheel is wh	Wheels, Rear 22.5x8.25 Aluminum, 10-Hole Alcoa Bright Polished Both Sides w/Dura- Bright Seal ite powder-coated steel.	\$830.00	\$733.00
	66C Inner wheel is alu	Wheels, Rear 22.5x8.25 DRW Aluminum, 10-Hole Alcoa Bright Polished w/Dura-Bright Seal on Both Sides Iminum.	\$1,470.00	\$1,297.00
	669 (285.75MM BC) I	Wheels, Rear 22.5x8.25 Black Wheel nub piloted, flanged nut, metric mount, 8.25 DC rims; with	\$120.00 steel hubs.	\$106.00
	60Z	Wheel, Spare 22.5x8.25 White Powder Coated Steel, 10-Hole - Quantity (One only)	\$145.00	\$128.00
\checkmark	R2B	Tires, Rear Four 11R22.5G Goodyear Fuel Max RSA (497 rev/mile)	STD	STD
	R2A	Tires, Rear Four 11R22.5H Goodyear Fuel Max RSA (497 rev/mile)	\$95.00	\$84.00



Price Level: 415

Available Selected	Options (co	nt'd) Description	MSRP	Invoice
	R2G	Tires, Rear Four 11R22.5G Goodyear Fuel Max RTD (493 rev/mile)	\$140.00	\$124.00
	R2H	Tires, Rear Four 11R22.5H Goodyear Fuel Max RTD (493 rev/mile)	\$175.00	\$155.00
	R2E	Tires, Rear Four 11R22.5H Michelin X Multi Energy Z (501 rev/mile)	\$480.00	\$424.00
	RMB	Tires, Rear Four 11R22.5H Michelin X Multi D (494 rev/mile)	\$405.00	\$357.00
	R2K	Tires, Rear Four 255/70R22.5H Goodyear Fuel Max RTD (563 rev/mile)	\$140.00	\$124.00
	RCH	Tires, Rear Four 255/70R22.5H Goodyear Fuel Max RSA (563 rev/mile)	\$80.00	\$71.00
	R2J	Tires, Rear Four 275/80R22.5G Michelin X Multi Energy D (514 rev/mile)	\$265.00	\$234.00
	R2F	Tires, Rear Four 275/80R22.5G Michelin X Multi Energy Z (515 rev/mile)	\$375.00	\$331.00
	RRC	Tires, Rear Four 295/75R22.5H Continental HDR2 ECO PLUS (514 rev/mile)	\$310.00	\$273.00



Price Level: 415

Available (Options (co	Ont'd) Description	MSRP	Invoice
	RRA	Tires, Rear Four 295/75R22.5H Continental HSR3 (514 rev/mile)	\$260.00	\$229.00
	665 (275MM BC) hu	Wheels, Rear 19.5x6.75 White Powder Coated Steel, 8-Hole b piloted, flanged nut, metric mount, 6.75 DC rims; with steel hubs.	\$25.00	\$23.00
	668	Wheels, Rear 19.5x6.75 Aluminum, 8-Hole Alcoa Clean Buff w/Dura-Bright Seal on Both Sides - Outside Mount	\$705.00	\$622.00
	66A Inner wheel is al	Wheels, Rear 19.5x6.75 DRW Aluminum, 8-Hole Alcoa Clean Buff w/Dura-Bright Seal on Both Sides - Outside Mount	\$940.00	\$830.00
	60W	Wheel, Spare 19.5x6.75, White Powder Coated Steel, 8-Hole - Quantity (One only)	\$145.00	\$128.00
	R9A	Tires, Rear Four 245/70R19.5G Hankook AH35 (621 rev/mile)	N/C	N/C
	R9C	Tires, Rear Four 245/70R19.5G Hankook DH35 (632 rev/mile)	\$80.00	\$71.00
	R9B	Tires, Rear Four 265/70R19.5G Hankook AH35 (613 rev/mile)	\$150.00	\$132.00
	R9D	Tires, Rear Four 265/70R19.5G Hankook DH35 (614 rev/mile)	\$100.00	\$88.00



Price Level: 415

Available	Options (co	ont'd)		
Selected	Code	Description	MSRP	Invoice
	R9F	Tires, Rear Four 245/70R19.5H Hankook AH35 (621 rev/mile)	\$80.00	\$71.00
	R9E	Tires, Rear Four 245/70R19.5H Hankook DH35 (632 rev/mile)	\$165.00	\$145.00
	RGK	Tires, Rear Four 245/70R19.5H Michelin AGILIS HDZ (619 rev/mile)	\$165.00	\$145.00
Brakes				
\checkmark	67H	Hydraulic Brake System - Bosch HydroMax w/Traction Control	STD	STD
	Full power with a mounted parking	utomatic adjustment, 4-channel ABS antilock brake syster brake, Orscheln lever control, right of driver and hand ope	n. Includes 12" x 3" (Bosch) i erated park brake lever.	DSSA type rear axle
	18A	Electronic Stability Control DELETE	-\$115.00	-\$101.00
	Deletes the stan	dard ESC feature.		
	152	Trailer Connection Socket - 7- Way, Wired for Turn Signals Combined with Stop	\$100.00	\$88.00
		of frame, for combined trailer stop, tail, turn, marker light c package with cab connections for mounting customer insta		r brake
	154	Trailer Connection Socket - 7- Way, Wired for Turn Signals, Separate of Stop	\$100.00	\$88.00
		of frame, for separate trailer stop, tail, turn, marker light cir package with cab connections for mounting customer insta		brake
Front Axle a	nd Suspension			
\checkmark	43A	8,500 lb. Cap. Non-Driving -	STD	STD

Prices and content availability as shown are subject to change and should be treated as estimates only. Actual base vehicle, package and option pricing may vary from this estimate because of special local pricing, availability or pricing adjustments not reflected in the dealer's computer system. See salesperson for the most current information.

Dana D-850F



Price Level: 415

	Options (co			
Selected	Code	Description	MSRP	Invoice
	43N	10,000 lb. Cap. Non-Driving - Dana E-1002l - I-Beam Type	\$685.00	\$605.00
	WARNING! Th Implications.	e selection of this Axle may cause the GVWR	to exceed 26,000 lbs.,	with CDL
\checkmark	61B	Taper-Leaf Springs, Parabolic - 8,500 lb. Cap	STD	STD
	2-leaf, 62" x 3.15"	. Also includes, standard duty, dual, double acting shock a	absorbers.	
	61C	Taper-Leaf Springs, Parabolic - 10,000 lb. Cap	\$125.00	\$111.00
	2-leaf, 62" x 3.15"	. Also includes, standard duty, dual, double acting shock a	absorbers.	
	61D	Taper-Leaf Springs, Parabolic - 12,000 lb. Cap	\$305.00	\$269.00
	2-leaf, 62" x 3.15"	. Also includes, standard duty, dual, double acting shock a	absorbers.	
	15S	Front Stabilizer Bar	\$490.00	\$433.00
	60A	Lube, Front Axle, EmGard 50W, Synthetic Oil	\$50.00	\$44.00
Rear Axle ar	nd Suspension			
\checkmark	472	17,500 lb. Single-Speed - Dana S17-140	STD	STD
	Single reduction v guidelines for star	vith Gentech Quiet Gears and 190 wheel ends. NOTE: Wh tability and gradeability.	en specifying an axle ratio,	check performance
	474	19,000 lb. Single-Speed - Dana S19-140	\$670.00	\$591.00
	WARNING! Th Implications.	e selection of this Axle may cause the GVWR	to exceed 26,000 lbs.,	with CDL
	Single reduction v	vith Gentech Quiet Gears and 190 wheel ends. NOTE: Wh tability and gradeability.	en specifying an axle ratio,	check performance
\checkmark	68M	Multi-Leaf Springs - 19,000 lb. Cap	STD	STD



Prepared by: Admir Sarac 11/01/2022

Randall Reed's Planet Ford 635 | 3601 S. Shiloh Rd. Garland Texas | 750414015

2024 F-650 Gas Crew Cab Base (W6A)

Price Level: 415

Available Options (cont'd)					
Selected	Code 11-leaf. Includes	2,000 lb auxiliary springs for load stabilization.	MSRP	Invoice	
	68P	Multi-Leaf Springs - 21,000 lb. Cap	\$110.00	\$97.00	
	11-leaf. Includes	2,000 lb auxiliary springs for load stabilization.			
	961	Shock Absorbers, Rear - Double Acting	\$165.00	\$145.00	
	607	Lube, Rear Axle, EmGard 75W- 90, Synthetic Oil	\$100.00	\$88.00	
	X5B	5.29 Axle Ratio	N/C	N/C	
	X5D	5.57 Axle Ratio	N/C	N/C	
	X6A	6.14 Axle Ratio	N/C	N/C	
	X6D	6.50 Axle Ratio	N/C	N/C	
Wheelbase					
\checkmark	182WB	182" Wheelbase/72" CA/49" AF/270" OAL	STD	STD	
	194WB	194" Wheelbase/84" CA/49" AF/282" OAL	\$85.00	\$75.00	
	212WB	212" Wheelbase/102" CA/70" AF/321" OAL	\$365.00	\$322.00	
	218WB	218" Wheelbase/108" CA/70" AF/327" OAL	\$430.00	\$380.00	



Price Level: 415

Available	e Options (co	nt'd)		
Selected	Code	Description	MSRP	Invoice
	230WB	230" Wheelbase/120" CA/75" AF/344" OAL	\$440.00	\$389.00
	236WB	236" Wheelbase/126" CA/75" AF/350" OAL	\$515.00	\$454.00
	248WB	248" Wheelbase/136" CA/81" AF/368" OAL	\$855.00	\$754.00
	254WB	254" Wheelbase/144" CA/81" AF/374" OAL	\$875.00	\$773.00
	260WB	260" Wheelbase/150" CA/87" AF/386" OAL	\$890.00	\$786.00
	266WB	266" Wheelbase/156" CA/87" AF/392" OAL	\$910.00	\$803.00
	278WB	278" Wheelbase/168" CA/100" AF/417" OAL	\$945.00	\$834.00
Frame				
\checkmark	534	Single Channel - Straight 'C' 12.64 SM, 50,000 PSI	STD	STD
	632,000 RBM. Higi	h strength low alloy steel; 10.125" x 3.062" x 0.312" (257	7.2mm x 77.8mm x 8.0mm).	
	533	Single Channel - Straight 'C' 10.75 SM, 80,000 PSI	N/C	N/C
	860,000 RBM. Higi	h strength low alloy steel; 9.125" x 3.062" x 0.312" (232.8	8mm x 77.8mm x 7.9mm).	
	536 1,701,600 RBM. H	Single Channel - Straight 'C' 14.18 SM, 120,000 PSI eat treated alloy steel; 10.125" x 3.580" x 0.312" (257.2n	\$365.00 nm x 90.9mm x 8.0mm).	\$322.00



Price Level: 415

Available	Options (cc	ont'd)		
Selected	Code	Description	MSRP	Invoice
	535	Single Channel - Straight 'C' 15.14 SM, 80,000 PSI	\$490.00	\$433.00
	1,211,200 RBM. I	High strength low alloy steel. 10.250" x 3.092" x 0.375" (26	60.4mm x 78.5mm x 9.5mm,).
	19C	Frame Rail Drilling - Factory Pre-Drilled Holes in Frame Rails	\$150.00	\$132.00
	Supports special providing accurac	fuel tanks for a Roush CNG/LPG Gaseous Prep conversic ry for the mount.	on. Saves time, cost , transp	ortation while
	92C	CNG/LNG Gauge Cluster	\$45.00	\$40.00
	Eliminates confus Fuel, and Average	ing settings from gauge cluster, due to new fuel tanks bei e Fuel Economy).	ng used. (Specifically Distar	ice to Empty for
	92G	CNG/LNG Gauge Cluster (92G)	\$45.00	\$40.00
	Fuel, and Average Includes:	er w/High-Level 8-Inch Display	ng used. (Specifically Distar	ice to Empty for
	532 Includes: - Grille, Fixed - Bl		\$490.00	\$433.00
	- Bumper, Front -	Delete - Also Deletes Mounting Brackets		
	765	Bumper, Front - Full Width, Chrome Plated Steel - (Included in (90E) Exterior Appearance Group)	\$490.00	\$433.00
	76F	3" Front Bumper Extension	\$175.00	\$155.00
	767 Dark shadow gray	Bumper, Front - Swept Back, Painted Steel y color.	\$345.00	\$305.00
	76X	Bumper, Front - Delete - Also Deletes Mounting Brackets	-\$135.00	-\$119.00



Price Level: 415

Available Options (cont'd)					
Selected	Code	Description	MSRP	Invoice	
	76Y	Tow Hooks - Delete	-\$70.00	-\$61.00	
	18D	Special Rating GVWR - Limited to 25,999 lb. GVWR	\$120.00	\$106.00	
	Only available	to GAWR combinations that EXCEED 26,000	bs.		
	86C	Chrome Grille Surround - (Included in (90E) Exterior Appearance Group)	\$245.00	\$216.00	
	86B	Grille, Fixed - Black/Gray	\$125.00	\$111.00	
Exhaust					
\checkmark	91H	Single, Horizontal Muffler - Frame Mounted Right Side Back of Cab w/Catalytic Converter	STD	STD	
	Downward facing,				
Fuel Tanks					
\checkmark	65D	Fuel Tank - LH 60 Gallon - Steel	STD	STD	
Electrical / Alt	ernator / Batter	у			
\checkmark	STDALT	Extra Heavy Duty Alternator - 12-Volt, 210 Amp Mitsubishi	STD	STD	
	Extra heavy duty	-			
	17B	Dual Heavy Duty Alternators - 397 Amp Capacity - 240 & 157 amp	\$880.00	\$777.00	



Price Level: 415

	Options (con		_	_
Selected	Code	Description	MSRP	Invoice
	17E Extra heavy duty 12	240 Amp Alternator Volt.	\$410.00	\$362.00
	55M	Jump Start Stud - Remote Mounted	\$90.00	\$80.00
\checkmark	STDBAT 12 Volt, Motorcraft.	Battery - One 900 CCA, Includes Steel Battery Box	STD	STD
	63B 12Volt, Motorcraft.	Battery - Two 900 CCA, 1800 Total, Includes Steel Battery Box	\$60.00	\$53.00
	164	Roof Marker/Clearance Lights - Clear Lenses, 5 Lights (Replaces Standard Amber Lenses)	\$30.00	\$27.00
	16X For Airport or Applica	Roof Marker/Clearance Lights - Delete ations that receive modified roof coverings.	N/C	N/C
	59C	Body Builder Wiring - At End of Frame, Combined - (ILO Standard - Back of Cab Combined)	\$135.00	\$119.00
		hectors for 2 ground circuits, with combined left/stop, co tional pass through wires to cab.	mbined right/stop, stop lam	ps, back up lamps.
	59D	Body Builder Wiring - At Back of Cab, Separate - (ILO Standard - Back of Cab Combined)	\$70.00	\$61.00
	Includes sealed conr Also includes 2 addit	nectors for 2 ground circuits, with separate left/stop, sep tional pass through wires to cab.	arate right/stop, stop lamps	s, back up lamps.



Price Level: 415

Selected	Code	Description	MSRP	Invoice
	59E	Body Builder Wiring - At End of Frame, Separate - (ILO Standard - Back of Cab Combined)	\$135.00	\$119.00
	Includes sealed c Also includes 2 a	connectors for 2 ground circuits, with separate left/stop, sep dditional pass through wires to cab.	arate right/stop, stop lamps	s, back up lamps.
	17M	Back-Up Alarm - Electric, 102 dBA	\$110.00	\$97.00
	962	Daytime Running Lamps (Not Configurable)	\$25.00	\$23.00
	55X Deletes stop, turr	Tail Light Delete n, tail and backup lights. Does not omit cable to end of fram	N/C e.	N/C
	16V Available in mess	Voltmeter sage center.	\$100.00	\$88.00
	86M	Upfitter Interface Module	\$320.00	\$282.00
Seats				
\checkmark	88A	30/0/30 Fixed Driver & Fixed Passenger w/Consolette - Vinyl	STD	STD
	88B	30/0/30 Fixed Driver & Fixed Passenger w/Consolette - Cloth	\$125.00	\$111.00
	881	30/70 Fixed Driver & Fixed 2- Passenger Bench - Vinyl	\$350.00	\$309.00
	882	30/70 Fixed Driver & Fixed 2- Passenger Bench - Cloth	\$475.00	\$420.00
	88C	30/0/0 Fixed Driver only - Vinyl	-\$120.00	-\$106.00



Price Level: 415

Selected	Options (cc Code	Description	MSRP	Invoice
	88D	30/0/0 Fixed Driver only - Cloth	N/C	N/C
	88R	30/0/30 Air Ride Driver (Integral Air Pump) & Fixed Passenger w/Consolette - Vinyl	\$440.00	\$389.00
	88S	30/0/30 Air Ride Driver (Integral Air Pump) & Fixed Passenger w/Consolette - Cloth	\$565.00	\$498.00
	88J	30/0/30 Air Ride Driver (Integral Air Pump) & Air Ride Passenger (Integral Air Pump) w/Consolette - Vinyl	\$855.00	\$754.00
	88K	30/0/30 Air Ride Driver (Integral Air Pump) & Air Ride Passenger (Integral Air Pump) w/Consolette - Cloth	\$980.00	\$865.00
	88L	30/70 Air Ride Driver (Integral Air Pump) & Fixed 2-Passenger Bench - Vinyl	\$440.00	\$389.00
	88M	30/70 Air Ride Driver (Integral Air Pump) & Fixed 2-Passenger Bench - Cloth	\$565.00	\$498.00
	88W	30/0/0 Air Ride Driver Only (Integral Air Pump) - Vinyl	\$315.00	\$278.00
	88X	30/0/0 Air Ride Driver Only (Integral Air Pump) - Cloth	\$440.00	\$389.00



Price Level: 415

Available C	Options (co	ont'd)			
Selected	Code	Description	MSRP	Invoice	
	88Y	40/20/40 Fixed Driver & Fixed Passenger w/Unique 20% Fold- Down Console - Vinyl	\$420.00	\$370.00	
	88Z	40/20/40 Fixed Driver & Fixed Passenger w/Unique 20% Fold- Down Console - Cloth	\$545.00	\$481.00	
\checkmark	87C	60/40 Rear Bench Seat w/Flip- Up Cushion and Fold-Down Back	STD	STD	
	Trim will match se	elected driver seat material.			
	87X	Rear Bench - Delete	-\$120.00	-\$106.00	
Cab Interior					
\checkmark	600A	Preferred Equipment Package 600A	N/C	N/C	
	 Wheel Seals, Re Extra Heavy Dut Extra heavy duty Painted Grille - I Lights - Roof Ma Tow Hooks, Froi Floor Covering - Intelligent Oil Lif Steering Column Steering Wheel Body Builder Wi Includes sealed 	ont - Oil lubricated, SKF ScotSeal PlusXL Seals ear - Oil lubricated, SKF ScotSeal PlusXL Seals ty Alternator - 12-Volt, 210 Amp Mitsubishi / 12 Volt. Plastic arker/Clearance - Amber Lenses, 5 Lights nt (2) - Frame-Mounted, Painted Black · Black Vinyl		mps, park lamps,	
	87H	Driver Assist Technology	\$1,410.00	\$1,244.00	
		Package. Hydraulic Brake			
	Includes Autonomous Emergency Braking, Forward Collision Warning, Lane Departure Warning and Auto High Beam Control. Includes: - Enhanced Cluster w/High-Level 8-Inch Display Electronic speedometer (MPH/KPH) includes oil pressure, coolant temperature, fuel gauge, tachometer and indicator lights. Also included is enhanced 3-button Message Center with odometer, trip odometer, distance to empty for fuel, average fuel economy, hour meter, and warning messages. Transmission temperature in message center.				



Price Level: 415

Available Selected	Options (co	Description	MSRP	Invoice
		•		
	61M	Rear View Camera w/Mirror Display	\$510.00	\$450.00
	Rear view mirror v	video with full length display included in kit. To be installed	d by Upfitter.	
	90A	Appearance Group	\$830.00	\$733.00
	Includes: - Chrome Trimme - 60/40 Rear Bend Trim will match s - Power Equipmen	unted overhead console with dual sunglass bins and integ d Air Registers w/Positive Shut-Off ch Seat w/Flip-Up Cushion and Fold-Down Back selected driver seat material. nt Group - (Included in (90A) Appearance Group) ront side windows, power rear side windows, power door		
	17W	Wi-Fi 4G LTE Hotspot Delete	-\$20.00	-\$17.00
	92K	Enhanced Cluster w/High-Level 8-Inch Display	\$235.00	\$208.00
	Also included is e	meter (MPH/KPH) includes oil pressure, coolant tempera nhanced 3-button Message Center with odometer, trip od eter, and warning messages. Transmission temperature i	ometer, distance to empty fo	and indicator lights r fuel, average fuel
	90P	Power Equipment Group - (Included in (90A) Appearance Group)	\$470.00	\$414.00
	Includes power fro	ont side windows, power rear side windows, power door lo	ocks and door trim panel.	
	57N	Air Conditioning Delete	-\$100.00	-\$88.00
	Includes fresh air	heater and defroster only.		
	59F	Four Body Builder Switches - Mounted in Center Instrument Panel	\$125.00	\$111.00
	With connector ac	ccess located in engine compartment. Amperages vary by	switch: 10, 15, 25, 25.	
	96C	Pull Out Cup Holder For Two Cups - Instrument Panel Mounted	\$30.00	\$27.00



Price Level: 415

Available C	Options (cc	ont'd) Description	MSRP	Invoice
	55P	110 A/C Outlet - in Lower Center Finish Panel	\$100.00	\$88.00
	214	4 Speaker Option for 588 Radio	\$30.00	\$27.00
		Radio Prep Package I dash-mounted aux input jack. Includes radio/speaker wirir nounted aux audio input jack instrument panel cover.	N/C ng, 2 speakers, antenna, rad	N/C dio instrument panel
		Radio Delete Package eakers, antenna and antenna cable. Includes radio instrum for future radio upfit if owner desires.	-\$60.00 ent panel cover and aux au	-\$53.00 dio jack cover and
	588	Radio: AM/FM Stereo w/2 Speakers, USB input, Clock Display and Bluetooth	STD	STD
	85B	Keyed Alike - Not Available with Anti-Theft System, Requires Multiple-Unit Order	\$45.00	\$40.00
	85L	Keyed Alike - Option 1 - Not Available with Anti-Theft System, Requires Multiple-Unit Order	\$45.00	\$40.00
	85M	Keyed Alike - Option 2 - Not Available with Anti-Theft System, Requires Multiple-Unit Order	\$45.00	\$40.00
	85N	Keyed Alike - Option 3 - Not Available with Anti-Theft System, Requires Multiple-Unit Order	\$45.00	\$40.00



Price Level: 415

	Options (co			
Selected	Code	Description	MSRP	Invoice
	85P	Keyed Alike - Option 4 - Not Available with Anti-Theft System, Requires Multiple-Unit Order	\$45.00	\$40.00
	85A	SecuriLock Passive Anti-Theft System	\$120.00	\$106.00
	programmed to th	Passive Anti-Theft System is designed to help prevent the he vehicle, is used. It helps protect against drive-away thef led ignition key features billions of possible codes to start to te start systems.	t through an electronically co	ded ignition key, its
	90M	Interior Rear View Mirror	\$75.00	\$67.00
Cab Exterior				
	90E Includes:	Exterior Appearance Group	\$730.00	\$645.00
	- Chromed Fende	Full Width, Chrome Plated Steel - (Included in (90E) Exten er Badge Surround - (Included in (90E) Exterior Appearance Group)	ior Appearance Group)	
	85K	Remote Keyless Entry w/2 Key Fobs	\$195.00	\$172.00
	94T	Tamper-Proof Odometer	\$30.00	\$27.00
\checkmark	54H	Mirrors, Dual - Rectangular, XL2020 - 96" Width	STD	STD
	Integral spot mirr	or, sail type, manual fold, solid black finish.		
	54M	Mirrors, Dual - Heated	\$85.00	\$75.00
		Rectangular, XL2020 - 96" Width		
	Integral spot mirr	or, sail type, manual fold, solid black finish.		
	54P	Mirrors, Dual - Heated & Motorized Rectangular, XL2020	\$245.00	\$216.00
		- 96" Width		



Price Level: 415

Available Selected	Options (co	ONT'd) Description	MSRP	Invoice
Ociccica		ror, sail type, solid black finish.		
	54B	Mirrors, Dual - Rectangular, XL2020 - 96" Width w/Chrome Cap	\$60.00	\$53.00
	Integral spot mirr	ror, sail type, manual fold.		
	54N	Mirrors, Dual - Heated Rectangular, XL2020 - 96" Width w/Chrome Cap	\$120.00	\$106.00
	Integral spot mirr	ror, sail type, manual fold.		
	54A	Mirrors, Dual - Heated & Motorized Rectangular, XL2020 - 96" Width w/Chrome Cap	\$305.00	\$269.00
	Integral spot mirr	· · · · ·		
	54J	Mirrors, Dual - Rectangular, XL2020 - 102" Width	\$30.00	\$27.00
	Integral spot mirr	or, sail type, manual fold, solid black finish.		
	54C	Mirrors, Dual - Heated Rectangular, XL2020 - 102" Width	\$90.00	\$80.00
	Integral spot mirr	or, sail type, manual fold, solid black finish.		
	54R	Mirrors, Dual - Heated & Motorized Rectangular, XL2020 - 102" Width	\$275.00	\$243.00
	Integral spot mirr	ror, sail type, solid black finish.		
	54D	Mirrors, Dual - Rectangular, XL2020 - 102" Width w/Chrome Cap	\$90.00	\$80.00
	Integral spot mirr	or, sail type, manual fold.		
	54E	Mirrors, Dual - Heated Rectangular, XL2020 - 102" Width w/Chrome Cap	\$150.00	\$132.00



Price Level: 415

Available	Options (co	ont'd)		
Selected	Code	Description	MSRP	Invoice
	Integral spot mirro	or, sail type, manual fold.		
	54K	Mirrors, Dual - Heated & Motorized Rectangular, XL2020 - 102" Width w/Chrome Cap	\$335.00	\$296.00
	Integral spot mirro	or, sail type.		
	54F	Mirrors, Trailer Tow, Powered - Sail Mount - w/Power Telescoping & Power Folding	\$365.00	\$322.00
	Includes power he mounted.	eated glass, heated convex spotter and integrated clearand	ce lights/turn signals. Heat o	controls dash
	63F	Aux Spot Mirrors - Front Fender Mounted - (2) Driver Side and Passenger Side	\$225.00	\$199.00
	63G	Aux Spot Mirror - Front Fender Mounted - (1) Passenger Side Only	\$120.00	\$106.00
	165	Mud Flap Holder Without Flaps	\$95.00	\$84.00
	166	Mud Flap Holder With Flaps	\$155.00	\$137.00
Ship-Thru				
	21A	Pre-Delivery Inspection	N/C	N/C
	Selection requi	res that you also choose either (314) or (31F) or quired with any final Ship-To that is not a deale	or (31V) to have the In r.	spection
	314	Ship-Thru - Manning	\$0.00	\$10.00
	MAY be selected arrangements of	ed w/o adding (21A). For MODIFICATIONS ON directly with Manning (please use CVT Resource	ILY, Dealer must mak ces for add. Info).	e
	31F	Ship-Thru - NFS National Fleet Services	N/C	N/C



Price Level: 415

Selected	Code	Description	MSRP	Invoice
	MAY be selected arrangements of	ed w/o adding (21A). For MODIFICATIONS O directly with NFS (please use CVT Resources	NLY, Dealer must mal for add. Info).	<e< th=""></e<>
liscellaneous				
\checkmark	PAINT	Paint Type - Environmentally Friendly, "3 - Wet System"	STD	STD
	79V	COV Required	N/C	N/C
	Send a paper (or MI.	Certificate of Origin for a Vehicle (COV) for the	se states that file elec	tronically - CA
	L23	Raw Material Surcharge	\$0.00	\$600.00
leet Options				
	combined right/sto	Beverage Delivery Package Ider wiring at back of cab at frame, sealed connectors for op, stop lamps, park lamps, back up lamps, also includes gth to accommodate drop frame beverage body application	2 additional pass through w	
	B4A	Net Invoice Fleet Option	\$0.00	\$7.00
	56A	CPA Fleet Incentive	N/C	N/C
	56B	Commercial Repurchase	N/C	N/C
	56F	FRCS Long Term	N/C	N/C
	56K	Long Term Fleet Incentive	\$0.00	-\$2,500.00
	56M	National Fleet Incentive	\$0.00	-\$2,500.00
	56Y	DDR Program	N/C	N/C



Available C	Options (co	nt'd)		
Selected	Code	Description	MSRP	Invoice
	55D	Driver Assistance - FLEET SETTINGS	\$35.00	\$31.00
	Requires Valid	Code.		
	Note: Settings are assist - alert sensi	locked and cannot be changed by driver or fleet adminis tivity set to NORMAL, distance indication is set to ON, ac	trator. Includes driver alert s	et to ON, collision
		ng set to ON, sensitivity set to NORMAL, auto lamp delay		
	to ON, lane keepir	ng set to ON, sensitivity set to NORMAL, auto lamp delay		
	to ON, lane keepir daytime lights set	ng šet to ON, sensitivity set to NORMAL, auto lamp delay to ON. Fleet Safety Kit	set to 20 sec, auto high bea	am set to ON and
	to ON, lane keepir daytime lights set 87S Late availability	ng śet to ON, sensitivity set to NORMAL, auto lamp delay to ON. Fleet Safety Kit xtinguisher class A, B and C with mounting brackets, tria	set to 20 sec, auto high bea	am set to ON and N/A
U VSO Options	to ON, lane keepir daytime lights set 87S Late availability Includes 5 lb fire e	ng śet to ON, sensitivity set to NORMAL, auto lamp delay to ON. Fleet Safety Kit xtinguisher class A, B and C with mounting brackets, tria	set to 20 sec, auto high bea	am set to ON and N/A

SPF	VSO - Special Paint Formulation (Minimum Quantity 3)	N/A	N/A
	· · ·		

Prices and content availability as shown are subject to change and should be treated as estimates only. Actual base vehicle, package and option pricing may vary from this estimate because of special local pricing, availability or pricing adjustments not reflected in the dealer's computer system. See salesperson for the most current information.

Prepared by: Admir Sarac

11/01/2022

2024 F-650 Gas Crew Cab Base (W6A)

Price Level: 415

Major Equipment

(Based on selected options, shown at right) 6-speed automatic

- * Side assist steps
- * White rear wheels
- * Disc rear wheel
- * Front tires LT load rating: G
- * Overdrive transmission
- * Transmission electronic control
- * Non stainless steel single exhaust
- * Battery rating: 900CCA
- * Battery run down protection
- * Steering wheel mounted audio controls
- * AM/FM stereo radio
- * Auxiliary input jack
- * Vehicle body length: 270"
- * Cab to axle: 72"
- * Axle capacity rear: 17,500 lbs.
- * Axle capacity front: 8,500 lbs.
- * Standard ride suspension
- * Trip computer
- * DRL preference setting
- * Light tinted windows

*	White front wheels
*	Steel rear wheels
*	22.5 x 8.25-inch front and dual rear wheels
*	English measure truck 279/82R22.5 AS BSW front and rear tires
*	Lock-up transmission
*	Alternator Amps: 210A
*	Low-speed ABS traction control
*	Lead acid battery
*	Injection Type: sequential MPI
*	Wireless audio streaming
*	Seek scan
*	External memory control
*	Wheelbase: 182"
*	Axle to end of frame: 49"
*	Tire/wheel capacity rear: 23,360 lbs.
*	Spring rating front: 8,500 lbs.
*	Dual electric horn

- * Manual folding door mirrors
- * Daytime running lights
- * Variable intermittent front windshield wipers

As Configured Vehicle	MSRP

Randall Reed's Planet Ford 635 | 3601 S. Shiloh Rd. Garland Texas | 750414015

As Configured Vehicle MSRP
STANDARD VEHICLE PRICE \$72,230.00
Preferred Equipment Package 600A N/C
7.3L 2V DEVCT NA PFI V8 Gas - 335 HP @ 3750 rpm STD
50-State Emissions N/C
Ford TorqShift HD 6-Speed Automatic - Double Overdrive, LESS PTO Provision and Tow/Haul STD
Wheels, Front 22.5x8.25 White Powder Coated Steel, 10- Hole STD
Tires, Front Two 11R22.5G Goodyear Fuel Max RSA (497 rev/mile) STD
Wheels, Rear 22.5x8.25 White Powder Coated Steel, 10- Hole STD
Tires, Rear Four 11R22.5G Goodyear Fuel Max RSA (497 rev/mile) STD
Hydraulic Brake System - Bosch HydroMax w/Traction
Control
8,500 lb. Cap. Non-Driving - Dana D-850F STD
Taper-Leaf Springs, Parabolic - 8,500 lb. Cap
17,500 lb. Single-Speed - Dana S17-140 STD
Multi-Leaf Springs - 19,000 lb. Cap
182" Wheelbase/72" CA/49" AF/270" OAL
Single Channel - Straight 'C' 12.64 SM, 50,000 PSI



Prepared by: Admir Sarac

11/01/2022

2024 F-650 Gas Crew Cab Base (W6A)

Price Level: 415

Major Equipment

- * Speed sensitive wipers
- * Manual climate control
- * 60-40 folding rear seats
- * Front facing rear seat
- * Bucket driver seat
- * Low driver seat back
- * Manual fore/aft
- * Fixed passenger seat back
- * 4 passenger seats way-direction
- * Driver seat armrest
- * Vinyl front seat upholstery
- * Hydraulic disc brakes

* Electronic stability control system
* Fixed rear seats
* Split-bench rear seat
* Fold-up rear seat cushion
* Folding driver seat back
* 4 driver seats way-direction
* Bucket passenger seat
* Low passenger seat back
* Manual fore/aft
* Front passenger seat armrest
* Carpet front seatback upholstery
* 4-wheel antilock (ABS) brakes

Fuel Economy





Hwy N/A

As Configured Vehicle	MSRP
Single, Horizontal Muffler - Frame Mounted Right Side of Cab w/Catalytic Converter	
Fuel Tank - LH 60 Gallon - Steel	STD
14 Gal. Single Tank Fuel Fill. Mandatory Charge Applie Based On Tank Selection	
Extra Heavy Duty Alternator - 12-Volt, 210 Amp Mitsubishi In	cluded
Battery - One 900 CCA, Includes Steel Battery Box	STD
30/0/30 Fixed Driver & Fixed Passenger w/Consolette - Vinyl	
60/40 Rear Bench Seat w/Flip-Up Cushion and Fold-Do Back	OTD
Radio: AM/FM Stereo w/2 Speakers, USB input, Clock Display and Bluetooth	STD
Mirrors, Dual - Rectangular, XL2020 - 96" Width	STD
Paint Type - Environmentally Friendly, "3 - Wet System	" STD
Raw Material Surcharge	\$0.00
Bumper, Front - Black, Full Width	cluded
Wheel Seals, Front - Oil lubricated, SKF ScotSeal Plus Seals	XL Icluded
Wheel Seals, Rear - Oil lubricated, SKF ScotSeal Plus Seals	
Painted Grille - Plastic	cluded

Prices and content availability as shown are subject to change and should be treated as estimates only. Actual base vehicle, package and option pricing may vary from this estimate because of special local pricing, availability or pricing adjustments not reflected in the dealer's computer system. See salesperson for the most current information.



Randall Reed's Planet Ford 635 | 3601 S. Shiloh Rd. Garland Texas | 750414015



Prepared by: Admir Sarac

11/01/2022

2024 F-650 Gas Crew Cab Base (W6A)

Price Level: 415

Randall Reed's Planet Ford 635 | 3601 S. Shiloh Rd. Garland Texas | 750414015

As Configured Vehicle	MSRP
Lights - Roof Marker/Clearance - Amber Lenses, 5 Lights	Included
Tow Hooks, Front (2) - Frame-Mounted, Painted Black	Included
Floor Covering - Black Vinyl	Included
Intelligent Oil Life Monitor	Included
Steering Column - Tilt / Telescoping	Included
Steering Wheel - Black PVC w/Integral Cruise Contro Switches, includes Audio Controls	
Body Builder Wiring - At Back of Cab, Combined	Included
SUBTOTAL \$72	2,230.00
Destination Charge \$2	2,095.00
TOTAL	1,325.00