

Price Level: 415

# Selected Equip & Specs

#### **Dimensions**

GCWR: 50.000 lbs.

Vehicle body length: 246"

Vehicle body height: 94"

Front track: 84"

Turning radius (to curb): 22'

Rear tire outside width: 96"

Frame section modulus: 15 cu.in.

Frame rail depth: 10"

Frame rail thickness: 0"

Front bumper to front axle: 39"

Rear brake diameter: 15.0"

Leg room first-row: 41.4"

Hip room first-row: 67.6"

Driver distance from axle: 54"

• Vehicle body width: 97"

• Wheelbase: 158"

• Rear track: 73"

Cab to axle: 84"

• Axle to end of frame: 49"

• Frame yield strength (psi): 80000

• Frame rail width: 3"

• Frame rail section: 10"

• Front brake diameter: 15.0"

• Headroom first-row: 40.7"

• Shoulder room first-row: 68.0"

#### **Powertrain**

 6.7L V-8 diesel direct injection, intercooled turbo, diesel, engine with 270HP

Compression ignition system

• Torque: 700 lb.-ft.@1500 RPM

Fuel/water separator

Engine retarder system

75 mph speed limiter

Rear-wheel drive

Low-speed ABS traction control

• Engine cylinders: V-8

Horsepower: 270 HP@2400 RPM

Radiator

Auxiliary power take-off

RNDM shift indicator

• 10-speed automatic

· Recommended fuel: diesel

Standard rear differential

### **Fuel Economy and Emissions**

Federal emissions

#### Suspension and Handling

• Standard ride suspension

#### **Driveability**

- Hydraulic disc brakes
- 4-wheel antilock (ABS) brakes
- Hill start assist
- Leaf spring front suspension
- Rigid axle rear suspension
- Hydraulic power-assist steering system
- 2-wheel steering system

- Standard grade front shock absorbers
- Front and rear ventilated disc brakes
- Four channel ABS brakes
- Rigid axle front suspension
- Tapered leaf front suspension
- Leaf spring rear suspension
- · Re-circulating ball steering



Price Level: 415

### Selected Equip & Specs (cont'd)

#### **Body Exterior**

- Side assist steps
- Clearcoat paint
- Black side window trim
- Black door handles
- 2 front tow hooks
- Black grille
- · Black door mirrors
- Convex spotter in driver and passenger side door mirrors
- · White front wheels
- White rear wheels
- Disc rear wheel

#### Convenience

- Manual door locks
- Manual first-row windows
- Driver foot rest
- Standard glove box
- 2 beverage holders
- Dashboard storage
- Steering column lever gearshift location
- Upfitter switches
- Comfort
  - Manual climate control
  - Full headliner coverage
  - Full floor coverage
  - Manual telescopic steering wheel
- Seats and Trim
  - Seating capacity: 2
  - Folding driver seat back
  - 4 driver seats way-direction
  - Bucket passenger seat
  - Low passenger seat back
  - Manual fore/aft
  - Front passenger seat armrest

#### **Entertainment Features**

AM/FM stereo radio

- 2 doors
- Monotone paint
- · Black windshield trim
- Black front bumper
- Straight front bumper ends
- · Hood mounted grille
- Trailer style side mirrors
- English measure truck 279/82R22.5 AS BSW front and rear tires
- · Steel front wheels
- · Steel rear wheels
- 22.5 x 8.25-inch front and dual rear wheels
- Cruise control with steering wheel mounted controls
- · Partial floor console
- Fixed rear windshield
- Front beverage holders
- Instrument panel bin
- Dual electric horn
- Trip computer
- · Cloth headliner material
- · Full vinyl floor covering
- · Manual tilting steering wheel
- · Urethane steering wheel
- Bucket driver seat
- · Low driver seat back
- Manual fore/aft
- · Fixed passenger seat back
- 4 passenger seats way-direction
- · Driver seat armrest
- Vinyl front seat upholstery
- · Seek scan



Price Level: 415

### Selected Equip & Specs (cont'd)

- Auxiliary input jack
- Speakers number: 2
- Steering wheel mounted audio controls
- Fixed audio antenna

- External memory control
- Standard grade speakers
- Wireless audio streaming

#### **Lighting, Visibility and Instrumentation**

- Analog instrumentation display
- In-radio display clock
- Oil pressure gauge
- Oil temperature gauge
- Engine hour meter
- Light tinted windows
- Halogen headlights
- Multiple enclosed headlights
- DRL preference setting
- Speed sensitive wipers
- Variable instrument panel light
- Cab clearance lights

- Trip odometer
- Tachometer
- Engine/electric motor temperature gauge
- Transmission fluid temperature gauge
- Diesel exhaust fluid (def) gauge
- · Aero-composite headlights
- · Auto on/off headlight control
- · Delay-off headlights
- · Variable intermittent front windshield wipers
- Front reading lights
- · Daytime running lights
- · Delay interior courtesy lights

#### Technology and Telematics

· Handsfree wireless device connectivity

• 1 USB port

#### Safety and Security

Vehicle tracker

· Electronic stability control system

#### **Dimensions**

#### General Weights

| Curb weight | 10,040 lbs. | Rear curb weight | 3,746 lbs. |
|-------------|-------------|------------------|------------|
| Front GAWR  | 10000 lbs.  | Rear GAWR        | 21000 lbs. |
| GVWR        | 31000 lbs.  | GCWR             | 50000 lbs. |

#### Trailering Weights

**GCWR** 50,000 lbs.

#### Weights

Maximum GVWR 37,000 lbs. Max RBM (in.-lbs.) 1,275,200 max RBM (in.lbs.)

Nominal RBM (in.-lbs.) 1,211,200 nominal RBM (in.-lbs.)

#### Front Weights

| Front curb weight   | 6,294 lbs.  | Axle capacity front       | 10,000 lbs. |
|---------------------|-------------|---------------------------|-------------|
| Spring rating front | 10,000 lbs. | Tire/wheel capacity front |             |



Price Level: 415

# Selected Equip & Specs (cont'd)

| Rear Weights                |             |                            |             |
|-----------------------------|-------------|----------------------------|-------------|
| Axle capacity rear          |             | Spring rating rear         | 21,000 lbs. |
| Tire/wheel capacity rear    | 23,360 lbs. |                            |             |
| Exterior Measurements       |             |                            |             |
| Vehicle body length         | 246"        | Vehicle body width         |             |
| Vehicle body height         |             | Wheelbase                  |             |
| Front frame height loaded   |             | Front brake diameter       | 15.0"       |
| Front frame height unloaded |             | Rear brake diameter        |             |
| Rear frame height loaded    |             | Rear frame height unloaded |             |
| Turning radius (to bumper)  |             | Width - mirrors folded     |             |
| Width - mirrors extended    | 116"        | Front track                |             |
| Rear track                  |             | Driver distance from axle  |             |
| Turning radius (to curb)    | 22'         | Cab to axle                | 84"         |
| Rear tire outside width     | 96"         | Axle to end of frame       | 49"         |
| Frame section modulus       |             | Frame yield strength (psi) |             |
| Frame rail depth            | 10"         | Frame rail width           | 3"          |
| Frame rail thickness        |             | Frame rail section         |             |
| Front bumper to front axle  |             |                            |             |
| Headroom                    |             |                            |             |
| Headroom first-row          | 40.7"       |                            |             |
| Legroom                     |             |                            |             |
| Leg room first-row          | 41.4"       |                            |             |
| Shoulder Room               |             |                            |             |
| Shoulder room first-row     | 68.0"       |                            |             |
| Hip Room                    |             |                            |             |
| Hip room first-row          | 67.6"       |                            |             |
| owertrain                   |             |                            |             |
| Engine                      |             |                            |             |

#### Po

#### **Engine**

| Engine 6.7L V-8 diesel direct injection, intercooled turbo, diesel, engine with 270HP | Valves per cylinder 4  |
|---|--|
| Engine cylinders V-8 Ignition Compression ignition system                             | Engine location Front mounted engine Engine mounting direction Longitudinal mounted engine |
| Engine block material Iron engine block   | Cylinder head material Aluminum cylinder head  |
| Engine Specs  |  |
| Displacement 6.7L   | cc 405.9 cu.in.  |
| Bore  | Stroke 4.25"   |
| Compression ratio 16.2  | Governed RPM 3200 RPM  |



Price Level: 415

# Selected Equip & Specs (cont'd)

| Engine Power   |   |
|--|---|
| Horsepower 270 HP@2400 RPM   | Torque 700 lbft.@1500 RPM   |
| Alternator   |   |
| Alternator amps 200A   | Alternator type Heavy-duty alternator   |
| Battery  |   |
| Battery type Dual lead acid battery Battery step Battery run down protection Battery run down protection   | Battery rating 1500CCA Battery location Battery location forward right  |
| Engine Extras  |   |
| Radiator Auxiliary power take-off Shift indicator RNDM shift indicator   | Fuel/water separator Engine retarder Engine retarder System   |
| Transmission   |   |
| Transmission 10-speed automatic  | Transmission electronic control Transmission electronic control   |
| Speed limiter Lock-up transmission Second gear ratio Second gear ratio Second gear ratio Lock-up transmission Second gear ratio Lock-up transmission Second gear ratio Lock-up transmission Lock-up tr | Overdrive transmission First gear ratio Third gear ratio 2.132 Fifth gear ratio Reverse gear ratio 4.695 Eighth gear ratio 0.851 Tenth gear ratio 0.632 Selectable mode transmission Transmission Overdrive transmission Selectable 4.615 0.519 0.695 Eighth gear ratio 0.632 Selectable mode transmission Transmission Transmission oil cooler Transmission oil cooler |
| Exhaust  |   |
| Tailpipe Aluminized steel single exhaust Additional muffler location right Additional tailpipe location right  | Additional muffler type horizontal Additional tailpipe type horizontal  |
| Additional talipipe location   |   |

Prices and content availability as shown are subject to change and should be treated as estimates only. Actual base vehicle, package and option pricing may vary from this estimate because of special local pricing, availability or pricing adjustments not reflected in the dealer's computer system. See salesperson for the most current information.

Fuel type diesel



11/01/2022

Randall Reed's Planet Ford 635 | 3601 S. Shiloh Rd. Garland Texas | 750414015

2024 F-750 Diesel Regular Cab Base (F7D)

Price Level: 415

Selected Equip & Specs (cont'd)

Fuel Tank

Front left fuel tank shape rectangular DEF capacity 8.00 qal. Front left fuel tank capacity 50.01 US gallons

Drive Feature

Traction control Low-speed ABS traction control

Differential Standard rear differential

**Fuel Economy and Emissions** 

**Emissions** 

Emissions Federal emissions

Suspension and Handling

Suspension

Suspension Standard ride suspension

Front shock absorbers Standard grade front

shock absorbers

**Driveability** 

**Brakes** 

Brake type Hydraulic disc brakes

Ventilated brakes Front and rear ventilated disc

brakes

ABS brakes Four channel ABS brakes

ABS brakes 4-wheel antilock (ABS) brakes

Brake Assistance

Hill start assist Hill start assist

Front Suspension

Suspension ride type front Rigid axle front

suspension

suspension

Front Spring

Regular front springs Regular front springs

Springs front Tapered leaf front suspension

Suspension type front Leaf spring front

Rear Spring

Springs rear Multi-leaf rear suspension

Auxiliary rear spring Rubber auxiliary rear spring

Rear springs Regular grade rear springs

Rear Suspension

suspension

Suspension type rear Leaf spring rear

Suspension ride type rear Rigid axle rear

suspension

Steering

system

Steering Hydraulic power-assist steering

Steering type Re-circulating ball steering



Price Level: 415

## Selected Equip & Specs (cont'd)

Steering type number of wheels 2-wheel steering system

#### **Exterior**

| Front Wheels      |                            |                    |       |
|-------------------|----------------------------|--------------------|-------|
| Front wheels diar | meter 22.5"                | Front wheels width | 8.3"  |
| Rear Wheels       |                            |                    |       |
| Rear wheels dian  | neter 22.5"                | Rear wheels width  | 8.3"  |
| Front And Rear V  | Vheels                     |                    |       |
| Appearance        | none                       |                    |       |
| Front Tires       |                            |                    |       |
| Aspect            | 82                         | Diameter           | 22.5" |
| Sidewalls         | BSW                        | Tread              | AS    |
| Type              | english measure truck tire | Width              |       |
| Front wheel - RP  | м497                       |                    |       |
| Rear Tires        |                            |                    |       |
| Aspect            | 82                         | Diameter           | 22.5" |
| Sidewalls         | BSW                        | Tread              | AS    |
| Type              | english measure truck tire | Width              |       |
| Rear wheel - RPI  | м497                       |                    |       |
|                   |                            |                    |       |

#### **Body Exterior**

#### Exterior Features

| Number of doors     | 2 doors             | Side steps | Side assist steps |
|---------------------|---------------------|------------|-------------------|
| Front splash guards | Front splash guards |            |                   |

#### Frame

Clean CA frame Clean CA frame

#### **Body**

Body panels Composite and galvanized steel body panels

#### **Mirrors**

Convex spotter in driver and passenger side door mirrors

#### **Tires**

| Front tires LT load rating G | Rear tires LT load rating | G |
|------------------------------|---------------------------|---|
|------------------------------|---------------------------|---|

#### Wheels

Front wheel type Disc front wheel Dual rear wheels Dual rear wheels





Price Level: 415

## Selected Equip & Specs (cont'd)

Number of front wheel studs 10 front wheel studs

Number of rear wheel studs 10 rear wheel studs

#### Convenience

Door Locks

Door locks Manual door locks

Cruise Control

Cruise control with steering

wheel mounted controls

**Exterior Mirrors** 

Folding door mirrors Manual folding door mirrors

Front Side Windows

Manual first-row windows First-row windows

Floor Console

Partial floor console Floor console

Passenger Visor

Visor passenger mirror Passenger visor mirror

Power Outlets

12V power outlets 2 12V power outlets

Pedals

Driver foot rest Driver foot rest

Rear Windshield

Rear windshield Fixed rear windshield

Storage

Number of beverage holders 2 beverage holders Glove box Standard glove box Dashboard storage Dashboard storage Beverage holders Front beverage holders Instrument panel storage Instrument panel bin

Miscellaneous

Gearshift location Steering column lever Trip computer Trip computer gearshift location

Upfitter switches Upfitter switches Horn Dual electric horn


#### Comfort

Climate Control

Climate control Manual climate control

Headliner

Headliner material Cloth headliner material Headliner coverage Full headliner coverage



2024 F-750 Diesel Regular Cab Base (F7D)

Price Level: 415

Floor Trim

Floor covering Full vinyl floor covering Floor coverage Full floor coverage

Steering Wheel

Steering wheel telescopic Manual telescopic Steering wheel material Urethane steering wheel

steering wheel

Steering wheel tilt. Manual tilting steering wheel

**Seats and Trim** 

Seat Capacity

Seating capacity 2

Front Seats

Front seat type Bucket driver seat Driver seat back Folding driver seat back Driver Seat Driver Seat back Driver Seat Driv

Driver seats way-direction 4 driver seats way
Driver seat back type Low driver seat back

Driver seat back type Low dr

direction

Passenger seat back Fixed passenger seat back

Passenger seat back type Low passenger seat

back

Passenger seats way-direction 4 passenger seats Passenger seat fore/aft Manual fore/aft

way-direction

Armrests front driver Driver seat armrest Armrests front passenger Front passenger seat

armrest

Front Seat Trim

Front seat upholstery Vinyl front seat upholstery Front seatback upholstery Carpet front seatback

upholstery

Gearshifter Material

Gearshifter material Urethane gear shifter

material

**Entertainment Features** 

Radio Features

Seek scan Seek scan

Speakers

Speakers Standard grade speakers Speakers number 2

Audio Features

Steering mounted audio control Steering wheel Wireless streaming Wireless audio streaming

mounted audio controls





Price Level: 415

### Selected Equip & Specs (cont'd)

#### **Lighting, Visibility and Instrumentation**

| 1 | n | S | tı | u | ır | n | e | n | ta | ti | ัด | n |
|---|---|---|----|---|----|---|---|---|----|----|----|---|
|   |   |   |    |   |    |   |   |   |    |    |    |   |

Trip odometer Trip odometer Instrumentation display Analog instrumentation display

#### Instrumentation Displays

Clock In-radio display clock

#### Instrumentation Gauges

Tachometer Oil pressure gauge **Tachometer** Transmission temperature gauge Transmission Oil temperature gauge Oil temperature gauge fluid temperature gauge

Engine/electric motor temperature

gauge Engine/electric motor temperature gauge

DEF fluid gauge Diesel exhaust fluid (def) gauge

#### Instrumentation Warnings

Oil pressure warning Oil pressure warning Low brake fluid warning Low brake fluid warning Headlights on reminder. Headlights on reminder Door ajar warning Door ajar warning Transmission fluid temperature

warning Transmission fluid temp warning

Glass

Tinted windows Light tinted windows

#### Headlights

Headlights Halogen headlights Auto headlights Auto on/off headlight control Delay off headlights Delay-off headlights

Front Windshield

Wipers Variable intermittent front windshield wipers

#### Interior Lighting

Variable panel light Variable instrument panel light

Lights

Running lights Daytime running lights

Low fuel warning Low fuel warning Battery charge warning Battery charge warning Key in vehicle warning Key in vehicle warning Service interval warning Service interval indicator Low diesel exhaust fluid (DEF) warning Low diesel exhaust fluid (DEF) warning

Engine hour meter Engine hour meter


Headlight type Aero-composite headlights Multiple headlights Multiple enclosed headlights DRL preference setting DRL preference setting

Speed sensitive wipers Speed sensitive wipers

Front reading lights Front reading lights

Interior courtesy lights Delay interior courtesy

lights



11/01/2022

#### 2024 F-750 Diesel Regular Cab Base (F7D)

Price Level: 415

# Selected Equip & Specs (cont'd)

Clearance lights Cab clearance lights

#### **Technology and Telematics**

Connectivity

Handsfree wireless device Handsfree

connectivity

**USB Ports** 

USB ports 1 USB port

Safety and Security


Security System

Vehicle tracker Vehicle tracker

**Traction Control** 

Electronic stability control Electronic stability

control system





Randall Reed's Planet Ford 635 | 3601 S. Shiloh Rd. Garland Texas | 750414015



2024 F-750 Diesel Regular Cab Base (F7D)

Price Level: 415

| Available C  | Options                     |  |                          |             |
|--------------|-----------------------------|--|--------------------------|-------------|
| Selected     | Code                        | Description  | MSRP                     | Invoice     |
| General Info |                             |  |                          |             |
|              | ORDER1                      | Initial Order Date: 10/27/2022   | N/C                      | N/C         |
| Engines      |                             |  |                          |             |
| $\checkmark$ | 99C                         | 6.7L Power Stroke V8 Turbo<br>Diesel - 270 HP @ 2400 RPM   | STD                      | STD         |
|              |                             | e Exhaust Brake and manual regen capability 200. Includes CARB clean idle label - may be removed |                          | 2 1500 rpm. |
|              | 99E                         | 6.7L Power Stroke V8 Turbo<br>Diesel - 300 HP @ 2500 RPM   | \$1,995.00               | \$1,761.00  |
|              | _                           | e Exhaust Brake and manual regen capability 300. Includes CARB clean idle label - may be removed | •                        | 2 1500 rpm. |
|              | 99X                         | 6.7L Power Stroke V8 Turbo<br>Diesel - 330 HP @ 2600 RPM   | \$3,495.00               | \$3,084.00  |
|              | Includes Engine             | e Exhaust Brake and manual regen capabilit   | y. Torque: 750 ft.lbs. @ | 1500 rpm.   |
|              | Governed RPM: 34            | 400. Includes CARB clean idle label - may be removed   | if un-necessary.         |             |
| $\checkmark$ | 425                         | 50-State Emissions   | N/C                      | N/C         |
|              | 41H                         | Engine Block Heater, Phillips,<br>120 Volt/750 Watt  | \$155.00                 | \$137.00    |
|              | Includes removable          | e grille cover.  |                          |             |
|              | 98R<br>Allows Driver to Inl | Active Regen Control hibit Automatic Regen until Regen can be performed in                       | \$205.00                 | \$181.00    |
|              | 7 illowe Diverte in         | monty rational and region and region and region and months                                       | a care rocation.         |             |
|              | 916                         | Speed Limit - 65mph  | N/C                      | N/C         |
|              | 917                         | Speed Limit - 70mph  | N/C                      | N/C         |
|              |                             |  |                          |             |



11/01/2022

Randall Reed's Planet Ford 635 | 3601 S. Shiloh Rd. Garland Texas | 750414015

### 2024 F-750 Diesel Regular Cab Base (F7D)

Price Level: 415

| Available    | Options (co            | ont'd)  |                 |            |
|--------------|------------------------|---|-----------------|------------|
| Selected     | Code                   | Description   | MSRP            | Invoice    |
|              | 62G                    | Air Compressor, Bendix, 13.2<br>CFM Capacity - Includes Direct<br>Reading Air Pressure Gauge                                | \$1,175.00      | \$1,037.00 |
|              | For use as an A        | Air Source when Air Brakes are not selected.  |                 |            |
|              | 94A                    | Engine Idle Shutdown Timer - 5<br>Minutes   | \$25.00         | \$23.00    |
|              | 94B                    | Engine Idle Shutdown Timer -<br>10 Minutes  | \$25.00         | \$23.00    |
|              | 94C                    | Engine Idle Shutdown Timer -<br>15 Minutes  | \$25.00         | \$23.00    |
|              | 94D                    | Engine Idle Shutdown Timer -<br>20 Minutes  | \$25.00         | \$23.00    |
| Transmission | ns                     |   |                 |            |
| $\checkmark$ | 44D                    | Ford TorqShift HD 10-Speed<br>Automatic - Double Overdrive,<br>with PTO Provision   | STD             | STD        |
|              | Includes tow/haul      |   |                 |            |
| Front Wheels | s & Tires              |   |                 |            |
| $\checkmark$ | 643<br>(285.75MM BC) h | Wheels, Front 22.5x8.25 White<br>Powder Coated Steel, 10-Hole<br>aub piloted, flanged nut, metric mount, 8.25 DC rims; with | STD steel hubs. | STD        |
|              | 64H                    | Wheels, Front 22.5x8.25 Aluminum, 10-Hole Alcoa Bright Polished w/Dura-Bright Seal on Both Sides                            | \$735.00        | \$649.00   |







### 2024 F-750 Diesel Regular Cab Base (F7D)

Price Level: 415

|              | Available Options (cont'd) Selected Code Description MSRP Invoice |  |            |          |  |  |
|--------------|---|--|------------|----------|--|--|
| Selected     | Code  | Description  | MSRP       | Invoice  |  |  |
|              | 649   | Wheels, Front 22.5x8.25 Black<br>Wheel                                       | \$60.00    | \$53.00  |  |  |
|              | (285.75MM BC) I   | hub piloted, flanged nut, metric mount, 8.25 DC rims; with s                 | teel hubs. |          |  |  |
| $\checkmark$ | T2B   | Tires, Front Two 11R22.5G<br>Goodyear Fuel Max RSA (497<br>rev/mile)         | STD        | STD      |  |  |
|              | T2A   | Tires, Front Two 11R22.5H<br>Goodyear Fuel Max RSA (497<br>rev/mile)         | \$45.00    | \$40.00  |  |  |
|              | T2E   | Tires, Front Two 11R22.5H<br>Michelin X Multi Energy Z (501<br>rev/mile)     | \$240.00   | \$212.00 |  |  |
|              | TCH   | Tires, Front Two 255/70R22.5H<br>Goodyear Endurance RSA (566<br>rev/mile)    | \$40.00    | \$36.00  |  |  |
|              | T2F   | Tires, Front Two 275/80R22.5G<br>Michelin X Multi Energy Z (515<br>rev/mile) | \$190.00   | \$168.00 |  |  |
|              | TRA   | Tires, Front Two 295/75R22.5H<br>Continental HSR3 (514<br>rev/mile)          | \$130.00   | \$115.00 |  |  |
|              | TDG   | Tires, Front Two 295/80R22.5H<br>Continental HSR2 SA (514<br>rev/mile)       | \$210.00   | \$185.00 |  |  |
| Rear Wheels  | & Tires   |  |            |          |  |  |
| $\checkmark$ | 663   | Wheels, Rear 22.5x8.25 White Powder Coated Steel, 10-Hole                    | STD        | STD      |  |  |






### 2024 F-750 Diesel Regular Cab Base (F7D)

Price Level: 415

| Available Options (cont'd) |             |   |                    |              |  |
|----------------------------|-------------|---|--------------------|--------------|--|
| Invoice                    | MSRP        | Description   | ed Code            | Selected     |  |
|                            | steel hubs. | nub piloted, flanged nut, metric mount, 8.25 DC rims; with s  | (285.75MM BC)      |              |  |
| \$733.00                   | \$830.00    | Wheels, Rear 22.5x8.25 Aluminum, 10-Hole Alcoa Bright Polished w/Dura-Bright Seal on Both Sides     | 66H                |              |  |
|                            |             | ite powder-coated steel.  | Inner wheel is wi  |              |  |
| \$1,297.00                 | \$1,470.00  | Wheels, Rear 22.5x8.25 DRW Aluminum, 10-Hole Alcoa Bright Polished w/Dura-Bright Seal on Both Sides | 66C                |              |  |
|                            |             | minum.  | Inner wheel is all |              |  |
| \$106.00                   | \$120.00    | Wheels, Rear 22.5x8.25 Black<br>Wheel   | 669                |              |  |
|                            | steel hubs. | oub piloted, flanged nut, metric mount, 8.25 DC rims; with s  | (285.75MM BC)      |              |  |
| \$128.00                   | \$145.00    | Wheel, Spare 22.5x8.25 White<br>Powder Coated Steel, 10-Hole -<br>Quantity (One only)               | 60Z                |              |  |
| STD                        | STD         | Tires, Rear Four 11R22.5G<br>Goodyear Fuel Max RSA (497<br>rev/mile)                                | R2B                | $\checkmark$ |  |
| \$84.00                    | \$95.00     | Tires, Rear Four 11R22.5H<br>Goodyear Fuel Max RSA (497<br>rev/mile)                                | R2A                |              |  |
| \$124.00                   | \$140.00    | Tires, Rear Four 11R22.5G<br>Goodyear Fuel Max RTD (493<br>rev/mile)                                | R2G                |              |  |
| \$155.00                   | \$175.00    | Tires, Rear Four 11R22.5H<br>Goodyear Fuel Max RTD (493<br>rev/mile)                                | R2H                |              |  |





### 2024 F-750 Diesel Regular Cab Base (F7D)

Price Level: 415

| Available Options (cont'd) |      |  |          |          |  |
|----------------------------|------|--|----------|----------|--|
| Selected                   | Code | Description  | MSRP     | Invoice  |  |
|                            | R2E  | Tires, Rear Four 11R22.5H<br>Michelin X Multi Energy Z (501<br>rev/mile)     | \$480.00 | \$424.00 |  |
|                            | RMB  | Tires, Rear Four 11R22.5H<br>Michelin X Multi D (494<br>rev/mile)            | \$405.00 | \$357.00 |  |
|                            | R2K  | Tires, Rear Four 255/70R22.5H<br>Goodyear Fuel Max RTD (563<br>rev/mile)     | \$140.00 | \$124.00 |  |
|                            | RCH  | Tires, Rear Four 255/70R22.5H<br>Goodyear Fuel Max RSA (563<br>rev/mile)     | \$80.00  | \$71.00  |  |
|                            | R2J  | Tires, Rear Four 275/80R22.5G<br>Michelin X Multi Energy D (514<br>rev/mile) | \$265.00 | \$234.00 |  |
|                            | R2F  | Tires, Rear Four 275/80R22.5G<br>Michelin X Multi Energy Z (515<br>rev/mile) | \$375.00 | \$331.00 |  |
|                            | RDG  | Tires, Rear Four 295/80R22.5H<br>Continental HSR2 SA (500<br>rev/mile)       | \$425.00 | \$376.00 |  |
|                            | RRC  | Tires, Rear Four 295/75R22.5H<br>Continental HDR2 ECO PLUS<br>(514 rev/mile) | \$310.00 | \$273.00 |  |
|                            | RRA  | Tires, Rear Four 295/75R22.5H<br>Continental HSR3 (514<br>rev/mile)          | \$260.00 | \$229.00 |  |



11/01/2022

Randall Reed's Planet Ford 635 | 3601 S. Shiloh Rd. Garland Texas | 750414015

## 2024 F-750 Diesel Regular Cab Base (F7D)

Price Level: 415

| Selected     | Options (co   | Description   | MSRP  | Invoice   |
|--------------|---|---|---|---|
| Brakes       |   | •   |   |   |
| $\checkmark$ | 67H   | Hydraulic Brake System - Bosch HydroMax w/Traction Control  utomatic adjustment, 4-channel ABS antilock brake syste   | STD   | STE   |
|              |   | brake, Orscheln lever control, right of driver and hand op  |   | Doon type rear ax   |
|              | 152   | Trailer Connection Socket - 7-<br>Way, Wired for Turn Signals<br>Combined with Stop   | \$100.00  | \$88.00   |
|              |   | f frame, for combined trailer stop, tail, turn, marker light of ackage with cab connections for mounting customer inst  |   | er brake  |
|              | 154   | Trailer Connection Socket - 7-<br>Way, Wired for Turn Signals,<br>Separate of Stop  | \$100.00  | \$88.00   |
|              | Mounted at rear of accommodation p  | of frame, for separate trailer stop, tail, turn, marker light co<br>lackage with cab connections for mounting customer inst   | ircuits. Includes electric traile<br>talled electric brake unit.  | r brake   |
|              | 67A   | Air Brakes (4 WHEEL DRUM) -<br>Straight Truck w/Traction<br>Control   | \$2,530.00  | \$2,233.00  |
|              | pressure gauges,<br>yellow knob parki<br>chambers mounte<br>Rear brake size a<br>during acceleratio | th ABS, Bendix Anti-Lock Brake System, 4-channel. Inclubrake lines color coded nylon, Bendix 13.2 CFM capaciting brake control valve, automatic slack adjusters front are ad on front of rear axle, three drain valves and two air tand components dependent upon axle selection. Uses expended to the component of the | ly air compressor, instrument<br>nd rear, two rear spring parkir<br>lks (Reference Body Builders<br>iisting ABS system to minimiz | panel mounted<br>ng air brake<br>Book for location).<br>te wheel slipping |
|              | - Air Dryer, Bendi  | x AD/IS w/Heater<br>ne rail (for Hydraulic brake diesel applications that includ  | le air suspension or stand ald  | one engine air  |
|              | 67D   | Air Brakes (4 WHEEL DISC) w/Traction Control  | \$3,755.00  | \$3,314.00  |
|              | Includes:<br>- Air Dryer, Bendi.  | rated park brake lever.<br>x AD/IS w/Heater<br>me rail (for Hydraulic brake diesel applications that includ   | le air suspension or stand alc  | one engine air  |
|              | 67C   | Air Brakes (FRONT DISC /<br>REAR DRUM) - Straight Truck<br>w/Traction Control   | \$3,020.00  | \$2,665.00  |



11/01/2022

Randall Reed's Planet Ford 635 | 3601 S. Shiloh Rd. Garland Texas | 750414015

### 2024 F-750 Diesel Regular Cab Base (F7D)

Price Level: 415

|          | Options (co                                      | ont'd)   |   |   |
|----------|--|--|---|---|
| Selected | Code   | Description  | MSRP  | Invoice                                   |
|          | Bendix 13.2 CFM<br>hand operated pa<br>Includes: | capacity air compressor, instrument panel mounted yell<br>ork brake lever.   | ow knob parking brake control                                     | l valve. Deletes                          |
|          | - Air Dryer, Bendi                               | x AD/IS w/Heater<br>me rail (for Hydraulic brake diesel applications that includ   | de air suspension or stand alo                                    | ne engine air                             |
|          | 18A  | Electronic Stability Control DELETE  | Variable  | Variable                                  |
|          | Deletes the stand                                | lard ESC feature.  |   |   |
|          | 98B  | Final Upfit Center of Gravity -  | N/C   | N/C                                       |
|          | 900  | Low CG (38" to 48" FINAL   |   |   |
|          |  | Center of Gravity)   |   |   |
|          | must be selected<br>upfit CG is known            | g Electronic Stability Control Standard. When air brakes by dealer when ordering. If the final CG is not known, us a, and the unit requires ESC for other features (such as E when ordering air brake during the specing process. Call | se the ESC delete (18A) featur<br>Driver Assist Technology) selec | re. Where the final of<br>the appropriate |
|          | 98C  | Final Linfit Contar of Crovity   | N/C   | N/C                                       |
|          | 960  | Final Upfit Center of Gravity - Medium CG (48" to 58" FINAL  |   |   |
|          |  | Center of Gravity)   |   |   |
|          | must be selected<br>upfit CG is known            | g Electronic Stability Control Standard. When air brakes by dealer when ordering. If the final CG is not known, us a, and the unit requires ESC for other features (such as E when ordering air brake during the specing process. Call | se the ESC delete (18A) featur<br>Driver Assist Technology) selec | re. Where the final ct the appropriate    |
|          | 98E  | Final Upfit Center of Gravity -  | N/C   | N/C                                       |
|          | 002  | High CG (58" to 68" FINAL  |   |   |
|          |  | Center of Gravity)   |   |   |
|          | must be selected<br>upfit CG is known            | g Electronic Stability Control Standard. When air brakes by dealer when ordering. If the final CG is not known, us , and the unit requires ESC for other features (such as E when ordering air brake during the specing process. Call  | se the ESC delete (18A) featur<br>Driver Assist Technology) sele  | re. Where the final ct the appropriate    |
|          | 98F  | Final Upfit Center of Gravity -  | N/C   | N/C                                       |
|          | 301  | Tanker High CG (58" to 68"   |   |   |
|          |  | FINAL Center of Gravity)   |   |   |
|          | must be selected<br>upfit CG is known            | g Electronic Stability Control Standard. When air brakes by dealer when ordering. If the final CG is not known, us and the unit requires ESC for other features (such as E when ordering air brake during the specing process. Call    | se the ESC delete (18A) featur<br>Driver Assist Technology) selec | re. Where the final ct the appropriate    |
|          | 98J  | Final Upfit Center of Gravity -  | N/C   | N/C                                       |
|          | 303  | Tanker Medium CG (48" to 58" FINAL Center of Gravity)  |   |   |




11/01/2022


Randall Reed's Planet Ford 635 | 3601 S. Shiloh Rd. Garland Texas | 750414015

## 2024 F-750 Diesel Regular Cab Base (F7D)

Price Level: 415

|              | Options (co                            |  |   |  |
|--------------|--|--|---|--|
| Selected     | Code                                   | Description  | MSRP  | Invoice                                |
|              | must be selected<br>upfit CG is known  | g Electronic Stability Control Standard. When air brakes a<br>by dealer when ordering. If the final CG is not known, use<br>, and the unit requires ESC for other features (such as Di<br>when ordering air brake during the specing process. Call 1 | e the ESC delete (18A) featu<br>river Assist Technology) sele | re. Where the final ct the appropriate |
|              | 62F                                    | Brake Chamber Spring<br>Relocated - Required   | N/C   | N/C                                    |
|              | Relocated to rear                      | of rear axle for maximum ground clearance.   |   |  |
|              | 62F_                                   | Brake Chamber Spring<br>Relocated - Optional   | \$45.00   | \$40.00                                |
|              | Relocated to rear                      | of rear axle for maximum ground clearance.   |   |  |
|              | 62D                                    | Air Dryer, Bendix AD/IS<br>w/Heater  | \$460.00  | \$406.00                               |
|              | Mounted left fram compressor).         | e rail (for Hydraulic brake diesel applications that include   | air suspension or stand alon                                  | e engine air                           |
|              | 62H                                    | Air Dryer, Bendix AD/IS<br>w/Heater, Alternate Position  | \$120.00  | \$106.00                               |
|              | Alternate Mount o                      | outside the left Frame rail as close to cab as available.  |   |  |
|              | 158<br>Includes air lines              | Trailer Air Brake Package to rear of frame, hand control valve and tractor protection  | \$365.00<br>valve.  | \$322.00                               |
|              | 159                                    | Trailer Connection Socket - 7-<br>Way, Wired for Turn Signals<br>Combined with Stop  | \$100.00  | \$88.00                                |
|              | Mounted at rear of lights).            | of frame, for combined trailer stop, tail, turn (compatible w  | ith trailers that use combined                                | l stop, tail, turn                     |
|              | 157                                    | Trailer Connection Socket - 7-<br>Way, Wired for Turn Signals,<br>Separate of Stop   | \$100.00  | \$88.00                                |
|              | Mounted at rear o<br>side turn lamps w | of frame, for separate trailer stop, tail, turn, marker light cir<br>ith separate stop/turn).  | rcuits (compatible with trailer                               | s that have amber or                   |
| Front Axle a | nd Suspension                          |  |   |  |
| $\checkmark$ | 43N                                    | 10,000 lb. Cap. Non-Driving -<br>Dana E-1002l - I-Beam Type  | STD   | STD                                    |





### 2024 F-750 Diesel Regular Cab Base (F7D)

Price Level: 415

| Available    | Options (co         | ont'd)  |                              |            |
|--------------|---------------------|---|------------------------------|------------|
| Selected     | Code                | Description   | MSRP                         | Invoice    |
|              | 43P                 | 12,000 lb. Cap. Non-Driving -<br>Dana E-1202I - I-Beam Type     | \$525.00                     | \$464.00   |
|              | 43D                 | 14,000 lb. Cap. Non-Driving -<br>Dana                           | \$1,280.00                   | \$1,130.00 |
| $\checkmark$ | 61C                 | Taper-Leaf Springs, Parabolic -<br>10,000 lb. Cap               | STD                          | STD        |
|              | 2-leaf, 62" x 3.15  | '. Also includes, standard duty, dual, double acting shock      | absorbers.                   |            |
|              | 61D                 | Taper-Leaf Springs, Parabolic -<br>12,000 lb. Cap               | \$305.00                     | \$269.00   |
|              | 2-leaf, 62" x 3.15" | '. Also includes, standard duty, dual, double acting shock      | absorbers.                   |            |
|              | 61E                 | Taper-Leaf Springs, Parabolic -<br>13,200 lb. Cap               | \$365.00                     | \$322.00   |
|              | 3-leaf, 62" x 3.15' | '. Also includes, standard duty, dual, double acting shock      | absorbers.                   |            |
|              | 61F                 | Taper-Leaf Springs, Parabolic -<br>14,000 lb. Cap               | \$425.00                     | \$376.00   |
|              | 3-leaf, 62" x 3.15" | '. Also includes, standard duty, dual, double acting shock      | absorbers.                   |            |
|              | 15\$                | Front Stabilizer Bar  | \$490.00                     | \$433.00   |
|              | 60A                 | Lube, Front Axle, EmGard 50W,<br>Synthetic Oil                  | \$50.00                      | \$44.00    |
| Rear Axle an | d Suspension        |   |                              |            |
| $\checkmark$ | 475                 | 21,000 lb. Single Reduction -<br>Open - Dana / Spicer 21060S    | STD                          | STD        |
|              | NOTE: When spe      | cifying an axle ratio, check performance guidelines for sta     | artability and gradeability. |            |
|              | 476                 | 21,000 lb. Single Reduction -<br>Locking - Dana / Spicer 21060D | \$1,830.00                   | \$1,615.00 |
|              | NOTE: When spe      | cifying an axle ratio, check performance guidelines for sta     | artability and gradeability. |            |






### 2024 F-750 Diesel Regular Cab Base (F7D)

Price Level: 415

| Available    | Options (co              | ont'd)  |   |  |
|--------------|--------------------------|---|---|--|
| Selected     | Code                     | Description   | MSRP  | Invoice                                    |
|              | 479  NOTE: When spe      | 23,000 lb. Single Reduction - Open - Dana / Spicer S23-172 ecifying an axle ratio, check performance guidelines for sta   | \$2,320.00  | \$2,047.00                                 |
|              | 47P                      | 23,000 lb. Single Reduction -<br>Locking - Dana / Spicer S23-<br>172D   | \$2,100.00  | \$1,853.00                                 |
|              | NOTE: When spe           | cifying an axle ratio, check performance guidelines for sta   | artability and gradeability.                                |  |
|              | 47X  NOTE: When spe      | 26,000 lb. Single Reduction - Open - Dana / Spicer S26-190 ecifying an axle ratio, check performance guidelines for sta   | \$2,445.00 artability and gradeability.                     | \$2,158.00                                 |
|              | 18P                      | Driveshaft Upgrade  | N/A   | N/A  |
|              | higher torque eng        | e line is optional. Heavy duty drive line components are relines or deep reduction low gear(s). The heavier SPL-140 are durability is required by the vocation or customer. | equired in more demanding a<br>driveshaft is powertrain dep | applications, such as<br>endent and should |
| $\checkmark$ | 68P<br>11-leaf. Includes | Multi-Leaf Springs - 21,000 lb.  Cap  2,000 lb auxiliary springs for load stabilization.  | STD   | STD  |
|              | 68R                      | Multi-Leaf Springs - 23,000 lb.<br>Cap  | \$230.00  | \$203.00                                   |
|              | 11-leaf. Includes        | 2,000 lb auxiliary springs for load stabilization.  |   |  |
|              | 68T                      | Multi-Leaf Springs - 31,000 lb.  Cap 2,000 lb auxiliary springs for load stabilization.   | \$490.00  | \$433.00                                   |
|              | i i-leai. iriciudes .    | z,000 ib auxiliary springs for load stabilization.  |   |  |
|              | 961                      | Shock Absorbers, Rear -<br>Double Acting  | \$165.00  | \$145.00                                   |
|              | 607                      | Lube, Rear Axle, EmGard 75W-<br>90, Synthetic Oil   | \$100.00  | \$88.00                                    |
|              | X4E                      | 4.63 Axle Ratio   | N/C   | N/C  |







Randall Reed's Planet Ford 635 | 3601 S. Shiloh Rd. Garland Texas | 750414015

### 2024 F-750 Diesel Regular Cab Base (F7D)

Price Level: 415

| Available    | Options (co | nt'd)                                     |          |          |
|--------------|-------------|---|----------|----------|
| Selected     | Code        | Description                               | MSRP     | Invoice  |
|              | X4F         | 4.78 Axle Ratio                           | N/C      | N/C      |
|              | X4G         | 4.88 Axle Ratio                           | N/C      | N/C      |
|              | X5F         | 5.25 Axle Ratio                           | N/C      | N/C      |
|              | X5B         | 5.29 Axle Ratio                           | N/C      | N/C      |
|              | X5D         | 5.57 Axle Ratio                           | N/C      | N/C      |
|              | X6A         | 6.14 Axle Ratio                           | N/C      | N/C      |
|              | X6B         | 6.17 Axle Ratio                           | N/C      | N/C      |
|              | X6D         | 6.50 Axle Ratio                           | N/C      | N/C      |
|              | X6E         | 6.83 Axle Ratio                           | N/C      | N/C      |
| Wheelbase    |             |   |          |          |
| $\checkmark$ | 158WB       | 158" Wheelbase/84" CA/49"<br>AF/246" OAL  | STD      | STD      |
|              | 176WB       | 176" Wheelbase/102" CA/70"<br>AF/285" OAL | \$125.00 | \$111.00 |
|              | 182WB       | 182" Wheelbase/108" CA/70"<br>AF/291" OAL | \$210.00 | \$185.00 |
|              | 194WB       | 194" Wheelbase/120" CA/75"<br>AF/308" OAL | \$325.00 | \$287.00 |







### 2024 F-750 Diesel Regular Cab Base (F7D)

Price Level: 415

| Options (co | nt'd)   |  |  |
|-------------|---|--|--|
| Code        | Description   | MSRP   | Invoice  |
| 200WB       | 200" Wheelbase/126" CA/75"<br>AF/314" OAL   | \$490.00   | \$433.00   |
| 212WB       | 212" Wheelbase/138" CA/81"<br>AF/332" OAL   | \$515.00   | \$454.00   |
| 218WB       | 218" Wheelbase/144" CA/81"<br>AF/338" OAL   | \$550.00   | \$485.00   |
| 224WB       | 224" Wheelbase/150" CA/87"<br>AF/350" OAL   | \$570.00   | \$503.00   |
| 230WB       | 230" Wheelbase/156" CA/87"<br>AF/356" OAL   | \$585.00   | \$517.00   |
| 242WB       | 242" Wheelbase/168" CA/100"<br>AF/381" OAL  | \$805.00   | \$710.00   |
| 260WB       | 260" Wheelbase/186" CA/120"<br>AF/419" OAL  | \$965.00   | \$851.00   |
| 281WB       | 281" Wheelbase/207" CA/120"<br>AF/440" OAL  | \$1,150.00   | \$1,015.00   |
|             |   |  |  |
|             | Single Channel - Straight 'C'<br>15.14 SM, 80,000 PSI<br>ligh strength low alloy steel. 10.250" x 3.092" x 0.375" (2  | STD<br>260.4mm x 78.5mm x 9.5mm  | STD  |
|             | 000 lbs.  |  |  |
| 536         | Single Channel - Straight 'C'<br>14.18 SM, 120,000 PSI<br>leat treated alloy steel; 10.125" x 3.580" x 0.312" (257.2) | \$365.00   | \$322.00   |
|             | 200WB  212WB  218WB  224WB  230WB  242WB  260WB  281WB  | 200WB 200" Wheelbase/126" CA/75" AF/314" OAL  212WB 212" Wheelbase/138" CA/81" AF/332" OAL  218WB 218" Wheelbase/144" CA/81" AF/338" OAL  224WB 224" Wheelbase/150" CA/87" AF/350" OAL  230WB 230" Wheelbase/156" CA/87" AF/356" OAL  242WB 242" Wheelbase/168" CA/100" AF/381" OAL  260WB 260" Wheelbase/168" CA/120" AF/419" OAL  281WB 281" Wheelbase/207" CA/120" AF/440" OAL  535 Single Channel - Straight 'C' 15.14 SM, 80,000 PSI 1,211,200 RBM. High strength low alloy steel. 10.250" x 3.092" x 0.375" (2 Includes: - GVWR Limit: 37,000 lbs. | Code         Description         MSRP           200WB         200" Wheelbase/126" CA/75" AF/314" OAL         \$490.00           212WB         212" Wheelbase/138" CA/81" AF/332" OAL         \$515.00           218WB         218" Wheelbase/144" CA/81" AF/338" OAL         \$550.00           224WB         224" Wheelbase/150" CA/87" AF/350" OAL         \$570.00           230WB         230" Wheelbase/156" CA/87" AF/356" OAL         \$585.00           242WB         242" Wheelbase/168" CA/100" AF/381" OAL         \$805.00           260WB         260" Wheelbase/186" CA/120" AF/419" OAL         \$965.00           281WB         281" Wheelbase/207" CA/120" AF/440" OAL         \$1,150.00           535         Single Channel - Straight 'C' STD 15.14 SM, 80,000 PSI         \$1,211,200 RBM. High strength low alloy steel. 10.250" x 3.092" x 0.375" (260.4mm x 78.5mm x 9.5mm includes: GVWR Limit: 37,000 lbs.           536         Single Channel - Straight 'C'         \$365.00 |






### 2024 F-750 Diesel Regular Cab Base (F7D)

Price Level: 415

| Available ( | Options (co                    | ont'd)<br>Description  | MSRP                       | Invoice    |
|-------------|--------------------------------|--|----------------------------|------------|
|             | 538                            | Single Channel - Straight 'C'<br>16.98 SM, 120,000 PSI   | \$650.00                   | \$574.00   |
|             | 2,037,600 RBM. I               | Heat treated alloy steel; 10.250" x 3.610" x 0.375" (260.4n  | nm x 91.66mm x 9.5mm).     |            |
|             | 539                            | Single Channel - Straight 'C'<br>20.11 SM, 120,000 PSI   | \$1,075.00                 | \$949.00   |
|             | 2,413,200 RBM. I               | Heat treated alloy steel; 10.375" x 3.705" x 0.438" (263.5n  | nm x 94.1mm x 11.1mm).     |            |
|             | 41R                            | Outer "C" Channel<br>Reinforcement - 120,000 PSI   | \$1,160.00                 | \$1,024.00 |
|             | 29.84 SM; 3,580,               | 800 RBM. Heat treated alloy steel; 10.813" x 3.892" x 0.37   | 12"; (274.6 mm x 98.9 mm x | 8.0 mm).   |
|             | 532                            | Frame Extension, Front -<br>Integral 20" In Front of Grille  | \$490.00                   | \$433.00   |
|             | - Grille, Fixed - Bl           | lack/Gray<br>Delete - Also Deletes Mounting Brackets   |                            |            |
|             | 765                            | Bumper, Front - Full Width,<br>Chrome Plated Steel - (Included<br>in (90E) Exterior Appearance<br>Group) | \$490.00                   | \$433.00   |
|             | <b>767</b><br>Dark shadow graj | Bumper, Front - Swept Back, Painted Steel y color.   | \$345.00                   | \$305.00   |
|             | 76X                            | Bumper, Front - Delete - Also<br>Deletes Mounting Brackets   | -\$135.00                  | -\$119.00  |
|             | 76F                            | 3" Front Bumper Extension  | \$175.00                   | \$155.00   |
|             | 76Y                            | Tow Hooks - Delete   | -\$70.00                   | -\$61.00   |
|             | 18D                            | Special Rating GVWR - Limited to 25,999 lb. GVWR   | \$120.00                   | \$106.00   |
|             | Only available                 | to GAWR combinations that EXCEED 26,000  | lbs.                       |            |





Randall Reed's Planet Ford 635 | 3601 S. Shiloh Rd. Garland Texas | 750414015


### 2024 F-750 Diesel Regular Cab Base (F7D)

Price Level: 415

| Available    | Options (co                               | ont'd)   |   |                            |
|--------------|---|--|---|----------------------------|
| Selected     | Code                                      | Description  | MSRP                                      | Invoice                    |
|              | 18G                                       | Special De-Rating GVWR -<br>Limited to 33,000 lb. GVWR                                     | \$120.00                                  | \$106.00                   |
|              | •   | to GAWR combinations that EXCEED 33,000 need to pay 12% Federal Excise Tax (F. E. T.).     | lbs.                                      |                            |
|              | 86C                                       | Chrome Grille Surround -<br>(Included in (90E) Exterior<br>Appearance Group)               | \$245.00                                  | \$216.00                   |
|              | 86B                                       | Grille, Fixed - Black/Gray   | \$125.00                                  | \$111.00                   |
|              | 19D<br>Factory pre-drilled<br>conversion. | Frame Rail Drill #3<br>d holes in frame rails to support aftermarket install of Hydr       | \$50.00 raulic pump system for EZ-TH      | \$44.00<br>RAC 4x4         |
|              | 19E<br>Factory pre-drilled                | Frame Rail Drill #2<br>d holes in frame rails to support aftermarket install of trans      | \$50.00<br>sfer case brackets for a Merit | \$44.00 or 4x4 conversion. |
| Exhaust      |   |  |   |                            |
| $\checkmark$ | 91G                                       | Under Cab, Right Side Outlet,<br>Switchback-Style  | STD                                       | STD                        |
|              | Single, horizontal                        | muffler, right side, under cab, outside of frame rail with re                              | ear discharge.                            |                            |
|              | 91B                                       | Back of Cab, Right Side Outlet,<br>Torpedo-Style   | N/C                                       | N/C                        |
|              | Single, horizontal                        | muffler/pipe, inline, right side exhaust with underbody exi                                | t, in front of axle.                      |                            |
|              | 91D                                       | Under Cab, Vertical Outlet,<br>Right Side, Switchback-Style -<br>Intrudes 2" into clean CA | \$715.00                                  | \$631.00                   |
|              | WARNING! Th                               | e selection of this Exhaust could reduce the a   | vailable CA dimension.                    |                            |
|              | Single, horizontal<br>heat shield and tu  | muffler, right side under cab outside of frame rail with ver<br>urnout exit.               | tical exhaust passenger side              | rear corner with           |

#### **Fuel Tanks**







### 2024 F-750 Diesel Regular Cab Base (F7D)

Price Level: 415

| Available       | Options (conf        | t'd)   |          |          |
|-----------------|----------------------|--|----------|----------|
| Selected        | Code                 | Description  | MSRP     | Invoice  |
| $\checkmark$    | 65B                  | Fuel Tank - LH 50 Gallon<br>Rectangular - Aluminum                                 | STD      | STD      |
|                 | 65C                  | Fuel Tank - LH 55 Gallon<br>Rectangular - Aluminum                                 | \$305.00 | \$269.00 |
|                 | 65E                  | Fuel Tank - LH 65 Gallon<br>Rectangular - Aluminum                                 | \$425.00 | \$376.00 |
|                 | 65F                  | Fuel Tank - 115 Gallon<br>Rectangular - Aluminum - LH<br>65-gal, RH 50-gal         | \$915.00 | \$807.00 |
| Electrical / Al | ternator / Battery   |  |          |          |
| $\checkmark$    | STDALT               | Extra Heavy Duty Alternator - 12-Volt, 200 Amp Denso SC5                           | STD      | STD      |
|                 | 17D                  | Dual Heavy Duty Alternators -<br>357 Amp Capacity - 200 & 157<br>amp Denso SC5/SC2 | \$855.00 | \$754.00 |
|                 | 17A                  | Extra Heavy Duty Alternator -<br>12-Volt, 240 Amps                                 | \$410.00 | \$362.00 |
|                 | 55M                  | Jump Start Stud - Remote<br>Mounted  | \$90.00  | \$80.00  |
| $\checkmark$    | STDBAT               | Battery - Two 750 CCA, 1500<br>Total, Includes Steel Battery                       | STD      | STD      |
|                 | 12 Volt, Motorcraft. | Box  |          |          |





### 2024 F-750 Diesel Regular Cab Base (F7D)

Price Level: 415

| Price Level: 415 |                           |   |                               |                      |
|------------------|---------------------------|---|-------------------------------|----------------------|
|                  | Options (co               | •   |                               |                      |
| Selected         | Code                      | Description   | MSRP                          | Invoice              |
|                  | 63B                       | Battery - Two 900 CCA, 1800<br>Total, Includes Steel Battery<br>Box   | \$60.00                       | \$53.00              |
|                  | 12 Volt, Motorcraf        | t.  |                               |                      |
|                  | 63D                       | Battery - Three 900 CCA, 2700<br>Total, Includes Steel Battery<br>Box   | \$250.00                      | \$221.00             |
|                  | 12 Volt, Motorcraf        | t.  |                               |                      |
|                  | 63Y                       | Battery - Temporary Mount for Truck Chassis   | \$235.00                      | \$208.00             |
|                  | 164                       | Roof Marker/Clearance Lights -<br>Clear Lenses, 5 Lights<br>(Replaces Standard Amber<br>Lenses)   | \$30.00                       | \$27.00              |
|                  | 16Х<br>For Airport or Арј | Roof Marker/Clearance Lights - Delete  Dications that receive modified roof coverings.  | N/C                           | N/C                  |
|                  | 59C                       | Body Builder Wiring - At End of Frame, Combined - (ILO Standard - Back of Cab Combined) connectors for 2 ground circuits, with combined left/stop, co | \$135.00                      | \$119.00             |
|                  | Also includes 2 a         | dditional pass through wires to cab.  | mbineu ngnivstop, stop iam    | оѕ, раск ир іапірѕ.  |
|                  | 59D                       | Body Builder Wiring - At Back of<br>Cab, Separate - (ILO Standard -<br>Back of Cab Combined)  | \$70.00                       | \$61.00              |
|                  |                           | connectors for 2 ground circuits, with separate left/stop, sep<br>arough wires to cab.  | arate right/stop, back up lai | mps. Also includes 2 |
|                  | 59E                       | Body Builder Wiring - At End of Frame, Separate - (ILO Standard - Back of Cab Combined)   | \$135.00                      | \$119.00             |



11/01/2022


Randall Reed's Planet Ford 635 | 3601 S. Shiloh Rd. Garland Texas | 750414015

### 2024 F-750 Diesel Regular Cab Base (F7D)

Price Level: 415

|              | Options (co               | ont'd)   |           |           |  |  |
|--------------|---------------------------|--|-----------|-----------|--|--|
| Selected     | Code                      | Description  | MSRP      | Invoice   |  |  |
|              |                           | s sealed connectors for 2 ground circuits, with separate left/stop, separate right/stop, back up lamps. Also includes 2 nal pass through wires to cab. |           |           |  |  |
|              | 17M                       | Back-Up Alarm - Electric, 102<br>dBA   | \$110.00  | \$97.00   |  |  |
|              | 962                       | Daytime Running Lamps (Not<br>Configurable)  | \$25.00   | \$23.00   |  |  |
|              | 86M                       | Upfitter Interface Module  | \$320.00  | \$282.00  |  |  |
|              | 55X<br>Deletes stop, turn | Tail Light Delete<br>n, tail and backup lights. Does not omit cable to end of fram   | N/C<br>e. | N/C       |  |  |
|              | 16V<br>Available in mess  | Voltmeter<br>sage center.  | \$100.00  | \$88.00   |  |  |
| Seats        |                           |  |           |           |  |  |
| $\checkmark$ | 88A                       | 30/0/30 Fixed Driver & Fixed Passenger w/Consolette - Vinyl  | STD       | STD       |  |  |
|              | 88B                       | 30/0/30 Fixed Driver & Fixed<br>Passenger w/Consolette - Cloth   | \$125.00  | \$111.00  |  |  |
|              | 881                       | 30/70 Fixed Driver & Fixed 2-<br>Passenger Bench - Vinyl   | \$350.00  | \$309.00  |  |  |
|              | 882                       | 30/70 Fixed Driver & Fixed 2-<br>Passenger Bench - Cloth   | \$475.00  | \$420.00  |  |  |
|              | 88C                       | 30/0/0 Fixed Driver only - Vinyl   | -\$120.00 | -\$106.00 |  |  |
|              | 88D                       | 30/0/0 Fixed Driver only - Cloth   | N/C       | N/C       |  |  |







### 2024 F-750 Diesel Regular Cab Base (F7D)

Price Level: 415

| Available | Options (co | ont'd)   |          |          |
|-----------|-------------|--|----------|----------|
| Selected  | Code        | Description  | MSRP     | Invoice  |
|           | 88R         | 30/0/30 Air Ride Driver (Integral<br>Air Pump) & Fixed Passenger<br>w/Consolette - Vinyl                           | \$440.00 | \$389.00 |
|           | 88S         | 30/0/30 Air Ride Driver (Integral<br>Air Pump) & Fixed Passenger<br>w/Consolette - Cloth                           | \$565.00 | \$498.00 |
|           | 88G         | 30/70 Air Ride Driver (External<br>Air Source) & Fixed 2-<br>Passenger Bench - Vinyl                               | \$395.00 | \$349.00 |
|           | 88H         | 30/70 Air Ride Driver (External<br>Air Source) & Fixed 2-<br>Passenger Bench - Cloth                               | \$520.00 | \$459.00 |
|           | 88J         | 30/0/30 Air Ride Driver (Integral<br>Air Pump) & Air Ride<br>Passenger (Integral Air Pump)<br>w/Consolette - Vinyl | \$855.00 | \$754.00 |
|           | 88K         | 30/0/30 Air Ride Driver (Integral<br>Air Pump) & Air Ride<br>Passenger (Integral Air Pump)<br>w/Consolette - Cloth | \$980.00 | \$865.00 |
|           | 88L         | 30/70 Air Ride Driver (Integral<br>Air Pump) & Fixed 2-Passenger<br>Bench - Vinyl                                  | \$440.00 | \$389.00 |
|           | 88M         | 30/70 Air Ride Driver (Integral<br>Air Pump) & Fixed 2-Passenger<br>Bench - Cloth                                  | \$565.00 | \$498.00 |
|           | 88T         | 30/0/0 Air Ride Driver Only<br>(External Air Source) - Vinyl   | \$275.00 | \$243.00 |





### 2024 F-750 Diesel Regular Cab Base (F7D)

Price Level: 415

| Available Options (cont'd) |      |  |          |          |  |
|----------------------------|------|--|----------|----------|--|
| Selected                   | Code | Description  | MSRP     | Invoice  |  |
|                            | 88U  | 30/0/0 Air Ride Driver Only<br>(External Air Source) - Cloth   | \$400.00 | \$353.00 |  |
|                            | 88N  | 30/0/30 Air Ride Driver<br>(External Air Source) & Fixed<br>Passenger w/Consolette - Vinyl                             | \$395.00 | \$349.00 |  |
|                            | 88P  | 30/0/30 Air Ride Driver<br>(External Air Source) & Fixed<br>Passenger w/Consolette - Cloth                             | \$520.00 | \$459.00 |  |
|                            | 88E  | 30/0/30 Air Ride Driver<br>(External Air Source) & Air Ride<br>Passenger (External Air<br>Source) w/Consolette - Vinyl | \$810.00 | \$715.00 |  |
|                            | 88F  | 30/0/30 Air Ride Driver<br>(External Air Source) & Air Ride<br>Passenger (External Air<br>Source) w/Consolette - Cloth | \$935.00 | \$825.00 |  |
|                            | 88W  | 30/0/0 Air Ride Driver Only<br>(Integral Air Pump) - Vinyl   | \$315.00 | \$278.00 |  |
|                            | 88X  | 30/0/0 Air Ride Driver Only<br>(Integral Air Pump) - Cloth   | \$440.00 | \$389.00 |  |
|                            | 88Y  | 40/20/40 Fixed Driver & Fixed<br>Passenger w/Unique 20% Fold-<br>Down Console - Vinyl                                  | \$420.00 | \$370.00 |  |
|                            | 88Z  | 40/20/40 Fixed Driver & Fixed<br>Passenger w/Unique 20% Fold-<br>Down Console - Cloth                                  | \$545.00 | \$481.00 |  |




11/01/2022


Randall Reed's Planet Ford 635 | 3601 S. Shiloh Rd. Garland Texas | 750414015

### 2024 F-750 Diesel Regular Cab Base (F7D)

Price Level: 415

| Available C<br>Selected | Code  | Description   | MSRP  | Invoice             |  |  |
|-------------------------|---|---|---|---------------------|--|--|
| ab Interior             |   | •   | ,   |                     |  |  |
|                         |   |   |   |                     |  |  |
| $\checkmark$            | 600A  | Preferred Equipment Package 600A  | N/C   | N/C                 |  |  |
|                         | - Wheel Seals, Re - Manual Regen I - Engine Exhaust - Extra Heavy Du - Painted Grille - I - Lights - Roof Ma - Tow Hooks, Fro - Four Body Build With connector a - Floor Covering Intelligent Oil Lift - Steering Column - Steering Wheel - Body Builder Wi Includes sealed | ont - Oil lubricated, SKF ScotSeal PlusXL Seals ear - Oil lubricated, SKF ScotSeal PlusXL Seals nitiation - Driver Interface in Message Center Brake ty Alternator - 12-Volt, 200 Amp Denso SC5 Plastic arker/Clearance - Amber Lenses, 5 Lights nt (2) - Frame-Mounted, Painted Black eer Switches - Mounted in Center Instrument Panel access located in engine compartment. Amperages vary Black Vinyl | es Audio Controls   | mps, back up lamps  |  |  |
|                         |   |   | \$1,410.00  | \$1,244.00          |  |  |
|                         | 87H   | Driver Assist Technology  | φ1,410.00   | φ1,244.00           |  |  |
|                         | Package. Hydraulic Brake  |   |   |                     |  |  |
|                         | Control. Includes: - Enhanced Clust Electronic speed indicator lights. A  | er w/High-Level 8-Inch Display flometer (MPH/KPH), includes oil pressure, coolant temples included is enhanced 3-button Message Center with economy, hour meter and warning messages. Transmis  | perature, DEF gauge, fuel gau<br>odometer, trip odometer, dista | ge, tachometer, and |  |  |
|                         | 87A   | Driver Assist Technology  | \$3,050.00  | \$2,692.00          |  |  |
| _                       | 0171  | Package (w/Bendix Wingman   |   |                     |  |  |
|                         |   | Advanced). Air Brake  |   |                     |  |  |
|                         | Includes Autonon<br>and Auto High Be<br>Includes:   | nous Emergency Braking, Forward Collision Warning, La   | ane Departure Warning, Adap                                     | tive Cruise Control |  |  |
|                         | - Enhanced Clust<br>Electronic speed<br>indicator lights. A   | er w/High-Level 8-Inch Display<br>dometer (MPH/KPH), includes oil pressure, coolant temp<br>lso included is enhanced 3-button Message Center with<br>economy, hour meter and warning messages. Transmis   | odometer, trip odometer, dista                                  | ance to empty for   |  |  |
|                         | 61M   | Rear View Camera w/Mirror   | \$510.00  | \$450.00            |  |  |
|                         |   | Display   |   |                     |  |  |
|                         | Rear view mirror  | video with full length display included in kit. To be install   | ed by Upfitter.   |                     |  |  |






### 2024 F-750 Diesel Regular Cab Base (F7D)

Price Level: 415

| Available | Options (co                                     | ont'd)  |  |                    |
|-----------|---|---|--|--------------------|
| Selected  | Code  | Description   | MSRP                                   | Invoice            |
|           | Includes:<br>- Chrome Trimme<br>- Power Equipme | Appearance Group nunted overhead console with dual sunglass bins and integred Air Registers w/Positive Shut-Off ant Group - (Included in (90A) Appearance Group) front side windows, power door locks and door trim panel.      | \$735.00 ral front map reading lights. | \$649.00           |
|           | 17W   | Wi-Fi 4G LTE Hotspot Delete   | -\$20.00                               | -\$17.00           |
|           | indicator lights. A                             | Enhanced Cluster w/High-Level<br>8-Inch Display<br>ometer (MPH/KPH), includes oil pressure, coolant tempera<br>Iso included is enhanced 3-button Message Center with oc<br>economy, hour meter and warning messages. Transmissi | lometer, trip odometer, dista          | ance to empty for  |
|           | 90P  Includes power fr                          | Power Equipment Group - (Included in (90A) Appearance Group) ont side windows, power door locks and door trim panel.  | \$470.00                               | \$414.00           |
|           | 57N<br>Includes fresh air                       | Air Conditioning Delete heater and defroster only.  | -\$100.00                              | -\$88.00           |
|           | 86H<br>Required with                            | Rapid-Heat Supplemental Cab<br>Heater<br>Alaska, Colorado, Idaho, Iowa, Maine, Michiga  | \$610.00<br>n, Minnesota, Montana      | \$538.00<br>a, New |
|           |   | ew York, North Dakota, South Dakota, Vermont  |  |                    |
|           | 96C   | Pull Out Cup Holder For Two<br>Cups - Instrument Panel<br>Mounted   | \$30.00                                | \$27.00            |
|           | 55P   | 110 A/C Outlet - in Lower<br>Center Finish Panel  | \$100.00                               | \$88.00            |
|           | 214   | 4 Speaker Option for 588 Radio  | \$30.00                                | \$27.00            |
|           | 58P   | Radio Prep Package  | N/C                                    | N/C                |





11/01/2022

2024 F-750 Diesel Regular Cab Base (F7D)

Price Level: 415

|          | Options (co      |   | MODD                         | lucción o          |
|----------|------------------|---|------------------------------|--------------------|
| Selected | Code             | Description  I dash-mounted aux input jack. Includes radio/speaker wirit  | MSRP                         | Invoice            |
|          | cover and dash-m | nounted aux audio input jack. Includes radio/speaker will<br>nounted aux audio input jack instrument panel cover. | ig, z speakers, amerina, rac | no instrument pane |
|          | 58B              | Radio Delete Package  | -\$60.00                     | -\$53.00           |
|          |                  | eakers, antenna and antenna cable. Includes radio instrum<br>for future radio upfit if owner desires.             | ent panel cover and aux au   | dio jack cover and |
|          | 588              | Radio: AM/FM Stereo w/2<br>Speakers, USB input, Clock<br>Display and Bluetooth                                    | STD                          | STD                |
|          | 85B              | Keyed Alike - Not Available with<br>Anti-Theft System, Requires<br>Multiple-Unit Order                            | \$45.00                      | \$40.00            |
|          | 85L              | Keyed Alike - Option 1 - Not<br>Available with Anti-Theft<br>System, Requires Multiple-Unit<br>Order              | \$45.00                      | \$40.00            |
|          | 85M              | Keyed Alike - Option 2 - Not<br>Available with Anti-Theft<br>System, Requires Multiple-Unit<br>Order              | \$45.00                      | \$40.00            |
|          | 85N              | Keyed Alike - Option 3 - Not<br>Available with Anti-Theft<br>System, Requires Multiple-Unit<br>Order              | \$45.00                      | \$40.00            |
|          | 85P              | Keyed Alike - Option 4 - Not<br>Available with Anti-Theft<br>System, Requires Multiple-Unit<br>Order              | \$45.00                      | \$40.00            |
|          | 85A              | SecuriLock Passive Anti-Theft<br>System   | \$120.00                     | \$106.00           |




11/01/2022


Randall Reed's Planet Ford 635 | 3601 S. Shiloh Rd. Garland Texas | 750414015

### 2024 F-750 Diesel Regular Cab Base (F7D)

Price Level: 415

| Available    | Options (co                          | ont'd)   |                              |                       |
|--------------|--------------------------------------|--|------------------------------|-----------------------|
| Selected     | Code                                 | Description  | MSRP                         | Invoice               |
|              | programmed to th                     | Passive Anti-Theft System is designed to help prevent the evehicle, is used. It helps protect against drive-away thefused ignition key features billions of possible codes to start the start systems. | through an electronically co | ded ignition key, its |
|              | 90M                                  | Interior Rear View Mirror  | \$75.00                      | \$67.00               |
| Cab Exterior |                                      |  |                              |                       |
|              | 90E<br>Includes:                     | Exterior Appearance Group  | \$730.00                     | \$645.00              |
|              | - Bumper, Front -<br>- Chromed Fende | Full Width, Chrome Plated Steel - (Included in (90E) Exter<br>r Badge<br>urround - (Included in (90E) Exterior Appearance Group)   | ior Appearance Group)        |                       |
|              | 85K                                  | Remote Keyless Entry w/2 Key<br>Fobs   | \$195.00                     | \$172.00              |
|              | 94T                                  | Tamper-Proof Odometer  | \$30.00                      | \$27.00               |
|              | 59A                                  | Horn, Air - Black, Single<br>Trumpet   | \$90.00                      | \$80.00               |
|              | Air solenoid opera                   | ated, chassis mounted on rail back of bumper.  |                              |                       |
| $\checkmark$ | 54H                                  | Mirrors, Dual - Rectangular,<br>XL2020 - 96" Width   | STD                          | STD                   |
|              | Integral spot mirro                  | or, sail type, manual fold, solid black finish.  |                              |                       |
|              | 54M                                  | Mirrors, Dual - Heated<br>Rectangular, XL2020 - 96"<br>Width   | \$85.00                      | \$75.00               |
|              | Integral spot mirro                  | or, sail type, manual fold, solid black finish.  |                              |                       |
|              | 54P                                  | Mirrors, Dual - Heated &<br>Motorized Rectangular, XL2020<br>- 96" Width   | \$245.00                     | \$216.00              |
|              | Integral spot mirro                  | or, sail type, solid black finish.   |                              |                       |





### 2024 F-750 Diesel Regular Cab Base (F7D)

Price Level: 415

| Available | Options (co         | ont'd)  |          |          |
|-----------|---------------------|---|----------|----------|
| Selected  | Code                | <b>Description</b>  | MSRP     | Invoice  |
|           | 54B                 | Mirrors, Dual - Rectangular,<br>XL2020 - 96" Width w/Chrome<br>Cap                    | \$60.00  | \$53.00  |
|           | Integral spot mirro | or, sail type, manual fold.   |          |          |
|           | 54N                 | Mirrors, Dual - Heated<br>Rectangular, XL2020 - 96"<br>Width w/Chrome Cap             | \$120.00 | \$106.00 |
|           | Integral spot mirro | or, sail type, manual fold.   |          |          |
|           | 54A                 | Mirrors, Dual - Heated &<br>Motorized Rectangular, XL2020<br>- 96" Width w/Chrome Cap | \$305.00 | \$269.00 |
|           | Integral spot mirro | or, sail type.  |          |          |
|           | 54J                 | Mirrors, Dual - Rectangular,<br>XL2020 - 102" Width                                   | \$30.00  | \$27.00  |
|           | Integral spot mirro | or, sail type, manual fold, solid black finish.                                       |          |          |
|           | 54C                 | Mirrors, Dual - Heated<br>Rectangular, XL2020 - 102"<br>Width                         | \$90.00  | \$80.00  |
|           | Integral spot mirro | or, sail type, manual fold, solid black finish.                                       |          |          |
|           | 54R                 | Mirrors, Dual - Heated &<br>Motorized Rectangular, XL2020<br>- 102" Width             | \$275.00 | \$243.00 |
|           | Integral spot mirro | or, sail type, solid black finish.  |          |          |
|           | 54D                 | Mirrors, Dual - Rectangular,<br>XL2020 - 102" Width w/Chrome<br>Cap                   | \$90.00  | \$80.00  |
|           | Integral spot mirro | or, sail type, manual fold.   |          |          |
|           | 54E                 | Mirrors, Dual - Heated<br>Rectangular, XL2020 - 102"<br>Width w/Chrome Cap            | \$150.00 | \$132.00 |
|           | Integral spot mirro | or, sail type, manual fold.   |          |          |



11/01/2022

### 2024 F-750 Diesel Regular Cab Base (F7D)

Price Level: 415

| Available | Options (co                     | ont'd)   |   |          |
|-----------|---------------------------------|--|---|----------|
| Selected  | Code                            | Description  | MSRP  | Invoice  |
|           | 54K                             | Mirrors, Dual - Heated & Motorized Rectangular, XL2020 - 102" Width w/Chrome Cap   | \$335.00                                    | \$296.00 |
|           | Integral spot mirr              | or, sail type.   |   |          |
|           | 54F  Includes power h           | Mirrors, Trailer Tow, Powered - Sail Mount - w/Power Telescoping & Power Folding eated glass, heated convex spotter and integrated clearance | \$365.00                                    | \$322.00 |
|           | mounted.                        |  |   |          |
|           | 63F                             | Aux Spot Mirrors - Front Fender<br>Mounted - (2) Driver Side and<br>Passenger Side   | \$225.00                                    | \$199.00 |
|           | 63G                             | Aux Spot Mirror - Front Fender<br>Mounted - (1) Passenger Side<br>Only   | \$120.00                                    | \$106.00 |
|           | 165                             | Mud Flap Holder Without Flaps  | \$95.00                                     | \$84.00  |
|           | 166                             | Mud Flap Holder With Flaps   | \$155.00                                    | \$137.00 |
| Ship-Thru |                                 |  |   |          |
|           | 21A                             | Pre-Delivery Inspection  | N/C   | N/C      |
|           | Selection requ<br>performed. Re | ires that you also choose either (314) or (31F) or quired with any final Ship-To that is not a deale   | or (31V) to have the Ir<br>r.               | spection |
|           | 314                             | Ship-Thru - Manning  | \$0.00                                      | \$10.00  |
|           | MAY be select arrangements      | ed w/o adding (21A). For MODIFICATIONS ON directly with Manning (please use CVT Resource   | ILY, Dealer must mak<br>ces for add. Info). | e        |
|           | 31F                             | Ship-Thru - NFS National Fleet<br>Services   | N/C   | N/C      |



11/01/2022

Randall Reed's Planet Ford 635 | 3601 S. Shiloh Rd. Garland Texas | 750414015

2024 F-750 Diesel Regular Cab Base (F7D)

Price Level: 415

| Selected      | Options (cc<br>Code   | Description  | MSRP   | Invoice  |
|---------------|---|--|--|--|
|               | MAY be select arrangements  | ed w/o adding (21A). For MODIFICATIONS O<br>directly with NFS (please use CVT Resources  | NLY, Dealer must mak<br>for add. Info).  | (e   |
| Miscellaneous | 3   |  |  |  |
| $\checkmark$  | PAINT   | Paint Type - Environmentally<br>Friendly, "3 - Wet System"   | STD  | STE  |
|               | 79V   | COV Required   | N/C  | N/C  |
|               | Send a paper (<br>or MI.  | Certificate of Origin for a Vehicle (COV) for the  | se states that file elec   | tronically - CA  |
| $\checkmark$  | L23   | Raw Material Surcharge   | \$0.00   | \$600.00   |
| Fleet Options |   |  |  |  |
|               | 19A   | Ambulance Prep Pkg w/Special<br>Emissions  | \$1,285.00   | \$1,134.00   |
|               | REQUIRES va   | lid FIN code.  |  |  |
|               | certification by a fif equipped with the urges ambulance Body Builders Laj EPA Special Eme NOTE 1: Stational calibration significoperator comman Emergency Vehicle of Regulations all Includes:  - Dual Heavy Dut | ecial Emergency Vehicle Emissions. Incomplete vehicle prinal stage manufacturer. Ford vehicles are suitable for protein Ford Ambulance Prep Package with EPA Special Ememanufacturers to follow the recommendations of the Fordyout Book (and pertinent supplements). Using a Ford vehicle Emissions to produce an ambulance with any Elevated Idle Control (SEIC) has been integrated into the cantly reduces the possibility of depower mode when in standed regen down to 30% of DPF filter full, instead of 100% cale, an Ambulance or Fire Truck per 40 CFR 86.1803.01 in lows for the sale of Federally certified emergency vehicles by Alternators - 357 Amp Capacity - 200 & 157 amp Denson 1900 CCA, 2700 Total, Includes Steel Battery Box 1915. | oducing ambulances with spreacy Vehicle Emissions. In Incomplete Vehicle Manua icle without the Ford Ambul special emissions voids the he engine control module. Nationary PTO operation. NOT is NOTE 4: Must meet the do the Federal Register. NOT in California. | necial emissions only naddition, Ford will and the Ford Truct ance Package with Ford warranty.  NOTE 2: Engine DTE 3: Allows efinition of an |
|               | 19F   | Fire/Rescue Prep Pkg w/EPA<br>Special Emissions  | \$1,285.00   | \$1,134.00   |

#### REQUIRES valid FIN code.

Includes EPA Special Emergency Vehicle Emissions. Incomplete vehicle package - requires further manufacture and certification by a final stage manufacturer. Ford urges Fire/Rescue Vehicle manufacturers to follow the recommendations of the Ford Incomplete Vehicle Manual and the Ford Truck Body Builders Layout Book (and pertinent supplements). NOTE 1: Stationary Elevated Idle Control (SEIC) has been integrated into the engine control module. NOTE 2: Engine calibration significantly reduces the possibility of depower mode when in stationary PTO operation. NOTE 3: Operator commanded regen down to 30% of DPF filter full, instead of 100%. NOTE 4: Must meet the definition of an Emergency Vehicle, an Ambulance or Fire Truck per 40 CFR 86.1803.01 in the Federal Register. NOTE 5: California Code of Regulations allows for the sale of Federally certified emergency vehicles in California.



11/01/2022

Randall Reed's Planet Ford 635 | 3601 S. Shiloh Rd. Garland Texas | 750414015

### 2024 F-750 Diesel Regular Cab Base (F7D)

Price Level: 415

|          | Options (co  | -   | 14000                          | Towns Co.                               |  |
|----------|--|---|--------------------------------|---|--|
| Selected | Code   | Description   | MSRP                           | Invoice                                 |  |
|          |  | ry Alternators - 357 Amp Capacity - 200 & 157 amp Denso<br>900 CCA, 2700 Total, Includes Steel Battery Box<br>aft.  | o SC5/SC2                      |   |  |
|          | 19B  | Beverage Delivery Package   | \$60.00                        | \$53.00                                 |  |
|          | combined right/st  | ilder wiring at back of cab at frame, sealed connectors for<br>top, stop lamps, park lamps, back up lamps, also includes<br>ngth to accommodate drop frame beverage body applicat | s 2 additional pass through w  | bined left/stop,<br>vires to cab with 6 |  |
|          | B4A  | Net Invoice Fleet Option  | \$0.00                         | \$7.00                                  |  |
|          | 56A  | CPA Fleet Incentive   | N/C                            | N/C                                     |  |
|          | 56B  | Commercial Repurchase   | N/C                            | N/C                                     |  |
|          | 56F  | FRCS Long Term  | N/C                            | N/C                                     |  |
|          | 56K  | Long Term Fleet Incentive   | \$0.00                         | -\$2,750.00                             |  |
|          | 56M  | National Fleet Incentive  | \$0.00                         | -\$2,750.00                             |  |
|          | 56Y  | DDR Program   | N/C                            | N/C                                     |  |
|          | 55D  | Driver Assistance - FLEET<br>SETTINGS   | \$35.00                        | \$31.00                                 |  |
|          | Requires Valid Code.   |   |                                |   |  |
|          | Note: Settings are locked and cannot be changed by driver or fleet administrator. Includes driver alert set to ON, collision assist - alert sensitivity set to NORMAL, distance indication is set to ON, active braking set to ON, pre collision warning set to ON, lane keeping set to ON, sensitivity set to NORMAL, auto lamp delay set to 20 sec, auto high beam set to ON and daytime lights set to ON. |   |                                |   |  |
|          | 87S  | Fleet Safety Kit  | N/A                            | N/A                                     |  |
|          | Late availability.   |   |                                |   |  |
|          | Includes 5 lb fire<br>not installed at pla   | extinguisher class A, B and C with mounting brackets, trie<br>ant).   | angle reflector and vehicle fu | se kit (shipped loose                   |  |

### **VSO Options**




11/01/2022

Randall Reed's Planet Ford 635 | 3601 S. Shiloh Rd. Garland Texas | 750414015

### 2024 F-750 Diesel Regular Cab Base (F7D)

Price Level: 415


| Selected | Code  | Description  | MSRP | Invoice |
|----------|-------|--|------|---------|
|          | SP101 | VSO - Monotone Special Paint (Minimum Quantity 3)    | N/A  | N/A     |
|          | SPF   | VSO - Special Paint Formulation (Minimum Quantity 3) | N/A  | N/A     |



Prepared by: Admir Sarac 11/01/2022

### 2024 F-750 Diesel Regular Cab Base (F7D)

| Price Level: 415                            |   |   |  |  |
|---|---|---|--|--|
| Major Equipment                             | As Configured Vehicle MSF   |   |  |  |
| (Based on selected options, shown at right) |   | STANDARD VEHICLE PRICE \$79,355.00  |  |  |
| 10-speed automatic                          |   | Preferred Equipment Package 600A N/C  |  |  |
| * Side assist steps                         | * White front wheels  | 6.7L Power Stroke V8 Turbo Diesel - 270 HP @ 2400                               |  |  |
| * White rear wheels                         | * Steel rear wheels   | RPM STD   |  |  |
| * Disc rear wheel                           | * 22.5 x 8.25-inch front and dual rear wheels                                     | 50-State Emissions N/C  |  |  |
| * Front tires LT load rating: G             | <ul> <li>English measure truck 279/82R22.5 AS BSW front and rear tires</li> </ul> | Ford TorqShift HD 10-Speed Automatic - Double Overdrive, with PTO Provision STD |  |  |
| * Overdrive transmission                    | * Lock-up transmission  | Wheels, Front 22.5x8.25 White Powder Coated Steel, 10-                          |  |  |
| * Transmission electronic control           | <ul> <li>PTO transmission provision</li> </ul>                                    | Hole STD  |  |  |
| * Alternator Amps: 200A                     | <ul> <li>* Aluminized steel single exhaust</li> </ul>                             | Tires, Front Two 11R22.5G Goodyear Fuel Max RSA (497                            |  |  |
| * Low-speed ABS traction control            | * Battery rating: 1500CCA   | rev/mile) STD   |  |  |
| * Dual lead acid battery                    | <ul> <li>Battery run down protection</li> </ul>                                   | Wheels, Rear 22.5x8.25 White Powder Coated Steel, 10-                           |  |  |
| * Fuel/water separator                      | <ul><li>* Auxiliary power take-off</li></ul>                                      | Hole STD  |  |  |
| * Engine retarder system                    | <ul> <li>Steering wheel mounted audio controls</li> </ul>                         | Tires, Rear Four 11R22.5G Goodyear Fuel Max RSA (497                            |  |  |
| * Wireless audio streaming                  | * AM/FM stereo radio  | rev/mile) STD   |  |  |
| * Seek scan                                 | <ul> <li>* Auxiliary input jack</li> </ul>  | Hydraulic Brake System - Bosch HydroMax w/Traction Control STD                  |  |  |
| * External memory control                   | <ul><li>Vehicle body length: 246"</li></ul>                                       |   |  |  |
| * Wheelbase: 158"                           | * Cab to axle: 84"  | 10,000 lb. Cap. Non-Driving - Dana E-1002l - I-Beam Type STD                    |  |  |
| * Axle to end of frame: 49"                 | * Axle capacity rear: 21,000 lbs.   | ,,  |  |  |
| * Tire/wheel capacity rear: 23,360 lbs.     | * Axle capacity front: 10,000 lbs.  | Taper-Leaf Springs, Parabolic - 10,000 lb. Cap STD                              |  |  |
| * Spring rating front: 10,000 lbs.          | * Standard ride suspension  | 21,000 lb. Single Reduction - Open - Dana / Spicer                              |  |  |
| * Dual electric horn                        | * Trip computer   | 21060S STD  |  |  |
| * Manual folding door mirrors               | * DRL preference setting  | Multi-Leaf Springs - 21,000 lb. Cap STD   |  |  |



Prepared by: Admir Sarac 11/01/2022

### 2024 F-750 Diesel Regular Cab Base (F7D)

Price Level: 415

| Ma | jor | Eq | lui | pm | ent |
|----|-----|----|-----|----|-----|
|----|-----|----|-----|----|-----|

- \* Daytime running lights
- \* Variable intermittent front windshield wipers
- \* Electronic stability control system
- \* Bucket driver seat
- \* Low driver seat back
- \* Manual fore/aft
- \* Fixed passenger seat back
- \* 4 passenger seats way-direction
- \* Driver seat armrest
- \* Vinyl front seat upholstery
- \* Hydraulic disc brakes

- \* Light tinted windows
- \* Speed sensitive wipers
- \* Manual climate control
- Folding driver seat back
- \* 4 driver seats way-direction
- \* Bucket passenger seat
- \* Low passenger seat back
- \* Manual fore/aft
- \* Front passenger seat armrest
- \* Carpet front seatback upholstery
- \* 4-wheel antilock (ABS) brakes

### Fuel Economy





Hwy N/A

**MSRP** As Configured Vehicle 158" Wheelbase/84" CA/49" AF/246" OAL Single Channel - Straight 'C' 15.14 SM, 80,000 PSI Under Cab, Right Side Outlet, Switchback-Style STD Fuel Tank - LH 50 Gallon Rectangular - Aluminum STD 14 Gal. Single Tank Fuel Fill. Mandatory Charge Applied. Based On Tank Selection \$0.00 Extra Heavy Duty Alternator - 12-Volt, 200 Amp Denso SC5 Included Battery - Two 750 CCA, 1500 Total, Includes Steel Battery Box 30/0/30 Fixed Driver & Fixed Passenger w/Consolette -Vinyl Radio: AM/FM Stereo w/2 Speakers, USB input, Clock Display and Bluetooth STD Mirrors, Dual - Rectangular, XL2020 - 96" Width STD Paint Type - Environmentally Friendly, "3 - Wet System" STD Raw Material Surcharge \$0.00 Bumper, Front - Black, Full Width Included Wheel Seals, Front - Oil lubricated, SKF ScotSeal PlusXL Seals Included Wheel Seals, Rear - Oil lubricated, SKF ScotSeal PlusXL

41



Prepared by: Admir Sarac 11/01/2022

2024 F-750 Diesel Regular Cab Base (F7D)

Price Level: 415

| As Configured Vehicle  | MSRP       |
|--|------------|
| Manual Regen Initiation - Driver Interface in Messag<br>Center |            |
| Engine Exhaust Brake   | Included   |
| Painted Grille - Plastic                                       | Included   |
| Lights - Roof Marker/Clearance - Amber Lenses, 5<br>Lights     | Included   |
| Tow Hooks, Front (2) - Frame-Mounted, Painted Black            | Included   |
| Four Body Builder Switches - Mounted in Center Ins<br>Panel    |            |
| Floor Covering - Black Vinyl                                   | Included   |
| Intelligent Oil Life Monitor                                   | Included   |
| Steering Column - Tilt / Telescoping                           | Included   |
| Steering Wheel - Black PVC w/Integral Cruise Controls          |            |
| Body Builder Wiring - At Back of Cab, Combined                 | Included   |
| GVWR Limit: 37,000 lbs.  | Included   |
| SUBTOTAL \$7   | 79,355.00  |
| Destination Charge   | \$2,095.00 |
| TOTAL \$   | 81,450.00  |