

Price Level: 415

## Selected Equip & Specs

### **Dimensions**

GCWR: 50,000 lbs.

Vehicle body length: 267"

Vehicle body height: 94"

Front track: 84"

Turning radius (to curb): 25'

Rear tire outside width: 96"

Frame section modulus: 15 cu.in.

Frame rail depth: 10"

Frame rail thickness: 0"

Front bumper to front axle: 39"

Rear brake diameter: 15.0"

Headroom second-row: 38.1"

Leg room second-row: 31.6"

Shoulder room second-row: 68.1"

Hip room second-row: 67.3"

• Driver distance from axle: 54"

• Vehicle body width: 97"

• Wheelbase: 179"

• Rear track: 73"

Cab to axle: 84"

• Axle to end of frame: 49"

• Frame yield strength (psi): 80000

• Frame rail width: 3"

• Frame rail section: 10"

• Front brake diameter: 15.0"

• Headroom first-row: 40.7"

• Leg room first-row: 41.4"

• Shoulder room first-row: 68.0"

Hip room first-row: 67.6"

### **Powertrain**

 6.7L V-8 diesel direct injection, intercooled turbo, diesel, engine with 270HP

Compression ignition system

Torque: 700 lb.-ft.@1500 RPM

Fuel/water separator

Engine retarder system

75 mph speed limiter

Rear-wheel drive

Low-speed ABS traction control

• Engine cylinders: V-8

Horsepower: 270 HP@2400 RPM

Radiator

Auxiliary power take-off

· RNDM shift indicator

• 10-speed automatic

Recommended fuel: diesel

Standard rear differential

## Fuel Economy and Emissions

Federal emissions

### Suspension and Handling

Standard ride suspension

### **Driveability**

- Hydraulic disc brakes
- 4-wheel antilock (ABS) brakes
- Hill start assist
- Leaf spring front suspension
- Rigid axle rear suspension
- Hydraulic power-assist steering system

- Standard grade front shock absorbers
- Front and rear ventilated disc brakes
- · Four channel ABS brakes
- Rigid axle front suspension
- Tapered leaf front suspension
- Leaf spring rear suspension
- Re-circulating ball steering



Price Level: 415

## Selected Equip & Specs (cont'd)

2-wheel steering system

### **Body Exterior**

- Side assist steps
- Clearcoat paint
- Black side window trim
- Black door handles
- 2 front tow hooks
- Black grille
- Black door mirrors
- Convex spotter in driver and passenger side door mirrors
- Reverse opening right rear passenger door
- White front wheels
- White rear wheels
- Disc rear wheel

### Convenience

- Manual door locks
- Manual first-row windows
- Driver foot rest
- Standard glove box
- 2 beverage holders
- Dashboard storage
- Steering column lever gearshift location
- Upfitter switches
- Comfort
  - Manual climate control
  - Full headliner coverage
  - Full floor coverage
  - Carpet rear seatback upholstery
  - Manual telescopic steering wheel
- **Seats and Trim** 
  - Seating capacity: 5
  - Folding driver seat back
  - 4 driver seats way-direction
  - Bucket passenger seat
  - Low passenger seat back
  - Manual fore/aft

- 4 doors
- Monotone paint
- Black windshield trim
- Black front bumper
- Straight front bumper ends
- · Hood mounted grille
- Trailer style side mirrors
- Reverse opening left rear passenger door
- English measure truck 279/82R22.5 AS BSW front and rear tires
- · Steel front wheels
- · Steel rear wheels
- 22.5 x 8.25-inch front and dual rear wheels
- Cruise control with steering wheel mounted controls
- · Partial floor console
- Fixed rear windshield
- Front beverage holders
- Instrument panel bin
- Dual electric horn
- Trip computer
- Cloth headliner material
- Full vinyl floor covering
- Vinyl rear seat upholstery
- · Manual tilting steering wheel
- · Urethane steering wheel
- · Bucket driver seat
- Low driver seat back
- Manual fore/aft
- Fixed passenger seat back
- 4 passenger seats way-direction
- Driver seat armrest



Price Level: 415

## Selected Equip & Specs (cont'd)

- Front passenger seat armrest
- · Split-bench rear seat

### **Entertainment Features**

- AM/FM stereo radio
- Auxiliary input jack
- Speakers number: 2
- Steering wheel mounted audio controls
- Fixed audio antenna

Seek scanExternal m

· Fixed rear seats

External memory control

· Vinyl front seat upholstery

- Standard grade speakers
- Wireless audio streaming

## Lighting, Visibility and Instrumentation

- Analog instrumentation display
- In-radio display clock
- Oil pressure gauge
- Oil temperature gauge
- Engine hour meter
- Light tinted windows
- Halogen headlights
- · Multiple enclosed headlights
- DRL preference setting
- Speed sensitive wipers
- Daytime running lights
- Delay interior courtesy lights

- Trip odometer
- Tachometer
- Engine/electric motor temperature gauge
- Transmission fluid temperature gauge
- · Diesel exhaust fluid (def) gauge
- · Aero-composite headlights
- · Auto on/off headlight control
- Delay-off headlights
- · Variable intermittent front windshield wipers
- Variable instrument panel light
- Cab clearance lights

### **Technology and Telematics**

Handsfree wireless device connectivity

## Safety and Security

- Front height adjustable seatbelts
- Electronic stability control system

- 1 USB port
- Vehicle tracker

### **Dimensions**

### General Weights

Curb weight	10,539 lbs.
Front GAWR	10000 lbs.
GVWR	31000 lbs.

Trailering Weights

GCWR 50,000 lbs.

Weights

Rear curb weight	3,930 lbs.
Rear GAWR	
GCWR	50000 lbs.



Price Level: 415

1100 201011110	
Selected Equip & Specs (cont'd)  Maximum GVWR 37,000 lbs.  Nominal RBM (inlbs.) 1,211,200 nominal RBM	Max RBM (inlbs.) 1,275,200 max RBM (inlbs.)
(inlbs.)	
Front Weights	
Front curb weight 6,609 lbs.  Spring rating front 10,000 lbs.	Axle capacity front 10,000 lbs. Tire/wheel capacity front 12,350 lbs.
Rear Weights	
Axle capacity rear 21,000 lbs.  Tire/wheel capacity rear 23,360 lbs.	Spring rating rear 21,000 lbs.
Exterior Measurements	
Vehicle body length267"Vehicle body height94"Front frame height loaded35"Front frame height unloaded37"Rear frame height loaded36"Turning radius (to bumper)26'Width - mirrors extended116"Rear track73"Turning radius (to curb)25'Rear tire outside width96"Frame section modulus15 cu.in.Frame rail depth10"Frame rail thickness0"Front bumper to front axle39"	Vehicle body width97"Wheelbase179"Front brake diameter15.0"Rear brake diameter15.0"Rear frame height unloaded38"Width - mirrors folded90"Front track84"Driver distance from axle54"Cab to axle84"Axle to end of frame49"Frame yield strength (psi)80000Frame rail width3"Frame rail section10"
Headroom Headroom first-row 40.7"	Headroom second-row 38.1"
	neadroom second-row So. I
Leg room first-row 41.4"	Leg room second-row 31.6"
Shoulder Room	
Shoulder room first-row 68.0"	Shoulder room second-row 68.1"
Hip Room	
Hip room first-row 67.6"	Hip room second-row 67.3"
Powertrain	
Engine	
Engine 6.7L V-8 diesel direct injection, intercooled turbo, diesel, engine with 270HP	Valves per cylinder 4
Engine cylinders V-8	Engine location Front mounted engine



Price Level: 415

100 2010.1 110	
Selected Equip & Specs (cont'd) Ignition Compression ignition system	Engine mounting direction Longitudinal mounted
Engine block material Iron engine block	engine Cylinder head material Aluminum cylinder head
· ·	Cylinder nead material Aluminum Cylinder nead
Engine Specs	405.0
Displacement 6.7L	cc 405.9 cu.in.
Bore 3.9" Compression ratio 16.2	Stroke 4.25" Governed RPM 3200 RPM
·	Governed RPIVI 3200 INFIVI
Engine Power	700 II. 4 @4500 DDM
Horsepower 270 HP@2400 RPM	Torque 700 lbft.@1500 RPM
Alternator	
Alternator amps 200A	Alternator type Heavy-duty alternator
Battery	
Battery type Dual lead acid battery Battery step Battery run down protection Battery run down protection	Battery rating 1500CCA Battery location Battery location forward right
Engine Extras	
Radiator  Auxiliary power take-off  Auxiliary power take-off	Fuel/water separator Engine retarder Engine retarder Engine retarder system
Shift indicator RNDM shift indicator	
Transmission	
Transmission 10-speed automatic	Transmission electronic control Transmission electronic control
Speed limiter 75 mph speed limiter	Overdrive transmission Overdrive transmission
Lock-up transmission Lock-up transmission	First gear ratio 4.615
Second gear ratio 2.919	Third gear ratio 2.132
Fourth gear ratio 1.773	Fifth gear ratio 1.519
Sixth gear ratio 1.277 Seventh gear ratio 1	Reverse gear ratio 4.695 Eighth gear ratio 0.851
Ninth gear ratio 0.687	Tenth gear ratio 0.632
Stall ratio 1.97	Selectable mode transmission Selectable mode transmission
Sequential shift control Sequential shift control PTO transmission provision PTO transmission provision	Transmission oil cooler Transmission oil cooler
Drive Type	
Drive type Rear-wheel drive	
Drivetrain	
Axle speed Single axle speed	



Price Level: 415

# Selected Equip & Specs (cont'd)

$-\mathbf{v}$	ทว	1101
$L_{\Lambda}$	ıa	usi

Tailpipe Aluminized steel single exhaust Additional muffler type horizontal Additional muffler location right Additional tailpipe location right

Fuel

Fuel type diesel

Fuel Tank

Front left fuel tank shape rectangular Front left fuel tank capacity 65.01 US gallons

DEF capacity 8.00 gal.

Drive Feature

Traction control Low-speed ABS traction control Differential Standard rear differential

### **Fuel Economy and Emissions**

**Emissions** 

Emissions Federal emissions

## **Suspension and Handling**

Suspension

Suspension Standard ride suspension Front shock absorbers Standard grade front shock absorbers

### **Driveability**

**Brakes** 

Brake type Hydraulic disc brakes Ventilated brakes Front and rear ventilated disc brakes

ABS brakes Four channel ABS brakes ABS brakes 4-wheel antilock (ABS) brakes

Brake Assistance

Hill start assist Hill start assist

Front Suspension

Suspension ride type front Rigid axle front Suspension type front Leaf spring front

suspension suspension

Front Spring

Regular front springs Springs front Tapered leaf front suspension

Rear Spring

Springs rear Multi-leaf rear suspension Rear springs Regular grade rear springs Auxiliary rear spring Rubber auxiliary rear spring



Price Level: 415

Rear	Suspension
_	

Suspension type rear Leaf spring rear Suspension ride type rear Rigid axle rear suspension suspension

Steering

Steering Hydraulic power-assist steering Steering type Re-circulating ball steering system
Steering type number of wheels 2-wheel steering

**Exterior** 

### Front Wheels

system

Front wheels diameter 22.5" Front wheels width 8.3"

Rear Wheels

Rear wheels diameter 22.5" Rear wheels width 8.3"

Front And Rear Wheels

Appearance none

Front Tires

Aspect 82 Diameter 22.5"

Sidewalls BSW Tread AS

Type english measure truck tire Width 279mm

Front wheel - RPM 497

Rear Tires

Aspect 82 Diameter 22.5"
Sidewalls BSW Tread AS
Type english measure truck tire Width 279mm
Rear wheel - RPM 497

## **Body Exterior**

#### Exterior Features

Number of doors 4 doors Side steps Side assist steps
Front splash guards Front splash guards

Frame

Clean CA frame Clean CA frame

Body

Body panels Composite and galvanized steel body panels

**Mirrors** 



Randall Reed's Planet Ford 635 | 3601 S. Shiloh Rd. Garland Texas | 750414015



## 2024 F-750 Diesel SuperCab Base (X7D)

Price Level: 415

Selected Equip & Specs (cont'd)

Convex spotter in driver and passenger side door mirrors

**Tires** 

Front tires LT load rating G Rear tires LT load rating G

Wheels

Front wheel type Disc front wheel Dual rear wheels Dual rear wheels

Number of front wheel studs 10 front wheel studs Number of rear wheel studs 10 rear wheel studs

Convenience

Door Locks

Door locks Manual door locks

Cruise Control

Cruise control with steering

wheel mounted controls

**Exterior Mirrors** 

Folding door mirrors Manual folding door mirrors

Front Side Windows

First-row windows Manual first-row windows

Floor Console

Floor console Partial floor console

Passenger Visor

Visor passenger mirror Passenger visor mirror

Power Outlets

12V power outlets 2 12V power outlets

Pedals

Driver foot rest Driver foot rest

Rear Windshield

Rear windshield Fixed rear windshield

Storage

Number of beverage holders 2 beverage holders Glove box Standard glove box

Dashboard storage Dashboard storage

Windows Rear Side

Second-row windows Fixed second-row

windows

Beverage holders Front beverage holders Instrument panel storage Instrument panel bin



Price Level: 415

IVIIOOOIIIAIIOOAO	Miscel	laneou	S
-------------------	--------	--------	---

Gearshift location Steering column lever Trip computer Trip computer gearshift location

Upfitter switches Upfitter switches Horn Dual electric horn

### Comfort

### Climate Control

Climate control Manual climate control

### Headliner

Headliner coverage Full headliner coverage Headliner material Cloth headliner material

### Floor Trim

Floor covering Full vinyl floor covering Floor coverage Full floor coverage

### Second-Row Seat Trim

Rear seat upholstery. Vinyl rear seat upholstery Rear seatback upholstery Carpet rear seatback

upholstery

### Steering Wheel

Steering wheel telescopic Manual telescopic

steering wheel

Steering wheel tilt Manual tilting steering wheel

Steering wheel material Urethane steering wheel

### **Seats and Trim**

### Seat Capacity

Seating capacity 5

### Front Seats

Front seat type Bucket driver seat Driver seat back Folding driver seat back Driver seats way-direction 4 driver seats waydirection

Passenger seat backFixed passenger seat back

Passenger seats way-direction 4 passenger seats

way-direction

Armrests front driver Driver seat armrest

Front seat type Bucket passenger seat Driver seat back type Low driver seat back Driver seat fore/aft Manual fore/aft

Passenger seat back type Low passenger seat

back

armrest

Passenger seat fore/aft Manual fore/aft

Armrests front passenger Front passenger seat

## Rear Seats

Bench seats Split-bench rear seat Folding second-row seats 60-40 folding rear seats

Fixed rear seats Rear seats fixed or removable Rear seat direction Front facing rear seat

# Ford

## 2024 F-750 Diesel SuperCab Base (X7D)

Price Level: 415

## Selected Equip & Specs (cont'd)

Rear seat folding position Fold-up rear seat cushion

Front Seat Trim

Front seat upholstery. Vinyl front seat upholstery

Front seatback upholstery Carpet front seatback

upholstery

Gearshifter Material

Gearshifter material Urethane gear shifter

material

### **Entertainment Features**

Radio Features

Aux input jack Auxiliary input jack External memory
Seek scan Seek scan

External memory control

Speakers

Speakers Standard grade speakers

Speakers number

Audio Features

Steering mounted audio control Steering wheel

mounted audio controls

Wireless streaming Wireless audio streaming

### **Lighting, Visibility and Instrumentation**

Instrumentation

Trip odometer Trip odometer

Instrumentation display Analog instrumentation

display

Instrumentation Displays

Clock In-radio display clock

Instrumentation Gauges

Tachometer Tachometer

Oil temperature gauge Oil temperature gauge

Oil pressure gauge
Transmission temperature gauge
Transmission

fluid temperature gauge

Engine hour meter Engine hour meter

Engine/electric motor temperature

gauge Engine/electric motor temperature

gauge

DEF fluid gauge Diesel exhaust fluid (def)

gauge

### Instrumentation Warnings

Oil pressure warning

Low brake fluid warning

Low brake fluid warning

Headlights on reminder

Headlights on reminder

Low fuel warning

Battery charge warning

Key in vehicle warning

Key in vehicle warning



Price Level: 415

Selected Equip & Specs (cont'd)

Door ajar warning Door ajar warning

Transmission fluid temperature

warning Transmission fluid temp warning

Glass

Tinted windows Light tinted windows

Headlights

Headlights Halogen headlights Auto headlights Auto on/off headlight control

Delay off headlights Delay-off headlights

Front Windshield

Wipers Variable intermittent front windshield

wipers

Interior Lighting

Variable panel light Variable instrument panel

light

Lights

Running lights Daytime running lights

Clearance lights Cab clearance lights

**Technology and Telematics** 

Connectivity

Handsfree wireless device Handsfree

connectivity

**USB Ports** 

USB ports 1 USB port

Safety and Security

Seatbelts

Height adjustable seatbelts Front height

adjustable seatbelts

Security System

Vehicle tracker Vehicle tracker

**Traction Control** 

Electronic stability control Electronic stability

control system


Service interval warning Service interval indicator Low diesel exhaust fluid (DEF) warning. Low diesel exhaust fluid (DEF) warning


Headlight type Aero-composite headlights Multiple headlights Multiple enclosed headlights DRL preference setting DRL preference setting

Speed sensitive wipers Speed sensitive wipers

Interior courtesy lights Delay interior courtesy

lights








2024 F-750 Diesel SuperCab Base (X7D)

Price Level: 415

ptions			
Code	Description	MSRP	Invoice
ORDER1	Initial Order Date: 10/27/2022	N/C	N/C
99C	6.7L Power Stroke V8 Turbo Diesel - 270 HP @ 2400 RPM	STD	STD
_		•	2 1500 rpm.
99E	6.7L Power Stroke V8 Turbo Diesel - 300 HP @ 2500 RPM	\$1,995.00	\$1,761.00
_		•	2 1500 rpm.
99X	6.7L Power Stroke V8 Turbo Diesel - 330 HP @ 2600 RPM	\$3,495.00	\$3,084.00
_		•	2 1500 rpm.
425	50-State Emissions	N/C	N/C
41H	Engine Block Heater, Phillips, 120 Volt/750 Watt	\$155.00	\$137.00
Includes removable	grille cover.		
98R Allows Driver to Inh	Active Regen Control hibit Automatic Regen until Regen can be performed in	\$205.00 a Safe location.	\$181.00
916	Speed Limit - 65mph	N/C	N/C
917	Speed Limit - 70mph	N/C	N/C
	99C Includes Engine Governed RPM: 32 99E Includes Engine Governed RPM: 33 99X Includes Engine Governed RPM: 34 425 41H Includes removable 98R Allows Driver to Info	ORDER1 Initial Order Date: 10/27/2022  99C 6.7L Power Stroke V8 Turbo Diesel - 270 HP @ 2400 RPM  Includes Engine Exhaust Brake and manual regen capability Governed RPM: 3200. Includes CARB clean idle label - may be removed in  99E 6.7L Power Stroke V8 Turbo Diesel - 300 HP @ 2500 RPM  Includes Engine Exhaust Brake and manual regen capability Governed RPM: 3300. Includes CARB clean idle label - may be removed in  99X 6.7L Power Stroke V8 Turbo Diesel - 330 HP @ 2600 RPM  Includes Engine Exhaust Brake and manual regen capability Governed RPM: 3400. Includes CARB clean idle label - may be removed in  425 50-State Emissions  41H Engine Block Heater, Phillips, 120 Volt/750 Watt Includes removable grille cover.  98R Active Regen Control Allows Driver to Inhibit Automatic Regen until Regen can be performed in	ORDER1 Initial Order Date: 10/27/2022 N/C  99C 6.7L Power Stroke V8 Turbo Diesel - 270 HP @ 2400 RPM  Includes Engine Exhaust Brake and manual regen capability. Torque: 700 ft.lbs. @ Governed RPM: 3200. Includes CARB clean idle label - may be removed if un-necessary.  99E 6.7L Power Stroke V8 Turbo Diesel - 300 HP @ 2500 RPM  Includes Engine Exhaust Brake and manual regen capability. Torque: 725 ft.lbs. @ Governed RPM: 3300. Includes CARB clean idle label - may be removed if un-necessary.  99X 6.7L Power Stroke V8 Turbo Diesel - 330 HP @ 2600 RPM  Includes Engine Exhaust Brake and manual regen capability. Torque: 750 ft.lbs. @ Governed RPM: 3400. Includes CARB clean idle label - may be removed if un-necessary.  425 50-State Emissions N/C  41H Engine Block Heater, Phillips, \$155.00  Includes removable grille cover.  98R Active Regen Control \$205.00  Allows Driver to Inhibit Automatic Regen until Regen can be performed in a Safe location.  916 Speed Limit - 65mph N/C




11/01/2022

# 2024 F-750 Diesel SuperCab Base (X7D)

Price Level: 415

Available	Options (co	nt'd)		
Selected	Code	Description	MSRP	Invoice
	62G	Air Compressor, Bendix, 13.2 CFM Capacity - Includes Direct Reading Air Pressure Gauge	\$1,175.00	\$1,037.00
	For use as an A	Air Source when Air Brakes are not selected.		
	94A	Engine Idle Shutdown Timer - 5 Minutes	\$25.00	\$23.00
	94B	Engine Idle Shutdown Timer - 10 Minutes	\$25.00	\$23.00
	94C	Engine Idle Shutdown Timer - 15 Minutes	\$25.00	\$23.00
	94D	Engine Idle Shutdown Timer - 20 Minutes	\$25.00	\$23.00
Transmissio	าร			
$\checkmark$	44D	Ford TorqShift HD 10-Speed Automatic - Double Overdrive, with PTO Provision	STD	STD
	Includes tow/haul.	WILLT TO FLOVISION		
Front Wheels	& Tires			
$\checkmark$	643 (285.75MM BC) he	Wheels, Front 22.5x8.25 White Powder Coated Steel, 10-Hole ub piloted, flanged nut, metric mount, 8.25 DC rims; with	STD steel hubs.	STD
	64H	Wheels, Front 22.5x8.25 Aluminum, 10-Hole Alcoa Bright Polished w/Dura-Bright Seal on Both Sides	\$735.00	\$649.00





11/01/2022

# 2024 F-750 Diesel SuperCab Base (X7D)

Price Level: 415

Available	Options (co	ont'd)		
Selected	Code	Description	MSRP	Invoice
	649	Wheels, Front 22.5x8.25 Black Wheel	\$60.00	\$53.00
	(285.75MM BC) h	nub piloted, flanged nut, metric mount, 8.25 DC rims; with s	teel hubs.	
$\checkmark$	T2B	Tires, Front Two 11R22.5G Goodyear Fuel Max RSA (497 rev/mile)	STD	STD
	T2A	Tires, Front Two 11R22.5H Goodyear Fuel Max RSA (497 rev/mile)	\$45.00	\$40.00
	T2E	Tires, Front Two 11R22.5H Michelin X Multi Energy Z (501 rev/mile)	\$240.00	\$212.00
	TCH	Tires, Front Two 255/70R22.5H Goodyear Endurance RSA (566 rev/mile)	\$40.00	\$36.00
	T2F	Tires, Front Two 275/80R22.5G Michelin X Multi Energy Z (515 rev/mile)	\$190.00	\$168.00
	TRA	Tires, Front Two 295/75R22.5H Continental HSR3 (514 rev/mile)	\$130.00	\$115.00
	TDG	Tires, Front Two 295/80R22.5H Continental HSR2 SA (514 rev/mile)	\$210.00	\$185.00
Rear Wheels	& Tires			
$\checkmark$	663	Wheels, Rear 22.5x8.25 White Powder Coated Steel, 10-Hole	STD	STD






## 2024 F-750 Diesel SuperCab Base (X7D)

Price Level: 415

		ont'd)	Available Options (co	Available
Invoice	MSRP	Description	Selected Code	Selected
	steel hubs.	nub piloted, flanged nut, metric mount, 8.25 DC rims; with s	(285.75MM BC)	
\$733.00	\$830.00	Wheels, Rear 22.5x8.25 Aluminum, 10-Hole Alcoa Bright Polished w/Dura-Bright Seal on Both Sides	G6H	
		ite powder-coated steel.	Inner wheel is w	
\$1,297.00	\$1,470.00	Wheels, Rear 22.5x8.25 DRW Aluminum, 10-Hole Alcoa Bright Polished w/Dura-Bright Seal on Both Sides	66C	
		ıminum.	Inner wheel is al	
\$106.00	\$120.00	Wheels, Rear 22.5x8.25 Black Wheel	669	
	steel hubs.	nub piloted, flanged nut, metric mount, 8.25 DC rims; with s	(285.75MM BC)	
\$128.00	\$145.00	Wheel, Spare 22.5x8.25 White Powder Coated Steel, 10-Hole - Quantity (One only)	□ 60Z	
STD	STD	Tires, Rear Four 11R22.5G Goodyear Fuel Max RSA (497 rev/mile)	R2B	$\checkmark$
\$84.00	\$95.00	Tires, Rear Four 11R22.5H Goodyear Fuel Max RSA (497 rev/mile)	R2A	
\$124.00	\$140.00	Tires, Rear Four 11R22.5G Goodyear Fuel Max RTD (493 rev/mile)	R2G	
\$155.00	\$175.00	Tires, Rear Four 11R22.5H Goodyear Fuel Max RTD (493 rev/mile)	☐ R2H	





# 2024 F-750 Diesel SuperCab Base (X7D)

Price Level: 415

Available	Options (co	ont'd)		
Selected	Code	Description	MSRP	Invoice
	R2E	Tires, Rear Four 11R22.5H Michelin X Multi Energy Z (501 rev/mile)	\$480.00	\$424.00
	RMB	Tires, Rear Four 11R22.5H Michelin X Multi D (494 rev/mile)	\$405.00	\$357.00
	R2K	Tires, Rear Four 255/70R22.5H Goodyear Fuel Max RTD (563 rev/mile)	\$140.00	\$124.00
	RCH	Tires, Rear Four 255/70R22.5H Goodyear Fuel Max RSA (563 rev/mile)	\$80.00	\$71.00
	R2J	Tires, Rear Four 275/80R22.5G Michelin X Multi Energy D (514 rev/mile)	\$265.00	\$234.00
	R2F	Tires, Rear Four 275/80R22.5G Michelin X Multi Energy Z (515 rev/mile)	\$375.00	\$331.00
	RDG	Tires, Rear Four 295/80R22.5H Continental HSR2 SA (500 rev/mile)	\$425.00	\$376.00
	RRC	Tires, Rear Four 295/75R22.5H Continental HDR2 ECO PLUS (514 rev/mile)	\$310.00	\$273.00
	RRA	Tires, Rear Four 295/75R22.5H Continental HSR3 (514 rev/mile)	\$260.00	\$229.00



11/01/2022

Randall Reed's Planet Ford 635 | 3601 S. Shiloh Rd. Garland Texas | 750414015

# 2024 F-750 Diesel SuperCab Base (X7D)

Price Level: 415

elected	Options (co	Description	MSRP	Invoice
akes				
$\checkmark$	67H	Hydraulic Brake System - Bosch HydroMax w/Traction	STD	STD
		Control utomatic adjustment, 4-channel ABS antilock brake system brake, Orscheln lever control, right of driver and hand op		DSSA type rear axi
	152	Trailer Connection Socket - 7- Way, Wired for Turn Signals Combined with Stop	\$100.00	\$88.00
		of frame, for combined trailer stop, tail, turn, marker light of backage with cab connections for mounting customer inst		er brake
	154	Trailer Connection Socket - 7- Way, Wired for Turn Signals, Separate of Stop	\$100.00	\$88.00
		of frame, for separate trailer stop, tail, turn, marker light ci package with cab connections for mounting customer inst		r brake
	67A	Air Brakes (4 WHEEL DRUM) - Straight Truck w/Traction Control	\$2,530.00	\$2,233.00
	pressure gauges, yellow knob parki chambers mounte Rear brake size a during acceleratic Deletes hand ope	th ABS, Bendix Anti-Lock Brake System, 4-channel. Inclubrake lines color coded nylon, Bendix 13.2 CFM capacity and brake control valve, automatic slack adjusters front and on front of rear axle, three drain valves and two air tand components dependent upon axle selection. Uses expendent upon axle selection. Uses expendent brake package selected.	y air compressor, instrument d rear, two rear spring parkii ks (Reference Body Builders isting ABS system to minimiz	panel mounted ng air brake Book for location). te wheel slipping
	Includes: - Air Dryer, Bendi. Mounted left frai compressor).	x AD/IS w/Heater me rail (for Hydraulic brake diesel applications that includ	e air suspension or stand ald	one engine air
	67D	Air Brakes (4 WHEEL DISC) w/Traction Control	\$3,755.00	\$3,314.00
	Includes: - Air Dryer, Bendi.	erated park brake lever. x AD/IS w/Heater me rail (for Hydraulic brake diesel applications that includ	e air suspension or stand ald	one engine air
	67C	Air Brakes (FRONT DISC / REAR DRUM) - Straight Truck w/Traction Control	\$3,020.00	\$2,665.00



11/01/2022

Randall Reed's Planet Ford 635 | 3601 S. Shiloh Rd. Garland Texas | 750414015

# 2024 F-750 Diesel SuperCab Base (X7D)

Price Level: 415

	Options (co	nt'd)		
Selected	Code	Description	MSRP	Invoice
	Bendix 13.2 CFM of hand operated part includes:	capacity air compressor, instrument panel mounted yellov k brake lever.	v knob parking brake control	valve. Deletes
	- Air Dryer, Bendix	AD/IS w/Heater ne rail (for Hydraulic brake diesel applications that include	air suspension or stand alo	ne engine air
	18A	Electronic Stability Control DELETE	Variable	Variable
	Deletes the standa	ard ESC feature.		
	98B	Final Upfit Center of Gravity -	N/C	N/C
		Low CG (38" to 48" FINAL		
	must be selected t upfit CG is known,	Center of Gravity)  Electronic Stability Control Standard. When air brakes are by dealer when ordering. If the final CG is not known, use and the unit requires ESC for other features (such as Drihen ordering air brake during the specing process. Call These Controls in the specing process.	the ESC delete (18A) featur ver Assist Technology) selec	re. Where the final ct the appropriate
	CG value range wi	neri ordening all brake during the specing process. Call 11	(677-673-5463) Will	rany questions.
	98C	Final Upfit Center of Gravity - Medium CG (48" to 58" FINAL	N/C	N/C
	must be selected t upfit CG is known,	Center of Gravity)  Electronic Stability Control Standard. When air brakes are by dealer when ordering. If the final CG is not known, use and the unit requires ESC for other features (such as Drihen ordering air brake during the specing process. Call The	the ESC delete (18A) featur ver Assist Technology) selec	re. Where the final ct the appropriate
	98E	Final Upfit Center of Gravity -	N/C	N/C
		High CG (58" to 68" FINAL		
		Center of Gravity)		
	must be selected to upfit CG is known,	Electronic Stability Control Standard. When air brakes ar by dealer when ordering. If the final CG is not known, use and the unit requires ESC for other features (such as Dri hen ordering air brake during the specing process. Call Th	the ESC delete (18A) featur ver Assist Technology) selec	re. Where the final ct the appropriate
	98F	Final Upfit Center of Gravity -	N/C	N/C
		Tanker High CG (58" to 68"		
		FINAL Center of Gravity)		
	must be selected t upfit CG is known,	Electronic Stability Control Standard. When air brakes are by dealer when ordering. If the final CG is not known, use and the unit requires ESC for other features (such as Drihen ordering air brake during the specing process. Call The	the ESC delete (18A) featur ver Assist Technology) selec	re. Where the final ct the appropriate
	98J	Final Upfit Center of Gravity -	N/C	N/C
		Tanker Medium CG (48" to 58"		
		FINAL Center of Gravity)		




11/01/2022


Randall Reed's Planet Ford 635 | 3601 S. Shiloh Rd. Garland Texas | 750414015

# 2024 F-750 Diesel SuperCab Base (X7D)

Price Level: 415

Selected	Code	Description	MSRP	Invoice
	must be selected to upfit CG is known,	Electronic Stability Control Standard. When air brakes a by dealer when ordering. If the final CG is not known, use and the unit requires ESC for other features (such as Di hen ordering air brake during the specing process. Call	e the ESC delete (18A) featuriver Assist Technology) sele	re. Where the final ect the appropriate
	62D	Air Dryer, Bendix AD/IS w/Heater	\$460.00	\$406.00
	Mounted left frame compressor).	e rail (for Hydraulic brake diesel applications that include	air suspension or stand alor	ne engine air
	62F	Brake Chamber Spring Relocated	\$45.00	\$40.00
	Relocated to rear	of rear axle for maximum ground clearance.		
	158	Trailer Air Brake Package o rear of frame, hand control valve and tractor protection	\$365.00	\$322.00
	includes all lines i	o rear or traffie, frand control valve and tractor protection	vaive.	
	159	Trailer Connection Socket - 7- Way, Wired for Turn Signals Combined with Stop	\$100.00	\$88.00
	Mounted at rear of lights).	f frame, for combined trailer stop, tail, turn (compatible w	ith trailers that use combined	d stop, tail, turn
	157	Trailer Connection Socket - 7- Way, Wired for Turn Signals,	\$100.00	\$88.00
		Separate of Stop f frame, for separate trailer stop, tail, turn, marker light cir th separate stop/turn).	cuits (compatible with trailer	rs that have amber o
ront Axle and	Suspension			
$\checkmark$	43N	10,000 lb. Cap. Non-Driving - Dana E-1002I - I-Beam Type	STD	STD
	43P	12,000 lb. Cap. Non-Driving - Dana E-1202I - I-Beam Type	\$525.00	\$464.00
	43D	14,000 lb. Cap. Non-Driving - Dana	\$1,280.00	\$1,130.00






# 2024 F-750 Diesel SuperCab Base (X7D)

Price Level: 415

elected	Code	Description	MSRP	Invoice
$\checkmark$	61C	Taper-Leaf Springs, Parabolic - 10,000 lb. Cap	STD	STD
	2-leaf, 62" x 3.15'	. Also includes, standard duty, dual, double acting shock a	bsorbers.	
	61D	Taper-Leaf Springs, Parabolic - 12,000 lb. Cap	\$305.00	\$269.00
	2-leaf, 62" x 3.15'	'. Also includes, standard duty, dual, double acting shock a	bsorbers.	
	61E	Taper-Leaf Springs, Parabolic - 13,200 lb. Cap	\$365.00	\$322.00
	3-leaf, 62" x 3.15'	. Also includes, standard duty, dual, double acting shock a	bsorbers.	
	61F	Taper-Leaf Springs, Parabolic - 14,000 lb. Cap	\$425.00	\$376.00
	3-leaf, 62" x 3.15'	. Also includes, standard duty, dual, double acting shock a	bsorbers.	
	15S	Front Stabilizer Bar	\$490.00	\$433.00
	60A	Lube, Front Axle, EmGard 50W, Synthetic Oil	\$50.00	\$44.00
ear Axle and	d Suspension			
$\checkmark$	475	21,000 lb. Single Reduction - Open - Dana / Spicer 21060S	STD	STD
	NOTE: When spe	cifying an axle ratio, check performance guidelines for star	rtability and gradeability.	
	476	21,000 lb. Single Reduction - Locking - Dana / Spicer 21060D	\$1,830.00	\$1,615.00
	NOTE: When spe	cifying an axle ratio, check performance guidelines for star	rtability and gradeability.	
	479	23,000 lb. Single Reduction - Open - Dana / Spicer S23-172	\$2,320.00	\$2,047.00
	NOTE: When spe	cifying an axle ratio, check performance guidelines for star	rtability and gradeability.	






# 2024 F-750 Diesel SuperCab Base (X7D)

Price Level: 415

Available	Options (co	ont'd)		
Selected	Code	Description	MSRP	Invoice
	47P	23,000 lb. Single Reduction - Locking - Dana / Spicer S23- 172D	\$2,100.00	\$1,853.00
	NOTE: When spe	ecifying an axle ratio, check performance guidelines for sta	artability and gradeability.	
	47X	26,000 lb. Single Reduction - Open - Dana / Spicer S26-190	\$2,445.00	\$2,158.00
	NOTE: When spe	ecifying an axle ratio, check performance guidelines for sta	artability and gradeability.	
	18P A heavy duty driv	Driveshaft Upgrade e line is optional. Heavy duty drive line components are re	N/A equired in more demanding a	N/A applications, such as
		gines or deep reduction low gear(s). The heavier SPL-140 ore durability is required by the vocation or customer.	driveshaft is powertrain dep	endent and should
$\checkmark$	68P	Multi-Leaf Springs - 21,000 lb. Cap	STD	STD
	11-leaf. Includes	2,000 lb auxiliary springs for load stabilization.		
	68R	Multi-Leaf Springs - 23,000 lb. Cap	\$230.00	\$203.00
	11-leaf. Includes	2,000 lb auxiliary springs for load stabilization.		
	68T	Multi-Leaf Springs - 31,000 lb. Cap	\$490.00	\$433.00
	11-leaf. Includes	2,000 lb auxiliary springs for load stabilization.		
	961	Shock Absorbers, Rear - Double Acting	\$165.00	\$145.00
	607	Lube, Rear Axle, EmGard 75W- 90, Synthetic Oil	\$100.00	\$88.00
	X4E	4.63 Axle Ratio	N/C	N/C
	X4F	4.78 Axle Ratio	N/C	N/C
	X4G	4.88 Axle Ratio	N/C	N/C







Randall Reed's Planet Ford 635 | 3601 S. Shiloh Rd. Garland Texas | 750414015

2024 F-750 Diesel SuperCab Base (X7D)

Price Level: 415

Options (co	nt'd)		
Code	Description	MSRP	Invoice
X5F	5.25 Axle Ratio	N/C	N/C
X5B	5.29 Axle Ratio	N/C	N/C
X5D	5.57 Axle Ratio	N/C	N/C
X6A	6.14 Axle Ratio	N/C	N/C
X6B	6.17 Axle Ratio	N/C	N/C
X6D	6.50 Axle Ratio	N/C	N/C
X6E	6.83 Axle Ratio	N/C	N/C
179WB	179" Wheelbase/84" CA/49" AF/267" OAL	STD	STD
197WB	197" Wheelbase/102" CA/70" AF/306" OAL	\$85.00	\$75.00
203WB	203" Wheelbase/108" CA/70" AF/312" OAL	\$165.00	\$145.00
215WB	215" Wheelbase/120" CA/75" AF/329" OAL	\$320.00	\$282.00
221WB	221" Wheelbase/126" CA/75" AF/335" OAL	\$375.00	\$331.00
	X5F  X5B  X5D  X6A  X6B  X6D  X6E  179WB  197WB  203WB	X5F       5.25 Axle Ratio         X5B       5.29 Axle Ratio         X5D       5.57 Axle Ratio         X6A       6.14 Axle Ratio         X6B       6.17 Axle Ratio         X6D       6.50 Axle Ratio         X6E       6.83 Axle Ratio         179WB       179" Wheelbase/84" CA/49" AF/267" OAL         197WB       197" Wheelbase/102" CA/70" AF/306" OAL         203WB       203" Wheelbase/108" CA/70" AF/312" OAL         215WB       215" Wheelbase/120" CA/75" AF/329" OAL         221WB       221" Wheelbase/126" CA/75"	Code         Description         MSRP           X5F         5.25 Axle Ratio         N/C           X5B         5.29 Axle Ratio         N/C           X5D         5.57 Axle Ratio         N/C           X6A         6.14 Axle Ratio         N/C           X6B         6.17 Axle Ratio         N/C           X6D         6.50 Axle Ratio         N/C           X6E         6.83 Axle Ratio         N/C           179" Wheelbase/84" CA/49" AF/267" OAL         STD AF/306" OAL           197WB         197" Wheelbase/102" CA/70" \$85.00           AF/306" OAL         \$165.00           203WB         203" Wheelbase/108" CA/70" \$165.00           AF/312" OAL         \$320.00           215" Wheelbase/120" CA/75" \$320.00           AF/329" OAL







## 2024 F-750 Diesel SuperCab Base (X7D)

Price Level: 415

Available	Options (co	nt'd)		
Selected	Code	Description	MSRP	Invoice
	233WB	233" Wheelbase/138" CA/81" AF/353" OAL	\$390.00	\$344.00
	239WB	239" Wheelbase/144" CA/81" AF/359" OAL	\$580.00	\$512.00
	245WB	245" Wheelbase/150" CA/87" AF/371" OAL	\$755.00	\$666.00
	251WB	251" Wheelbase/156" CA/87" AF/377" OAL	\$770.00	\$679.00
	263WB	263" Wheelbase/168" CA/100" AF/402" OAL	\$780.00	\$689.00
	281WB	281" Wheelbase/186" CA/120" AF/440" OAL	\$855.00	\$754.00
Frame				
$\checkmark$	535 1,211,200 RBM. H Includes: - GVWR Limit: 37,	Single Channel - Straight 'C' 15.14 SM, 80,000 PSI ligh strength low alloy steel. 10.250" x 3.092" x 0.375" 000 lbs.	STD (260.4mm x 78.5mm x 9.5mm).	STD
	536	Single Channel - Straight 'C' 14.18 SM, 120,000 PSI	\$365.00	\$322.00
	1,701,600 RBM. F	leat treated alloy steel; 10.125" x 3.580" x 0.312" (257	20110 x 90.9000 x 6.0000).	
	538	Single Channel - Straight 'C' 16.98 SM, 120,000 PSI leat treated alloy steel; 10.250" x 3.610" x 0.375" (260.	\$650.00	\$574.00
	2,007,000 1150.11	10.200 x 3.010	411111 X 31.0011111 X 3.011111).	
	<b>539</b> 2,413,200 RBM. H	Single Channel - Straight 'C' 20.11 SM, 120,000 PSI leat treated alloy steel; 10.375" x 3.705" x 0.438" (263.	\$1,075.00 5mm x 94.1mm x 11.1mm).	\$949.00





# 2024 F-750 Diesel SuperCab Base (X7D)

Price Level: 415

Available	Options (co	ont'd)		
Selected	Code	Description	MSRP	Invoice
	41R	Outer "C" Channel Reinforcement - 120,000 PSI	\$1,160.00	\$1,024.00
	29.84 SM; 3,580,8	800 RBM. Heat treated alloy steel; 10.813" x 3.892" x 0.312	?"; (274.6 mm x 98.9 mm x	: 8.0 mm).
	532 Includes: - Grille, Fixed - Bl	Frame Extension, Front - Integral 20" In Front of Grille	\$490.00	\$433.00
		Delete - Also Deletes Mounting Brackets		
	765	Bumper, Front - Full Width, Chrome Plated Steel - (Included in (90E) Exterior Appearance Group)	\$490.00	\$433.00
	<b>767</b> Dark shadow gray	Bumper, Front - Swept Back, Painted Steel	\$345.00	\$305.00
	76X	Bumper, Front - Delete - Also Deletes Mounting Brackets	-\$135.00	-\$119.00
	76F	3" Front Bumper Extension	\$175.00	\$155.00
	76Y	Tow Hooks - Delete	-\$70.00	-\$61.00
	18D	Special Rating GVWR - Limited to 25,999 lb. GVWR	\$120.00	\$106.00
	Only available	to GAWR combinations that EXCEED 26,000 lb	OS.	
	18G	Special De-Rating GVWR - Limited to 33,000 lb. GVWR	\$120.00	\$106.00
	-	to GAWR combinations that EXCEED 33,000 lb need to pay 12% Federal Excise Tax (F. E. T.).	os.	




11/01/2022


Randall Reed's Planet Ford 635 | 3601 S. Shiloh Rd. Garland Texas | 750414015

# 2024 F-750 Diesel SuperCab Base (X7D)

Price Level: 415

Available	Options (co	ent'd)		
Selected	Code	Description	MSRP	Invoice
	86C	Chrome Grille Surround - (Included in (90E) Exterior Appearance Group)	\$245.00	\$216.00
	86B	Grille, Fixed - Black/Gray	\$125.00	\$111.00
Exhaust				
$\checkmark$	91G	Under Cab, Right Side Outlet, Switchback-Style	STD	STD
	Single, horizontal	muffler, right side, under cab, outside of frame rail with re	ar discharge.	
	91B	Back of Cab, Right Side Outlet, Torpedo-Style	N/C	N/C
	Single, horizontal	muffler/pipe, inline, right side exhaust with underbody exit	, in front of axle.	
	91D	Under Cab, Vertical Outlet, Right Side, Switchback-Style - Intrudes 2" into clean CA	\$715.00	\$631.00
		e selection of this Exhaust could reduce the av muffler, right side under cab outside of frame rail with ver- rnout exit.		
Fuel Tanks				
$\checkmark$	65E	Fuel Tank - LH 65 Gallon Rectangular - Aluminum	STD	STD
	65F	Fuel Tank - 115 Gallon Rectangular - Aluminum - LH 65-gal, RH 50-gal	\$915.00	\$807.00
Electrical / Al	ternator / Batter	у		
$\checkmark$	STDALT	Extra Heavy Duty Alternator - 12-Volt, 200 Amp Denso SC5	STD	STD





2024 F-750 Diesel SuperCab Base (X7D)

Price Level: 415

		'd)	Options (cont	Available
Invoice	MSRP	Description	Code	Selected
\$362.00	\$410.00	Extra Heavy Duty Alternator - 12-Volt, 240 Amps	17A	
\$754.00	\$855.00	Dual Heavy Duty Alternators - 357 Amp Capacity - 200 & 157 amp Denso SC5/SC2	17D	
\$80.00	\$90.00	Jump Start Stud - Remote Mounted	55M	
STD	STD	Battery - Two 750 CCA, 1500 Total, Includes Steel Battery Box	STDBAT	$\checkmark$
			12 Volt, Motorcraft.	
\$53.00	\$60.00	Battery - Two 900 CCA, 1800 Total, Includes Steel Battery Box	63B	
			12 Volt, Motorcraft.	
\$221.00	\$250.00	Battery - Three 900 CCA, 2700 Total, Includes Steel Battery Box	63D	
			12 Volt, Motorcraft.	
\$208.00	\$235.00	Battery - Temporary Mount for Truck Chassis	63Y	
\$27.00	\$30.00	Roof Marker/Clearance Lights - Clear Lenses, 5 Lights (Replaces Standard Amber Lenses)	164	
N/C	N/C	Roof Marker/Clearance Lights - Delete ons that receive modified roof coverings.	16X	




11/01/2022

Randall Reed's Planet Ford 635 | 3601 S. Shiloh Rd. Garland Texas | 750414015

# 2024 F-750 Diesel SuperCab Base (X7D)

Price Level: 415

Available	Options (co	ont'd)		
Selected	Code	Description	MSRP	Invoice
	59C Includes sealed of Also includes 2 a	Body Builder Wiring - At End of Frame, Combined - (ILO Standard - Back of Cab Combined)  connectors for 2 ground circuits, with combined left/stop, codditional pass through wires to cab.	\$135.00 mbined right/stop, stop lam	\$119.00 ps, back up lamps.
	59D	Body Builder Wiring - At Back of Cab, Separate - (ILO Standard - Back of Cab Combined)	\$70.00	\$61.00
		connectors for 2 ground circuits, with separate left/stop, sep brough wires to cab.	arate righivstop, pack up iai	mps. Also includes 2
	59E	Body Builder Wiring - At End of Frame, Separate - (ILO Standard - Back of Cab Combined)	\$135.00	\$119.00
		connectors for 2 ground circuits, with separate left/stop, separough wires to cab.	parate right/stop, back up la	mps. Also includes 2
	17M	Back-Up Alarm - Electric, 102 dBA	\$110.00	\$97.00
	962	Daytime Running Lamps (Not Configurable)	\$25.00	\$23.00
	86M	Upfitter Interface Module	\$320.00	\$282.00
	55X Deletes stop, turi	Tail Light Delete n, tail and backup lights. Does not omit cable to end of fram	N/C e.	N/C
	16V Available in mess	Voltmeter sage center.	\$100.00	\$88.00
Seats				
$\checkmark$	88A	30/0/30 Fixed Driver & Fixed Passenger w/Consolette - Vinyl	STD	STD



11/01/2022

# 2024 F-750 Diesel SuperCab Base (X7D)

Price Level: 415

Available (	Options (co	ont'd) Description	MSRP	Invoice
Ocicotca	Oodc	Description	WOR	11140100
	88B	30/0/30 Fixed Driver & Fixed Passenger w/Consolette - Cloth	\$125.00	\$111.00
	881	30/70 Fixed Driver & Fixed 2- Passenger Bench - Vinyl	\$350.00	\$309.00
	882	30/70 Fixed Driver & Fixed 2- Passenger Bench - Cloth	\$475.00	\$420.00
	88C	30/0/0 Fixed Driver only - Vinyl	-\$120.00	-\$106.00
	88D	30/0/0 Fixed Driver only - Cloth	N/C	N/C
	88Y	40/20/40 Fixed Driver & Fixed Passenger w/Unique 20% Fold- Down Console - Vinyl	\$420.00	\$370.00
	88Z	40/20/40 Fixed Driver & Fixed Passenger w/Unique 20% Fold- Down Console - Cloth	\$545.00	\$481.00
	87B  Trim will match se	60/40 Rear Bench Seat w/Bolster and Flip-Up Cushion elected driver seat material.	STD	STD
	87X	Rear Bench - Delete	-\$120.00	-\$106.00
Cab Interior				
	- Wheel Seals, Re	Preferred Equipment Package 600A  Black, Full Width cont - Oil lubricated, SKF ScotSeal PlusXL Seals ear - Oil lubricated, SKF ScotSeal PlusXL Seals initiation - Driver Interface in Message Center	N/C	N/C



11/01/2022

2024 F-750 Diesel SuperCab Base (X7D)

Price Level: 415

## Available Options (cont'd)

Selected Code **Description MSRP** Invoice

- Engine Exhaust Brake
- Extra Heavy Duty Alternator 12-Volt, 200 Amp Denso SC5
- Painted Grille Plastic
- Lights Roof Marker/Clearance Amber Lenses, 5 Lights
- Tow Hooks, Front (2) Frame-Mounted, Painted Black
- Four Body Builder Switches Mounted in Center Instrument Panel With connector access located in engine compartment. Amperages vary by switch: 10, 15, 25, 25.
- Floor Covering Black Vinyl
- Intelligent Oil Life Monitor
- Steering Column Tilt / Telescoping
- Steering Wheel Black PVC w/Integral Cruise Control Switches, includes Audio Controls
- Body Builder Wiring At Back of Cab, Combined

Includes sealed connectors for 2 ground circuits, with combined left/stop, combined right/stop, park lamps, back up lamps. Also includes 2 additional pass through wires to cab.

\$1,410.00 \$1,244.00 87H **Driver Assist Technology** Package. Hydraulic Brake

Includes Autonomous Emergency Braking, Forward Collision Warning, Lane Departure Warning and Auto High Beam

Includes:

- Enhanced Cluster w/High-Level 8-Inch Display

Electronic speedometer (MPH/KPH), includes oil pressure, coolant temperature, DEF gauge, fuel gauge, tachometer, and indicator lights. Also included is enhanced 3-button Message Center with odometer, trip odometer, distance to empty for fuel, average fuel economy, hour meter and warning messages. Transmission temperature in message center.

\$3,050.00 \$2,692.00 87A **Driver Assist Technology** Package (w/Bendix Wingman

Advanced). Air Brake

Includes Autonomous Emergency Braking, Forward Collision Warning, Lane Departure Warning, Adaptive Cruise Control and Auto High Beam Control

Includes:

61M

17W

- Enhanced Cluster w/High-Level 8-Inch Display

Electronic speedometer (MPH/KPH), includes oil pressure, coolant temperature, DEF gauge, fuel gauge, tachometer, and indicator lights. Also included is enhanced 3-button Message Center with odometer, trip odometer, distance to empty for

\$510.00

\$830.00

-\$20.00

fuel, average fuel economy, hour meter and warning messages. Transmission temperature in message center.

Rear view mirror video with full length display included in kit. To be installed by Upfitter.

Rear View Camera w/Mirror

90A Appearance Group Includes front-mounted overhead console with dual sunglass bins and integral front map reading lights.

Display

- Chrome Trimmed Air Registers w/Positive Shut-Off
- 60/40 Rear Bench Seat w/Bolster and Flip-Up Cushion

Trim will match selected driver seat material.

- Power Equipment Group - (Included in (90A) Appearance Group) Includes power front side windows, manual rear side windows, power door locks and door trim panel.


Prices and content availability as shown are subject to change and should be treated as estimates only. Actual base vehicle, package and option pricing may vary from this estimate because of special local pricing, availability or pricing adjustments not reflected in the dealer's computer system. See salesperson for the most current information.

Wi-Fi 4G LTE Hotspot Delete

-\$17.00

\$450.00

\$733.00





11/01/2022

# 2024 F-750 Diesel SuperCab Base (X7D)

Price Level: 415

Selected	Options (co	Description	MSRP	Invoice
	92J	Enhanced Cluster w/High-Level 8-Inch Display	\$235.00	\$208.00
	indicator lights. A	ometer (MPH/KPH), includes oil pressure, coolant temperat Ilso included is enhanced 3-button Message Center with od I economy, hour meter and warning messages. Transmissio	ometer, trip odometer, dista	ance to empty for
	90P	Power Equipment Group - (Included in (90A) Appearance Group)	\$470.00	\$414.00
	Includes power fr	ront side windows, manual rear side windows, power door lo	ocks and door trim panel.	
	57N Includes fresh air	Air Conditioning Delete rheater and defroster only.	-\$100.00	-\$88.00
	86H	Rapid-Heat Supplemental Cab Heater	\$610.00	\$538.00
	Required with Hampshire, Ne	Alaska, Colorado, Idaho, Iowa, Maine, Michigar ew York, North Dakota, South Dakota, Vermont	n, Minnesota, Montana Wisconsin, Wyoming	a, New J.
	96C	Pull Out Cup Holder For Two Cups - Instrument Panel Mounted	\$30.00	\$27.00
	55P	110 A/C Outlet - in Lower Center Finish Panel	\$100.00	\$88.00
	214	4 Speaker Option for 588 Radio	\$30.00	\$27.00
	58P	Radio Prep Package	N/C	N/C
	Deletes radio and	d dash-mounted aux input jack. Includes radio/speaker wirir nounted aux audio input jack instrument panel cover.	ng, 2 speakers, antenna, ra	dio instrument pane
	58B	Radio Delete Package	-\$60.00	-\$53.00






# 2024 F-750 Diesel SuperCab Base (X7D)

Price Level: 415

Available	Options (co	ont'd)		
Selected	Code	Description	MSRP	Invoice
$\checkmark$	588	Radio: AM/FM Stereo w/2 Speakers, USB input, Clock Display and Bluetooth	STD	STD
	85B	Keyed Alike - Not Available with Anti-Theft System, Requires Multiple-Unit Order	\$45.00	\$40.00
	85L	Keyed Alike - Option 1 - Not Available with Anti-Theft System, Requires Multiple-Unit Order	\$45.00	\$40.00
	85M	Keyed Alike - Option 2 - Not Available with Anti-Theft System, Requires Multiple-Unit Order	\$45.00	\$40.00
	85N	Keyed Alike - Option 3 - Not Available with Anti-Theft System, Requires Multiple-Unit Order	\$45.00	\$40.00
	85P	Keyed Alike - Option 4 - Not Available with Anti-Theft System, Requires Multiple-Unit Order	\$45.00	\$40.00
	programmed to th	SecuriLock Passive Anti-Theft System  Passive Anti-Theft System is designed to help prevent the the vehicle, is used. It helps protect against drive-away the led ignition key features billions of possible codes to start the start systems.	ft through an electronically co	oded ignition key, its
	90M	Interior Rear View Mirror	\$75.00	\$67.00






11/01/2022

2024 F-750 Diesel SuperCab Base (X7D)

Price Level: 415

Available C	options (co	ont'd)		
Selected	Code	Description	MSRP	Invoice
Cab Exterior				
	- Chromed Fende	Exterior Appearance Group  - Full Width, Chrome Plated Steel - (Included in (90E) Exterer Badge Surround - (Included in (90E) Exterior Appearance Group)	\$730.00 ior Appearance Group)	\$645.00
	85K	Remote Keyless Entry w/2 Key Fobs	\$195.00	\$172.00
	94T	Tamper-Proof Odometer	\$30.00	\$27.00
	59A	Horn, Air - Black, Single Trumpet rated, chassis mounted on rail back of bumper.	\$90.00	\$80.00
	7 iii Golericia Opei	aloa, shadda maanaa shhan saak o sampar.		
$\checkmark$	54H  Integral spot mirr	Mirrors, Dual - Rectangular, XL2020 - 96" Width or, sail type, manual fold, solid black finish.	STD	STD
	······			
	54M	Mirrors, Dual - Heated Rectangular, XL2020 - 96" Width	\$85.00	\$75.00
	Integral spot mirr	or, sail type, manual fold, solid black finish.		
	54P	Mirrors, Dual - Heated & Motorized Rectangular, XL2020 - 96" Width	\$245.00	\$216.00
	Integral spot mirr	or, sail type, solid black finish.		
	54B	Mirrors, Dual - Rectangular, XL2020 - 96" Width w/Chrome Cap	\$60.00	\$53.00
	Integral spot mirr	or, sail type, manual fold.		





# 2024 F-750 Diesel SuperCab Base (X7D)

Price Level: 415

Available	Options (co	ont'd)		
Selected	Code	<b>Description</b>	MSRP	Invoice
	54N	Mirrors, Dual - Heated Rectangular, XL2020 - 96" Width w/Chrome Cap	\$120.00	\$106.00
	Integral spot mirro	or, sail type, manual fold.		
	54A	Mirrors, Dual - Heated & Motorized Rectangular, XL2020 - 96" Width w/Chrome Cap	\$305.00	\$269.00
	Integral spot mirro	or, sail type.		
	54J	Mirrors, Dual - Rectangular, XL2020 - 102" Width	\$30.00	\$27.00
	Integral spot mirro	or, sail type, manual fold, solid black finish.		
	54C	Mirrors, Dual - Heated Rectangular, XL2020 - 102" Width	\$90.00	\$80.00
	Integral spot mirro	or, sail type, manual fold, solid black finish.		
	54R	Mirrors, Dual - Heated & Motorized Rectangular, XL2020 - 102" Width	\$275.00	\$243.00
	Integral spot mirro	or, sail type, solid black finish.		
	54D	Mirrors, Dual - Rectangular, XL2020 - 102" Width w/Chrome Cap	\$90.00	\$80.00
	Integral spot mirro	or, sail type, manual fold.		
	54E	Mirrors, Dual - Heated Rectangular, XL2020 - 102" Width w/Chrome Cap	\$150.00	\$132.00
	Integral spot mirro	or, sail type, manual fold.		
	54K	Mirrors, Dual - Heated &  Motorized Rectangular, XL2020 - 102" Width w/Chrome Cap	\$335.00	\$296.00
	Integral spot mirro	or, sail type.		



11/01/2022

Randall Reed's Planet Ford 635 | 3601 S. Shiloh Rd. Garland Texas | 750414015

# 2024 F-750 Diesel SuperCab Base (X7D)

Price Level: 415

	Options (co			
Selected	Code	Description	MSRP	Invoice
	54F	Mirrors, Trailer Tow, Powered - Sail Mount - w/Power Telescoping & Power Folding	\$365.00	\$322.00
	Includes power h mounted.	neated glass, heated convex spotter and integrated clearan	ce lights/turn signals. Heat o	controls dash
	63F	Aux Spot Mirrors - Front Fender Mounted - (2) Driver Side and Passenger Side	\$225.00	\$199.00
	63G	Aux Spot Mirror - Front Fender Mounted - (1) Passenger Side Only	\$120.00	\$106.00
	165	Mud Flap Holder Without Flaps	\$95.00	\$84.00
	166	Mud Flap Holder With Flaps	\$155.00	\$137.00
Ship-Thru				
	21A	Pre-Delivery Inspection	N/C	N/C
	Selection requ performed. Re	ires that you also choose either (314) or (31F) equired with any final Ship-To that is not a deale	or (31V) to have the In er.	spection
	314	Ship-Thru - Manning	\$0.00	\$10.00
	MAY be select arrangements	ted w/o adding (21A). For MODIFICATIONS Of directly with Manning (please use CVT Resour	NLY, Dealer must mak ces for add. Info).	е
	31F	Ship-Thru - NFS National Fleet Services	N/C	N/C
	MAY be select arrangements	ted w/o adding (21A). For MODIFICATIONS Of directly with NFS (please use CVT Resources	NLY, Dealer must mak for add. Info).	е
	_			

## **Miscellaneous**



11/01/2022

Randall Reed's Planet Ford 635 | 3601 S. Shiloh Rd. Garland Texas | 750414015

# 2024 F-750 Diesel SuperCab Base (X7D)

Price Level: 415				
	Options (co	nt'd)		
Selected	Code	Description	MSRP	Invoice
$\checkmark$	PAINT	Paint Type - Environmentally Friendly, "3 - Wet System"	STD	STD
	79V	COV Required	N/C	N/C
	Send a paper C or MI.	Certificate of Origin for a Vehicle (COV) for the	ose states that file elec	tronically - CA
$\checkmark$	L23	Raw Material Surcharge	\$0.00	\$600.00
Fleet Options	3			
	19A	Ambulance Prep Pkg w/Special Emissions	\$1,285.00	\$1,134.00
	REQUIRES val	lid FIN code.		
	certification by a fi if equipped with the urges ambulance Body Builders Lay EPA Special Eme NOTE 1: Stational calibration significo operator comman Emergency Vehico of Regulations allo Includes: - Dual Heavy Duty	ecial Emergency Vehicle Emissions. Incomplete vehicle prinal stage manufacturer. Ford vehicles are suitable for prine Ford Ambulance Prep Package with EPA Special Emergency Vehicles to follow the recommendations of the Forward took (and pertinent supplements). Using a Ford vehicle Emissions to produce an ambulance with ry Elevated Idle Control (SEIC) has been integrated into a carrier and the control of the possibility of depower mode when in standly reduces the possibility of depower mode when in standly reduces the possibility of depower mode when in standly reduces the possibility of depower mode when in such an Ambulance or Fire Truck per 40 CFR 86.1803.01 in lows for the sale of Federally certified emergency vehicles of Alternators - 357 Amp Capacity - 200 & 157 amp Denso 200 CCA, 2700 Total, Includes Steel Battery Box ft.	oducing ambulances with sprgency Vehicle Emissions. In a Incomplete Vehicle Manua hicle without the Ford Ambul special emissions voids the the engine control module. In ationary PTO operation. No Incomplete the department of the Federal Register. No Incomplete in California.	necial emissions only naddition, Ford Truck ance Package with Ford warranty.  NOTE 2: Engine DTE 3: Allows efinition of an
	19F	Fire/Rescue Prep Pkg w/EPA	\$1,285.00	\$1,134.00
		Special Emissions		
	REQUIRES val	lid FIN code.		
	certification by a fi the Ford Incomple Stationary Elevate significantly reduc regen down to 30' Ambulance or Fire for the sale of Fed Includes: - Dual Heavy Duty	ecial Emergency Vehicle Emissions. Incomplete vehicle prinal stage manufacturer. Ford urges Fire/Rescue Vehicle stet Vehicle Manual and the Ford Truck Body Builders Lay del Idle Control (SEIC) has been integrated into the engineses the possibility of depower mode when in stationary PT of DPF filter full, instead of 100%. NOTE 4: Must meet a Truck per 40 CFR 86.1803.01 in the Federal Register. I derally certified emergency vehicles in California.  Alternators - 357 Amp Capacity - 200 & 157 amp Dense 200 CCA, 2700 Total, Includes Steel Battery Box ft.	manufacturers to follow the rout Book (and pertinent supection of the control module. NOTE 2: EFO operation. NOTE 3: Open the definition of an Emerge NOTE 5: California Code of the code	recommendations of plements). NOTE 1: Engine calibration rator commanded ncy Vehicle, an
	19B	Beverage Delivery Package	\$60.00	\$53.00



11/01/2022

Randall Reed's Planet Ford 635 | 3601 S. Shiloh Rd. Garland Texas | 750414015

# 2024 F-750 Diesel SuperCab Base (X7D)

Price Level: 415

Selected	Options (co	Description	MSRP	Invoice
	combined right/st	ilder wiring at back of cab at frame, sealed connectors for op, stop lamps, park lamps, back up lamps, also includes geth to accommodate drop frame beverage body applications.	2 ground circuits, with comb 2 additional pass through w	pined left/stop,
	B4A	Net Invoice Fleet Option	\$0.00	\$7.00
	56A	CPA Fleet Incentive	N/C	N/C
	56B	Commercial Repurchase	N/C	N/C
	56F	FRCS Long Term	N/C	N/C
	56K	Long Term Fleet Incentive	\$0.00	-\$2,750.00
	56M	National Fleet Incentive	\$0.00	-\$2,750.00
	56Y	DDR Program	N/C	N/C
	55D	Driver Assistance - FLEET SETTINGS	\$35.00	\$31.00
	assist - alert sens	e locked and cannot be changed by driver or fleet adminis itivity set to NORMAL, distance indication is set to ON, ac ing set to ON, sensitivity set to NORMAL, auto lamp delay	ctive braking set to ON, pre o	collision warning set
	87S	Fleet Safety Kit	N/A	N/A
	Late availability Includes 5 lb fire e not installed at pla	extinguisher class A, B and C with mounting brackets, tria	ingle reflector and vehicle fu	se kit (shipped loose
VSO Options				
	SP101	VSO - Monotone Special Paint (Minimum Quantity 3)	N/A	N/A



11/01/2022


Randall Reed's Planet Ford 635 | 3601 S. Shiloh Rd. Garland Texas | 750414015

# 2024 F-750 Diesel SuperCab Base (X7D)

Price Level: 415

Available Options (cont'd	Available	<b>Options</b>	(cont'd
---------------------------	-----------	----------------	---------

Selected	Code	Description	MSRP	Invoice
	SPF	VSO - Special Paint	N/A	N/A
		Formulation (Minimum Quantity		
		3)		



Prepared by: Admir Sarac 11/01/2022

2024 F-750 Diesel SuperCab Base (X7D)

Price Level: 415		
Major Equipment		As Configured Vehicle MSRP
(Based on selected options, shown at right)		STANDARD VEHICLE PRICE \$81,330.00
10-speed automatic		Preferred Equipment Package 600A N/C
* Side assist steps	* White front wheels	6.7L Power Stroke V8 Turbo Diesel - 270 HP @ 2400 RPM STD
* White rear wheels	* Steel rear wheels	
* Disc rear wheel	<ul> <li>22.5 x 8.25-inch front and dual rear wheels</li> </ul>	50-State Emissions N/C
* Front tires LT load rating: G	<ul> <li>English measure truck 279/82R22.5 AS BSW front and rear tires</li> </ul>	Ford TorqShift HD 10-Speed Automatic - Double Overdrive, with PTO Provision STD
* Overdrive transmission	<ul><li>* Lock-up transmission</li></ul>	Wheels, Front 22.5x8.25 White Powder Coated Steel, 10-
* Transmission electronic control	<ul> <li>PTO transmission provision</li> </ul>	Hole STD
* Alternator Amps: 200A	<ul> <li>* Aluminized steel single exhaust</li> </ul>	Tires, Front Two 11R22.5G Goodyear Fuel Max RSA (497
* Low-speed ABS traction control	* Battery rating: 1500CCA	rev/mile) STD
* Dual lead acid battery	* Battery run down protection	Wheels, Rear 22.5x8.25 White Powder Coated Steel, 10-
* Fuel/water separator	<ul><li>* Auxiliary power take-off</li></ul>	Hole STD
* Engine retarder system	<ul> <li>Steering wheel mounted audio controls</li> </ul>	Tires, Rear Four 11R22.5G Goodyear Fuel Max RSA (497
* Wireless audio streaming	* AM/FM stereo radio	rev/mile) STD
* Seek scan	<ul> <li>* Auxiliary input jack</li> </ul>	Hydraulic Brake System - Bosch HydroMax w/Traction Control STD
* External memory control	<ul><li>Vehicle body length: 267"</li></ul>	
* Wheelbase: 179"	* Cab to axle: 84"	10,000 lb. Cap. Non-Driving - Dana E-1002l - I-Beam Type STD
* Axle to end of frame: 49"	* Axle capacity rear: 21,000 lbs.	
* Tire/wheel capacity rear: 23,360 lbs.	* Axle capacity front: 10,000 lbs.	Taper-Leaf Springs, Parabolic - 10,000 lb. Cap STD
* Spring rating front: 10,000 lbs.	* Standard ride suspension	21,000 lb. Single Reduction - Open - Dana / Spicer
* Dual electric horn	* Trip computer	21060S STD
* Manual folding door mirrors	* DRL preference setting	Multi-Leaf Springs - 21,000 lb. Cap STD



Prepared by: Admir Sarac 11/01/2022

## 2024 F-750 Diesel SuperCab Base (X7D)

Price Level: 415

Major Equipment
-----------------

- \* Daytime running lights
- \* Variable intermittent front windshield wipers
- \* Electronic stability control system
- \* Fixed rear seats
- \* Split-bench rear seat
- \* Fold-up rear seat cushion
- \* Folding driver seat back
- \* 4 driver seats way-direction
- \* Bucket passenger seat
- \* Low passenger seat back
- \* Manual fore/aft
- \* Front passenger seat armrest
- \* Carpet front seatback upholstery
- \* 4-wheel antilock (ABS) brakes

- \* Light tinted windows
- \* Speed sensitive wipers
- \* Manual climate control
- \* 60-40 folding rear seats
- \* Front facing rear seat
- \* Bucket driver seat
- \* Low driver seat back
- \* Manual fore/aft
- \* Fixed passenger seat back
- \* 4 passenger seats way-direction
- \* Driver seat armrest
- \* Vinyl front seat upholstery
- \* Hydraulic disc brakes
- \* Hill start assist

## Fuel Economy







**MSRP** As Configured Vehicle 179" Wheelbase/84" CA/49" AF/267" OAL Single Channel - Straight 'C' 15.14 SM, 80,000 PSI STD Under Cab, Right Side Outlet, Switchback-Style STD Fuel Tank - LH 65 Gallon Rectangular - Aluminum STD 14 Gal. Single Tank Fuel Fill. Mandatory Charge Applied. Based On Tank Selection \$0.00 Extra Heavy Duty Alternator - 12-Volt, 200 Amp Denso Included Battery - Two 750 CCA, 1500 Total, Includes Steel Battery Box 30/0/30 Fixed Driver & Fixed Passenger w/Consolette -Vinyl STD 60/40 Rear Bench Seat w/Bolster and Flip-Up Cushion STD Radio: AM/FM Stereo w/2 Speakers, USB input, Clock Display and Bluetooth STD Mirrors, Dual - Rectangular, XL2020 - 96" Width STD Paint Type - Environmentally Friendly, "3 - Wet System" STD Raw Material Surcharge \$0.00 Bumper, Front - Black, Full Width Included Wheel Seals, Front - Oil lubricated, SKF ScotSeal PlusXL Seals



Prepared by: Admir Sarac 11/01/2022

2024 F-750 Diesel SuperCab Base (X7D)

Price Level: 415

As Configured Vehicle	MSRP
Wheel Seals, Rear - Oil lubricated, SKF ScotSeal P Seals	
Manual Regen Initiation - Driver Interface in Messag Center	
Engine Exhaust Brake	Included
Painted Grille - Plastic	Included
Lights - Roof Marker/Clearance - Amber Lenses, 5 Lights	Included
Tow Hooks, Front (2) - Frame-Mounted, Painted Black	Included
Four Body Builder Switches - Mounted in Center Ins Panel	
Floor Covering - Black Vinyl	Included
Intelligent Oil Life Monitor	Included
Steering Column - Tilt / Telescoping	Included
Steering Wheel - Black PVC w/Integral Cruise Controls	
Body Builder Wiring - At Back of Cab, Combined	Included
GVWR Limit: 37,000 lbs.	Included
SUBTOTAL \$8	81,330.00
Destination Charge	\$2,095.00



11/01/2022

Randall Reed's Planet Ford 635 | 3601 S. Shiloh Rd. Garland Texas | 750414015

## 2024 F-750 Diesel SuperCab Base (X7D)

Price Level: 415

As Configured Vehicle MSRP
TOTAL \$83,425.00