Price Level: 415

# Selected Equip & Specs

#### Dimensions

- GCWR: 37,000 lbs.
- Vehicle body length: 246"
- Vehicle body height: 93"
- Front track: 84"
- Turning radius (to curb): 22'
- Rear tire outside width: 96"
- Frame section modulus: 15 cu.in.
- Frame rail depth: 10"
- Frame rail thickness: 0"
- Front bumper to front axle: 39"
- Rear brake diameter: 15.0"
- Leg room first-row: 41.4"
- Hip room first-row: 67.6"

#### **Powertrain**

- 7.3L V-8 variable valve control, engine with 335HP
- Injection Type: sequential MPI
- Horsepower: 335 HP@3750 RPM
- Radiator
- 75 mph speed limiter
- Rear-wheel drive
- Low-speed ABS traction control

### **Fuel Economy and Emissions**

• Federal emissions

# **Suspension and Handling**

• Standard ride suspension

#### **Driveability**

- Hydraulic disc brakes
- 4-wheel antilock (ABS) brakes
- Hill start assist
- Leaf spring front suspension
- Rigid axle rear suspension
- Hydraulic power-assist steering system
- 2-wheel steering system

# **Body Exterior**

Side assist steps

- Driver distance from axle: 54"
- Vehicle body width: 97"
- Wheelbase: 158"
- Rear track: 73"
- Cab to axle: 84"
- Axle to end of frame: 49"
- Frame yield strength (psi): 80000
- Frame rail width: 3"
- Frame rail section: 10"
- Front brake diameter: 15.0"
- Headroom first-row: 40.7"
- Shoulder room first-row: 68.0"
- Engine cylinders: V-8
- Spark ignition system
- Torque: 468 lb.-ft.@3750 RPM
- RNDM shift indicator
- 6-speed automatic
- Recommended fuel: regular unleaded
- Standard rear differential
- Standard grade front shock absorbers
- Front and rear ventilated disc brakes
- Four channel ABS brakes
- Rigid axle front suspension
- Tapered leaf front suspension
- Leaf spring rear suspension
- Re-circulating ball steering
- 2 doors



Price Level: 415

# Selected Equip & Specs (cont'd) Clearcoat paint

- Black side window trim
- Black door handles
- 2 front tow hooks
- Black grille
- Black door mirrors
- Convex spotter in driver and passenger side door mirrors
- White front wheels
- White rear wheels
- Disc rear wheel

### Convenience

- Manual door locks
- Manual first-row windows
- Driver foot rest
- Standard glove box
- 2 beverage holders
- Dashboard storage
- Steering column lever gearshift location

#### Comfort

- Manual climate control
- Full headliner coverage
- Full floor coverage
- Manual telescopic steering wheel

### Seats and Trim

- Seating capacity: 2
- Folding driver seat back
- 4 driver seats way-direction
- Bucket passenger seat
- Low passenger seat back
- Manual fore/aft
- Front passenger seat armrest

### **Entertainment Features**

- AM/FM stereo radio
- Auxiliary input jack
- Speakers number: 2
- Steering wheel mounted audio controls
- Fixed audio antenna

- Monotone paint
- Black windshield trim
- Black front bumper
- Straight front bumper ends
- Hood mounted grille
- Trailer style side mirrors
- English measure truck 279/82R22.5 AS BSW front and rear tires
- Steel front wheels
- Steel rear wheels
- 22.5 x 8.25-inch front and dual rear wheels
- · Cruise control with steering wheel mounted controls
- Partial floor console
- Fixed rear windshield
- Front beverage holders
- Instrument panel bin
- Dual electric horn
- Trip computer
- Cloth headliner material
- Full vinyl floor covering
- Manual tilting steering wheel
- Urethane steering wheel
- Bucket driver seat
- Low driver seat back
- Manual fore/aft
- Fixed passenger seat back
- 4 passenger seats way-direction
- Driver seat armrest
- Vinyl front seat upholstery
- Seek scan
- External memory control
- Standard grade speakers
- Wireless audio streaming



Prices and content availability as shown are subject to change and should be treated as estimates only. Actual base vehicle, package and option pricing may vary from this estimate because of special local pricing, availability or pricing adjustments not reflected in the dealer's computer system. See salesperson for the most current information.



Price Level: 415

# Selected Equip & Specs (cont'd)

# Lighting, Visibility and Instrumentation

- Analog instrumentation display
- In-radio display clock
- Oil pressure gauge
- Oil temperature gauge
- Engine hour meter
- Aero-composite headlights
- Auto on/off headlight control
- Delay-off headlights
- Variable intermittent front windshield wipers
- Front reading lights
- Daytime running lights
- Delay interior courtesy lights

### **Technology and Telematics**

Handsfree wireless device connectivity

# Safety and Security

Vehicle tracker

### Dimensions

#### General Weights

Curb weight Front GAWR	
GVWR	
Trailering Weights	
GCWR	37,000 lbs.
Weights	
Maximum GVWR	37,000 lbs.
Nominal RBM (inlbs.) 1,211,2	200 nominal RBM
(inlbs.)	
(inlbs.)	
(inlbs.) Front Weights	5,635 lbs.
(inlbs.) <i>Front Weights</i> Front curb weight	5,635 lbs.

Axle capacity rear	21,000 lbs.
Tire/wheel capacity rear	23,360 lbs.

- Trip odometer
- Tachometer
- Engine/electric motor temperature gauge
- Transmission fluid temperature gauge
- · Light tinted windows
- Halogen headlights
- Multiple enclosed headlights
- DRL preference setting
- Speed sensitive wipers
- Variable instrument panel light
- Cab clearance lights
- 1 USB port
- · Electronic stability control system

Rear curb weight	3,604 lbs.
Rear GAWR	21000 lbs.
GCWR	37000 lbs.

Max RBM (inlbs.)	1,275,200 max RBM (in
lbs.)	

Axle capacity front	
Spring rating rear	21,000 lbs.



Price Level: 415

# Selected Equip & Specs (cont'd)

# Exterior Measurements

Vehicle body length	
Vehicle body height	
Front frame height loaded	
Front frame height unloaded	
Rear frame height loaded	
Turning radius (to bumper)	
Width - mirrors extended	
Rear track	
Turning radius (to curb)	
Rear tire outside width	
Frame section modulus	
Frame rail depth	
Frame rail thickness	
Front bumper to front axle	
Headroom	
Headroom first-row	40.7"
Legroom	
Leg room first-row	
Shoulder Room	
Shoulder room first-row	68.0"
Hip Room	
Hip room first-row	67.6"

#### 97" Vehicle body width Wheelbase 158" Front brake diameter 15.0" Rear brake diameter 15.0" 38" Rear frame height unloaded 90" Width - mirrors folded 84" Front track Driver distance from axle 54" 84" Cab to axle 49" Axle to end of frame Frame yield strength (psi) 80000 Frame rail width 3" Frame rail section 10"

#### **Powertrain**

En	gin	е
		-

Engine 7.3L V-8 variable valve control, engine with 335HP
Engine cylinders V-8
Engine location Front mounted engine
Engine mounting direction Longitudinal mounted
engine
Cylinder head material Aluminum cylinder head
Engine Specs
Displacement 7.3L
Bore 4.22"
Compression ratio 10.5
Engine Power

Horsepower 335 HP@3750 RPM

Valves per cylinder	
Injection type Ignition Engine block material	Spark ignition system

сс	cu.in.
Stroke	3.98"

Torque 468 lb.-ft.@3750 RPM



Prepared by: Admir Sarac 11/01/2022

2024 F-750 Gas Regular Cab Base (F7A)

Price Level: 415

# Selected Equip & Specs (cont'd)

#### Alternator

Alternator amps	210A	Alternator type	Heavy-duty alternator
Battery			
Battery type	Lead acid battery	Battery rating	900CCA
Battery step	Battery step	Battery location Ba	attery location forward right
Battery run down protectio protection	nBattery run down		

#### Engine Extras

Radiator Radiator	Shift indicator RNDM shift indicator
Transmission	
Transmission 6-speed automatic	Transmission electronic control Transmission electronic control
Speed limiter 75 mph speed limiter	Overdrive transmission Overdrive transmission
Lock-up transmission Lock-up transmission	First gear ratio 3.974
Second gear ratio 2.318	Third gear ratio 1.516
Fourth gear ratio 1.149	Fifth gear ratio 0.858
Sixth gear ratio 0.674	Reverse gear ratio 3.128
Stall ratio	Selectable mode transmission Selectable mode transmission
Transmission oil cooler Transmission oil cooler	
Drive Type	
Drive type Rear-wheel drive	
Drivetrain	
Axle speed Single axle speed	
Exhaust	
TailpipeNon stainless steel single exhaustAdditional muffler locationrightAdditional tailpipe locationright	Additional muffler type horizontal Additional tailpipe type horizontal
Fuel	
Fuel type regular unleaded	
Fuel Tank	
Front left fuel tank shape rectangular	Front left fuel tank capacity 50.01 US gallons
Drive Feature	
Traction controlLow-speed ABS traction control	Differential Standard rear differential
Fuel Economy and Emissions	

# Emissions



Price Level: 415

# Selected Equip & Specs (cont'd) Emissions Federal emissions

### **Suspension and Handling**

# Suspension

Suspension Standard ride suspension	Front shock absorbers Standard grade front shock absorbers
Driveability	
Brakes	
Brake type Hydraulic disc brakes	Ventilated brakes. Front and rear ventilated disc brakes
ABS brakes Four channel ABS brakes	ABS brakes4-wheel antilock (ABS) brakes
Brake Assistance	
Hill start assist Hill start assist	
Front Suspension	
Suspension ride type front Rigid axle front suspension	Suspension type front Leaf spring front suspension
Front Spring	
Regular front springs Regular front springs	Springs front Tapered leaf front suspension
Rear Spring	
Springs rear Multi-leaf rear suspension Auxiliary rear spring Rubber auxiliary rear spring	Rear springs Regular grade rear springs
Rear Suspension	
Suspension type rear Leaf spring rear suspension	Suspension ride type rear Rigid axle rear suspension
Steering	
Steering Hydraulic power-assist steering system Steering type number of wheels 2-wheel steering	Steering typeRe-circulating ball steering
system	
Exterior	
Front Wheels	
Front wheels diameter 22.5"	Front wheels width 8.3"
Rear Wheels	
Rear wheels diameter 22.5"	Rear wheels width 8.3"
Front And Rear Wheels	



Price Level: 415

# Selected Equip & Specs (cont'd)

Appearance	none
------------	------

#### Front Tires

Aspect	
Sidewalls	BSW
Туре	english measure truck tire
Front wheel - RPM	

#### Rear Tires

Aspect	
Sidewalls	BSW
Туре	english measure truck tire
Rear wheel - RPM	

#### **Body Exterior**

#### **Exterior Features**

Number of doors	2 doors
Front splash guards Front splas	sh guards

#### Frame

Clean CA frame Clean CA frame

#### Body

Body panels...Composite and galvanized steel body panels

#### Mirrors

Convex spotter .... Convex spotter in driver and passenger side door mirrors

#### Tires

Front tires LT load rating G

#### Wheels

Front wheel type Disc front wheel Number of front wheel studs 10 front wheel studs

### Convenience

#### Door Locks

Door locks Manual door locks

### Cruise Control

Cruise control Cruise control with steering wheel mounted controls

#### **Exterior Mirrors**

Diameter	22.5"
Tread	AS
Width 2	279mm

Diameter	22.5"
Tread	
Width	279mm

Side steps	Side assist steps
------------	-------------------

Rear tires LT load rating G	ì
-----------------------------	---

Dual rear wheels	Dual rear wheels
Number of rear wheel studs	10 rear wheel studs



Prepared by: Admir Sarac 11/01/2022

2024 F-750 Gas Regular Cab Base (F7A)

Price Level: 415

Selected Equip & Specs (cont'd) Folding door mirrors Manual folding door mirrors	
Front Side Windows	
First-row windows Manual first-row windows	
Floor Console	
Floor console Partial floor console	
Passenger Visor	
Visor passenger mirror Passenger visor mirror	
Power Outlets	
12V power outlets 2 12V power outlets	
Pedals	
Driver foot rest Driver foot rest	
Rear Windshield	
Rear windshield Fixed rear windshield	
Storage	
Number of beverage holders2 beverage holdersGlove boxStandard glove boxDashboard storageDashboard storage	Beverage holders Front beverage holders Instrument panel storage Instrument panel bin
Miscellaneous	
Trip computer Trip computer	Gearshift location Steering column lever gearshift location
Horn Dual electric horn	
Comfort	
Climate Control	
Climate control Manual climate control	
Headliner	
Headliner material Cloth headliner material	Headliner coverage Full headliner coverage
Floor Trim	
Floor covering Full vinyl floor covering	Floor coverage Full floor coverage
Steering Wheel	
Steering wheel telescopic Manual telescopic steering wheel Steering wheel steering wheel tilt Manual tilting steering wheel	Steering wheel material Urethane steering wheel
Seats and Trim	

### Seat Capacity



Price Level: 415

# Selected Equip & Specs (cont'd)

#### Front Seats

Bucket driver seat Front seat type Bucket passenger seat Front seat type Driver seat back type Low driver seat back Driver seat back Folding driver seat back Driver seat fore/aft Manual fore/aft Driver seats way-direction 4 driver seats waydirection Passenger seat back type Low passenger seat Passenger seat back Fixed passenger seat back back Passenger seats way-direction 4 passenger seats Passenger seat fore/aft Manual fore/aft way-direction Armrests front driver Driver seat armrest Armrests front passenger Front passenger seat armrest Front Seat Trim Front seat upholstery. Vinyl front seat upholstery Front seatback upholstery Carpet front seatback upholsterv Gearshifter Material Gearshifter material Urethane gear shifter material **Entertainment Features** Radio Features Aux input jack Auxiliary input jack External memory External memory control Seek scan Seek scan Speakers Speakers Standard grade speakers Speakers number 2 Audio Features Steering mounted audio control Steering wheel Wireless streaming Wireless audio streaming mounted audio controls Lighting, Visibility and Instrumentation Instrumentation Trip odometer Trip odometer Instrumentation display Analog instrumentation display

### Instrumentation Displays

Clock In-radio display clock
Instrumentation Gauges
Tachometer Tachometer Oil pressure gauge Oil pressure gauge

Prepared by: Admir Sarac 11/01/2022

Randall Reed's Planet Ford 635 | 3601 S. Shiloh Rd. Garland Texas | 750414015



Price Level: 415

# Selected Equip & Specs (cont'd)

Oil temperature gauge Oil temperature gauge

Engine/electric motor temperature gauge Engine/electric motor temperature gauge

#### Instrumentation Warnings

Oil pressure warning Oil pressure warning Low brake fluid warning Low brake fluid warning Headlights on reminder Headlights on reminder Door ajar warning Door ajar warning Transmission fluid temperature

warning Transmission fluid temp warning

#### Glass

Tinted windows Light tinted windows

#### Headlights

Headlights Halogen headlights Auto headlights Auto on/off headlight control Delay off headlights Delay-off headlights

#### Front Windshield

Wipers...Variable intermittent front windshield wipers

#### Interior Lighting

Variable panel light.....Variable instrument panel light

#### Lights

Running lights Daytime running lights

Clearance lights Cab clearance lights

#### **Technology and Telematics**

#### Connectivity

Handsfree ..... Handsfree wireless device connectivity

#### USB Ports

USB ports 1 USB port

#### Safety and Security

#### Security System

Prices and content availability as shown are subject to change and should be treated as estimates only. Actual base vehicle, package and option pricing may vary from this estimate because of special local pricing, availability or pricing adjustments not reflected in the dealer's computer system. See salesperson for the most current information.

Transmission temperature gauge Transmission fluid temperature gauge

Engine hour meter Engine hour meter

Low fuel warning Low fuel warning Battery charge warning Battery charge warning Key in vehicle warning Key in vehicle warning Service interval warningService interval indicator

Headlight type Aero-composite headlights Multiple headlights Multiple enclosed headlights DRL preference setting DRL preference setting

Speed sensitive wipers Speed sensitive wipers

Front reading lights Front reading lights

Interior courtesy lights ..... Delay interior courtesy lights







Prepared by: Admir Sarac 11/01/2022

Randall Reed's Planet Ford 635 | 3601 S. Shiloh Rd. Garland Texas | 750414015

2024 F-750 Gas Regular Cab Base (F7A)

Price Level: 415

# Selected Equip & Specs (cont'd)

Vehicle tracker Vehicle tracker

### Traction Control

Electronic stability control Electronic stability control system



Price Level: 415

Available (	Options <sub>Code</sub>	Description	MSRP	Invoice
General Info				
	ORDER1	Initial Order Date: 10/27/2022	N/C	N/C
Engines				
$\checkmark$	99N	7.3L 2V DEVCT NA PFI V8 Gas - 335 HP @ 3750 rpm	STD	STD
	Torque: 468 ft.lt	os. @ 3750 rpm.		
$\checkmark$	425	50-State Emissions	N/C	N/C
	41H	Engine Block Heater, Phillips, 120 Volt/750 Watt	\$60.00	\$53.00
	tanks, lines, etc. Ve	Gaseous Fuel Prep Pack Prep. Includes hardened engine valve seats. NOTE: This ehicle will be equipped with the standard factory gasoline ibration reflash is required, from an external upfitter, to co	fuel system. Additional equ	ipment combined
	916	Speed Limit - 65mph	N/C	N/C
	917	Speed Limit - 70mph	N/C	N/C
	94A	Engine Idle Shutdown Timer - 5 Minutes	\$25.00	\$23.00
	94B	Engine Idle Shutdown Timer - 10 Minutes	\$25.00	\$23.00
	94C	Engine Idle Shutdown Timer - 15 Minutes	\$25.00	\$23.00
	94D	Engine Idle Shutdown Timer - 20 Minutes	\$25.00	\$23.00



Price Level: 415

Selected	Options (co Code	Description	MSRP	Invoice
Transmission	S			
$\checkmark$	44P	Ford TorqShift HD 6-Speed Automatic - Double Overdrive, LESS PTO Provision and Tow/Haul	STD	STD
	Includes tow/haul.			
	41B	Transmission Power Take-Off Provision w/LiveDrive Capability and Tow/Haul	\$295.00	\$260.00
Front Wheels	& Tires			
$\checkmark$	643	Wheels, Front 22.5x8.25 White Powder Coated Steel, 10-Hole	STD	STD
	(285.75MM BC) h	ub piloted, flanged nut, metric mount, 8.25 DC rims; with st	eel hubs.	
	64H	Wheels, Front 22.5x8.25 Aluminum, 10-Hole Alcoa Bright Polished w/Dura-Bright Seal on Both Sides	\$735.00	\$649.00
	649	Wheels, Front 22.5x8.25 Black Wheel	\$60.00	\$53.00
	(285.75MM BC) h	ub piloted, flanged nut, metric mount, 8.25 DC rims; with st	eel hubs.	
$\checkmark$	T2B	Tires, Front Two 11R22.5G Goodyear Fuel Max RSA (497 rev/mile)	STD	STD
	T2A	Tires, Front Two 11R22.5H Goodyear Fuel Max RSA (497 rev/mile)	\$45.00	\$40.00



Price Level: 415

Available Selected	Options (co Code	nt'd) Description	MSRP	Invoice
	T2E	Tires, Front Two 11R22.5H Michelin X Multi Energy Z (501 rev/mile)	\$240.00	\$212.00
	ТСН	Tires, Front Two 255/70R22.5H Goodyear Endurance RSA (566 rev/mile)	\$40.00	\$36.00
	T2F	Tires, Front Two 275/80R22.5G Michelin X Multi Energy Z (515 rev/mile)	\$190.00	\$168.00
	TRA	Tires, Front Two 295/75R22.5H Continental HSR3 (514 rev/mile)	\$130.00	\$115.00
	TDG	Tires, Front Two 295/80R22.5H Continental HSR2 SA (514 rev/mile)	\$210.00	\$185.00
Rear Wheels a	& Tires			
	663 (285.75MM BC) hi	Wheels, Rear 22.5x8.25 White Powder Coated Steel, 10-Hole ub piloted, flanged nut, metric mount, 8.25 DC rims; with	STD	STD
	66H	Wheels, Rear 22.5x8.25 Aluminum, 10-Hole Alcoa Bright Polished Both Sides w/Dura- Bright Seal te powder-coated steel.	\$830.00	\$733.00
	66C	Wheels, Rear 22.5x8.25 DRW Aluminum, 10-Hole Alcoa Bright Polished w/Dura-Bright Seal on Both Sides	\$1,470.00	\$1,297.00

Inner wheel is aluminum.



Price Level: 415

Available Selected	Available Options (cont'd) Selected Code Description MSRP Invoice				
	669	Wheels, Rear 22.5x8.25 Black Wheel	\$120.00	\$106.00	
	(285.75MM BC) h	ub piloted, flanged nut, metric mount, 8.25 DC rims; with s	teel hubs.		
	60Z	Wheel, Spare 22.5x8.25 White Powder Coated Steel, 10-Hole - Quantity (One only)	\$145.00	\$128.00	
	R2B	Tires, Rear Four 11R22.5G Goodyear Fuel Max RSA (497 rev/mile)	STD	STD	
	R2A	Tires, Rear Four 11R22.5H Goodyear Fuel Max RSA (497 rev/mile)	\$95.00	\$84.00	
	R2G	Tires, Rear Four 11R22.5G Goodyear Fuel Max RTD (493 rev/mile)	\$140.00	\$124.00	
	R2H	Tires, Rear Four 11R22.5H Goodyear Fuel Max RTD (493 rev/mile)	\$175.00	\$155.00	
	R2E	Tires, Rear Four 11R22.5H Michelin X Multi Energy Z (501 rev/mile)	\$480.00	\$424.00	
	RMB	Tires, Rear Four 11R22.5H Michelin X Multi D (494 rev/mile)	\$405.00	\$357.00	
	R2K	Tires, Rear Four 255/70R22.5H Goodyear Fuel Max RTD (563 rev/mile)	\$140.00	\$124.00	



Price Level: 415

	Options (co	-		
Selected	Code	Description	MSRP	Invoice
	RCH	Tires, Rear Four 255/70R22.5H Goodyear Fuel Max RSA (563 rev/mile)	\$80.00	\$71.00
	R2J	Tires, Rear Four 275/80R22.5G Michelin X Multi Energy D (514 rev/mile)	\$265.00	\$234.00
	R2F	Tires, Rear Four 275/80R22.5G Michelin X Multi Energy Z (515 rev/mile)	\$375.00	\$331.00
	RDG	Tires, Rear Four 295/80R22.5H Continental HSR2 SA (500 rev/mile)	\$425.00	\$376.00
	RRC	Tires, Rear Four 295/75R22.5H Continental HDR2 ECO PLUS (514 rev/mile)	\$310.00	\$273.00
	RRA	Tires, Rear Four 295/75R22.5H Continental HSR3 (514 rev/mile)	\$260.00	\$229.00
Brakes				
$\checkmark$	67H	Hydraulic Brake System - Bosch HydroMax w/Traction Control	STD	STD
	Full power with au mounted parking	itomatic adjustment, 4-channel ABS antilock brake system brake, Orscheln lever control, right of driver and hand oper	. Includes 12" x 3" (Bosch) ated park brake lever.	DSSA type rear axle
	18A Deletes the stand	Electronic Stability Control DELETE ard ESC feature.	-\$115.00	-\$101.00



Price Level: 415

# Available Options (cont'd)

Selected	Code	Description	MSRP	Invoice
	152	Trailer Connection Socket - 7-	\$100.00	\$88.00
		Way, Wired for Turn Signals		
		Combined with Stop		
	Mounted at rear of accommodation p	of frame, for combined trailer stop, tail, turn, marker light ca backage with cab connections for mounting customer insta	ircuits. Includes electric traile alled electric brake unit.	r brake
	154	Trailer Connection Socket - 7-	\$100.00	\$88.00
		Way, Wired for Turn Signals,		
		Separate of Stop		

Mounted at rear of frame, for separate trailer stop, tail, turn, marker light circuits. Includes electric trailer brake accommodation package with cab connections for mounting customer installed electric brake unit.

# Front Axle and Suspension

$\checkmark$	43N	10,000 lb. Cap. Non-Driving - Dana E-1002l - I-Beam Type	STD	STD
	43P	12,000 lb. Cap. Non-Driving - Dana E-1202I - I-Beam Type	\$525.00	\$464.00
	61C 2-leaf, 62" x 3.15"	Taper-Leaf Springs, Parabolic - 10,000 lb. Cap ". Also includes, standard duty, dual, double acting shock a	STD	STD
	61D 2-leaf, 62" x 3.15'	Taper-Leaf Springs, Parabolic - 12,000 lb. Cap ". Also includes, standard duty, dual, double acting shock a	\$305.00 bsorbers.	\$269.00
	61E 3-leaf, 62" x 3.15'	Taper-Leaf Springs, Parabolic - 13,200 lb. Cap ". Also includes, standard duty, dual, double acting shock a	\$365.00 bsorbers.	\$322.00
	15S	Front Stabilizer Bar	\$490.00	\$433.00
	60A	Lube, Front Axle, EmGard 50W, Synthetic Oil	\$50.00	\$44.00



Price Level: 415

Available (	Options (cc Code	ont'd) Description	MSRP	Invoice
Rear Axle and	Suspension			
$\checkmark$	475	21,000 lb. Single Reduction - Open - Dana / Spicer 21060S	STD	STD
	NOTE: When spe	cifying an axle ratio, check performance guidelines for star	tability and gradeability.	
$\checkmark$	68P	Multi-Leaf Springs - 21,000 lb. Cap	STD	STD
	11-leaf. Includes	2,000 lb auxiliary springs for load stabilization.		
	68R	Multi-Leaf Springs - 23,000 lb. Cap	\$230.00	\$203.00
	11-leaf. Includes	2,000 lb auxiliary springs for load stabilization.		
	961	Shock Absorbers, Rear - Double Acting	\$165.00	\$145.00
	607	Lube, Rear Axle, EmGard 75W- 90, Synthetic Oil	\$100.00	\$88.00
	X6B	6.17 Axle Ratio	N/C	N/C
	X6D	6.50 Axle Ratio	N/C	N/C
	X7A	7.17 Axle Ratio	N/C	N/C
Wheelbase				
$\checkmark$	158WB	158" Wheelbase/84" CA/49" AF/246" OAL	STD	STD
	176WB	176" Wheelbase/102" CA/70" AF/285" OAL	\$125.00	\$111.00



Price Level: 415

Available Selected	Options (co	Nt'd) Description	MSRP	Invoice
	182WB	182" Wheelbase/108" CA/70" AF/291" OAL	\$210.00	\$185.00
	194WB	194" Wheelbase/120" CA/75" AF/308" OAL	\$325.00	\$287.00
	200WB	200" Wheelbase/126" CA/75" AF/314" OAL	\$490.00	\$433.00
	212WB	212" Wheelbase/138" CA/81" AF/332" OAL	\$515.00	\$454.00
	218WB	218" Wheelbase/144" CA/81" AF/338" OAL	\$550.00	\$485.00
	224WB	224" Wheelbase/150" CA/87" AF/350" OAL	\$570.00	\$503.00
	230WB	230" Wheelbase/156" CA/87" AF/356" OAL	\$585.00	\$517.00
	242WB	242" Wheelbase/168" CA/100" AF/381" OAL	\$805.00	\$710.00
	260WB	260" Wheelbase/186" CA/120" AF/419" OAL	\$965.00	\$851.00
	281WB	281" Wheelbase/207" CA/120" AF/440" OAL	\$1,150.00	\$1,015.00
Frame				
$\checkmark$	535 1,211,200 RBM. Н	Single Channel - Straight 'C' 15.14 SM, 80,000 PSI ligh strength low alloy steel. 10.250" x 3.092" x 0.375" (2	STD 260.4mm x 78.5mm x 9.5mm	).



Price Level: 415

Available Selected	Options (co	nt'd) Description	MSRP	Invoice
	Includes: - GVWR Limit: 37,	•		
	- GVVIR LIIIII. 37,	,000 lbs.		
	536	Single Channel - Straight 'C' 14.18 SM, 120,000 PSI	\$365.00	\$322.00
	1,701,600 RBM. H	leat treated alloy steel; 10.125" x 3.580" x 0.312" (257.2r	mm x 90.9mm x 8.0mm).	
	538	Single Channel - Straight 'C' 16.98 SM, 120,000 PSI	\$650.00	\$574.00
	2,037,600 RBM. H	Heat treated alloy steel; 10.250" x 3.610" x 0.375" (260.4r	mm x 91.66mm x 9.5mm).	
	539	Single Channel - Straight 'C' 20.11 SM, 120,000 PSI	\$1,075.00	\$949.00
	2,413,200 RBM. H	deat treated alloy steel; 10.375" x 3.705" x 0.438" (263.5r	mm x 94.1mm x 11.1mm).	
	19C	Frame Rail Drilling - Factory Pre-Drilled Holes in Frame Rails	\$150.00	\$132.00
	Supports special t	fuel tanks for a Roush CNG/LPG Gaseous Prep conversi y for the mount.	on. Saves time, cost , transp	ortation while
	92C	CNG/LNG Gauge Cluster	\$45.00	\$39.00
		ing settings from gauge cluster, due to new fuel tanks be	ing used. (Specifically Distan	ce to Empty for
	92G	CNG/LNG Gauge Cluster (92G)	\$45.00	\$40.00
	Fuel, and Average Includes: - Enhanced Cluste	er w/High-Level 8-Inch Display	ing used. (Specifically Distan	ice to Empty for
	Display at center	r of cluster.		
	41R	Outer "C" Channel Reinforcement - 120,000 PSI	\$1,160.00	\$1,024.00
	29.84 SM; 3,580,8	300 RBM. Heat treated alloy steel; 10.813" x 3.892" x 0.3	12"; (274.6 mm x 98.9 mm x	8.0 mm).
	532	Frame Extension, Front - Integral 20" In Front of Grille	\$490.00	\$433.00
	Includes: - Grille, Fixed - Bla - Bumper, Front -	<u> </u>		



Price Level: 415

Available Selected	Options (co	ont'd) Description	MSRP	Invoice
	765	Bumper, Front - Full Width, Chrome Plated Steel - (Included in (90E) Exterior Appearance Group)	\$490.00	\$433.00
	<b>767</b> Dark shadow gra	Bumper, Front - Swept Back, Painted Steel y color.	\$345.00	\$305.00
	76X	Bumper, Front - Delete - Also Deletes Mounting Brackets	-\$135.00	-\$119.00
	76F	3" Front Bumper Extension	\$175.00	\$155.00
	76Y	Tow Hooks - Delete	-\$70.00	-\$61.00
	18D Only available	Special Rating GVWR - Limited to 25,999 lb. GVWR to GAWR combinations that EXCEED 26,000 I	\$120.00 bs.	\$106.00
	86C	Chrome Grille Surround - (Included in (90E) Exterior Appearance Group)	\$245.00	\$216.00
	86B	Grille, Fixed - Black/Gray	\$125.00	\$111.00
Exhaust				
$\checkmark$	91H	Single, Horizontal Muffler - Frame Mounted Right Side Back of Cab w/Catalytic Converter	STD	STD
	Downward facing			

# **Fuel Tanks**



Price Level: 415

Available Op Selected	otions (cont'c Code	) Description	MSRP	Invoice
	65A	Fuel Tank - LH 50 Gallon - Steel	STD	STD
	65D	Fuel Tank - LH 60 Gallon - Steel	\$250.00	\$221.00
Electrical / Altern	nator / Battery			
$\checkmark$	STDALT Extra heavy duty 12 Volt.	Extra Heavy Duty Alternator - 12-Volt, 210 Amp Mitsubishi	STD	STD
	17B	Dual Heavy Duty Alternators - 397 Amp Capacity - 240 & 157 amp	\$880.00	\$777.00
	<b>17E</b> Extra heavy duty 12 Volt.	240 Amp Alternator	\$410.00	\$362.00
	55M	Jump Start Stud - Remote Mounted	\$90.00	\$80.00
	STDBAT 12 Volt, Motorcraft.	Battery - One 900 CCA, Includes Steel Battery Box	STD	STD
	63B 12Volt, Motorcraft.	Battery - Two 900 CCA, 1800 Total, Includes Steel Battery Box	\$60.00	\$53.00
	164	Roof Marker/Clearance Lights - Clear Lenses, 5 Lights (Replaces Standard Amber Lenses)	\$30.00	\$27.00



Price Level: 415

Available Selected	Options (cc Code	ont'd) Description	MSRP	Invoice
	16X For Airport or App	Roof Marker/Clearance Lights - Delete Dications that receive modified roof coverings.	N/C	N/C
	55X Deletes stop, turn	Tail Light Delete         n, tail and backup lights. Does not omit cable to end of fram	N/C e.	N/C
	59C	Body Builder Wiring - At End of Frame, Combined - (ILO Standard - Back of Cab Combined)	\$135.00	\$119.00
	Includes sealed c Also includes 2 ad	connectors for 2 ground circuits, with combined left/stop, co dditional pass through wires to cab.	mbined right/stop, stop lam	os, back up lamps.
	59D	Body Builder Wiring - At Back of Cab, Separate - (ILO Standard - Back of Cab Combined) connectors for 2 ground circuits, with separate left/stop, sep	\$70.00	\$61.00
	Also includes 2 ad	dditional pass through wires to cab.	arate nghi/stop, stop lamps	, back up lamps.
	59E	Body Builder Wiring - At End of Frame, Separate - (ILO Standard - Back of Cab Combined)	\$135.00	\$119.00
	Includes sealed c Also includes 2 ad	connectors for 2 ground circuits, with separate left/stop, sep dditional pass through wires to cab.	arate right/stop, stop lamps	, back up lamps.
	17M	Back-Up Alarm - Electric, 102 dBA	\$110.00	\$97.00
	962	Daytime Running Lamps (Not Configurable)	\$25.00	\$23.00
	16V Available in mess	Voltmeter sage center.	\$100.00	\$88.00
	86M	Upfitter Interface Module	\$320.00	\$282.00



Price Level: 415

Selected	Options (cc Code	Description	MSRP	Invoice
Seats				
$\checkmark$	88A	30/0/30 Fixed Driver & Fixed Passenger w/Consolette - Vinyl	STD	STD
	88B	30/0/30 Fixed Driver & Fixed Passenger w/Consolette - Cloth	\$125.00	\$111.00
	881	30/70 Fixed Driver & Fixed 2- Passenger Bench - Vinyl	\$350.00	\$309.00
	882	30/70 Fixed Driver & Fixed 2- Passenger Bench - Cloth	\$475.00	\$420.00
	88C	30/0/0 Fixed Driver only - Vinyl	-\$120.00	-\$106.00
	88D	30/0/0 Fixed Driver only - Cloth	N/C	N/C
	88R	30/0/30 Air Ride Driver (Integral Air Pump) & Fixed Passenger w/Consolette - Vinyl	\$440.00	\$389.00
	88S	30/0/30 Air Ride Driver (Integral Air Pump) & Fixed Passenger w/Consolette - Cloth	\$565.00	\$498.00
	88J	30/0/30 Air Ride Driver (Integral Air Pump) & Air Ride Passenger (Integral Air Pump) w/Consolette - Vinyl	\$855.00	\$754.00
	88K	30/0/30 Air Ride Driver (Integral Air Pump) & Air Ride Passenger (Integral Air Pump) w/Consolette - Cloth	\$980.00	\$865.00



Price Level: 415

Available Selected	Options (co	nt'd) Description	MSRP	Invoice
	VVUG			
	88L	30/70 Air Ride Driver (Integral Air Pump) & Fixed 2-Passenger Bench - Vinyl	\$440.00	\$389.00
	88M	30/70 Air Ride Driver (Integral Air Pump) & Fixed 2-Passenger Bench - Cloth	\$565.00	\$498.00
	88W	30/0/0 Air Ride Driver Only (Integral Air Pump) - Vinyl	\$315.00	\$278.00
	88X	30/0/0 Air Ride Driver Only (Integral Air Pump) - Cloth	\$440.00	\$389.00
	88Y	40/20/40 Fixed Driver & Fixed Passenger w/Unique 20% Fold- Down Console - Vinyl	\$420.00	\$370.00
	88Z	40/20/40 Fixed Driver & Fixed Passenger w/Unique 20% Fold- Down Console - Cloth	\$545.00	\$481.00
Cab Interior				
$\checkmark$	600A	Preferred Equipment Package 600A	N/C	N/C
	- Wheel Seals, Re - Extra Heavy Dut Extra heavy duty - Painted Grille - F - Lights - Roof Ma - Tow Hooks, Fror - Floor Covering - - Intelligent Oil Life - Steering Column - Steering Wheel -	ont - Oil lubricated, SKF ScotSeal PlusXL Seals ear - Oil lubricated, SKF ScotSeal PlusXL Seals y Alternator - 12-Volt, 210 Amp Mitsubishi 12 Volt. Plastic rker/Clearance - Amber Lenses, 5 Lights nt (2) - Frame-Mounted, Painted Black Black Vinyl	Audio Controls	



Price Level: 415

elected	Code	Description	MSRP	Invoice
		connectors for 2 ground circuits, with combined left/stop, lso includes 2 additional pass through wires to cab.	combined right/stop, stop la	mps, park lamps,
	87H	Driver Assist Technology Package. Hydraulic Brake	\$1,410.00	\$1,244.00
	Control. Includes: - Enhanced Clust Electronic speed lights. Also includ	er w/High-Level 8-Inch Display lometer (MPH/KPH) includes oil pressure, coolant tempe ed is enhanced 3-button Message Center with odometer loomy, hour meter, and warning messages. Transmission	rature, fuel gauge, tachomet trip odometer, distance to e	er and indicator mpty for fuel,
	61M Rear view mirror v	Rear View Camera w/Mirror Display video with full length display included in kit. To be installe	\$510.00 d by Upfitter.	\$450.00
	Includes: - Chrome Trimme - Power Equipmer	Appearance Group unted overhead console with dual sunglass bins and inte d Air Registers w/Positive Shut-Off nt Group - (Included in (90A) Appearance Group) front side windows, power door locks and door trim panel		\$649.00
	17W	Wi-Fi 4G LTE Hotspot Delete	-\$20.00	-\$17.00
	92K	Enhanced Cluster w/High-Level 8-Inch Display ometer (MPH/KPH) includes oil pressure, coolant tempera	\$235.00	\$208.00
	Also included is e	nhanced 3-button Message Center with odometer, trip o eter, and warning messages. Transmission temperature	dometer, distance to empty for	or fuel, average fuel
	90P	Power Equipment Group - (Included in (90A) Appearance Group) ont side windows, power door locks and door trim panel.	\$470.00	\$414.00
	57N	Air Conditioning Delete	-\$100.00	-\$88.00
	59F	Four Body Builder Switches - Mounted in Center Instrument Panel	\$125.00	\$111.00



Price Level: 415

Available O	ptions (col	nt'd) Description	MSRP	Invoice
		cess located in engine compartment. Amperages vary by s		
	96C	Pull Out Cup Holder For Two Cups - Instrument Panel Mounted	\$30.00	\$27.00
	55P	110 A/C Outlet - in Lower Center Finish Panel	\$100.00	\$88.00
	214	4 Speaker Option for 588 Radio	\$30.00	\$27.00
	58P Deletes radio and o cover and dash-mo	Radio Prep Package dash-mounted aux input jack. Includes radio/speaker wirir bunted aux audio input jack instrument panel cover.	N/C ng, 2 speakers, antenna, rad	N/C dio instrument panel
		Radio Delete Package akers, antenna and antenna cable. Includes radio instrumo or future radio upfit if owner desires.	-\$60.00 ent panel cover and aux au	-\$53.00 dio jack cover and
	588	Radio: AM/FM Stereo w/2 Speakers, USB input, Clock Display and Bluetooth	STD	STD
	85B	Keyed Alike - Not Available with Anti-Theft System, Requires Multiple-Unit Order	\$45.00	\$40.00
	85L	Keyed Alike - Option 1 - Not Available with Anti-Theft System, Requires Multiple-Unit Order	\$45.00	\$40.00
	85M	Keyed Alike - Option 2 - Not Available with Anti-Theft System, Requires Multiple-Unit Order	\$45.00	\$40.00



Price Level: 415

	Options (cc	-	MCDD	Inveloe
Selected	Code	Description	MSRP	Invoice
	85N	Keyed Alike - Option 3 - Not Available with Anti-Theft System, Requires Multiple-Unit Order	\$45.00	\$40.00
	85P	Keyed Alike - Option 4 - Not Available with Anti-Theft System, Requires Multiple-Unit Order	\$45.00	\$40.00
	85A	SecuriLock Passive Anti-Theft System	\$120.00	\$106.00
	The SecuriLock F programmed to th electronically cod aftermarket remo	Passive Anti-Theft System is designed to help prevent the ne vehicle, is used. It helps protect against drive-away the led ignition key features billions of possible codes to start t	engine from being started ur t through an electronically co he vehicle and is not compa	nless a coded key, oded ignition key, its tible with non-OEM
	90M	Interior Rear View Mirror	\$75.00	\$67.00
Cab Exterior				
	90E Includes:	Exterior Appearance Group	\$730.00	\$645.00
	- Bumper, Front - - Chromed Fende	Full Width, Chrome Plated Steel - (Included in (90E) Exte er Badge furround - (Included in (90E) Exterior Appearance Group)	rior Appearance Group)	
	85K	Remote Keyless Entry w/2 Key Fobs	\$195.00	\$172.00
	94T	Tamper-Proof Odometer	\$30.00	\$27.00
$\checkmark$	54H	Mirrors, Dual - Rectangular, XL2020 - 96" Width	STD	STD
	Integral spot mirro	or, sail type, manual fold, solid black finish.		
	54M	Mirrors, Dual - Heated Rectangular, XL2020 - 96" Width	\$85.00	\$75.00



Price Level: 415

	Options (co			
Selected	Code	Description	MSRP	Invoice
	Integral spot mirr	or, sail type, manual fold, solid black finish.		
	54P	Mirrors, Dual - Heated & Motorized Rectangular, XL2020 - 96" Width	\$245.00	\$216.00
	Integral spot mirr	or, sail type, solid black finish.		
	54B	Mirrors, Dual - Rectangular, XL2020 - 96" Width w/Chrome Cap	\$60.00	\$53.00
	Integral spot mirr	or, sail type, manual fold.		
	54N	Mirrors, Dual - Heated Rectangular, XL2020 - 96" Width w/Chrome Cap	\$120.00	\$106.00
	Integral spot mirr	or, sail type, manual fold.		
	54A	Mirrors, Dual - Heated & Motorized Rectangular, XL2020 - 96" Width w/Chrome Cap	\$305.00	\$269.00
	Integral spot mirr	or, sail type.		
	54J	Mirrors, Dual - Rectangular, XL2020 - 102" Width	\$30.00	\$27.00
	Integral spot mirr	or, sail type, manual fold, solid black finish.		
	54C	Mirrors, Dual - Heated Rectangular, XL2020 - 102" Width	\$90.00	\$80.00
	Integral spot mirr	or, sail type, manual fold, solid black finish.		
	54R	Mirrors, Dual - Heated & Motorized Rectangular, XL2020 - 102" Width	\$275.00	\$243.00
	Integral spot mirr	or, sail type, solid black finish.		
	54D	Mirrors, Dual - Rectangular, XL2020 - 102" Width w/Chrome Cap	\$90.00	\$80.00



Price Level: 415

Available Selected	Options (co	Ont'd) Description	MSRP	Invoice
Ocicoleu		ror, sail type, manual fold.		
	54E	Mirrors, Dual - Heated Rectangular, XL2020 - 102" Width w/Chrome Cap	\$150.00	\$132.00
	Integral spot mirr	ror, sail type, manual fold.		
	54K	Mirrors, Dual - Heated & Motorized Rectangular, XL2020 - 102" Width w/Chrome Cap	\$335.00	\$296.00
	Integral spot mirr	ror, sail type.		
	54F	Mirrors, Trailer Tow, Powered - Sail Mount - w/Power Telescoping & Power Folding	\$365.00	\$322.00
	Includes power h mounted.	neated glass, heated convex spotter and integrated clearand	ce lights/turn signals. Heat o	controls dash
	63F	Aux Spot Mirrors - Front Fender Mounted - (2) Driver Side and Passenger Side	\$225.00	\$199.00
	63G	Aux Spot Mirror - Front Fender Mounted - (1) Passenger Side Only	\$120.00	\$106.00
	165	Mud Flap Holder Without Flaps	\$95.00	\$84.00
	166	Mud Flap Holder With Flaps	\$155.00	\$137.00
Ship-Thru				
	21A	Pre-Delivery Inspection	N/C	N/C
	Selection requiрerformed. Re	ires that you also choose either (314) or (31F) o quired with any final Ship-To that is not a deale	or (31V) to have the Ir r.	spection
	314	Ship-Thru - Manning	\$0.00	\$10.00



Price Level: 415

Available Selected	Options (co	Ont'd) Description	MSRP	Invoice
	MAY be select arrangements	ted w/o adding (21A). For MODIFICATIONS ON directly with Manning (please use CVT Resource	NLY, Dealer must mak ces for add. Info).	ke
	31F	Ship-Thru - NFS National Fleet Services	N/C	N/C
	MAY be select arrangements	ted w/o adding (21A). For MODIFICATIONS ON directly with NFS (please use CVT Resources t	NLY, Dealer must mak for add. Info).	Ke
Miscellaneou	S			
$\checkmark$	PAINT	Paint Type - Environmentally Friendly, "3 - Wet System"	STD	STD
	79V	COV Required	N/C	N/C
	Send a paper or MI.	Certificate of Origin for a Vehicle (COV) for thos	se states that file elec	tronically - CA
$\checkmark$	L23	Raw Material Surcharge	\$0.00	\$600.00
Fleet Options	;			
	combined right/s	Beverage Delivery Package ilder wiring at back of cab at frame, sealed connectors for 2 top, stop lamps, park lamps, back up lamps, also includes 2 ngth to accommodate drop frame beverage body applicatio	2 additional pass through w	\$53.00 bined left/stop, ires to cab with 6
	B4A	Net Invoice Fleet Option	\$0.00	\$7.00
	56A	CPA Fleet Incentive	N/C	N/C
	56B	Commercial Repurchase	N/C	N/C
	56F	FRCS Long Term	N/C	N/C
	56K	Long Term Fleet Incentive	\$0.00	-\$2,500.00
			• • • • • • • • • • • • • • • • • • • •	



Price Level: 415

Available C	ptions (co	ont'd)		
Selected	Code	Description	MSRP	Invoice
	56M	National Fleet Incentive	\$0.00	-\$2,500.00
	56Y	DDR Program	N/C	N/C
	55D	Driver Assistance - FLEET SETTINGS	\$35.00	\$31.00
	Requires Valio	d Code.		
	assist - alert sen	re locked and cannot be changed by driver or fleet administr sitivity set to NORMAL, distance indication is set to ON, acti ing set to ON, sensitivity set to NORMAL, auto lamp delay s t to ON.	ve braking set to ON, pre c	ollision warning set
	87S	Fleet Safety Kit	N/A	N/A
	Late availabilit	y.		
	Includes 5 lb fire not installed at p	extinguisher class A, B and C with mounting brackets, trian lant).	gle reflector and vehicle fu	se kit (shipped loose
VSO Options				
	SP101	VSO - Monotone Special Paint (Minimum Quantity 3)	N/A	N/A
	SPF	VSO - Special Paint Formulation (Minimum Quantity 3)	N/A	N/A

Prepared by: Admir Sarac

11/01/2022

# 2024 F-750 Gas Regular Cab Base (F7A)

Price Level: 415

# Major Equipment

(Based on selected options, shown at right) 6-speed automatic

- \* Side assist steps
- \* White rear wheels
- Disc rear wheel
- \* Front tires LT load rating: G
- \* Overdrive transmission
- \* Transmission electronic control
- \* Non stainless steel single exhaust
- \* Battery rating: 900CCA
- \* Battery run down protection
- \* Steering wheel mounted audio controls
- \* AM/FM stereo radio
- \* Auxiliary input jack
- \* Vehicle body length: 246"
- \* Cab to axle: 84"
- \* Axle capacity rear: 21,000 lbs.
- \* Axle capacity front: 10,000 lbs.
- \* Standard ride suspension
- \* Trip computer
- \* DRL preference setting
- \* Light tinted windows

	STANDARD VEHICLE PRICE \$6 Preferred Equipment Package 600A
* White front wheels	7.3L 2V DEVCT NA PFI V8 Gas - 335 HP @ 3750 rp
* Steel rear wheels	50-State Emissions
* 22.5 x 8.25-inch front and dual rear wheels	Ford TorgShift HD 6-Speed Automatic - Double Ove
<ul> <li>English measure truck 279/82R22.5 AS BSV front and rear tires</li> </ul>	· · ·
* Lock-up transmission	Wheels, Front 22.5x8.25 White Powder Coated Stee Hole
* Alternator Amps: 210A	Tires, Front Two 11R22.5G Goodyear Fuel Max RSA
<ul> <li>Low-speed ABS traction control</li> </ul>	rev/mile)
* Lead acid battery	Wheels, Rear 22.5x8.25 White Powder Coated Stee
<ul> <li>Injection Type: sequential MPI</li> </ul>	Hole
* Wireless audio streaming	Tires, Rear Four 11R22.5G Goodyear Fuel Max RS/
* Seek scan	rev/mile)
* External memory control	Hydraulic Brake System - Bosch HydroMax w/Traction
* Wheelbase: 158"	Control
* Axle to end of frame: 49"	10,000 lb. Cap. Non-Driving - Dana E-1002l - I-Bean
* Tire/wheel capacity rear: 23,360 lbs.	Туре
* Spring rating front: 10,000 lbs.	Taper-Leaf Springs, Parabolic - 10,000 lb. Cap
* Dual electric horn	21,000 lb. Single Reduction - Open - Dana / Spicer
* Manual folding door mirrors	21060S

- \* Daytime running lights
- \* Variable intermittent front windshield wipers

As Configured Vehicle MSRP
STANDARD VEHICLE PRICE \$69,455.00
Preferred Equipment Package 600A N/C
7.3L 2V DEVCT NA PFI V8 Gas - 335 HP @ 3750 rpm STD
50-State Emissions N/C
Ford TorqShift HD 6-Speed Automatic - Double Overdrive, LESS PTO Provision and Tow/Haul STD
Wheels, Front 22.5x8.25 White Powder Coated Steel, 10- Hole STD
Tires, Front Two 11R22.5G Goodyear Fuel Max RSA (497 rev/mile) STD
Wheels, Rear 22.5x8.25 White Powder Coated Steel, 10- Hole STD
Tires, Rear Four 11R22.5G Goodyear Fuel Max RSA (497 rev/mile) STD
Hydraulic Brake System - Bosch HydroMax w/Traction Control STD
10,000 lb. Cap. Non-Driving - Dana E-1002l - I-Beam Type STD
Taper-Leaf Springs, Parabolic - 10,000 lb. Cap STD

Multi-Leaf Springs - 21,000 lb. Cap

158" Wheelbase/84" CA/49" AF/246" OAL

Prices and content availability as shown are subject to change and should be treated as estimates only. Actual base vehicle, package and option pricing may vary from this estimate because of special local pricing, availability or pricing adjustments not reflected in the dealer's computer system. See salesperson for the most current information.



Randall Reed's Planet Ford 635 | 3601 S. Shiloh Rd. Garland Texas | 750414015

STD

STD

STD

Prepared by: Admir Sarac

11/01/2022

# 2024 F-750 Gas Regular Cab Base (F7A)

Price Level: 415

# Major Equipment

- \* Speed sensitive wipers
- \* Manual climate control
- \* Folding driver seat back
- \* 4 driver seats way-direction
- \* Bucket passenger seat
- \* Low passenger seat back
- \* Manual fore/aft
- \* Front passenger seat armrest
- \* Carpet front seatback upholstery
- \* 4-wheel antilock (ABS) brakes

# Fuel Economy





Hwy N/A

\* Electronic stability control system

\* Bucket driver seat

\* Manual fore/aft

\* Low driver seat back

\* Driver seat armrest

\* Hydraulic disc brakes

\* Hill start assist

\* Fixed passenger seat back

\* Vinyl front seat upholstery

\* 4 passenger seats way-direction

As Configured Vehicle MSRP
Single Channel - Straight 'C' 15.14 SM, 80,000 PSI
Single, Horizontal Muffler - Frame Mounted Right Side Back of Cab w/Catalytic Converter STD
Fuel Tank - LH 50 Gallon - Steel STD
14 Gal. Single Tank Fuel Fill. Mandatory Charge Applied, Based On Tank Selection \$0.00
Extra Heavy Duty Alternator - 12-Volt, 210 Amp Mitsubishi Included
Battery - One 900 CCA, Includes Steel Battery Box
30/0/30 Fixed Driver & Fixed Passenger w/Consolette - Vinyl STD
Radio: AM/FM Stereo w/2 Speakers, USB input, Clock Display and Bluetooth STD
Mirrors, Dual - Rectangular, XL2020 - 96" Width STD
Paint Type - Environmentally Friendly, "3 - Wet System". STD
Raw Material Surcharge \$0.00
Bumper, Front - Black, Full Width Included
Wheel Seals, Front - Oil lubricated, SKF ScotSeal PlusXL Seals Included
Wheel Seals, Rear - Oil lubricated, SKF ScotSeal PlusXL Seals Included
Painted Grille - Plastic Included

Prices and content availability as shown are subject to change and should be treated as estimates only. Actual base vehicle, package and option pricing may vary from this estimate because of special local pricing, availability or pricing adjustments not reflected in the dealer's computer system. See salesperson for the most current information.



Randall Reed's Planet Ford 635 | 3601 S. Shiloh Rd. Garland Texas | 750414015

Prepared by: Admir Sarac

11/01/2022

# 2024 F-750 Gas Regular Cab Base (F7A)

Price Level: 415



Randall Reed's Planet Ford 635 | 3601 S. Shiloh Rd. Garland Texas | 750414015

As Configured Vehicle	MSRP
Lights - Roof Marker/Clearance - Amber Lenses, 5 Lights	Included
Tow Hooks, Front (2) - Frame-Mounted, Painted Black	Included
Floor Covering - Black Vinyl	Included
Intelligent Oil Life Monitor	Included
Steering Column - Tilt / Telescoping	Included
Steering Wheel - Black PVC w/Integral Cruise Contr Switches, includes Audio Controls	
Body Builder Wiring - At Back of Cab, Combined	Included
GVWR Limit: 37,000 lbs.	Included
SUBTOTAL \$6	39,455.00
Destination Charge	\$2,095.00
TOTAL \$7	71,550.00