

Doug Adams | 972-952-1561 | dadams@reliablechevrolet.com

# SAT 22-03-1008R

Prepared For: ITEM 163 BUILD

[Fleet] 2023 Chevrolet Silverado 2500HD (CC20903) 2WD Reg Cab 142" Work Truck





## **Table of Contents**

- Dealership Information
- Price Summary
- · Weight Rating
- Technical Specifications
- · Selected Model and Options
- Standard Equipment

This document contains information considered Confidential between GM and its Clients uniquely. The information provided is not intended for public disclosure. Prices, specifications, and availability are subject to change without notice, and do not include certain fees, taxes and charges that may be required by law or vary by manufacturer or region. Performance figures are guidelines only, and actual performance may vary. Photos may not represent actual vehicles or exact configurations. Content based on report preparer's input is subject to the accuracy of the input provided.



## **Reliable Chevrolet**

Prepared By:

Doug Adams Reliable Chevrolet 972-952-1561 dadams@reliablechevrolet.com

This document contains information considered Confidential between GM and its Clients uniquely. The information provided is not intended for public disclosure. Prices, specifications, and availability are subject to change without notice, and do not include certain fees, taxes and charges that may be required by law or vary by manufacturer or region. Performance figures are guidelines only, and actual performance may vary. Photos may not represent actual vehicles or exact configurations. Content based on report preparer's input is subject to the accuracy of the input provided.



## **Price Summary**

	MSRP
Base Price	\$40,500.00
Total Options	\$0.00
Vehicle Subtotal	\$40,500.00
Destination Charge	\$1,795.00
Grand Total	\$42,295.00

This document contains information considered Confidential between GM and its Clients uniquely. The information provided is not intended for public disclosure. Prices, specifications, and availability are subject to change without notice, and do not include certain fees, taxes and charges that may be required by law or vary by manufacturer or region. Performance figures are guidelines only, and actual performance may vary. Photos may not represent actual vehicles or exact configurations. Content based on report preparer's input is subject to the accuracy of the input provided.



## Weight Ratings WEIGHT RATINGS

Front Gross Axle Weight Rating:	N/A
Rear Gross Axle Weight Rating:	N/A
Gross Vehicle Weight Rating:	9900.00 lbs

This document contains information considered Confidential between GM and its Clients uniquely. The information provided is not intended for public disclosure. Prices, specifications, and availability are subject to change without notice, and do not include certain fees, taxes and charges that may be required by law or vary by manufacturer or region. Performance figures are guidelines only, and actual performance may vary. Photos may not represent actual vehicles or exact configurations. Content based on report preparer's input is subject to the accuracy of the input provided.



## **Technical Specifications**

#### Powertrain

#### Transmission

Drivetrain	Rear Wheel Drive	Trans Order Code	MYD
Trans Type	6	Trans Description Cont.	Automatic
Trans Description Cont. Again	N/A	First Gear Ratio (:1)	4.03
Second Gear Ratio (:1)	2.36	Third Gear Ratio (:1)	1.53
Fourth Gear Ratio (:1)	1.15	Fifth Gear Ratio (:1)	0.85
Sixth Gear Ratio (:1)	0.67	Reverse Ratio (:1)	3.06
Clutch Size	N/A	Trans Power Take Off	N/A
Final Drive Axle Ratio (:1)	N/A	Transfer Case Model	N/A
Transfer Case Gear Ratio (:1), High	N/A	Transfer Case Gear Ratio (:1), Low	N/A
Transfer Case Power Take Off	N/A		
liloono			
lileage EPA Fuel Economy Est - Hwy	N/A	Cruising Range - City	N/A
EPA Fuel Economy Est - City	N/A	Fuel Economy Est-Combined	N/A
Cruising Range - Hwy	N/A	Estimated Battery Range	N/A
ingine			
Engine Order Code	L8T	Engine Type	Gas V8
Displacement	6.6L/400	Fuel System	Direct Injection
SAE Net Horsepower @ RPM	401 @ 5200	SAE Net Torque @ RPM	464 @ 4000
Engine Oil Cooler	Yes		
lectrical			
Cold Cranking Amps @ 0° F (Primary)	720	Cold Cranking Amps @ 0° F (2nd)	N/A
Cold Cranking Amps @ 0° F (3rd)	N/A	Maximum Alternator Capacity (amps)	170
cooling System			

This document contains information considered Confidential between GM and its Clients uniquely. The information provided is not intended for public disclosure. Prices, specifications, and availability are subject to change without notice, and do not include certain fees, taxes and charges that may be required by law or vary by manufacturer or region. Performance figures are guidelines only, and actual performance may vary. Photos may not represent actual vehicles or exact configurations. Content based on report preparer's input is subject to the accuracy of the input provided.



EPA Greenhouse Gas Score

N/A

### [Fleet] 2023 Chevrolet Silverado 2500HD (CC20903) 2WD Reg Cab 142" Work Truck ( Complete )

#### Vehicle

#### Emissions

Tons/yr of CO2 Emissions @ 15K mi/year N/A

#### Chassis

leight Information			
Standard Weight - Front	0.00 lbs	Standard Weight - Rear	0.00 lbs
Base Curb Weight	N/A	Gross Axle Wt Rating - Front	N/A
Gross Axle Wt Rating - Rear	N/A	Curb Weight - Front	3369 lbs
Curb Weight - Rear	2545 lbs	Option Weight - Front	0.00 lbs
Option Weight - Rear	0.00 lbs	Reserve Axle Capacity - Front	N/A
Reserve Axle Capacity - Rear	N/A	As Spec'd Curb Weight	5914.00 lb
As Spec'd Payload	3986.00 lbs	Maximum Payload Capacity	3986.00 lb
Gross Combined Wt Rating	24000 lbs	Gross Axle Weight Rating	N/A
Curb Weight	5914.00 lbs	Reserve Axle Capacity	N/A
Total Option Weight	0.00 lbs	Payload Weight Front	0 lbs
Payload Weight Rear	0 lbs	Gross Vehicle Weight Rating	9900.00 lb
railering			
Dead Weight Hitch - Max Trailer Wt.	5000 lbs	Dead Weight Hitch - Max Tongue Wt.	500 lbs
Wt Distributing Hitch - Max Trailer Wt.	14500 lbs	Wt Distributing Hitch - Max Tongue Wt.	1450 lbs
Fifth Wheel Hitch - Max Trailer Wt.	17370 lbs	Fifth Wheel Hitch - Max Tongue Wt.	4342 lbs
Maximum Trailering Capacity	14500 lbs		
rame			
Frame Type	Hydroformed	Sect Modulus Rails Only	N/A
Frame RBM	N/A	Frame Strength	N/A

#### Suspension

Frame Thickness

•			
Suspension Type - Front	Short/Long Arm	Suspension Type - Rear	Multi-Leaf Springs
Spring Capacity - Front	N/A	Spring Capacity - Rear	N/A

N/A

This document contains information considered Confidential between GM and its Clients uniquely. The information provided is not intended for public disclosure. Prices, specifications, and availability are subject to change without notice, and do not include certain fees, taxes and charges that may be required by law or vary by manufacturer or region. Performance figures are guidelines only, and actual performance may vary. Photos may not represent actual vehicles or exact configurations. Content based on report preparer's input is subject to the accuracy of the input provided.



Chassis			
Suspension			
Axle Type - Front	N/A	Axle Type - Rear	N/A
Axle Capacity - Front	N/A	Axle Capacity - Rear	N/A
Axle Ratio (:1) - Front	N/A	Axle Ratio (:1) - Rear	3.73
Shock Absorber Diameter - Front	51.0 mm	Shock Absorber Diameter - Rear	51.0 mm
Stabilizer Bar Diameter - Front	1.38 in	Stabilizer Bar Diameter - Rear	N/A
Tires			
Front Tire Order Code	QHQ	Rear Tire Order Code	QHQ
Spare Tire Order Code	ZHQ	Front Tire Size	LT245/75R17E
Rear Tire Size	LT245/75R17E	Spare Tire Size	LT245/75R17E
Front Tire Capacity	N/A	Rear Tire Capacity	N/A
Spare Tire Capacity	N/A	Revolutions/Mile @ 45 mph - Front	N/A
Revolutions/Mile @ 45 mph - Rear	N/A	Revolutions/Mile @ 45 mph - Spare	N/A
Wheels			
Front Wheel Size	17 x -TBD- in	Rear Wheel Size	17 x -TBD- in
Spare Wheel Size	17 x -TBD- in	Front Wheel Material	Steel
Rear Wheel Material	Steel	Spare Wheel Material	Steel
Steering			
Steering Type	Pwr	Steering Ratio (:1), Overall	N/A
Steering Ratio (:1), On Center	N/A	Steering Ratio (:1), At Lock	N/A
Turning Diameter - Curb to Curb	46.9 ft	Turning Diameter - Wall to Wall	N/A
Brakes			
Brake Type	Pwr	Brake ABS System	4-Wheel
Brake ABS System (Second Line)	N/A	Disc - Front (Yes or )	Yes
Disc - Rear (Yes or )	Yes	Front Brake Rotor Diam x Thickness	14.0 x 1.6 in
Rear Brake Rotor Diam x Thickness	14.1 x 1.3 in	Drum - Rear (Yes or )	N/A
Rear Drum Diam x Width	N/A		

This document contains information considered Confidential between GM and its Clients uniquely. The information provided is not intended for public disclosure. Prices, specifications, and availability are subject to change without notice, and do not include certain fees, taxes and charges that may be required by law or vary by manufacturer or region. Performance figures are guidelines only, and actual performance may vary. Photos may not represent actual vehicles or exact configurations. Content based on report preparer's input is subject to the accuracy of the input provided.



hassis			
Fuel Tank			
Fuel Tank Capacity, Approx	36 gal	Aux Fuel Tank Capacity, Approx	N/A
Fuel Tank Location	N/A	Aux Fuel Tank Location	N/A
imensions			
Interior Dimensions			
Passenger Capacity	3	Front Head Room	43.11 in
Front Leg Room	44.53 in	Front Shoulder Room	66.06 in
Front Hip Room	60.9 in	Second Head Room	N/A
Second Leg Room	N/A	Second Shoulder Room	N/A
Second Hip Room	N/A		
Exterior Dimensions Wheelbase	141.55 in	Length, Overall w/o rear bumper	N/A
Length, Overall w/rear bumper	N/A	Length, Overall	235.5 in
Width, Max w/o mirrors	81.75 in	Height, Overall	79.94 in
Overhang, Front	N/A	Overhang, Rear w/o bumper	N/A
Front Bumper to Back of Cab	N/A	Cab to Axle	55.2 in
Cab to End of Frame	N/A	Ground to Top of Load Floor	N/A
Ground to Top of Frame	N/A	Frame Width, Rear	N/A
Ground Clearance, Front	10.19 in	Ground Clearance, Rear	10.19 in
Body Length	0.00 ft	Cab to Body	N/A
Cargo Area Dimensions			
Cargo Box Length @ Floor	98.27 in	Cargo Box Width @ Top, Rear	N/A
Cargo Box Width @ Floor	71.4 in	Cargo Box Width @ Wheelhousings	50.55 in
Cargo Box (Area) Height	21 in	Tailgate Width	N/A
Cargo Volume	83.5 ft <sup>3</sup>	Ext'd Cab Cargo Volume	N/A

This document contains information considered Confidential between GM and its Clients uniquely. The information provided is not intended for public disclosure. Prices, specifications, and availability are subject to change without notice, and do not include certain fees, taxes and charges that may be required by law or vary by manufacturer or region. Performance figures are guidelines only, and actual performance may vary. Photos may not represent actual vehicles or exact configurations. Content based on report preparer's input is subject to the accuracy of the input provided.



ODEL				
CODE	MODEL			MSRP
CC20903	2023 Chevrolet Silverado 2500HD 2WD Reg Cab 142" Work Tru	ıck		\$40,500.0
OLORS				
CODE	DESCRIPTION			
G7C	Red Hot			
ODY CODE				
CODE	DESCRIPTION	FRONT WEIGHT	REAR WEIGHT	MSRP
E63	Durabed, pickup bed (STD)	0.00 lbs	0.00 lbs	\$0.00
MISSIONS				
CODE	DESCRIPTION	FRONT WEIGHT	REAR WEIGHT	MSRP
FE9	Emissions, Federal requirements	0.00 lbs	0.00 lbs	\$0.00
NGINE				
CODE	DESCRIPTION	FRONT WEIGHT	REAR WEIGHT	MSRP
L8T	Engine, 6.6L V8 with Direct Injection and Variable Valve Timing, gasoline, (401 hp [299 kW] @ 5200 rpm, 464 lb-ft of torque [629 N-m] @ 4000 rpm) (STD)	0.00 lbs	0.00 lbs	\$0.00
RANSMISSION				
CODE	DESCRIPTION	FRONT WEIGHT	REAR WEIGHT	MSRP
MYD	Transmission, 6-speed automatic, heavy-duty (STD) (Requires (L8T) 6.6L V8 gas engine.)	0.00 lbs	0.00 lbs	\$0.00
VWR				
CODE	DESCRIPTION	FRONT WEIGHT	REAR WEIGHT	MSRP
C4M	GVWR, 9,900 lbs. (4490 kg) (STD) (Included and only available with CC20903 model and (L8T) 6.6L V8 gas engine with 17" wheels.)	0.00 lbs	0.00 lbs	\$0.00

specifications, and availability are subject to change without notice, and do not include certain fees, taxes and charges that may be required by law or vary by manufacturer or region. Performance figures are guidelines only, and actual performance may vary. Photos may not represent actual vehicles or exact configurations. Content based on report preparer's input is subject to the accuracy of the input provided.



AXLE				
CODE	DESCRIPTION	FRONT WEIGHT	REAR WEIGHT	MSRP
GT4	Rear axle, 3.73 ratio (Requires (L8T) 6.6L V8 gas engine. Not available with (L5P) Duramax 6.6L Turbo-Diesel V8 engine.)	0.00 lbs	0.00 lbs	\$0.00
PREFERRED EQU	JIPMENT GROUP			
CODE	DESCRIPTION	FRONT WEIGHT	REAR WEIGHT	MSRP
1WT	Work Truck Preferred Equipment Group includes standard equipment	0.00 lbs	0.00 lbs	\$0.00
WHEELS				
CODE	DESCRIPTION	FRONT WEIGHT	REAR WEIGHT	MSRP
PYN	Wheels, 17" (43.2 cm) painted steel, Silver (STD)	0.00 lbs	0.00 lbs	\$0.00
TIRES				
CODE	DESCRIPTION	FRONT WEIGHT	REAR WEIGHT	MSRP
QHQ	Tires, LT245/75R17E all-season, blackwall (STD)	0.00 lbs	0.00 lbs	\$0.00
SPARE TIRE				
CODE	DESCRIPTION	FRONT WEIGHT	REAR WEIGHT	MSRP
ZHQ	Tire, spare LT245/75R17E all-season, blackwall (STD) (Included and only available with (QHQ) LT245/75R17E all-season, blackwall tires with (E63) Durabed, pickup bed. Available to order when (ZW9) pickup bed delete and (QHQ) LT245/75R17E all- season, blackwall tires are ordered.)	0.00 lbs	0.00 lbs	\$0.00
PAINT				
CODE	DESCRIPTION	FRONT WEIGHT	REAR WEIGHT	MSRP
G7C	Red Hot	0.00 lbs	0.00 lbs	\$0.00

This document contains information considered Confidential between GM and its Clients uniquely. The information provided is not intended for public disclosure. Prices, specifications, and availability are subject to change without notice, and do not include certain fees, taxes and charges that may be required by law or vary by manufacturer or region. Performance figures are guidelines only, and actual performance may vary. Photos may not represent actual vehicles or exact configurations. Content based on report preparer's input is subject to the accuracy of the input provided.



SEAT TYPE				
CODE	DESCRIPTION	FRONT WEIGHT	REAR WEIGHT	MSRP
AE7	Seats, front 40/20/40 split-bench with upper covered armrest storage with fixed lumbar (STD)	0.00 lbs	0.00 lbs	\$0.00
SEAT TRIM				
CODE	DESCRIPTION	FRONT WEIGHT	REAR WEIGHT	MSRP
H2G	Jet Black, Vinyl seat trim	0.00 lbs	0.00 lbs	\$0.00
RADIO				
CODE	DESCRIPTION	FRONT WEIGHT	REAR WEIGHT	MSRP
IOR	Audio system, Chevrolet Infotainment 3 system 7" diagonal color touchscreen, AM/FM stereo. Additional features for compatible phones include: Bluetooth audio streaming for 2 active devices, voice command pass-through to phone, wired Apple CarPlay and Android Auto capable. (STD)	0.00 lbs	0.00 lbs	\$0.00
	Options Total	0.00 lbs	0.00 lbs	\$0.00

This document contains information considered Confidential between GM and its Clients uniquely. The information provided is not intended for public disclosure. Prices, specifications, and availability are subject to change without notice, and do not include certain fees, taxes and charges that may be required by law or vary by manufacturer or region. Performance figures are guidelines only, and actual performance may vary. Photos may not represent actual vehicles or exact configurations. Content based on report preparer's input is subject to the accuracy of the input provided.



## **Standard Equipment**

Insilering Package includes trailer hitch, 7-pin connector and (CTT) Hitch Guidance (Deleted when (2W9) picked delete is ordered.)         Mechanical         Ingine, 6, 6L V8 with Direct Injection and Variable Valve Timing, gasoline, (401 hp [299 kW] & 5200 rpm, 464 lb         Indication       Transmission, 6-speed automatic, heavy-duty (STD) (Requires (L8T) 6.6L V8 gas engine.)         Indication       Transmission, 6-speed automatic, heavy-duty (STD) (Requires (L8T) 6.6L V8 gas engine. Not available with (L5P) Duramax 6.6L Turbo-Diesel % Bengine.)         Indication       Burabed, pickup bed (STD)         Indication       GVWR, 9,000 lbs. (4490 kg) (STD) (Included and only available with CC20903 model and (L8T) 6.6L V8 gas engine with 17" wheels.)         Indication       Air filter monitoring         Indication       Air filter monitoring         Indication       Rear wheel dive         Indication       Rear wheel dive         Indication       Coling, external transmission oil cooler         Indication       Rear aver, 170 amps (Requires (L8T) 6.6L V8 gas engine.)         Indication       Recovery hooks, front, frame-mounted, Black	Package	
Engine, 6.6L V8 with Direct Injection and Variable Valve Timing, gasoline, (401 hp [299 kW] @ 5200 rpm, 464 lb         -tt of torque [629 N-m] @ 4000 rpm) (STD)         Transmission, 6-speed automatic, heavy-duty (STD) (Requires (L&T) 6.6L V8 gas engine.)         Rear axle, 3.73 ratic (Requires (L&T) 6.6L V8 gas engine. Not available with (L5P) Duramax 6.6L Turbo-Diesel V8 engine.)         Durabed, pickup bed (STD)         GVWR, 9, 900 lbs. (4490 kg) (STD) (Included and only available with CC20903 model and (L&T) 6.6L V8 gas engine with 17" wheels.)         Air filter, heavy-duty         Air filter, heavy-duty         Auto-locking rear differential         Rear wheel drive         Cooling, auxiliary external transmission oil cooler         Cooling, auxiliary external transmission oil cooler         Battery, heavy-duty 720 cold-cranking amps/80 Amp-hr maintenance-free with rundown protection and retained accessory power (Included and only available with (LBT) 6.6L V8 gas engine.)         Alternator, 170 amps (Requires (LBT) 6.6L V8 gas engine.)         Frame, fully-boxed, hydroformed front section and a fully-boxed stamped rear section         Recovery hooks, front, frame-mounted, Black         Suspension Package       Suspension Package         Brake, ining, Rearing EL With Smart flow power steering system       Brake lining wear indicator         Capless Fuel Fill (Requires (LBT) 6.6L V8 gas engine. Not available with (ZW9) pickup bed delete.)		
-ft of torque [629 N-m] @ 4000 rpm) (STD)         Transmission, 6-speed automatic, heavy-duty (STD) (Requires (L&T) 6.6L V8 gas engine.)         Rear axle, 3.73 ratio (Requires (L&T) 6.6L V8 gas engine. Not available with (L5P) Duramax 6.6L Turbo-Diesel V8 engine.)         Durabed, pickup bed (STD)         GVWR, 9.900 lbs. (4490 kg) (STD) (Included and only available with CC20903 model and (L&T) 6.6L V8 gas engine with 17" wheels.)         Air filter, heavy-duty         Air filter, heavy-duty         Auto-locking rear differential         Rear wheel drive         Cooling, external engine oil cooler         Cooling, auxiliary external transmission oil cooler         Cooling, auxiliary external transmission oil cooler         Alternator, 170 amps (Requires (L&T) 6.6L V8 gas engine.)         Frame, fully-boxed, hydroformed front section and a fully-boxed stamped rear section         Recovery hooks, front, frame-mounted, Black         Suspension Package         Suspension Package         Brakes, 4-wheel antlicck, 4-wheel disc with DURALIFE rotors         Brake lining wear indicator         Capless Fuel Fill (Requires (L&T) 6.6L V8 gas engine. Not available with (2W9) pickup bed delete.)	Mechanical	
Rear axle, 3.73 ratio (Requires (L8T) 6.6L V8 gas engine. Not available with (L5P) Duramax 6.6L Turbo-Diesel V8 engine.)         Durabed, pickup bed (STD)         GVWR, 9,900 lbs. (4490 kg) (STD) (Included and only available with CC20903 model and (L8T) 6.6L V8 gas engine with 17" wheels.)         Air filter, heavy-duty         Air filter, heavy-duty         Auto-locking rear differential         Rear wheel drive         Cooling, external engine oil cooler         Cooling, auxiliary external transmission oil cooler         Battery, heavy-duty 720 cold-cranking amps/80 Amp-hr maintenance-free with rundown protection and retained accessory power (Included and only available with (L8T) 6.6L V8 gas engine.)         Alternator, 170 amps (Requires (L8T) 6.6L V8 gas engine.)         Frame, fully-boxed, hydroformed front section and a fully-boxed stamped rear section         Recovery hooks, front, frame-mounted, Black         Suspension Package         Brakes, 4-wheel antilock, 4-wheel disc with DURALIFE rotors         Brakes, 4-wheel antilock, 4-wheel disc with DURALIFE rotors         Brake lining wear indicator         Capless Fuel Fill (Requires (L8T) 6.6L V8 gas engine. Not available with (ZW9) pickup bed delete.)		
V8 engine.)         Durabed, pickup bed (STD)         GVWR, 9,900 lbs. (4490 kg) (STD) (Included and only available with CC20903 model and (L8T) 6.6L V8 gas engine with 17" wheels.)         Air filter, heavy-duty         Air filter, heavy-duty         Auto-locking rear differential         Rear wheel drive         Cooling, external engine oil cooler         Cooling, auxiliary external transmission oil cooler         Battery, heavy-duty 720 cold-cranking amps/80 Amp-hr maintenance-free with rundown protection and retained accessory power (Included and only available with (L8T) 6.6L V8 gas engine.)         Alternator, 170 amps (Requires (L8T) 6.6L V8 gas engine.)         Reacovery hooks, front, frame-mounted, Black         Suspension Package         Batkering, Recirculating Ball with smart flow power steering system         Brakes, 4-wheel antilock, 4-wheel disc with DURALLIFE rotors         Brake lining wear indicator         Capless Fuel Fill (Requires (L8T) 6.6L V8 gas engine. Not available with (ZW9) pickup bed delete.)		Transmission, 6-speed automatic, heavy-duty (STD) (Requires (L8T) 6.6L V8 gas engine.)
GVWR, 9,900 bs. (4490 kg) (STD) (Included and only available with CC20903 model and (L8T) 6.6L V8 gas engine with 17" wheels.)         Air filter, heavy-duty         Air filter, heavy-duty         Auto-locking rear differential         Rear wheel drive         Cooling, external engine oil cooler         Cooling, auxiliary external transmission oil cooler         Battery, heavy-duty 720 cold-cranking amps/80 Amp-hr maintenance-free with rundown protection and retained accessory power (Included and only available with (L8T) 6.6L V8 gas engine.)         Alternator, 170 amps (Requires (L8T) 6.6L V8 gas engine.)         Frame, fully-boxed, hydroformed front section and a fully-boxed stamped rear section         Recovery hooks, front, frame-mounted, Black         Suspension Package         Steering, Recirculating Ball with smart flow power steering system         Brakes, 4-wheel antilock, 4-wheel disc with DURALIFE rotors         Brake lining wear indicator         Capless Fuel Fill (Requires (L8T) 6.6L V8 gas engine. Not available with (ZW9) pickup bed delete.)		
engine with 17" wheels.)         Air filter, heavy-duty         Air filtration monitoring         Auto-locking rear differential         Rear wheel drive         Cooling, external engine oil cooler         Cooling, auxiliary external transmission oil cooler         Cooling, auxiliary external transmission oil cooler         Battery, heavy-duty 720 cold-cranking amps/80 Amp-hr maintenance-free with rundown protection and retained accessory power (Included and only available with (L8T) 6.6L V8 gas engine.)         Alternator, 170 amps (Requires (L8T) 6.6L V8 gas engine.)         Frame, fully-boxed, hydroformed front section and a fully-boxed stamped rear section         Recovery hooks, front, frame-mounted, Black         Suspension Package         Brakes, 4-wheel antilock, 4-wheel disc with DURALIFE rotors         Brakes, 1ining wear indicator         Capless Fuel Fill (Requires (L8T) 6.6L V8 gas engine. Not available with (ZW9) pickup bed delete.)		Durabed, pickup bed (STD)
Air filtration monitoring         Auto-locking rear differential         Rear wheel drive         Cooling, external engine oil cooler         Cooling, auxiliary external transmission oil cooler         Cooling, auxiliary external transmission oil cooler         Battery, heavy-duty 720 cold-cranking amps/80 Amp-hr maintenance-free with rundown protection and retained accessory power (Included and only available with (L8T) 6.6L V8 gas engine.)         Alternator, 170 amps (Requires (L8T) 6.6L V8 gas engine.)         Frame, fully-boxed, hydroformed front section and a fully-boxed stamped rear section         Recovery hooks, front, frame-mounted, Black         Suspension Package         Steering, Recirculating Ball with smart flow power steering system         Brakes, 4-wheel antilock, 4-wheel disc with DURALIFE rotors         Brake lining wear indicator         Capless Fuel Fill (Requires (L8T) 6.6L V8 gas engine. Not available with (ZW9) pickup bed delete.)		
Auto-locking rear differential         Rear wheel drive         Cooling, external engine oil cooler         Cooling, auxiliary external transmission oil cooler         Battery, heavy-duty 720 cold-cranking amps/80 Amp-hr maintenance-free with rundown protection and retained accessory power (Included and only available with (L8T) 6.6L V8 gas engine.)         Alternator, 170 amps (Requires (L8T) 6.6L V8 gas engine.)         Frame, fully-boxed, hydroformed front section and a fully-boxed stamped rear section         Recovery hooks, front, frame-mounted, Black         Suspension Package         Brakes, 4-wheel antilock, 4-wheel disc with DURALIFE rotors         Brake lining wear indicator         Capless Fuel Fill (Requires (L8T) 6.6L V8 gas engine. Not available with (ZW9) pickup bed delete.)		Air filter, heavy-duty
Rear wheel drive         Cooling, external engine oil cooler         Cooling, auxiliary external transmission oil cooler         Battery, heavy-duty 720 cold-cranking amps/80 Amp-hr maintenance-free with rundown protection and retained accessory power (Included and only available with (L8T) 6.6L V8 gas engine.)         Alternator, 170 amps (Requires (L8T) 6.6L V8 gas engine.)         Frame, fully-boxed, hydroformed front section and a fully-boxed stamped rear section         Recovery hooks, front, frame-mounted, Black         Suspension Package         Steering, Recirculating Ball with smart flow power steering system         Brakes, 4-wheel antilock, 4-wheel disc with DURALIFE rotors         Brake lining wear indicator         Capless Fuel Fill (Requires (L8T) 6.6L V8 gas engine. Not available with (ZW9) pickup bed delete.)		Air filtration monitoring
Cooling, external engine oil cooler         Cooling, auxiliary external transmission oil cooler         Battery, heavy-duty 720 cold-cranking amps/80 Amp-hr maintenance-free with rundown protection and retained accessory power (Included and only available with (L8T) 6.6L V8 gas engine.)         Alternator, 170 amps (Requires (L8T) 6.6L V8 gas engine.)         Frame, fully-boxed, hydroformed front section and a fully-boxed stamped rear section         Recovery hooks, front, frame-mounted, Black         Suspension Package         Steering, Recirculating Ball with smart flow power steering system         Brakes, 4-wheel antilock, 4-wheel disc with DURALIFE rotors         Brake lining wear indicator         Capless Fuel Fill (Requires (L8T) 6.6L V8 gas engine. Not available with (ZW9) pickup bed delete.)		Auto-locking rear differential
Cooling, auxiliary external transmission oil cooler         Battery, heavy-duty 720 cold-cranking amps/80 Amp-hr maintenance-free with rundown protection and retained accessory power (Included and only available with (L8T) 6.6L V8 gas engine.)         Alternator, 170 amps (Requires (L8T) 6.6L V8 gas engine.)         Frame, fully-boxed, hydroformed front section and a fully-boxed stamped rear section         Recovery hooks, front, frame-mounted, Black         Suspension Package         Steering, Recirculating Ball with smart flow power steering system         Brakes, 4-wheel antilock, 4-wheel disc with DURALIFE rotors         Brake lining wear indicator         Capless Fuel Fill (Requires (L8T) 6.6L V8 gas engine. Not available with (ZW9) pickup bed delete.)		Rear wheel drive
Battery, heavy-duty 720 cold-cranking amps/80 Amp-hr maintenance-free with rundown protection and retained accessory power (Included and only available with (L8T) 6.6L V8 gas engine.)         Alternator, 170 amps (Requires (L8T) 6.6L V8 gas engine.)         Frame, fully-boxed, hydroformed front section and a fully-boxed stamped rear section         Recovery hooks, front, frame-mounted, Black         Suspension Package         Steering, Recirculating Ball with smart flow power steering system         Brakes, 4-wheel antilock, 4-wheel disc with DURALIFE rotors         Brake lining wear indicator         Capless Fuel Fill (Requires (L8T) 6.6L V8 gas engine. Not available with (ZW9) pickup bed delete.)		Cooling, external engine oil cooler
accessory power (Included and only available with (L8T) 6.6L V8 gas engine.)         Alternator, 170 amps (Requires (L8T) 6.6L V8 gas engine.)         Frame, fully-boxed, hydroformed front section and a fully-boxed stamped rear section         Recovery hooks, front, frame-mounted, Black         Suspension Package         Steering, Recirculating Ball with smart flow power steering system         Brakes, 4-wheel antilock, 4-wheel disc with DURALIFE rotors         Brake lining wear indicator         Capless Fuel Fill (Requires (L8T) 6.6L V8 gas engine. Not available with (ZW9) pickup bed delete.)		Cooling, auxiliary external transmission oil cooler
Frame, fully-boxed, hydroformed front section and a fully-boxed stamped rear section         Recovery hooks, front, frame-mounted, Black         Suspension Package         Steering, Recirculating Ball with smart flow power steering system         Brakes, 4-wheel antilock, 4-wheel disc with DURALIFE rotors         Brake lining wear indicator         Capless Fuel Fill (Requires (L8T) 6.6L V8 gas engine. Not available with (ZW9) pickup bed delete.)		
Recovery hooks, front, frame-mounted, Black         Suspension Package         Steering, Recirculating Ball with smart flow power steering system         Brakes, 4-wheel antilock, 4-wheel disc with DURALIFE rotors         Brake lining wear indicator         Capless Fuel Fill (Requires (L8T) 6.6L V8 gas engine. Not available with (ZW9) pickup bed delete.)         Exterior		Alternator, 170 amps (Requires (L8T) 6.6L V8 gas engine.)
Suspension Package         Steering, Recirculating Ball with smart flow power steering system         Brakes, 4-wheel antilock, 4-wheel disc with DURALIFE rotors         Brake lining wear indicator         Capless Fuel Fill (Requires (L8T) 6.6L V8 gas engine. Not available with (ZW9) pickup bed delete.)         Exterior		Frame, fully-boxed, hydroformed front section and a fully-boxed stamped rear section
Steering, Recirculating Ball with smart flow power steering system         Brakes, 4-wheel antilock, 4-wheel disc with DURALIFE rotors         Brake lining wear indicator         Capless Fuel Fill (Requires (L8T) 6.6L V8 gas engine. Not available with (ZW9) pickup bed delete.)         Exterior		Recovery hooks, front, frame-mounted, Black
Brakes, 4-wheel antilock, 4-wheel disc with DURALIFE rotors Brake lining wear indicator Capless Fuel Fill (Requires (L8T) 6.6L V8 gas engine. Not available with (ZW9) pickup bed delete.) Exterior		Suspension Package
Brake lining wear indicator Capless Fuel Fill (Requires (L8T) 6.6L V8 gas engine. Not available with (ZW9) pickup bed delete.) Exterior		Steering, Recirculating Ball with smart flow power steering system
Capless Fuel Fill (Requires (L8T) 6.6L V8 gas engine. Not available with (ZW9) pickup bed delete.) Exterior		Brakes, 4-wheel antilock, 4-wheel disc with DURALIFE rotors
Exterior		Brake lining wear indicator
		Capless Fuel Fill (Requires (L8T) 6.6L V8 gas engine. Not available with (ZW9) pickup bed delete.)
Wheels, 17" (43.2 cm) painted steel, Silver (STD)	Exterior	
		Wheels, 17" (43.2 cm) painted steel, Silver (STD)

Tires, LT245/75R17E all-season, blackwall (STD)

This document contains information considered Confidential between GM and its Clients uniquely. The information provided is not intended for public disclosure. Prices, specifications, and availability are subject to change without notice, and do not include certain fees, taxes and charges that may be required by law or vary by manufacturer or region. Performance figures are guidelines only, and actual performance may vary. Photos may not represent actual vehicles or exact configurations. Content based on report preparer's input is subject to the accuracy of the input provided.



Exterior	
	Tire, spare LT245/75R17E all-season, blackwall (STD) (Included and only available with (QHQ) LT245/75R17E all-season, blackwall tires with (E63) Durabed, pickup bed. Available to order when (ZW9) pickup bed delete and (QHQ) LT245/75R17E all-season, blackwall tires are ordered.)
	Tire carrier lock keyed cylinder lock that utilizes same key as ignition and door (Deleted with (ZW9) pickup bed delete.)
	Bumpers, front, Black
	Bumpers, rear, Black
	CornerStep, rear bumper
	BedStep, Black integrated on forward portion of bed on driver and passenger side (Deleted when (ZW9) pickup bed delete is ordered.)
	Moldings, beltline, Black
	Cargo tie downs (12), fixed rated at 500 lbs per corner (Deleted with (ZW9) pickup bed delete.)
	Grille (Front grille bar with "CHEVROLET" molded in Black, includes Black mesh inserts with small Gold bowtie emblem.)
	Headlamps, halogen reflector with halogen Daytime Running Lamps
	Taillamps with incandescent tail, stop and reverse lights
	Lamps, cargo area, cab mounted integrated with center high mount stop lamp, with switch in bank on left side of steering wheel
	Mirrors, outside high-visibility vertical trailering lower convex mirrors, manual-folding/extending (extends 3.31" [84.25mm]), molded in Black
	Mirror caps, Black
	Glass, solar absorbing, tinted
	Tailgate, standard (Deleted with (ZW9) pickup bed delete.)
	Tailgate and bed rail protection cap, top
	Tailgate, locking, utilizes same key as ignition and door (Upgraded to (QT5) EZ Lift power lock and release tailgate when (ZLQ) WT Fleet Convenience Package or (PCV) WT Convenience Package is ordered. Not available with (ZW9) pickup bed delete.)
	Tailgate, gate function manual, no EZ Lift (Deleted with (ZW9) pickup bed delete.)
	Door handles, Black grained
Entertainment	
	Audio system, Chevrolet Infotainment 3 system 7" diagonal color touchscreen, AM/FM stereo. Additional features for compatible phones include: Bluetooth audio streaming for 2 active devices, voice command pass-through to phone, wired Apple CarPlay and Android Auto capable. (STD)
	Audio system feature, 2-speakers (Requires Regular Cab model.)

This document contains information considered Confidential between GM and its Clients uniquely. The information provided is not intended for public disclosure. Prices, specifications, and availability are subject to change without notice, and do not include certain fees, taxes and charges that may be required by law or vary by manufacturer or region. Performance figures are guidelines only, and actual performance may vary. Photos may not represent actual vehicles or exact configurations. Content based on report preparer's input is subject to the accuracy of the input provided.



Entertainment	
	Bluetooth for phone connectivity to vehicle infotainment system
Interior	
	Seats, front 40/20/40 split-bench with upper covered armrest storage with fixed lumbar (STD)
	Vinyl seat trim
	Seat adjuster, driver 4-way manual
	Seat adjuster, passenger 4-way manual
	Floor covering, rubberized-vinyl (Not available with LPO floor liners.)
	Steering wheel, urethane
	Steering column, Tilt-Wheel, manual with wheel locking security feature
	Instrument cluster 6-gauge cluster featuring speedometer, fuel level, engine temperature, tachometer, voltage and oil pressure
	Driver Information Center, 3.5" diagonal monochromatic display
	Exterior Temperature Display located in radio display
	Windows, manual (Requires Regular Cab model.)
	Door locks, manual (Requires Regular Cab model.)
	USB ports, 2 (first row) located on instrument panel
	Power outlet, front auxiliary, 12-volt
	Air conditioning, single-zone
	Mirror, inside rearview, manual tilt
	Assist handles front A-pillar mounted for driver and passenger, rear B-pillar mounted
Safety-Mechanical	
	StabiliTrak stability control system with Proactive Roll Avoidance and traction control, includes electronic trailer sway control and hill start assist
Safety-Exterior	
	Daytime Running Lamps with automatic exterior lamp control
Safety-Interior	
	Airbags, Dual-stage frontal airbags for driver and front outboard passenger; Seat-mounted side-impact airbags for driver and front outboard passenger; Head-curtain airbags for front and rear outboard seating positions; Includes front outboard Passenger Sensing System for frontal outboard passenger airbag (Always use seat belts and child restraints. Children are safer when properly secured in a rear seat in the appropriate child restraint. See the Owner's Manual for more information.)
	Rear Vision Camera (Deleted with (ZW9) pickup bed delete.)

This document contains information considered Confidential between GM and its Clients uniquely. The information provided is not intended for public disclosure. Prices, specifications, and availability are subject to change without notice, and do not include certain fees, taxes and charges that may be required by law or vary by manufacturer or region. Performance figures are guidelines only, and actual performance may vary. Photos may not represent actual vehicles or exact configurations. Content based on report preparer's input is subject to the accuracy of the input provided.



## 

Safety-Interior	
,	Hitch Guidance dynamic single line to aid in trailer alignment for hitching (Deleted with (ZW9) pickup bed delete.)
	Teen Driver a configurable feature that lets you activate customizable vehicle settings associated with a key fob, to help encourage safe driving behavior. It can limit certain available vehicle features, and it prevents certain safety systems from being turned off. An in-vehicle report card gives you information on driving habits and helps you to continue to coach your new driver
	Tire Pressure Monitoring System with Tire Fill Alert (does not apply to spare tire)
Processing-Other	
	Trailering Information Label provides max trailer ratings for tongue weight, conventional, gooseneck and 5th wheel trailering (Not available with (ZW9) pickup bed delete.)
WARRANTY	
	Warranty Note: <<< Preliminary 2023 Warranty >>> Basic Years: 3 Basic Miles/km: 36,000 Drivetrain Years: 5 Drivetrain Miles/km: 60,000 Drivetrain Note: HD Duramax Diesel: 5 Years/100,000 Miles; Qualified Fleet Purchases: 5 Years/100,000 Miles Corrosion Years (Rust-Through): 6 Corrosion Years: 3 Corrosion Miles/km (Rust-Through): 100,000 Corrosion Miles/km: 36,000 Roadside Assistance Years: 5 Roadside Assistance Miles/km: 60,000 Roadside Assistance Note: HD Duramax Diesel: 5 Years/100,000 Miles; Qualified Fleet Purchases: 5 Years/100,000 Miles Maintenance Note: 1 Year/1 Visit

This document contains information considered Confidential between GM and its Clients uniquely. The information provided is not intended for public disclosure. Prices, specifications, and availability are subject to change without notice, and do not include certain fees, taxes and charges that may be required by law or vary by manufacturer or region. Performance figures are guidelines only, and actual performance may vary. Photos may not represent actual vehicles or exact configurations. Content based on report preparer's input is subject to the accuracy of the input provided.