

Doug Adams | 972-952-1561 | dadams@reliablechevrolet.com

SAT 22-03-1008R

Prepared For: ITEM 166 BUILD

[Fleet] 2023 Chevrolet Silverado 3500HD (CC30903) 2WD Reg Cab 142" Work Truck





Table of Contents

- Dealership Information
- Price Summary
- · Weight Rating
- Technical Specifications
- · Selected Model and Options
- Standard Equipment

This document contains information considered Confidential between GM and its Clients uniquely. The information provided is not intended for public disclosure. Prices, specifications, and availability are subject to change without notice, and do not include certain fees, taxes and charges that may be required by law or vary by manufacturer or region. Performance figures are guidelines only, and actual performance may vary. Photos may not represent actual vehicles or exact configurations. Content based on report preparer's input is subject to the accuracy of the input provided.



Reliable Chevrolet

Prepared By:

Doug Adams Reliable Chevrolet 972-952-1561 dadams@reliablechevrolet.com

This document contains information considered Confidential between GM and its Clients uniquely. The information provided is not intended for public disclosure. Prices, specifications, and availability are subject to change without notice, and do not include certain fees, taxes and charges that may be required by law or vary by manufacturer or region. Performance figures are guidelines only, and actual performance may vary. Photos may not represent actual vehicles or exact configurations. Content based on report preparer's input is subject to the accuracy of the input provided.



Price Summary

	MSRP
Base Price	\$41,700.00
Total Options	\$0.00
Vehicle Subtotal	\$41,700.00
Destination Charge	\$1,795.00
Grand Total	\$43,495.00

This document contains information considered Confidential between GM and its Clients uniquely. The information provided is not intended for public disclosure. Prices, specifications, and availability are subject to change without notice, and do not include certain fees, taxes and charges that may be required by law or vary by manufacturer or region. Performance figures are guidelines only, and actual performance may vary. Photos may not represent actual vehicles or exact configurations. Content based on report preparer's input is subject to the accuracy of the input provided.



Weight Ratings WEIGHT RATINGS Front Gross Axle Weight Rating: 4400 lbs Rear Gross Axle Weight Rating: 7250 lbs Gross Vehicle Weight Rating: 10750.00 lbs

This document contains information considered Confidential between GM and its Clients uniquely. The information provided is not intended for public disclosure. Prices, specifications, and availability are subject to change without notice, and do not include certain fees, taxes and charges that may be required by law or vary by manufacturer or region. Performance figures are guidelines only, and actual performance may vary. Photos may not represent actual vehicles or exact configurations. Content based on report preparer's input is subject to the accuracy of the input provided.



Technical Specifications

Powertrain

Transmission

Drivetrain	Rear Wheel Drive	Trans Order Code	MYD
Trans Type	6	Trans Description Cont.	Automatic
Trans Description Cont. Again	N/A	First Gear Ratio (:1)	4.03
Second Gear Ratio (:1)	2.36	Third Gear Ratio (:1)	1.53
Fourth Gear Ratio (:1)	1.15	Fifth Gear Ratio (:1)	0.85
Sixth Gear Ratio (:1)	0.67	Reverse Ratio (:1)	3.06
Clutch Size	N/A	Trans Power Take Off	N/A
Final Drive Axle Ratio (:1)	N/A	Transfer Case Model	N/A
Transfer Case Gear Ratio (:1), High	N/A	Transfer Case Gear Ratio (:1), Low	N/A
Transfer Case Power Take Off	N/A		
lileage			
EPA Fuel Economy Est - Hwy	N/A	Cruising Range - City	N/A
EPA Fuel Economy Est - City	N/A	Fuel Economy Est-Combined	N/A
Cruising Range - Hwy	N/A	Estimated Battery Range	N/A
ngine			
Engine Order Code	L8T	Engine Type	Gas V8
Displacement	6.6L/-TBD-	Fuel System	Direct Injection
SAE Net Horsepower @ RPM	401 @ 5200	SAE Net Torque @ RPM	464 @ 4000
Engine Oil Cooler	Yes		
lectrical			
Cold Cranking Amps @ 0° F (Primary)	720	Cold Cranking Amps @ 0° F (2nd)	N/A
Cold Cranking Amps @ 0° F (3rd)	N/A	Maximum Alternator Capacity (amps)	170
ooling System			
Total Cooling System Capacity	N/A		

This document contains information considered Confidential between GM and its Clients uniquely. The information provided is not intended for public disclosure. Prices, specifications, and availability are subject to change without notice, and do not include certain fees, taxes and charges that may be required by law or vary by manufacturer or region. Performance figures are guidelines only, and actual performance may vary. Photos may not represent actual vehicles or exact configurations. Content based on report preparer's input is subject to the accuracy of the input provided.



EPA Greenhouse Gas Score

N/A

N/A

[Fleet] 2023 Chevrolet Silverado 3500HD (CC30903) 2WD Reg Cab 142" Work Truck (Complete)

Vehicle

Emissions

Tons/yr of CO2 Emissions @ 15K mi/year N/A

Chassis

Information			
andard Weight - Front	-7.00 lbs	Standard Weight - Rear	-266.00 lbs
ase Curb Weight	N/A	Gross Axle Wt Rating - Front	4400 lbs
ross Axle Wt Rating - Rear	7250 lbs	Curb Weight - Front	3435 lbs
urb Weight - Rear	2894 lbs	Option Weight - Front	0.00 lbs
ption Weight - Rear	0.00 lbs	Reserve Axle Capacity - Front	972.00 lbs
eserve Axle Capacity - Rear	4622.00 lbs	As Spec'd Curb Weight	6056.00 lbs
s Spec'd Payload	4694.00 lbs	Maximum Payload Capacity	4421.00 lbs
ross Combined Wt Rating	24000 lbs	Gross Axle Weight Rating	11650.00 lbs
urb Weight	6329.00 lbs	Reserve Axle Capacity	5594.00 lbs
otal Option Weight	0.00 lbs	Payload Weight Front	0 lbs
Payload Weight Rear	0 lbs	Gross Vehicle Weight Rating	10750.00 lbs
ering			
ead Weight Hitch - Max Trailer Wt.	5000 lbs	Dead Weight Hitch - Max Tongue Wt.	500 lbs
Vt Distributing Hitch - Max Trailer Wt.	14500 lbs	Wt Distributing Hitch - Max Tongue Wt.	1450 lbs
ifth Wheel Hitch - Max Trailer Wt.	17200 lbs	Fifth Wheel Hitch - Max Tongue Wt.	4300 lbs
Aaximum Trailering Capacity	20000 lbs		
ne			
Frame Type	Hydroformed	Sect Modulus Rails Only	N/A

Suspension

Frame RBM

Frame Thickness

Suspension			
Suspension Type - Front	Short/Long Arm w/Torsion Bars	Suspension Type - Rear	3-Stage Multi-Leaf
Spring Capacity - Front	N/A	Spring Capacity - Rear	N/A

N/A

N/A

Frame Strength

This document contains information considered Confidential between GM and its Clients uniquely. The information provided is not intended for public disclosure. Prices, specifications, and availability are subject to change without notice, and do not include certain fees, taxes and charges that may be required by law or vary by manufacturer or region. Performance figures are guidelines only, and actual performance may vary. Photos may not represent actual vehicles or exact configurations. Content based on report preparer's input is subject to the accuracy of the input provided.



Chassis

[Fleet] 2023 Chevrolet Silverado 3500HD (CC30903) 2WD Reg Cab 142" Work Truck (Complete)

Suspension Axle Type - Front N/A Independent Axle Type - Rear N/A N/A Axle Capacity - Front Axle Capacity - Rear Axle Ratio (:1) - Front N/A Axle Ratio (:1) - Rear 3.73 Shock Absorber Diameter - Front 51 mm Shock Absorber Diameter - Rear 51 mm Stabilizer Bar Diameter - Front Stabilizer Bar Diameter - Rear N/A 1.38 in Tires Front Tire Order Code QF6 Rear Tire Order Code QF6 Spare Tire Order Code Front Tire Size ZYG LT275/70R18 Rear Tire Size LT275/70R18 Spare Tire Size LT275/70R18 Front Tire Capacity N/A **Rear Tire Capacity** N/A N/A Revolutions/Mile @ 45 mph - Front N/A Spare Tire Capacity Revolutions/Mile @ 45 mph - Rear N/A Revolutions/Mile @ 45 mph - Spare N/A Wheels Front Wheel Size 18 x 8 in Rear Wheel Size 18 x 8 in 18 x 8 in Front Wheel Material Steel Spare Wheel Size Rear Wheel Material Steel Spare Wheel Material Steel Steering Steering Type Pwr Recirculating Steering Ratio (:1), Overall N/A Ball Steering Ratio (:1), On Center N/A Steering Ratio (:1), At Lock N/A Turning Diameter - Curb to Curb 46.9 ft Turning Diameter - Wall to Wall N/A Brakes Brake Type Pwr Brake ABS System 4-Wheel Brake ABS System (Second Line) N/A Disc - Front (Yes or) Yes Disc - Rear (Yes or) Yes Front Brake Rotor Diam x Thickness 14 x 1.6 in Rear Brake Rotor Diam x Thickness 14.1 x 1.3 in Drum - Rear (Yes or) N/A Rear Drum Diam x Width N/A

This document contains information considered Confidential between GM and its Clients uniquely. The information provided is not intended for public disclosure. Prices, specifications, and availability are subject to change without notice, and do not include certain fees, taxes and charges that may be required by law or vary by manufacturer or region. Performance figures are guidelines only, and actual performance may vary. Photos may not represent actual vehicles or exact configurations. Content based on report preparer's input is subject to the accuracy of the input provided.



chassis			
Fuel Tank			
Fuel Tank Capacity, Approx	36 gal	Aux Fuel Tank Capacity, Approx	N/A
Fuel Tank Location	N/A	Aux Fuel Tank Location	N/A
limensions			
Interior Dimensions			
Passenger Capacity	3	Front Head Room	43.11 in
Front Leg Room	44.53 in	Front Shoulder Room	66.06 in
Front Hip Room	60.9 in	Second Head Room	N/A
Second Leg Room	N/A	Second Shoulder Room	N/A
Second Hip Room	N/A		
Exterior Dimensions			
Wheelbase	141.55 in	Length, Overall w/o rear bumper	N/A
Length, Overall w/rear bumper	N/A	Length, Overall	235.5 in
Width, Max w/o mirrors	81.75 in	Height, Overall	80.94 in
Overhang, Front	N/A	Overhang, Rear w/o bumper	N/A
Front Bumper to Back of Cab	N/A	Cab to Axle	55.2 in
Cab to End of Frame	N/A	Ground to Top of Load Floor	38.8 in
Ground to Top of Frame	N/A	Frame Width, Rear	N/A
Ground Clearance, Front	11.22 in	Ground Clearance, Rear	11.22 in
Body Length	0.00 ft	Cab to Body	N/A
Cargo Area Dimensions			
Cargo Box Length @ Floor	98.27 in	Cargo Box Width @ Top, Rear	N/A
Cargo Box Width @ Floor	71.4 in	Cargo Box Width @ Wheelhousings	50.55 in
Cargo Box (Area) Height	21 in	Tailgate Width	N/A
Cargo Volume	83.5 ft ³	Ext'd Cab Cargo Volume	N/A

This document contains information considered Confidential between GM and its Clients uniquely. The information provided is not intended for public disclosure. Prices, specifications, and availability are subject to change without notice, and do not include certain fees, taxes and charges that may be required by law or vary by manufacturer or region. Performance figures are guidelines only, and actual performance may vary. Photos may not represent actual vehicles or exact configurations. Content based on report preparer's input is subject to the accuracy of the input provided.



CODE	MODEL			MSRP
CC30903	2023 Chevrolet Silverado 3500HD 2WD Reg Cab 142" Work Tru	uck		\$41,700.0
OLORS				
CODE	DESCRIPTION			
GAZ	Summit White			
ODY CODE				
CODE	DESCRIPTION	FRONT WEIGHT	REAR WEIGHT	MSRF
E63	Durabed, pickup bed (STD)	0.00 lbs	0.00 lbs	\$0.00
EAR WHEEL CO	DNFIGURATION			
CODE	DESCRIPTION	FRONT WEIGHT	REAR WEIGHT	MSRF
SRW	Single Rear Wheels (STD)	-47.00 lbs	-144.00 lbs	\$0.00
VISSIONS				
CODE	DESCRIPTION	FRONT WEIGHT	REAR WEIGHT	MSRF
FE9	Emissions, Federal requirements	0.00 lbs	0.00 lbs	\$0.00
NGINE				
CODE	DESCRIPTION	FRONT WEIGHT	REAR WEIGHT	MSRF
L8T	Engine, 6.6L V8 with Direct Injection and Variable Valve Timing, gasoline (401 hp [299 kW] @ 5200 rpm, 464 lb-ft of torque [629 N-m] @ 4000 rpm) (STD)	0.00 lbs	0.00 lbs	\$0.00
RANSMISSION				
CODE	DESCRIPTION	FRONT WEIGHT	REAR WEIGHT	MSRF
MYD	Transmission, 6-speed automatic, heavy-duty (STD) (Requires (L8T) 6.6L V8 gas engine.)	0.00 lbs	0.00 lbs	\$0.00

This document contains information considered Confidential between GM and its Clients uniquely. The information provided is not intended for public disclosure. Prices, specifications, and availability are subject to change without notice, and do not include certain fees, taxes and charges that may be required by law or vary by manufacturer or region. Performance figures are guidelines only, and actual performance may vary. Photos may not represent actual vehicles or exact configurations. Content based on report preparer's input is subject to the accuracy of the input provided.



GVWR				
CODE	DESCRIPTION	FRONT WEIGHT	REAR WEIGHT	MSRP
JGG	GVWR, 10,750 lbs. (4876 kg) with single rear wheels (STD) (Included and only available with CC30903 model and (L8T) 6.6L V8 gas engine. Requires single rear wheels.)	0.00 lbs	0.00 lbs	Inc.
AXLE				
CODE	DESCRIPTION	FRONT WEIGHT	REAR WEIGHT	MSRP
GT4	Rear axle, 3.73 ratio (Requires (L8T) 6.6L V8 gas engine. Not available with (L5P) Duramax 6.6L Turbo-Diesel V8 engine.)	0.00 lbs	0.00 lbs	\$0.00
PREFERRED EC	QUIPMENT GROUP			
CODE	DESCRIPTION	FRONT WEIGHT	REAR WEIGHT	MSRP
1WT	Work Truck Preferred Equipment Group includes standard equipment	0.00 lbs	0.00 lbs	\$0.00
WHEELS				
CODE	DESCRIPTION	FRONT WEIGHT	REAR WEIGHT	MSRP
РҮТ	Wheels, 18" (45.7 cm) painted steel (STD) (Requires single rear wheels.)	6.00 lbs	-76.00 lbs	\$0.00
TIRES				
CODE	DESCRIPTION	FRONT WEIGHT	REAR WEIGHT	MSRP
QF6	Tires, LT275/70R18E all-terrain, blackwall (STD) (Requires single rear wheels.)	24.00 lbs	-63.00 lbs	\$0.00
SPARE TIRE				
CODE	DESCRIPTION	FRONT WEIGHT	REAR WEIGHT	MSRP
ZYG	Tire, spare LT275/70R18 all-terrain, blackwall (STD) (Included and only available with (QF6) LT275/70R18E all-terrain, blackwall tires with (E63) Durabed, pickup bed single rear wheel models. Available to order when (ZW9) pickup bed delete and (QF6) LT275/70R18E all-terrain, blackwall tires are ordered with single rear wheel models)	0.00 lbs	16.00 lbs	\$0.00
This document contains i	information considered Confidential between GM and its Clients uniquely. The information pr	ovidad is not intendo	d for public disclosure	Dricco

This document contains information considered Confidential between GM and its Clients uniquely. The information provided is not intended for public disclosure. Prices, specifications, and availability are subject to change without notice, and do not include certain fees, taxes and charges that may be required by law or vary by manufacturer or region. Performance figures are guidelines only, and actual performance may vary. Photos may not represent actual vehicles or exact configurations. Content based on report preparer's input is subject to the accuracy of the input provided.



PAINT				
CODE	DESCRIPTION	FRONT WEIGHT	REAR WEIGHT	MSRP
GAZ	Summit White	0.00 lbs	0.00 lbs	\$0.00
SEAT TYPE				
CODE	DESCRIPTION	FRONT WEIGHT	REAR WEIGHT	MSRP
AE7	Seats, front 40/20/40 split-bench with upper covered armrest storage with fixed lumbar (STD)	4.00 lbs	2.00 lbs	\$0.00
SEAT TRIM				
CODE	DESCRIPTION	FRONT WEIGHT	REAR WEIGHT	MSRP
H2G	Jet Black, Vinyl seat trim	0.00 lbs	0.00 lbs	\$0.00
RADIO				
CODE	DESCRIPTION	FRONT WEIGHT	REAR WEIGHT	MSRP
IOR	Audio system, Chevrolet Infotainment 3 system, 7" diagonal color touchscreen, AM/FM stereo. Additional features for compatible phones include: Bluetooth audio streaming for 2 active devices, voice command pass-through to phone, wired Apple CarPlay and Android Auto capable. (STD)	0.00 lbs	0.00 lbs	\$0.00

This document contains information considered Confidential between GM and its Clients uniquely. The information provided is not intended for public disclosure. Prices, specifications, and availability are subject to change without notice, and do not include certain fees, taxes and charges that may be required by law or vary by manufacturer or region. Performance figures are guidelines only, and actual performance may vary. Photos may not represent actual vehicles or exact configurations. Content based on report preparer's input is subject to the accuracy of the input provided.



Standard Equipment

Package	
	Trailering Package includes trailer hitch, 7-pin connector and (CTT) Hitch Guidance (Deleted when (ZW9) pickup bed delete is ordered.)
Mechanical	
	Engine, 6.6L V8 with Direct Injection and Variable Valve Timing, gasoline (401 hp [299 kW] @ 5200 rpm, 464 lb- ft of torque [629 N-m] @ 4000 rpm) (STD)
	Transmission, 6-speed automatic, heavy-duty (STD) (Requires (L8T) 6.6L V8 gas engine.)
	Rear axle, 3.73 ratio (Requires (L8T) 6.6L V8 gas engine. Not available with (L5P) Duramax 6.6L Turbo-Diesel V8 engine.)
	Durabed, pickup bed (STD)
	GVWR, 10,750 lbs. (4876 kg) with single rear wheels (STD) (Included and only available with CC30903 model and (L8T) 6.6L V8 gas engine. Requires single rear wheels.)
	Air filter, heavy-duty
	Air filtration monitoring
	Auto-locking rear differential
	Rear wheel drive
	Cooling, external engine oil cooler
	Cooling, auxiliary external transmission oil cooler
	Battery, heavy-duty 720 cold-cranking amps/80 Amp-hr maintenance-free with rundown protection and retained accessory power (Included and only available with (L8T) 6.6L V8 gas engine.)
	Alternator, 170 amps (Requires (L8T) 6.6L V8 gas engine.)
	Recovery hooks, front, frame-mounted, Black
	Frame, fully-boxed, hydroformed front section and a fully-boxed stamped rear section
	Suspension Package
	Steering, Recirculating ball with smart flow power steering system
	Brakes, 4-wheel antilock, 4-wheel disc with DURALIFE rotors
	Brake lining wear indicator
	Capless Fuel Fill (Requires (L8T) 6.6L V8 gas engine. Not available with (ZW9) pickup bed delete.)
Exterior	
	Wheels, 18" (45.7 cm) painted steel (STD) (Requires single rear wheels.)
	Tires, LT275/70R18E all-terrain, blackwall (STD) (Requires single rear wheels.)

Tires, LT275/70R18E all-terrain, blackwall (STD) (Requires single rear wheels.)

This document contains information considered Confidential between GM and its Clients uniquely. The information provided is not intended for public disclosure. Prices, specifications, and availability are subject to change without notice, and do not include certain fees, taxes and charges that may be required by law or vary by manufacturer or region. Performance figures are guidelines only, and actual performance may vary. Photos may not represent actual vehicles or exact configurations. Content based on report preparer's input is subject to the accuracy of the input provided.



Exterior	
	Tire, spare LT275/70R18 all-terrain, blackwall (STD) (Included and only available with (QF6) LT275/70R18E all- terrain, blackwall tires with (E63) Durabed, pickup bed single rear wheel models. Available to order when (ZW9) pickup bed delete and (QF6) LT275/70R18E all-terrain, blackwall tires are ordered with single rear wheel models)
	Single Rear Wheels (STD)
	Tire carrier lock keyed cylinder lock that utilizes same key as ignition and door (Deleted with (ZW9) pickup bed delete.)
	Bumpers, front, Black
	Bumpers, rear, Black
	CornerStep, rear bumper
	BedStep, Black integrated on forward portion of bed on driver and passenger side (Deleted when (ZW9) pickup bed delete is ordered.)
	Moldings, beltline, Black
	Cargo tie downs (12), fixed, rated at 500 lbs per corner (Deleted with (ZW9) pickup bed delete.)
	Front grille bar with "CHEVROLET" molded in Black includes Black mesh inserts with small Gold bowtie emblem.
	Headlamps, halogen reflector with halogen Daytime Running Lamps
	Taillamps, with incandescent tail, stop and reverse lights (Note: Trucks equipped with dual rear wheels will feature LED signature tail and stop lamps, with incandescent reverse lamp.)
	Lamps, cargo area cab mounted integrated with center high mount stop lamp, with switch in bank on left side of steering wheel
	Mirrors, outside high-visibility vertical trailering lower convex mirrors, manual-folding/extending (extends 3.31" [84.25mm]), molded in Black
	Mirror caps, Black
	Glass, solar absorbing, tinted
	Door handles, Black grained
	Tailgate, standard (Deleted with (ZW9) pickup bed delete.)
	Tailgate and bed rail protection cap, top
	Tailgate, locking, utilizes same key as ignition and door (Upgraded to (QT5) EZ Lift power lock and release tailgate when (ZLQ) WT Fleet Convenience Package or (PCV) WT Convenience Package is ordered. Not available with (ZW9) pickup bed delete.)
	Tailgate, gate function manual, no EZ Lift (Deleted with (ZW9) pickup bed delete.)

This document contains information considered Confidential between GM and its Clients uniquely. The information provided is not intended for public disclosure. Prices, specifications, and availability are subject to change without notice, and do not include certain fees, taxes and charges that may be required by law or vary by manufacturer or region. Performance figures are guidelines only, and actual performance may vary. Photos may not represent actual vehicles or exact configurations. Content based on report preparer's input is subject to the accuracy of the input provided.



Entertainment	
	Audio system, Chevrolet Infotainment 3 system, 7" diagonal color touchscreen, AM/FM stereo. Additional features for compatible phones include: Bluetooth audio streaming for 2 active devices, voice command pass-through to phone, wired Apple CarPlay and Android Auto capable. (STD)
	Audio system feature, 2-speakers (Requires Regular Cab model.)
	Bluetooth for phone connectivity to vehicle infotainment system
Interior	
	Seats, front 40/20/40 split-bench with upper covered armrest storage with fixed lumbar (STD)
	Seat trim, Vinyl
	Seat adjuster, driver 4-way manual
	Seat adjuster, passenger 4-way manual
	Floor covering, rubberized-vinyl (Not available with LPO floor liners.)
	Steering wheel, urethane
	Steering column, Tilt-Wheel, manual with wheel locking security feature
	Instrument cluster, 6-gauge cluster featuring speedometer, fuel level, engine temperature, tachometer, voltage and oil pressure
	Driver Information Center, 3.5" diagonal monochromatic display
	Exterior Temperature Display located in radio display
	Windows, manual (Requires Regular Cab model.)
	Door locks, manual (Requires Regular Cab model.)
	Power outlet, front auxiliary, 12-volt
	USB ports, 2 (first row) located on instrument panel
	Air conditioning, single-zone
	Mirror, inside rearview, manual tilt
	Assist handles front A-pillar mounted for driver and passenger, rear B-pillar mounted
Safety-Mechanical	
	StabiliTrak, stability control system with Proactive Roll Avoidance and traction control includes electronic trailer sway control and hill start assist
Safety-Exterior	
	Daytime Running Lamps with automatic exterior lamp control

This document contains information considered Confidential between GM and its Clients uniquely. The information provided is not intended for public disclosure. Prices, specifications, and availability are subject to change without notice, and do not include certain fees, taxes and charges that may be required by law or vary by manufacturer or region. Performance figures are guidelines only, and actual performance may vary. Photos may not represent actual vehicles or exact configurations. Content based on report preparer's input is subject to the accuracy of the input provided.



Safety-Interior	
	Airbags, Dual-stage frontal airbags for driver and front outboard passenger; Seat-mounted side-impact airbags for driver and front outboard passenger; Head-curtain airbags for front and rear outboard seating positions; Includes front outboard Passenger Sensing System for frontal outboard passenger airbag (Always use seat belts and child restraints. Children are safer when properly secured in a rear seat in the appropriate child restraint. See the Owner's Manual for more information.)
	Rear Vision Camera (Deleted with (ZW9) pickup bed delete.)
	Hitch Guidance dynamic single line to aid in trailer alignment for hitching (Deleted with (ZW9) pickup bed delete.)
	Teen Driver a configurable feature that lets you activate customizable vehicle settings associated with a key fob, to help encourage safe driving behavior. It can limit certain available vehicle features, and it prevents certain safety systems from being turned off. An in-vehicle report card gives you information on driving habits and helps you to continue to coach your new driver
	Tire Pressure Monitoring System with Tire Fill Alert (does not apply to spare tire)
Processing-Other	
	Trailering Information Label provides max trailer ratings for tongue weight, conventional, gooseneck and 5th wheel trailering (Not available with (ZW9) pickup bed delete.)
WARRANTY	
	Warranty Note: <<< Preliminary 2023 Warranty >>> Basic Years: 3 Basic Miles/km: 36,000 Drivetrain Years: 5 Drivetrain Miles/km: 60,000 Drivetrain Note: HD Duramax Diesel: 5 Years/100,000 Miles; Qualified Fleet Purchases: 5 Years/100,000 Miles Corrosion Years: 3 Corrosion Years: 3 Corrosion Miles/km (Rust-Through): 100,000 Corrosion Miles/km: 36,000 Roadside Assistance Years: 5 Roadside Assistance Note: HD Duramax Diesel: 5 Years/100,000 Miles; Qualified Fleet Purchases: 5 Years/100,000 Miles Maintenance Note: 1 Year/1 Visit

This document contains information considered Confidential between GM and its Clients uniquely. The information provided is not intended for public disclosure. Prices, specifications, and availability are subject to change without notice, and do not include certain fees, taxes and charges that may be required by law or vary by manufacturer or region. Performance figures are guidelines only, and actual performance may vary. Photos may not represent actual vehicles or exact configurations. Content based on report preparer's input is subject to the accuracy of the input provided.