



Effective March 16, 2023 - March 15, 2024

#### **GETAC TECHNOLOGY**

#### **VIDEO SOLUTIONS AND SOFTWARE: CATALOG OFFERING**

#### 8% Discount off MSRP for Main Line Items

The list below represents select models and hardware. Please contact ProLogic ITS if the item you seek is not listed or for a customized solution.

| Getac, Inc. | OVWX2MXXXXX1 | BWC (BC-02) - [64GB + FHD/HD/WVGA + WiFi + GPS + BLE],    |
|-------------|--------------|---|
|             |              | 1 year hardware warranty (compatible with magnetic charge |
|             |              | cable ORB39X)   |
| Getac, Inc. | OVWX2MXXXX21 | BWC (BC-02), 25th month device refresh option program -   |
|             |              | full upfront, 1 year hardware warranty                    |
| Getac, Inc. | OVWX2MXXXX41 | BWC (BC-02), 49th month device refresh option program -   |
|             |              | full upfront, 1 year hardware warranty                    |
| Getac, Inc. | OVWX3AXXXXX1 | BWC (BC-03 AT&T LTE) - [64GB + FHD/HD/WVGA + WiFi +       |
|             |              | GPS + BLE + AT&T LTE], 1 year hardware warranty           |
| Getac, Inc. | OVWX3AXXXX21 | BWC (BC-03 AT&T LTE), 25th month device refresh option    |
|             |              | program - full upfront, 1 year hardware warranty          |
| Getac, Inc. | OVWX3AXXXX41 | BWC (BC-03 AT&T LTE), 49th month device refresh option    |
|             |              | program - full upfront, 1 year hardware warranty          |
| Getac, Inc. | OVWX3VXXXXX1 | BWC (BC-03 Verizon LTE) - [64GB + FHD/HD/WVGA + WiFi +    |
|             |              | GPS + BLE + Verizon LTE], 1 year hardware warranty        |
| Getac, Inc. | OVWX3VXXXX21 | BWC (BC-03 Verizon LTE), 25th month device refresh option |
|             |              | program - full upfront, 1 year hardware warranty          |
| Getac, Inc. | OVWX3VXXXX41 | BWC (BC-03 Verizon LTE), 49th month device refresh option |
|             |              | program - full upfront, 1 year hardware warranty          |
| Getac, Inc. | OVWX3XXXXXX1 | BWC (BC-03) - [64GB + FHD/HD/WVGA + WiFi + GPS + BLE],    |
|             |              | 1 year hardware warranty                                  |
| Getac, Inc. | OVWX3XXXXX21 | BWC (BC-03), 25th month device refresh option program -   |
|             |              | full upfront, 1 year hardware warranty                    |
| Getac, Inc. | OVWX3XXXXX41 | BWC (BC-03), 49th month device refresh option program -   |
|             |              | full upfront, 1 year hardware warranty                    |
| Getac, Inc. | GAA251       | AC Adapter 24W  |
| Getac, Inc. | OAX03U       | Body Worn Camera USB AC Adapter (US), Adapter ONLY        |
| Getac, Inc. | OBX03U       | Body Worn Camera (BC-03) Extended Battery                 |
| Getac, Inc. | OD2DAU       | Body Worn Camera (BC-02) - 8 Port Multidock with          |
|             |              | Datamover (MD-02D), includes 90W AC Adapter (US)          |

#### For quotes or more information, contact:





Effective March 16, 2023 – March 15, 2024

| Getac, Inc. | OD3DAU | Body Worn Camera (BC-03) - 8 Port Multidock (MD-03),      |
|-------------|--------|---|
|             |        | includes 150W AC Adapter (US)                             |
| Getac, Inc. | OD3DDU | Body Worn Camera (BC-03) - 8 Port Multidock with          |
|             |        | Datamover (MD-03D), includes 150W AC Adapter (US)         |
| Getac, Inc. | OD3DEU | Body Worn Camera(BC-03)-8 Port Multidock with             |
|             |        | Datamover(MD-03D),includes 150W AC Adapter(US),25th       |
|             |        | month device refresh option program, full upfront         |
| Getac, Inc. | OFB01X | Body Worn Camera (BC-02) - Certified Bluetooth Dongle     |
| Getac, Inc. | OLX0BX | Body Worn Camera USB Extension Cable for VD-02, 12.5 ft   |
| Getac, Inc. | ONX0GX | Ethernet Cable - RJ45/CAT5e (25 ft)                       |
| Getac, Inc. | ORB24U | Body Worn Camera (BC-02) - Single Port Dock (VD-02),      |
|             |        | includes USB AC adapter, USB Cable (3.94 ft)              |
| Getac, Inc. | ORB24X | Body Worn Camera (BC-02) - Single Port Dock (VD-02), dock |
|             |        | ONLY  |
| Getac, Inc. | ORB27X | Body Worn Camera (BC-03) - Single Port Dock (VD-03)       |
| Getac, Inc. | ORB28X | Body Worn Camera (BC-03) - Single Port Dock (VD-03), 25th |
|             |        | month device refresh option program, full upfront         |
| Getac, Inc. | ORB301 | Body Worn Camera - Universal Camera Adapter               |
| Getac, Inc. | ORB30X | Body Worn Camera - Action Camera Adapter                  |
| Getac, Inc. | ORB312 | Body Worn Camera Alligator Clip V2.0                      |
| Getac, Inc. | ORB32X | Body Worn Camera epaulette clip                           |
| Getac, Inc. | ORB342 | Body Worn Camera Molle Mount V2.0                         |
| Getac, Inc. | ORB362 | Body Worn Camera Magnetic Mount V2.0                      |
| Getac, Inc. | ORB363 | Body Worn Camera Magnetic (Double-Sided) Mount            |
| Getac, Inc. | ORB37X | 3rd Party Camera Mount Adapter                            |
| Getac, Inc. | ORB39X | Body Worn Camera (BC-02), magnetic quick release charging |
|             |        | USB cable (3.94 ft) (must be used with SKU                |
|             |        | OVWX2MXXXXX1)   |
| Getac, Inc. | ORB423 | Body Worn Camera (BC-03), magnetic quick release charging |
|             |        | USB cable (3.94 ft), 25th month device refresh option     |
|             |        | program, full upfront                                     |
| Getac, Inc. | ORB42X | Body Worn Camera (BC-03) magnetic quick release charging  |
| •           |        | USB cable (3.94 ft)                                       |
| Getac, Inc. | ORB432 | Body Worn Camera- Swivel Mount - V2.0                     |
| Getac, Inc. | ORB51X | Body Worn Camera (BC-03) - Single Port Dock (VD-03), with |
|             |        | Vehicle Bracket with 40W Vehicle Adapter                  |
| Getac, Inc. | ORB542 | Body Worn Camera Adjustable Pocket Mount - V2.0           |
| Getac, Inc. | ORB615 | Body Worn Camera (BC-03) - Single Port Dock (VD-03), with |
| •           |        | 24W AC Adapter (US)                                       |

## For quotes or more information, contact:





Effective March 16, 2023 – March 15, 2024

| Getac, Inc. | OTS01X       | Holster Sensor, with 1 year warranty   |
|-------------|--------------|--|
| Getac, Inc. | OTX11X       | Body Worn Camera Bluetooth Trigger Box (TB-02)   |
| Havis       | 590GBL000329 | Dash Mount, C-DMM-3001, Swing Up Device Mount for 2013-2019 Ford Interceptor Utility Vehicle,                              |
| Havis       | 590GBL000330 | Mounting kits, PKG-FAM-118, Flex Arm Package Including Flex Arm & Mount For Universal Seat Bolt Mounting                   |
| Airgain     | 591GVS000022 | Vehicle Antenna - AirGain UltraMaxB, 3in1, WiFix2-GPSx1,<br>Bolt Mount, 19ft, White  |
| Airgain     | 591GVS000035 | Mounting Bracket (Visor) - Front Camera AND Display (CU-D50) – 2020 Interceptor  |
| Airgain     | 591GVS000036 | Mounting Bracket (Visor) - Front Camera AND Display (CU-D50) - Dodge Durango   |
| Airgain     | 591GVS000037 | Mounting Bracket (Visor) - Front Camera AND Display (CU-D50) - Ford F150/F250  |
| Airgain     | 591GVS000040 | Vehicle Antenna AirGain UltraMax Glass, 4in1, WiFix1-GPSx1-LTEx2, Adhesive Mount, 10ft, Black                              |
| Trinity     | 591GVS000041 | Mounting Bracket (Visor) - Front Camera AND Display (CU-<br>D50) - 2020 Ford Expedition                                    |
| Trintiy     | 591GVS000048 | Trinity- Enclosure for Getac Interview Room  |
| Havis       | 591GVS000053 | Touch Display; 12.5", TSD-201+EP3-TSD-201, Havis, 3 year warranty, With vehicle adapter. With display cable kit (5M)       |
| Havis       | 591GVS000054 | 1-Piece Equipment Mounting Bracket, C-EB35-GDV-1P, 3.5" Mounting Space, Fits Getac Video DVR Model VR-X20                  |
| Havis       | 591GVS000055 | Touch Display; 12.5", TSD-201, Havis, 1 year warranty, With vehicle adapter. With display cable kit (5M)                   |
| Trinity     | 591GVS000064 | Mounting Kits, Trinity, TIS-BRKT-ICV-GTC-U, CU-D50+Front Camera Universal Mount  |
| Airgain     | 591GVS000076 | Vehicle Antenna, AP-GVS-MMF-CCWWG-M-BL-19, FOR IVC ONLY: MIMO X2 WiFi + GPS + MIMO X2 LTE, Magnetic MNT, 19', BLK, Airgain |
| Airgain     | 591GVS000077 | Vehicle Antenna,AP-GVS-MMF-CCWWG-M-WH-19,FOR IVC ONLY:MIMO X2 WiFi + GPS + MIMO X2 LTE, Magnetic MNT,19',WHT,Airgain       |
| Airgain     | 591GVS000078 | Vehicle Antenna, AP-GVS-MMF-WWG-M-BL-19, FOR IVC ONLY: MIMO X2 WiFi + GPS, Magnetic MNT, 19', BLK, Airgain                 |
| Airgain     | 591GVS000079 | Vehicle Antenna,AP-GVS-MMF-WWG-M-WH-19,FOR IVC ONLY:MIMO X2 WiFi + GPS, Magnetic MNT,19',WHT,Airgain                       |
| Getac, Inc. | GDKBU6       | Getac Rugged Keyboard with Smart card and USB2.0, 3 year warranty (US)   |
| Airgain     | 591GVS000013 | Vehicle Antenna - AirGain MultiMax, 5in1, WiFix2-GPSx1-<br>LTEx2, Bolt Mount, 19ft, Black                                  |
| Airgain     | 591GVS000014 | Vehicle Antenna - AirGain MultiMax, 5in1, WiFix2-GPSx1-LTEx2, Bolt Mount, 19ft, White                                      |

## For quotes or more information, contact:





Effective March 16, 2023 – March 15, 2024

| Airgain     | 591GVS000015 | Vehicle Antenna - AirGain MultiMax, 3in1, WiFix2-GPSx1,<br>Bolt Mount, 19ft, Black   |
|-------------|--------------|--|
| Airgain     | 591GVS000016 | Vehicle Antenna - AirGain MultiMax, 3in1, WiFix2-GPSx1,<br>Bolt Mount, 19ft, White   |
| Airgain     | 591GVS000017 | Vehicle Antenna - AirGain UltraMaxB, 5in1, WiFix2-GPSx1-LTEx2, Bolt Mount, 19ft, Black   |
| Airgain     | 591GVS000018 | Vehicle Antenna - AirGain UltraMaxB, 5in1, WiFix2-GPSx1-LTEx2, Bolt Mount, 19ft, White   |
| Airgain     | 591GVS000019 | Vehicle Antenna - AirGain UltraMaxB, 5in1, WiFix2-GPSx1-LTEx2, Adhesive Mount, 19ft, Black                                     |
| Airgain     | 591GVS000020 | Vehicle Antenna - AirGain UltraMaxB, 5in1, WiFix2-GPSx1-LTEx2, Adhesive Mount, 19ft, White                                     |
| Airgain     | 591GVS000021 | Vehicle Antenna - AirGain UltraMaxB, 3in1, WiFix2-GPSx1, Bolt Mount, 19ft, Black   |
| Airgain     | 591GVS000023 | Vehicle Antenna - AirGain UltraMaxB, 3in1, WiFix2-GPSx1, Adhesive Mount, 19ft, Black   |
| Airgain     | 591GVS000024 | Vehicle Antenna - AirGain UltraMaxB, 3in1, WiFix2-GPSx1, Adhesive Mount, 19ft, White   |
| Getac, Inc. | OVWX2MXXXXX1 | BWC (BC-02) - [64GB + FHD/HD/WVGA + WiFi + GPS + BLE], 1 year hardware warranty (compatible with magnetic charge cable ORB39X) |
| Getac, Inc. | OVWX2MXXXX21 | BWC (BC-02), 25th month device refresh option program - full upfront, 1 year hardware warranty                                 |
| Getac, Inc. | OVWX2MXXXX41 | BWC (BC-02), 49th month device refresh option program - full upfront, 1 year hardware warranty                                 |
| Getac, Inc. | OVWX3AXXXXX1 | BWC (BC-03 AT&T LTE) - [64GB + FHD/HD/WVGA + WiFi + GPS + BLE + AT&T LTE], 1 year hardware warranty                            |
| Getac, Inc. | OVWX3AXXXX21 | BWC (BC-03 AT&T LTE), 25th month device refresh option program - full upfront, 1 year hardware warranty                        |
| Getac, Inc. | OVWX3AXXXX41 | BWC (BC-03 AT&T LTE), 49th month device refresh option program - full upfront, 1 year hardware warranty                        |
| Getac, Inc. | OVWX3VXXXXX1 | BWC (BC-03 Verizon LTE) - [64GB + FHD/HD/WVGA + WiFi + GPS + BLE + Verizon LTE], 1 year hardware warranty                      |
| Getac, Inc. | OVWX3VXXXX21 | BWC (BC-03 Verizon LTE), 25th month device refresh option program - full upfront, 1 year hardware warranty                     |
| Getac, Inc. | OVWX3VXXXX41 | BWC (BC-03 Verizon LTE), 49th month device refresh option program - full upfront, 1 year hardware warranty                     |
| Getac, Inc. | OVWX3XXXXXX1 | BWC (BC-03) - [64GB + FHD/HD/WVGA + WiFi + GPS + BLE], 1 year hardware warranty  |
| Getac, Inc. | OVWX3XXXXX21 | BWC (BC-03), 25th month device refresh option program - full upfront, 1 year hardware warranty                                 |
| Getac, Inc. | OVWX3XXXXX41 | BWC (BC-03), 49th month device refresh option program - full upfront, 1 year hardware warranty                                 |
| Getac, Inc. | GAA251       | AC Adapter 24W   |
| Getac, Inc. | OAX03U       | Body Worn Camera USB AC Adapter (US), Adapter ONLY   |

## For quotes or more information, contact:





Effective March 16, 2023 – March 15, 2024

| Getac, Inc. | OBX03U  | Body Worn Camera (BC-03) Extended Battery                 |
|-------------|---------|---|
| Getac, Inc. | OD2DAU  | Body Worn Camera (BC-02) - 8 Port Multidock with          |
|             |         | Datamover (MD-02D), includes 90W AC Adapter (US)          |
| Getac, Inc. | OD3DAU  | Body Worn Camera (BC-03) - 8 Port Multidock (MD-03),      |
|             |         | includes 150W AC Adapter (US)                             |
| Getac, Inc. | OD3DDU  | Body Worn Camera (BC-03) - 8 Port Multidock with          |
|             |         | Datamover (MD-03D), includes 150W AC Adapter (US)         |
| Getac, Inc. | OD3DEU  | Body Worn Camera(BC-03)-8 Port Multidock with             |
|             |         | Datamover(MD-03D),includes 150W AC Adapter(US),25th       |
|             | 05504)/ | month device refresh option program, full upfront         |
| Getac, Inc. | OFB01X  | Body Worn Camera (BC-02) - Certified Bluetooth Dongle     |
| Getac, Inc. | OLX0BX  | Body Worn Camera USB Extension Cable for VD-02, 12.5 ft   |
| Getac, Inc. | ONX0GX  | Ethernet Cable - RJ45/CAT5e (25 ft)                       |
| Getac, Inc. | ORB24U  | Body Worn Camera (BC-02) - Single Port Dock (VD-02),      |
|             |         | includes USB AC adapter, USB Cable (3.94 ft)              |
| Getac, Inc. | ORB24X  | Body Worn Camera (BC-02) - Single Port Dock (VD-02),      |
|             |         | dock ONLY   |
| Getac, Inc. | ORB27X  | Body Worn Camera (BC-03) - Single Port Dock (VD-03)       |
| Getac, Inc. | ORB28X  | Body Worn Camera (BC-03) - Single Port Dock (VD-03), 25th |
|             |         | month device refresh option program, full upfront         |
| Getac, Inc. | ORB301  | Body Worn Camera - Universal Camera Adapter               |
| Getac, Inc. | ORB30X  | Body Worn Camera - Action Camera Adapter                  |
| Getac, Inc. | ORB312  | Body Worn Camera Alligator Clip V2.0                      |
| Getac, Inc. | ORB32X  | Body Worn Camera epaulette clip                           |
| Getac, Inc. | ORB342  | Body Worn Camera Molle Mount V2.0                         |
| Getac, Inc. | ORB362  | Body Worn Camera Magnetic Mount V2.0                      |
| Getac, Inc. | ORB363  | Body Worn Camera Magnetic (Double-Sided) Mount            |
| Getac, Inc. | ORB37X  | 3rd Party Camera Mount Adapter                            |

#### **Key Notes:**

• Freight & Sales Tax are not included in pricing

## For quotes or more information, contact:





Effective March 16, 2023 – March 15, 2024

- Services are available please contact Paula Sauls or Tony Bailey for details
- MSRP prices are subject to change

#### For quotes or more information, contact:



**Video Solutions** 





#### ZeroDark™ HD Camera

You work at night and so does the ZeroDark HD camera. Using a sensor designed to far surpass existing products in both quality and low-light video recording, ZeroDark excels at recording the details you need—even in darkness. The new smaller size and the ability to combine two cameras for a complete 180° view ensures you don't miss a thing.



#### Powerful DVR

Powerful and compact, our DVR captures video from multiple cameras and comes standard with the critical features you rely on such as on-board crash sensor, built-in battery backup, Wi-Fi, GPS and an intelligent power supply to prevent battery drain on the vehicle.



#### **Body-Worn Camera**

The Body-Worn Camera delivers panoramic, full HD video, even in low-light conditions. With one of the smallest and lightest designs in the industry, more than 12 hours of full-shift battery life and a wide range of communication features, it can go wherever the action is, providing complete situational awareness in critical scenarios.



#### Rugged & Fault Tolerant

Capturing the video data you need even under the most extreme conditions is necessary and can't be interrupted. You need a system that is as rugged as your team is, even when your vehicle or its power system becomes damaged. The Getac Video Solutions devices are rated Extremely Rugged and IP67 compliant.



#### Software Command & Control

Getac Enterprise software is one of the most powerful back-end video management tools in the industry. The highly scalable software provides dashboard overview, media management and remote management of all your systems.



### Manage Data Effectively

With Getac Cloud, you can securely manage the digital assets obtained from in-car cameras, body-worn cameras, interview rooms and other digital devices. Any digital video, image or document may be securely uploaded, browsed, viewed, classified and shared using only a web browser.



Video Solutions

# **SPECIFICATIONS**

info@getacvideo.com www.getacvideo.com 833.820.5172

Getac Video Solutions, Inc. 3600 American Blvd W, Ste 460 Bloomington, MN 55431



ZeroDark™ HD Camera

**Field-of-View:**  $56^{\circ}(H) \times 30^{\circ}(V) / 125^{\circ}(H) \times 70^{\circ}(V)$ 

Aperture: F1.2 / F1.8 Focal Length: 6mm / 2.6mm

Low-light Capability: 0.04lux @ F1.2 (Color) / 0.05lux @ F1.8 (Color)

**Exposure:** Dual Exposure, HDR technology

**Resolutions:** 1920x1080 (1080P), 1280x720 (720P), 848x480 (D1)

Frames Per Second: 30

**Dimensions:** 1.77" x 1.77" x 1.97", 45mm x 45mm x 50mm (L x H x D) /

1.77" x 1.77" x 1.38", 45mm x 45mm x 35mm (L x H x D)

Weight: 0.44 lbs (200g) / 0.40 lbs (180g)

#### ZeroDark™ HD Infrared Backseat Camera

Field of View:  $125^{\circ}(H) \times 70^{\circ}(V)$ 

**Aperture:** F1.8 **Focal Length:** 2.6mm

Low-light Capability: 0.00lux (IR LED On), IR: Built-In IR LEDs (4ea)

**Exposure:** Dual Exposure, HDR technology

Resolutions: 1920x1080 (1080P), 1280x720 (720P), 848x480 (D1)

Frames Per Second: 30

**Dimensions:** 1.77" x 1.77" x 1.38", 45mm x 45mm x 35mm (L x H x D)

**Weight:** 0.41 lbs (184g)

#### DVR

Recording Storage: 128-1,024GB module (M.2 slots + front lockable

USB 3.0 for user supplied flash thumb drive\*\*)
Recording Media (Removable): USB flash drive\*\*

**GPS:** Integrated (Standard) **Wi-Fi:** Integrated (Standard) **Battery:** 7.2V / 4,200 mAh

Crash Detection: Standard 3-axis accelerometer sensor

**Input/Output Ports:** USB 2.0 x2, USB 3.0 x2, Ethernet x2, GPIO input x8 and GPIO output x4 for trigger events and RS232 (9 Pin) x2 for radar interface, channels composite video input x8, audio input x4, wireless microphone x2, 3.5mm Headphone, HDMI port, Control unit port and

Video Transfer Methods: Wireless (802.11ac), wired (Ethernet),

LTE (Optional), removable USB flash thumb drive

**Dimensions:**  $7.17" \times 2.83" \times 7.1"$ ,  $182mm \times 72mm \times 180mm$  (L x H x D)

Weight: 4.23 lbs (1920g)

Accessories: Standard Mounting Bracket

Display
Size: 5-inch
Type: TFT LCD HD
Resolution: 800 x 480

Touch: Multi-touch technology

Buttons: Power/covert op, menu, brightness, stop record, start record,

play, zoom/volume, microphone, camera **Ports:** USB 2.0 (admin lockable)

**Dimensions:** 5.4" x 4.4" x 0.8" (L x H x D - excluding mount and

projecting parts) **Weight:** 0.6 lbs

#### Video System

Video Compression: H.264 high profile

Recording Triggers: Manual, crash and up to 8 customizable triggers

**Storage Architecture:** Multiple drive architecture **Pre and Post-Event:** Yes, independently configured

**Background Recording:** Yes

**Temperature Range:** Operating temperature -30°C to 60°C

**Temperature Range:** Operating humidity 10% to 80% (no condensation)

Operating Voltages: 12/24 volts DC

#### Wireless Microphone

Frequency Range: 2401.056 MHz ~ 2478.816 MHz Communication Range: 1500 ft. (in line of sight)

Talk Time: 12 Hours

Dimensions:  $2.8" \times 2" \times 0.9"$ 

Weight: 0.2 lbs

### **Body-Worn Camera**

Video Output Format: .MP4 (H.264)

Video Output Resolution: 1920x1080(1080p), 1280x720(720p),

640x480(480p)

Video Output Frame Rate: 30 fps

FOV (Field of View): 120°

Storage: 64 GB

Recording Time: >12 hrs\* Stand-by Time: > 24 hrs\*

Watermark: Supports Date/Time/Officer ID stamp overlay on video

footage

Pre-record: Supports 10; 20; 30 seconds

Addtl. Supported Features: Covert recording mode, Instant record,

Instant event classification, Footage bookmarking **Buttons:** Power, Main, Category Wheel, Covert Switch

I/O Interface: Docking x 1

Additional features: GPS, Wi-Fi Offload, & Built-in RFID Tag Connectivity Interface: Wi-Fi 802.11 b/g/n, Bluetooth LE

Power: Battery 4.2V, 3220 mAh; AC Adapter/Charging Dock (5V, 2A, 10W,

100-240VAC, 50 / 60Hz)

**Rugged Features:** MIL-STD-810G, Vibration & 6 feet drop resistant, IP67 **Environmental Spec:** Operating Temp: -4°F to 122°F; Storage Temp: -40°F to 160°F

Dimensions (W x D x H):  $2.98" \times 2.01" \times 0.93"$ 

Weight: 4.59 oz

**Attachment:** Pocket mount x 1, Molle Mount x1, Chest Clip x1, Chest Mount x1, Epaulette Clip x1, Magnetic Mount x1,

Magnetic Charging Cable x1

## Warranty

1 year limited warranty

Standard and optional features vary depending on purchased configuration and options selected. Specifications subject to change without notice.

<sup>\*</sup> Battery performance will vary based on power management settings and environmental conditions. As with all batteries, maximum capacity decreases with time and use and may eventually need to be replaced by a Getac service provider. Battery life and charge cycles vary by use and settings.

<sup>\*\*</sup> Flash thumb drive sold separately.

<sup>†</sup> For warranty terms and conditions visit www.getac.com