



2/20/23

NC Sheriffs' Association Technology Bid # 24-03-0222

Discount Catalog for Avigilon Products

12% Discount off MSRP for Main Line Items

12% Discount off MSRP for Options/Accessories

Key Notes:

- The NCSA fee of 0.0075 (3/4%) will be added to the Sales Price (Discount from MSRP)
- Freight & Sales Tax are not included in pricing
- Services are available – please contact Andrew Chalson (704-287-1349) for additional info
- With current Supply Chain issues, MSRP prices are subject to change

Access Control MSRP - USD

US Pricelist effective January 19, 2023

CONFIDENTIAL

The contents of this document are considered confidential and should not be posted on a public access website, made available for general public distribution, or otherwise shared with others without prior written authorization from Motorola Solutions Inc. ("Motorola Solutions").

© 2023 Motorola Solutions. All rights reserved. MOTOROLA, MOTO, MOTOROLA SOLUTIONS and the Stylized M Logo are trademarks or registered trademarks of Motorola Trademark Holdings, LLC and are used under license. All other trademarks are the property of their respective owners.

Summary Of Changes

- 2022-03-07 : Effective Mar. 7, 2022, in all currencies, price increase on all Access Control Manager appliances and licensing by ~7%
- 2022-05-06 : Effective June 9, 2022, price increase in all currencies on ACM OEM LifeSafety Power ~3% to ~27%, Abloy UK ~3% to ~22%, Schlage ~8%
- 2022-05-23 : Effective July 4, 2022, price increase in all currencies on ACM OEM HID Global EasyLobby® products ~10% to ~17%
- 2021-09-22 : Effective October 31, 2021, price increase on ACM OEM Allegion/Schlage: ~3%, Elmdene: ~5%, ASSA ABLOY: ~3%, HID Easy Lobby: ~1%-14%, HID CARDS: ~1.5%, HID READERS: ~1.5%, HID pivCLASS: ~1.5%, HID Mercury: ~4.50%, LifeSafety Power: ~8% to 13%, ROLEC: ~8%
- 2022-02-21 : Effective February 21, 2022, price increase on ACM OEM Allegion/Schlage: ~5% to 8%, ASSA ABLOY: ~7% to 40%, HID Easy Lobby: ~10%, Salto ~4% to 19%, Farpointe Data ~4% to 39%
- 2022-04-14 : Effective April 14, 2022, price increase on ACM OEM HID Cards and Readers: ~1% to 14%, HID pivCLASS: ~5% to 20%, HID Mercury: ~7%, HID VertX ~4%, ACM Kits ~4%
- 2022-08-19 : Effective August 19, 2022, price increase in all currencies on ACM OEM ASSA ABLOY (Locks and accessories) ~9.5%, Farpointe Data ~6% to ~22%, Elmdene (available in the EU and UK only) ~7%
- 2021-05-05 : HID Signo Promotion Discount Off MSRP Valid Until September 30, 2021.
- 2021-05-05 : ASSA ABLOY European Aperio Manufacturer Price Increase.
- 2022-12-06 : Effective Jan. 6, 2023 price increase on all ACM Professional Appliances: 15% to 20%, ACM Enterprise Appliances: 7% to 15%, ACM Enterprise Plus Appliances: 3% to 11%, ACM Virtual Appliances: 1% to 14%, 16 Doors Expansion Software Licenses: 30% and ACM OEM HID Mercury Controllers: ~2% to 8%, HID Credentials : ~3% to 10%, HID EasyLobby: ~10% to 20%, HID Readers: ~8% to 10%, Salto: ~8.5%

All prices are exclusive of taxes and freight. Motorola Solutions reserves the right to make changes to pricing and discount margins. All installation and use of Access Control Manager software is governed by its end user license agreement (EULA).

CONFIDENTIAL : The contents of this document are considered confidential and should not be posted on a public access website, made available for general public distribution, or otherwise shared with others without prior written authorization from Motorola Solutions Inc. ("Motorola Solutions").

ACM Solutions

ACM Enterprise

MODEL NUMBER	DESCRIPTION	MSRP \$
AC-APP-128R-ENT2-6	Access Control Manager Enterprise 6 – Web-Based PACS Enterprise Appliance for 128 Readers - includes: physical appliance embedded 64 bit Linux OS & Open LDAP for configuration database Access Control Manager Security Management Software 128 Reader Count Software License One (1) ACM Verify ACC Video Integration Five (5) partitions Identities CSV export, recurring, one-time, long & short format Total reader capacity can be expanded from 128 to 400 readers, in increments of 16, with the purchase of the desired quantity of AC-SW-LIC-16RCU-6-P, 16 Reader Count Software Licenses Supports up to 512 controllers 250K identities and 150M stored events and twenty (20) simultaneous operators (via browser) Three (3) year appliance hardware warranty begins at date of shipment	11,500.00
AC-APP-16R-ENT2-6	Access Control Manager Enterprise 6 – Web-Based PACS Enterprise Appliance for 16 Readers - includes: physical appliance embedded 64 bit Linux OS & Open LDAP for configuration database Access Control Manager Security Management Software 16 Reader Count Software License One (1) ACM Verify ACC Video Integration Five (5) partitions Identities CSV export, recurring, one-time, long & short format Total reader capacity can be expanded from 16 to 400 readers, in increments of 16, with the purchase of the desired quantity of AC-SW-LIC-16RCU-6-P, 16 Reader Count Software Licenses Supports up to 512 controllers 250K identities and 150M stored events and twenty (20) simultaneous operators (via browser) Three (3) year appliance hardware warranty begins at date of shipment	4,300.00
AC-APP-256R-ENT2-6	Access Control Manager Enterprise 6 – Web-Based PACS Enterprise Appliance for 256 Readers - includes: physical appliance embedded 64 bit Linux OS & Open LDAP for configuration database Access Control Manager Security Management Software 256 Reader Count Software License One (1) ACM Verify ACC Video Integration Five (5) partitions Identities CSV export, recurring, one-time, long & short format Total reader capacity can be expanded from 256 to 400 readers, in increments of 16, with the purchase of the desired quantity of AC-SW-LIC-16RCU-6-P, 16 Reader Count Software Licenses Supports up to 512 controllers 250K identities and 150M stored events and twenty (20) simultaneous operators (via browser) Three (3) year appliance hardware warranty begins at date of shipment	19,600.00
AC-APP-32R-ENT2-6	Access Control Manager Enterprise 6 – Web-Based PACS Enterprise Appliance for 32 Readers - includes: physical appliance embedded 64 bit Linux OS & Open LDAP for configuration database Access Control Manager Security Management Software 32 Reader Count Software License One (1) ACM Verify ACC Video Integration Five (5) partitions Identities CSV export, recurring, one-time, long & short format Total reader capacity can be expanded from 32 to 400 readers, in increments of 16, with the purchase of the desired quantity of AC-SW-LIC-16RCU-6-P, 16 Reader Count Software Licenses Supports up to 512 controllers 250K identities and 150M stored events and twenty (20) simultaneous operators (via browser) Three (3) year appliance hardware warranty begins at date of shipment	5,450.00
AC-APP-64R-ENT2-6	Access Control Manager Enterprise 6 – Web-Based PACS Enterprise Appliance for 64 Readers - includes: physical appliance embedded 64 bit Linux OS & Open LDAP for configuration database Access Control Manager Security Management Software 64 Reader Count Software License One (1) ACM Verify ACC Video Integration Five (5) partitions Identities CSV export, recurring, one-time, long & short format Total reader capacity can be expanded from 64 to 400 readers, in increments of 16, with the purchase of the desired quantity of AC-SW-LIC-16RCU-6-P, 16 Reader Count Software Licenses Supports up to 512 controllers 250K identities and 150M stored events and twenty (20) simultaneous operators (via browser) Three (3) year appliance hardware warranty begins at date of shipment	7,750.00
AC-APP-ENT2-WARR-EXTEND-1YR	1 Year Extended Warranty for Access Control Manager Enterprise Appliance	698.50
AC-APP-ENT2-WARR-EXTEND-2YR	2 Year Extended Warranty for Access Control Manager Enterprise Appliance	1,396.99

All prices are exclusive of taxes and freight. Motorola Solutions reserves the right to make changes to pricing and discount margins. All installation and use of Access Control Manager software is governed by its end user license agreement (EULA).

CONFIDENTIAL : The contents of this document are considered confidential and should not be posted on a public access website, made available for general public distribution, or otherwise shared with others without prior written authorization from Motorola Solutions Inc. ("Motorola Solutions").

ACM Enterprise Plus

MODEL NUMBER	DESCRIPTION	MSRP \$
AC-APP-1024R-ENT-PLUS-6	Access Control Manager Enterprise Plus 6 – Web-Based PACS Plus Appliance for 1024 Readers - includes: physical appliance embedded 64 bit Linux OS & Open LDAP for configuration database Access Control Manager Security Management Software 1024 Reader Count Software License One (1) ACM Verify ACC Video Integration Five (5) partitions Identities CSV export, recurring, one-time, long & short format Total reader capacity can be expanded from 1024 to 2048 readers, in increments of 16, with the purchase of the desired quantity of AC-SW-LIC-16RCU-6-P, 16 Reader Count Software Licenses Supports up to 512 controllers 500K identities and 150M stored events and Fifty (50) simultaneous operators (via browser) Three (3) year appliance hardware warranty begins at date of shipment	52,400.00
AC-APP-16R-ENT-PLUS-6	Access Control Manager Enterprise Plus 6 – Web-Based PACS Plus Appliance for 16 Readers - includes: physical appliance embedded 64 bit Linux OS & Open LDAP for configuration database Access Control Manager Security Management Software 16 Reader Count Software License One (1) ACM Verify ACC Video Integration Five (5) partitions Identities CSV export, recurring, one-time, long & short format Total reader capacity can be expanded from 16 to 2048 readers, in increments of 16, with the purchase of the desired quantity of AC-SW-LIC-16RCU-6-P, 16 Reader Count Software Licenses Supports up to 512 controllers 500K identities and 150M stored events and Fifty (50) simultaneous operators (via browser) Three (3) year appliance hardware warranty begins at date of shipment	13,300.00
AC-APP-2048R-ENT-PLUS-6	Access Control Manager Enterprise Plus 6 – Web-Based PACS Plus Appliance for 2048 Readers - includes: physical appliance embedded 64 bit Linux OS & Open LDAP for configuration database Access Control Manager Security Management Software 2048 Reader Count Software License One (1) ACM Verify ACC Video Integration Five (5) partitions Identities CSV export, recurring, one-time, long & short format Total reader capacity cannot be expanded Supports up to 512 controllers 500K identities and 150M stored events and Fifty (50) simultaneous operators (via browser) Three (3) year appliance hardware warranty begins at date of shipment	67,600.00
AC-APP-256R-ENT-PLUS-6	Access Control Manager Enterprise Plus 6 – Web-Based PACS Plus Appliance for 256 Readers - includes: physical appliance embedded 64 bit Linux OS & Open LDAP for configuration database Access Control Manager Security Management Software 256 Reader Count Software License One (1) ACM Verify ACC Video Integration Five (5) partitions Identities CSV export, recurring, one-time, long & short format Total reader capacity can be expanded from 256 to 2048 readers, in increments of 16, with the purchase of the desired quantity of AC-SW-LIC-16RCU-6-P, 16 Reader Count Software Licenses Supports up to 512 controllers 500K identities and 150M stored events and Fifty (50) simultaneous operators (via browser) Three (3) year appliance hardware warranty begins at date of shipment	25,500.00
AC-APP-512R-ENT-PLUS-6	Access Control Manager Enterprise Plus 6 – Web-Based PACS Plus Appliance for 512 Readers - includes: physical appliance embedded 64 bit Linux OS & Open LDAP for configuration database Access Control Manager Security Management Software 512 Reader Count Software License One (1) ACM Verify ACC Video Integration Five (5) partitions Identities CSV export, recurring, one-time, long & short format Total reader capacity can be expanded from 512 to 2048 readers, in increments of 16, with the purchase of the desired quantity of AC-SW-LIC-16RCU-6-P, 16 Reader Count Software Licenses Supports up to 512 controllers 500K identities and 150M stored events and Fifty (50) simultaneous operators (via browser) Three (3) year appliance hardware warranty begins at date of shipment	38,000.00
AC-APP-ENT-PLUS-WARR-EXTEND-1YR	1 Year Extended Warranty for Access Control Manager Enterprise Plus Appliance	824.01
AC-APP-ENT-PLUS-WARR-EXTEND-2YR	2 Year Extended Warranty for Access Control Manager Enterprise Plus Appliance	1,653.47

ACM Professional

MODEL NUMBER	DESCRIPTION	MSRP \$
AC-APP-16R-PRO-6	Access Control Manager Professional 6 – Web-Based PACS Professional Appliance for 16 Readers - includes: physical appliance embedded 64 bit Linux OS & Open LDAP for configuration database Access Control Manager Security Management Software 16 Reader Count Software License One (1) ACM Verify ACC Video Integration Five (5) partitions Identities CSV export, recurring, one-time, long & short format Total	2,100.00

All prices are exclusive of taxes and freight. Motorola Solutions reserves the right to make changes to pricing and discount margins. All installation and use of Access Control Manager software is governed by its end user license agreement (EULA).

CONFIDENTIAL : The contents of this document are considered confidential and should not be posted on a public access website, made available for general public distribution, or otherwise shared with others without prior written authorization from Motorola Solutions Inc. ("Motorola Solutions").

	reader capacity can be expanded from 16 to 32 readers with the purchase of one AC-SW-LIC-16RCU-6-P 16 Reader Count Software License Supports up to 32 controllers, 75K identities, 75M stored transactions and ten (10) simultaneous operators (via browser) Three (3) year appliance hardware warranty begins at date of shipment	
AC-APP-32R-PRO-6	Access Control Manager Professional 6 – Web-Based PACS Professional Appliance for 32 Readers - includes: physical appliance embedded 64 bit Linux OS & Open LDAP for configuration database Access Control Manager Security Management Software 32 Reader Count Software License One (1) ACM Verify ACC Video Integration Five (5) partitions Identities CSV export, recurring, one-time, long & short format Total reader capacity cannot be expanded Supports up to 32 controllers, 75K identities and 75M stored transactions and ten (10) simultaneous operators (via browser) Three (3) year appliance hardware warranty begins at date of shipment	3,250.00
AC-APP-PRO-WARR-EXTEND-1YR	1 Year Extended Warranty for Access Control Manager Professional Appliance	245.57
AC-APP-PRO-WARR-EXTEND-2YR	2 Year Extended Warranty for Access Control Manager Professional Appliance	491.13

ACM Virtual

MODEL NUMBER	DESCRIPTION	MSRP \$
AC-SW-1024R-VM-6-P	Access Control Manager Virtual 6 - Web-Based PACS Virtual for 1024 Readers - includes: embedded 64 bit Linux OS & Open LDAP for configuration database Access Control Manager Security Management Software 1024 Reader Count Software License One (1) ACM Verify ACC Video Integration Five (5) partitions Identities CSV export, recurring, one-time, long & short format Total reader capacity can be expanded from 1024 to 2048 readers, in increments of 16, with the purchase of the desired quantity of AC-SW-LIC-16RCU-6-P, 16 Reader Count Software Licenses Supports up to 512 controllers 500K identities and 150M stored events and Fifty (50) simultaneous operators (via browser) VMware software is required and not included	41,000.00
AC-SW-128R-VM-6-P	Access Control Manager Virtual 6 - Web-Based PACS Virtual for 128 Readers - includes: embedded 64 bit Linux OS & Open LDAP for configuration database Access Control Manager Security Management Software 128 Reader Count Software License One (1) ACM Verify ACC Video Integration Five (5) partitions Identities CSV export, recurring, one-time, long & short format Total reader capacity can be expanded from 128 to 2048 readers, in increments of 16, with the purchase of the desired quantity of AC-SW-LIC-16RCU-6-P, 16 Reader Count Software Licenses Supports up to 512 controllers 500K identities and 150M stored events and Fifty (50) simultaneous operators (via browser) VMware software is required and not included	9,850.00
AC-SW-16R-VM-6-P	Access Control Manager Virtual 6 - Web-Based PACS Virtual for 16 Readers - includes: embedded 64 bit Linux OS & Open LDAP for configuration database Access Control Manager Security Management Software 16 Reader Count Software License One (1) ACM Verify ACC Video Integration Five (5) partitions Identities CSV export, recurring, one-time, long & short format Total reader capacity can be expanded from 16 to 2048 readers, in increments of 16, with the purchase of the desired quantity of AC-SW-LIC-16RCU-6-P, 16 Reader Count Software Licenses Supports up to 512 controllers 500K identities and 150M stored events and Fifty (50) simultaneous operators (via browser) VMware software is required and not included	3,000.00
AC-SW-2048R-VM-6-P	Access Control Manager Virtual 6 - Web-Based PACS Virtual for 2048 Readers - includes: embedded 64 bit Linux OS & Open LDAP for configuration database Access Control Manager Security Management Software 2048 Reader Count Software License One (1) ACM Verify ACC Video Integration Five (5) partitions Identities CSV export, recurring, one-time, long & short format Total reader capacity cannot be expanded Supports up to 512 controllers 500K identities and 150M stored events and Fifty (50) simultaneous operators (via browser) VMware software is required and not included	58,750.00
AC-SW-256R-VM-6-P	Access Control Manager Virtual 6 - Web-Based PACS Virtual for 256 Readers - includes: embedded 64 bit Linux OS & Open LDAP for configuration database Access Control Manager Security Management Software 256 Reader Count Software License One (1) ACM Verify ACC Video Integration Five (5) partitions Identities CSV export, recurring, one-time, long & short format Total reader capacity can be expanded from 256 to 2048 readers, in increments of 16, with the purchase of the desired quantity of AC-SW-LIC-16RCU-6-P, 16 Reader Count Software Licenses Supports up to 512 controllers 500K identities and 150M stored events and Fifty (50) simultaneous operators (via browser) VMware software is required and not included	16,900.00

All prices are exclusive of taxes and freight. Motorola Solutions reserves the right to make changes to pricing and discount margins. All installation and use of Access Control Manager software is governed by its end user license agreement (EULA).

CONFIDENTIAL : The contents of this document are considered confidential and should not be posted on a public access website, made available for general public distribution, or otherwise shared with others without prior written authorization from Motorola Solutions Inc. ("Motorola Solutions").

AC-SW-32R-VM-6-P	Access Control Manager Virtual 6 - Web-Based PACS Virtual for 32 Readers - includes: embedded 64 bit Linux OS & Open LDAP for configuration database Access Control Manager Security Management Software 32 Reader Count Software License One (1) ACM Verify ACC Video Integration Five (5) partitions Identities CSV export, recurring, one-time, long & short format Total reader capacity can be expanded from 32 to 2048 readers, in increments of 16, with the purchase of the desired quantity of AC-SW-LIC-16RCU-6-P, 16 Reader Count Software Licenses Supports up to 512 controllers 500K identities and 150M stored events and Fifty (50) simultaneous operators (via browser) VMware software is required and not included	4,150.00
AC-SW-512R-VM-6-P	Access Control Manager Virtual 6 - Web-Based PACS Virtual for 512 Readers - includes: embedded 64 bit Linux OS & Open LDAP for configuration database Access Control Manager Security Management Software 512 Reader Count Software License One (1) ACM Verify ACC Video Integration Five (5) partitions Identities CSV export, recurring, one-time, long & short format Total reader capacity can be expanded from 512 to 2048 readers, in increments of 16, with the purchase of the desired quantity of AC-SW-LIC-16RCU-6-P, 16 Reader Count Software Licenses Supports up to 512 controllers 500K identities and 150M stored events and Fifty (50) simultaneous operators (via browser) VMware software is required and not included	31,300.00
AC-SW-64R-VM-6-P	Access Control Manager Virtual 6 - Web-Based PACS Virtual for 64 Readers - includes: embedded 64 bit Linux OS & Open LDAP for configuration database Access Control Manager Security Management Software 64 Reader Count Software License One (1) ACM Verify ACC Video Integration Five (5) partitions Identities CSV export, recurring, one-time, long & short format Total reader capacity can be expanded from 64 to 2048 readers, in increments of 16, with the purchase of the desired quantity of AC-SW-LIC-16RCU-6-P, 16 Reader Count Software Licenses Supports up to 512 controllers 500K identities and 150M stored events and Fifty (50) simultaneous operators (via browser) VMware software is required and not included	6,200.00

All prices are exclusive of taxes and freight. Motorola Solutions reserves the right to make changes to pricing and discount margins. All installation and use of Access Control Manager software is governed by its end user license agreement (EULA).

CONFIDENTIAL : The contents of this document are considered confidential and should not be posted on a public access website, made available for general public distribution, or otherwise shared with others without prior written authorization from Motorola Solutions Inc. ("Motorola Solutions").

ACM Software Options

Video Integration

MODEL NUMBER	DESCRIPTION	MSRP \$
AC-SW-LIC-EXACQ-6-P	Access Control Manager 6 License for Video Integration for Exacq (per appliance)	4,546.77
AC-SW-LIC-MILEST-6-P	Access Control Manager 6 License for Video Integration for Milestone (per appliance)	4,546.77

ACM Options

MODEL NUMBER	DESCRIPTION	MSRP \$
AC-SW-ACM-DEMO-30D-6-P	Access Control Manager 6 License 30 Day Demonstration: includes licensing for Badging, Exacq, Milestone, one Bosch intrusion panel, ViRIDI BEManager integration, Replication, Hot Stand By Auto Failover, SQL collaboration, Oracle collaboration, LDAP collaboration, XML collaboration, REST collaboration	0.00
AC-SW-LIC-16RCU-6-P	Additional 16 Doors Expansion Software Licenses for Avigilon Access Control Manager Professional, Enterprise, Enterprise Plus & Virtual	1,180.00
AC-SW-LIC-AF-6-P	Access Control Manager 6 Hot Standby - Auto Failover Software License (per Appliance) includes AC-SW-LIC-REP-6-P; Requires duplicate licensing for failover appliance	5,457.00
AC-SW-LIC-BDGE-6-P	Badging Software Licenses for Avigilon Access Control Manager Professional, Enterprise, Enterprise Plus & Virtual	909.14
AC-SW-LIC-PART-6-P	Access Control Manager 6 Partitioning License for additional partitions (per appliance)	4,547.86
AC-SW-LIC-REP-6-P	Access Control Manager 6 Multi-Appliance Replication Software License (per appliance)	3,637.64
AC-SW-LIC-REST-6-P	Access Control Manager 6 REST Connectivity Software License (per appliance)	909.14
AC-SW-LIC-WIRELESS-LOCK-6-P	Access Control Manager 6 Wireless Lock Connectivity Software License for each wireless locks not purchased from Motorola Solutions	200.00

Collaborations

MODEL NUMBER	DESCRIPTION	MSRP \$
AC-SW-LIC-LDAP-6-P	Access Control Manager 6 LDAP Directory Connectivity Software License (required for integration with Microsoft Active Directory or other directory products)(per appliance)	2,728.50
AC-SW-LIC-ORCL-6-P	Access Control Manager 6 Oracle Server Connectivity Software License (from Oracle DB 9i forward)(per appliance)	3,637.64
AC-SW-LIC-SQL-6-P	Access Control Manager 6 Microsoft SQL Server Connectivity Software License (from Microsoft SQL 2000 forward)(per appliance)	1,819.36
AC-SW-LIC-XML-6-P	Access Control Manager 6 XML Events Connectivity Software License (per appliance)	909.14

Hardware Licensing

MODEL NUMBER	DESCRIPTION	MSRP \$
AC-SW-LIC-ACMEC-MIG-6-P	Access Control Manager 6 License for the migration and conversion of a single ACM Embedded Controller into an ACM Professional, Enterprise or Virtual system. One license is required for each ACM Embedded Controller to be migrated. License includes migration of Cardholders into Identities and conversion of the ACM EC into a HID VertX EVO V1000	218.28

All prices are exclusive of taxes and freight. Motorola Solutions reserves the right to make changes to pricing and discount margins. All installation and use of Access Control Manager software is governed by its end user license agreement (EULA).

CONFIDENTIAL : The contents of this document are considered confidential and should not be posted on a public access website, made available for general public distribution, or otherwise shared with others without prior written authorization from Motorola Solutions Inc. ("Motorola Solutions").

controller. The ACM system does require the appropriate number of HID licensing (AC-SW-HID-RDR).

AC-SW-LIC-BOSCHINTR-10PANEL-6-P	Bosch Intrusion (10 Panel) Integration Software Licenses for Avigilon Access Control Manager 6 Professional, Enterprise, Enterprise Plus & Virtual	3,274.20
AC-SW-LIC-BOSCHINTR-1PANEL-6-P	Bosch Intrusion (1 Panel) Integration Software Licenses for Avigilon Access Control Manager 6 Professional, Enterprise, Enterprise Plus & Virtual	354.71
AC-SW-LIC-DMPINTR-10PANEL-6-P	Access Control Manager 6 for 10 panel license for DMP intrusion panel integration. Panels supported: XR150 & XR550 Command Processor Intrusion Panels	3,274.20
AC-SW-LIC-DMPINTR-1PANEL-6-P	Access Control Manager 6 per panel license (one panel) for DMP intrusion panel integration. Panels supported: XR150 & XR550 Command Processor Intrusion Panels	354.71
AC-SW-LIC-HID-VERTEX-ASM-6-P	Access Control Manager 6 NON OEM (Non Avigilon Ordered) HID VertX EVO V1000 or HID VertX EVO V2000 Assimilation License (One required per VertX EVO Controller)	545.70
AC-SW-LIC-VIRDI-BIO-6-P	ViRDI BE Manager Integration Software Licenses for Avigilon Access Control Manager 6 Professional, Enterprise, Enterprise Plus & Virtual	2,728.50

Virtual Stations

MODEL NUMBER	DESCRIPTION	MSRP \$
AC-SW-LIC-AVO-VER-16VS-6-P	Access Control Manager 6 (ACM) Verify license for 16 virtual stations (per appliance)	909.14
AC-SW-LIC-AVO-VER-5VS-6-P	Access Control Manager 6 (ACM) Verify license for 5 virtual stations (per appliance)	327.42

All prices are exclusive of taxes and freight. Motorola Solutions reserves the right to make changes to pricing and discount margins. All installation and use of Access Control Manager software is governed by its end user license agreement (EULA).

CONFIDENTIAL : The contents of this document are considered confidential and should not be posted on a public access website, made available for general public distribution, or otherwise shared with others without prior written authorization from Motorola Solutions Inc. ("Motorola Solutions").

Controller and Sub Panels

Mercury

MODEL NUMBER	DESCRIPTION	MSRP \$
AC-MER-A-BAT23MM	LITHIUM COIN CELLS BR/CR2325, 20-pack(Mercury Part Number: A-BAT23MM)	92.77
AC-MER-A-RES-1K32	AXIAL LEADED 1K1%1/4W RESISTORS, 32-pack(Mercury Part Number: RES-1K32)	11.85
AC-MER-A-TC-MR50	CABLE FOR MR-50 TAMPER (Mercury Part Number: A-TC-MR50)	5.00
AC-MER-A-TERM5-3	Replace 3-Position Terminal Blocks, 10-pack(Mercury Part Number: A-TERM5-3)	33.37
AC-MER-A-TERM5-4	Replace 4-Position Terminal Blocks, 10-pack(Mercury Part Number: A-TERM5-4)	43.29
AC-MER-A-TERM5-5	Replace 5-Position Terminal Blocks, 10-pack(Mercury Part Number: A-TERM5-5)	55.65
AC-MER-A-TERM5-6	Replace 6-Position Terminal Blocks, 10-pack(Mercury Part Number: A-TERM5-6)	65.56
AC-MER-CON-MR16IN	16 Zone Input Monitor Module with 2 relays (Mercury Part Number: MR16in-S3)	1,088.36
AC-MER-CON-MR16OUT	16 Relay Output Control Module (Mercury Part Number: MR16out-S3)	1,088.36
AC-MER-CON-MR50	Series 3 Single Reader Interface Module: mag or wiegand, 2 inputs, 2 relays (Mercury Part Number: MR50-S3)	443.86
AC-MER-CON-MR52-S3B	HID® Mercury™ MR52-S3B Controller Serial I/O Dual Card Reader Interface, 2-Reader Interface Module - (2 reader: mag, wiegand, 4 reader OSDP, 8 inputs, 6 relays) (Mercury MR52-S3B)	880.89
AC-MER-CONT-LP1501	Intelligent Controller, Linux Based with 1 door, 2 inputs and 2 outputs, PoE+ Support, expandable up to 17 doors. (Mercury Part #: LP1501)	833.78
AC-MER-CONT-LP1502	Intelligent Controller, Linux Based with 2 doors, 8 inputs and 4 outputs, expandable up to 64 doors. (Mercury Part #: LP1502)	1,551.46
AC-MER-CONT-LP2500	Intelligent Controller, Linux Based, expandable up to 64 doors. (Mercury Part #: LP2500)	2,348.65
AC-MER-CONT-LP4502	Intelligent Controller, Linux Based with 2 doors, 8 inputs and 4 outputs, expandable up to 64 doors. (Mercury Part #: LP4502)	3,223.04
AC-MER-M5-16DO-1	Mercury M5 Bridge 16 DO, 16 Digital Output Control Module-(16 digital arrays) (1 board)(Mercury Part Number: M5-16DO-1)	671.81
AC-MER-M5-16DOR-1	Mercury M5 Bridge 16 DOR, 16 Relay Output Controller Module-(16 solid state relays) (1 board)(Mercury Part Number: M5-16DOR-1)	671.81
AC-MER-M5-20IN-1	Mercury M5 Bridge 20 IN, 20 Zone Input Monitor Module (1 board)(Mercury Part Number: M5-20IN-1)	703.81
AC-MER-M5-2K	Mercury M5 Bridge M2000 with with M5 IC, Multi-device interface panel for replacement of the Casi M2000 reader controller, includes the M5-IC as well as the 4 reader daughter board (Mercury Part Number: M5-2K)	2,399.31
AC-MER-M5-2K-BASE	Mercury M5 Bridge M2000 only, Multi-device interface panel for replacement of the Casi M2000 reader controller, does NOT include M5-IC that is sold separately (Mercury Part Number: M5-2K-BASE)	1,141.01
AC-MER-M5-2SRP-1	Mercury M5 Bridge 2SRP, Supervised Reader Interface Module-(2 Rdr, 4 Inputs, 6 Outputs) (1 board)(Mercury Part Number: M5-2SRP-1)	671.81
AC-MER-M5-8RP-1	Mercury M5 Bridge 8RP, Supervised Reader Interface Module-(8 Supervised Rdr Connections) (1 board)(Mercury Part Number: M5-8RP-1)	1,066.35
AC-MER-M5-COM-1	Mercury M5 Bridge COM, Combination Power & RS485; Communications Bridge (1 board)(Mercury Part Number: M5-COM-1)	320.65
AC-MER-M5-IC-1	Mercury M5 Bridge IC, Intelligent Controller, 32MB RAM, Ethernet, Dual RS485 ports (1 board)(Mercury Part Number: M5-IC-1)	1,375.59
AC-MER-MUX8	RS-232/485 to 8 RS-485 Channel Mux (Mercury Part Number: MUX8)	1,099.27

All prices are exclusive of taxes and freight. Motorola Solutions reserves the right to make changes to pricing and discount margins. All installation and use of Access Control Manager software is governed by its end user license agreement (EULA).

CONFIDENTIAL : The contents of this document are considered confidential and should not be posted on a public access website, made available for general public distribution, or otherwise shared with others without prior written authorization from Motorola Solutions Inc. ("Motorola Solutions").

All prices are exclusive of taxes and freight. Motorola Solutions reserves the right to make changes to pricing and discount margins. All installation and use of Access Control Manager software is governed by its end user license agreement (EULA).

CONFIDENTIAL : The contents of this document are considered confidential and should not be posted on a public access website, made available for general public distribution, or otherwise shared with others without prior written authorization from Motorola Solutions Inc. ("Motorola Solutions").

Power Supplies

LifeSafety Power

MODEL NUMBER	DESCRIPTION	MSRP \$
AC-LSP-16DR-MER	Sixteen Door Mercury Single Voltage Integrated Power System supporting one AC-MER-CONT-2DR with Seven AC-MER-CON-MR52 (Mercury hardware sold separately). Includes painted steel enclosure, removable pre drilled back plate, controller standoffs and mounting screws and a 150 watt 12V/12A or 24V/6A power supply-battery charger. The power supply is pre-wired to eight Class 2, Power Limited (CL2PL) outputs (D8P Board) delivering a regulated independent power connection to Mercury boards and auxiliary equipment. The power supply features dual outputs, form 'C' fault relay contacts, a fire alarm input and network interface (interface module sold separately) to enable monitoring, reporting and control of the power system from Access Control Manager (ACM) link. Battery space for two 12V, 8Ah batteries is available in cabinet. Cabinet size: 20" x 24" x 6.5" with door lock, tamper switch and two (2) keys. Weight 25 lb.(LifeSafety Power Part Number: FPO150-D8PE4M1)	902.83
AC-LSP-16DR-MER-LCK	Sixteen Door Mercury Dual Voltage Integrated Power System supporting one AC-MER-CONT-2DR with seven AC-MER-CON-MR52 (Mercury hardware sold separately). The advantage of a dual voltage power supply is the ability to power Mercury boards and door locks. Includes a painted steel enclosure, removable pre drilled back plate, controller standoffs and mounting screws. System includes one 150 watt 12V/12A pre-wired to sixteen Class 2, Power Limited (CL2PL) outputs (two D8P Boards) delivering regulated independent power connection to each Mercury board and one 250 watt 24V/10A power supply-battery chargers pre-wired to sixteen fused output (two C8 Boards) for independent relay lock power. Both power supplies features dual outputs (12 & 24volts DC), form 'C' fault relay contacts, a fire alarm input and network interface (interface module sold separately) to enable monitoring, reporting and control of the power system from Access Control Manager (ACM) link. Cabinet size: 20" x 24" x 6.5" with door lock and two (2) keys. Weight 26 lb.(LifeSafety Power Part Number: FPO150/250-2C82D8PE4M1)	1,516.23
AC-LSP-2DR-MER	Two Door Mercury Single Voltage Integrated Power System supporting two AC-MER-CONT-1DR or one AC-MER-CONT-2DR (Mercury hardware sold separately). Includes painted steel enclosure, removable pre drilled back plate, controller standoffs and mounting screws and a 75 watt 12V/6A or 24V/3A power supply-battery charger. The power supply is pre-wired to eight Class 2, Power Limited (CL2PL) outputs (D8P Board) delivering a regulated independent power connection to Mercury boards and auxiliary equipment. The power supply features dual outputs, form 'C' fault relay contacts, a fire alarm input and network interface (interface module sold separately) to enable monitoring, reporting and control of the power system from Access Control Manager (ACM) link. Battery space for two 12V, 8Ah batteries is available in cabinet (unless using two AC-MER-CONT-1DR). Cabinet size: 12" x 14" x 4.5" with door lock, tamper switch and two (2) keys. Weight 14 lb.(LifeSafety Power Part Number: FPO75-D8PE1M)	498.50
AC-LSP-2DR-MER-LCK	Two Door Mercury Dual Voltage Integrated Power System supporting two AC-MER-CONT-1DR or one AC-MER-CONT-2DR (Mercury hardware sold separately). The advantage of a dual voltage power supply is the ability to power both Mercury boards and door locks from the same supply. Includes a painted steel enclosure, removable pre drilled back plate, controller standoffs and mounting screws and a 75 watt 12V/2A and 24V/2A power supply-battery charger. The power supply is pre-wired to four Class 2, Power Limited (CL2PL) outputs (C4P Board) delivering a regulated independent power connection to each Mercury board and lock power and control. The power supply features dual outputs (12 & 24volts DC), form 'C' fault relay contacts, a fire alarm input and network interface (interface module sold separately) to enable monitoring, reporting and control of the power system from Access Control Manager (ACM) link. Battery space for two 12V, 8Ah batteries is available in cabinet (unless using two AC-MER-CONT-1DR). Cabinet size: 12" x 14" x 4.5" with door lock and two (2) keys. Weight 14 lb.(LifeSafety Power Part Number: FPO75-B100C4PE1M)	590.40
AC-LSP-4DR-MER	Four Door Mercury Single Voltage Integrated Power System supporting one AC-MER-CONT-2DR with one AC-MER-CON-MR52 (Mercury hardware sold separately). Includes painted steel enclosure, removable pre drilled back plate, controller standoffs and mounting screws and a 75 watt 12V/6A or 24V/3A power supply-battery charger. The power supply is pre-wired to eight Class 2, Power Limited (CL2PL) outputs (D8P Board)	546.75

All prices are exclusive of taxes and freight. Motorola Solutions reserves the right to make changes to pricing and discount margins. All installation and use of Access Control Manager software is governed by its end user license agreement (EULA).

CONFIDENTIAL : The contents of this document are considered confidential and should not be posted on a public access website, made available for general public distribution, or otherwise shared with others without prior written authorization from Motorola Solutions Inc. ("Motorola Solutions").

	delivering a regulated independent power connection to Mercury boards and auxiliary equipment. The power supply features dual outputs, form 'C' fault relay contacts, a fire alarm input and network interface (interface module sold separately) to enable monitoring, reporting and control of the power system from Access Control Manager (ACM) link. Battery space for two 12V, 8Ah batteries is available in cabinet. Cabinet size: 16" x 20" x 4.5" with door lock, tamper switch and two (2) keys. Weight 19 lb.(LifeSafety Power Part Number: FPO75-D8PE2M)	
AC-LSP-4DR-MER-LCK	Four Door Mercury Dual Voltage Integrated Power System supporting one AC-MER-CONT-2DR with one AC-MER-CON-MR52 (Mercury hardware sold separately). The advantage of a dual voltage power supply is the ability to power both Mercury boards and door locks from the same supply. Includes a painted steel enclosure, removable pre drilled back plate, controller standoffs and mounting screws and a 75 watt 12V/2A and 24V/2A power supply-battery charger. The power supply is pre-wired to eight Class 2, Power Limited (CL2PL) outputs (D8P Board) delivering a regulated independent power connection to each Mercury board and four fused output (C4 Board) for independent relay lock power. The power supply features dual outputs (12 & 24volts DC), form 'C' fault relay contacts, a fire alarm input and network interface (interface module sold separately) to enable monitoring, reporting and control of the power system from Access Control Manager (ACM) link. Battery space for two 12V, 8Ah batteries is available in cabinet. Cabinet size: 16" x 20" x 4.5" with door lock and two (2) keys. Weight 19 lb.(LifeSafety Power Part Number: FPO75-B100C4D8PE2M)	693.78
AC-LSP-8DR-MER	Eight Door Mercury Single Voltage Integrated Power System supporting one AC-MER-CONT-2DR with three AC-MER-CON-MR52 (Mercury hardware sold separately). Includes painted steel enclosure, removable pre drilled back plate, controller standoffs and mounting screws and a 75 watt 12V/6A or 24V/3A power supply-battery charger. The power supply is pre-wired to eight Class 2, Power Limited (CL2PL) outputs (D8P Board) delivering a regulated independent power connection to Mercury boards and auxiliary equipment. The power supply features dual outputs, form 'C' fault relay contacts, a fire alarm input and network interface (interface module sold separately) to enable monitoring, reporting and control of the power system from Access Control Manager (ACM) link. Battery space for two 12V, 8Ah batteries is available in cabinet. Cabinet size: 20" x 24" x 6.5" with door lock, tamper switch and two (2) keys. Weight 25 lb.(LifeSafety Power Part Number: FPO75-D8PE4M)	643.24
AC-LSP-8DR-MER-LCK	Eight Door Mercury Dual Voltage Integrated Power System supporting one AC-MER-CONT-2DR with three AC-MER-CON-MR52 (Mercury hardware sold separately). The advantage of a dual voltage power supply is the ability to power both Mercury boards and door locks from the same supply. Includes a painted steel enclosure, removable pre drilled back plate, controller standoffs and mounting screws and a 150 watt 12V/4A and 24V/4A power supply-battery charger. The power supply is pre-wired to eight Class 2, Power Limited (CL2PL) outputs (D8P Board) delivering a regulated independent power connection to each Mercury board and eight fused output (C8 Board) for independent relay lock power. The power supply features dual outputs (12 & 24volts DC), form 'C' fault relay contacts, a fire alarm input and network interface (interface module sold separately) to enable monitoring, reporting and control of the power system from Access Control Manager (ACM) link. Battery space for two 12V, 8Ah batteries is available in cabinet. Cabinet size: 20" x 24" x 6.5" with door lock and two (2) keys. Weight 25 lb.(LifeSafety Power Part Number: FPO150-B100C8D8PE4M)	948.78
AC-LSP-B100	The B100 Secondary Voltage Module provides a means to easily and economically add an additional voltage to any power system. Primary power for the B100 is derived from an main FPO power supply and the B100 steps the FPO voltage down to the user defined range (typically 12VDC). B100 delivers up to 4A maximum current at 12VDC.(LifeSafety Power Part Number: B100)	80.40
AC-LSP-C4	The C4 (4 Door) Lock Control Module adds four (4) fused outputs to a FPO power supply for "buffered" lock control and is typically supplied as part of a system or purchased as an expansion piece to an existing system. The C4 provides four (4) access control inputs capable of voltage or dry contact activation and four (4) relay controlled outputs, individually fuse protected at 3A per output. (LifeSafety Power Part Number: C4)	91.89
AC-LSP-C8	The C8 (8 Door) Lock Control Module lock adds eight (8) fused outputs to a FPO power supply for "buffered" lock control and is typically supplied as part of a system or purchased as an expansion piece to an existing system. The C8 provides eight (8) access control inputs capable of voltage or dry contact activation and eight (8) relay controlled outputs, individually fuse protected at 3A per output.(LifeSafety Power Part Number: C8)	117.16
AC-LSP-CAMLOCKSET	Replacement Camlock and key (set of three) for LifeSafety Power enclosures, keyed alike (Lifesafety Power # Camlock Set)(LifeSafety Power Part Number: Camlock_Set)	25.50
AC-LSP-D8P	The D8P (8 Out) Power Distribution Module provides 8 auxiliary power outputs, each one individually protected by a solid state circuit breaker	52.84

All prices are exclusive of taxes and freight. Motorola Solutions reserves the right to make changes to pricing and discount margins. All installation and use of Access Control Manager software is governed by its end user license agreement (EULA).

CONFIDENTIAL : The contents of this document are considered confidential and should not be posted on a public access website, made available for general public distribution, or otherwise shared with others without prior written authorization from Motorola Solutions Inc. ("Motorola Solutions").

	(D8P) rated at 2.5A each. Each output is programmable to either of the two voltages available when used in a dual voltage power system, or to the continuous output or the resettable output of the power supply when used in a single voltage system. (LifeSafety Power Part Number: D8P)	
AC-LSP-E1M	Backplate, Standoffs & E1M size cabinet kit: Size: 12" x 14" x 4.5", Weight: 9 lb. (LifeSafety Power Part Number: E1M)	362.97
AC-LSP-E2-BOXED	LifeSafety Power E series enclosures are engineered to house FlexPower® power management boards in multiple configurations for maximum design flexibility. The modular mounting pattern on the back wall allows flexible positioning of FlexPower modules within the enclosure. E series enclosures are black powdercoated steel. All enclosures come with installed door ground strap, lockset and tamper switch. 20 x 16 x 4.5" (510 x 410 x 120 mm) 18 lbs. (8 kg). LifeSafety Part Number: E2-BOXED	268.77
AC-LSP-E2-BS1	Locking battery enclosure with one 4" battery shelf. 20x16x4.5 enclosure with pre-installed lock set and tamper switch.	330.80
AC-LSP-E2M	Backplate, Standoffs & E2M size cabinet kit: Size: 16" x 20" x 4.5", Weight: 13 lb. (LifeSafety Power Part Number: E2M)	415.81
AC-LSP-E4-3BS1	Locking battery enclosure with three 4" battery shelf. 24x20x4.5 enclosure with pre-installed lock set and tamper switch.	480.13
AC-LSP-E4M	8 Door Mercury enclosure with removable backplate Battery space for 12V or 24V, 8Ah batteries is available within the cabinet. Comes with door lock and two (2) keys. Weight: 24 lb. Size: 20" x 24" x 4.5"(LifeSafety Power Part Number: E4M)	498.54
AC-LSP-E4M1	16 Door Mercury enclosure with door mount & removable backplate. Battery space for 12V or 24V, 8Ah batteries is available within the cabinet. Comes with door lock and two (2) keys. Weight: 26 lb. Size: 20" x 24" x 4.5"(LifeSafety Power Part Number: E4M1)	705.31
AC-LSP-E4M2-BOXED	LifeSafety Power FLEXPOWER E4M2 12 Door Mercury Security® MCLASS multi-purpose enclosures offer maximum flexibility, functionality and savings to access system designers. MCLASS enclosures are engineered to house FlexPower® power management boards alongside Mercury Security™ access hardware in one compact, secure UL294 listed system.	489.31
AC-LSP-E4V	8 Door HID VertX enclosure with removable backplate *** Accommodates single voltage only *** Battery space for 12V or 24V, 8Ah batteries is available within the cabinet. Comes with door lock and two (2) keys. Weight: 24 lb. Size: 20" x 24" x 4.5"(LifeSafety Power Part Number: E4V)	574.32
AC-LSP-E4V1	8 - 16 Door HID VertX enclosure with door mount & removable backplate *** Accommodates single or dual voltage *** Battery space for 12V or 24V, 8Ah batteries is available within the cabinet. Comes with door lock and two (2) keys. Weight: 75 lb. Size: 20" x 24" x 4.5"(LifeSafety Power Part Number: E4V1)	783.35
AC-LSP-E6M-BOXED	MCLASS multi-purpose enclosures offer maximum flexibility, functionality and savings to access system designers. MCLASS enclosures are engineered to house FlexPower® power management boards alongside Mercury Security™ access panels (sold separately) in one compact, secure UL294 listed system. The E6M1 enclosures cover a door count from eight to eighteen with dual voltage distribution and network monitoring. To prevent damage to system electronics, the backplate(s) separate from the enclosure for access hardware mounting in the shop while wiring is pulled to the enclosure at the job site. Once configured, the backplate can be remounted for final ties and checkout.	1,029.18
AC-LSP-E6M1-BOXED	MCLASS multi-purpose enclosures offer maximum flexibility, functionality and savings to access system designers. MCLASS enclosures are engineered to house FlexPower® power management boards alongside Mercury Security™ access panels (sold separately) in one compact, secure UL294 listed system. The E6M1 enclosures cover a door count from four to eight with dual voltage distribution and network monitoring. To prevent damage to system electronics, the backplate(s) separate from the enclosure for access hardware mounting in the shop while wiring is pulled to the enclosure at the job site. Once configured, the backplate can be remounted for final ties and checkout.	1,265.82
AC-LSP-E8M-BOXED	MCLASS multi-purpose enclosures offer maximum flexibility, functionality and savings to access system designers. MCLASS enclosures are engineered to house FlexPower® power management boards alongside Mercury Security® access panels (sold separately) in one compact, secure system. The E8M can be configured for a maximum of twelve doors with dual voltage distribution.	1,242.83
AC-LSP-E8M2-BOXED	LifeSafety Power FLEXPOWER E8M2 16 Door Mercury Security® MCLASS multi-purpose enclosures offer maximum flexibility, functionality and savings to access system designers. MCLASS enclosures are engineered to house FlexPower® power management boards alongside Mercury Security® access panels in one compact, secure system. The E8M2 can be configured for a maximum of sixteen doors with dual voltage	1,366.88

All prices are exclusive of taxes and freight. Motorola Solutions reserves the right to make changes to pricing and discount margins. All installation and use of Access Control Manager software is governed by its end user license agreement (EULA).

CONFIDENTIAL : The contents of this document are considered confidential and should not be posted on a public access website, made available for general public distribution, or otherwise shared with others without prior written authorization from Motorola Solutions Inc. ("Motorola Solutions").

	distribution.To prevent damage to system electronics, the backplates separate from the enclosure for access hardware mounting in the shop while wiring is pulled to the enclosure at the job site. Once configured, the backplates can be remounted for final ties and checkout.	
AC-LSP-EPLT-1M	LifeSafety Power - FLEXPOWER EPLT-1M - Mercury Expansion Plate for MCLASS- Mercury/LSP board addition.	62.03
AC-LSP-F8	The F8 module provides 8 protected outputs, each output programmable to enable voltage on activation of the fire alarm interface (FAI), disable voltage on FAI or provide a constant output voltage ATM style fuse: 3A/per output	62.03
AC-LSP-F8P	The F8P module provides 8 protected outputs, each output programmable to enable voltage on activation of the fire alarm interface (FAI), disable voltage on FAI or provide a constant output voltage Solid state circuit breaker: 2.5A/per output Class 2 power limited	62.03
AC-LSP-FPO150	150W-12/24VDC PS, Backplate, Standoffs, & E4M size cabinet kit: The FlexPower AC-LSP-FPO150 (FPO150-2D8E4M1) is an offline switchmode power supply battery charger system. The unit is user selectable for 12 or 24VDC. Providing two independent outputs, the first output provides continuous output power for system use and the second is programmable for either fail-safe or fail-secure operation, activated when the fire alarm disconnect is initiated. Also providing 16 auxiliary power distributed outputs, the unit has provisions for mounting a variety of Mercury boards in the cabinet proper (E4M) and cabinet door (EM1). The unit is configured in painted, steel, locking enclosure with tamper switch and integral battery space. Size: 20" x 24" x 4.5", Weight: 21 lb. (LifeSafety Power Part Number: FPO150-2D8E4M1)	951.07
AC-LSP-FPO150-8DR-DV	8 Door Access/Dual Voltage 150W PS/C , 12VDC@4A and 24VDC@4A System Features: One battery set supports all voltages, microprocessor battery charging, 80Ah charge capability, continuous and switched DC outputs, eight 12 or 24VDC auxiliary outputs fused at 3A (Class 2 power limited version also available), fire alarm input (FAI), eight opto isolated, NO/NC, access control inputs, eight relay lock control outputs, programmable for either 12 or 24VDC, failsafe or failsecure, and FAI, fault detection reporting with delay, system can be web-managed (w/ NetLink module), 120V/230VAC, locking enclosure: 16" X 20" X 4.5", ten year warranty, US/Canada agency listed for access, security, fire, CCTV, mass notification (LifeSafety Power Part Number: FPO150-B100C8D8E2)	742.01
AC-LSP-FPO150-8DR-SV	8 Door Access/Single Voltage 150W PS/C , 12VDC@12A or 24VDC@6A System Features: 80Ah charge capability, microprocessor battery charging, charger software algorithm minimizes effects of deep battery discharge, continuous and switched DC outputs, eight 12 or 24VDC auxiliary outputs fused at 3A (Class 2 power limited version also available), fire alarm input (FAI), eight opto isolated, NO/NC, access control inputs, eight relay lock control outputs, programmable for either 12 or 24VDC, failsafe or failsecure, and FAI, fault detection reporting with delay, system can be web-managed (w/ NetLink module), 120V/230VAC, locking enclosure: 16" X 20" X 4.5", ten year warranty, US/Canada agency listed for access, security, fire, CCTV, mass notification (LifeSafety Power Part Number: FPO150-C8D8E2)	670.81
AC-LSP-FPO150-B1002D8PM8NL4E4M/T8-C	LifeSafety Power, Mercury 8DR, ProWire, Tie Wrap Cable Management, Networked, 170W dual voltage, 120/230VAC Input access power system.	2,235.24
AC-LSP-FPO150-B100C8D8E4-4SL1	LifeSafety Power SALTO Unified Power Systems combine FlexPower® power modules alongside Salto CU42E0, CU4200, or CU4EB8 Modules (sold seperately) in one compact and secure UL Listed solution. This unit is a 150W 12V and 24V DC dual voltage access power system. The C8 lock control module provides eight access control inputs capable of voltage or dry contact activation, and eight fused outputs programmable for failsafe / failsecure operation at either 12 or 24 VDC and controlled by the integrated fire alarm interface circuit on the FPO. One D8 module provides eight fused outputs and each output is configurable for 12 or 24VDC operation. SALTO access enclosures are painted steel with four removable controller backplates and include lock, two (2) keys and tamper switch. Size: 24.00H x 20.00W x 6.50D in. (61.00 x 50.00 x 17.50 cm) Weight: 38 lbs., Pre-installed brackets for four (4) SALTO controllers - CU42E0, CU4200, CU4EB8	974.05
AC-LSP-FPO150-B100C8P2D8PE4M-T8-A	LifeSafety Power AC-LSP-FPO150-B100C8P2D8PE4M-T8-A , Mercury ProWire Power Systems, 150W Dual Voltage, 120 VAC, 8 Lock Outputs / 16 Auxiliary Outputs, Size: 24.0H x 20.0W x 6.5D in (60.96 x 50.8 x 16.51 cm), 8 Doors, TieWrap, Prewired for one LP1502 and three MR52 boards, 31.50 lbs (14.29kg)	1,699.98
AC-LSP-FPO150-B100D8M8NL4E4-4SL1	LifeSafety Power SALTO Unified Power Systems combine FlexPower® power modules alongside Salto CU42E0, CU4200, or CU4EB8 Modules (sold seperately) in one compact and secure UL Listed solution. This unit is a 12V and 24V DC dual voltage network managed access power system. One M8 managed control module provides eight access control inputs capable of voltage or dry contact activation, and eight outputs programmable for failsafe / failsecure operation at either 12 or 24 VDC and controlled by the integrated fire alarm interface circuit on the FPO. All	1,552.95

All prices are exclusive of taxes and freight. Motorola Solutions reserves the right to make changes to pricing and discount margins. All installation and use of Access Control Manager software is governed by its end user license agreement (EULA).

CONFIDENTIAL : The contents of this document are considered confidential and should not be posted on a public access website, made available for general public distribution, or otherwise shared with others without prior written authorization from Motorola Solutions Inc. ("Motorola Solutions").

	inputs / outputs are software controlled for remote operation. One D8 module provides eight fused outputs and each output is configurable for 12 or 24VDC operation. SALTO access enclosures are painted steel with four removable controller backplates and include lock, two (2) keys and tamper switch. Size: 24.00H x 20.00W x 6.50D in. (61.00 x 50.00 x 17.50 cm) Weight: 38 lbs., Pre-installed brackets for four (4) SALTO controllers - CU42E0, CU4200, CU4EB8	
AC-LSP-FPO150-B100D8PM8NL4E4M	Power supply board 150W, 12A/12V or 6A/24V Secondary voltage power supply, 5-18V adjustable @ 4A max, class 2 power limited output 8 auxiliary DC outputs class 2 power limited at 2.5A per output Eight output smart distribution module, fused at 3A per output Four port network monitoring module Enclosure, Size 24. (20W x 24H x 4.5D) with backplate which can hold up to four Mercury boards. Battery space available in front of Mercury boards.	1,477.30
AC-LSP-FPO150-B100D8PM8NL4E6M	Power supply board 150W, 4A/12V or 4A/24V Secondary voltage power supply, 5-18V adjustable @ 4A max, class 2 power limited output Eight output smart distribution module, fused at 3A per output Four port network monitoring module Enclosure, Size 30W x 23H x 6.5D with Mercury backplate (Lifesafety Power Part #: FPO150-B100D8PM8NL4E6M)	1,987.29
AC-LSP-FPO150-PS	The FPO150 150W Power Supply Board is a high efficiency, off-line switchmode power supply-battery charger designed as a general purpose power supply to provide uninterrupted power for locks, auxiliary equipment and access controllers. Capable of providing two power outputs and featuring user selectability for 12 or 24 VDC, the unit provides multiple outputs, fire alarm interface, AC fault reporting, system faultreporting, form 'C' fault relay contacts and a host of features and functions designed to support the access control industry.(LifeSafety Power Part Number: FPO150)	381.35
AC-LSP-FPO150/150-16DR-DV	16 Door Access/Dual Voltage 300W PS/C, 12VDC@12A and 24VDC@6A System Features: 80Ah charge capability, microprocessor battery charging, charger software algorithm minimizes effects of deep battery discharge, continuous and switched DC outputs, sixteen 12 or 24VDC auxiliary outputs fused at 3A (Class 2 power limited version also available), fire alarm input (FAI), sixteen opto isolated, NO/NC, access control inputs, sixteen relay lock control outputs, programmable for either 12 or 24VDC, failsafe or failsecure, and FAI, fault detection reporting with delay, system can be web-managed (w/ NetLink module), 120V/230VAC, locking enclosure, 20" X 24" X 4.5", ten year warranty, US/Canada agency listed for access, security, fire, CCTV, mass notification (LifeSafety Power Part Number: FPO150/150-2C82D8E4)	1,178.49
AC-LSP-FPO150/250-2D82M8NL4E6M1	LifeSafety Power Mercury Unified Unified Power Systems, 400W Dual Voltage, 120 VAC, 16 Managed / 16 Auxiliary Outputs	2,798.07
AC-LSP-FPO150/250-2D8P2M8NL4E4M1	Power supply board 150W, 12A/12V or 6A/24V Power supply board 250W, 20A/12V or 10A/24V 16 auxiliary DC outputs class 2 power limited at 2.5A per output Eight output smart distribution module, fused at 3A per output Eight output smart distribution module, fused at 3A per output Four port network monitoring module Enclosure 20W x 24H x 4.5D with backplate and door mount which can hold up to eight Mercury boards. Requires separate enclosure for batteries.	2,184.67
AC-LSP-FPO150/250-2D8P2M8NL4E6M1	Power supply board 150W, 12A/12V or 6A/24V Power supply board 250W, 20A/12V or 10A/24V 16 auxiliary DC outputs class 2 power limited at 2.5A per output Eight output smart distribution module, fused at 3A per output Eight output smart distribution module, fused at 3A per output Four port network monitoring module Enclosure 30W x 23H x 6.5D with Mercury backplate and door mount option (Lifesafety Power Part #: FPO150/250-2D8P2M8NL4E6M1)	2,797.97
AC-LSP-FPO150/250-2D8P2M8NL4E8M2	Power supply board 150W, 12A/12V or 6A/24V Power supply board 250W, 20A/12V or 10A/24V 16 auxiliary DC outputs class 2 power limited at 2.5A per output 16 output smart distribution module, fused at 3A per output Four port network monitoring module Enclosure 30W x 36H x 4.5D with backplate which can hold up to eight Mercury boards. Battery space available.	3,012.00
AC-LSP-FPO150/250-3D8P2M8NL4E4M1/T16-A	LifeSafety Power, Mercury 16DR, ProWire, Tie Wrap Cable Management, Networked, 452W dual voltage, 120/230VAC Input access power system.	3,723.87
AC-LSP-FPO150/250-3D8P2M8NL4E4M1/T16-C	LifeSafety Power, Mercury 16DR, ProWire, Tie Wrap Cable Management, Networked, 452W dual voltage, 120/230VAC Input access power system.	3,723.87
AC-LSP-FPO150/250-3D8P2M8NL4E8M2/P16-B	LifeSafety Power ProWire 16 Door Panduit Unified Power wall mount dual voltage access power system, precision wired for MERCURY controllers (sold seperately). ProWire enables the specification and installation of standardized access power equipment across an enterprise for uniform operation, maintenance and servicing.	4,688.72
AC-LSP-FPO150-B100-2D8PM8NL4E4M1-P8-A	150W power supply, 12A/12V or 6A/24V 12V secondary voltage power module. Adjustable 5-18V output @ 4A max, class 2 power limited 16 DC auxiliary outputs class 2 power limited at 2.5A per output, each output selectable for Bus1 or Bus2 8 out managed distribution module, fused at	2,657.94

All prices are exclusive of taxes and freight. Motorola Solutions reserves the right to make changes to pricing and discount margins. All installation and use of Access Control Manager software is governed by its end user license agreement (EULA).

CONFIDENTIAL : The contents of this document are considered confidential and should not be posted on a public access website, made available for general public distribution, or otherwise shared with others without prior written authorization from Motorola Solutions Inc. ("Motorola Solutions").

	3A per output Four port network monitoring module E4 enclosure size 24H x 20W x 4.5D with Mercury back plate and door mount kit, Panduit, 8 Doors, Mercury LP1502/MR52 board(s)(LifeSafety Power AC-LSP-FPO150-B100C8P2D8PE4M-T8-A)	
AC-LSP-FPO250	The FPO250 250W Power Supply Board is a high efficiency, off-line switchmode power supply-battery charger designed as a general purpose power supply to provide uninterrupted power for locks, auxiliary equipment and access controllers. Capable of providing two power outputs and featuring user selectability for 12 or 24 VDC, the unit provides multiple outputs, fire alarm interface, AC fault reporting, system faultreporting, form 'C' fault relay contacts and a host of features and functions designed to support the access control industry.(LifeSafety Power Part Number: FPO250)	477.82
AC-LSP-FPO250-16DR-SV	16 Door Access/Single Voltage 250W PS/C, 12VDC@20A or 24VDC@10A System Features: 80Ah charge capability, microprocessor battery charging, charger software algorithm minimizes effects of deep battery discharge, continuous and switched DC outputs, sixteen 12 or 24VDC auxiliary outputs fused at 3A (Class 2 power limited version also available), fire alarm input (FAI), sixteen opto isolated, NO/NC, access control inputs, sixteen relay lock control outputs, programmable for either 12 or 24VDC, failsafe or failsecure, and FAI, fault detection reporting with delay, system can be web-managed (w/ NetLink module), 120V/230VAC, locking enclosure, 20" X 24" X 4.5", ten year warranty, US/Canada agency listed for access, security, fire, CCTV, mass notification (LifeSafety Power Part Number: FPO250-2C82D8E4)	992.42
AC-LSP-FPO250-2M8PNL4E4M	LifeSafety Power Mercury Unified Power Systems, 250W Single Voltage, 120 VAC, for 8 Doors	1,686.19
AC-LSP-FPO250-M8PNL4E4M-NU02	LifeSafety Power Mercury Unified Unified Power Systems, 250W NETWORKED / 12/24VDC / 8 Doors, 8 Managed Outputs	1,318.63
AC-LSP-FPO250/250-16DR-DV	16 Door Access/Dual Voltage 500W PS/C, 12VDC@20A and 24VDC@10A System Features: 80Ah charge capability, microprocessor battery charging, charger software algorithm minimizes effects of deep battery discharge, continuous and switched DC outputs, sixteen 12 or 24VDC auxiliary outputs fused at 3A (Class 2 power limited version also available), fire alarm input (FAI), sixteen opto isolated, NO/NC, access control inputs, sixteen relay lock control outputs, programmable for either 12 or 24VDC, failsafe or failsecure, and FAI, fault detection reporting with delay, system can be web-managed (w/ NetLink module), 120V/230VAC, locking enclosure, 20" X 24" X 4.5", ten year warranty, US/Canada agency listed for access, security, fire, CCTV, mass notification (LifeSafety Power Part Number: FPO250/250-2C82D8E4)	1,325.53
AC-LSP-FPO250/250-3C85D8PE12M/T24-A	LifeSafety Power, Mercury 24DR, ProWire, Tie Wrap Cable Management, Networked, 564W dual voltage, 120/230VAC Input access power system.	8,063.41
AC-LSP-FPO250/250-4M8PNLXE8M2-NU01	LifeSafety Power MCLASS™ WIRED UNIFIED POWER SYSTEM, NETWORKED 500W / 12 & 24VDC / 16 Doors, 32 Managed Outputs	3,034.69
AC-LSP-FPO250/250-5M8NLXE8M2/P16-A	LifeSafety Power FPO250/250-5M8NLXE8M2/P16-A Mercury ProWire Power System, 500W Dual Voltage, 120VAC, 40 network managed fused outputs, 16 Doors, Panduit, Prewired for one LP1502 and seven MR52 boards, Enclosure Size: 36.0H x 30.0W x 6.5D in (91.44 x 76.2 x 16.51 cm) System Weight 61.90 lbs (28.08kg)	5,711.00
AC-LSP-FPO250/250-NLXE4M	LifeSafety Power - Mercury Unified Power Systems - 500W Dual Voltage, 120 VAC	1,918.22
AC-LSP-FPO250/250-NLXE8M2	Mercury Unified Power System combine FlexPower modules alongside preview access control hardware in one compact and secure UL listed solution. ProWire system are prewired for power to the access control modules, faults, tamper switch, lock control wiring (where applicable) and communication.	2,715.87
AC-LSP-FPO75	The FPO75 75W Power Supply Board is a high efficiency, off-line switchmode power supply-battery charger designed as a general purpose power supply to provide uninterrupted power for locks, auxiliary equipment and access controllers. Capable of providing two power outputs and featuring user selectability for 12 or 24 VDC, the unit provides multiple outputs, fire alarm interface, AC fault reporting, system faultreporting, form 'C' fault relay contacts and a host of features and functions designed to support the access control industry.(LifeSafety Power Part Number: FPO75)	232.02
AC-LSP-FPO75-2D8E2-5SL1	LifeSafety Power SALTO Unified Power Systems combine FlexPower® power modules alongside Salto CU42E0, CU4200, or CU4EB8 Modules (sold seperately) in one compact and secure UL Listed solution. This unit is a 75W 12V DC single voltage access power system. Two D8 modules provides sixteen fused protected outputs. SALTO access enclosures are painted steel with five removable controller backplates and include lock, two (2) keys and tamper switch. Size: 20.00H x 16.00W x 4.50D in. (50.00 x 40.00 x 11.50 cm) Weight: 18 lbs., Pre-installed brackets for five (5) SALTO controllers - CU42E0, CU4200, CU4EB8	657.02

All prices are exclusive of taxes and freight. Motorola Solutions reserves the right to make changes to pricing and discount margins. All installation and use of Access Control Manager software is governed by its end user license agreement (EULA).

CONFIDENTIAL : The contents of this document are considered confidential and should not be posted on a public access website, made available for general public distribution, or otherwise shared with others without prior written authorization from Motorola Solutions Inc. ("Motorola Solutions").

AC-LSP-FPO75-2E2M	One (1) 75W-12/24VDC PS, Backplate, Standoffs; & two (2) E2M size cabinets kit: The FlexPower FPO75-2E2M is an offline switchmode 75 watt power supply-battery charger specifically designed for the lifesafety industry. Capable of providing two power outputs, user selectable for 12 or 24 VDC, the unit is configured in a painted-steel, locking enclosure with tamper switch and integral battery space. One output provides continuous output power for system use, the second is programmable for either fail-safe or fail-secure operation, activated when the fire alarm disconnect is initiated. Size: 16" x 20" x 4.5", Weight: 13 lb. (LifeSafety Power Part Number: FPO75-2E2BP2)	895.96
AC-LSP-FPO75-4DR-SV	4 Door Access/Single Voltage 75W PS/C, 12VDC@4A or 24VDC@2A System Features: 40Ah charge capability, microprocessor battery charging, charger software algorithm minimizes effects of deep battery discharge, continuous and switched DC outputs, fire alarm input (FAI), four opto isolated, NO/NC, access control inputs, four relay lock control outputs, failsafe or failsecure, and FAI – each output fused for 3A (Class 2 power limited version also available). Fault detection reporting with delay, system can be web-managed (w/ NetLink module), 120V/230VAC, locking enclosure: 12" X 14" X 4.5", ten year warranty, US/Canada agency listed for access, security, fire, CCTV, mass notification (LifeSafety Power Part Number: FPO75-C4E1)	427.29
AC-LSP-FPO75-B100C4E1-2SL1	LifeSafety Power SALTO Unified Power Systems combine FlexPower® power modules alongside Salto CU42E0, CU4200, or CU4EB8 Modules (sold separately) in one compact and secure UL Listed solution. This unit is a 75W 12V and 24V DC dual voltage access power system. The C4 lock control module provides four access control inputs capable of voltage or dry contact activation, and four fused outputs programmable for failsafe / failsecure operation at either 12 or 24 VDC and controlled by the integrated fire alarm interface circuit on the FPO. Salto access enclosures are painted steel with two removable controller backplates and include lock, two (2) keys and tamper switch. Size: 14.00H x 12.00W x 4.50D in. (35.00 x 31.00 x 11.50 cm) Weight: 14 lbs, Pre-installed brackets mount for two (2) Salto modules - CU42E0, CU4200, CU4EB8.	565.13
AC-LSP-FPO75-B100C8D8E2-3SL1	LifeSafety Power SALTO Unified Power Systems combine FlexPower® power modules alongside Salto CU42E0, CU4200, or CU4EB8 Modules (sold separately) in one compact and secure UL Listed solution. This unit is a 75W 12V and 24V DC dual voltage access power system. The C8 lock control module provides eight access control inputs capable of voltage or dry contact activation, and eight fused outputs programmable for failsafe / failsecure operation at either 12 or 24 VDC and controlled by the integrated fire alarm interface circuit on the FPO. One D8 module provides eight fused outputs and each output is configurable for 12 or 24VDC operation. SALTO access enclosures are painted steel with three removable controller backplates and include lock, two (2) keys and tamper switch. Size: 20.00H x 16.00W x 4.50D in. (50.00 x 40.00 x 11.50 cm) Weight: 18 lbs., Pre-installed brackets for three (3) SALTO modules - CU42E0, CU4200, CU4EB8	735.12
AC-LSP-FPO75-B100M8NL4E2M	Power supply board 75W, 6A/12V or 3A/24V Secondary voltage power supply, 5-18V adjustable @ 4A max, class 2 power limited output Eight output smart distribution module, fused at 3A per output Four port network monitoring module Enclosure, Size 18. (16W x 20H x 4.5D) with backplate which can hold up to two Mercury boards. Battery space available.	1,185.45
AC-LSP-FPO75-D8E1-2SL1	LifeSafety Power SALTO Unified Power Systems combine FlexPower® power modules alongside Salto CU42E0, CU4200, or CU4EB8 Modules (sold separately) in one compact and secure UL Listed solution. This unit is a 75W 12V DC single voltage access power system. One D8 module provides eight fused protected outputs. SALTO access enclosures are painted steel with two removable controller backplates and include lock, two (2) keys and tamper switch. Size: 20.00H x 16.00W x 4.50D in. (50.00 x 40.00 x 11.50 cm) Weight: 18 lbs., Pre-installed brackets mount for two (2) Salto modules - CU42E0, CU4200, CU4EB8	454.86
AC-LSP-FPO75-D8E2-4SL1	LifeSafety Power SALTO Unified Power Systems combine FlexPower® power modules alongside Salto CU42E0, CU4200, or CU4EB8 Modules (sold separately) in one compact and secure UL Listed solution. This unit is a 75W 12V DC single voltage access power system. One D8 module provides eight fused protected outputs. SALTO access enclosures are painted steel with four removable controller backplates and include lock, two (2) keys and tamper switch. Size: 20.00H x 16.00W x 4.50D in. (50.00 x 40.00 x 11.50 cm) Weight: 18 lbs., Pre-installed brackets for (4) SALTO controllers - CU42E0, CU4200, CU4EB8	595.00
AC-LSP-FPO75-E1M	75W-12/24VDC PS, Backplate, Standoffs, & E1 size cabinet kit: The FlexPower FPO75-E1M is an offline switchmode power supply-battery charger specifically designed for the lifesafety industry. Capable of providing two power outputs, user selectable for 12 or 24 VDC, the unit is configured in a painted-steel, locking enclosure with tamper switch and integral battery space. One output provides continuous output power for system use, the second is programmable for either fail-safe or fail-secure operation, activated when the fire alarm disconnect is initiated. Size: 12" x 14" x 4.5", Weight: 9 lb. (LifeSafety Power Part Number: FPO75-E1BP1)	415.82

All prices are exclusive of taxes and freight. Motorola Solutions reserves the right to make changes to pricing and discount margins. All installation and use of Access Control Manager software is governed by its end user license agreement (EULA).

CONFIDENTIAL : The contents of this document are considered confidential and should not be posted on a public access website, made available for general public distribution, or otherwise shared with others without prior written authorization from Motorola Solutions Inc. ("Motorola Solutions").

AC-LSP-FPO75-E2M	75W-12/24VDC PS, Backplate, Standoffs & E2 size cabinet kit: The FlexPower FPO75-E2M is an offline switchmode 75 watt power supply-battery charger specifically designed for the lifesafety industry. Capable of providing two power outputs, user selectable for 12 or 24 VDC, the unit is configured in a painted-steel, locking enclosure with tamper switch and integral battery space. One output provides continuous output power for system use, the second is programmable for either fail-safe or fail-secure operation, activated when the fire alarm disconnect is initiated. Size: 16" x 20" x 4.5", Weight: 13 lb. (LifeSafety Power Part Number: FPO75-E2BP2)	493.92
AC-LSP-FPO75/150-D8M8NL4E4M1	LifeSafety Power Mercury Unified Unified Power Systems, 225W Dual Voltage, 120 VAC, 8 Managed / 8 Auxiliary Outputs	1,670.11
AC-LSP-FPO75/75-8DR-DV	8 Door Access/Dual Voltage 150W PS/C , 12VDC@6A and 24VDC@3A System Features: 40Ah charge capability, microprocessor battery charging, charger software algorithm minimizes effects of deep battery discharge, continuous and switched DC outputs, eight 12 or 24VDC auxiliary outputs fused at 3A (Class 2 power limited version also available), fire alarm input (FAI), eight opto isolated, NO/NC, access control inputs, eight relay lock control outputs, programmable for either 12 or 24VDC, failsafe or failsecure, and FAI, fault detection reporting with delay, system can be web-managed (w/ NetLink module), 120V/230VAC, locking enclosure: 16" X 20" X 4.5", ten year warranty, US/Canada agency listed for access, security, fire, CCTV, mass notification (LifeSafety Power Part Number: FPO75/75-C8D8E2)	700.67
AC-LSP-M8	The M8 smart power controller communicates with the NL4 network module and provides eight (8) monitored and controlled relay outputs accessible from a network or internet. The M8 provides eight (8) control INPUTS capable of voltage or dry contact activation and eight (8) controlled and monitored OUTPUTS, with each output network programmable for fail-safe, fail-secure, fire alarm over ride, and AC loss over ride for egress lock control. (LifeSafety Power Part Number: M8)	296.36
AC-LSP-MSM25	LifeSafety Power MSM-Enterprise, Multi-Site Power Manager for Access Installations, Server Application / Web Browser Based	659.32
AC-LSP-NL2	The NL2 Network Communication Module communicates and controls power status over a local or wide area network to Access Control Manager (ACM). Provides two SPI ports for connection of one or two power supplies to enable monitoring, reporting and control of the power system. Enables remote testing of one battery set (12 or 24VDC). Recommended for use with single voltage systems or dual voltage systems using B100 12V module.(LifeSafety Power Part Number: NL2)	298.65
AC-LSP-NL4	The NL4 Network Communication Module communicates and controls power status over a local or wide area network to Access Control Manager (ACM). Provides four SPI ports for connection of one or two power supplies to enable monitoring, reporting and control of the power system. Enables remote testing of two battery sets (12 and 24VDC). Recommended for use with dual voltage systems requiring independent FPO power supplies (i.e. sixteen door dual voltage systems).(LifeSafety Power Part Number: NL4)	454.84
AC-LSP-NLX-BOXED	LifeSafety Power NETLINK™ NLX module is part of LifeSafety Power's Flex-Power® modular power management system for security and life safety applications.	836.21
AC-LSP-OSE-16DR-MER	16 Door Mercury Over Sized Enclosure (OSE) with door mount & removable backplate. Enclosure holds a total of 10 boards - 8 mercury panels and two (2) I/O modules, 6 placed in the main box and 4 on the door. This enclosure has two D8P auxiliary distribution modules for 16 class II power limited outputs. Battery space for 12V or 24V, 8Ah batteries is available. Enclosure comes standard with installed AC on/off switch, a low battery disconnect module and dual door lock key sets. Enclosure weight: 77 lb. Size: 36" x 30" x 4.5". CE approved. UL/CUL listed with Mercury panels installed.	1,762.05
AC-LSP-OSE-16DR-MER-IO	16 Door 12 or 24 VDC Mercury Over Sized Enclosure (OSE) with door mount & removable backplate. 150W power supply for system power and 250W power supply for lock power. Enclosure holds a total of 10 boards - 8 mercury panels and two (2) I/O modules, 6 placed in the main box and 4 on the door. Enclosure has two C8 lock control modules for 16 distributed lock outputs and two D8P auxiliary distribution modules for 16 class II power limited outputs. Battery space for 12V or 24V, 8Ah batteries is available. Enclosure comes standard with installed AC on/off switch, a low battery disconnect module and dual door lock key sets. Enclosure weight: 77 lb. Size: 36" x 30" x 6.5". CE approved. UL/CUL listed with Mercury panels installed. (LifeSafety Power Part Number: FPO150-2D8PE8M1)	1,897.61
AC-LSP-OSE-16DR-MER-LCK	16 Door Mercury Over Sized Enclosure (OSE) with removable backplate. Enclosure holds a total of 8 mercury panel boards and two D8P auxiliary distribution modules for 16 class II power limited outputs. Battery space for 12V or 24V, 8Ah batteries is available. Enclosure comes standard with installed AC on/off switch, a low battery disconnect module and dual door lock key sets. Enclosure weight: 75 lb. Size: 36" x 30" x 4.5". CE approved. UL/CUL listed with Mercury panels installed.	2,336.36

All prices are exclusive of taxes and freight. Motorola Solutions reserves the right to make changes to pricing and discount margins. All installation and use of Access Control Manager software is governed by its end user license agreement (EULA).

CONFIDENTIAL : The contents of this document are considered confidential and should not be posted on a public access website, made available for general public distribution, or otherwise shared with others without prior written authorization from Motorola Solutions Inc. ("Motorola Solutions").

AC-LSP-OSE-16DR-MER-LCK-IO	16 Door Dual Voltage Mercury Over Sized Enclosure (OSE) with removable backplate. 150W power supply for system power and 250W power supply for lock power. Enclosure holds a total of 8 Mercury boards, two C8 lock control modules for 16 distributed lock outputs and two D8P auxiliary distribution modules for 16 class II power limited outputs. Battery space for 12V or 24V, 8Ah batteries is available. Enclosure comes standard with installed AC on/off switch, a low battery disconnect module and dual door lock key sets. Enclosure weight: 75 lb. Size: 36" x 30" x 4.5". CE approved. UL/CUL listed with Mercury panels installed.	2,460.43
AC-LSP-PS-MCLASS-E5M	E5 enclosure size 8.5W x 11H x 3D with Mercury/LNL hole mount pattern Fits up to Mercury 1501 or Mr51e Controllers(LifeSafety Power Part Number: E5M)	124.05
AC-LSP-RACK-MOUNT-MERC-RGM75-D8PNZ	75W 12V/6A or 24V/3A UL listed 4DR Mercury rack mount, networked, 12/24V 8 class 2 power limited outputs fused at 2.5A/ea. Fits (2) MR52 sized Mercury controllers, Standard 2U EIA, 19" rack mount chassis, UL/CUL listed system / z wire mgmt cable arm(LifeSafety Power Part Number: RGM75-D8PNZ)	1,506.95
AC-LSP-RACK-MOUNT-MERC-RGM75-D8PZ	75W 12V/6A or 24V/3A UL listed 4DR Mercury rack mount, 12/24V 8 class 2 power limited outputs fused at 2.5A/ea. Fits (2) MR52 sized Mercury controllers, Standard 2U EIA, 19" rack mount chassis, UL/CUL listed system / z wire mgmt cable arm(LifeSafety Power Part Number: RGM75-D8PZ)	1,189.96
AC-LSP-RACK-MOUNT-MERC-RGM75-M8PNZ	75W 12V/6A or 24V/3A UL listed 4DR Mercury rack mount, networked 12/24V 8 managed class 2 power limited outputs fused at 2.5A/ea. Fits (2) MR52 sized Mercury controllers, Standard 2U EIA, 19" rack mount chassis, UL/CUL listed system / z wire mgmt cable arm(LifeSafety Power Part Number: RGM75-M8PNZ)	1,803.29
AC-LSP-RACK-MOUNT-MERC-RGM75B-C4PNZ	75W 12V/2A and 24V/2A UL listed Dual Voltage 12 & 24VDC 12 & 24VDC: 4DR Mercury rack mount, 4 class 2 power limited outputs fused at 2.5A/ea. Fits (2) MR52 sized Mercury controllers, Standard 2U EIA, 19" rack mount chassis, UL/CUL listed system / z wire mgmt cable arm(LifeSafety Power Part Number: RGM75B-C4PNZ)	1,670.06
AC-LSP-RACK-MOUNT-MERC-RGM75B-C4PZ	75W 12V/2A and 24V/2A UL listed Dual Voltage 12 & 24VDC 12 & 24VDC: 4DR Mercury rack mount, 4 class 2 power limited outputs fused at 2.5A/ea. Fits (2) MR52 sized Mercury controllers, Standard 2U EIA, 19" rack mount chassis, UL/CUL listed system / z wire mgmt cable arm(LifeSafety Power Part Number: RGM75B-C4PZ)	1,286.42
AC-LSP-RACK-MOUNT-MERC-RGM75B-M8PNZ	75W 12V/2A and 24V/2A UL listed Dual Voltage 12 & 24VDC 12 & 24VDC: 4DR Mercury rack mount, 8 class 2 power limited outputs fused at 2.5A/ea. Fits (2) MR52 sized Mercury controllers, Standard 2U EIA, 19" rack mount chassis, UL/CUL listed system / z wire mgmt cable arm(LifeSafety Power Part Number: RGM75B-M8PNZ)	1,860.72
AC-LSP-RACK-MOUNT-RGM75B-M8PNZ1	75W power supply, 6A/12V or 3A/24V, 12V secondary voltage power module. Adjustable 5-18V output @ 4A max, class 2 power limited, 8 out managed distribution module, class 2 pwr ltd at 2.5A per output, Four port network monitoring module, Single FPO with Dual B100 Buss/Flex Cable Kit 5	2,441.99
AC-LSP-RM-BAT-RBE	RBE rackmount battery enclosure for 7-8Ah batteries, Standard 2U EIA, 19" rack mount chassis(LifeSafety Power Part Number: RBE)	521.52
AC-LSP-SDU	LifeSafety Power OneDrop™ SDU (Single Drop USB) adapter allows a single IP connection to be used in Mercury applications when using a LSP Netlink network communication module. The SDU cable connects the Netlink's ethernet port to a micro-b USB connector, allowing direct connection of the NetLink to an LP series controller's USB port. Allows shared NetLink and Mercury Controller IP connection. Reduces addresses on the network, Lowers network drop fees, Reduces cybersecurity risks, Makes managed power possible in installations where adding network drops is not an option.	126.35
AC-LSP-WALL-MOUNT-FPO150-B100C8D8E2M	Power supply board 150W, 12A/12V or 6A/24V Secondary voltage power supply, 5-18V adjustable @ 4A max, class 2 power limited output 8 relay lock control outputs fused at 3A per output 8 auxiliary DC outputs fused at 3A per output Enclosure, Size 18. (16W x 20H x 4.5D) with Mercury backplate (Non-stock item)(LifeSafety Power Part Number: FPO150-B100C8D8E2M)	845.41
AC-LSP-WALL-MOUNT-FPO75-B100C4D8NL2E2M	Power supply board 75W, 6A/12V or 3A/24V Secondary voltage power supply, 5-18V adjustable @ 4A max, class 2 power limited output 4 relay lock control outputs fused at 3A per output 8 auxiliary DC outputs fused at 3A per output Network communication module 2nd Gen. Enclosure, Size 18. (16W x 20H x 4.5D) with Mercury backplate (Non-stock item)(LifeSafety Power Part Number: FPO75-B100C4D8NL2E2M)	771.12
AC-LSP-WIRED-FPO150-B1002D8PM8NL4E6M/P8-A	Eight Door Mercury Panduit ProWire Unified Power wall mount Power supply board 150W, 4A/24V Secondary voltage module, 4A/12V class 2 power limited Eight relay managed outputs fused at 3A 8 auxiliary output power limited at 2.5A Four port monitoring module Enclosure size: 30" x 23" x 6.5" 47 lbs Wired for MR52/EP1502. NOTE: All	2,965.72

All prices are exclusive of taxes and freight. Motorola Solutions reserves the right to make changes to pricing and discount margins. All installation and use of Access Control Manager software is governed by its end user license agreement (EULA).

CONFIDENTIAL : The contents of this document are considered confidential and should not be posted on a public access website, made available for general public distribution, or otherwise shared with others without prior written authorization from Motorola Solutions Inc. ("Motorola Solutions").

ProWire Unified Power wall mounts are custom made to order. After 48 hours of Avigilon's order acknowledgment, all changes to an accepted purchase order will be subject to a Change Order charge of 30% of the net deliverable value. Returns and cancellations of an order or portion of an order that includes deliverables that have been manufactured and prepped for shipping will be applied with a 50% restocking fee. (Lifesafety Power Part #: FPO150-B100C82D8PE6M/P8-A)

AC-LSP-WIRED-FPO150-B100C82D8PE6M/P8-A	Eight Door Mercury Panduit ProWire Unified Power wall mount Power supply board 150W, 4A/24V Secondary voltage module, 4A/12V class 2 power limited Eight relay lock control outputs fused at 3A 8 auxiliary output power limited at 2.5A Enclosure size: 30" x 23" x 6.5" 47 lbs Wired for MR52/EP1502. NOTE: All ProWire Unified Power wall mounts are custom made to order. After 48 hours of Avigilon's order acknowledgment, all changes to an accepted purchase order will be subject to a Change Order charge of 30% of the net deliverable value. Returns and cancellations of an order or portion of an order that includes deliverables that have been manufactured and prepped for shipping will be applied with a 50% restocking fee. (Lifesafety Power Part #: FPO150-B100C82D8PE6M/P8-A)	2,432.74
AC-LSP-WIRED-FPO150/250-2C83D8PE8M2/P16-A	Sixteen Door Mercury Panduit ProWire Unified Power wall mount Power supply board 150W, 12A/12V Power supply board 250W, 10A/24V 16 relay lock control outputs fused at 3A 16 auxiliary outputs power limited at 2.5A Enclosure size: 36" x 30" x 4.5" 73 lbs Wired for MR52/EP1502. NOTE: All ProWire Unified Power wall mounts are custom made to order. NOTE: All ProWire Unified Power wall mounts are custom made to order. After 48 hours of Avigilon's order acknowledgment, all changes to an accepted purchase order will be subject to a Change Order charge of 30% of the net deliverable value. Returns and cancellations of an order or portion of an order that includes deliverables that have been manufactured and prepped for shipping will be applied with a 50% restocking fee. (Lifesafety Power Part #: FPO150/250-2C83D8PE8M2/P16-A)	4,029.32
AC-LSP-WIRED-FPO150/250-2C83D8PE8M2/P16-C	Sixteen Door Mercury Panduit ProWire Unified Power wall mount Power supply board 150W, 12A/12V Power supply board 250W, 10A/24V 16 relay lock control outputs fused at 3A 16 auxiliary outputs power limited at 2.5A Enclosure size: 36" x 30" x 4.5" 73 lbs Wired for all MR52s. NOTE: All ProWire Unified Power wall mounts are custom made to order. After 48 hours of Avigilon's order acknowledgment, all changes to an accepted purchase order will be subject to a Change Order charge of 30% of the net deliverable value. Returns and cancellations of an order or portion of an order that includes deliverables that have been manufactured and prepped for shipping will be applied with a 50% restocking fee. (Lifesafety Power Part #: FPO150/250-2C83D8PE8M2/P16-C)	4,029.32
AC-LSP-WIRED-FPO150/250-3D8P2M8NL4E8M2/P16-A	Sixteen Door Mercury Panduit ProWire Unified Power wall mount Power supply board 150W, 12A/12V Power supply board 250W, 10A/24V 16 relay managed outputs fused at 3A 16 auxiliary outputs power limited at 2.5A Four port monitoring module Enclosure size: 36" x 30" x 4.5" 73 lbs Wired for MR52/EP1502. NOTE: All ProWire Unified Power wall mounts are custom made to order. After 48 hours of Avigilon's order acknowledgment, all changes to an accepted purchase order will be subject to a Change Order charge of 30% of the net deliverable value. Returns and cancellations of an order or portion of an order that includes deliverables that have been manufactured and prepped for shipping will be applied with a 50% restocking fee. (Lifesafety Power Part #: FPO150/250-3D8P2M8NL4E8M2/P16-A)	4,688.63
AC-LSP-WIRED-FPO150/250-3D8P2M8NL4E8M2/P16-C	Sixteen Door Mercury Panduit ProWire Unified Power wall mount Power supply board 150W, 12A/12V Power supply board 250W, 10A/24V 16 relay managed outputs fused at 3A 16 auxiliary outputs power limited at 2.5A Four port monitoring module Enclosure size: 36" x 30" x 4.5" 73 lbs Wired for All MR52s. NOTE: All ProWire Unified Power wall mounts are custom made to order. After 48 hours of Avigilon's order acknowledgment, all changes to an accepted purchase order will be subject to a Change Order charge of 30% of the net deliverable value. Returns and cancellations of an order or portion of an order that includes deliverables that have been manufactured and prepped for shipping will be applied with a 50% restocking fee. (Lifesafety Power Part #: FPO150/250-3D8P2M8NL4E8M2/P16-C)	4,688.63

Rolec

MODEL NUMBER	DESCRIPTION	MSRP \$
AC-RO-SMALL-ENC	6.5W x 6.5W x 3D small size enclosure suitable for 1 x Mercury LP1501 or 1 x Mercury MR62e , IP67 rated, Includes removable non-metallic backplane for mounting the controller. Stock Item	82.92

All prices are exclusive of taxes and freight. Motorola Solutions reserves the right to make changes to pricing and discount margins. All installation and use of Access Control Manager software is governed by its end user license agreement (EULA).

CONFIDENTIAL : The contents of this document are considered confidential and should not be posted on a public access website, made available for general public distribution, or otherwise shared with others without prior written authorization from Motorola Solutions Inc. ("Motorola Solutions").

Readers

STid

MODEL NUMBER	DESCRIPTION	MSRP \$
AC-STID-ARCHITECT-PROGRAMMING-KIT-SECARD-BT	Programming Kit for Bluetooth®/Ultralight® C/MIFARE® Classic & Classic EV1/MIFARE Plus®/DESFire® EV2 & EV3/NFC HCE + SECard Software	1,492.50
AC-STID-EM+HID-LF-MODULE-SE810	SE8 - 125 kHz EM + HID module for Architect Blue reader - Standard reader black - 125 kHz EM + HID module. 125KHz Single Format Module, In addition to EM Format, it can be configured to read either HID Prox 26bit or 37bit, Only one format can be selected	103.43
AC-STID-ENROLL-READER-UHF-SWEDGE-W45	UHF EPC1 Gen2 Enrollment Kit SWEDGE: ARC UHF desktop reader - ETSI - USB (cable included) + SWEDGE Software (Europe)	898.46
AC-STID-ENROLL-READER-UHF-SWEDGE-W55	UHF EPC1 Gen2 Enrollment Kit SWEDGE: ARC UHF desktop reader - FCC - USB (cable included) + SWEDGE Software (Americas)	898.46
AC-STID-ENROLL-READER-USB-ARCS-R35-H/BT1-5AB/1A	ARCS-H/BT - Architect® Blue Desktop reader/enroller - Secure storage EAL5+ - Secure Read only - USB + WEDGE with keypad emulation interface (cable included) - AZERTY default configuration	433.72
AC-STID-ENROLL-READER-USB-ARCS-R35-H/BT1-5AQ/1A	ARCS-H/BT - Architect® Blue Desktop reader/enroller - Secure storage EAL5+ - Secure Read only - USB + WEDGE with keypad emulation interface (cable included) - QWERTY default configuration	433.72
AC-STID-KIT-STKIT-BT-V3.5-OSDP	Starter Kit Blue -ARCS-A/BT + ARCS-G/BT + USB with SECard v3.5.1 + 15 Virtual Credits - OSDP V1 & V2 secure protocol - RS485 interface. Kit includes Architect® Blue 13.56 MHz MIFARE® encoder, SECard software (USB stick), 2 MIFARE® Classic 1K cards, 4 MIFARE® DESFire® EV1 4K cards.	1,255.00
AC-STID-LF-MT-MODULE-SE8M10	SE8M - 125 kHz Multi-technology module for Architect Blue reader - Standard reader black - 125 kHz Multi-technology module. All the following can be selected, and the reader send information as raw data. HID Prox – 26, 35, 37, AWID – 26, 35, 37, Kantec, ioProx - XSF 39 bits, 26 bits, 24 bits, Indala – 27bits	205.17
AC-STID-QR-BARCODE-MODULE-SE910	SE9 Architect® Blue QR Code / Barcode module - QR and Barcode module for Standard reader black	1,101.84
AC-STID-READER-ARC1S-R31-B/BT1-3I/1A	NON PROGRAMED ARC1S/BT - Architect® One Blue Mullion reader - Secure storage EAL5+ - Secure Read only - TTL interface - 3m cable with connector - NO LOGO- Mullion Reader Black Wiegand 26bit - Requires AC-STID-ARCHITECT-PROGRAMMING-KIT-SECARD-BT for configuration programming	307.02
AC-STID-READER-ARC1S-W33-B/BT1-7OS/1A	NON PROGRAMED ARC1S/BT - Architect® One Blue Mullion reader - OSDP™ v1 & v2 secure protocol - Secure storage EAL5+ - RS485 interface - 3m cable with connector - NO LOGO - Mullion Reader Black OSDP v1 & v2 - Requires AC-STID-ARCHITECT-PROGRAMMING-KIT-SECARD-BT for configuration programming	307.02
AC-STID-READER-ARCS-R31-A/BT1-3I/1A	NON PROGRAMED ARCS-A/BT - Architect® Blue Upgradable Standard reader black - Wiegand Interface- Secure storage EAL5+ - Secure Read only - TTL interface - NO LOGO - Requires AC-STID-ARCHITECT-PROGRAMMING-KIT-SECARD-BT for configuration programming	375.00
AC-STID-READER-ARCS-R31-B/BT1-3I/1A	NON PROGRAMED ARCS-B/BT - Architect® Blue Upgradable Keypad reader black - Wiegand Interface - Secure storage EAL5+ - Secure Read only - TTL interface - NO LOGO - Requires AC-STID-ARCHITECT-PROGRAMMING-KIT-SECARD-BT for configuration programming	570.00
AC-STID-READER-ARCS-RX1-IM/BT2-3I/1A	NON PROGRAMED ARCS-IM/BT - Architect® Blue Hybrid 125 kHz Multi-technology + 13.56 MHz + Bluetooth® Upgradable reader - Secure storage EAL5+ - Secure Read only - Standard Multi-technology Reader black Wiegand interface - NO LOGO - Requires AC-STID-ARCHITECT-PROGRAMMING-KIT-SECARD-BT for configuration programming	546.67
AC-STID-READER-ARCS-RX1-JM/BT2-3I/1A	NON PROGRAMED ARCS-JM/BT - Architect® Blue Hybrid 125 kHz Multi-technology + 13.56 MHz + Bluetooth® Upgradable Keypad reader - Secure storage EAL5+ - Secure Read only - Standard Multi-technology Keypad Reader black Wiegand interface - NO LOGO -Requires	695.00

All prices are exclusive of taxes and freight. Motorola Solutions reserves the right to make changes to pricing and discount margins. All installation and use of Access Control Manager software is governed by its end user license agreement (EULA).

CONFIDENTIAL : The contents of this document are considered confidential and should not be posted on a public access website, made available for general public distribution, or otherwise shared with others without prior written authorization from Motorola Solutions Inc. ("Motorola Solutions").

	AC-STID-ARCHITECT-PROGRAMMING-KIT-SECARD-BT for configuration programming	
AC-STID-READER-ARCS-W33-A/BT1-7OS/1A	NON PROGRAMED ARCS-A/BT - Architect® Blue Upgradable Standard reader - OSDP™ v1 & v2 secure protocol - Secure storage EAL5+ - RS485 interface - NO LOGO - Requires AC-STID-ARCHITECT-PROGRAMMING-KIT-SECARD-BT for configuration	375.00
AC-STID-READER-ARCS-W33-AQ/BT1-7OS/1A	NON PROGRAMED ARCS-AQ/BT - Architect® Blue Upgradable QR Code, Bluetooth® & RFID reader - OSDP™ v1 & v2 secure protocol - Secure storage EAL5+ - RS485 interface - NO LOGO - Standard Reader black with QR module OSDP - Requires AC-STID-ARCHITECT-PROGRAMMING-KIT-SECARD-BT for configuration programming	1,280.04
AC-STID-READER-ARCS-W33-B/BT1-7OS/1A	NON PROGRAMED ARCS-B/BT - Architect® Blue Upgradable Keypad reader - OSDP™ v1 & v2 secure protocol - Secure storage EAL5+ - RS485 interface - NO LOGO - Requires AC-STID-ARCHITECT-PROGRAMMING-KIT-SECARD-BT for configuration	570.00
AC-STID-READER-ARCS-W33-BQ/BT1-7OS/1A	NON PROGRAMED ARCS-BQ/BT Architect® Blue Upgradable QR Code, Bluetooth® & RFID Keypad reader - OSDP™ v1 & v2 secure protocol - Secure storage EAL5+ - RS485 interface - NO LOGO - Standard reader black with Keypad and QR module OSDP - Requires AC-STID-ARCHITECT-PROGRAMMING-KIT-SECARD-BT for configuration programming	1,445.25
AC-STID-READER-ARCS-W33-C/BT1-7OS/1A	NON PROGRAMED ARCS-C/BT - Architect® Blue Upgradable Touchscreen reader - OSDP™ v1 & v2 secure protocol - Secure storage EAL5+ - RS485 interface - NO LOGO - Standard reader black with touchscreen OSDP - Requires AC-STID-ARCHITECT-PROGRAMMING-KIT-SECARD-BT for configuration programming	671.68
AC-STID-READER-SNA-W43-A/BT4-7OS/1	SNA - SPECTRE nano UHF - Europa Low Band 865-868 MHz - USB cable & ULTRYS software included	1,581.73
AC-STID-READER-SNA-W53-A/BT4-7OS/1	SNA - SPECTRE nano UHF - USA Upper Band 902-928 MHz- USB cable & ULTRYS software included	1,581.73
AC-STID-SPACER-PLA-ADAP-V2-ARC-NO	Stackable spacer with cable passage for Architect® Blue reader - Black	26.75
AC-STID-SPACER-PLAQ-ARC1-NO-V2	Stackable spacer with cable passage for Architect® One Blue mullion reader - Black	26.75
AC-STID-SPECTRE-PROGRAMMING-KIT-ULTRYSV2	UHF Programming kit for SPECTRE, SPECTRE nano & ATX UHF reader configuration and user credentials encoding - ARC UHF (cable included) + Ultrys v2 software included	995.88

Allegion

MODEL NUMBER	DESCRIPTION	MSRP \$
AC-ALL-READ-APTIQ-OSDP-KEYPD-MTK15-485	Schlage (formerly aptiQ™) Multi-Technology Keypad - Single Gang Reader - OSDP (Allegion Part Number: MTK15-485)	549.15
AC-ALL-READ-APTIQ-OSDP-MULL-MT11-485	Schlage (formerly aptiQ™) Multi-Technology – Mullion Reader - OSDP (Allegion Part Number: MT11-485)	342.59
AC-ALL-READ-APTIQ-OSDP-SNG-MT15-485	Schlage (formerly aptiQ™) Multi-Technology - Single Gang Reader - OSDP (Allegion Part Number: MT15-485)	342.59
AC-ALL-READ-APTIQ-WIEGAND-MTMSK15	Schlage (formerly aptiQ™) Multi-Technology with Magnetic Stripe and Keypad - Single Gang Reader - Wiegand (Allegion Part Number: MTMSK15)	835.65
AC-ALL-SCH-WPR400-MT	Wireless Portable Reader (with Multi-Technology Reader Module)Handheld, battery-operated unit with Multi-Technology(Allegion Part Number: WPR400-MT)	2,183.01
AC-ALL-SCH-WRI400	Outdoor Wireless Reader Interface Compatible with Wiegand or Magnetic Stripe Interface. Includes Weatherproof Enclosure, inputs for two parallel readers. Requires 12 or 24 VDC power supply (Non-stock item)(Allegion Part Number: WRI400)	989.44
AC-ING-READ-APTIQ-ENROLL-MT20	Schlage (formerly aptiQ™) MT20 Multi-technology enrollment reader with ENGAGE™ technology (Allegion Part Number: MT20)	543.67
AC-ING-READ-APTIQ-KEYPD-MTK15	Schlage (formerly aptiQ™) Multi-Technology Keypad - Single Gang Reader (Allegion Part Number: MTK15)	544.48
AC-ING-READ-APTIQ-MINI-SM10	Schlage (formerly aptiQ™) 13.56 MHz Smart - Mini Mullion Reader (Allegion Part Number: SM10)	163.45

All prices are exclusive of taxes and freight. Motorola Solutions reserves the right to make changes to pricing and discount margins. All installation and use of Access Control Manager software is governed by its end user license agreement (EULA).

CONFIDENTIAL : The contents of this document are considered confidential and should not be posted on a public access website, made available for general public distribution, or otherwise shared with others without prior written authorization from Motorola Solutions Inc. ("Motorola Solutions").

AC-ING-READ-APTIQ-MULL-MT11	Schlage (formerly aptiQ™) Multi-Technology – Mullion Reader (Allegion Part Number: MT11)	342.59
AC-ING-READ-APTIQ-SNG-MT15	Schlage (formerly aptiQ™) Multi-Technology - Single Gang Reader (Allegion Part Number: MT15)	342.59
AC-ING-READ-XCEEDID-PROX	Schlage (formerly XceedID) - 125 kHz Proximity - Mini Mullion Reader (Allegion Part Number: PR10)	172.66
AC-ING-READ-XCEEDID-PROX-C	Schlage (formerly XceedID) - 125 kHz Proximity - Mini Mullion Crème Reader (Allegion Part Number: PR10-C)	172.66
AC-SCH-READ-OSDP-MT15-C	Schlage MT-15 Single gang mount multi-technology reader, RS485 OSDP, Cream Color	342.57
AC-SCH-READ-WIEGAND-MT15-C	Schlage MT-15 Single gang mount multi-technology reader, Wiegand, Cream Color	342.57
AC-SCH-READER-MTB11	Mobile Enabled Multi-Technology Reader – Mullion Mount - Dimensions: 5.91" x 1.72" x 0.81". Power required: 5-24 VDC - RS-485 capability included in standard product offering	358.38
AC-SCH-READER-MTB15	Mobile Enabled Multi-Technology Reader – Wall Mount - Dimensions: 5.1" x 3.25" x 0.76". Power required: 5-24 VDC - RS-485 capability included in standard product offering	358.38
AC-SCH-READER-MTKB15	Mobile Enabled Multi-Technology Reader – Wall Mount with Keypad - Dimensions: 5.1" x 3.25" x 0.76". Power required: 5-24 VDC - RS-485 capability included in standard product offering	575.81

Farpointe Data

MODEL NUMBER	DESCRIPTION	MSRP \$
AC-FP-READ-CSR-35L-OSDP	CONEKT OSDP, Long Range, Mullien and Single-gang Mount, Mobile-Ready Contactless Smartcard Readers (2.4-GHz/13.56-MHz) — MIFARE® DESFire® EV1 and EV2 Support	459.15
AC-FP-READ-CSR-35L-WG	CONEKT Wiegand, Long Range, Mullien and Single-gang Mount, Mobile-Ready Contactless Smartcard Readers (2.4-GHz/13.56-MHz) — MIFARE® DESFire® EV1 and EV2 Support	338.89
AC-FP-READ-DELTA-62-OSDP-F05552-600SCN	Delta6.2 OSDP Contactless Smartcard Reader and Keypad - The model Delta6.2 is designed to be mounted directly to location requiring mullion mount, and integrates both a contactless smartcard reader (13.56-MHz) and a keypad into a single-unit making it ideal for applications requiring an access credential and/or personal identification number (PIN) (Non Stock Item) (Farpointe Data Part Number: F05552-600SCN)	663.35
AC-FP-READ-DELTA-62-OSDP-F05662-600	Delta 6.2 OSDP Contactless Smartcard Reader and Keypad - The model Delta 6.2 is designed to be mounted directly to location requiring mullion mount, and integrates both a contactless smartcard reader (13.56-MHz) and a keypad into a single-unit making it ideal for applications requiring an access credential and/or personal identification number (PIN) (Non Stock Item) (Farpointe Data Part Number: F05552-600SCN)	664.14
AC-FP-READ-DELTA3-SECTOR	Delta3 Contactless Smartcard Reader - With a compact design the model Delta3 may be mounted to metal door or window frames, and other flat surfaces (Stock Item) (Farpointe Data Part Number: Delta3 Sector)	298.44
AC-FP-READ-DELTA5-OSDP	Delta5 OSDP Contactless Smartcard Reader - With a thin profile the model Delta5 may be mounted to a standard North American single-gang wall switch box, and other flat surfaces, OSDP Only.	450.06
AC-FP-READ-DELTA5-SECTOR	Delta5 Contactless Smartcard Reader - With a thin profile the model Delta5 may be mounted to a standard North American single-gang wall switch box, and other flat surfaces (Stock Item) (Farpointe Data Part Number: Delta5 Sector)	323.60
AC-FP-READ-DELTA5.3-SECTOR	Delta5.3 Contactless Smartcard Reader - With distinctive contemporary styling the model Delta5.3 lends itself to mounting to a standard European-sized (60 mm) wall switch box, and other flat surfaces (Non Stock Item) (Farpointe Data Part Number: Delta5.3 Sector)	323.60
AC-FP-READ-DELTA6.4-SECTOR	Delta6.4 Contactless Smartcard Reader and Keypad - The model Delta6.4 is designed to be mounted directly to a standard North American sized single-gang wall box, and integrates both a contactless smartcard reader (13.56-MHz) and a keypad into a single-unit making it ideal for applications requiring an access credential and/or personal identification number (PIN) (Stock Item) (Farpointe Data Part Number: Delta6.4 Sector)	539.41
AC-FP-READ-GIBRALTER-BR-P-453-HA	Gibraltar Proximity Reader, Bullet-resistant reader designed to be mounted to mullion, door or window frames.(Farpointe Data Part Number: P-453-HA)	709.36
AC-FP-READ-GIBRALTER-BR-P-455-HA		781.62

All prices are exclusive of taxes and freight. Motorola Solutions reserves the right to make changes to pricing and discount margins. All installation and use of Access Control Manager software is governed by its end user license agreement (EULA).

CONFIDENTIAL : The contents of this document are considered confidential and should not be posted on a public access website, made available for general public distribution, or otherwise shared with others without prior written authorization from Motorola Solutions Inc. ("Motorola Solutions").

	Gibraltar Proximity Reader, Bullet-resistant reader designed to mount to standard North American single-gang wall switch boxes.(Farpointe Data Part Number: P-455-HA)	
AC-FP-READ-GUARDIAN-VR-P-403-HA	Guardian Proximity Reader, Vandal-resistant reader designed to mount to a metal door and window frame.(Farpointe Data Part Number: P-403-HA)	482.83
AC-FP-READ-GUARDIAN-VR-P-405-HA	Guardian Proximity Reader, Vandal-resistant reader designed to mount to a standard North American single-gang wall switch box.(Farpointe Data Part Number: P-405-HA)	573.08
AC-FP-READ-GUARDIAN-VR-P-410-HA	Guardian Proximity Reader, Vandal-resistant reader designed to mount to a standard North American double-gang wall switch box.(Farpointe Data Part Number: P-410-HA)	718.74
AC-FP-READ-P-300-H	P-300 Cascade Proximity Reader - Designed to be mounted to metal door and window frames (Stock Item) (Farpointe Data Part Number: P-300-H)	94.86
AC-FP-READ-P-300-H-A	Mullion mount reader, supports Farpointe + certain HID® and AWID® 125-kHz Proximity protocols (Farpointe Data Part Number: P-300-H-A)	96.90
AC-FP-READ-P-500-H	P-500 Alps Proximity Reader - Designed to be mounted to a standard North American single-gang wall switch box (Stock Item) (Farpointe Data Part Number: P-500-H)	128.54
AC-FP-READ-P-500-H-A	Single-gang mount reader, supports Farpointe + certain HID® and AWID® 125-kHz Proximity protocols (Farpointe Data Part Number: P-500-H-A)	126.14
AC-FP-READ-P-640-H	P-640 Patagonia Proximity Reader and Keypad - Designed to be mounted directly to standard North American sized single-gang wall box, and integrates both a proximity reader and keypad into a single-unit making it ideal for applications requiring an access credential and/or personal identification number (PIN) (Stock Item) (Farpointe Data Part Number: P-640-H)	303.21
AC-FP-READ-P-640-H-A	Keypad + reader, single-gang mount, supports Farpointe + certain HID® and AWID® 125-kHz Proximity protocols (Farpointe Data Part Number: P-640-H-A)	305.36
AC-FP-READ-P-640-H-OSDP	P-640 Patagonia Proximity Reader and Keypad - Designed to be mounted directly to standard North American sized single-gang wall box, and integrates both a proximity reader and keypad into a single-unit making it ideal for applications requiring an access credential and/or personal identification number, OSDP Only	425.73
AC-FP-READ-P-710-H	P-710 Andes Proximity Reader - Intended for applications calling for heightened levels of convenience, such as parking lots and high-volume employee entrances (Non Stock Item)(Farpointe Data Part Number: P-710-H)	392.90
AC-FP-READ-P-710-H-A	Parking, single-gang mount reader, supports Farpointe + certain HID® and AWID® 125-kHz Proximity protocols (Farpointe Data Part Number: P-710-H-A)	391.68
AC-FP-READ-P-900-H	P-900 Proximity Reader - A high performance design, it is classified as a long range reader, and is capable of delivering read ranges of up to 20-inches (508 mm). The longer read range of the P-900 adds convenience to a wide range of access applications, including turnstiles and parking control (Stock Item) (Farpointe Data Part Number: P-900-H)	777.49
AC-FP-READ-P-900-H-A	Single-gang/double-gang, standard parking bollard mount reader, supports Farpointe + certain HID® and AWID® 125-kHz Proximity protocols (Farpointe Data Part Number: P-900-H-A)	776.27
AC-FP-READ-PROX-EURO-P-530-HA	EuroMount Proximity Reader, designed to be mounted to a standard European-sized (60 mm) wall switch box. (Non-stock item)(Farpointe Data Part Number: P-530-HA)	128.54
AC-FP-READ-PROX-KEYPAD-P-620-HA	Mullion Mount Keypad reader + proximity, designed to be mounted to window or door frames(Farpointe Data Part Number: P-620-HA)	303.21
AC-FP-READ-WG-MCR-50-H	MCR-50 Proximity Reader - Supports Farpointe + certain Indala® ASP Advantage Series Proximity formats + certain HID® 125-kHz Proximity protocols; single-gang mount. (Non-stock item) (Farpointe Data Part Number: MCR-50-H)	217.87
AC-FP-REC-LONG-RANGE-WRR-22	Long-Range Receiver, designed to output Transmitter data from buttons 1 and 2 over two separate Wiegand outputs and install similar to a Pyramid Series Proximity® reader, making for easy integration with most access control systems. (Non-stock item)(Farpointe Data Part Number: WRR-22)	240.72
AC-FP-REC-WRR-44	WRR-44 Ranger Receiver - Long range radio-type receiver, features a Transmitter receive range of up to 200-feet (61-m), and is ideal for applications involving vehicle or disabled access(Stock Item) (Farpointe Data Part Number: WRR-44)	396.58

All prices are exclusive of taxes and freight. Motorola Solutions reserves the right to make changes to pricing and discount margins. All installation and use of Access Control Manager software is governed by its end user license agreement (EULA).

CONFIDENTIAL : The contents of this document are considered confidential and should not be posted on a public access website, made available for general public distribution, or otherwise shared with others without prior written authorization from Motorola Solutions Inc. ("Motorola Solutions").

MODEL NUMBER	DESCRIPTION	MSRP \$
AC-VT-READ-BIO-RFID-AC2000IC	VIRDI fingerprint smart card reader with live fingerprint detection embedded. Supports fingerprint, HID iClass Card, User Capacity: 10,000, Finger Capacity: 1,500, TCP/IP Server Communication, No LCD, No Function Key, bluetooth support. Power Supply not included. (VIRDI Part Number: AC2000iClass)	918.00
AC-VT-READ-BIO-RFID-AC2000IC-EU	Reader bundle including AC-VT-READ-BIO-RFID-AC2000IC and power supply with type C plug for Europe	918.00
AC-VT-READ-BIO-RFID-AC2000IC-NA	Reader bundle including AC-VT-READ-BIO-RFID-AC2000IC and power supply with type B plug for North America	918.00
AC-VT-READ-BIO-RFID-AC2000IC-UK	Reader bundle including AC-VT-READ-BIO-RFID-AC2000IC and power supply with type G plug for United Kingdom	918.00
AC-VT-READ-BIO-RFID-AC2000PROX	VIRDI fingerprint smart card reader with live fingerprint detection embedded. Supports fingerprint, HID prox Card, User Capacity : 10,000, Finger Capacity: 1,500, TCP/IP Server Communication, No LCD, No Function Key, bluetooth support. Power Supply not included. (VIRDI Part Number: AC2000Prox)	918.00
AC-VT-READ-BIO-RFID-AC2000PROX-EU	Reader bundle including AC-VT-READ-BIO-RFID-AC2000Prox and power supply with type C plug for Europe	918.00
AC-VT-READ-BIO-RFID-AC2000PROX-NA	Reader bundle including AC-VT-READ-BIO-RFID-AC2000Prox and power supply with type B plug for North America	918.00
AC-VT-READ-BIO-RFID-AC2000PROX-UK	Reader bundle including AC-VT-READ-BIO-RFID-AC2000Prox and power supply with type G plug for United Kingdom	918.00
AC-VT-READ-BIO-RFID-AC2000SC	ViRDI fingerprint smart card reader with live fingerprint detection embedded. Supports fingerprint, Mifare 13.56Mhz Card & PIN Authentication, User Capacity: 1,500, Finger Capacity: 1500, TCP/IP Server Communication, No LCD, No Function Key, Bluetooth support. (ViRDI Part Number: AC2000SC)	714.00
AC-VT-READ-BIO-RFID-AC2000SC-EU	Reader bundle including AC-VT-READ-BIO-RFID-AC2000SC and power supply with type C plug for Europe	714.00
AC-VT-READ-BIO-RFID-AC2000SC-NA	Reader bundle including AC-VT-READ-BIO-RFID-AC2000SC and power supply with type B plug for North America	714.00
AC-VT-READ-BIO-RFID-AC2000SC-UK	Reader bundle including AC-VT-READ-BIO-RFID-AC2000SC and power supply with type G plug for United Kingdom	714.00
AC-VT-READ-BIO-RFID-AC5000IC	VIRDI Fingerprint and card enrollment reader with touchscreen keypad, live fingerprint detection embedded, supports HID iClass Card & PIN authentication. User Capacity : 20,000, Finger Capacity: 20,000, IP 65 Weatherproof, TCP/IP server communication. Power Supply not included. (VIRDI Part Number: AC5000PlusiClass)	1,275.00
AC-VT-READ-BIO-RFID-AC5000IC-EU	Reader bundle including AC-VT-READ-BIO-RFID-AC5000IC and power supply with type C plug for Europe	1,275.00
AC-VT-READ-BIO-RFID-AC5000IC-NA	Reader bundle including AC-VT-READ-BIO-RFID-AC5000IC and power supply with type B plug for North America	1,275.00
AC-VT-READ-BIO-RFID-AC5000IC-UK	Reader bundle including AC-VT-READ-BIO-RFID-AC5000IC and power supply with type G plug for United Kingdom	1,275.00
AC-VT-READ-BIO-RFID-AC5000PROX	VIRDI Fingerprint and card enrollment reader with touchscreen keypad, live fingerprint detection embedded, supports HID Prox Card & PIN authentication. User Capacity : 20,000, Finger Capacity: 20,000, IP 65 Weatherproof, TCP/IP server communication. Power Supply not included. (VIRDI Part Number: AC5000PlusProx)	1,275.00
AC-VT-READ-BIO-RFID-AC5000PROX-EU	Reader bundle including AC-VT-READ-BIO-RFID-AC5000Prox and power supply with type C plug for Europe	1,275.00
AC-VT-READ-BIO-RFID-AC5000PROX-NA	Reader bundle including AC-VT-READ-BIO-RFID-AC5000Prox and power supply with type B plug for North America	1,275.00
AC-VT-READ-BIO-RFID-AC5000PROX-UK	Reader bundle including AC-VT-READ-BIO-RFID-AC5000Prox and power supply with type G plug for United Kingdom	1,275.00
AC-VT-READ-BIO-RFID-AC5000SC-BLK	VIRDI Fingerprint and card enrollment reader with touchscreen keypad, live fingerprint detection embedded, supports Mifare 13.56Mhz Card & PIN authentication. User Capacity : 20,000, Finger Capacity: 20,000, IP 65 Weatherproof & PoE 13W, TCP/IP server communication. Power Supply Not Included.(ViRDI Part Number: AC5000PlusSC)	1,071.00
AC-VT-READ-BIO-RFID-AC5000SC-BLK-EU	Reader bundle including AC-VT-READ-BIO-RFID-AC5000SC-BLK and power supply with type C plug for Europe	1,071.00

All prices are exclusive of taxes and freight. Motorola Solutions reserves the right to make changes to pricing and discount margins. All installation and use of Access Control Manager software is governed by its end user license agreement (EULA).

CONFIDENTIAL : The contents of this document are considered confidential and should not be posted on a public access website, made available for general public distribution, or otherwise shared with others without prior written authorization from Motorola Solutions Inc. ("Motorola Solutions").

AC-VT-READ-BIO-RFID-AC5000SC-BLK-NA	Reader bundle including AC-VT-READ-BIO-RFID-AC5000SC-BLK and power supply with type B plug for North America	1,071.00
AC-VT-READ-BIO-RFID-AC5000SC-BLK-UK	Reader bundle including AC-VT-READ-BIO-RFID-AC5000SC-BLK and power supply with type G plug for United Kingdom	1,071.00
AC-VT-READ-BIO-USB-FOH02	ViRDI Fingerprint and card enrollment USB reader, live fingerprint detection embedded, Fingerprint Platen Area: 16 x 19.6mm / Image Size: 15 x 17mm, (ViRDI Part Number: FOH02)	142.80
AC-VT-READ-BIO-USB-FOH02-SC	ViRDI Fingerprint and card enrollment reader, live fingerprint detection embedded, supports Mifare 13.56Mhz Card (Read & Write), Fingerprint Platen Area: 16 x 19.6mm / Image Size: 15 x 17mm, Read /Write - supports TOC (Template on Card) (ViRDI Part Number: FOH02SC) Note - This product is not available for sale in Spain and South Africa.	188.70

HID Readers

MODEL NUMBER	DESCRIPTION	MSRP \$
AC-HID-GASKET-IP65GSKT-R10	GASKET PACK, IP65, R10 SIZE, ICLASS SE, PACK OF 10 GASKETS (HID Part Number: IP65GSKT-R10)	33.41
AC-HID-GASKET-IP65GSKT-R15	GASKET PACK, IP65, R15 SIZE, ICLASS SE, PACK OF 10 GASKETS (HID Part Number: IP65GSKT-R15)	33.41
AC-HID-GASKET-IP65GSKT-R40	GASKET PACK, IP65, R40 SIZE, ICLASS SE, PACK OF 10 GASKETS (HID Part Number: IP65GSKT-R40)	33.41
AC-HID-GASKET-IP65GSKT-RK40	GASKET PACK, IP65, RK40 SIZE, ICLASS SE, PACK OF 10 GASKETS (HID Part Number: IP65GSKT-RK40)	33.41
AC-HID-MCLASS-SE-PROX-OSDP-900PTPNEK00387	RDR, RP10, MULTICLASS, SE E, LF STD, HF STD/SIO/SEOS, 485HDX, PIG, BLK, STD-1, A/V OFF, OSDP V1, OPN COL, OSDP TAMP ENBLD, TEST KEY, POLL=75MS, CSN 32-BIT MSB, EM4102 32-BIT, IPM OFF, UART OFF, WIEG OFF (HID Part #: 900PTPNEK00387)	277.15
AC-HID-MCLASS-SE-PROX-OSDP-900PTPTEK00387	RDR, RP10, MULTICLASS, SE E, LF STD, HF STD/SIO/SEOS, 485HDX, TERM, BLK, STD-1, A/V OFF, OSDP V1, OPN COL, OSDP TAMP ENBLD, TEST KEY, POLL=75MS, CSN 32-BIT MSB, EM4102 32-BIT, IPM OFF, UART OFF, WIEG OFF (HID Part #: 900PTPTEK00387)	277.15
AC-HID-MCLASS-SE-PROX-OSDP-910PTPNEK00387	RDR, RP15, MULTICLASS, SE E, LF STD, HF STD/SIO/SEOS, 485HDX, PIG, BLK, STD-1, A/V OFF, OSDP V1, OPN COL, OSDP TAMP ENBLD, TEST KEY, POLL=75MS, CSN 32-BIT MSB, EM4102 32-BIT, IPM OFF, UART OFF, WIEG OFF (HID Part #: 910PTPNEK00387)	420.09
AC-HID-MCLASS-SE-PROX-OSDP-910PTPTEK00387	RDR, RP15, MULTICLASS, SE E, LF STD, HF STD/SIO/SEOS, 485HDX, TERM, BLK, STD-1, A/V OFF, OSDP V1, OPN COL, OSDP TAMP ENBLD, TEST KEY, POLL=75MS, CSN 32-BIT MSB, EM4102 32-BIT, IPM OFF, UART OFF, WIEG OFF (HID Part #: 910PTPTEK00387)	420.09
AC-HID-MCLASS-SE-PROX-OSDP-920PTPNEK00387	RDR, RP40, MULTICLASS, SE E, LF STD, HF STD/SIO/SEOS, 485HDX, PIG, BLK, STD-1, A/V OFF, OSDP V1, OPN COL, OSDP TAMP ENBLD, TEST KEY, POLL=75MS, CSN 32-BIT MSB, EM4102 32-BIT, IPM OFF, UART OFF, WIEG OFF (HID Part #: 920PTPNEK00387)	420.09
AC-HID-MCLASS-SE-PROX-OSDP-920PTPTEK00387	RDR, RP40, MULTICLASS, SE E, LF STD, HF STD/SIO/SEOS, 485HDX, TERM, BLK, STD-1, A/V OFF, OSDP V1, OPN COL, OSDP TAMP ENBLD, TEST KEY, POLL=75MS, CSN 32-BIT MSB, EM4102 32-BIT, IPM OFF, UART OFF, WIEG OFF (HID Part #: 920PTPTEK00387)	420.09
AC-HID-MCLASS-SE-PROX-OSDP-921PTPNEK00385	RDR, RPK40, MULTICLASS, SE E, LF STD, HF STD/SIO/SEOS, 485HDX, PIG, BLK, STD-1, A/V OFF, OSDP V1, OPN COL, OSDP TAMP ENBLD, TEST KEY, POLL=75MS, CSN 32-BIT MSB, KPF, ASCII, BFFRD 1 KEY, EM4102 32-BIT, IPM OFF, UART OFF, WIEG OFF (HID Part #: 921PTPNEK00385)	699.03
AC-HID-MCLASS-SE-PROX-OSDP-921PTPTEK00385	RDR, RPK40, MULTICLASS, SE E, LF STD, HF STD/SIO/SEOS, 485HDX, TERM, BLK, STD-1, A/V OFF, OSDP V1, OPN COL, OSDP TAMP ENBLD, TEST KEY, POLL=75MS, CSN 32-BIT MSB, EM4102 32-BIT, KPF, ASCII, BFFRD 1 KEY, IPM OFF, UART OFF, WIEG OFF (HID Part #: 921PTPTEK00385)	699.03
AC-HID-READ-ICLASS-SE-MOB-OSDP-900NMPNEKEA005	R10 Mini-mullion reader; OSDP; No Prox; Mobile IDs via NFC and Bluetooth Smart; iCLASS Seos, SE, SR, Standard; MIFARE Classic (SIO), MIFARE DESFire EV1 (SIO); ISO 14443 UID; Mobile enabled; Pigtail (HID Part #: 900NMPNEKEA005)	287.08
AC-HID-READ-ICLASS-SE-MOB-OSDP-900NMPNEKMA005	RDR, R10, ICLASS, SE E, LF OFF, HF STD/SIO/SEOS/MA, OSDP, PIG, BLK, A/V OFF, OPT TAMP, OPEN COLL, CSN 32-BIT MSB, EM4102 32-BIT, IPM OFF, MOBILE-READY (HID Part #: 900NMPNEKMA005)	289.72
AC-HID-READ-ICLASS-SE-MOB-OSDP-900NMPTEKEA005		287.08

All prices are exclusive of taxes and freight. Motorola Solutions reserves the right to make changes to pricing and discount margins. All installation and use of Access Control Manager software is governed by its end user license agreement (EULA).

CONFIDENTIAL : The contents of this document are considered confidential and should not be posted on a public access website, made available for general public distribution, or otherwise shared with others without prior written authorization from Motorola Solutions Inc. ("Motorola Solutions").

	R10 Mini-mullion reader; OSDP; No Prox; Mobile IDs via NFC and Bluetooth Smart; iCLASS Seos, SE, SR, Standard; MIFARE Classic (SIO), MIFARE DESFire EV1 (SIO); ISO 14443 UID; Mobile enabled; Terminal Strip (HID Part #: 900NMPTEKMA005)	
AC-HID-READ-ICLASS-SE-MOB-OSDP-900NMPTEKMA005	RDR, R10, ICLASS, SE E, LF OFF, HF STD/SIO/SEOS/MA, OSDP, TERM, BLK, A/V OFF, OPT TAMP, OPEN COLL, CSN 32-BIT MSB, EM4102 32-BIT, IPM OFF, MOBILE-READY (HID Part #: 900NMPTEKMA005)	289.72
AC-HID-READ-ICLASS-SE-MOB-OSDP-910NMPNEKEA005	R15 Mullion reader; OSDP; No Prox; Mobile IDs via NFC and Bluetooth Smart; iCLASS Seos, SE, SR, Standard; MIFARE Classic (SIO), MIFARE DESFire EV1 (SIO); ISO 14443 UID; Mobile enabled; Pigtail (HID Part #: 910NMPNEKEA005)	430.09
AC-HID-READ-ICLASS-SE-MOB-OSDP-910NMPNEKMA005	RDR, R15, ICLASS, SE E, LF OFF, HF STD/SIO/SEOS/MA, OSDP, PIG, BLK, A/V OFF, OPT TAMP, OPEN COLL, CSN 32-BIT MSB, EM4102 32-BIT, IPM OFF, MOBILE-READY (HID Part #: 910NMPNEKMA005)	432.75
AC-HID-READ-ICLASS-SE-MOB-OSDP-910NMPTEKEA005	R15 Mullion reader; OSDP; No Prox; Mobile IDs via NFC and Bluetooth Smart; iCLASS Seos, SE, SR, Standard; MIFARE Classic (SIO), MIFARE DESFire EV1 (SIO); ISO 14443 UID; Mobile enabled; Terminal Strip (HID Part #: 910NMPTEKEA005)	430.09
AC-HID-READ-ICLASS-SE-MOB-OSDP-910NMPTEKMA005	RDR, R15, ICLASS, SE E, LF OFF, HF STD/SIO/SEOS/MA, OSDP, TERM, BLK, A/V OFF, OPT TAMP, OPEN COLL, CSN 32-BIT MSB, EM4102 32-BIT, IPM OFF, MOBILE-READY (HID Part #: 910NMPTEKMA005)	432.75
AC-HID-READ-ICLASS-SE-MOB-OSDP-920NMPNEKEA005	R40 Standard wall switch reader; OSDP; No Prox; Mobile IDs via NFC and Bluetooth Smart; iCLASS Seos, SE, SR, Standard; MIFARE Classic (SIO), MIFARE DESFire EV1 (SIO); ISO 14443 UID; Mobile enabled; Pigtail (HID Part #: 920NMPNEKEA005)	430.09
AC-HID-READ-ICLASS-SE-MOB-OSDP-920NMPNEKMA005	RDR, R40, ICLASS, SE E, LF OFF, HF STD/SIO/SEOS/MA, OSDP, PIG, BLK, A/V OFF, OPT TAMP, OPEN COLL, CSN 32-BIT MSB, EM4102 32-BIT, IPM OFF, MOBILE-READY (HID Part #: 920NMPNEKMA005)	432.75
AC-HID-READ-ICLASS-SE-MOB-OSDP-920NMPTEKEA005	R40 Standard wall switch reader; OSDP; No Prox; Mobile IDs via NFC and Bluetooth Smart; iCLASS Seos, SE, SR, Standard; MIFARE Classic (SIO), MIFARE DESFire EV1 (SIO); ISO 14443 UID; Mobile enabled; Terminal Strip (HID Part #: 920NMPTEKEA005)	430.09
AC-HID-READ-ICLASS-SE-MOB-OSDP-920NMPTEKMA005	RDR, R40, ICLASS, SE E, LF OFF, HF STD/SIO/SEOS/MA, OSDP, TERM, BLK, A/V OFF, OPT TAMP, OPEN COLL, CSN 32-BIT MSB, EM4102 32-BIT, IPM OFF, MOBILE-READY (HID Part #: 920NMPTEKMA005)	432.75
AC-HID-READ-ICLASS-SE-MOB-OSDP-921NMPNEKEA006	RK40 Standard wall switch reader with keypad input; OSDP; No Prox; Mobile IDs via NFC and Bluetooth Smart; iCLASS Seos, SE, SR, Standard; MIFARE Classic (SIO), MIFARE DESFire EV1 (SIO); ISO 14443 UID; Mobile enabled; Pigtail (HID Part #: 921NMPNEKEA006)	709.03
AC-HID-READ-ICLASS-SE-MOB-OSDP-921NMPNEKMA006	RDR, RK40, ICLASS, SE E, LF OFF, HF STD/SIO/SEOS/MA, OSDP, PIG, BLK, A/V OFF, OPT TAMP, OPEN COLL, CSN 32-BIT MSB, EM4102 32-BIT, KPF, ASCII, BFFRD 1 KEY, IPM OFF, MOBILE-READY (HID Part #: 921NMPNEKMA006)	711.71
AC-HID-READ-ICLASS-SE-MOB-OSDP-921NMPTEKEA006	RK40 Standard wall switch reader with keypad input; OSDP; No Prox; Mobile IDs via NFC and Bluetooth Smart; iCLASS Seos, SE, SR, Standard; MIFARE Classic (SIO), MIFARE DESFire EV1 (SIO); ISO 14443 UID; Mobile enabled; Terminal Strip (HID Part #: 921NMPTEKEA006)	709.03
AC-HID-READ-ICLASS-SE-MOB-OSDP-921NMPTEKMA006	RDR, RK40, ICLASS, SE E, LF OFF, HF STD/SIO/SEOS/MA, OSDP, TERM, BLK, A/V OFF, OPT TAMP, OPEN COLL, CSN 32-BIT MSB, EM4102 32-BIT, KPF, ASCII, BFFRD 1 KEY, IPM OFF, MOBILE-READY (HID Part #: 921NMPTEKMA006)	711.71
AC-HID-READ-ICLASS-SE-MOB-WG-900NBNEK20000	R10 Mini-mullion reader; Wiegand; No Prox; iCLASS Seos; Mobile IDs via NFC and Bluetooth Smart; Pigtail (HID Part #: 900NBNEK20000)	287.08
AC-HID-READ-ICLASS-SE-MOB-WG-900NBNEKE0000	R10 Mini-mullion reader; Wiegand; No Prox; iCLASS Seos; Mobile IDs via NFC and Bluetooth Smart; HID Elite and Mobile-Enabled; Pigtail (HID Part #: 900NBNEKE0000)	287.08
AC-HID-READ-ICLASS-SE-MOB-WG-900NBNTEK20000	R10 Mini-mullion reader; Wiegand; No Prox; iCLASS Seos; Mobile IDs via NFC and Bluetooth Smart; Terminal Strip (HID Part #: 900NBNTEK20000)	287.08
AC-HID-READ-ICLASS-SE-MOB-WG-900NBNTEKE0000	R10 Mini-mullion reader; Wiegand; No Prox; iCLASS Seos; Mobile IDs via NFC and Bluetooth Smart; HID Elite and Mobile-Enabled; Terminal Strip (HID Part #: 900NBNTEKE0000)	287.08
AC-HID-READ-ICLASS-SE-MOB-WG-900NMNNEKEA001	R10 Mini-mullion reader; Wiegand; No Prox; Mobile IDs via NFC and Bluetooth Smart; iCLASS Seos, SE, SR, Standard; MIFARE Classic (SIO), MIFARE DESFire EV1 (SIO); ISO 14443 UID; Mobile enabled; Pigtail (HID Part #: 900NMNNEKEA001)	287.08
AC-HID-READ-ICLASS-SE-MOB-WG-900NMNTEKEA001		287.08

All prices are exclusive of taxes and freight. Motorola Solutions reserves the right to make changes to pricing and discount margins. All installation and use of Access Control Manager software is governed by its end user license agreement (EULA).

CONFIDENTIAL : The contents of this document are considered confidential and should not be posted on a public access website, made available for general public distribution, or otherwise shared with others without prior written authorization from Motorola Solutions Inc. ("Motorola Solutions").

	R10 Mini-mullion reader; Wiegand; No Prox; Mobile IDs via NFC and Bluetooth Smart; iCLASS Seos, SE, SR, Standard; MIFARE Classic (SIO), MIFARE DESFire EV1 (SIO); ISO 14443 UID; Mobile enabled; Terminal Strip (HID Part #: 900NMNTEKEA001)	
AC-HID-READ-ICLASS-SE-MOB-WG-910NMNNEKEA001	R15 Mullion reader; Wiegand; No Prox; Mobile IDs via NFC and Bluetooth Smart; iCLASS Seos, SE, SR, Standard; MIFARE Classic (SIO), MIFARE DESFire EV1 (SIO); ISO 14443 UID; Mobile enabled; Pigtail (HID Part #: 910NMNNEKEA001)	430.09
AC-HID-READ-ICLASS-SE-MOB-WG-910NMNTEKEA001	R15 Mullion reader; Wiegand; No Prox; Mobile IDs via NFC and Bluetooth Smart; iCLASS Seos, SE, SR, Standard; MIFARE Classic (SIO), MIFARE DESFire EV1 (SIO); ISO 14443 UID; Mobile enabled; Terminal Strip (HID Part #: 910NMNTEKEA001)	430.09
AC-HID-READ-ICLASS-SE-MOB-WG-920NBNNEK20000	R40 Standard wall switch reader; Wiegand; No Prox; iCLASS Seos; Mobile IDs via NFC and Bluetooth Smart; Pigtail (HID Part #: 920NBNNEK20000)	430.09
AC-HID-READ-ICLASS-SE-MOB-WG-920NBNNEKE0000	R40 Standard wall switch reader; Wiegand; No Prox; iCLASS Seos; Mobile IDs via NFC and Bluetooth Smart; HID Elite and Mobile-Enabled; Pigtail (HID Part #: 920NBNNEKE0000)	430.09
AC-HID-READ-ICLASS-SE-MOB-WG-920NBNNEKES077	R40 Standard wall switch reader; Wiegand; No Prox; iCLASS Seos; Mobile IDs via NFC and Bluetooth Smart; HID Elite and Mobile-Enabled; Pigtail; Non-standard configuration (HID Part #: 920NBNNEKES077)	430.09
AC-HID-READ-ICLASS-SE-MOB-WG-920NBNTEK20000	R40 Standard wall switch reader; Wiegand; No Prox; iCLASS Seos; Mobile IDs via NFC and Bluetooth Smart; Terminal Strip (HID Part #: 920NBNTEK20000)	430.09
AC-HID-READ-ICLASS-SE-MOB-WG-920NBNTEKE0000	R40 Standard wall switch reader; Wiegand; No Prox; iCLASS Seos; Mobile IDs via NFC and Bluetooth Smart; HID Elite and Mobile-Enabled; Terminal Strip (HID Part #: 920NBNTEKE0000)	430.09
AC-HID-READ-ICLASS-SE-MOB-WG-920NMNNEKEA001	R40 Standard wall switch reader; Wiegand; No Prox; Mobile IDs via NFC and Bluetooth Smart; iCLASS Seos, SE, SR, Standard; MIFARE Classic (SIO), MIFARE DESFire EV1 (SIO); ISO 14443 UID; Mobile enabled; Pigtail (HID Part #: 920NMNNEKEA001)	430.09
AC-HID-READ-ICLASS-SE-MOB-WG-920NMNTEKEA001	R40 Standard wall switch reader; Wiegand; No Prox; Mobile IDs via NFC and Bluetooth Smart; iCLASS Seos, SE, SR, Standard; MIFARE Classic (SIO), MIFARE DESFire EV1 (SIO); ISO 14443 UID; Mobile enabled; Terminal Strip (HID Part #: 920NMNTEKEA001)	430.09
AC-HID-READ-ICLASS-SE-MOB-WG-921NBNNEK20000	RK40 Standard wall switch reader with keypad input; Wiegand; No Prox; iCLASS Seos; Mobile IDs via NFC and Bluetooth Smart; Pigtail (HID Part #: 921NBNNEK20000)	709.03
AC-HID-READ-ICLASS-SE-MOB-WG-921NBNNEKE0000	RK40 Standard wall switch reader with keypad input; Wiegand; No Prox; iCLASS Seos; Mobile IDs via NFC and Bluetooth Smart; HID Elite and Mobile-Enabled; Pigtail (HID Part #: 921NBNNEKE0000)	709.03
AC-HID-READ-ICLASS-SE-MOB-WG-921NBNTEK20000	RK40 Standard wall switch reader with keypad input; Wiegand; No Prox; iCLASS Seos; Mobile IDs via NFC and Bluetooth Smart; Terminal Strip (HID Part #: 921NBNTEK20000)	709.03
AC-HID-READ-ICLASS-SE-MOB-WG-921NBNTEKE0000	RK40 Standard wall switch reader with keypad input; Wiegand; No Prox; iCLASS Seos; Mobile IDs via NFC and Bluetooth Smart; HID Elite and Mobile-Enabled; Terminal Strip (HID Part #: 921NBNTEKE0000)	709.03
AC-HID-READ-ICLASS-SE-MOB-WG-921NMNNEKEA002	RK40 Standard wall switch reader with keypad input; Wiegand; No Prox; Mobile IDs via NFC and Bluetooth Smart; iCLASS Seos, SE, SR, Standard; MIFARE Classic (SIO), MIFARE DESFire EV1 (SIO); ISO 14443 UID; Mobile enabled; Pigtail (HID Part #: 921NMNNEKEA002)	709.03
AC-HID-READ-ICLASS-SE-MOB-WG-921NMNTEKEA002	RK40 Standard wall switch reader with keypad input; Wiegand; No Prox; Mobile IDs via NFC and Bluetooth Smart; iCLASS Seos, SE, SR, Standard; MIFARE Classic (SIO), MIFARE DESFire EV1 (SIO); ISO 14443 UID; Mobile enabled; Terminal Strip (HID Part #: 921NMNTEKEA002)	709.03
AC-HID-READ-ICLASS-SE-R10	R10 Mini-mullion reader; Wiegand; No Prox; iCLASS Seos, SE, SR, Standard; MIFARE Classic (SIO), MIFARE DESFire EV1 (SIO); Mobile IDs via NFC; ISO 14443 UID; Pigtail (HID Part #: 900NTNNEK00000)	190.50
AC-HID-READ-ICLASS-SE-R10-AVG	R10 Mini-mullion reader; Wiegand; No Prox; iCLASS Seos, SE, SR, Standard; MIFARE Classic (SIO), MIFARE DESFire EV1 (SIO); Mobile IDs via NFC; ISO 14443 UID; Pigtail; Avigilon logo (HID Part #: 900NTNNEK00000-A001)	190.50
AC-HID-READ-ICLASS-SE-R15	R15 Mullion reader; Wiegand; No Prox; iCLASS Seos, SE, SR, Standard; MIFARE Classic (SIO), MIFARE DESFire EV1 (SIO); Mobile IDs via NFC; ISO 14443 UID; Pigtail (HID Part #: 910NTNNEK00000)	333.39
AC-HID-READ-ICLASS-SE-R40	R40 Standard wall switch reader; Wiegand; No Prox; iCLASS Seos, SE, SR, Standard; MIFARE Classic (SIO), MIFARE DESFire EV1 (SIO); Mobile IDs via NFC; ISO 14443 UID; Pigtail (HID Part #: 920NTNNEK00000)	333.39

All prices are exclusive of taxes and freight. Motorola Solutions reserves the right to make changes to pricing and discount margins. All installation and use of Access Control Manager software is governed by its end user license agreement (EULA).

CONFIDENTIAL : The contents of this document are considered confidential and should not be posted on a public access website, made available for general public distribution, or otherwise shared with others without prior written authorization from Motorola Solutions Inc. ("Motorola Solutions").

AC-HID-READ-ICLASS-SE-R40-WG-920NSNNEK20000	RDR, R40, ICLASS, SE E, LF OFF, HF SEOS, WIEG, PIG, BLK, STD-2, LED RED, FLSH GRN, BZR ON, VAR BIT OUTPUT PER SIO, IPM OFF, VEL ON	336.09
AC-HID-READ-ICLASS-SE-R90-WG-940NNNTEK2037P	R90 Extended range (up to 18in/45cm) reader; Wiegand; No Prox; iCLASS Seos, SE, SR; MIFARE Classic (SIO), MIFARE DESFire EV1 (SIO); Mobile IDs via NFC; Terminal Strip (HID Part #: 940NNNTEK2037P)	820.13
AC-HID-READ-ICLASS-SE-R90-WG-940NTNTEK00000	R90 Extended range (up to 18in/45cm) reader; Wiegand; No Prox; iCLASS Seos, SE, SR, Standard; MIFARE Classic (SIO), MIFARE DESFire EV1 (SIO); Mobile IDs via NFC; ISO 14443 UID; Terminal Strip (HID Part #: 940NTNTEK00000)	820.13
AC-HID-READ-ICLASS-SE-R90-WG-940NTNTEK00015	R90 Extended range (up to 18in/45cm) reader; Wiegand; No Prox; iCLASS Seos, SE, SR, Standard; MIFARE Classic (SIO), MIFARE DESFire EV1 (SIO); Mobile IDs via NFC; ISO 14443 UID; Terminal Strip (HID Part #: 940NTNTEK00015)	820.13
AC-HID-READ-ICLASS-SE-R90-WG-940NTNTEK0001F	R90 Extended range (up to 18in/45cm) reader; Wiegand; No Prox; iCLASS Seos, SE, SR, Standard; MIFARE Classic (SIO), MIFARE DESFire EV1 (SIO); Mobile IDs via NFC; ISO 14443 UID; Terminal Strip (HID Part #: 940NTNTEK0001F)	820.13
AC-HID-READ-ICLASS-SE-R90-WG-940NTNTEK00021	R90 Extended range (up to 18in/45cm) reader; Wiegand; No Prox; iCLASS Seos, SE, SR, Standard; MIFARE Classic (SIO), MIFARE DESFire EV1 (SIO); Mobile IDs via NFC; ISO 14443 UID; Terminal Strip (HID Part #: 940NTNTEK00021)	820.13
AC-HID-READ-ICLASS-SE-R90-WG-940NTNTEK00029	R90 Extended range (up to 18in/45cm) reader; Wiegand; No Prox; iCLASS Seos, SE, SR, Standard; MIFARE Classic (SIO), MIFARE DESFire EV1 (SIO); Mobile IDs via NFC; ISO 14443 UID; Terminal Strip (HID Part #: 940NTNTEK00029)	820.13
AC-HID-READ-ICLASS-SE-R90-WG-940NTNTEK0002B	R90 Extended range (up to 18in/45cm) reader; Wiegand; No Prox; iCLASS Seos, SE, SR, Standard; MIFARE Classic (SIO), MIFARE DESFire EV1 (SIO); Mobile IDs via NFC; ISO 14443 UID; Terminal Strip (HID Part #: 940NTNTEK0002B)	820.13
AC-HID-READ-ICLASS-SE-R90-WG-940NTNTEK0002J	R90 Extended range (up to 18in/45cm) reader; Wiegand; No Prox; iCLASS Seos, SE, SR, Standard; MIFARE Classic (SIO), MIFARE DESFire EV1 (SIO); Mobile IDs via NFC; ISO 14443 UID; Terminal Strip (HID Part #: 940NTNTEK0002J)	820.13
AC-HID-READ-ICLASS-SE-R90-WG-940NTNTEK0002Q	R90 Extended range (up to 18in/45cm) reader; Wiegand; No Prox; iCLASS Seos, SE, SR, Standard; MIFARE Classic (SIO), MIFARE DESFire EV1 (SIO); Mobile IDs via NFC; ISO 14443 UID; Terminal Strip (HID Part #: 940NTNTEK0002Q)	820.13
AC-HID-READ-ICLASS-SE-R90-WG-940NTNTEK0003V	R90 Extended range (up to 18in/45cm) reader; Wiegand; No Prox; iCLASS Seos, SE, SR, Standard; MIFARE Classic (SIO), MIFARE DESFire EV1 (SIO); Mobile IDs via NFC; ISO 14443 UID; Terminal Strip (HID Part #: 940NTNTEK0003V)	820.13
AC-HID-READ-ICLASS-SE-R90-WG-940NTNTEK0005J	R90 Extended range (up to 18in/45cm) reader; Wiegand; No Prox; iCLASS Seos, SE, SR, Standard; MIFARE Classic (SIO), MIFARE DESFire EV1 (SIO); Mobile IDs via NFC; ISO 14443 UID; Terminal Strip (HID Part #: 940NTNTEK0005J)	820.13
AC-HID-READ-ICLASS-SE-R90-WG-940NTNTEK00061	R90 Extended range (up to 18in/45cm) reader; Wiegand; No Prox; iCLASS Seos, SE, SR, Standard; MIFARE Classic (SIO), MIFARE DESFire EV1 (SIO); Mobile IDs via NFC; ISO 14443 UID; Terminal Strip (HID Part #: 940NTNTEK00061)	820.13
AC-HID-READ-ICLASS-SE-R90-WG-940NTNTEK0006K	R90 Extended range (up to 18in/45cm) reader; Wiegand; No Prox; iCLASS Seos, SE, SR, Standard; MIFARE Classic (SIO), MIFARE DESFire EV1 (SIO); Mobile IDs via NFC; ISO 14443 UID; Terminal Strip (HID Part #: 940NTNTEK0006K)	820.13
AC-HID-READ-ICLASS-SE-R90-WG-940NTNTEK0009D	R90 Extended range (up to 18in/45cm) reader; Wiegand; No Prox; iCLASS Seos, SE, SR, Standard; MIFARE Classic (SIO), MIFARE DESFire EV1 (SIO); Mobile IDs via NFC; ISO 14443 UID; Terminal Strip (HID Part #: 940NTNTEK0009D)	820.13
AC-HID-READ-ICLASS-SE-R90-WG-940NTNTEK000DG	R90 Extended range (up to 18in/45cm) reader; Wiegand; No Prox; iCLASS Seos, SE, SR, Standard; MIFARE Classic (SIO), MIFARE DESFire EV1 (SIO); Mobile IDs via NFC; ISO 14443 UID; Terminal Strip (HID Part #: 940NTNTEK000DG)	820.13
AC-HID-READ-ICLASS-SE-R90-WG-940NTNTEK000JF	R90 Extended range (up to 18in/45cm) reader; Wiegand; No Prox; iCLASS Seos, SE, SR, Standard; MIFARE Classic (SIO), MIFARE DESFire EV1 (SIO); Mobile IDs via NFC; ISO 14443 UID; Terminal Strip (HID Part #: 940NTNTEK000JF)	820.13
AC-HID-READ-ICLASS-SE-R90-WG-940NTNTEK000K4	R90 Extended range (up to 18in/45cm) reader; Wiegand; No Prox; iCLASS Seos, SE, SR, Standard; MIFARE Classic (SIO), MIFARE DESFire EV1 (SIO); Mobile IDs via NFC; ISO 14443 UID; Terminal Strip (HID Part #: 940NTNTEK000K4)	820.13

All prices are exclusive of taxes and freight. Motorola Solutions reserves the right to make changes to pricing and discount margins. All installation and use of Access Control Manager software is governed by its end user license agreement (EULA).

CONFIDENTIAL : The contents of this document are considered confidential and should not be posted on a public access website, made available for general public distribution, or otherwise shared with others without prior written authorization from Motorola Solutions Inc. ("Motorola Solutions").

AC-HID-READ-ICLASS-SE-R90-WG-940NTPTEK0007V	R90 Extended range (up to 18in/45cm) reader; OSDP; No Prox; iCLASS Seos, SE, SR, Standard; MIFARE Classic (SIO), MIFARE DESFire EV1 (SIO); Mobile IDs via NFC; ISO 14443 UID; Terminal Strip (HID Part #: 940NTPTEK0007V)	856.01
AC-HID-READ-ICLASS-SE-R90-WG-940NWNTKE00GD	R90 Extended range (up to 18in/45cm) reader; Wiegand; No Prox; MIFARE Classic and DESFire EV1 (Custom data); Mobile enabled; Terminal Strip (HID Part #: 940NWNTKE00GD)	881.97
AC-HID-READ-ICLASS-SE-R90-WG-940NWNTKE0324	R90 Extended range (up to 18in/45cm) reader; Wiegand; No Prox; MIFARE Classic and DESFire EV1 (Custom data); Mobile enabled; Terminal Strip (HID Part #: 940NWNTKE0324)	881.97
AC-HID-READ-ICLASS-SE-RK40	RK40 Standard wall switch reader with keypad input; Wiegand; No Prox; iCLASS Seos, SE, SR, Standard; MIFARE Classic (SIO), MIFARE DESFire EV1 (SIO); Mobile IDs via NFC; ISO 14443 UID; Pigtail (HID Part #: 921NTNNEK00000)	612.33
AC-HID-READ-ICLASS-SE-RK40-WG-921NSNNEK20000	RDR, RK40, ICLASS, SE E, LF OFF, HF SEOS, WIEG, PIG, BLK, STD-2, LED RED, FLSH GRN, BZR ON, VAR BIT OUTPUT PER SIO, KPF, BFFRD 1 KEY, NO PAR, 4-BIT MSG, IPM OFF, VEL ON	613.69
AC-HID-READ-ICLASS-SE-RP10	RP10 Mini-mullion reader; Wiegand; HID Prox, AWID and EM4102 (32 bits); iCLASS Seos, SE, SR, Standard; MIFARE Classic (SIO), MIFARE DESFire EV1 (SIO); Mobile IDs via NFC; ISO 14443 UID; Pigtail (HID Part #: 900PTNNEK00000)	237.51
AC-HID-READ-ICLASS-SE-RP15	RP15 Mullion reader; Wiegand; HID Prox, AWID and EM4102 (32 bits); iCLASS Seos, SE, SR, Standard; MIFARE Classic (SIO), MIFARE DESFire EV1 (SIO); Mobile IDs via NFC; ISO 14443 UID; Pigtail (HID Part #: 910PTNNEK00000)	380.46
AC-HID-READ-ICLASS-SE-RP40	RP40 Standard wall switch reader; Wiegand; HID Prox, AWID and EM4102 (32 bits); iCLASS Seos, SE, SR, Standard; MIFARE Classic (SIO), MIFARE DESFire EV1 (SIO); Mobile IDs via NFC; ISO 14443 UID; Pigtail (HID Part #: 920PTNNEK00000)	380.46
AC-HID-READ-ICLASS-SE-RP40-AVG	RP40 Standard wall switch reader; Wiegand; HID Prox, AWID and EM4102 (32 bits); iCLASS Seos, SE, SR, Standard; MIFARE Classic (SIO), MIFARE DESFire EV1 (SIO); Mobile IDs via NFC; ISO 14443 UID; Pigtail; Avigilon logo (HID Part #: 920PTNNEK00000-A001)	380.46
AC-HID-READ-ICLASS-SE-RPK40	RPK40 Standard wall switch reader with keypad input; Wiegand; HID Prox, AWID and EM4102 (32 bits); iCLASS Seos, SE, SR, Standard; MIFARE Classic (SIO), MIFARE DESFire EV1 (SIO); Mobile IDs via NFC; ISO 14443 UID; Pigtail (HID Part #: 921PTNNEK00000)	659.36
AC-HID-READ-MAXIPROX	MaxiProx Long Range Proximity Reader (HID # 5375AGN00)	895.74
AC-HID-READ-MCLASS-SE-CSN-WG-920PTNNEK0050X	RDR, RP40, MULTICLASS, SE E, LF STD, HF STD/SIO/SEOSMIFSPR, WIEG, PIG, BLK, STD-1, LED RED, FLSH OFF, BZR ON, OPT TAMP, OPEN COLL, CSN MIF SUPPR, FSK PROX READ ONLY, PROX PRIORITY, IPM OFF (HID Part #: 920PTNNEK0050X)	383.15
AC-HID-READ-MCLASS-SE-INDALA-900LTNNEK00017	RDR, RP10, MULTICLASS, SE E, LF CST, HF STD/SIO/SEOS, SE INDALA MODULE, WIEG, PIG, BLK, STD-1, LED RED, FLSH GRN, BZR ON, OPT TAMP, OPEN COLL, CSN 32-BIT MSB, IPM OFF (HID Part #: 900LTNNEK00017)	240.17
AC-HID-READ-MCLASS-SE-INDALA-910LTNNEK00017	RDR, RP15, MULTICLASS, SE E, LF CST, HF STD/SIO/SEOS, SE INDALA MODULE, WIEG, PIG, BLK, STD-1, LED RED, FLSH GRN, BZR ON, CSN 32-BIT MSB, IPM OFF (HID Part #: 910LTNNEK00017)	383.15
AC-HID-READ-MCLASS-SE-INDALA-920LTNNEK00017	RDR, RP40, MULTICLASS, SE E, LF CST, HF STD/SIO/SEOS, SE INDALA MODULE, WIEG, PIG, BLK, STD-1, LED RED, FLSH GRN, BZR ON, CSN 32-BIT MSB, IPM OFF (HID Part #: 920LTNNEK00017)	383.15
AC-HID-READ-MCLASS-SE-INDALA-921LTNNEK00027	RDR, RPK40, MULTICLASS, SE E, LF CST, HF STD/SIO/SEOS, SE INDALA MODULE, WIEG, PIG, BLK, STD-1, LED OFF, FLSH OFF, BZR ON, CSN 32-BIT MSB, KPF, BFFRD 1 KEY, DOR COMPL, NO PAR, 8-BIT MSG, IPM OFF (HID Part #: 921LTNNEK00027)	662.08
AC-HID-READ-MCLASS-SE-MOB-OSDP-900PMPNEKEA007	R10 Mini-mullion reader; OSDP; HID Prox, AWID and EM4102 (32 bits); Mobile IDs via NFC and Bluetooth Smart; iCLASS Seos, SE, SR, Standard; MIFARE Classic (SIO), MIFARE DESFire EV1 (SIO); ISO 14443 UID; Mobile enabled; Pigtail (HID Part #: 900PMPNEKEA007)	334.08
AC-HID-READ-MCLASS-SE-MOB-OSDP-900PMPNEKMA007	RDR, RP10, MULTICLASS, SE E, LF STD, HF STD/SIO/SEOS/MA, 485HDX, A/V OFF, OSDP V1, PIG, BLK, OPT TAMP, OPEN COLL, OSDP TAMP ENBLD, TEST KEY, POLL=75MS, CSN 32-BIT MSB, EM4102 32-BIT, IPM OFF, UART OFF, WIEG OFF, MOBILE-READY (HID Part #: 900PMPNEKMA007)	332.78
AC-HID-READ-MCLASS-SE-MOB-OSDP-900PMPTEKEA007	R10 Mini-mullion reader; OSDP; HID Prox, AWID and EM4102 (32 bits); Mobile IDs via NFC and Bluetooth Smart; iCLASS Seos, SE, SR, Standard; MIFARE Classic (SIO), MIFARE DESFire EV1 (SIO); ISO 14443 UID; Mobile enabled; Terminal Strip (HID Part #: 900PMPTEKEA007)	334.08

All prices are exclusive of taxes and freight. Motorola Solutions reserves the right to make changes to pricing and discount margins. All installation and use of Access Control Manager software is governed by its end user license agreement (EULA).

CONFIDENTIAL : The contents of this document are considered confidential and should not be posted on a public access website, made available for general public distribution, or otherwise shared with others without prior written authorization from Motorola Solutions Inc. ("Motorola Solutions").

AC-HID-READ-MCLASS-SE-MOB-OSDP-900PMPTEKMA007	RDR, RP10, MULTICLASS, SE E, LF STD, HF STD/SIO/SEOS/MA, OSDP, TERM, BLK, LED RED, FLSH GRN, BZR ON, OPT TAMP, OPEN COLL, CSN 32-BIT MSB, EM4102 32-BIT, IPM OFF, MOBILE-READY (HID Part #: 900PMPTEKMA007)	332.78
AC-HID-READ-MCLASS-SE-MOB-OSDP-910PMPNEKEA007	R15 Mullion reader; OSDP; HID Prox, AWID and EM4102 (32 bits); Mobile IDs via NFC and Bluetooth Smart; iCLASS Seos, SE, SR, Standard; MIFARE Classic (SIO), MIFARE DESFire EV1 (SIO); ISO 14443 UID; Mobile enabled; Pigtail (HID Part #: 910PMPNEKEA007)	477.13
AC-HID-READ-MCLASS-SE-MOB-OSDP-910PMPNEKMA007	RDR, RP15, MULTICLASS, SE E, LF STD, HF STD/SIO/SEOS/MA, OSDP, PIG, BLK, A/V OFF, OPT TAMP, OPEN COLL, CSN 32-BIT MSB, EM4102 32-BIT, IPM OFF, MOBILE-READY (HID Part #: 910PMPNEKMA007)	475.79
AC-HID-READ-MCLASS-SE-MOB-OSDP-910PMPTEKEA007	R15 Mullion reader; OSDP; HID Prox, AWID and EM4102 (32 bits); Mobile IDs via NFC and Bluetooth Smart; iCLASS Seos, SE, SR, Standard; MIFARE Classic (SIO), MIFARE DESFire EV1 (SIO); ISO 14443 UID; Mobile enabled; Terminal Strip (HID Part #: 910PMPTEKEA007)	477.13
AC-HID-READ-MCLASS-SE-MOB-OSDP-910PMPTEKMA007	RDR, RP15, MULTICLASS, SE E, LF STD, HF STD/SIO/SEOS/MA, OSDP, TERM, BLK, A/V OFF, OSDP V1, OPT TAMP, OPEN COLL, OSDP TAMP ENBLD, TEST KEY, POLL=75MS, CSN 32-BIT MSB, EM4102 32-BIT, IPM OFF, UART OFF, WIEG OFF, NO CST SPC KEYS, MOBILE-READY (HID Part #: 910PMPTEKMA007)	475.79
AC-HID-READ-MCLASS-SE-MOB-OSDP-920PMPNEKEA007	R40 Standard wall switch reader; OSDP; HID Prox, AWID and EM4102 (32 bits); Mobile IDs via NFC and Bluetooth Smart; iCLASS Seos, SE, SR, Standard; MIFARE Classic (SIO), MIFARE DESFire EV1 (SIO); ISO 14443 UID; Mobile enabled; Pigtail (HID Part #: 920PMPNEKEA007)	477.13
AC-HID-READ-MCLASS-SE-MOB-OSDP-920PMPNEKMA007	RDR, RP40, MULTICLASS, SE E, LF STD, HF STD/SIO/SEOS/MA, OSDP, PIG, BLK, A/V OFF, OSDP V1, OPT TAMP, OPEN COLL, OSDP TAMP ENBLD, TEST KEY, POLL=75MS, CSN 32-BIT MSB, EM4102 32-BIT, IPM OFF, UART OFF, WIEG OFF, MOBILE READY (HID Part #: 920PMPNEKMA007)	475.79
AC-HID-READ-MCLASS-SE-MOB-OSDP-920PMPTEKEA007	R40 Standard wall switch reader; OSDP; HID Prox, AWID and EM4102 (32 bits); Mobile IDs via NFC and Bluetooth Smart; iCLASS Seos, SE, SR, Standard; MIFARE Classic (SIO), MIFARE DESFire EV1 (SIO); ISO 14443 UID; Mobile enabled; Terminal Strip (HID Part #: 920PMPTEKEA007)	477.13
AC-HID-READ-MCLASS-SE-MOB-OSDP-920PMPTEKMA007	RDR, RP40, MULTICLASS, SE E, LF STD, HF STD/SIO/SEOS/MA, OSDP, TERM, BLK, A/V OFF, OSDP V1, OPT TAMP, OPEN COLL, OSDP TAMP ENBLD, TEST KEY, POLL=75MS, CSN 32-BIT MSB, EM4102 32-BIT, IPM OFF, UART OFF, WIEG OFF, MOBILE READY (HID Part #: 920PMPTEKMA007)	475.79
AC-HID-READ-MCLASS-SE-MOB-OSDP-921PMPNEKEA008	RK40 Standard wall switch reader with keypad input; OSDP; HID Prox, AWID and EM4102 (32 bits); Mobile IDs via NFC and Bluetooth Smart; iCLASS Seos, SE, SR, Standard; MIFARE Classic (SIO), MIFARE DESFire EV1 (SIO); ISO 14443 UID; Mobile enabled; Pigtail (HID Part #: 921PMPNEKEA008)	754.71
AC-HID-READ-MCLASS-SE-MOB-OSDP-921PMPNEKMA008	RDR, RPK40, MULTICLASS, SE E, LF STD, HF STD/SIO/SEOS/MA, OSDP, PIG, BLK, A/V OFF, OSDP V1, OPT TAMP, OPEN COLL, OSDP TAMP ENBLD, TEST KEY, POLL=75MS, CSN 32-BIT MSB, EM4102 32-BIT, KPF, ASCII, BFFRD 1 KEY, IPM OFF, UART OFF, WIEG OFF, MOBILE READY (HID Part #: 921PMPNEKMA008)	754.71
AC-HID-READ-MCLASS-SE-MOB-OSDP-921PMPTEKEA008	RK40 Standard wall switch reader with keypad input; OSDP; HID Prox, AWID and EM4102 (32 bits); Mobile IDs via NFC and Bluetooth Smart; iCLASS Seos, SE, SR, Standard; MIFARE Classic (SIO), MIFARE DESFire EV1 (SIO); ISO 14443 UID; Mobile enabled; Terminal Strip (HID Part #: 921PMPTEKEA008)	754.71
AC-HID-READ-MCLASS-SE-MOB-OSDP-921PMPTEKMA008	RDR, RPK40, MULTICLASS, SE E, LF STD, HF STD/SIO/SEOS/MA, OSDP, TERM, BLK, A/V OFF, OSDP V1, OPT TAMP, OC, OSDP TAMP ENBLD, TEST KEY, POLL=75MS, CSN 32-BIT MSB, EM4102 32-BIT, KPF, ASCII, BFFRD 1 KEY, IPM OFF, UART OFF, WIEG OFF, MOBILE READY (HID Part #: 921PMPTEKMA008)	754.71
AC-HID-READ-MCLASS-SE-MOB-WG-900PBNNEK20000	RDR, RP10, MULTICLASS, SE E, LF FSK ONLY, HF SEOS, WIEG, PIG, BLK, STD-2, LED RED, FLSH GRN, BZR ON, VAR BIT OUTPUT PER SIO, IPM OFF, VEL ON, MOBILE READY (HID Part #: 900PBNNEK20000)	332.78
AC-HID-READ-MCLASS-SE-MOB-WG-900PBNTEK20000	RDR, RP10, MULTICLASS, SE E, LF FSK ONLY, HF SEOS, WIEG, TERM, BLK, STD-2, LED RED, FLSH GRN, BZR ON, VAR BIT OUTPUT PER SIO, IPM OFF, VEL ON, MOBILE READY (HID Part #: 900PBNTEK20000)	332.78
AC-HID-READ-MCLASS-SE-MOB-WG-900PMNNEKEA003	R10 Mini-mullion reader; Wiegand; HID Prox, AWID and EM4102 (32 bits); Mobile IDs via NFC and Bluetooth Smart; iCLASS Seos, SE, SR, Standard; MIFARE Classic (SIO), MIFARE DESFire EV1 (SIO); ISO 14443 UID; Mobile enabled; Pigtail (HID Part #: 900PMNNEKEA003)	334.08
AC-HID-READ-MCLASS-SE-MOB-WG-900PMNNEKMA003		332.78

All prices are exclusive of taxes and freight. Motorola Solutions reserves the right to make changes to pricing and discount margins. All installation and use of Access Control Manager software is governed by its end user license agreement (EULA).

CONFIDENTIAL : The contents of this document are considered confidential and should not be posted on a public access website, made available for general public distribution, or otherwise shared with others without prior written authorization from Motorola Solutions Inc. ("Motorola Solutions").

	RDR, RP10, MULTICLASS, SE E, LF STD, HF STD/SIO/SEOS/MA, WIEG, PIG, BLK, LED RED, FLSH GRN, BZR ON, OPT TAMP, OPEN COLL, CSN 32-BIT MSB, EM4102 32-BIT, IPM OFF, MOBILE-READY (HID Part #: 900PMNNEKMA003)	
AC-HID-READ-MCLASS-SE-MOB-WG-900PMNTEKEA003	R10 Mini-mullion reader; Wiegand; HID Prox, AWID and EM4102 (32 bits); Mobile IDs via NFC and Bluetooth Smart; iCLASS Seos, SE, SR, Standard; MIFARE Classic (SIO), MIFARE DESFire EV1 (SIO); ISO 14443 UID; Mobile enabled; Terminal Strip (HID Part #: 900PMNTEKEA003)	334.08
AC-HID-READ-MCLASS-SE-MOB-WG-900PMNTEKMA003	RDR, RP10, MULTICLASS, SE E, LF STD, HF STD/SIO/SEOS/MA, WIEG, TERM, BLK, LED RED, FLSH GRN, BZR ON, OPT TAMP, OPEN COLL, CSN 32-BIT MSB, EM4102 32-BIT, IPM OFF, MOBILE-READY (HID Part #: 900PMNTEKMA003)	332.78
AC-HID-READ-MCLASS-SE-MOB-WG-910PBNNEK20000	RDR, RP15, MULTICLASS, SE E, LF STD, HF SEOS/MA, WIEG, PIG, BLK, STD-2, LED RED, FLSH GRN, BZR ON, OPT TAMP, OPEN COLL, I'M ALIVE, VAR OUTPUT PER SIO, IPM OFF, VEL ON, MOBILE READY (HID Part #: 910PBNNEK20000)	475.79
AC-HID-READ-MCLASS-SE-MOB-WG-910PMNNEKEA003	R15 Mullion reader; Wiegand; HID Prox, AWID and EM4102 (32 bits); Mobile IDs via NFC and Bluetooth Smart; iCLASS Seos, SE, SR, Standard; MIFARE Classic (SIO), MIFARE DESFire EV1 (SIO); ISO 14443 UID; Mobile enabled; Pigtail (HID Part #: 910PMNNEKEA003)	477.13
AC-HID-READ-MCLASS-SE-MOB-WG-910PMNNEKMA003	RDR, RP15, MULTICLASS, SE E, LF STD, HF STD/SIO/SEOS/MA, WIEG, PIG, BLK, LED RED, FLSH GRN, BZR ON, OPT TAMP, OPEN COLL, CSN 32-BIT MSB, EM4102 32-BIT, IPM OFF, MOBILE-READY (HID Part #: 910PMNNEKMA003)	475.79
AC-HID-READ-MCLASS-SE-MOB-WG-910PMNTEKEA003	R15 Mullion reader; Wiegand; HID Prox, AWID and EM4102 (32 bits); Mobile IDs via NFC and Bluetooth Smart; iCLASS Seos, SE, SR, Standard; MIFARE Classic (SIO), MIFARE DESFire EV1 (SIO); ISO 14443 UID; Mobile enabled; Terminal Strip (HID Part #: 910PMNTEKEA003)	477.13
AC-HID-READ-MCLASS-SE-MOB-WG-910PMNTEKMA003	RDR, RP15, MULTICLASS, SE E, LF STD, HF STD/SIO/SEOS/MA, WIEG, TERM, BLK, LED RED, FLSH GRN, BZR ON, OPT TAMP, OPEN COLL, CSN 32-BIT MSB, EM4102 32-BIT, IPM OFF, MOBILE-READY (HID Part #: 910PMNTEKMA003)	475.79
AC-HID-READ-MCLASS-SE-MOB-WG-920PBNNEK20000	RDR, RP40, MULTICLASS, SE E, LF FSK ONLY, HF SEOS, WIEG, PIG, BLK, STD-2, LED RED, FLSH GRN, BZR ON, VAR BIT OUTPUT PER SIO, IPM OFF, VEL ON, MOBILE READY (HID Part #: 920PBNNEK20000)	475.79
AC-HID-READ-MCLASS-SE-MOB-WG-920PBNTEK20000	RDR, RP40, MULTICLASS, SE E, LF FSK ONLY, HF SEOS, WIEG, TERM, BLK, STD-2, LED RED, FLSH GRN, BZR ON, VAR BIT OUTPUT PER SIO, IPM OFF, VEL ON, MOBILE READY (HID Part #: 920PBNTEK20000)	475.79
AC-HID-READ-MCLASS-SE-MOB-WG-920PMNNEKEA003	R40 Standard wall switch reader; Wiegand; HID Prox, AWID and EM4102 (32 bits); Mobile IDs via NFC and Bluetooth Smart; iCLASS Seos, SE, SR, Standard; MIFARE Classic (SIO), MIFARE DESFire EV1 (SIO); ISO 14443 UID; Mobile enabled; Pigtail (HID Part #: 920PMNNEKEA003)	477.13
AC-HID-READ-MCLASS-SE-MOB-WG-920PMNNEKMA003	RDR, RP40, MULTICLASS, SE E, LF STD, HF STD/SIO/SEOS/MA, WIEG, PIG, BLK, LED RED, FLSH GRN, BZR ON, OPT TAMP, OPEN COLL, CSN 32-BIT MSB, EM4102 32-BIT, IPM OFF, MOBILE-READY (HID Part #: 920PMNNEKMA003)	475.79
AC-HID-READ-MCLASS-SE-MOB-WG-920PMNTEKEA003	R40 Standard wall switch reader; Wiegand; HID Prox, AWID and EM4102 (32 bits); Mobile IDs via NFC and Bluetooth Smart; iCLASS Seos, SE, SR, Standard; MIFARE Classic (SIO), MIFARE DESFire EV1 (SIO); ISO 14443 UID; Mobile enabled; Terminal Strip (HID Part #: 920PMNTEKEA003)	477.13
AC-HID-READ-MCLASS-SE-MOB-WG-920PMNTEKMA003	RDR, RP40, MULTICLASS, SE E, LF STD, HF STD/SIO/SEOS/MA, WIEG, TERM, BLK, LED RED, FLSH GRN, BZR ON, OPT TAMP, OPEN COLL, CSN 32-BIT MSB, EM4102 32-BIT, IPM OFF, MOBILE-READY (HID Part #: 920PMNTEKMA003)	475.79
AC-HID-READ-MCLASS-SE-MOB-WG-921PBNNEK20000	RDR, RPK40, MULTICLASS, SE E, LF FSK ONLY, HF SEOS, WIEG, PIG, BLK, STD-2, LED RED, FLSH GRN, BZR ON, VAR BIT OUTPUT PER SIO, KPF, BFFRD 1 KEY, NO PAR, 4-BIT MSG, IPM OFF, VEL ON, MOBILE READY (HID Part #: 921PBNNEK20000)	754.71
AC-HID-READ-MCLASS-SE-MOB-WG-921PBNTEK20000	RDR, RPK40, MULTICLASS, SE E, LF FSK ONLY, HF SEOS, WIEG, TERM, BLK, STD-2, LED RED, FLSH GRN, BZR ON, VAR BIT OUTPUT PER SIO, KPF, BFFRD 1 KEY, NO PAR, 4-BIT MSG, IPM OFF, VEL ON, MOBILE READY (HID Part #: 921PBNTEK20000)	754.71
AC-HID-READ-MCLASS-SE-MOB-WG-921PMNNEKEA004	RK40 Standard wall switch reader with keypad input; Wiegand; HID Prox, AWID and EM4102 (32 bits); Mobile IDs via NFC and Bluetooth Smart; iCLASS Seos, SE, SR, Standard; MIFARE Classic (SIO), MIFARE DESFire EV1 (SIO); ISO 14443 UID; Mobile enabled; Pigtail (HID Part #: 921PMNNEKEA004)	754.71

All prices are exclusive of taxes and freight. Motorola Solutions reserves the right to make changes to pricing and discount margins. All installation and use of Access Control Manager software is governed by its end user license agreement (EULA).

CONFIDENTIAL : The contents of this document are considered confidential and should not be posted on a public access website, made available for general public distribution, or otherwise shared with others without prior written authorization from Motorola Solutions Inc. ("Motorola Solutions").

AC-HID-READ-MCLASS-SE-MOB-WG-921PMNNEKMA004	RDR, RPK40, MULTICLASS, SE E, LF STD, HF STD/SIO/SEOS/MA, WIEG, PIG, BLK, LED RED, FLSH GRN, BZR ON, OPT TAMP, OPEN COLL, CSN 32-BIT MSB, EM4102 32-BIT, KPF, BFFRD 1 KEY, NO PAR, 4-BIT MSG, IPM OFF, MOBILE-READY (HID Part #: 921PMNNEKMA004)	754.71
AC-HID-READ-MCLASS-SE-MOB-WG-921PMNTEKEA004	RK40 Standard wall switch reader with keypad input; Wiegand; HID Prox, AWID and EM4102 (32 bits); Mobile IDs via NFC and Bluetooth Smart; iCLASS Seos, SE, SR, Standard; MIFARE Classic (SIO), MIFARE DESFire EV1 (SIO); ISO 14443 UID; Mobile enabled; Terminal Strip (HID Part #: 921PMNTEKEA004)	754.71
AC-HID-READ-MCLASS-SE-MOB-WG-921PMNTEKMA004	RDR, RPK40, MULTICLASS, SE E, LF STD, HF STD/SIO/SEOS/MA, WIEG, TERM, BLK, LED RED, FLSH GRN, BZR ON, OPT TAMP, OPEN COLL, CSN 32-BIT MSB, EM4102 32-BIT, KPF, BFFRD 1 KEY, NO PAR, 4 BIT MSG, IPM OFF, MOBILE READY (HID Part #: 921PMNTEKMA004)	754.71
AC-HID-READ-MCLASS-SE-PROX-WG-900PTNTEK00000	RDR, RP10, MULTICLASS, SE REV E, STD PROX, STD, WIEGAND, TERM, BLK, STD 1 SECURITY, LED RED, FLASH GRN, BZR ON, IPM OFF, 32 BIT (HID Part #: 900PTNTEK00000)	240.17
AC-HID-READ-MCLASS-SE-PROX-WG-910PTNTEK00000	RDR, RP15, MULTICLASS, SE REV E, STD PROX, STD, WIEGAND, TERM, BLK, STD 1 SECURITY, LED RED, FLASH GRN, BZR ON, IPM OFF, 32 BIT (HID Part #: 910PTNTEK00000)	383.15
AC-HID-READ-MCLASS-SE-PROX-WG-920PTNTEK00000	RDR, RP40, MULTICLASS, SE REV E, STD PROX, STD, WIEGAND, TERM, BLK, STD 1 SECURITY, LED RED, FLASH GRN, BZR ON, IPM OFF, 32 BIT (HID Part #: 920PTNTEK00000)	383.15
AC-HID-READ-MCLASS-SE-PROX-WG-921PTNTEK00000	RDR, RPK40, MULTICLASS, SE REV E, KPD, STD PROX, STD, WIEGAND, TERM, BLK, STD 1 SECURITY, LED RED, FLASH GRN, BZR ON, IPM OFF, KPF-4-BIT, 32 BIT (HID Part #: 921PTNTEK00000)	662.08
AC-HID-READ-MCLASS-WIEG-900PTNNEKE0000	RDR, RP10, MULTICLASS, SE E, LF STD, HF STD/SIO/SEOS, WIEG, PIG, BLK, STD-1, ELITE, LED RED, FLSH GRN, BZR OFF, IPM OFF (HID Part #: 900PTNNEKE0000)	240.17
AC-HID-READ-MCLASS-WIEG-910PTNNEKE0000	RDR, RP15, MULTICLASS, SE E, LF STD, HF STD/SIO/SEOS, WIEG, PIG, BLK, ELITE KEYS, LED RED, FLSH GRN, BZR ON, CSN 32-BIT MSB, IPM OFF (HID Part #: 910PTNNEKE0000)	383.15
AC-HID-READ-MCLASS-WIEG-920PTNNEKE0000	RDR, RP40, MULTICLASS, SE E, LF STD, HF STD/SIO/SEOS, WIEG, PIG, BLK, ELITE KEYS, LED RED, FLSH GRN, BZR ON, CSN 32-BIT MSB, IPM OFF (HID Part #: 920PTNNEKE0000)	383.15
AC-HID-READ-MCLASS-WIEG-921PTNNEKE0000	RDR, RPK40, MULTICLASS, SE E, LF STD, HF STD/SIO/SEOS, WIEG, PIG, BLK, ELITE KEYS, LED RED, FLSH GRN, BZR ON, CSN 32-BIT MSB, KPF, BFFRD 1 KEY, NO PAR, 4-BIT MSG, IPM OFF (HID Part #: 921PTNNEKE0000)	662.08
AC-HID-READ-MINIPROX	MiniProx Proximity Reader (HID # 5365EKP00)	307.90
AC-HID-READ-OMNIKEY-R54270101	5427 CK standard omnikey USB Enrollment reader, iCLASS Seos®, HID Prox®, iCLASS SE®, MIFARE Classic® and MIFARE® DESFire® EV1; supports NFC (HID Part Number: R54270001)	383.22
AC-HID-READ-PROXPRO	ProxPro Proximity Reader (HID # 5355AGN00)	347.33
AC-HID-READ-PROXPRO-KEYPD	ProxPro Proximity Reader with Keypad (HID # 5355AGK00)	548.36
AC-HID-READ-PROXPROII	ProxPro II Proximity Reader (HID # 5455BKN00)	314.27
AC-HID-READ-THINLINE	ThinLine II Switch Plate Proximity Reader (HID # 5395CK100)	314.27
AC-HID-READ-U90-ICLASS-SE-RDRSEU908K00000	RDR, U90, ICLASS, SE REV E, NO PROX, UHF, 865-868 MHZ, STD, WIEGAND, TERM, BK, STD 1 SECURITY (HID Part Number: RDRSEU908K00000)	1,437.40
AC-HID-READ-U90-ICLASS-SE-RDRSEU909K00000	RDR, U90, ICLASS, SE REV E, NO PROX, UHF, 902-928 MHZ, STD, WIEGAND, TERM, BK, STD 1 SECURITY	1,437.40
AC-HID-READER-SIGNO-20KNKS-00-000000	Signo20K, Mullion w/Keypad, 13.56mHz & 125kHz, OSDP/Wiegand, Pigtail, Mobile Ready, BLE	610.90
AC-HID-READER-SIGNO-20KNKS-00-000000-AVG	Signo20K, Mullion w/Keypad, Standard Profile, OSDP/Wiegand, Pigtail, Mobile Ready, BLE, Avigilon Logo	607.76
AC-HID-READER-SIGNO-20KNKS-01-000000	Signo20K, Mullion w/Keypad, Seos Profile, OSDP/Wiegand, Pigtail, Mobile Ready, BLE	523.45
AC-HID-READER-SIGNO-20KNKS-01-00001H	Signo20K, Mullion w/Keypad, Seos Profile, OSDP/Wiegand, Pigtail, Mobile Ready, BLE	523.45
AC-HID-READER-SIGNO-20KNKS-02-000000	Signo20K, Mullion w/Keypad, 13.56mHz Profile, OSDP/Wiegand, Pigtail, Mobile Ready, BLE	567.19
AC-HID-READER-SIGNO-20KNKS-02-000000-AVG	Signo20K, Mullion w/Keypad, Smart Profile, OSDP/Wiegand, Pigtail, Mobile Ready, BLE, Avigilon Logo	672.87
AC-HID-READER-SIGNO-20KNKS-02-0002BL		567.19

All prices are exclusive of taxes and freight. Motorola Solutions reserves the right to make changes to pricing and discount margins. All installation and use of Access Control Manager software is governed by its end user license agreement (EULA).

CONFIDENTIAL : The contents of this document are considered confidential and should not be posted on a public access website, made available for general public distribution, or otherwise shared with others without prior written authorization from Motorola Solutions Inc. ("Motorola Solutions").

	Signo20K, Mullion w/Keypad, 13.56mHz Profile , OSDP/Wiegand, Pigtail, Mobile Ready, BLE	
AC-HID-READER-SIGNO-20KNKS-T0-000000	Signo20K, Mullion w/Keypad, 13.56mHz, OSDP/Wiegand, Pigtail, Mobile Ready, BLE, PRIORITY STANDARD CREDENTIAL PROFILE OPTION (T0) FOR THE SIGNO READER 20K PIGTAIL MODEL - Profile T0 includes the following NFC/BLE/High Frequency only - Seos® (Mobile ID's via NFC/BLE), Seos, iCLASS SE®, iCLASS SR®, iCLASS®, MIFARE DESFire EV1/EV2 (SIO)/EV3, MIFARE Classic (SIO), MIFARE DESFire EV1/EV2 (CSN), MIFARE Classic (CSN)	650.49
AC-HID-READER-SIGNO-20KNKS-T1-000000	Signo20K, Mullion w/Keypad, 13.56mHz, OSDP/Wiegand, Pigtail, Mobile Ready, BLE, PRIORITY SEOS CREDENTIAL PROFILE OPTION (T1) FOR THE SIGNO READER 20K PIGTAIL MODEL - Profile T1 includes the following NFC/BLE/High Frequency only - Seos® (Mobile ID's via NFC/BLE), Seos	557.56
AC-HID-READER-SIGNO-20KNKS-T2-000000	Signo20K, Mullion w/Keypad, 13.56mHz, OSDP/Wiegand, Pigtail, Mobile Ready, BLE, PRIORITY SMART CREDENTIAL PROFILE OPTION (T2) FOR THE SIGNO READER 20K PIGTAIL MODEL - Profile T2 includes the following NFC/BLE/High Frequency only - Seos® (Mobile ID's via NFC/BLE), Seos, iCLASS SE®, iCLASS SR®, iCLASS®, MIFARE DESFire EV1/EV2 (SIO)/EV3, MIFARE Classic (SIO)	604.03
AC-HID-READER-SIGNO-20KTKS-00-000000	Signo20K, Mullion w/Keypad, 13.56mHz &125kHz, OSDP/Wiegand, Terminal, Mobile Ready, BLE	610.90
AC-HID-READER-SIGNO-20KTKS-00-000000-AVG	Signo20K, Mullion w/Keypad, Standard Profile , OSDP/Wiegand, Terminal, Mobile Ready, BLE, Avigilon Logo	607.76
AC-HID-READER-SIGNO-20KTKS-01-000000	Signo20K, Mullion w/Keypad, Seos Profile , OSDP/Wiegand, Terminal, Mobile Ready, BLE	523.45
AC-HID-READER-SIGNO-20KTKS-01-000000-AVG	Signo20K, Mullion w/Keypad, Seos Profile , OSDP/Wiegand, Terminal, Mobile Ready, BLE, Avigilon Logo	523.45
AC-HID-READER-SIGNO-20KTKS-01-00001H	Signo20K, Mullion w/Keypad, Seos Profile , OSDP/Wiegand, Terminal, Mobile Ready, BLE	523.45
AC-HID-READER-SIGNO-20KTKS-02-000000	Signo20K, Mullion w/Keypad, 13.56mHz Profile , OSDP/Wiegand, Terminal, Mobile Ready, BLE	567.19
AC-HID-READER-SIGNO-20KTKS-02-000000-AVG	Signo20K, Mullion w/Keypad, Smart Profile, OSDP/Wiegand, Terminal, Mobile Ready, BLE, Avigilon Logo	564.35
AC-HID-READER-SIGNO-20KTKS-02-0002BL	Signo20K, Mullion w/Keypad, 13.56mHz Profile , OSDP/Wiegand, Terminal, Mobile Ready, BLE	567.19
AC-HID-READER-SIGNO-20KTKS-T0-000000	Signo20K, Mullion w/Keypad, 13.56mHz, OSDP/Wiegand, Terminal, Mobile Ready, BLE, PRIORITY STANDARD CREDENTIAL PROFILE OPTION (T0) FOR THE SIGNO READER 20K TERMINAL STRIP MODEL - Profile T0 includes the following NFC/BLE/High Frequency only - Seos® (Mobile ID's via NFC/BLE), Seos, iCLASS SE®, iCLASS SR®, iCLASS®, MIFARE DESFire EV1/EV2 (SIO)/EV3, MIFARE Classic (SIO), MIFARE DESFire EV1/EV2 (CSN), MIFARE Classic (CSN)	650.49
AC-HID-READER-SIGNO-20KTKS-T1-000000	Signo20K, Mullion w/Keypad, 13.56mHz, OSDP/Wiegand, Terminal, Mobile Ready, BLE, PRIORITY SEOS CREDENTIAL PROFILE OPTION (T1) FOR THE SIGNO READER 20K TERMINAL STRIP MODEL - Profile T1 includes the following NFC/BLE/High Frequency only - Seos® (Mobile ID's via NFC/BLE), Seos	557.56
AC-HID-READER-SIGNO-20KTKS-T2-000000	Signo20K, Mullion w/Keypad, 13.56mHz, OSDP/Wiegand, Terminal, Mobile Ready, BLE, PRIORITY SMART CREDENTIAL PROFILE OPTION (T2) FOR THE SIGNO READER 20K TERMINAL STRIP MODEL - Profile T2 includes the following NFC/BLE/High Frequency only - Seos® (Mobile ID's via NFC/BLE), Seos, iCLASS SE®, iCLASS SR®, iCLASS®, MIFARE DESFire EV1/EV2 (SIO)/EV3, MIFARE Classic (SIO)	604.03
AC-HID-READER-SIGNO-20NKS-00-000000	Signo20, Mullion, 13.56mHz &125kHz, OSDP/Wiegand, Pigtail, Mobile Ready, BLE	359.50
AC-HID-READER-SIGNO-20NKS-00-000000-AVG	Signo20, Mullion, Standard Profile, OSDP/Wiegand, Pigtail, Mobile Ready, BLE, Avigilon Logo	358.15
AC-HID-READER-SIGNO-20NKS-01-000000	Signo20, Mullion, Seos Profile , OSDP/Wiegand, Pigtail, Mobile Ready, BLE	272.05
AC-HID-READER-SIGNO-20NKS-01-00001H	Signo20, Mullion, Seos Profile , OSDP/Wiegand, Pigtail, Mobile Ready, BLE	272.05
AC-HID-READER-SIGNO-20NKS-02-000000	Signo20, Mullion, 13.56mHz Profile , OSDP/Wiegand, Pigtail, Mobile Ready, BLE	315.76
AC-HID-READER-SIGNO-20NKS-02-000000-AVG	Signo20, Mullion, Smart Profile, OSDP/Wiegand, Pigtail, Mobile Ready, BLE, Avigilon Logo	314.71
AC-HID-READER-SIGNO-20NKS-02-0002BL	Signo20, Mullion, 13.56mHz Profile , OSDP/Wiegand, Pigtail, Mobile Ready, BLE	315.76

All prices are exclusive of taxes and freight. Motorola Solutions reserves the right to make changes to pricing and discount margins. All installation and use of Access Control Manager software is governed by its end user license agreement (EULA).

CONFIDENTIAL : The contents of this document are considered confidential and should not be posted on a public access website, made available for general public distribution, or otherwise shared with others without prior written authorization from Motorola Solutions Inc. ("Motorola Solutions").

AC-HID-READER-SIGNO-20NKS-T0-000000	Signo20, Mullion, 13.56mHz, OSDP/Wiegand, Pigtail, Mobile Ready, BLE, PRIORITY STANDARD CREDENTIAL PROFILE OPTION (T0) FOR THE SIGNO READER 20 PIGTAIL MODEL - Profile T0 includes the following NFC/BLE/High Frequency only - Seos® (Mobile ID's via NFC/BLE), Seos, iCLASS SE®, iCLASS SR®, iCLASS®, MIFARE DESFire EV1/EV2 (SIO)/EV3, MIFARE Classic (SIO), MIFARE DESFire EV1/EV2 (CSN), MIFARE Classic (CSN)	383.33
AC-HID-READER-SIGNO-20NKS-T1-000000	Signo20, Mullion, 13.56mHz, OSDP/Wiegand, Pigtail, Mobile Ready, BLE, PRIORITY SEOS CREDENTIAL PROFILE OPTION (T1) FOR THE SIGNO READER 20 PIGTAIL MODEL - Profile T1 includes the following NFC/BLE/High Frequency only - Seos® (Mobile ID's via NFC/BLE), Seos	290.40
AC-HID-READER-SIGNO-20NKS-T2-000000	Signo20, Mullion, 13.56mHz, OSDP/Wiegand, Pigtail, Mobile Ready, BLE, PRIORITY SMART CREDENTIAL PROFILE OPTION (T2) FOR THE SIGNO READER 20 PIGTAIL MODEL - Profile T2 includes the following NFC/BLE/High Frequency only - Seos® (Mobile ID's via NFC/BLE), Seos, iCLASS SE®, iCLASS SR®, iCLASS®, MIFARE DESFire EV1/EV2 (SIO)/EV3, MIFARE Classic (SIO)	336.87
AC-HID-READER-SIGNO-20TKS-00-000000	Signo20, Mullion, 13.56mHz & 125kHz, OSDP/Wiegand, Terminal, Mobile Ready, BLE	359.50
AC-HID-READER-SIGNO-20TKS-00-000000-AVG	Signo20, Mullion, Standard Profile , OSDP/Wiegand, Terminal, Mobile Ready, BLE, Avigilon Logo	358.15
AC-HID-READER-SIGNO-20TKS-01-000000	Signo20, Mullion, Seos Profile , OSDP/Wiegand, Terminal, Mobile Ready, BLE	272.05
AC-HID-READER-SIGNO-20TKS-01-000000-AVG	Signo20, Mullion, Seos Profile , OSDP/Wiegand, Terminal, Mobile Ready, BLE, Avigilon Logo	271.32
AC-HID-READER-SIGNO-20TKS-01-00001H	Signo20, Mullion, Seos Profile , OSDP/Wiegand, Terminal, Mobile Ready, BLE	272.05
AC-HID-READER-SIGNO-20TKS-01-00001H-AVG	Signo20, Mullion, Seos Profile , OSDP/Wiegand, Terminal, Mobile Ready, BLE, Avigilon Logo	272.05
AC-HID-READER-SIGNO-20TKS-02-000000	Signo20, Mullion, 13.56mHz Profile , OSDP/Wiegand, Terminal, Mobile Ready, BLE	315.76
AC-HID-READER-SIGNO-20TKS-02-000000-AVG	Signo20, Mullion, Smart Profile , OSDP/Wiegand, Terminal, Mobile Ready, BLE, Avigilon Logo	314.71
AC-HID-READER-SIGNO-20TKS-02-0002BL	Signo20, Mullion, 13.56mHz Profile , OSDP/Wiegand, Terminal, Mobile Ready, BLE	315.76
AC-HID-READER-SIGNO-20TKS-T0-000000	Signo20, Mullion, 13.56mHz, OSDP/Wiegand, Terminal, Mobile Ready, BLE, PRIORITY STANDARD CREDENTIAL PROFILE OPTION (T0) FOR THE SIGNO READER 20 TERMINAL STRIP MODEL - Profile T0 includes the following NFC/BLE/High Frequency only - Seos® (Mobile ID's via NFC/BLE), Seos, iCLASS SE®, iCLASS SR®, iCLASS®, MIFARE DESFire EV1/EV2 (SIO)/EV3, MIFARE Classic (SIO), MIFARE DESFire EV1/EV2 (CSN), MIFARE Classic (CSN)	383.33
AC-HID-READER-SIGNO-20TKS-T1-000000	Signo20, Mullion, 13.56mHz, OSDP/Wiegand, Terminal, Mobile Ready, BLE, PRIORITY SEOS CREDENTIAL PROFILE OPTION (T1) FOR THE SIGNO READER 20 TERMINAL STRIP MODEL - Profile T1 includes the following NFC/BLE/High Frequency only - Seos® (Mobile ID's via NFC/BLE), Seos	290.40
AC-HID-READER-SIGNO-20TKS-T2-000000	Signo20, Mullion, 13.56mHz, OSDP/Wiegand, Terminal, Mobile Ready, BLE, PRIORITY SMART CREDENTIAL PROFILE OPTION (T2) FOR THE SIGNO READER 20 TERMINAL STRIP MODEL - Profile T2 includes the following NFC/BLE/High Frequency only - Seos® (Mobile ID's via NFC/BLE), Seos, iCLASS SE®, iCLASS SR®, iCLASS®, MIFARE DESFire EV1/EV2 (SIO)/EV3, MIFARE Classic (SIO)	336.87
AC-HID-READER-SIGNO-40KNKS-00-000000	Signo40K, Wall mount w/Keypad, 13.56mHz & 125kHz, OSDP/Wiegand, Pigtail, Mobile Ready, BLE	610.90
AC-HID-READER-SIGNO-40KNKS-00-000000-AVG	Signo40K, Wall mount w/Keypad, Standard Profile, OSDP/Wiegand, Pigtail, Mobile Ready, BLE, Avigilon Logo	607.76
AC-HID-READER-SIGNO-40KNKS-01-000000	Signo40K, Wall mount w/Keypad, Seos Profile , OSDP/Wiegand, Pigtail, Mobile Ready, BLE	523.45
AC-HID-READER-SIGNO-40KNKS-01-00001H	Signo40K, Wall mount w/Keypad, Seos Profile , OSDP/Wiegand, Pigtail, Mobile Ready, BLE	523.45
AC-HID-READER-SIGNO-40KNKS-02-000000	Signo40K, Wall mount w/Keypad, 13.56mHz Profile , OSDP/Wiegand, Pigtail, Mobile Ready, BLE	567.19
AC-HID-READER-SIGNO-40KNKS-02-000000-AVG	Signo40K, Wall mount w/Keypad, Smart Profile, OSDP/Wiegand, Pigtail, Mobile Ready, BLE, Avigilon Logo	564.35
AC-HID-READER-SIGNO-40KNKS-02-0002BL	Signo40K, Wall mount w/Keypad, 13.56mHz Profile , OSDP/Wiegand, Pigtail, Mobile Ready, BLE	567.19

All prices are exclusive of taxes and freight. Motorola Solutions reserves the right to make changes to pricing and discount margins. All installation and use of Access Control Manager software is governed by its end user license agreement (EULA).

CONFIDENTIAL : The contents of this document are considered confidential and should not be posted on a public access website, made available for general public distribution, or otherwise shared with others without prior written authorization from Motorola Solutions Inc. ("Motorola Solutions").

AC-HID-READER-SIGNO-40KNKS-T0-000000	Signo40K, Wall mount w/Keypad, 13.56mHz, OSDP/Wiegand, Pigtail, Mobile Ready, BLE, PRIORITY STANDARD CREDENTIAL PROFILE OPTION (T0) FOR THE SIGNO READER 40K PIGTAIL MODEL - Profile T0 includes the following NFC/BLE/High Frequency only - Seos® (Mobile ID's via NFC/BLE), Seos, iCLASS SE®, iCLASS SR®, iCLASS®, MIFARE DESFire EV1/EV2 (SIO)/EV3, MIFARE Classic (SIO), MIFARE DESFire EV1/EV2 (CSN), MIFARE Classic (CSN)	650.49
AC-HID-READER-SIGNO-40KNKS-T1-000000	Signo40K, Wall mount w/Keypad, 13.56mHz, OSDP/Wiegand, Pigtail, Mobile Ready, BLE, PRIORITY SEOS CREDENTIAL PROFILE OPTION (T1) FOR THE SIGNO READER 40K PIGTAIL MODEL - Profile T1 includes the following NFC/BLE/High Frequency only - Seos® (Mobile ID's via NFC/BLE), Seos	557.56
AC-HID-READER-SIGNO-40KNKS-T2-000000	Signo40K, Wall mount w/Keypad, 13.56mHz, OSDP/Wiegand, Pigtail, Mobile Ready, BLE, PRIORITY SMART CREDENTIAL PROFILE OPTION (T2) FOR THE SIGNO READER 40K PIGTAIL MODEL - Profile T2 includes the following NFC/BLE/High Frequency only - Seos® (Mobile ID's via NFC/BLE), Seos, iCLASS SE®, iCLASS SR®, iCLASS®, MIFARE DESFire EV1/EV2 (SIO)/EV3, MIFARE Classic (SIO)	604.03
AC-HID-READER-SIGNO-40KTKS-00-000000	Signo40K, Wall mount w/Keypad, 13.56mHz &125kHz, OSDP/Wiegand, Terminal, Mobile Ready, BLE	610.90
AC-HID-READER-SIGNO-40KTKS-00-000000-AVG	Signo40K, Wall mount w/Keypad, Standard Profile , OSDP/Wiegand, Terminal, Mobile Ready, BLE, Avigilon Logo	607.76
AC-HID-READER-SIGNO-40KTKS-01-000000	Signo40K, Wall mount w/Keypad, Seos Profile , OSDP/Wiegand, Terminal, Mobile Ready, BLE	523.45
AC-HID-READER-SIGNO-40KTKS-01-000000-AVG	Signo40K, Wall mount w/Keypad, Seos Profile , OSDP/Wiegand, Pigtail, Mobile Ready, BLE, Avigilon Logo	523.45
AC-HID-READER-SIGNO-40KTKS-01-00001H	Signo40K, Wall mount w/Keypad, Seos Profile , OSDP/Wiegand, Terminal, Mobile Ready, BLE	523.45
AC-HID-READER-SIGNO-40KTKS-02-000000	Signo40K, Wall mount w/Keypad, 13.56mHz Profile , OSDP/Wiegand, Terminal, Mobile Ready, BLE	567.19
AC-HID-READER-SIGNO-40KTKS-02-000000-AVG	Signo40K, Wall mount w/Keypad, Smart Profile , OSDP/Wiegand, Terminal, Mobile Ready, BLE, Avigilon Logo	564.35
AC-HID-READER-SIGNO-40KTKS-02-0002BL	Signo40K, Wall mount w/Keypad, 13.56mHz Profile , OSDP/Wiegand, Terminal, Mobile Ready, BLE	567.19
AC-HID-READER-SIGNO-40KTKS-T0-000000	Signo40K, Wall mount w/Keypad, 13.56mHz, OSDP/Wiegand, Terminal, Mobile Ready, BLE, PRIORITY STANDARD CREDENTIAL PROFILE OPTION (T0) FOR THE SIGNO READER 40K TERMINAL STRIP MODEL - Profile T0 includes the following NFC/BLE/High Frequency only - Seos® (Mobile ID's via NFC/BLE), Seos, iCLASS SE®, iCLASS SR®, iCLASS®, MIFARE DESFire EV1/EV2 (SIO)/EV3, MIFARE Classic (SIO), MIFARE DESFire EV1/EV2 (CSN), MIFARE Classic (CSN)	650.49
AC-HID-READER-SIGNO-40KTKS-T1-000000	Signo40K, Wall mount w/Keypad, 13.56mHz, OSDP/Wiegand, Terminal, Mobile Ready, BLE, PRIORITY SEOS CREDENTIAL PROFILE OPTION (T1) FOR THE SIGNO READER 40K TERMINAL STRIP MODEL - Profile T1 includes the following NFC/BLE/High Frequency only - Seos® (Mobile ID's via NFC/BLE), Seos	557.56
AC-HID-READER-SIGNO-40KTKS-T2-000000	Signo40K, Wall mount w/Keypad, 13.56mHz, OSDP/Wiegand, Terminal, Mobile Ready, BLE, PRIORITY SMART CREDENTIAL PROFILE OPTION (T2) FOR THE SIGNO READER 40K TERMINAL STRIP MODEL - Profile T2 includes the following NFC/BLE/High Frequency only - Seos® (Mobile ID's via NFC/BLE), Seos, iCLASS SE®, iCLASS SR®, iCLASS®, MIFARE DESFire EV1/EV2 (SIO)/EV3, MIFARE Classic (SIO)	604.03
AC-HID-READER-SIGNO-40NKS-00-000000	Signo40, Wall mount, 13.56mHz &125kHz, OSDP/Wiegand, Pigtail, Mobile Ready, BLE	370.43
AC-HID-READER-SIGNO-40NKS-00-000000-AVG	Signo40, Wall mount, Standard Profile, OSDP/Wiegand, Pigtail, Mobile Ready, BLE, Avigilon Logo	369.00
AC-HID-READER-SIGNO-40NKS-01-000000	Signo40, Wall mount, Seos Profile , OSDP/Wiegand, Pigtail, Mobile Ready, BLE	282.99
AC-HID-READER-SIGNO-40NKS-01-00001H	Signo40, Wall mount, Seos Profile , OSDP/Wiegand, Pigtail, Mobile Ready, BLE	282.99
AC-HID-READER-SIGNO-40NKS-02-000000	Signo40, Wall mount, 13.56mHz Profile , OSDP/Wiegand, Pigtail, Mobile Ready, BLE	326.70
AC-HID-READER-SIGNO-40NKS-02-000000-AVG	Signo40, Wall mount, Smart Profile, OSDP/Wiegand, Pigtail, Mobile Ready, BLE, Avigilon Logo	325.58
AC-HID-READER-SIGNO-40NKS-02-0002BL	Signo40, Wall mount, 13.56mHz Profile , OSDP/Wiegand, Pigtail, Mobile Ready, BLE	326.70
AC-HID-READER-SIGNO-40NKS-T0-000000	Signo40, Wall mount, 13.56mHz, OSDP/Wiegand, Pigtail, Mobile Ready, BLE, PRIORITY STANDARD CREDENTIAL PROFILE OPTION (T0) FOR	394.95

All prices are exclusive of taxes and freight. Motorola Solutions reserves the right to make changes to pricing and discount margins. All installation and use of Access Control Manager software is governed by its end user license agreement (EULA).

CONFIDENTIAL : The contents of this document are considered confidential and should not be posted on a public access website, made available for general public distribution, or otherwise shared with others without prior written authorization from Motorola Solutions Inc. ("Motorola Solutions").

	THE SIGNO READER 40 PIGTAIL MODEL - Profile T0 includes the following NFC/BLE/High Frequency only - Seos® (Mobile ID's via NFC/BLE), Seos, iCLASS SE®, iCLASS SR®, iCLASS®, MIFARE DESFire EV1/EV2 (SIO)/EV3, MIFARE Classic (SIO), MIFARE DESFire EV1/EV2 (CSN), MIFARE Classic (CSN)	
AC-HID-READER-SIGNO-40NKS-T1-000000	Signo40, Wall mount, 13.56mHz, OSDP/Wiegand, Pigtail, Mobile Ready, BLE, PRIORITY SEOS CREDENTIAL PROFILE OPTION (T1) FOR THE SIGNO READER 40 PIGTAIL MODEL - Profile T1 includes the following NFC/BLE/High Frequency only - Seos® (Mobile ID's via NFC/BLE), Seos	302.03
AC-HID-READER-SIGNO-40NKS-T2-000000	Signo40, Wall mount, 13.56mHz, OSDP/Wiegand, Pigtail, Mobile Ready, BLE, PRIORITY SMART CREDENTIAL PROFILE OPTION (T2) FOR THE SIGNO READER 40 PIGTAIL MODEL - Profile T2 includes the following NFC/BLE/High Frequency only - Seos® (Mobile ID's via NFC/BLE), Seos, iCLASS SE®, iCLASS SR®, iCLASS®, MIFARE DESFire EV1/EV2 (SIO)/EV3, MIFARE Classic (SIO)	348.49
AC-HID-READER-SIGNO-40TKS-00-000000	Signo40, Wall mount, 13.56mHz & 125kHz, OSDP/Wiegand, Terminal, Mobile Ready, BLE	370.43
AC-HID-READER-SIGNO-40TKS-00-000000-AVG	Signo40, Wall mount, Standard Profile , OSDP/Wiegand, Terminal, Mobile Ready, BLE, Avigilon Logo	369.00
AC-HID-READER-SIGNO-40TKS-01-000000	Signo40, Wall mount, Seos Profile , OSDP/Wiegand, Terminal, Mobile Ready, BLE	282.99
AC-HID-READER-SIGNO-40TKS-01-000000-AVG	Signo40, Wall mount, Seos Profile , OSDP/Wiegand, Terminal, Mobile Ready, BLE, Avigilon Logo	282.18
AC-HID-READER-SIGNO-40TKS-01-00001H	Signo40, Wall mount, Seos Profile , OSDP/Wiegand, Terminal, Mobile Ready, BLE	282.99
AC-HID-READER-SIGNO-40TKS-01-00001H-AVG	Signo40, Wall mount, Seos Profile , OSDP/Wiegand, Terminal, Mobile Ready, BLE	282.99
AC-HID-READER-SIGNO-40TKS-02-000000	Signo40, Wall mount, 13.56mHz Profile , OSDP/Wiegand, Terminal, Mobile Ready, BLE	326.70
AC-HID-READER-SIGNO-40TKS-02-000000-AVG	Signo40, Wall mount, Smart Profile , OSDP/Wiegand, Terminal, Mobile Ready, BLE, Avigilon Logo	325.58
AC-HID-READER-SIGNO-40TKS-02-0002BL	Signo40, Wall mount, 13.56mHz Profile , OSDP/Wiegand, Terminal, Mobile Ready, BLE	326.70
AC-HID-READER-SIGNO-40TKS-T0-000000	Signo40, Wall mount, 13.56mHz, OSDP/Wiegand, Terminal, Mobile Ready, BLE, PRIORITY STANDARD CREDENTIAL PROFILE OPTION (T0) FOR THE SIGNO READER 40 TERMINAL STRIP MODEL - Profile T0 includes the following NFC/BLE/High Frequency only - Seos® (Mobile ID's via NFC/BLE), Seos, iCLASS SE®, iCLASS SR®, iCLASS®, MIFARE DESFire EV1/EV2 (SIO)/EV3, MIFARE Classic (SIO), MIFARE DESFire EV1/EV2 (CSN), MIFARE Classic (CSN)	394.95
AC-HID-READER-SIGNO-40TKS-T1-000000	Signo40, Wall mount, 13.56mHz, OSDP/Wiegand, Terminal, Mobile Ready, BLE, PRIORITY SEOS CREDENTIAL PROFILE OPTION (T1) FOR THE SIGNO READER 40 TERMINAL STRIP MODEL - Profile T1 includes the following NFC/BLE/High Frequency only - Seos® (Mobile ID's via NFC/BLE), Seos	302.03
AC-HID-READER-SIGNO-40TKS-T2-000000	Signo40, Wall mount, 13.56mHz, OSDP/Wiegand, Terminal, Mobile Ready, BLE, PRIORITY SMART CREDENTIAL PROFILE OPTION (T2) FOR THE SIGNO READER 40 TERMINAL STRIP MODEL - Profile T2 includes the following NFC/BLE/High Frequency only - Seos® (Mobile ID's via NFC/BLE), Seos, iCLASS SE®, iCLASS SR®, iCLASS®, MIFARE DESFire EV1/EV2 (SIO)/EV3, MIFARE Classic (SIO)	348.49
AC-HID-SPACER-05-R10-6132AKB-M	R10 Mini-mullion spacer, black 0.5" with metal plate	32.18
AC-HID-SPACER-05-R15-6132AKC-M	R15 Mullion spacer, black 0.5" with metal plate	32.18
AC-HID-SPACER-05-R40-6132AKT-M	R40 Standard wall switch, black 0.5" with metal plate	32.18
AC-HID-SPACER-05-RK40-6132AKU-M	RK40 Standard wall switch with keypad, black 0.5" with metal plate	32.18
AC-HID-SPACER-10-R40-6132AKE-M	R40 Standard wall switch, black 1.0" with metal plate	32.18
AC-HID-SPACER-SIGNO-20-K-05	HID SIGNO 20 SERIES, 0.5 INCH SPACER, BLACK	28.41
AC-HID-SPACER-SIGNO-40-K-05	HID SIGNO 40 SERIES, 0.5 INCH SPACER, BLACK	28.41
AC-HID-UPGKIT-BLEOSDP-UPG-A-900	R10/RP10 ICLASS/MULTICLASS, SE RDR BLE OSDP UPGRADE KIT, 1 BLE OSDP MODULE, 1 METALIC BACKPLATE STICKER	139.77
AC-HID-UPGKIT-BLEOSDP-UPG-A-910	R15/RP15 ICLASS/MULTICLASS, SE RDR BLE OSDP UPGRADE KIT, 1 BLE OSDP MODULE, 1 METALIC BACKPLATE STICKER	139.77
AC-HID-UPGKIT-BLEOSDP-UPG-A-920	R40/RP40 ICLASS/MULTICLASS, SE RDR BLE OSDP UPGRADE KIT, 1 BLE OSDP MODULE, 1 METALIC BACKPLATE STICKER	139.77
AC-HID-UPGKIT-BLEOSDP-UPG-A-921		139.77

All prices are exclusive of taxes and freight. Motorola Solutions reserves the right to make changes to pricing and discount margins. All installation and use of Access Control Manager software is governed by its end user license agreement (EULA).

CONFIDENTIAL : The contents of this document are considered confidential and should not be posted on a public access website, made available for general public distribution, or otherwise shared with others without prior written authorization from Motorola Solutions Inc. ("Motorola Solutions").

All prices are exclusive of taxes and freight. Motorola Solutions reserves the right to make changes to pricing and discount margins. All installation and use of Access Control Manager software is governed by its end user license agreement (EULA).

CONFIDENTIAL : The contents of this document are considered confidential and should not be posted on a public access website, made available for general public distribution, or otherwise shared with others without prior written authorization from Motorola Solutions Inc. ("Motorola Solutions").

Credentials

HID Credentials

MODEL NUMBER	DESCRIPTION	MSRP \$
AC-HID-CARD-2122BGGMNN	COMPOSITE ICLASS/PROX, 16K/16, PROG, F-GLOSS, F-GLOSS, MATCHING ICLASS#, NO SLOT, NO PROX#	15.79
AC-HID-CARD-3000PG1MN	ICLASS 2K/2 SE, PROG, F-GLOSS, B-GLOSS W/MAG, MATCH, NO SLOT, Minimum Order 100 (HID Part Number: 3000PG1MN)	7.66
AC-HID-CARD-3150RGGMNM	COMPOSITE ICLASS PROX SE 2K/2, PROG ICLASS/PROX, F-GLOSS, B-GLOSS, MATCH ICLASS#, NO SLOT, MATCH PROX # MIN ORDER QUANTITY 100	13.91
AC-HID-CARD-ADMIN-SEC9X-CRD-0-005J	Configuration card used to adjust CSN output settings from 32 bit MSB to 56 bit LSB on iCLASS Standard, SE and SEOS readers. (HID #: SEC9X-CRD-0-005J)	45.78
AC-HID-CARD-DUOPROXII-CL	DuoProx II Graphics Quality PVC, Proximity Access Card, w/ Magnetic Stripe, Minimum Order 100 (HID Part Number: 1336LGGMN)	8.11
AC-HID-CARD-ICLASS-2000	iCLASS Contactless Smart Card, 2k bit with 2 application areas, Minimum Order 100 (HID Part Number: 2000PGGMN)	6.18
AC-HID-CARD-ICLASS-2002	iCLASS Contactless Smart Card, 16k bit with 16 application areas, Minimum Order 100 (HID Part Number: 2002PGGMN)	11.22
AC-HID-CARD-ICLASS-2004	iCLASS Contactless Smart Card, 32k bit with 16k/16 + 16k/1 application areas, Minimum Order 100 (HID Part Number: 2004PGGMN)	11.67
AC-HID-CARD-ICLASS-2050	iCLASS Key II Contactless Smart Key Fob 2k bit with 2 application areas, Minimum Order 100 (HID Part Number: 2050PNNMN)	8.06
AC-HID-CARD-ICLASS-2080	iCLASS Clamshell Contactless Smart Card, 2k bit with 2 application areas, Minimum Order 100 (HID Part Number: 2080PMSMV)	4.16
AC-HID-CARD-ICLASS-2100	COMPOSITE ICLASS, 2K/2, PROG, F-GLOSS, F-GLOSS W/ MAG, MATCHING#, Minimum Order 100, (HID Part Number: 2100PG1MN)	8.21
AC-HID-CARD-ICLASS-3000PGGMB	HID ICLASS 2K/2, PROG, SE, F-GLOSS, B-GLOSS W/ BOTH VERT. & HORZ. SLOT INDICATORS, MATCH #, NO SLOT Minimum Order 100 (HID Part Number: 3000PGGMB)	6.20
AC-HID-CARD-ICLASS-3000PGGMV	ICLASS 2K/2 SE, PROG, F-GLOSS, B-GLOSS, MATCH, VERT SLOT, Minimum Order 100 (HID Part Number: 3000PGGMV)	6.18
AC-HID-CARD-ICLASS-3050PGGMN	ICLASS 2K/2 SE, COMPOSITE, PROG, F-GLOSS, B-GLOSS, MATCHING, NO SLOT, Minimum Order 100 (HID Part Number: 3050PGGMN)	6.79
AC-HID-CARD-ICLASS-3350PMSMV	iCLASS SE Clamshell Card, 2k bits with 2 application areas, plain white vineyl with matte finish, HID logo on back, vertical slot punch. Minimum Order 100 (HID Part Number: 3350PMSMV).	4.15
AC-HID-CARD-ICLASS-PROX-2120BG1MNN	iCLASS + Prox Contactless Smart Card, 2k bits with 2 application areas, plain white with gloss finish on front, plain white with magnetic stripe on back, no slot punch (HID #: 2120BG1MNN), Minimum Order 100. Specify programming information for 125kHz Proximity and iCLASS.	15.35
AC-HID-CARD-ICLASS-PROX-2120BGGMNM	iCLASS + Prox Contactless Smart Card, 2k bits with 2 application areas, plain white with gloss finish, no slot punch (HID #: 2120BGGMNM), Minimum Order 100. Specify programming information for 125kHz Proximity and iCLASS.	13.90
AC-HID-CARD-ICLASS-PROX-2120BGGMVM	COMPOSITE ICLASS PROX 2K/2, PROGRAMMED, F-GLOSS, B-GLOSS, MATCHING, VERT SLOT, MATCH 125K #	13.90
AC-HID-CARD-ICLASS-PROX-3150RGGMNM	COMPOSITE ICLASS PROX SE 2K/2, PROG ICLASS/PROX, F-GLOSS, B-GLOSS, MATCH ICLASS#, NO SLOT, NO PROX #	13.90
AC-HID-CARD-ICLASS-SE-3000	iCLASS SE Contactless Smart Card, 2k bit with 2 application areas, Minimum Order 100 (HID Part Number: 3000PGGMN)	6.18
AC-HID-CARD-ICLASS-SE-3000-AVG	iCLASS SE Contactless Smart Card, 2k bit with 2 application areas, Avigilon Format, Avigilon logo on back, Order quantity must be in boxes of 100, no partial boxes allowed, packaged in box of 100 (Stock Item)	6.62
AC-HID-CARD-ICLASS-SE-3000-AVG-NL		6.71

All prices are exclusive of taxes and freight. Motorola Solutions reserves the right to make changes to pricing and discount margins. All installation and use of Access Control Manager software is governed by its end user license agreement (EULA).

CONFIDENTIAL : The contents of this document are considered confidential and should not be posted on a public access website, made available for general public distribution, or otherwise shared with others without prior written authorization from Motorola Solutions Inc. ("Motorola Solutions").

	iCLASS SE Contactless Smart Card, 2k bit with 2 application areas, Avigilon Format, Without Avigilon logo, Order quantity must be in boxes of 100, no partial boxes allowed, packaged in box of 100 (Stock Item)	
AC-HID-CARD-ICLASS-SE-3002	iCLASS SE Contactless Smart Card, 16k bit with 16 application areas, Minimum Order 100 (HID Part Number: 3002PGGMN)	11.22
AC-HID-CARD-ICLASS-SE-3004	iCLASS SE Contactless Smart Card, 32k bit with 16k/16 + 16k/1 application areas, Minimum Order 100 (HID Part Number: 3004PGGMN)	11.70
AC-HID-CARD-ICLASS-SE-UHF-6011TGGANA	ISO CARD COMPOSITE UHF/ICLASS 16K, PROG, WHITE, LASER MATCHING, 860-960 MHz, Minimum Order 100 (HID Part Number: 6011TGGANA)	13.68
AC-HID-CARD-ICLASS-SE-UHF-6011TGGNNN-001	ISO CARD COMPOSITE UHF/ICLASS 16K, PROG, WHITE, NO #, NO SALES ORDER, 860-960 MHz, Minimum Order 100 (HID Part Number: 6011TGGNNN-001)	14.21
AC-HID-CARD-ICLASS-SE-UHF-6013TGGANN	ISO CARD COMPOSITE UHF/ICLASS 32K, PROG, WHITE, UHF LASER MATCHING, 860-960 MHz Application areas 16k/2+16k/1, Minimum Order 100 (HID Part Number: 6013TGGANN)	14.21
AC-HID-CARD-ICLASS-SE-UHF-6014SGGANN	ISO CARD COMPOSITE UHF/ICLASS 32K, PROG, WHITE, UHF LASER MATCHING, 860-960 MHz Application areas 16k/16+16k/1, Minimum Order 100 (HID Part Number: 6014SGGANN)	14.21
AC-HID-CARD-ICLASS-SEOS-5005PG1MN	COMPOSITE ICLASS SEOS CONTACTLESS SMART CARD 16K, PROG, F-GLOSS, B-GLOSS W/MAG, MATCHING #, NO SLOT, MIN ORDER QUANTITY 100 (HID Part Number 5005PG1MN)	13.38
AC-HID-CARD-ICLASS-SR-2080	iCLASS SR (note: SR instead of SE is correct for this card) Clamshell Contactless Smart Card, 2k bit with 2 application areas, Minimum Order 100 (HID Part Number: 2080HPMSMV)	4.16
AC-HID-CARD-ICLASS-UHF-600TGGAN	ISO CARD COMPOSITE UHF, PROG, WHITE, LASER MATCHING, 860-960 MHz, Minimum Order 100 (HID Part Number: 600TGGAN)	10.58
AC-HID-CARD-ICLSEOS-ICLASS-PROX-52060PHNGGMNNN	ISO CARD COMPOSITE ICLASS SEOS 8K, ICLASS 2K, PROX, PROG SEOS, PROG STD ICLASS, NO PROX PROG, F-GLOSS, B-GLOSS, MATCH SEOS, NO ICLASS, NO PROX, NO SLOT, Minimum Order 100 (HID Part Number: 52060PHNGGMNNN)	13.31
AC-HID-CARD-ISOPROXII-GRPH	ISOProx II Graphics Quality PVC, Proximity Access Card, Minimum Order 100 (HID Part Number: 1386LGGMN)	7.33
AC-HID-CARD-MIFARE-DESFIRE-EV3-801FPGGAN	HID MIFARE® DESFire® EV3 Card - Compatibility Profile	7.04
AC-HID-CARD-MOB-ADMIN-SEC9X-CRD-MADD	Configuration card which enables the use of the Mobile Configuration App used to adjust Bluetooth range settings on Mobile-Enabled Readers. Require automated onboarding form to be filled. (LINK to Automated Onboarding: https://managedservices.hidglobal.com/faces/maUserOnBoardingStart) (HID Part Number: ADMIN-SEC9X-CRD-MADD)	46.89
AC-HID-CARD-MOB-SEC9X-CRD-E-MKYD	Configuration Card used to personalize and convert a Mobile-Ready reader to a Mobile-Enabled reader. (HID Part #: SEC9X-CRD-E-MKYD)	34.74
AC-HID-CARD-PROXCARDII-CL	ProxCARD II Proximity Access Card (Clam Shell), Minimum Order 100 (HID Part Number: 1326LMSMV)	3.98
AC-HID-CARD-SEOS-5005PGGMN	COMPOSITE ICLASS SEOS CONTACTLESS SMART CARD 16 KB MEMORY, PROG., F-GLOSS, B-GLOSS, MATCH. ICLASS #, NO SLOT, LAM, Minimum Order 100 (HID Part Number: 5005PGGMN)	11.90
AC-HID-CARD-SEOS-5005PGGSN	COMPOSITE ICLASS SEOS CONTACTLESS SMART CARD 16 KB MEMORY, PROG., F-GLOSS, B-GLOSS, SEQ. #. ICLASS #, NO SLOT, Minimum Order 100 (HID Part Number: 5005PGGSN)	11.90
AC-HID-CARD-SEOS-5006PG1MN	COMPOSITE ICLASS SEOS CONTACTLESS SMART CARD 8K, SEOS OS LOADED, PROG., F-GLOSS, B-GLOSS, W/MAG, MATCHING ICLASS #, NO SLOT, Minimum Order 100 (HID Part Number: 5006PG1MN)	7.33
AC-HID-CARD-SEOS-5006PGCMN-AVG	COMPOSITE ICLASS SEOS CONTACTLESS SMART CARD 8K, PROG, F-GLOSS, B-AVIGILON, MATCHING #, NO SLOT, CUSTOM AVIGILON PACKAGING-SHRINK WRAP IN LOTS OF 50, PACK 100/BOX, LAM, AVIGILON LOGO, (AVIGILON FORMAT- NO PROGRAMMING INFORMATION REQUIRED)(MOQ 100)(HID - 5006PGCMN)	7.64
AC-HID-CARD-SEOS-5006PGGMN	COMPOSITE ICLASS SEOS CONTACTLESS SMART CARD 8 KB MEMORY, PROG., F-GLOSS, B-GLOSS, MATCH. ICLASS #, NO SLOT, LAM, Minimum Order 100 (HID Part Number: 5006PGGMN)	5.84
AC-HID-CARD-SEOS-5006PGGMN-AVG	COMPOSITE ICLASS SEOS CONTACTLESS SMART CARD 8K, PROG, F-GLOSS, B-GLOSS, MATCHING #, NO SLOT, CUSTOM AVIGILON PACKAGING-SHRINK WRAP IN LOTS OF 50, PACK 100/BOX, LAM, (AVIGILON FORMAT- NO PROGRAMMING INFORMATION REQUIRED)(MOQ 100)(HID - 5006PGGMN) No Logo	7.81

All prices are exclusive of taxes and freight. Motorola Solutions reserves the right to make changes to pricing and discount margins. All installation and use of Access Control Manager software is governed by its end user license agreement (EULA).

CONFIDENTIAL : The contents of this document are considered confidential and should not be posted on a public access website, made available for general public distribution, or otherwise shared with others without prior written authorization from Motorola Solutions Inc. ("Motorola Solutions").

AC-HID-CARD-SEOS-5006PGGMNT	COMPOSITE ICLASS SEOS CONTACTLESS SMART CARD 8 KB MEMORY, PROG., F-GLOSS, B-GLOSS, MATCH. ICLASS #, NO SLOT, LAM, 10 PACK, Minimum Order 100 (HID Part Number: 5006PGGMNT)	5.84
AC-HID-CARD-SEOS-5006PGGNN	COMPOSITE ICLASS SEOS CONTACTLESS SMART CARD 8 KB MEMORY, PROG., F-GLOSS, B-GLOSS, NO ICLASS #, NO SLOT, LAM, Minimum Order 100 (HID Part Number: 5006PGGNN)	5.84
AC-HID-CARD-SEOS-5006PGGSN	COMPOSITE ICLASS SEOS CONTACTLESS SMART CARD 8 KB MEMORY, PROG., F-GLOSS, B-GLOSS, SEQ. ICLASS #, NO SLOT, Minimum Order 100 (HID Part Number: 5006PGGSN)	5.84
AC-HID-CARD-SEOS-5006VGGNN	COMPOSITE ICLASS SEOS CONTACTLESS SMART CARD 8K, SEOS LOADED, ER PROG., F-GLOSS, B-GLOSS, NO ICLASS #, NO SLOT, Minimum Order 100 (HID Part Number: 5006VGGNN)	5.84
AC-HID-CARD-SEOS-5656PMSAV	SEOS CLAMSHELL 8K CARD, PROG. SEOS, F-MATT, B-HID LOGO, LASER MATCH SEOS#, Minimum Order 100 (HID Part Number: 5656-PMSAV)	5.85
AC-HID-CARD-SEOS-ICLASS-PROX-5105PGGMNN	COMPOSITE ICLASS SEOS PROX 16K, PROG. ICLASS, F-GLOSS, B-GLOSS, MATCH. ICLASS #, NO SLOT, NO PROX #, Minimum Order 100 (HID Part Number: 5105PGGMNN)	15.58
AC-HID-CARD-SEOS-ICLASS-PROX-5105PGGNNN	COMPOSITE ICLASS SEOS PROX 16K, PROG. ICLASS, F-GLOSS, B-GLOSS, NO ICLASS #, NO SLOT, NO PROX #, Minimum Order 100 (HID Part Number: 5105PGGNNN)	15.58
AC-HID-CARD-SEOS-ICLASS-PROX-5105RG1MNM	COMPOSITE ICLASS SEOS PROX 16K, PROG. ICLASS, F-GLOSS, B-GLOSS W/MAG, MATCH. ICLASS #, NO SLOT, MATCH. PROX #, LAM, Minimum Order 100 (HID Part Number: 5105RG1MNM)	17.06
AC-HID-CARD-SEOS-ICLASS-PROX-5105RG1MNN	COMPOSITE ICLASS SEOS PROX 16K, PROG. ICLASS, F-GLOSS, B-GLOSS W/MAG, MATCH. ICLASS #, NO SLOT, MATCH. PROX #, Minimum Order 100 (HID Part Number: 5105RG1MNN)	17.06
AC-HID-CARD-SEOS-ICLASS-PROX-5105RG1NNM	COMPOSITE ICLASS SEOS PROX 16K, PROG. ICLASS/PROX F-GLOSS, B-GLOSS W/MAG, NO ICLASS #, NO SLOT, MATCH. PROX #, LAM, Minimum Order 100 (HID Part Number: 5105RG1NNM)	15.58
AC-HID-CARD-SEOS-ICLASS-PROX-5105RGGMNM	COMPOSITE ICLASS SEOS PROX 16K, PROG. ICLASS, F-GLOSS, B-GLOSS, MATCH. ICLASS #, NO SLOT, MATCH. PROX #, Minimum Order 100 (HID Part Number: 5105RGGMNM)	15.58
AC-HID-CARD-SEOS-ICLASS-PROX-5105RGGMNN	COMPOSITE ICLASS SEOS PROX 16K, PROG. ICLASS, F-GLOSS, B-GLOSS, MATCH. ICLASS #, NO SLOT, NO PROX #, Minimum Order 100 (HID Part Number: 5105RGGMNN)	15.58
AC-HID-CARD-SEOS-ICLASS-PROX-5105RGGNNS	COMPOSITE ICLASS SEOS PROX 16K, PROG. ICLASS, F-GLOSS, B-GLOSS, NO ICLASS #, NO SLOT, SEQ. PROX #, Minimum Order 100 (HID Part Number: 5105RGGNNS)	15.58
AC-HID-CARD-SEOS-ICLASS-PROX-5105RGGSNN	COMPOSITE ICLASS SEOS PROX 16K, PROG. ICLASS, F-GLOSS, B-GLOSS, SEQ. ICLASS #, NO SLOT, NO PROX #, Minimum Order 100 (HID Part Number: 5105RGGSNN)	15.58
AC-HID-CARD-SEOS-ICLASS-PROX-5105VGGNNN	COMPOSITE ICLASS SEOS CONTACTLESS SMART CARD, 16/KG PROX ER PROG, F-GLOSS, B-GLOSS, NO. ICLASS #, NO SLOT, NO PROX #, Minimum Order 100 (HID Part Number: 5105VGGNNN)	15.58
AC-HID-CARD-SEOS-ICLASS-PROX-5106PG1MNN	COMPOSITE ICLASS SEOS PROX CONTACTLESS SMART CARD 8K, PROG. ICLASS , F - GLOSS, B - GLOSS W/MAG, MATCHING ICLASS #, NO SLOT, NO PROX #, LAM, Minimum Order 100 (HID Part Number: 5106PG1MNN)	13.69
AC-HID-CARD-SEOS-ICLASS-PROX-5106PGGMNN	COMPOSITE ICLASS SEOS PROX CONTACTLESS SMART CARD 8K, PROG. ICLASS, NON PROGRAM PROX, F-GLOSS, B-GLOSS, MATCHING ICLASS #, NO SLOT, NO PROX #, Minimum Order 100 (HID Part Number: 5106PGGMNN)	12.22
AC-HID-CARD-SEOS-ICLASS-PROX-5106PGGNNN	COMPOSITE ICLASS SEOS PROX CONTACTLESS SMART CARD 8K, PROG. ICLASS, NON PROGRAM PROX, F-GLOSS, B-GLOSS, NO ICLASS #, NO SLOT, NO PROX #, Minimum Order 100 (HID Part Number: 5106PGGNNN)	12.22
AC-HID-CARD-SEOS-ICLASS-PROX-5106RGGMNM	COMPOSITE ICLASS SEOS PROX CONTACTLESS SMART CARD 8K, PROG. ICLASS/PROX, F-GLOSS, B-GLOSS, MATCH ICLASS #, NO SLOT, MATCH PROX #, Minimum Order 100 (HID Part Number: 5106RGGMNM)	12.22
AC-HID-CARD-SEOS-ICLASS-PROX-5106RGGMNN	COMPOSITE ICLASS SEOS PROX CONTACTLESS SMART CARD 8K, PROG. ICLASS/PROX, F-GLOSS, B-GLOSS, MATCH ICLASS #, NO SLOT, NO PROX #, Minimum Order 100 (HID Part Number: 5106RGGMNN)	12.22
AC-HID-CARD-SEOS-ICLASS-PROX-5106RGGNNN	COMPOSITE ICLASS SEOS PROX CONTACTLESS SMART CARD 8K, ICLASS SIO PROGRAMMED, PROX HID FORMAT, F-GLOSS, B-GLOSS, NO ICLASS #, NO PROX #, NO SLOT, LAM, Minimum Order 100 (HID Part Number: 5106RGGNNN)	12.22

All prices are exclusive of taxes and freight. Motorola Solutions reserves the right to make changes to pricing and discount margins. All installation and use of Access Control Manager software is governed by its end user license agreement (EULA).

CONFIDENTIAL : The contents of this document are considered confidential and should not be posted on a public access website, made available for general public distribution, or otherwise shared with others without prior written authorization from Motorola Solutions Inc. ("Motorola Solutions").

AC-HID-CARD-SEOS-ICLASS-PROX-5106VGGNNN	COMPOSITE ICLASS SEOS PROX CONTACTLESS SMART CARD 8K, SEOS LOADED, ER PROG., F-GLOSS, B-GLOSS, NO ICLASS #, NO PROX #, NO SLOT, Minimum Order 100 (HID Part Number: 5106VGGNNN)	12.22
AC-HID-CORP1K-MC-1000	Service fee per card for Corporate 1000 card format. (HID Part Number: MC-1000)	0.46
AC-HID-ELITE-FEE-MC-0036	Service fee, per card, Elite Card Maintenance Fee (HID Part Number: MC-0036)	0.47
AC-HID-FOB-3250PNNMN	ICLASS SE KEYFOB 2K/2, PROG ICLASS, BLACK W/BLOCK HID, MATCH ICLASS #, Minimum Order 100 (HID Part Number: 3250PNNMN)	8.06
AC-HID-FOB-ICLASS-3250PNNMN-AVG	ICLASS SE KEYFOB 2K/2, PROG ICLASS, BLACK W/BLOCK HID, MATCH ICLASS #, Available with Avigilon format, Stock Item, Order quantity must be in boxes of 100, no partial boxes allowed, Packed in box of 100	8.06
AC-HID-FOB-PROXKEYIII-CL	ProxKey III Proximity Access Keyfob, Minimum Order 100 (HID Part Number: 1346LNSMN)	7.92
AC-HID-FOB-SEOS-5266PNNA-AVG	SEOS KEY FOB 8K, PROG SEOS, F-BLOCK W/HID ARTWORK, B-BLOCK, LASER MATCH SEOS #, (AVIGILON FORMAT - NO PROGRAMMING INFORMATION REQUIRED)(MOQ 100)(HID - 5266PNNA)	7.83
AC-HID-MOB-MID-SUB-CRD	HID Origo Mobile Identities - User licenses - Additional credential format - one time fee. Minimum Order Quantity: 1	110.47
AC-HID-MOB-MID-SUB-T100	HID Origo Mobile Identities - User licenses - initial and renewal. Number of user licenses (maximum number of concurrent users) valid for one year in an HID Origo account (linked to the Organization ID). Please provide the organization and credential access control data format information (Organization ID, Organization Name, MOB or ICE and format: facility/site code, card number range, etc.). Require automated onboarding form to be completed. (LINK to Automated Onboarding: https://manageservices.hidglobal.com/faces/maUserOnBoardingStart). Minimum Order Quantity: 20. (HID Part Number: MID-SUB-T100)	5.90
AC-HID-MOB-MID-SUB-T100-ADD-1-MONTH	HID Origo Mobile Identity user Account - User license - add-on order cost for 1 month. Number of user accounts (maximum number of concurrent users) valid till the end of the contract of an existing HID Origo account (linked to the Organization ID). Valid HID Org ID, Org Name, Contact ID and subscription start date required at time of order. Minimum Order Quantity: 20 (HID Part Number: MID-SUB-T100-ADD1).	0.76
AC-HID-MOB-MID-SUB-T100-ADD-10-MONTH	HID Origo Mobile Identity user Account - User license - add-on order cost for 10 months. Number of user accounts (maximum number of concurrent users) valid till the end of the contract of an existing HID Origo account (linked to the Organization ID). Valid HID Org ID, Org Name, Contact ID and subscription start date required at time of order. Minimum Order Quantity: 20 (HID Part Number: MID-SUB-T100-ADD10).	7.56
AC-HID-MOB-MID-SUB-T100-ADD-11-MONTH	HID Origo Mobile Identity user Account - User license - add-on order cost for 11 months. Number of user accounts (maximum number of concurrent users) valid till the end of the contract of an existing HID Origo account (linked to the Organization ID). Valid HID Org ID, Org Name, Contact ID and subscription start date required at time of order. Minimum Order Quantity: 20 (HID Part Number: MID-SUB-T100-ADD11).	8.31
AC-HID-MOB-MID-SUB-T100-ADD-2-MONTH	HID Origo Mobile Identity user Account - User license - add-on order cost for 2 months. Number of user accounts (maximum number of concurrent users) valid till the end of the contract of an existing HID Origo account (linked to the Organization ID). Valid HID Org ID, Org Name, Contact ID and subscription start date required at time of order. Minimum Order Quantity: 20 (HID Part Number: MID-SUB-T100-ADD2).	1.52
AC-HID-MOB-MID-SUB-T100-ADD-3-MONTH	HID Origo Mobile Identity user Account - User license - add-on order cost for 3 months. Number of user accounts (maximum number of concurrent users) valid till the end of the contract of an existing HID Origo account (linked to the Organization ID). Valid HID Org ID, Org Name, Contact ID and subscription start date required at time of order. Minimum Order Quantity: 20 (HID Part Number: MID-SUB-T100-ADD3).	2.28
AC-HID-MOB-MID-SUB-T100-ADD-4-MONTH	HID Origo Mobile Identity user Account - User license - add-on order cost for 4 months. Number of user accounts (maximum number of concurrent users) valid till the end of the contract of an existing HID Origo account (linked to the Organization ID). Valid HID Org ID, Org Name, Contact ID and subscription start date required at time of order. Minimum Order Quantity: 20 (HID Part Number: MID-SUB-T100-ADD4).	3.01
AC-HID-MOB-MID-SUB-T100-ADD-5-MONTH	HID Origo Mobile Identity user Account - User license - add-on order cost for 5 months. Number of user accounts (maximum number of concurrent users) valid till the end of the contract of an existing HID Origo account (linked to the Organization ID). Valid HID Org ID, Org Name, Contact ID and subscription start date required at time of order. Minimum Order Quantity: 20 (HID Part Number: MID-SUB-T100-ADD5).	3.78

All prices are exclusive of taxes and freight. Motorola Solutions reserves the right to make changes to pricing and discount margins. All installation and use of Access Control Manager software is governed by its end user license agreement (EULA).

CONFIDENTIAL : The contents of this document are considered confidential and should not be posted on a public access website, made available for general public distribution, or otherwise shared with others without prior written authorization from Motorola Solutions Inc. ("Motorola Solutions").

AC-HID-MOB-MID-SUB-T100-ADD-6-MONTH	HID Origo Mobile Identity user Account - User license - add-on order cost for 6 months. Number of user accounts (maximum number of concurrent users) valid till the end of the contract of an existing HID Origo account (linked to the Organization ID). Valid HID Org ID, Org Name, Contact ID and subscription start date required at time of order. Minimum Order Quantity: 20 (HID Part Number: MID-SUB-T100-ADD6).	4.53
AC-HID-MOB-MID-SUB-T100-ADD-7-MONTH	HID Origo Mobile Identity user Account - User license - add-on order cost for 7 months. Number of user accounts (maximum number of concurrent users) valid till the end of the contract of an existing HID Origo account (linked to the Organization ID). Valid HID Org ID, Org Name, Contact ID and subscription start date required at time of order. Minimum Order Quantity: 20 (HID Part Number: MID-SUB-T100-ADD7).	5.29
AC-HID-MOB-MID-SUB-T100-ADD-8-MONTH	HID Origo Mobile Identity user Account - User license - add-on order cost for 8 months. Number of user accounts (maximum number of concurrent users) valid till the end of the contract of an existing HID Origo account (linked to the Organization ID). Valid HID Org ID, Org Name, Contact ID and subscription start date required at time of order. Minimum Order Quantity: 20 (HID Part Number: MID-SUB-T100-ADD8).	6.06
AC-HID-MOB-MID-SUB-T100-ADD-9-MONTH	HID Origo Mobile Identity user Account - User license - add-on order cost for 9 months. Number of user accounts (maximum number of concurrent users) valid till the end of the contract of an existing HID Origo account (linked to the Organization ID). Valid HID Org ID, Org Name, Contact ID and subscription start date required at time of order. Minimum Order Quantity: 20 (HID Part Number: MID-SUB-T100-ADD9).	6.81
AC-HID-TAG-ICLASS-SE-3300	iCLASS SE Tag, Contactless Smart Tag , 2k bit with 2 application areas, Black with HID Standard Artwork, Sequential Matching Internal/External – Peel-off self-adhesive back, Minimum Order 100 (HID Part Number: 3300PKSMN)	5.79
AC-HID-TAG-MICROPROX-ADH	MICROPROX TAG, PROG, GRAY, MATCH #, Minimum Order 100 (HID Part Number: 1391LGSMN)	5.33
AC-HID-TAG-PROXPASSII-VEH	ProxPass II Long Range Active Proximity Access Tag for Vehicle Access, Minimum Order 10 (HID Part Number: 1351LBSMN)	45.24

STid Credentials

MODEL NUMBER	DESCRIPTION	MSRP \$
AC-STID-CARD-NONPROGRAMED-CCTW670	NON PROGRAMED 13.56 MHz NXP MIFARE® DESFire® EV2 2K chip - DESFire EV2 2K ISO Card (MOQ 200) - NO LOGO - Requires AC-STID-ARCHITECT-PROGRAMMING-KIT-SECARD-BT for configuration programming	5.58
AC-STID-KEYFOB-NONPROGRAMED-PCGW671	NON PROGRAMED 13.56 MHz NXP MIFARE® DESFire® EV2 2K chip - DESFire EV2 2K Keyfob (MOQ 100) - NO LOGO - Requires AC-STID-ARCHITECT-PROGRAMMING-KIT-SECARD-BT for configuration programming	10.44
AC-STID-TAG-UHF-WINDSHIELD-ETA-W75B-574BE10	NON PROGRAMMED UHF GEN2 Self-destroying programable adhesive windshield tag (MOQ 100) Requires AC-STID-SPECTRE-PROGRAMMING-KIT-ULTRYSV2 for configuration programming	5.65

Allegion Credentials

MODEL NUMBER	DESCRIPTION	MSRP \$
AC-ALL-SCH-FOB-9651	Schlage 13.56 MHz smart credential, keyfob, MIFARE Classic, 1K byte/8Kbit, minimum order quantity: 50 (Allegion Part Number: 9651)	6.99
AC-ALL-SCH-FOB-9651T	Schlage 13.56 MHz smart credential, thin keyfob, MIFARE Classic, 1K byte/8Kbit, minimum order quantity: 50 (Allegion Part Number: 9651T)	7.21
AC-ING-CARD-APTIQ-XF7410	Proximity Card Clamshell (Allegion Part Number: XF7410)	3.22
AC-ING-CARD-APTIQ-XF7510	Proximity Card ISO Glossy White (Allegion Part Number: XF7510)	5.41
AC-ING-CARD-APTIQ-XF7510MS	Proximity and Magnetic Stripe Card ISO Glossy White (Allegion Part Number: XF7510MS)	6.23
AC-ING-CARD-APTIQ-XF8420	Schlage (formerly aptiQ™) Smart Card 2K byte/16k bit Clamshell (Allegion Part Number: XF8420)	6.72
AC-ING-CARD-APTIQ-XF8440	Schlage (formerly aptiQ™) Smart Card 4K byte/32k bit Clamshell (Allegion Part Number: XF8440)	7.59
AC-ING-CARD-APTIQ-XF8480	Schlage (formerly aptiQ™) Smart Card 8K byte/64k bit Clamshell (Allegion Part Number: XF8480)	9.29

All prices are exclusive of taxes and freight. Motorola Solutions reserves the right to make changes to pricing and discount margins. All installation and use of Access Control Manager software is governed by its end user license agreement (EULA).

CONFIDENTIAL : The contents of this document are considered confidential and should not be posted on a public access website, made available for general public distribution, or otherwise shared with others without prior written authorization from Motorola Solutions Inc. ("Motorola Solutions").

AC-ING-CARD-APTIQ-XF8520	Schlage (formerly aptiQ™) Smart Card 2K byte/16k bit ISO Glossy White (Allegion Part Number: XF8520)	7.32
AC-ING-CARD-APTIQ-XF8520M1	Schlage (formerly aptiQ™) Smart Card 2K byte/16k bit with Magnetic Stripe ISO Glossy White (Allegion Part Number: XF8520M1)	7.98
AC-ING-CARD-APTIQ-XF8540	Schlage (formerly aptiQ™) Smart Card 4K byte/32k bit ISO Glossy White (Allegion Part Number: XF8540)	8.25
AC-ING-CARD-APTIQ-XF8540M1	Schlage (formerly aptiQ™) Smart Card 4K byte/32k bit with Magnetic Stripe ISO Glossy White (Allegion Part Number: XF8540M1)	8.85
AC-ING-CARD-APTIQ-XF8580	Schlage (formerly aptiQ™) Smart Card 8K byte/64k bit ISO Glossy White (Allegion Part Number: XF8580)	9.83
AC-ING-CARD-APTIQ-XF8580M1	Schlage (formerly aptiQ™) Smart Card 8K byte/64k bit with Magnetic Stripe ISO Glossy White (Allegion Part Number: XF8580M1)	10.60
AC-ING-CARD-APTIQ-XF8720	Schlage (formerly Schlage (formerly aptiQ™)™) Smart Card 2K byte/16k bit PVC Patch (Allegion Part Number: XF8720)	6.67
AC-ING-CARD-APTIQ-XF8740	Schlage (formerly Schlage (formerly aptiQ™)™) Smart Card 4K byte/32k bit PVC Patch (Allegion Part Number: XF8740)	7.54
AC-ING-CARD-APTIQ-XF8780	Schlage (formerly Schlage (formerly aptiQ™)™) Smart Card 8K byte/64k bit PVC Patch (Allegion Part Number: XF8780)	9.07
AC-ING-CARD-APTIQ-XF8920	Proximity and Schlage (formerly aptiQ™) Smart Card Combo 2K byte/16k bit ISO Glossy White (Allegion Part Number: XF8920)	10.71
AC-ING-CARD-APTIQ-XF8940	Proximity and Schlage (formerly aptiQ™) Smart Card Combo 4K byte/32k bit ISO Glossy White (Allegion Part Number: XF8940)	11.69
AC-ING-CARD-APTIQ-XF8980	Proximity and Schlage (formerly aptiQ™) Smart Card Combo 8K byte/64k bit ISO Glossy White (Allegion Part Number: XF8980)	13.55
AC-ING-CARD-APTIQ-XF9420	MIFARE Smart Card 2.5k bit Clamshell (Allegion Part Number: XF9420)	4.10
AC-ING-CARD-APTIQ-XF9520	MIFARE Smart Card 2.5 k bit ISO Glossy White (Allegion Part Number: XF9520)	5.14
AC-ING-CARD-APTIQ-XF9520MS	MIFARE Smart Card 2.5 k bit with magnetic stripe ISO Glossy White (Allegion Part Number: XF9520MS)	5.93
AC-ING-CARD-APTIQ-XF9551	MIFARE Contactless Smart Card 1k byte/8k bit ISO Glossy White (Allegion Part Number: XF9551)	6.16
AC-ING-CARD-APTIQ-XF9551MS	MIFARE Contactless ISO Glossy Smart Card 1k byte/8k bit & mag stripe (Allegion Part Number: XF9551MS)	6.96
AC-ING-CARD-APTIQ-XF9558	MIFARE Contactless Smart Card 4k byte/32k bit ISO Glossy White (Allegion Part Number: XF9558)	8.63
AC-ING-CARD-APTIQ-XF9558MS	MIFARE Contactless ISO Glossy Smart Card 4k byte/32k bit and mag stripe (Allegion Part Number: XF9558MS)	9.51
AC-ING-CARD-APTIQ-XF9651	MIFARE Smart 1k bit (minimum order is 50) Keytag (Allegion Part Number: XF9651)	6.99
AC-ING-CARD-APTIQ-XF9751	MIFARE Smart Cards 1k byte/8k bit PVC Patch (Allegion Part Number: XF9751)	6.34
AC-ING-CARD-APTIQ-XF9758	MIFARE Smart Cards 4k byte/32k bit PVC Patch (Allegion Part Number: XF9758)	9.51
AC-ING-CARD-APTIQ-XF9951	Proximity and Contactless Smart Card Combo ISO Glossy White 1k byte/8k bit Card (Allegion Part Number: XF9951)	8.96
AC-ING-CARD-APTIQ-XF9958	Proximity and Contactless Smart Card Combo ISO Glossy White 4k byte/32k bit (Allegion Part Number: XF9958)	10.60
AC-ING-DISK-APTIQ-XF7010	Proximity Sticky Disk (35 mm Disk), minimum order quantity: 50 (Allegion Part Number: XF7010)	5.14
AC-ING-FOB-APTIQ-XF7610	Proximity Keyfob, minimum order quantity: 50 (Allegion Part Number: XF7610)	5.57
AC-SCH-CARD-2420	Allegion Schlage 13.56 MHz smart credential 2420, Clamshell, MIFARE DESFire EV2 ISO 14443, 2K byte/16Kbit, minimum order quantity: 100 (Allegion Part Number: 2420)	6.72
AC-SCH-CARD-2520	Allegion Schlage 13.56 MHz smart credential 2520, ISO glossy white printable composite Material, MIFARE DESFire EV2 ISO 14443, 2K byte/16Kbit, minimum order quantity: 100 (Allegion Part Number: 2520)	7.65
AC-SCH-CARD-2540	Allegion Schlage 13.56 MHz smart credential 2540, ISO glossy white printable composite Material, MIFARE DESFire EV2 ISO 14443, 4K byte/32Kbit, No Slot Punch, minimum order quantity: 100 (Allegion Part Number: 2540)	8.00

All prices are exclusive of taxes and freight. Motorola Solutions reserves the right to make changes to pricing and discount margins. All installation and use of Access Control Manager software is governed by its end user license agreement (EULA).

CONFIDENTIAL : The contents of this document are considered confidential and should not be posted on a public access website, made available for general public distribution, or otherwise shared with others without prior written authorization from Motorola Solutions Inc. ("Motorola Solutions").

AC-SCH-CARD-2540-SPH	Allegion Schlage 13.56 MHz smart credential 2540-SPH, ISO glossy white printable composite Material, MIFARE DESFire EV2 ISO 14443, 4K byte/32Kbit, Horizontal Slot Punch, minimum order quantity: 100 (Allegion Part Number: 2540-SPH)	8.39
AC-SCH-CARD-2540-SPV	Allegion Schlage 13.56 MHz smart credential 2540-SPV, ISO glossy white printable composite Material, MIFARE DESFire EV2 ISO 14443, 4K byte/32Kbit, Vertical Slot Punch, minimum order quantity: 100 (Allegion Part Number: 2540-SPV)	8.39
AC-SCH-CARD-2920	Allegion Schlage 125 kHz/13.56 MHz multi-technology credentials 2920, ISO glossy white printable composite Material, Proximity/MIFARE DESFire EV2 ISO 14443, 2K byte/8K bit, minimum order quantity: 100 (Allegion Part Number: 2920)	10.67
AC-SCH-CARD-8543	Schlage 13.56 MHz Smart credential ISO glossy white 4K byte/32k bit card (minimum order 100)	7.11
AC-SCH-CARD-8543M1	Schlage MIFARE DESFire EV3 4K byte/32K bit with Magnetic Stripe ISO Glossy White (minimum order 100)	7.27
AC-SCH-CARD-MT-8943	Schlage Multi-technology credential, 125 kHz + 13.56 MHz, Proximity and Schlage MIFARE DESFire EV3 4K byte/32K bit ISO Glossy White Card, No Slot Punch (Minimum order 100)	10.44
AC-SCH-FOB-2620T	Allegion Schlage 13.56 MHz smart credential 2620T, Thin keyfob, MIFARE DESFire EV2 ISO 14443, 2K byte/16K bit, minimum order quantity: 100 (Allegion Part Number: 2620T)	7.58
AC-SCH-FOB-8643T	Schlage 13.56 MHz Smart credential Thin keyfob 4K byte/32k bit card (minimum order 100)	7.44
AC-SCH-FOB-MT-8843T	Schlage Multi-technology credential, 125 kHz + 13.56 MHz, Proximity and Schlage MIFARE DESFire EV3 4K byte/32K bit, Thin keyfob, keyring hole (Minimum order 100)	11.19

Farpointe Data Credentials

MODEL NUMBER	DESCRIPTION	MSRP \$
AC-FP-CARD-CONEKT-CSM-2P	CONEKT™ High-security ISO-style composite card	7.60
AC-FP-CARD-CSC-2	High-security clamshell-style card; MIFARE® DESFire® EV2	7.48
AC-FP-CARD-CSM-2S	CONEKT™ Credential High-security ISO-style composite card with HiCo (2750Oe) magnetic stripe	7.79
AC-FP-CARD-DC1-1	DC1-1 Delta Clamshell Contactless Smartcard - ISO14443-compliant, clamshell-style contactless smartcard card with a 1K-byte memory. Constructed of durable ABS, it is backed by a lifetime warranty. Memory of the model number DC4-1 is 4K-bytes (Minimum order is 50) (Farpointe Data Part Number: DC1-1)	4.67
AC-FP-CARD-DC4-1	DC4-1 Delta Clamshell Contactless Smartcard - ISO14443-compliant, clamshell-style contactless smartcard card with a 4K-byte memory. Constructed of durable ABS, it is backed by a lifetime warranty (Minimum order is 50) (Farpointe Data Part Number: DC4-1)	6.25
AC-FP-CARD-DE2	DE2 MIFARE® DESFire® EV1 SMARTCARD, Frequency: 13.56 MHz, Read Range: Up to 2.5 inches (64 mm) (Farpointe Data Part Number: DE2)	9.42
AC-FP-CARD-DM1-3	DM1-3 Delta ISO Contactless Smartcard - ISO14443-compliant, contactless smartcard card with a 1K-byte memory. Manufactured from glossy PVC, it is appropriate for dye sublimation imaging (ISO style) (Minimum order is 50) (Farpointe Data Part Number: DM1-3)	4.94
AC-FP-CARD-DM1-3S	DM1-3S Delta ISO Contactless Smartcard - ISO14443-compliant, contactless smartcard card with a 1K-byte memory. Manufactured from glossy PVC, it is appropriate for dye sublimation imaging (ISO style) - with a magnetic stripe (Minimum order is 50) (Farpointe Data Part Number: DM1-3S)	5.44
AC-FP-CARD-DM4-3	DM4-3 Delta ISO Contactless Smartcard - ISO14443-compliant, contactless smartcard card with a 4K-byte memory. Manufactured from glossy PVC, it is appropriate for dye sublimation imaging (ISO style) (Minimum order is 50) (Farpointe Data Part Number: DM4-3)	6.66
AC-FP-CARD-DM4-3S	DM4-3S Delta ISO Contactless Smartcard - ISO14443-compliant, contactless smartcard card with a 4K-byte memory. Manufactured from glossy PVC, it is appropriate for dye sublimation imaging (ISO style) - with a magnetic stripe (Minimum order is 50) (Farpointe Data Part Number: DM4-3S)	7.59
AC-FP-CARD-PSC-1-H		2.63

All prices are exclusive of taxes and freight. Motorola Solutions reserves the right to make changes to pricing and discount margins. All installation and use of Access Control Manager software is governed by its end user license agreement (EULA).

CONFIDENTIAL : The contents of this document are considered confidential and should not be posted on a public access website, made available for general public distribution, or otherwise shared with others without prior written authorization from Motorola Solutions Inc. ("Motorola Solutions").

	PSC-1 Standard Light Proximity Card - Clamshell style proximity card backed by a lifetime warranty (Minimum order is 50) (Farpointe Data Part Number: PSC-1-H)	
AC-FP-CARD-PSI-4-H	PSI-4 Image Technology Proximity Card - Thicker-format (0.046 inches (1.17 mm)) proximity card appropriate for dye sublimation imaging (Minimum order is 50) (Farpointe Data Part Number: PSI-4-H)	3.26
AC-FP-CARD-PSM-2P-H	PSM-2P Multi Technology Proximity Card - ISO-style multi technology proximity card appropriate for dye sublimation imaging (Minimum order is 50) (Farpointe Data Part Number: PSM-2P-H)	5.48
AC-FP-CARD-PSM-2S-H	PSM-2S Multi Technology Proximity Card - ISO-style multi technology style proximity card appropriate for dye sublimation imaging with a magnetic stripe (Minimum order is 50) (Farpointe Data Part Number: PSM-2S-H)	5.97
AC-FP-CONEKT-CMC-2-25	CONEKT Credentials, 2.4-GHz Mobile supporting BLE-enabled smartphones, 25 Pack with QR Code	180.54
AC-FP-FOB-CSK-2	High-security key fob-style tag; MIFARE® DESFire® EV2	8.58
AC-FP-FOB-DK1-3	DK1-3 Delta Keyfob Contactless Smartcard Credential - ISO14443-compliant key tag-style contactless smartcard credential with a 1K-byte memory. It is designed to be carried on a key ring, and includes a brass reinforcing eyelet (Minimum Order 50) (Farpointe Data Part Number: DK1-3)	8.02
AC-FP-FOB-DK4-3	DK4-3 Delta Keyfob Contactless Smartcard Credential - ISO14443-compliant key tag-style contactless smartcard credential with a 4K-byte memory. It is designed to be carried on a key ring, and includes a brass reinforcing eyelet (Minimum Order 50) (Farpointe Data Part Number: DK4-3)	11.42
AC-FP-MOB-CMC-2	CONEKT™ Credential 2.4-GHz Mobile credential supporting BLE-enabled smartphones	7.24
AC-FP-TAG-PDT-1-H	Model PDT-1 Proximity Disc Tag - Has an adhesive on one side that allows for the prox-enabling of a variety of non RFID devices, including ID credentials, cell phones and wallets. The PDT-1 offers a read range up to 3.5 inches (88.9 mm) when used with a P-500. Model P-PDT-1-H is 125 HID kHz compatible, while PDT-1-A is 125 kHz AWID compatible (Minimum order 50) (Farpointe Data Part Number: PDT-1-H)	3.66
AC-FP-TAG-PSK-3-H	PSK-3 Proximity Key Ring Tag - Small proximity tag designed to be carried on a key ring, includes a re-enforcing brass eyelet, and is backed by a lifetime warranty (Minimum order 50) (Farpointe Data Part Number: PSK-3-H)	6.07
AC-FP-TRANS-LONG-RANGE-WRT-2+D2	WRT-2+ Ranger Two Button Long Range Transmitter - 2-button clicker-type access credential, featuring both long range 433 MHz (upon button push) and MIFARE® DESFire® EV2 2K memory smartcard insert 13.56-MHz Smartcard protocols operation. (Farpointe Data Part Number: WRT-2+D2)	43.85
AC-FP-TRANS-LONG-RANGE-WRT-2+S1	Ranger® 433-MHz Long-Range Transmitters, 2-button, with 1K insert. (Farpointe Data Part Number: WRT-2+S1)	44.26
AC-FP-TRANS-LONG-RANGE-WRT-2+S4	Ranger® 433-MHz Long-Range Transmitters, 2-button, with 4K insert. (Farpointe Data Part Number: WRT-2+S4)	47.40
AC-FP-TRANS-LONG-RANGE-WRT-2M	Ranger® 433-MHz Long-Range Transmitters, Mini 2-button, no proximity insert. (Farpointe Data Part Number: WRT-2M)	26.94
AC-FP-TRANS-LONG-RANGE-WRT-4+S4	WRT-2+ Ranger Two Button Long Range Transmitter - 2-button clicker-type access credential, featuring both long range 433 MHz (upon button push) and w/ Farpointe 13.56-MHz 4K memory smartcard insert. (Farpointe Data Part Number: WRT-2+S4)	49.39
AC-FP-TRANS-LONG-RANGE-WRT-4+SI	Ranger® 433-MHz Long-Range Transmitters, 4-button, with 1K insert. (Farpointe Data Part Number: WRT-4+SI)	46.25
AC-FP-TRANS-WRT-2+H	WRT-2+ Ranger Two Button Long Range Transmitter - 2-button clicker-type access credential, featuring both long range 433 MHz (upon button push) and 125 kHz proximity operation. (Farpointe Data Part Number: WRT-2+H)	37.16
AC-FP-TRANS-WRT-4+H	WRT-4+ Ranger Four-Button Long Range Transmitter - 4-button clicker-type access credential, featuring both long range (upon button push) and proximity operation. (Farpointe Data Part Number: WRT-4+H)	38.08

All prices are exclusive of taxes and freight. Motorola Solutions reserves the right to make changes to pricing and discount margins. All installation and use of Access Control Manager software is governed by its end user license agreement (EULA).

CONFIDENTIAL : The contents of this document are considered confidential and should not be posted on a public access website, made available for general public distribution, or otherwise shared with others without prior written authorization from Motorola Solutions Inc. ("Motorola Solutions").

Wireless Locks (Contact RSM for pricing)

Allegion Schlage (Contact RSM for pricing)

MODEL NUMBER	DESCRIPTION	MSRP \$
AC-ALL-SCH-AD400-ANT400-REM-CEILING	Omni-Directional Remote Indoor/Outdoor Antenna Module. Includes Antenna, 15' Coax, Coax Whip. For indoor use with PIM400 and/or WRI400.(Allegion Part Number: ANT400-REM-CEILING)	441.55
AC-ALL-SCH-AD400-ANT400-REM-HALL	Bi-Directional Remote Indoor Antenna Module. Includes Antenna, 15' Coax, Coax Whip. For indoor use with PIM400 and/or WRI400.(Allegion Part Number: ANT400-REM-HALL)	628.77
AC-ALL-SCH-AD400-ANT400-REM-I/O+6DB	Omni-Directional Remote Indoor/Outdoor Antenna Module. Includes Antenna, 15' Coax, Coax Whip, Articulated Wall/Post Mounting Hardware. For indoor use with PIM400 and/or WRI400. Requires MGB+MCA5 Antenna Grounding Kit for outdoor applications.(Allegion Part Number: ANT400-REM-I/O+6db)	578.63
AC-ALL-SCH-AD400-MGB+MCA5	Antenna Grounding Kit (for outdoor mounting). Could be used with ANT400-REM-I/O, ANT400-REM-I/O+6DB, ANT400-REM-CEILING, ANT400-REM-HALL.(Allegion Part Number: MGB+MCA5)	207.98
AC-ALL-SCH-COM400L	Electronic Lock Communication Module Kit	399.74
AC-ALL-SCH-COM400P-626	Schlage COM400P Communication Module Kit, Satin chrome	399.74
AC-ALL-SCH-COM400P-643E	Schlage COM400P Communication Module Kit, Aged bronze	399.74
AC-ALL-SCH-ENGAGE-GWE	GWE — ENGAGE Gateway with RS-485 & IP (PoE) connectivity. Supports up to 10 ENGAGE enabled devices with Mercury Security' 1DR and 64DR (AC-MER-CONT-1DR and AC-MER-CONT-64DR Sold Separately) access control panels(Allegion Part Number: GWE – ENGAGE)	627.79
AC-ALL-SCH-PIB300-2D	Panel Interface Board (supports 2 doors)(Allegion Part Number: PIB300-2D)	531.09
AC-ALL-SCH-PIM400-1501-LC	900 MHz Panel Interface Module for 16 door intelligent controller (AC-MER-CONT-LP1501 Sold Separately) for AD Series wireless devices; powered by Mercury Security. Encrypted with AES-128 bit keys, Certifications: FCC Part 15, Industry Canada(IC), RoHS, UL294 Listed when connected to UL294 power supply, Dimensions: 10.43" X 7.28" X 3.79" (26.49cm X 18.49 cm X 9.63 cm), Weight 2.8 lbs (1.27 kg)(Allegion Part Number: PIM400-1501-LC)	1,936.44
AC-ALL-SCH-PIM400-485-RSI	900 MHz Panel Interface Module for 16 or 64 door intelligent controller (AC-MER-CONT-LP1501, AC-MER-CONT-LP1502, AC-MER-CONT-LP2500 and AC-MER-CONT-LP4502 Sold Separately) (Up to 16 wireless access devices such as AD-400 locks per PIM) for AD Series wireless devices; powered by Mercury Security. Certifications: NEMA 1, 4, 4X, 6; UL 294; FCC Part 15; Industry Canada (IC); RoHS, Dimensions (H x W x D): 6.3" x 3.2" x 2.2" (16.0 cm x 8.13 cm x 5.59 cm), Weight 1.25 lbs (.56 kg)(Allegion Part Number: PIM400-485-RSI)	1,611.91
AC-ALL-SCH-PIM400-TD2	Panel Interface Module (supports 2 doors) Wiegand (Data1/Data2) or magnetic stripe (Clock & Data) output. Includes Weatherproof Enclosure (7.1" x 7.1"), Internal Antenna with ability to add Remote Antenna. Requires 12 or 24 VDC power supply. Relay Board sold separately. (Allegion Part Number: PIM400-TD2)	935.34
AC-ALL-SCH-RLBD	Relay Board (for PIB300-2D or PIM400-TD2)(Allegion Part Number: RLBD)	268.80
AC-ALL-SCH-WPR400-MTK	Wireless Portable Reader with keypad (with Multi-Technology Reader Module) Handheld, battery operated unit with Multi-Technology(Allegion Part Number: WPR400-MTK)	2,252.71
AC-SCH-BATTERY-8B-626	AD-400 Eight (8) battery conversion kit in grey (Allegion Schlage Part #: 8B-626).	109.28
AC-SCH-COM300L-643E	Communication Module Kit for AD-300 Classroom/Storeroom (70) function. Compatible with Cylindrical, Mortise, Mortise with deadbolt, 993 exit trim chassis. Aged bronze finish.	369.65
AC-SCH-COM400L-626	Wireless AD-400 Communication Kit Module Cover with Indicator	398.48
AC-SCH-READ-MODULE-MT-626	AD-400 Multi-Technology reader module in grey (Allegion Part #: MT-626).	783.02

All prices are exclusive of taxes and freight. Motorola Solutions reserves the right to make changes to pricing and discount margins. All installation and use of Access Control Manager software is governed by its end user license agreement (EULA).

CONFIDENTIAL : The contents of this document are considered confidential and should not be posted on a public access website, made available for general public distribution, or otherwise shared with others without prior written authorization from Motorola Solutions Inc. ("Motorola Solutions").

AC-SCH-READ-MODULE-SI-626	AD-400 Smart Technology iClass compatible reader module in grey (Allegion Part #: SI-626).	908.79
AC-SCH-READ-MODULE-SIK-626	AD-400 Smart Technology iClass compatible reader + keypad module in grey (Allegion Part #: SIK-626).	972.64
AC-SCH-TK400	Wireless Test Kit, Pre-Installed Test Kit; Complete with WPR400-DT, PIM400-TD2, 593PI, Power Supply, Charger, Carrying Case.	1,906.54

ASSA ABLOY Aperio

MODEL NUMBER	DESCRIPTION	MSRP \$
AC-AA-APA-10-PC	ASSA ABLOY Aperio Programming Application Tool Kit APA-10-PC, Includes USB Flash Drive, Programming Application Tool Software and License Files, Aperio Instructions (electronic files), Triton USB Radio Dongle (APD-10-USB), HID iCLASS/Prox Card	712.28
AC-AA-GEN5-AH20-HUB-AH20W14-NNNN	ASSA ABLOY Aperio® AH20 Standard Gen5 1 to 1 Wiegand Interface Communication Hub for or indoor use. The AH20 interfaces an single ASSA ABLOY Aperio door devices to the Access Control Manager system as a Wiegand interface to controllers and subpanels. Built in tamper switch for detection of removal from bracket. Integrated antenna with the option to mount an external antenna. Encrypted radio communication, For standard electrical installation boxes. LED for status visualisation	290.09
AC-AA-GEN5-AH40-HUB-AH40IN2	ASSA ABLOY Aperio® AH40 Gen 5 1 to 64 Communication Hub for connection to Access Control Manager system via IP/Ethernet connection. Allows to connect up to 64 Aperio® devices on a single hub, Integrated antenna with the option to mount an external antenna, Encrypted radio communication, TCP/IP communication encrypted using TLS 1.1/1.2, Powered using Power over Ethernet (PoE) or external power supply, For standard electrical installation boxes, LED for status visualisation, Built in tamper switch. Detection of removal from bracket	506.23
AC-AA-HUB-EXT-10-ANT	ASSA ABLOY Aperio® hubs are certified for use with the ASSA ABLOY external (omnidirectional) antenna EXT-10-ANT. The external antenna may be used to obtain more even radio coverage (in the form of a doughnut) around the hub. Please note that the antenna does not extend the maximum range of the Aperio® hub. The Aperio® hubs are for indoor use only; Operating Temperature: 32°F (0 °C) to 113°F (45 °C) and Humidity: < 95% maximum (non-condensing).	78.39
AC-MER-AH30RN1-RC	ASSA ABLOY - Mercury Aperio Hub 1:8-with Avigilon Enablement SW(ASSA ABLOY Part Number: AH30RN1-RC)	461.49
AC-MER-APD-10-USB	ASSA ABLOY - USB Radio Dongle(ASSA ABLOY Part Number: APD-10-USB)	595.10

All prices are exclusive of taxes and freight. Motorola Solutions reserves the right to make changes to pricing and discount margins. All installation and use of Access Control Manager software is governed by its end user license agreement (EULA).

CONFIDENTIAL : The contents of this document are considered confidential and should not be posted on a public access website, made available for general public distribution, or otherwise shared with others without prior written authorization from Motorola Solutions Inc. ("Motorola Solutions").

3rd Party Solutions

Visitor Management

MODEL NUMBER	DESCRIPTION	MSRP \$
AC-HID-EL-96000-SVM10	SVM™ (main application) per workstation, includes Free Administrator™(HID Part Number: EL-96000-SVM10)	4,344.40
AC-HID-EL-96300-ADM10	Administrator™ (additional licenses) per workstation(HID Part Number: EL-96300-ADM10)	855.32
AC-HID-EL-97000-EKIOSK	EasyLobby® eKiosk™ Self Registration Software makes it fast and easy for visitors to register themselves upon arrival at a facility using a tablet computer. Runs on Windows®, an Apple® iPad® or an Android® tablet computer. Configurable self-registration screen can support any field including fields designated as required. Provides ability to display PDF or HTML file for visitors to review and acknowledge or agree to terms. Utilizes intuitive touch screen menu. Alerts employee being visited via email when visitor has completed self registration process and is checked-in. Enables badge to be printed upon check-in at the main guard station. Stores visitor record in central database.	3,481.91
AC-HID-EL-98000-EADV10	eAdvance™ (web pre-registration) per web server(HID Part Number: EL-98000-EADV10)	5,280.08
AC-HID-EL-ACI-AVIG	Access Control Integration - Access Control Manager from EasyLobby -Must also purchase Avigilon Rest License (Avigilon Part Number: AC-SW-LIC-REST)	5,172.02
AC-HID-EL-ACI-UPGRD	Access control integration upgrade to latest version(HID Part Number: EL-ACI-UPGRD)	4,242.57
AC-HID-EL-AST-ID150	AssureTec ID-150 (reads driver's license, data and photo capture) (COO: South Korea) (HID # EL-AST-ID150)	3,869.22
AC-HID-EL-AST-ID150A	AssureTec ID-150A (reads/authenticates driver's license, data and photo capture) (COO: South Korea) (HID # EL-AST-ID150A)	5,450.39
AC-HID-EL-AST-UPDATEA	AssureTec PRO software library updates for 1 year (data and authentication) (HID # EL-AST-UPDATEA)	1,236.38
AC-HID-EL-DESKO-ICON	The HID EasyLobby DESKO ICON Scanner's class leading scan technology, developed by DESKO, provides high-resolution and reflection free scans of ID's and passports under white light and IR. The ICON Scanner therefore provides excellent images for OCR data collection. (COO: Germany)	2,420.52
AC-HID-EL-DYMO-30856	DYMO 30856 non-adhesive badges (250)(HID Part Number: EL-DYMO-30856)	74.07
AC-HID-EL-DYMO-30911	DYMO 30911 adhesive self-expiring badges (250)(HID Part Number: EL-DYMO-30911)	126.97
AC-HID-EL-DYMO-450T	Dymo 450 Turbo Thermal Printer (B&W)(HID Part Number: EL-DYMO-450T)	600.64
AC-HID-EL-EADV-UPGRD	eAdvance software upgrade to latest version(HID Part Number: EL-EADV-UPGRD)	4,045.71
AC-HID-EL-K12-SVM	1 copy of SVM software, includes Free Administrator™ software (admin/reporting) Special bundle package for K-12 schools only (HID # EL-K12-SVM)(HID Part Number: EL-K12-SVM)	2,544.87
AC-HID-EL-SOS-K12	Sex offender screening service per year per system Special bundle package for K-12 schools only (HID # EL-SOS-K12)(HID Part Number: EL-SOS-K12)	905.43
AC-HID-EL-SS-R2	ACUANT SNAPSHELL R2 DRIVER'S LICENSE SCANNER (COO: Israel) (HID # EL-SS-R2)	2,662.44
AC-HID-EL-SSA-ACIS	A/C INTEGRATION ANNUAL MAINTENANCE PER COPY (INCLUDES UPGRADES AND UPDATES)	1,324.34
AC-HID-EL-SSA-EADVS	EADVANCE ANNUAL MAINTENANCE PER COPY (INCLUDES UPGRADES AND UPDATES)(HID Part Number: EL-SSA-EADVS)	1,323.94
AC-HID-EL-SSA-K12S	K12 ANNUAL SOFTWARE MAINTENANCE PLAN (FOR FREE UPDATES AND UPGRADES) = PER YEAR PER SYSTEM	488.13

All prices are exclusive of taxes and freight. Motorola Solutions reserves the right to make changes to pricing and discount margins. All installation and use of Access Control Manager software is governed by its end user license agreement (EULA).

CONFIDENTIAL : The contents of this document are considered confidential and should not be posted on a public access website, made available for general public distribution, or otherwise shared with others without prior written authorization from Motorola Solutions Inc. ("Motorola Solutions").

AC-HID-EL-SSA-SVMS	SVM ANNUAL MAINTENANCE PER COPY (INCLUDES ALL UPDATES AND UPGRADES)(HID Part Number: EL-SSA-SVMS)	1,106.16
AC-HID-EL-SVM10-UPGRD	SVM software upgrade to SVM10(HID Part Number: EL-SVM10-UPGRD)	3,224.35
AC-HID-EL-TOP-1X5	Topaz SignatureGem LCD 1x5 SigPad (signature block only) (HID Part Number: EL-TOP-1X5)	1,025.28

HID pivCLASS

MODEL NUMBER	DESCRIPTION	MSRP \$
AC-HID-PIVCLASS-00NHPTEK00088	RDR, R10-H, PIVCLASS, SE E, LF OFF, HF STD/SIO/SEOS/FIPS/CAK, 485HDX, TERM, BLK, STD-1, LED RED, FLSH GRN, BZR ON, FIPS 64-BIT REVERSE BCD, IPM OFF, UART OFF, WIEG ON	195.93
AC-HID-PIVCLASS-20HNKS-03-0004XR	Signo PIV 20, Pigtal, Prox Enabled, HDX, 200Bit FASC-N with UUID 128Bit fallback	384.18
AC-HID-PIVCLASS-20HNKS-03-00059X	Signo PIV 20, Pigtal, Prox Disabled, HDX, 200Bit FASC-N with UUID 128Bit fallback	384.18
AC-HID-PIVCLASS-20HTKS-03-0004XR	Signo PIV 20, Terminal, Prox Enabled, HDX, 200Bit FASC-N with UUID 128Bit fallback	384.18
AC-HID-PIVCLASS-20HTKS-03-00059X	Signo PIV 20, Terminal, Prox Disabled, HDX, 200Bit FASC-N with UUID 128Bit fallback	384.18
AC-HID-PIVCLASS-20KHNS-03-0004XR	Signo PIV 20K, Keypad, Pigtal, Prox Enabled, HDX, 200Bit FASC-N with UUID 128Bit fallback	610.74
AC-HID-PIVCLASS-20KHNS-03-00059X	Signo PIV 20K, Keypad, Pigtal, Prox Disabled, HDX, 200Bit FASC-N with UUID 128Bit fallback	610.74
AC-HID-PIVCLASS-20KHTKS-03-0004XR	Signo PIV 20K, Keypad, Terminal, Prox Enabled, HDX, 200Bit FASC-N with UUID 128Bit fallback	610.74
AC-HID-PIVCLASS-20KHTKS-03-00059X	Signo PIV 20K, Keypad, Terminal, Prox Disabled, HDX, 200Bit FASC-N with UUID 128Bit fallback	610.74
AC-HID-PIVCLASS-40HNKS-03-0004XR	Signo PIV 40, Pigtal, Prox Enabled, HDX, 200Bit FASC-N with UUID 128Bit fallback	394.03
AC-HID-PIVCLASS-40HNKS-03-00059X	Signo PIV 40, Pigtal, Prox Disabled, HDX, 200Bit FASC-N with UUID 128Bit fallback	394.03
AC-HID-PIVCLASS-40HTKS-03-0004XR	Signo PIV 40, Terminal, Prox Enabled, HDX, 200Bit FASC-N with UUID 128Bit fallback	394.03
AC-HID-PIVCLASS-40HTKS-03-00059X	Signo PIV 40, Terminal, Prox Disabled, HDX, 200Bit FASC-N with UUID 128Bit fallback	394.03
AC-HID-PIVCLASS-40KHNS-03-0004XR	Signo PIV 40K, Keypad, Pigtal, Prox Enabled, HDX, 200Bit FASC-N with UUID 128Bit fallback	610.74
AC-HID-PIVCLASS-40KHNS-03-00059X	Signo PIV 40K, Keypad, Pigtal, Prox Disabled, HDX, 200Bit FASC-N with UUID 128Bit fallback	610.74
AC-HID-PIVCLASS-40KHTKS-03-0004XR	Signo PIV 40K, Keypad, Terminal, Prox Enabled, HDX, 200Bit FASC-N with UUID 128Bit fallback	610.74
AC-HID-PIVCLASS-40KHTKS-03-00059X	Signo PIV 40K, Keypad, Terminal, Prox Disabled, HDX, 200Bit FASC-N with UUID 128Bit fallback	610.74
AC-HID-PIVCLASS-6132AKL	SPACER ACC KIT, PIVCLASS RDR, BLK, ERGO ANGLE, LEFT	21.73
AC-HID-PIVCLASS-900NHPNEK0000R	RDR, R10-H, PIVCLASS, SE E, LF OFF, HF STD/SIO/SEOS/FIPS/CAK, 485HDX, PIG, BLK, STD-1, OSDP V1, OPEN COLL, OSDP TAMP ENBLD, TEST KEYS, POLL=75MS, A/V OFF, FIPS 200-BIT, IPM OFF, UART OFF, WIEG OFF	195.93
AC-HID-PIVCLASS-900NHPNEK00088	RDR, R10-H, PIVCLASS, SE E, LF OFF, HF STD/SIO/SEOS/FIPS/CAK, 485HDX, PIG, BLK, STD-1, LED RED, FLSH GRN, BZR ON, OPT TAMP, OPEN COLL, FIPS 64-BIT REVERSE BCD, IPM OFF, UART OFF, WIEG ON	195.93
AC-HID-PIVCLASS-900NHPNEK000UF	RDR, R10-H, PIVCLASS, SE E, LF OFF, HF STD/SIO/SEOS/FIPS/CAK, 485HDX, PIG, BLK, STD-1, OSDP V2, OPEN COLL, OSDP TAMP ENBLD, TEST KEYS, POLL=75MS, A/V OFF, FIPS 200-BIT, IPM OFF, UART OFF, WIEG OFF	195.93
AC-HID-PIVCLASS-900NHPNEK0032Q	RDR, R10-H, PIVCLASS, SE E, LF OFF, HF STD/SIO/SEOS/FIPS/CAK, 485HDX, PIG, BLK, STD-1, LED RED, FLSH GRN, BZR ON, OPT TAMP, OPEN COLL, FIPS 200-BIT, IPM OFF, UART OFF, WIEG ON	195.93
AC-HID-PIVCLASS-900NHPNEK00336		195.93

All prices are exclusive of taxes and freight. Motorola Solutions reserves the right to make changes to pricing and discount margins. All installation and use of Access Control Manager software is governed by its end user license agreement (EULA).

CONFIDENTIAL : The contents of this document are considered confidential and should not be posted on a public access website, made available for general public distribution, or otherwise shared with others without prior written authorization from Motorola Solutions Inc. ("Motorola Solutions").

	RDR, R10-H, PIVCLASS, SE E, LF OFF, HF STD/SIO/SEOS/FIPS/CAK, 485HDX, PIG, BLK, STD-1, LED RED, FLSH GRN, BZR ON, OPT TAMP, OPEN COLL, FIPS 75-BIT, IPM OFF, UART OFF, WIEG ON	
AC-HID-PIVCLASS-900NHPNEKE032Q	RDR, R10-H, PIVCLASS, SE E, LF OFF, HF STD/SIO/SEOS/FIPS/CAK, 485HDX, PIG, BLK, STD-1, LED RED, FLSH GRN, BZR ON, OPT TAMP, OPEN COLL, FIPS 200-BIT, IPM OFF, UART OFF, WIEG ON	195.93
AC-HID-PIVCLASS-900NHPTEK0000R	RDR, R10-H, PIVCLASS, SE E, LF OFF, HF STD/SIO/SEOS/FIPS/CAK, 485HDX, TERM, BLK, STD-1, OSDP V1, OPEN COLL, OSDP TAMP ENBLD, TEST KEYS, POLL=75MS, A/V OFF, FIPS 200-BIT, IPM OFF, UART OFF, WIEG OFF	195.93
AC-HID-PIVCLASS-900NHPTEK000UF	RDR, R10-H, PIVCLASS, SE E, LF OFF, HF STD/SIO/SEOS/FIPS/CAK, 485HDX, TERM, BLK, STD-1, OSDP V2, OPEN COLL, OSDP TAMP ENBLD, TEST KEYS, POLL=75MS, A/V OFF, FIPS 200-BIT, IPM OFF, UART OFF, WIEG OFF	195.93
AC-HID-PIVCLASS-900NHPTEK0032Q	RDR, R10-H, PIVCLASS, SE E, LF OFF, HF STD/SIO/SEOS/FIPS/CAK, 485HDX, TERM, BLK, STD-1, LED RED, FLSH GRN, BZR ON, OPT TAMP, OPEN COLL, FIPS 200-BIT, IPM OFF, UART OFF, WIEG ON	195.93
AC-HID-PIVCLASS-900NHPTEK00336	RDR, R10-H, PIVCLASS, SE E, LF OFF, HF STD/SIO/SEOS/FIPS/CAK, 485HDX, TERM, BLK, STD-1, LED RED, FLSH GRN, BZR ON, OPT TAMP, OPEN COLL, FIPS 75-BIT, IPM OFF, UART OFF, WIEG ON	195.93
AC-HID-PIVCLASS-900NHPTEK00337	RDR, R10-H, PIVCLASS, SE E, LF OFF, HF STD/SIO/SEOS/FIPS/CAK, 485HDX, TERM, BLK, STD-1, LED RED, FLSH GRN, BZR ON, OPT TAMP, OPEN COLL, FIPS 64-BIT, IPM OFF, UART OFF, WIEG ON	195.93
AC-HID-PIVCLASS-900NHPTEK0036L	RDR, R10-H, PIVCLASS, SE E, LF OFF, HF STD/SIO/SEOS/FIPS/CAK, 485HDX, TERM, BLK, STD-1, A/V OFF, OSDP V1, OPT TAMP, OPEN COLL, OSDP TAMP DISBLD, TEST KEYS, POLL=75MS, FIPS 200-BIT, IPM OFF, UART OFF, WIEG OFF	195.93
AC-HID-PIVCLASS-900NHPTEKE036N	RDR, R10-H, PIVCLASS, SE E, LF OFF, HF STD/SIO/SEOS/FIPS/CAK, 485HDX, TERM, BLK, ELITE, A/V OFF, OSDP V1, OPT TAMP, OPEN COLL, OSDP TAMP ENBLD, TEST KEYS, POLL=75MS, FIPS 200-BIT, IPM OFF, UART OFF, WIEG OFF	195.93
AC-HID-PIVCLASS-900NHRNEK0000C	RDR, R10-H, PIVCLASS, SE E, LF OFF, HF STD/SIO/SEOS/FIPS/CAK, 485FDX, PIG, BLK, STD-1, LED RED, FLSH GRN, BZR ON, OPT TAMP, OPEN COLL, FIPS 200-BIT, IPM OFF, UART OFF, WIEG ON	195.93
AC-HID-PIVCLASS-900NHRNEK00018	RDR, R10-H, PIVCLASS, SE E, LF OFF, HF STD/SIO/SEOS/FIPS/CAK, 485FDX, PIG, BLK, STD-1, LED RED, FLSH GRN, BZR ON, OPT TAMP, OPEN COLL, FIPS 75-BIT, MIF/DES 56-BIT CSN, IPM OFF, UART OFF, WIEG ON	195.93
AC-HID-PIVCLASS-900NHRNEK0001T	RDR, R10-H, PIVCLASS, SE E, LF OFF, HF STD/SIO/SEOS/FIPS/CAK, 485FDX, PIG, BLK, STD-1, LED RED, FLSH GRN, BZR ON, OPT TAMP, OPEN COLL, FIPS 75-BIT, IPM OFF, UART OFF, WIEG ON	195.93
AC-HID-PIVCLASS-900NHRNEK0001Y	RDR, R10-H, PIVCLASS, SE E, LF OFF, HF STD/SIO/SEOS/FIPS/CAK, 485FDX, PIG, BLK, STD-1, LED RED, FLSH OFF, BZR ON, OPT TAMP, OPEN COLL, FIPS 64-BIT, BCD, IPM OFF, UART OFF, WIEG ON	195.93
AC-HID-PIVCLASS-900NHRNEK00032	RDR, R10-H, PIVCLASS, SE E, LF OFF, HF STD/SIO/SEOS/FIPS/CAK, 485FDX, PIG, BLK, STD-1, LED OFF, FLSH OFF, BZR ON, OPT TAMP, OPEN COLL, FIPS 64-BIT, RVRS BCD, IPM OFF, UART OFF, WIEG ON	195.93
AC-HID-PIVCLASS-900NHRNEK00038	RDR, R10-H, PIVCLASS, SE E, LF OFF, HF STD/SIO/SEOS/FIPS/CAK, 485FDX, PIG, BLK, STD-1, LED RED, FLSH GRN, BZR ON, OPT TAMP, OPEN COLL, FIPS 200-BIT, MIF/DES 56-BIT CSN, IPM OFF, UART OFF, WIEG ON	195.93
AC-HID-PIVCLASS-900NHRNEK0005W	RDR, R10-H, PIVCLASS, SE E, LF OFF, HF STD/SIO/SEOS/FIPS/CAK, 485FDX, PIG, BLK, STD-1, LED RED, FLSH GRN, BZR ON, OPT TAMP, OPEN COLL, FIPS 64-BIT, BCD, IPM OFF, UART OFF, WIEG ON	195.93
AC-HID-PIVCLASS-900NHRNEK00110	RDR, R10-H, PIVCLASS, SE E, LF OFF, HF STD/SIO/SEOS/FIPS/CAK, 485FDX, PIG, BLK, STD-1, LED RED, FLSH GRN, BZR ON, OPT TAMP, OPEN COLL, FIPS 40-BIT, BCD, IPM OFF, UART OFF, WIEG ON	195.93
AC-HID-PIVCLASS-900NHRNEK0012W	RDR, R10-H, PIVCLASS, SE E, LF OFF, HF STD/SIO/SEOS/FIPS/CAK, 485FDX, PIG, BLK, STD-1, LED RED, FLSH OFF, BZR ON, OPT TAMP, OPEN COLL, FIPS 75-BIT, IPM OFF, UART OFF, WIEG ON	195.93
AC-HID-PIVCLASS-900NHRNEK00220	RDR, R10-H, PIVCLASS, SE E, LF OFF, HF STD/SIO/SEOS/FIPS/CAK, 485FDX, PIG, BLK, STD-1, LED RED, FLSH GRN, BZR ON, OPT TAMP, OPEN COLL, FIPS 128-BIT, FASCN + RMV OVRHD, IPM OFF, UART OFF, WIEG ON	195.93
AC-HID-PIVCLASS-900NHRNEK00226	RDR, R10-H, PIVCLASS, SE E, LF OFF, HF STD/SIO/SEOS/FIPS/CAK, 485FDX, PIG, BLK, STD-1, LED OFF, FLSH GRN, BZR OFF, OPT TAMP, OPEN COLL, FIPS 200-BIT, IPM OFF, UART OFF, WIEG ON	195.93
AC-HID-PIVCLASS-900NHRNEK0032Y		195.93

All prices are exclusive of taxes and freight. Motorola Solutions reserves the right to make changes to pricing and discount margins. All installation and use of Access Control Manager software is governed by its end user license agreement (EULA).

CONFIDENTIAL : The contents of this document are considered confidential and should not be posted on a public access website, made available for general public distribution, or otherwise shared with others without prior written authorization from Motorola Solutions Inc. ("Motorola Solutions").

	RDR, R10-H, PIVCLASS, SE E, LF OFF, HF STD/SIO/SEOS/FIPS/CAK, 485FDX, PIG, BLK, STD-1, LED RED, FLSH GRN, BZR ON, OPT TAMP, OPEN COLL, IPM OFF, UART ON, WIEG OFF	
AC-HID-PIVCLASS-900NHRNEK0037D	RDR, R10-H, PIVCLASS, SE E, LF OFF, HF STD/SIO/SEOS/FIPS/CAK, 485FDX, PIG, BLK, STD-1, LED RED, FLSH GRN, BZR ON, OPT TAMP, OPEN COLL, FIPS 64-BIT REVERSE BCD, IPM OFF, UART OFF, WIEG ON	195.93
AC-HID-PIVCLASS-900NHRNEKE000C	RDR, R10-H, PIVCLASS, SE E, LF OFF, HF STD/SIO/SEOS/FIPS/CAK, 485FDX, PIG, BLK, ELITE KEYS, LED RED, FLSH GRN, BZR ON, OPT TAMP, OPEN COLL, FIPS 200-BIT, IPM OFF, UART OFF, WIEG ON	195.93
AC-HID-PIVCLASS-900NHRNEKE001T	RDR, R10-H, PIVCLASS, SE E, LF OFF, HF STD/SIO/SEOS/FIPS/CAK, 485FDX, PIG, BLK, ELITE KEYS, LED RED, FLSH GRN, BZR ON, OPT TAMP, OPEN COLL, FIPS 75-BIT, IPM OFF, UART OFF, WIEG ON	195.93
AC-HID-PIVCLASS-900NHRTEK0000C	RDR, R10-H, PIVCLASS, SE E, LF OFF, HF STD/SIO/SEOS/FIPS/CAK, 485FDX, TERM, BLK, STD-1, LED RED, FLSH GRN, BZR ON, OPT TAMP, OPEN COLL, FIPS 200-BIT, IPM OFF, UART OFF, WIEG ON	195.93
AC-HID-PIVCLASS-900NHRTEK00018	RDR, R10-H, PIVCLASS, SE E, LF OFF, HF STD/SIO/SEOS/FIPS/CAK, 485FDX, TERM, BLK, STD-1, LED RED, FLSH GRN, BZR ON, OPT TAMP, OPEN COLL, FIPS 75-BIT, MIF/DES 56-BIT CSN, IPM OFF, UART OFF, WIEG ON	195.93
AC-HID-PIVCLASS-900NHRTEK0001T	RDR, R10-H, PIVCLASS, SE E, LF OFF, HF STD/SIO/SEOS/FIPS/CAK, 485FDX, TERM, BLK, STD-1, LED RED, FLSH GRN, BZR ON, OPT TAMP, OPEN COLL, FIPS 75-BIT, IPM OFF, UART OFF, WIEG ON	195.93
AC-HID-PIVCLASS-900NHRTEK00038	RDR, R10-H, PIVCLASS, SE E, LF OFF, HF STD/SIO/SEOS/FIPS/CAK, 485FDX, TERM, BLK, STD-1, LED RED, FLSH GRN, BZR ON, OPT TAMP, OPEN COLL, FIPS 200-BIT, MIF/DES 56-BIT CSN, IPM OFF, UART OFF, WIEG ON	195.93
AC-HID-PIVCLASS-900NHRTEK0003C	RDR, R10-H, PIVCLASS, SE E, LF OFF, HF STD/SIO/SEOS/FIPS/CAK, 485FDX, TERM, BLK, STD-1, LED OFF, FLSH OFF, BZR ON, OPT TAMP, OPEN COLL, FIPS 200-BIT, IPM OFF, UART OFF, WIEG ON	195.93
AC-HID-PIVCLASS-900NHRTEK0032Y	RDR, R10-H, PIVCLASS, SE E, LF OFF, HF STD/SIO/SEOS/FIPS/CAK, 485FDX, TERM, BLK, STD-1, LED RED, FLSH GRN, BZR ON, OPT TAMP, OPEN COLL, IPM OFF, UART ON, WIEG OFF	195.93
AC-HID-PIVCLASS-900NHRTEKE000C	RDR, R10-H, PIVCLASS, SE E, LF OFF, HF STD/SIO/SEOS/FIPS/CAK, 485FDX, TERM, BLK, STD-1, LED RED, FLSH GRN, BZR ON, OPT TAMP, OPEN COLL, FIPS 200-BIT, IPM OFF, UART OFF, WIEG ON	195.93
AC-HID-PIVCLASS-900PHPNEK0000V	RDR, RP10-H, PIVCLASS, SE E, LF STD, HF STD/SIO/SEOS/FIPS/CAK, 485HDX, PIG, BLK, STD-1, OSDP V1, OPEN COLL, OSDP TAMP ENBLD, TEST KEYS, POLL=75MS, A/V OFF, FIPS 200-BIT, IPM OFF, UART OFF, WIEG OFF	239.20
AC-HID-PIVCLASS-900PHPNEK0003Y	RDR, RP10-H, PIVCLASS, SE E, LF STD, HF STD/SIO/SEOS/FIPS/CAK, 485HDX, PIG, BLK, STD-1, LED RED, FLSH GRN, BZR ON, OPT TAMP, OPEN COLL, FIPS 64-BIT REVERSE BCD, IPM OFF, UART OFF, WIEG ON	239.20
AC-HID-PIVCLASS-900PHPNEK000HA	RDR, RP10-H, PIVCLASS, SE E, LF STD, HF STD/SIO/SEOS/FIPS/CAK, 485HDX, PIG, BLK, STD-1, LED RED, FLSH GRN, BZR ON, FIPS 128-BIT REVERSED, IPM OFF, UART OFF, WIEG ON	239.20
AC-HID-PIVCLASS-900PHPNEK000UH	RDR, RP10-H, PIVCLASS, SE E, LF STD, HF STD/SIO/SEOS/FIPS/CAK, 485HDX, PIG, BLK, STD-1, OSDP V2, OPEN COLL, OSDP TAMP ENBLD, TEST KEYS, POLL=75MS, A/V OFF, FIPS 200-BIT, IPM OFF, UART OFF, WIEG OFF	239.20
AC-HID-PIVCLASS-900PHPNEK0032U	RDR, RP10-H, PIVCLASS, SE E, LF STD, HF STD/SIO/SEOS/FIPS/CAK, 485HDX, PIG, BLK, STD-1, LED RED, FLSH GRN, BZR ON, OPT TAMP, OPEN COLL, FIPS 200-BIT, IPM OFF, UART OFF, WIEG ON	239.20
AC-HID-PIVCLASS-900PHPNEK00332	RDR, RP10-H, PIVCLASS, SE E, LF STD, HF STD/SIO/SEOS/FIPS/CAK, 485HDX, PIG, BLK, STD-1, OSDP V1, OPEN COLL, OSDP TAMP ENBLD, TEST KEYS, POLL=75MS, A/V OFF, FIPS 75-BIT, IPM OFF, UART OFF, WIEG OFF	239.20
AC-HID-PIVCLASS-900PHPNEK00335	RDR, RP10-H, PIVCLASS, SE E, LF STD, HF STD/SIO/SEOS/FIPS/CAK, 485HDX, PIG, BLK, STD-1, OSDP V1, OPEN COLL, OSDP TAMP ENBLD, TEST KEYS, POLL=75MS, A/V OFF, FIPS 64-BIT, IPM OFF, UART OFF, WIEG OFF	239.20
AC-HID-PIVCLASS-900PHPNEK00338	RDR, RP10-H, PIVCLASS, SE E, LF STD, HF STD/SIO/SEOS/FIPS/CAK, 485HDX, PIG, BLK, STD-1, LED RED, FLSH GRN, BZR ON, OPT TAMP, OPEN COLL, FIPS 75-BIT, IPM OFF, UART OFF, WIEG ON	239.20
AC-HID-PIVCLASS-900PHPNEK00339	RDR, RP10-H, PIVCLASS, SE E, LF STD, HF STD/SIO/SEOS/FIPS/CAK, 485HDX, PIG, BLK, STD-1, LED RED, FLSH GRN, BZR ON, OPT TAMP, OPEN COLL, FIPS 64-BIT, IPM OFF, UART OFF, WIEG ON	239.20
AC-HID-PIVCLASS-900PHPNEKE000V		239.20

All prices are exclusive of taxes and freight. Motorola Solutions reserves the right to make changes to pricing and discount margins. All installation and use of Access Control Manager software is governed by its end user license agreement (EULA).

CONFIDENTIAL : The contents of this document are considered confidential and should not be posted on a public access website, made available for general public distribution, or otherwise shared with others without prior written authorization from Motorola Solutions Inc. ("Motorola Solutions").

	RDR, RP10-H, PIVCLASS, SE E, LF STD, HF STD/SIO/SEOS/FIPS/CAK, 485HDX, PIG, BLK, STD-1, OSDP V1, OPEN COLL, OSDP TAMP ENBLD, TEST KEYS, POLL=75MS, A/V OFF, FIPS 200-BIT, IPM OFF, UART OFF, WIEG OFF	
AC-HID-PIVCLASS-900PHPNEKE003Y	RDR, RP10-H, PIVCLASS, SE E, LF STD, HF STD/SIO/SEOS/FIPS/CAK, 485HDX, PIG, BLK, STD-1, LED RED, FLSH GRN, BZR ON, OPT TAMP, OPEN COLL, FIPS 64-BIT REVERSE BCD, IPM OFF, UART OFF, WIEG ON	239.20
AC-HID-PIVCLASS-900PHPNEKE00HA	RDR, RP10-H, PIVCLASS, SE E, LF STD, HF STD/SIO/SEOS/FIPS/CAK, 485HDX, PIG, BLK, ELITE, LED RED, FLSH GRN, BZR ON, FIPS 128-BIT REVERSED, IPM OFF, UART OFF, WIEG ON	239.20
AC-HID-PIVCLASS-900PHPNEKE032U	RDR, RP10-H, PIVCLASS, SE E, LF STD, HF STD/SIO/SEOS/FIPS/CAK, 485HDX, PIG, BLK, STD-1, LED RED, FLSH GRN, BZR ON, OPT TAMP, OPEN COLL, FIPS 200-BIT, IPM OFF, UART OFF, WIEG ON	239.20
AC-HID-PIVCLASS-900PHPNEKE0332	RDR, RP10-H, PIVCLASS, SE E, LF STD, HF STD/SIO/SEOS/FIPS/CAK, 485HDX, PIG, BLK, STD-1, OSDP V1, OPEN COLL, OSDP TAMP ENBLD, TEST KEYS, POLL=75MS, A/V OFF, FIPS 75-BIT, IPM OFF, UART OFF, WIEG OFF	239.20
AC-HID-PIVCLASS-900PHPNEKE0335	RDR, RP10-H, PIVCLASS, SE E, LF STD, HF STD/SIO/SEOS/FIPS/CAK, 485HDX, PIG, BLK, STD-1, OSDP V1, OPEN COLL, OSDP TAMP ENBLD, TEST KEYS, POLL=75MS, A/V OFF, FIPS 64-BIT, IPM OFF, UART OFF, WIEG OFF	239.20
AC-HID-PIVCLASS-900PHPNEKE0338	RDR, RP10-H, PIVCLASS, SE E, LF STD, HF STD/SIO/SEOS/FIPS/CAK, 485HDX, PIG, BLK, STD-1, LED RED, FLSH GRN, BZR ON, OPT TAMP, OPEN COLL, FIPS 75-BIT, IPM OFF, UART OFF, WIEG ON	239.20
AC-HID-PIVCLASS-900PHPNEKE0339	RDR, RP10-H, PIVCLASS, SE E, LF STD, HF STD/SIO/SEOS/FIPS/CAK, 485HDX, PIG, BLK, STD-1, LED RED, FLSH GRN, BZR ON, OPT TAMP, OPEN COLL, FIPS 64-BIT, IPM OFF, UART OFF, WIEG ON	239.20
AC-HID-PIVCLASS-900PHPTEK0000V	RDR, RP10-H, PIVCLASS, SE E, LF STD, HF STD/SIO/SEOS/FIPS/CAK, 485HDX, TERM, BLK, STD-1, OSDP V1, OPEN COLL, OSDP TAMP ENBLD, TEST KEYS, POLL=75MS, A/V OFF, FIPS 200-BIT, IPM OFF, UART OFF, WIEG OFF	239.20
AC-HID-PIVCLASS-900PHPTEK0003Y	RDR, RP10-H, PIVCLASS, SE E, LF STD, HF STD/SIO/SEOS/FIPS/CAK, 485HDX, TERM, BLK, STD-1, LED RED, FLSH GRN, BZR ON, OPT TAMP, OPEN COLL, FIPS 64-BIT REVERSE BCD, IPM OFF, UART OFF, WIEG ON	239.20
AC-HID-PIVCLASS-900PHPTEK000HA	RDR, RP10-H, PIVCLASS, SE E, LF STD, HF STD/SIO/SEOS/FIPS/CAK, 485HDX, TERM, BLK, STD-1, LED RED, FLSH GRN, BZR ON, FIPS 128-BIT REVERSED, IPM OFF, UART OFF, WIEG ON	239.20
AC-HID-PIVCLASS-900PHPTEK000UH	RDR, RP10-H, PIVCLASS, SE E, LF STD, HF STD/SIO/SEOS/FIPS/CAK, 485HDX, TERM, BLK, STD-1, OSDP V2, OPEN COLL, OSDP TAMP ENBLD, TEST KEYS, POLL=75MS, A/V OFF, FIPS 200-BIT, IPM OFF, UART OFF, WIEG OFF	239.20
AC-HID-PIVCLASS-900PHPTEK0032U	RDR, RP10-H, PIVCLASS, SE E, LF STD, HF STD/SIO/SEOS/FIPS/CAK, 485HDX, TERM, BLK, STD-1, LED RED, FLSH GRN, BZR ON, OPT TAMP, OPEN COLL, FIPS 200-BIT, IPM OFF, UART OFF, WIEG ON	239.20
AC-HID-PIVCLASS-900PHPTEK00332	RDR, RP10-H, PIVCLASS, SE E, LF STD, HF STD/SIO/SEOS/FIPS/CAK, 485HDX, TERM, BLK, STD-1, OSDP V1, OPEN COLL, OSDP TAMP ENBLD, TEST KEYS, POLL=75MS, A/V OFF, FIPS 75-BIT, IPM OFF, UART OFF, WIEG OFF	239.20
AC-HID-PIVCLASS-900PHPTEK00335	RDR, RP10-H, PIVCLASS, SE E, LF STD, HF STD/SIO/SEOS/FIPS/CAK, 485HDX, TERM, BLK, STD-1, OSDP V1, OPEN COLL, OSDP TAMP ENBLD, TEST KEYS, POLL=75MS, A/V OFF, FIPS 64-BIT, IPM OFF, UART OFF, WIEG OFF	239.20
AC-HID-PIVCLASS-900PHPTEK00338	RDR, RP10-H, PIVCLASS, SE E, LF STD, HF STD/SIO/SEOS/FIPS/CAK, 485HDX, TERM, BLK, STD-1, LED RED, FLSH GRN, BZR ON, OPT TAMP, OPEN COLL, FIPS 75-BIT, IPM OFF, UART OFF, WIEG ON	239.20
AC-HID-PIVCLASS-900PHPTEK00339	RDR, RP10-H, PIVCLASS, SE E, LF STD, HF STD/SIO/SEOS/FIPS/CAK, 485HDX, TERM, BLK, STD-1, LED RED, FLSH GRN, BZR ON, OPT TAMP, OPEN COLL, FIPS 64-BIT, IPM OFF, UART OFF, WIEG ON	239.20
AC-HID-PIVCLASS-900PHPTEKE000V	RDR, RP10-H, PIVCLASS, SE E, LF STD, HF STD/SIO/SEOS/FIPS/CAK, 485HDX, TERM, BLK, STD-1, OSDP V1, OPEN COLL, OSDP TAMP ENBLD, TEST KEYS, POLL=75MS, A/V OFF, FIPS 200-BIT, IPM OFF, UART OFF, WIEG OFF	239.20
AC-HID-PIVCLASS-900PHPTEKE003Y	RDR, RP10-H, PIVCLASS, SE E, LF STD, HF STD/SIO/SEOS/FIPS/CAK, 485HDX, TERM, BLK, STD-1, LED RED, FLSH GRN, BZR ON, OPT TAMP, OPEN COLL, FIPS 64-BIT REVERSE BCD, IPM OFF, UART OFF, WIEG ON	239.20
AC-HID-PIVCLASS-900PHPTEKE00HA		239.20

All prices are exclusive of taxes and freight. Motorola Solutions reserves the right to make changes to pricing and discount margins. All installation and use of Access Control Manager software is governed by its end user license agreement (EULA).

CONFIDENTIAL : The contents of this document are considered confidential and should not be posted on a public access website, made available for general public distribution, or otherwise shared with others without prior written authorization from Motorola Solutions Inc. ("Motorola Solutions").

	RDR, RP10-H, PIVCLASS, SE E, LF STD, HF STD/SIO/SEOS/FIPS/CAK, 485HDX, TERM, BLK, ELITE, LED RED, FLSH GRN, BZR ON, FIPS 128-BIT REVERSED, IPM OFF, UART OFF, WIEG ON	
AC-HID-PIVCLASS-900PHPTEKE032U	RDR, RP10-H, PIVCLASS, SE E, LF STD, HF STD/SIO/SEOS/FIPS/CAK, 485HDX, TERM, BLK, STD-1, LED RED, FLSH GRN, BZR ON, OPT TAMP, OPEN COLL, FIPS 200-BIT, IPM OFF, UART OFF, WIEG ON	239.20
AC-HID-PIVCLASS-900PHPTEKE0332	RDR, RP10-H, PIVCLASS, SE E, LF STD, HF STD/SIO/SEOS/FIPS/CAK, 485HDX, TERM, BLK, STD-1, OSDP V1, OPEN COLL, OSDP TAMP ENBLD, TEST KEYS, POLL=75MS, A/V OFF, FIPS 75-BIT, IPM OFF, UART OFF, WIEG OFF	239.20
AC-HID-PIVCLASS-900PHPTEKE0335	RDR, RP10-H, PIVCLASS, SE E, LF STD, HF STD/SIO/SEOS/FIPS/CAK, 485HDX, TERM, BLK, STD-1, OSDP V1, OPEN COLL, OSDP TAMP ENBLD, TEST KEYS, POLL=75MS, A/V OFF, FIPS 64-BIT, IPM OFF, UART OFF, WIEG OFF	239.20
AC-HID-PIVCLASS-900PHPTEKE0338	RDR, RP10-H, PIVCLASS, SE E, LF STD, HF STD/SIO/SEOS/FIPS/CAK, 485HDX, TERM, BLK, STD-1, LED RED, FLSH GRN, BZR ON, OPT TAMP, OPEN COLL, FIPS 75-BIT, IPM OFF, UART OFF, WIEG ON	239.20
AC-HID-PIVCLASS-900PHPTEKE0339	RDR, RP10-H, PIVCLASS, SE E, LF STD, HF STD/SIO/SEOS/FIPS/CAK, 485HDX, TERM, BLK, STD-1, LED RED, FLSH GRN, BZR ON, OPT TAMP, OPEN COLL, FIPS 64-BIT, IPM OFF, UART OFF, WIEG ON	239.20
AC-HID-PIVCLASS-900PHRNEK00004	RDR, RP10-H, PIVCLASS, SE E, LF STD, HF STD/SIO/SEOS/FIPS/CAK, 485FDX, PIG, BLK, STD-1, LED RED, FLSH GRN, BZR ON, OPT TAMP, OPEN COLL, FIPS 200-BIT, IPM OFF, UART OFF, WIEG ON	239.20
AC-HID-PIVCLASS-900PHRNEK00005	RDR, RP10-H, PIVCLASS, SE E, LF STD, HF STD/SIO/SEOS/FIPS/CAK, 485FDX, PIG, BLK, STD-1, LED RED, FLSH GRN, BZR ON, OPT TAMP, OPEN COLL, FIPS 75-BIT, IPM OFF, UART OFF, WIEG ON	239.20
AC-HID-PIVCLASS-900PHRNEK00006	RDR, RP10-H, PIVCLASS, SE E, LF STD, HF STD/SIO/SEOS/FIPS/CAK, 485FDX, PIG, BLK, STD-1, LED RED, FLSH GRN, BZR ON, OPT TAMP, OPEN COLL, FIPS 64-BIT, IPM OFF, UART OFF, WIEG ON	239.20
AC-HID-PIVCLASS-900PHRNEK00007	RDR, RP10-H, PIVCLASS, SE E, LF STD, HF STD/SIO/SEOS/FIPS/CAK, 485FDX, PIG, BLK, STD-1, LED RED, FLSH GRN, BZR ON, OPT TAMP, OPEN COLL, IPM OFF, UART ON, WIEG OFF	239.20
AC-HID-PIVCLASS-900PHRNEK00016	RDR, RP10-H, PIVCLASS, SE E, LF STD, HF STD/SIO/SEOS/FIPS/CAK, 485FDX, PIG, BLK, STD-1, LED RED, FLSH GRN, BZR ON, OPT TAMP, OPEN COLL, FIPS 75-BIT, MIF/DES 56-BIT CSN, IPM OFF, UART OFF, WIEG ON	239.20
AC-HID-PIVCLASS-900PHRNEK0003U	RDR, RP10-H, PIVCLASS, SE E, LF STD, HF STD/SIO/SEOS/FIPS/CAK, 485FDX, PIG, BLK, STD-1, LED RED, FLSH OFF, BZR ON, OPT TAMP, OPEN COLL, FIPS 40-BIT, BCD, IPM OFF, UART OFF, WIEG ON	239.20
AC-HID-PIVCLASS-900PHRNEK000HA	RDR, RP10-H, PIVCLASS, SE E, LF STD, HF STD/SIO/SEOS/FIPS/CAK, 485FDX, PIG, BLK, STD-1, LED RED, FLSH GRN, BZR ON, FIPS 128-BIT REVERSED, IPM OFF, UART OFF, WIEG ON	239.20
AC-HID-PIVCLASS-900PHRNEK000K2	RDR, RP10-H, PIVCLASS, SE E, LF STD, HF STD/SIO/SEOS/FIPS/CAK, 485FDX, PIG, BLK, STD-1, LED ON, FLSH OFF, BZR ON, OPT TAMP, OPEN COLL, FIPS 200 BIT, PROX FSK, IPM OFF, UART OFF, WIEG ON, CSTM SEOS LEDS	239.20
AC-HID-PIVCLASS-900PHRNEK0012K	RDR, RP10-H, PIVCLASS, SE E, LF STD, HF STD/SIO/SEOS/FIPS/CAK, 485FDX, PIG, BLK, STD-1, LED RED, FLSH OFF, BZR ON, OPT TAMP, OPEN COLL, RVRS BCD, IPM OFF, UART OFF, WIEG ON	239.20
AC-HID-PIVCLASS-900PHRNEK0037E	RDR, RP10-H, PIVCLASS, SE E, LF STD, HF STD/SIO/SEOS/FIPS/CAK, 485FDX, PIG, BLK, STD-1, LED RED, FLSH GRN, BZR ON, OPT TAMP, OPEN COLL, FIPS 64-BIT REVERSE BCD, IPM OFF, UART OFF, WIEG ON	239.20
AC-HID-PIVCLASS-900PHRNEK00466	RDR, RP10-H, PIVCLASS, SE E, LF STD, HF STD/SIO/SEOS/FIPS/CAK, 485FDX, PIG, BLK, STD-1, CSN SUPPRESSED, LED RED, FLSH GRN, BZR ON, IPM OFF, UART OFF, WIEG ON	239.20
AC-HID-PIVCLASS-900PHRNEKE0004	RDR, RP10-H, PIVCLASS, SE E, LF STD, HF STD/SIO/SEOS/FIPS/CAK, 485FDX, PIG, BLK, STD-1, LED RED, FLSH GRN, BZR ON, OPT TAMP, OPEN COLL, FIPS 200-BIT, IPM OFF, UART OFF, WIEG ON	239.20
AC-HID-PIVCLASS-900PHRNEKE0005	RDR, RP10-H, PIVCLASS, SE E, LF STD, HF STD/SIO/SEOS/FIPS/CAK, 485FDX, PIG, BLK, STD-1, LED RED, FLSH GRN, BZR ON, OPT TAMP, OPEN COLL, FIPS 75-BIT, IPM OFF, UART OFF, WIEG ON	239.20
AC-HID-PIVCLASS-900PHRNEKE0006	RDR, RP10-H, PIVCLASS, SE E, LF STD, HF STD/SIO/SEOS/FIPS/CAK, 485FDX, PIG, BLK, STD-1, LED RED, FLSH GRN, BZR ON, OPT TAMP, OPEN COLL, FIPS 64-BIT, IPM OFF, UART OFF, WIEG ON	239.20
AC-HID-PIVCLASS-900PHRNEKE0007	RDR, RP10-H, PIVCLASS, SE E, LF STD, HF STD/SIO/SEOS/FIPS/CAK, 485FDX, PIG, BLK, STD-1, LED RED, FLSH GRN, BZR ON, OPT TAMP, OPEN COLL, IPM OFF, UART ON, WIEG OFF	239.20

All prices are exclusive of taxes and freight. Motorola Solutions reserves the right to make changes to pricing and discount margins. All installation and use of Access Control Manager software is governed by its end user license agreement (EULA).

CONFIDENTIAL : The contents of this document are considered confidential and should not be posted on a public access website, made available for general public distribution, or otherwise shared with others without prior written authorization from Motorola Solutions Inc. ("Motorola Solutions").

AC-HID-PIVCLASS-900PHRNEKE00HA	RDR, RP10-H, PIVCLASS, SE E, LF STD, HF STD/SIO/SEOS/FIPS/CAK, 485FDX, PIG, BLK, ELITE, LED RED, FLSH GRN, BZR ON, FIPS 128-BIT REVERSED, IPM OFF, UART OFF, WIEG ON	239.20
AC-HID-PIVCLASS-900PHRNEKE037E	RDR, RP10-H, PIVCLASS, SE E, LF STD, HF STD/SIO/SEOS/FIPS/CAK, 485FDX, PIG, BLK, STD-1, LED RED, FLSH GRN, BZR ON, OPT TAMP, OPEN COLL, FIPS 64-BIT REVERSE BCD, IPM OFF, UART OFF, WIEG ON	239.20
AC-HID-PIVCLASS-900PHRTEK00004	RDR, RP10-H, PIVCLASS, SE E, LF STD, HF STD/SIO/SEOS/FIPS/CAK, 485FDX, TERM, BLK, STD-1, LED RED, FLSH GRN, BZR ON, OPT TAMP, OPEN COLL, FIPS 200-BIT, IPM OFF, UART OFF, WIEG ON	239.20
AC-HID-PIVCLASS-900PHRTEK00005	RDR, RP10-H, PIVCLASS, SE E, LF STD, HF STD/SIO/SEOS/FIPS/CAK, 485FDX, TERM, BLK, STD-1, LED RED, FLSH GRN, BZR ON, OPT TAMP, OPEN COLL, FIPS 75-BIT, IPM OFF, UART OFF, WIEG ON	239.20
AC-HID-PIVCLASS-900PHRTEK00006	RDR, RP10-H, PIVCLASS, SE E, LF STD, HF STD/SIO/SEOS/FIPS/CAK, 485FDX, TERM, BLK, STD-1, LED RED, FLSH GRN, BZR ON, OPT TAMP, OPEN COLL, FIPS 64-BIT, IPM OFF, UART OFF, WIEG ON	239.20
AC-HID-PIVCLASS-900PHRTEK00007	RDR, RP10-H, PIVCLASS, SE E, LF STD, HF STD/SIO/SEOS/FIPS/CAK, 485FDX, TERM, BLK, STD-1, LED RED, FLSH GRN, BZR ON, OPT TAMP, OPEN COLL, IPM OFF, UART ON, WIEG OFF	239.20
AC-HID-PIVCLASS-900PHRTEK00016	RDR, RP10-H, PIVCLASS, SE E, LF STD, HF STD/SIO/SEOS/FIPS/CAK, 485FDX, TERM, BLK, STD-1, LED RED, FLSH GRN, BZR ON, OPT TAMP, OPEN COLL, FIPS 75-BIT, IPM OFF, UART OFF, WIEG ON	239.20
AC-HID-PIVCLASS-900PHRTEK000HA	RDR, RP10-H, PIVCLASS, SE E, LF STD, HF STD/SIO/SEOS/FIPS/CAK, 485FDX, TERM, BLK, STD-1, LED RED, FLSH GRN, BZR ON, FIPS 128-BIT REVERSED, IPM OFF, UART OFF, WIEG ON	239.20
AC-HID-PIVCLASS-900PHRTEK0037E	RDR, RP10-H, PIVCLASS, SE E, LF STD, HF STD/SIO/SEOS/FIPS/CAK, 485FDX, TERM, BLK, STD-1, LED RED, FLSH GRN, BZR ON, OPT TAMP, OPEN COLL, FIPS 64-BIT REVERSE BCD, IPM OFF, UART OFF, WIEG ON	239.20
AC-HID-PIVCLASS-900PHRTEK00466	RDR, RP10-H, PIVCLASS, SE E, LF STD, HF STD/SIO/SEOS/FIPS/CAK, 485FDX, TERM, BLK, STD-1, CSN SUPPRESSED, LED RED, FLSH GRN, BZR ON, IPM OFF, UART OFF, WIEG ON	239.20
AC-HID-PIVCLASS-900PHRTEK0059B	RDR, RP10-H, PIVCLASS, SE E, LF STD, HF STD/SIO/SEOS/FIPS/CAK, 485FDX, TERM, BLK, STD-1, LED RED, FLSH GRN, BZR ON, OPT TAMP, OPN COL, FIPS 200-BIT, IPM OFF, UART OFF, WIEG ON, PATH NY NJ	239.20
AC-HID-PIVCLASS-900PHRTEKE0004	RDR, RP10-H, PIVCLASS, SE E, LF STD, HF STD/SIO/SEOS/FIPS/CAK, 485FDX, TERM, BLK, STD-1, LED RED, FLSH GRN, BZR ON, OPT TAMP, OPEN COLL, FIPS 200-BIT, IPM OFF, UART OFF, WIEG ON	239.20
AC-HID-PIVCLASS-900PHRTEKE0005	RDR, RP10-H, PIVCLASS, SE E, LF STD, HF STD/SIO/SEOS/FIPS/CAK, 485FDX, TERM, BLK, STD-1, LED RED, FLSH GRN, BZR ON, OPT TAMP, OPEN COLL, FIPS 75-BIT, IPM OFF, UART OFF, WIEG ON	239.20
AC-HID-PIVCLASS-900PHRTEKE0006	RDR, RP10-H, PIVCLASS, SE E, LF STD, HF STD/SIO/SEOS/FIPS/CAK, 485FDX, TERM, BLK, STD-1, LED RED, FLSH GRN, BZR ON, OPT TAMP, OPEN COLL, FIPS 64-BIT, IPM OFF, UART OFF, WIEG ON	239.20
AC-HID-PIVCLASS-900PHRTEKE0007	RDR, RP10-H, PIVCLASS, SE E, LF STD, HF STD/SIO/SEOS/FIPS/CAK, 485FDX, TERM, BLK, STD-1, LED RED, FLSH GRN, BZR ON, OPT TAMP, OPEN COLL, IPM OFF, UART ON, WIEG OFF	239.20
AC-HID-PIVCLASS-900PHRTEKE00HA	RDR, RP10-H, PIVCLASS, SE E, LF STD, HF STD/SIO/SEOS/FIPS/CAK, 485FDX, TERM, BLK, ELITE, LED RED, FLSH GRN, BZR ON, OPT TAMP, OPEN COLL, FIPS 128-BIT REVERSED, IPM OFF, UART OFF, WIEG ON	239.20
AC-HID-PIVCLASS-900PHRTEKE037E	RDR, RP10-H, PIVCLASS, SE E, LF STD, HF STD/SIO/SEOS/FIPS/CAK, 485FDX, TERM, BLK, STD-1, LED RED, FLSH GRN, BZR ON, OPT TAMP, OPEN COLL, FIPS 64-BIT REVERSE BCD, IPM OFF, UART OFF, WIEG ON	239.20
AC-HID-PIVCLASS-91000-MS	PAM Firmware Standard Maintenance & Support, STD M&S 8X5 M-F CST (Requires pivCLASS Supplemental Ordering Information form with ALL orders found in the pivCLASS How To Order Guide https://www.hidglobal.com/documents/how-to-order)	59.51
AC-HID-PIVCLASS-91000BNNN	PAM, PIVCLASS (Requires pivCLASS Supplemental Ordering Information form with ALL orders found in the pivCLASS How To Order Guide https://www.hidglobal.com/documents/how-to-order)	2,421.54
AC-HID-PIVCLASS-91000BNNNN	PAM, PIVCLASS, CCA ONLY, NO ENCLOSURE (Requires pivCLASS Supplemental Ordering Information form with ALL orders found in the pivCLASS How To Order Guide https://www.hidglobal.com/documents/how-to-order)	2,077.75
AC-HID-PIVCLASS-920LHRNEK0001R		362.62

All prices are exclusive of taxes and freight. Motorola Solutions reserves the right to make changes to pricing and discount margins. All installation and use of Access Control Manager software is governed by its end user license agreement (EULA).

CONFIDENTIAL : The contents of this document are considered confidential and should not be posted on a public access website, made available for general public distribution, or otherwise shared with others without prior written authorization from Motorola Solutions Inc. ("Motorola Solutions").

	RDR, RP40-H, PIVCLASS, SE E, LF CST, HF STD/SIO/SEOS/FIPS/CAK, 485FDX, PIG, BLK, STD-1, LED RED, FLSH GRN, BZR ON, OPT TAMP, OPEN COLL, FIPS 75-BIT, IPM OFF, UART OFF, WIEG ON	
AC-HID-PIVCLASS-920LHRNEK0003Q	RDR, RP40-H, PIVCLASS, SE E, LF CST, HF STD/SIO/SEOS/FIPS/CAK, 485FDX, PIG, BLK, STD-1, LED RED, FLSH GRN, BZR ON, OPT TAMP, OPEN COLL, FIPS 200-BIT, IPM OFF, UART OFF, WIEG ON	362.62
AC-HID-PIVCLASS-920LHRNEK0011P	RDR, RP40-H, PIVCLASS, SE E, LF CST, HF STD/SIO/SEOS/FIPS/CAK, 485FDX, PIG, BLK, STD-1, LED RED, FLSH GRN, BZR ON, OPT TAMP, OPEN COLL, FIPS 75-BIT, MIF/DES 56-BIT CSN, IPM OFF, UART OFF, WIEG ON	362.62
AC-HID-PIVCLASS-920NHPNEK0000R	RDR, R40-H, PIVCLASS, SE E, LF OFF, HF STD/SIO/SEOS/FIPS/CAK, 485HDX, PIG, BLK, STD-1, OSDP V1, OPEN COLL, OSDP TAMP ENBLD, TEST KEYS, POLL=75MS, A/V OFF, FIPS 200-BIT, IPM OFF, UART OFF, WIEG OFF	319.35
AC-HID-PIVCLASS-920NHPNEK00088	RDR, R40-H, PIVCLASS, SE E, LF OFF, HF STD/SIO/SEOS/FIPS/CAK, 485HDX, PIG, BLK, STD-1, LED RED, FLSH GRN, BZR ON, OPT TAMP, OPEN COLL, FIPS 64-BIT REVERSE BCD, IPM OFF, UART OFF, WIEG ON	319.35
AC-HID-PIVCLASS-920NHPNEK000MJ	RDR, R40-H, PIVCLASS, SE E, LF OFF, HF STD/SIO/SEOS/FIPS/CAK, 485HDX, PIG, BLK, STD-1, A/V OFF, OSDP V2, OPT TAMP, OPEN COLL, OSDP TAMP ENBLD, TEST KEYS, POLL=50MS, FIPS 200-BIT, IPM OFF, UART ON, WIEG OFF	319.35
AC-HID-PIVCLASS-920NHPNEK000P1	RDR, R40-H, PIVCLASS, SE E, LF OFF, HF STD/SIO/SEOS/FIPS/CAK, 485HDX, PIG, BLK, STD-1, A/V OFF, OSDP V2, OPT TAMP, OPEN COLL, OSDP TAMP ENBLD, TEST KEYS, POLL=75MS, IPM OFF	319.35
AC-HID-PIVCLASS-920NHPNEK0032Q	RDR, R40-H, PIVCLASS, SE E, LF OFF, HF STD/SIO/SEOS/FIPS/CAK, 485HDX, PIG, BLK, STD-1, LED RED, FLSH GRN, BZR ON, OPT TAMP, OPEN COLL, FIPS 200-BIT, IPM OFF, UART OFF, WIEG ON	319.35
AC-HID-PIVCLASS-920NHPNEK00330	RDR, R40-H, PIVCLASS, SE E, LF OFF, HF STD/SIO/SEOS/FIPS/CAK, 485HDX, PIG, BLK, STD-1, OSDP V1, OPEN COLL, OSDP TAMP ENBLD, TEST KEYS, POLL=75MS, A/V OFF, FIPS 75-BIT, IPM OFF, UART OFF, WIEG OFF	319.35
AC-HID-PIVCLASS-920NHPNEK00336	RDR, R40-H, PIVCLASS, SE E, LF OFF, HF STD/SIO/SEOS/FIPS/CAK, 485HDX, PIG, BLK, STD-1, LED RED, FLSH GRN, BZR ON, OPT TAMP, OPEN COLL, FIPS 75-BIT, IPM OFF, UART OFF, WIEG ON	319.35
AC-HID-PIVCLASS-920NHPNEKE032Q	RDR, R40-H, PIVCLASS, SE E, LF OFF, HF STD/SIO/SEOS/FIPS/CAK, 485HDX, PIG, BLK, STD-1, LED RED, FLSH GRN, BZR ON, OPT TAMP, OPEN COLL, FIPS 200-BIT, IPM OFF, UART OFF, WIEG ON	319.35
AC-HID-PIVCLASS-920NHPTEK0000R	RDR, R40-H, PIVCLASS, SE E, LF OFF, HF STD/SIO/SEOS/FIPS/CAK, 485HDX, TERM, BLK, STD-1, OSDP V1, OPEN COLL, OSDP TAMP ENBLD, TEST KEYS, POLL=75MS, A/V OFF, FIPS 200-BIT, IPM OFF, UART OFF, WIEG OFF	319.35
AC-HID-PIVCLASS-920NHPTEK00088	RDR, R40-H, PIVCLASS, SE E, LF OFF, HF STD/SIO/SEOS/FIPS/CAK, 485HDX, TERM, BLK, STD-1, LED RED, FLSH GRN, BZR ON, FIPS 64-BIT REVERSE BCD, IPM OFF, UART OFF, WIEG ON	319.35
AC-HID-PIVCLASS-920NHPTEK000P1	RDR, R40-H, PIVCLASS, SE E, LF OFF, HF STD/SIO/SEOS/FIPS/CAK, 485HDX, TERM, BLK, STD-1, A/V OFF, OSDP V2, OPT TAMP, OPEN COLL, OSDP TAMP ENBLD, TEST KEYS, POLL=75MS, IPM OFF	319.35
AC-HID-PIVCLASS-920NHPTEK0032Q	RDR, R40-H, PIVCLASS, SE E, LF OFF, HF STD/SIO/SEOS/FIPS/CAK, 485HDX, TERM, BLK, STD-1, LED RED, FLSH GRN, BZR ON, OPT TAMP, OPEN COLL, FIPS 200-BIT, IPM OFF, UART OFF, WIEG ON	319.35
AC-HID-PIVCLASS-920NHPTEK00336	RDR, R40-H, PIVCLASS, SE E, LF OFF, HF STD/SIO/SEOS/FIPS/CAK, 485HDX, TERM, BLK, STD-1, LED RED, FLSH GRN, BZR ON, OPT TAMP, OPEN COLL, FIPS 75-BIT, IPM OFF, UART OFF, WIEG ON	319.35
AC-HID-PIVCLASS-920NHPTEK0036L	RDR, R40-H, PIVCLASS, SE E, LF OFF, HF STD/SIO/SEOS/FIPS/CAK, 485HDX, TERM, BLK, STD-1, A/V OFF, OSDP V1, OPEN COLL, OSDP TAMP DISBLD, TEST KEYS, POLL=75MS, FIPS 200-BIT, IPM OFF, UART OFF, WIEG OFF	319.35
AC-HID-PIVCLASS-920NHPTEK0036N	RDR, R40-H, PIVCLASS, SE E, LF OFF, HF STD/SIO/SEOS/FIPS/CAK, 485HDX, TERM, BLK, A/V OFF, OSDP V1, OPEN COLL, OSDP TAMP ENBLD, TEST KEYS, POLL=75MS, FIPS 200-BIT, IPM OFF, UART OFF, WIEG OFF	319.35
AC-HID-PIVCLASS-920NHPTEKE036N	RDR, R40-H, PIVCLASS, SE E, LF OFF, HF STD/SIO/SEOS/FIPS/CAK, 485HDX, TERM, BLK, ELITE KEYS, A/V OFF, OSDP V1, OPEN COLL, OSDP TAMP ENBLD, TEST KEYS, POLL=75MS, FIPS 200-BIT, IPM OFF, UART OFF, WIEG OFF	319.35
AC-HID-PIVCLASS-920NHRNEK0000C	RDR, R40-H, PIVCLASS, SE E, LF OFF, HF STD/SIO/SEOS/FIPS/CAK, 485FDX, PIG, BLK, STD-1, LED RED, FLSH GRN, BZR ON, FIPS 200-BIT, IPM OFF, UART OFF, WIEG ON	319.35

All prices are exclusive of taxes and freight. Motorola Solutions reserves the right to make changes to pricing and discount margins. All installation and use of Access Control Manager software is governed by its end user license agreement (EULA).

CONFIDENTIAL : The contents of this document are considered confidential and should not be posted on a public access website, made available for general public distribution, or otherwise shared with others without prior written authorization from Motorola Solutions Inc. ("Motorola Solutions").

AC-HID-PIVCLASS-920NHRNEK00018	RDR, R40-H, PIVCLASS, SE E, LF OFF, HF STD/SIO/SEOS/FIPS/CAK, 485FDX, PIG, BLK, STD-1, LED RED, FLSH GRN, BZR ON, OPT TAMP, OPEN COLL, FIPS 75-BIT, MIF/DES 56-BIT CSN, IPM OFF, UART OFF, WIEG ON	319.35
AC-HID-PIVCLASS-920NHRNEK0001T	RDR, R40-H, PIVCLASS, SE E, LF OFF, HF STD/SIO/SEOS/FIPS/CAK, 485FDX, PIG, BLK, STD-1, LED RED, FLSH GRN, BZR ON, FIPS 75-BIT, IPM OFF, UART OFF, WIEG ON	319.35
AC-HID-PIVCLASS-920NHRNEK0001Y	RDR, R40-H, PIVCLASS, SE E, LF OFF, HF STD/SIO/SEOS/FIPS/CAK, 485FDX, PIG, BLK, STD-1, LED RED, FLSH OFF, BZR ON, OPT TAMP, OPEN COLL, FIPS 64-BIT, BCD, IPM OFF, UART OFF, WIEG ON	319.35
AC-HID-PIVCLASS-920NHRNEK00032	RDR, R40-H, PIVCLASS, SE E, LF OFF, HF STD/SIO/SEOS/FIPS/CAK, 485FDX, PIG, BLK, STD-1, LED OFF, FLSH OFF, BZR ON, OPT TAMP, OPEN COLL, FIPS 64-BIT, RVRS BCD, IPM OFF, UART OFF, WIEG ON	319.35
AC-HID-PIVCLASS-920NHRNEK00038	RDR, R40-H, PIVCLASS, SE E, LF OFF, HF STD/SIO/SEOS/FIPS/CAK, 485FDX, PIG, BLK, STD-1, LED RED, FLSH GRN, BZR ON, OPT TAMP, OPEN COLL, FIPS 200-BIT, MIF/DES 56-BIT CSN, IPM OFF, UART OFF, WIEG ON	319.35
AC-HID-PIVCLASS-920NHRNEK0005W	RDR, R40-H, PIVCLASS, SE E, LF OFF, HF STD/SIO/SEOS/FIPS/CAK, 485FDX, PIG, BLK, STD-1, LED RED, FLSH GRN, BZR ON, OPT TAMP, OPEN COLL, FIPS 64-BIT, BCD, IPM OFF, UART OFF, WIEG ON	319.35
AC-HID-PIVCLASS-920NHRNEK0007J	RDR, R40-H, PIVCLASS, SE E, LF OFF, HF STD/SIO/SEOS/FIPS/CAK, 485FDX, PIG, BLK, STD-1, LED RED, FLSH GRN, BZR ON, OPT TAMP, OPEN COLL, FIPS 200-BIT, MIF/DES 26-BIT CSN, IPM OFF, UART OFF, WIEG ON	319.35
AC-HID-PIVCLASS-920NHRNEK00110	RDR, R40-H, PIVCLASS, SE E, LF OFF, HF STD/SIO/SEOS/FIPS/CAK, 485FDX, PIG, BLK, STD-1, LED RED, FLSH GRN, BZR ON, OPT TAMP, OPEN COLL, FIPS 40-BIT, BCD, IPM OFF, UART OFF, WIEG ON	319.35
AC-HID-PIVCLASS-920NHRNEK0012W	RDR, R40-H, PIVCLASS, SE E, LF OFF, HF STD/SIO/SEOS/FIPS/CAK, 485FDX, PIG, BLK, STD-1, LED RED, FLSH OFF, BZR ON, OPT TAMP, OPEN COLL, FIPS 75-BIT, IPM OFF, UART OFF, WIEG ON	319.35
AC-HID-PIVCLASS-920NHRNEK00220	RDR, R40-H, PIVCLASS, SE E, LF OFF, HF STD/SIO/SEOS/FIPS/CAK, 485FDX, PIG, BLK, STD-1, LED RED, FLSH GRN, BZR ON, OPT TAMP, OPEN COLL, FIPS 128-BIT, FASCN + RMV OVRHD, IPM OFF, UART OFF, WIEG ON	319.35
AC-HID-PIVCLASS-920NHRNEK0032Y	RDR, R40-H, PIVCLASS, SE E, LF OFF, HF STD/SIO/SEOS/FIPS/CAK, 485FDX, PIG, BLK, STD-1, LED RED, FLSH GRN, BZR ON, IPM OFF, UART ON, WIEG OFF	319.35
AC-HID-PIVCLASS-920NHRNEK0037D	RDR, R40-H, PIVCLASS, SE E, LF OFF, HF STD/SIO/SEOS/FIPS/CAK, 485FDX, PIG, BLK, STD-1, LED RED, FLSH GRN, BZR ON, OPT TAMP, OPEN COLL, FIPS 64-BIT, RVRS BCD, IPM OFF, UART OFF, WIEG ON	319.35
AC-HID-PIVCLASS-920NHRNEK0043W	RDR, R40-H, PIVCLASS, SE E, LF OFF, HF STD/SIO/SEOS/FIPS/CAK, 485FDX, PIG, BLK, STD-1, LED RED, FLSH GRN, BZR ON, OPT TAMP, OPEN COLL, FIPS 200-BIT, 14443A DES 56-BIT CSN, IPM OFF, UART OFF, WIEG ON	319.35
AC-HID-PIVCLASS-920NHRNEK00578	RDR, R40-H, PIVCLASS, SE E, LF OFF, HF STD/SIO/SEOS/FIPS/CAK, 485FDX, PIG, BLK, STD-1, LED RED, FLSH GRN, BZR ON, FIPS 128-BIT,FASCN+RMV OVRHD+RMV PAR , IPM OFF	319.35
AC-HID-PIVCLASS-920NHRNEKE000C	RDR, R40-H, PIVCLASS, SE E, LF OFF, HF STD/SIO/SEOS/FIPS/CAK, 485FDX, PIG, BLK, ELITE KEYS, LED RED, FLSH GRN, BZR ON, OPT TAMP, OPEN COLL, FIPS 200-BIT, IPM OFF, UART OFF, WIEG ON	319.35
AC-HID-PIVCLASS-920NHRTEK0000C	RDR, R40-H, PIVCLASS, SE E, LF OFF, HF STD/SIO/SEOS/FIPS/CAK, 485FDX, TERM, BLK, STD-1, LED RED, FLSH GRN, BZR ON, FIPS 200-BIT, IPM OFF, UART OFF, WIEG ON	319.35
AC-HID-PIVCLASS-920NHRTEK00018	RDR, R40-H, PIVCLASS, SE E, LF OFF, HF STD/SIO/SEOS/FIPS/CAK, 485FDX, TERM, BLK, STD-1, LED RED, FLSH GRN, BZR ON, OPT TAMP, OPEN COLL, FIPS 75-BIT, MIF/DES 56-BIT CSN, IPM OFF, UART OFF, WIEG ON	319.35
AC-HID-PIVCLASS-920NHRTEK0001T	RDR, R40-H, PIVCLASS, SE E, LF OFF, HF STD/SIO/SEOS/FIPS/CAK, 485FDX, TERM, BLK, STD-1, LED RED, FLSH GRN, BZR ON, OPT TAMP, OPEN COLL, FIPS 75-BIT, IPM OFF, UART OFF, WIEG ON	319.35
AC-HID-PIVCLASS-920NHRTEK00038	RDR, R40-H, PIVCLASS, SE E, LF OFF, HF STD/SIO/SEOS/FIPS/CAK, 485FDX, TERM, BLK, STD-1, LED RED, FLSH GRN, BZR ON, OPT TAMP, OPEN COLL, FIPS 200-BIT, MIF/DES 56-BIT CSN, IPM OFF, UART OFF, WIEG ON	319.35
AC-HID-PIVCLASS-920NHRTEK0003C	RDR, R40-H, PIVCLASS, SE E, LF OFF, HF STD/SIO/SEOS/FIPS/CAK, 485FDX, TERM, BLK, STD-1, LED OFF, FLSH OFF, BZR ON, OPT TAMP, OPEN COLL, FIPS 200-BIT, IPM OFF, UART OFF, WIEG ON	319.35
AC-HID-PIVCLASS-920NHRTEK0007J	RDR, R40-H, PIVCLASS, SE E, LF OFF, HF STD/SIO/SEOS/FIPS/CAK, 485FDX, TERM, BLK, STD-1, LED RED, FLSH GRN, BZR ON, OPT	319.35

All prices are exclusive of taxes and freight. Motorola Solutions reserves the right to make changes to pricing and discount margins. All installation and use of Access Control Manager software is governed by its end user license agreement (EULA).

CONFIDENTIAL : The contents of this document are considered confidential and should not be posted on a public access website, made available for general public distribution, or otherwise shared with others without prior written authorization from Motorola Solutions Inc. ("Motorola Solutions").

	TAMP, OPEN COLL, FIPS 200-BIT, MIF/DES 26-BIT CSN, IPM OFF, UART OFF, WIEG ON	
AC-HID-PIVCLASS-920NHRTEK000H9	RDR, R40-H, PIVCLASS, SE E, LF OFF, HF STD/SIO/SEOS/FIPS/CAK, 485FDX, TERM, BLK, STD-1, LED RED, FLSH GRN, BZR ON, FIPS 128-BIT REVERSED, IPM OFF, UART OFF, WIEG ON	319.35
AC-HID-PIVCLASS-920NHRTEK000Q6	RDR, R40-H, PIVCLASS, SE E, LF OFF, HF STD/SIO/SEOS/FIPS/CAK, 485FDX, TERM, BLK, STD-1, A/V OFF, OPT TAMP, OPEN COLL, FIPS 58-BIT AMAG, IPM OFF, UART OFF, WIEG ON	319.35
AC-HID-PIVCLASS-920NHRTEK00220	RDR, R40-H, PIVCLASS, SE E, LF OFF, HF STD/SIO/SEOS/FIPS/CAK, 485FDX, TERM, BLK, STD-1, LED RED, FLSH GRN, BZR ON, OPT TAMP, OPEN COLL, FIPS 128-BIT, FASCN + RMV OVRHD, IPM OFF, UART OFF, WIEG ON	319.35
AC-HID-PIVCLASS-920NHRTEK0032Y	RDR, R40-H, PIVCLASS, SE E, LF OFF, HF STD/SIO/SEOS/FIPS/CAK, 485FDX, TERM, BLK, STD-1, LED RED, FLSH GRN, BZR ON, IPM OFF, UART ON, WIEG OFF	319.35
AC-HID-PIVCLASS-920NHRTEK0037D	RDR, R40-H, PIVCLASS, SE E, LF OFF, HF STD/SIO/SEOS/FIPS/CAK, 485FDX, TERM, BLK, STD-1, LED RED, FLSH GRN, BZR ON, OPT TAMP, OPEN COLL, FIPS 64-BIT REVERSE BCD, IPM OFF, UART OFF, WIEG ON	319.35
AC-HID-PIVCLASS-920NHRTEKE032Y	RDR, R40-H, PIVCLASS, SE E, LF OFF, HF STD/SIO/SEOS/FIPS/CAK, 485FDX, TERM, BLK, STD-1, LED RED, FLSH GRN, BZR ON, OPT TAMP, OPEN COLL, IPM OFF, UART ON, WIEG OFF	256.02
AC-HID-PIVCLASS-920PHPNEK0000V	RDR, RP40-H, PIVCLASS, SE E, LF STD, HF STD/SIO/SEOS/FIPS/CAK, 485HDX, PIG, BLK, STD-1, OSDP V1, OPEN COLL, OSDP TAMP ENBLD, TEST KEYS, POLL=75MS, A/V OFF, FIPS 200-BIT, IPM OFF, UART OFF, WIEG OFF	362.62
AC-HID-PIVCLASS-920PHPNEK0003Y	RDR, RP40-H, PIVCLASS, SE E, LF STD, HF STD/SIO/SEOS/FIPS/CAK, 485HDX, PIG, BLK, STD-1, LED RED, FLSH GRN, BZR ON, OPT TAMP, OPEN COLL, FIPS 64-BIT REVERSE BCD, IPM OFF, UART OFF, WIEG ON	362.62
AC-HID-PIVCLASS-920PHPNEK000P2	RDR, RP40-H, PIVCLASS, SE E, LF STD, HF STD/SIO/SEOS/FIPS/CAK, 485HDX, PIG, BLK, STD-1, A/V OFF, OSDP V2, OPT TAMP, OPEN COLL, OSDP TAMP ENBLD, TEST KEYS, POLL=75MS, FIPS 200-BIT, IPM OFF	362.62
AC-HID-PIVCLASS-920PHPNEK0032U	RDR, RP40-H, PIVCLASS, SE E, LF STD, HF STD/SIO/SEOS/FIPS/CAK, 485HDX, PIG, BLK, STD-1, LED RED, FLSH GRN, BZR ON, FIPS 200-BIT, IPM OFF, UART OFF, WIEG ON	362.62
AC-HID-PIVCLASS-920PHPNEK00332	RDR, RP40-H, PIVCLASS, SE E, LF STD, HF STD/SIO/SEOS/FIPS/CAK, 485HDX, PIG, BLK, STD-1, OSDP V1, OPEN COLL, OSDP TAMP ENBLD, TEST KEYS, POLL=75MS, A/V OFF, FIPS 75-BIT, IPM OFF, UART OFF, WIEG OFF	362.62
AC-HID-PIVCLASS-920PHPNEK00338	RDR, RP40-H, PIVCLASS, SE E, LF STD, HF STD/SIO/SEOS/FIPS/CAK, 485HDX, PIG, BLK, STD-1, LED RED, FLSH GRN, BZR ON, OPT TAMP, OPEN COLL, FIPS 75-BIT, IPM OFF, UART OFF, WIEG ON	362.62
AC-HID-PIVCLASS-920PHPNEK00339	RDR, RP40-H, PIVCLASS, SE E, LF STD, HF STD/SIO/SEOS/FIPS/CAK, 485HDX, PIG, BLK, STD-1, LED RED, FLSH GRN, BZR ON, OPT TAMP, OPEN COLL, FIPS 64-BIT, IPM OFF, UART OFF, WIEG ON	362.62
AC-HID-PIVCLASS-920PHPNEKE0332	RDR, RP40-H, PIVCLASS, SE E, LF STD, HF STD/SIO/SEOS/FIPS/CAK, 485HDX, PIG, BLK, STD-1, OSDP V1, OPEN COLL, OSDP TAMP ENBLD, TEST KEYS, POLL=75MS, A/V OFF, FIPS 75-BIT, IPM OFF, UART OFF, WIEG OFF	362.62
AC-HID-PIVCLASS-920PHPNEKE0338	RDR, RP40-H, PIVCLASS, SE E, LF STD, HF STD/SIO/SEOS/FIPS/CAK, 485HDX, PIG, BLK, STD-1, LED RED, FLSH GRN, BZR ON, OPT TAMP, OPEN COLL, FIPS 75-BIT, IPM OFF, UART OFF, WIEG ON	362.62
AC-HID-PIVCLASS-920PHPTEK0000V	RDR, RP40-H, PIVCLASS, SE E, LF STD, HF STD/SIO/SEOS/FIPS/CAK, 485HDX, TERM, BLK, STD-1, OSDP V1, OPEN COLL, OSDP TAMP ENBLD, TEST KEYS, POLL=75MS, A/V OFF, FIPS 200-BIT, IPM OFF, UART OFF, WIEG OFF	362.62
AC-HID-PIVCLASS-920PHPTEK000HA	RDR, RP40-H, PIVCLASS, SE E, LF STD, HF STD/SIO/SEOS/FIPS/CAK, 485HDX, TERM, BLK, STD-1, LED RED, FLSH GRN, BZR ON, FIPS 128-BIT REVERSED, IPM OFF, UART OFF, WIEG ON	362.62
AC-HID-PIVCLASS-920PHPTEK000P2	RDR, RP40-H, PIVCLASS, SE E, LF STD, HF STD/SIO/SEOS/FIPS/CAK, 485HDX, TERM, BLK, STD-1, A/V OFF, OSDP V2, OPT TAMP, OPEN COLL, OSDP TAMP ENBLD, TEST KEYS, POLL=75MS, FIPS 200-BIT, IPM OFF	362.62
AC-HID-PIVCLASS-920PHPTEK0032U	RDR, RP40-H, PIVCLASS, SE E, LF STD, HF STD/SIO/SEOS/FIPS/CAK, 485HDX, TERM, BLK, STD-1, LED RED, FLSH GRN, BZR ON, OPT TAMP, OPEN COLL, FIPS 200-BIT, IPM OFF, UART OFF, WIEG ON	362.62
AC-HID-PIVCLASS-920PHPTEK00332		362.62

All prices are exclusive of taxes and freight. Motorola Solutions reserves the right to make changes to pricing and discount margins. All installation and use of Access Control Manager software is governed by its end user license agreement (EULA).

CONFIDENTIAL : The contents of this document are considered confidential and should not be posted on a public access website, made available for general public distribution, or otherwise shared with others without prior written authorization from Motorola Solutions Inc. ("Motorola Solutions").

	RDR, RP40-H, PIVCLASS, SE E, LF STD, HF STD/SIO/SEOS/FIPS/CAK, 485HDX, TERM, BLK, STD-1, OSDP V1, OPEN COLL, OSDP TAMP ENBLD, TEST KEYS, POLL=75MS, A/V OFF, FIPS 75-BIT, IPM OFF, UART OFF, WIEG OFF	
AC-HID-PIVCLASS-920PHPTEK00335	RDR, RP40-H, PIVCLASS, SE E, LF STD, HF STD/SIO/SEOS/FIPS/CAK, 485HDX, TERM, BLK, STD-1, OSDP V1, OPEN COLL, OSDP TAMP ENBLD, TEST KEYS, POLL=75MS, A/V OFF, FIPS 64-BIT, IPM OFF, UART OFF, WIEG OFF	362.62
AC-HID-PIVCLASS-920PHPTEK00338	RDR, RP40-H, PIVCLASS, SE E, LF STD, HF STD/SIO/SEOS/FIPS/CAK, 485HDX, TERM, BLK, STD-1, LED RED, FLSH GRN, BZR ON, OPT TAMP, OPEN COLL, FIPS 75-BIT, IPM OFF, UART OFF, WIEG ON	362.62
AC-HID-PIVCLASS-920PHPTEK00339	RDR, RP40-H, PIVCLASS, SE E, LF STD, HF STD/SIO/SEOS/FIPS/CAK, 485HDX, TERM, BLK, STD-1, LED RED, FLSH GRN, BZR ON, OPT TAMP, OPEN COLL, FIPS 64-BIT, IPM OFF, UART OFF, WIEG ON	362.62
AC-HID-PIVCLASS-920PHPTEK000V	RDR, RP40-H, PIVCLASS, SE E, LF STD, HF STD/SIO/SEOS/FIPS/CAK, 485HDX, TERM, BLK, STD-1, OSDP V1, OPEN COLL, OSDP TAMP ENBLD, TEST KEYS, POLL=75MS, A/V OFF, FIPS 200-BIT, IPM OFF, UART OFF, WIEG OFF	362.62
AC-HID-PIVCLASS-920PHPTEKE003Y	RDR, RP40-H, PIVCLASS, SE E, LF STD, HF STD/SIO/SEOS/FIPS/CAK, 485HDX, TERM, BLK, STD-1, LED RED, FLSH GRN, BZR ON, OPT TAMP, OPEN COLL, FIPS 64-BIT REVERSE BCD, IPM OFF, UART OFF, WIEG ON	362.62
AC-HID-PIVCLASS-920PHRNEK00004	RDR, RP40-H, PIVCLASS, SE E, LF STD, HF STD/SIO/SEOS/FIPS/CAK, 485FDX, PIG, BLK, STD-1, LED RED, FLSH GRN, BZR ON, FIPS 200-BIT, IPM OFF, UART OFF, WIEG ON	362.62
AC-HID-PIVCLASS-920PHRNEK00005	RDR, RP40-H, PIVCLASS, SE E, LF STD, HF STD/SIO/SEOS/FIPS/CAK, 485FDX, PIG, BLK, STD-1, LED RED, FLSH GRN, BZR ON, FIPS 75-BIT, IPM OFF, UART OFF, WIEG ON	362.62
AC-HID-PIVCLASS-920PHRNEK00006	RDR, RP40-H, PIVCLASS, SE E, LF STD, HF STD/SIO/SEOS/FIPS/CAK, 485FDX, PIG, BLK, STD-1, LED RED, FLSH GRN, BZR ON, OPT TAMP, OPEN COLL, FIPS 64-BIT, BCD, IPM OFF, UART OFF, WIEG ON	362.62
AC-HID-PIVCLASS-920PHRNEK00007	RDR, RP40-H, PIVCLASS, SE E, LF STD, HF STD/SIO/SEOS/FIPS/CAK, 485FDX, PIG, BLK, STD-1, LED RED, FLSH GRN, BZR ON, IPM OFF, UART ON, WIEG OFF	362.62
AC-HID-PIVCLASS-920PHRNEK00016	RDR, RP40-H, PIVCLASS, SE E, LF STD, HF STD/SIO/SEOS/FIPS/CAK, 485FDX, PIG, BLK, STD-1, LED RED, FLSH GRN, BZR ON, OPT TAMP, OPEN COLL, FIPS 75-BIT, MIF/DES 56-BIT CSN, IPM OFF, UART OFF, WIEG ON	362.62
AC-HID-PIVCLASS-920PHRNEK0003U	RDR, RP40-H, PIVCLASS, SE E, LF STD, HF STD/SIO/SEOS/FIPS/CAK, 485FDX, PIG, BLK, STD-1, LED RED, FLSH OFF, BZR ON, OPT TAMP, OPEN COLL, FIPS 40-BIT, BCD, IPM OFF, UART OFF, WIEG ON	362.62
AC-HID-PIVCLASS-920PHRNEK0004A	RDR, RP40-H, PIVCLASS, SE E, LF STD, HF STD/SIO/SEOS/FIPS/CAK, 485FDX, PIG, BLK, STD-1, LED RED, FLSH OFF, BZR ON, OPT TAMP, OPEN COLL, FIPS 75-BIT, IPM OFF, UART OFF, WIEG ON	362.62
AC-HID-PIVCLASS-920PHRNEK0004V	RDR, RP40-H, PIVCLASS, SE E, LF STD, HF STD/SIO/SEOS/FIPS/CAK, 485FDX, PIG, BLK, STD-1, LED RED, FLSH GRN, BZR ON, OPT TAMP, OPEN COLL, FIPS 40-BIT, BCD, IPM OFF, UART OFF, WIEG ON	362.62
AC-HID-PIVCLASS-920PHRNEK0006T	RDR, RP40-H, PIVCLASS, SE E, LF STD, HF STD/SIO/SEOS/FIPS/CAK, 485FDX, PIG, BLK, STD-1, LED RED, FLSH GRN, BZR ON, OPT TAMP, OPEN COLL, FIPS 200-BIT, MIF/DES 56-BIT CSN, IPM OFF, UART OFF, WIEG ON	362.62
AC-HID-PIVCLASS-920PHRNEK0008U	RDR, RP40-H, PIVCLASS, SE E, LF STD, HF STD/SIO/SEOS/FIPS/CAK, 485FDX, PIG, BLK, STD-1, LED OFF, FLSH OFF, BZR ON, OPT TAMP, OPEN COLL, FIPS 200-BIT, IPM OFF, UART OFF, WIEG ON	362.62
AC-HID-PIVCLASS-920PHRNEK00097	RDR, RP40-H, PIVCLASS, SE E, LF STD, HF STD/SIO/SEOS/FIPS/CAK, 485FDX, PIG, BLK, STD-1, LED RED, FLSH GRN, BZR ON, OPT TAMP, OPEN COLL, FIPS 200-BIT, MIF/DES 26-BIT CSN, IPM OFF, UART OFF, WIEG ON	362.62
AC-HID-PIVCLASS-920PHRNEK000AA	RDR, RP40, PIVCLASS, SE E, LF CST, PROX GIC ONLY, HF STD/SIO/SEOS/FIPS/CAK, 485FDX, LED RED, FLSH OFF, BZR ON, OPT TAMP, OPEN COLL, FIPS 75-BIT, IPM OFF, UART OFF, WIEG ON, PROX PRIORITY	362.62
AC-HID-PIVCLASS-920PHRNEK000CV	RDR, RP40-H, PIVCLASS, SE E, LF STD, HF CSTM, 485FDX, PIG, BLK, STD-1, LED RED, FLSH GRN, BZR ON, FIPS 200-BIT, OPT TAMP OPN COLL, IPM OFF, UART OFF, WIEG ON, CSTM /FIPS/CAK/MIGR, LF ENBLD, PATH NY NJ	362.62
AC-HID-PIVCLASS-920PHRNEK000H4	RDR, RP40-H, PIVCLASS, SE E, LF CST, HF STD/SIO/SEOS/FIPS/CAK, 485FDX, PIG, BLK, STD-1, LED RED, FLSH GRN, BZR ON, OPT TAMP, OPEN COLL, FIPS 128-BIT, FASCN+RMVOVRHD+RMVPAR, IPM OFF, UART OFF, WIEG ON	362.62

All prices are exclusive of taxes and freight. Motorola Solutions reserves the right to make changes to pricing and discount margins. All installation and use of Access Control Manager software is governed by its end user license agreement (EULA).

CONFIDENTIAL : The contents of this document are considered confidential and should not be posted on a public access website, made available for general public distribution, or otherwise shared with others without prior written authorization from Motorola Solutions Inc. ("Motorola Solutions").

AC-HID-PIVCLASS-920PHRNEK000HA	RDR, RP40-H, PIVCLASS, SE E, LF STD, HF STD/SIO/SEOS/FIPS/CAK, 485FDX, PIG, BLK, STD-1, LED RED, FL SH GRN, BZR ON, FIPS 128-BIT REVERSED, IPM OFF, UART OFF, WIEG ON	362.62
AC-HID-PIVCLASS-920PHRNEK000MR	RDR, RP40-H, PIVCLASS, SE E, LF STD, HF STD/SIO/SEOS/FIPS/CAK, 485FDX, PIG, BLK, STD-1, LED RED, FL SH GRN, BZR ON, FIPS 75-BIT, PROX PRIORITY, IPM OFF, UART OFF, WIEG ON	362.62
AC-HID-PIVCLASS-920PHRNEK0012K	RDR, RP40-H, PIVCLASS, SE E, LF STD, HF STD/SIO/SEOS/FIPS/CAK, 485FDX, PIG, BLK, STD-1, LED RED, FL SH OFF, BZR ON, OPT TAMP, OPEN COLL, FIPS 64-BIT, RVRS BCD, IPM OFF, UART OFF, WIEG ON	362.62
AC-HID-PIVCLASS-920PHRNEK00143	RDR, RP40-H, PIVCLASS, SE E, LF STD, HF STD/SIO/SEOS/FIPS/CAK, 485FDX, PIG, BLK, STD-1, LED RED, FL SH OFF, BZR ON, OPT TAMP, OPEN COLL, FIPS 200-BIT, IPM OFF	362.62
AC-HID-PIVCLASS-920PHRNEK00157	RDR, RP40-H, PIVCLASS, SE E, LF STD, HF STD/SIO/SEOS/FIPS/CAK, 485FDX, PIG, BLK, STD-1, LED RED, FL SH GRN, BZR ON, OPT TAMP, OPEN COLL, FIPS 14443A 32-BIT CSN, IPM OFF	362.62
AC-HID-PIVCLASS-920PHRNEK00202	RDR, RP40-H, PIVCLASS, SE E, LF STD, HF STD/SIO/SEOS/FIPS/CAK, 485FDX, PIG, BLK, STD-1, LED RED, FL SH OFF, BZR ON, OPT TAMP, OPEN COLL, FIPS 75-BIT, MIF/DES 56-BIT CSN, IPM OFF	362.62
AC-HID-PIVCLASS-920PHRNEK00203	RDR, RP40-H, PIVCLASS, SE E, LF STD, HF STD/SIO/SEOS/FIPS/CAK, 485FDX, PIG, BLK, STD-1, LED OFF, FL SH OFF, BZR OFF, OPT TAMP, OPEN COLL, FIPS 75-BIT, IPM OFF	362.62
AC-HID-PIVCLASS-920PHRNEK0020A	RDR, RP40-H, PIVCLASS, SE E, LF STD, HF STD/SIO/SEOS/FIPS/CAK, 485FDX, PIG, BLK, STD-1, LED RED, FL SH GRN, BZR ON, OPT TAMP, OPEN COLL, FIPS 200-BIT, IPM OFF, UART OFF, C/D ON	362.62
AC-HID-PIVCLASS-920PHRNEK00245	RDR, RP40-H, PIVCLASS, SE E, LF STD, HF STD/SIO/SEOS/FIPS/CAK, 485FDX, PIG, BLK, STD-1, LED OFF, FL SH OFF, BZR ON, OPT TAMP, OPEN COLL, FIPS 64-BIT, RVRS BCD, IPM OFF, UART OFF, WIEG ON	362.62
AC-HID-PIVCLASS-920PHRNEK00365	RDR, RP40-H, PIVCLASS, SE E, LF STD, HF STD/SIO/SEOS/FIPS/CAK, 485FDX, PIG, BLK, STD-1, LED OFF, FL SH GRN, BZR ON, OPT TAMP, OPEN COLL, FIPS 75-BIT, IPM OFF, UART OFF, WIEG ON	362.62
AC-HID-PIVCLASS-920PHRNEK0037E	RDR, RP40-H, PIVCLASS, SE E, LF STD, HF STD/SIO/SEOS/FIPS/CAK, 485FDX, PIG, BLK, STD-1, LED RED, FL SH GRN, BZR ON, OPT TAMP, OPEN COLL, FIPS 64-BIT, RVRS BCD, IPM OFF, UART OFF, WIEG ON	362.62
AC-HID-PIVCLASS-920PHRNEK0043V	RDR, RP40-H, PIVCLASS, SE E, LF STD, HF STD/SIO/SEOS/FIPS/CAK, 485FDX, PIG, BLK, STD-1, LED RED, FL SH GRN, BZR ON, OPT TAMP, OPEN COLL, FIPS 75-BIT, 14443A MIF 56-BIT CSN, IPM OFF, UART OFF, WIEG ON	362.62
AC-HID-PIVCLASS-920PHRNEK00466	RDR, RP40-H, PIVCLASS, SE E, LF STD, HF OFF, 485FDX, PIG, BLK, STD-1, LED RED, FL SH GRN, BZR ON, IPM OFF, UART OFF, WIEG ON	362.62
AC-HID-PIVCLASS-920PHRNEK0046G	RDR, RP40-H, PIVCLASS, SE E, LF STD, HF STD/SIO/SEOS/FIPS/CAK, 485FDX, PIG, BLK, STD-1, LED RED, FL SH GRN, BZR ON, IPM OFF, UART OFF, WIEG ON	362.62
AC-HID-PIVCLASS-920PHRNEK00479	RDR, RP40-H, PIVCLASS, SE E, LF STD, HF CSTM, 485FDX, PIG, BLK, STD-1, LED RED, FL SH GRN, BZR ON, FIPS 200-BIT, OPT TAMP OPN COLL, IPM OFF, UART OFF, WIEG ON, CSTM STD/SIO/SEOS/FIPS/CAK/MIGR, LF ENBLD, PATH NY NJ	362.62
AC-HID-PIVCLASS-920PHRNEK0059A	RDR, RP40-H, PIVCLASS, SE E, LF STD, HF STD/SIO/SEOS/FIPS/CAK, 485FDX, PIG, BLK, STD-1, LED RED, FL SH GRN, BZR ON, OPT TAMP, OPEN COLL, FIPS 58-BIT AMAG, IPM OFF, HID PROX ONLY, UART OFF, WIEG ON	362.62
AC-HID-PIVCLASS-920PHRNEKE00005	RDR, RP40-H, PIVCLASS, SE E, LF STD, HF STD/SIO/SEOS/FIPS/CAK, 485FDX, PIG, BLK, ELITE KEYS, LED RED, FL SH GRN, BZR ON, OPT TAMP, OPEN COLL, FIPS 75-BIT, IPM OFF, UART OFF, WIEG ON	362.62
AC-HID-PIVCLASS-920PHRTEK00004	RDR, RP40-H, PIVCLASS, SE E, LF STD, HF STD/SIO/SEOS/FIPS/CAK, 485FDX, TERM, BLK, STD-1, LED RED, FL SH GRN, BZR ON, FIPS 200-BIT, IPM OFF, UART OFF, WIEG ON	362.62
AC-HID-PIVCLASS-920PHRTEK00005	RDR, RP40-H, PIVCLASS, SE E, LF STD, HF STD/SIO/SEOS/FIPS/CAK, 485FDX, TERM, BLK, STD-1, LED RED, FL SH GRN, BZR ON, OPT TAMP, OPEN COLL, FIPS 75-BIT, IPM OFF, UART OFF, WIEG ON	362.62
AC-HID-PIVCLASS-920PHRTEK00006	RDR, RP40-H, PIVCLASS, SE E, LF STD, HF STD/SIO/SEOS/FIPS/CAK, 485FDX, TERM, BLK, STD-1, LED RED, FL SH GRN, BZR ON, OPT TAMP, OPEN COLL, FIPS 64-BIT, IPM OFF, UART OFF, WIEG ON	362.62
AC-HID-PIVCLASS-920PHRTEK00007	RDR, RP40-H, PIVCLASS, SE E, LF STD, HF STD/SIO/SEOS/FIPS/CAK, 485FDX, TERM, BLK, STD-1, LED RED, FL SH GRN, BZR ON, IPM OFF, UART ON, WIEG OFF	362.62
AC-HID-PIVCLASS-920PHRTEK0037E		362.62

All prices are exclusive of taxes and freight. Motorola Solutions reserves the right to make changes to pricing and discount margins. All installation and use of Access Control Manager software is governed by its end user license agreement (EULA).

CONFIDENTIAL : The contents of this document are considered confidential and should not be posted on a public access website, made available for general public distribution, or otherwise shared with others without prior written authorization from Motorola Solutions Inc. ("Motorola Solutions").

	RDR, RP40-H, PIVCLASS, SE E, LF STD, HF STD/SIO/SEOS/FIPS/CAK, 485FDX, TERM, BLK, STD-1, LED RED, FLSH GRN, BZR ON, OPT TAMP, OPEN COLL, FIPS 64-BIT REVERSE BCD, IPM OFF, UART OFF, WIEG ON	
AC-HID-PIVCLASS-920PHRTEK0043V	RDR, RP40-H, PIVCLASS, SE E, LF STD, HF STD/SIO/SEOS/FIPS/CAK, UART, TERM, BLK, STD-1, LED RED, FLSH GRN, BZR ON, OPT TAMP, OPEN COLL, FIPS 75-BIT, 14443A MIF 56-BIT CSN, IPM OFF	362.62
AC-HID-PIVCLASS-920PHRTEK00449	RDR, RP40-H, PIVCLASS, SE E, LF STD, HF STD/SIO/SEOS/FIPS/CAK, UART, TERM, BLK, STD-1, LED RED, FLSH GRN, BZR ON, OPT TAMP, OPEN COLL, FIPS 75-BIT, IPM OFF, UART ON, UART CSTM, WIEG OFF	362.62
AC-HID-PIVCLASS-920PHRTEK00466	RDR, RP40-H, PIVCLASS, SE E, LF STD, HF OFF, 485FDX, TERM, BLK, STD-1, LED RED, FLSH GRN, BZR ON, IPM OFF, UART OFF, WIEG ON	362.62
AC-HID-PIVCLASS-920PHRTEKE0005	RDR, RP40-H, PIVCLASS, SE E, LF STD, HF STD/SIO/SEOS/FIPS/CAK, 485FDX, TERM, BLK, STD-1, LED RED, FLSH GRN, BZR ON, OPT TAMP, OPEN COLL, FIPS 75-BIT, IPM OFF, UART OFF, WIEG ON	362.62
AC-HID-PIVCLASS-921NHPNEK0000T	RDR, RK40-H, PIVCLASS, SE E, LF OFF, HF STD/SIO/SEOS/FIPS/CAK, 485HDX, PIG, BLK, STD-1, OSDP V1, OPEN COLL, OSDP TAMP ENBLD, TEST KEYS, POLL=75MS, A/V OFF, KPF, ASCII, BFFRD 1 KEY, FIPS 200-BIT, IPM OFF, UART OFF, WIEG OFF	557.29
AC-HID-PIVCLASS-921NHPNEK000UG	RDR, RK40-H, PIVCLASS, SE E, LF OFF, HF STD/SIO/SEOS/FIPS/CAK, 485HDX, PIG, BLK, STD-1, OSDP V2, OPEN COLL, OSDP TAMP ENBLD, TEST KEYS, POLL=75MS, A/V OFF, KPF, ASCII, BFFRD 1 KEY, FIPS 200-BIT, IPM OFF, UART OFF, WIEG OFF	557.29
AC-HID-PIVCLASS-921NHPNEK0019D	RDR, RK40-H, PIVCLASS, SE E, LF OFF, HF STD/SIO/SEOS/FIPS/CAK, 485HDX, PIG, BLK, STD-1, LED RED, FLSH GRN, BZR ON, OPT TAMP, OPEN COLL, KPF, BFFRD 1 KEY, NO PAR, 4-BIT MSG, FIPS 64-BIT REVERSE BCD, IPM OFF, UART OFF, WIEG ON	557.29
AC-HID-PIVCLASS-921NHPNEK0032R	RDR, RK40-H, PIVCLASS, SE E, LF OFF, HF STD/SIO/SEOS/FIPS/CAK, 485HDX, PIG, BLK, STD-1, LED RED, FLSH GRN, BZR ON, OPT TAMP, OPEN COLL, KPF, BFFRD 1 KEY, NO PAR, 4-BIT MSG, FIPS 200-BIT, IPM OFF, UART OFF, WIEG ON	557.29
AC-HID-PIVCLASS-921NHPNEK0033E	RDR, RK40-H, PIVCLASS, SE E, LF OFF, HF STD/SIO/SEOS/FIPS/CAK, 485HDX, PIG, BLK, STD-1, LED RED, FLSH GRN, BZR ON, OPT TAMP, OPEN COLL, KPF, BFFRD 1 KEY, NO PAR, 4-BIT MSG, FIPS 75-BIT, IPM OFF, UART OFF, WIEG ON	557.29
AC-HID-PIVCLASS-921NHPNEKE032R	RDR, RK40-H, PIVCLASS, SE E, LF OFF, HF STD/SIO/SEOS/FIPS/CAK, 485HDX, PIG, BLK, STD-1, LED RED, FLSH GRN, BZR ON, OPT TAMP, OPEN COLL, KPF, BFFRD 1 KEY, NO PAR, 4-BIT MSG, FIPS 200-BIT, IPM OFF, UART OFF, WIEG ON	557.29
AC-HID-PIVCLASS-921NHPTEK0000T	RDR, RK40-H, PIVCLASS, SE E, LF OFF, HF STD/SIO/SEOS/FIPS/CAK, 485HDX, TERM, BLK, STD-1, OSDP V1, OPEN COLL, OSDP TAMP ENBLD, TEST KEYS, POLL=75MS, A/V OFF, KPF, ASCII, BFFRD 1 KEY, FIPS 200-BIT, IPM OFF, UART OFF, WIEG OFF	557.29
AC-HID-PIVCLASS-921NHPTEK000UG	RDR, RK40-H, PIVCLASS, SE E, LF OFF, HF STD/SIO/SEOS/FIPS/CAK, 485HDX, TERM, BLK, STD-1, OSDP V2, OPEN COLL, OSDP TAMP ENBLD, TEST KEYS, POLL=75MS, A/V OFF, KPF, ASCII, BFFRD 1 KEY, FIPS 200-BIT, IPM OFF, UART OFF, WIEG OFF	557.29
AC-HID-PIVCLASS-921NHPTEK0013T	RDR, RK40-H, PIVCLASS, SE E, LF OFF, HF STD/SIO/SEOS/FIPS/CAK, 485HDX, TERM, BLK, STD-1, A/V OFF, OSDP V1, OPEN COLL, OSDP TAMP ENBLD, TEST KEYS, POLL=75MS, FIPS 200-BIT, KPF, BFFRD 1 KEY, DOR COMPL, NO PAR, 8-BIT MSG, IPM	557.29
AC-HID-PIVCLASS-921NHPTEK0019D	RDR, RK40-H, PIVCLASS, SE E, LF OFF, HF STD/SIO/SEOS/FIPS/CAK, 485HDX, TERM, BLK, STD-1, LED RED, FLSH GRN, BZR ON, KPF, BFFRD 1 KEY, NO PAR, 4-BIT MSG, FIPS 64-BIT REVERSE BCD, IPM OFF, UART OFF, WIEG ON	557.29
AC-HID-PIVCLASS-921NHPTEK0032R	RDR, RK40-H, PIVCLASS, SE E, LF OFF, HF STD/SIO/SEOS/FIPS/CAK, 485HDX, TERM, BLK, STD-1, LED RED, FLSH GRN, BZR ON, OPT TAMP, OPEN COLL, KPF, BFFRD 1 KEY, NO PAR, 4-BIT MSG, FIPS 200-BIT, IPM OFF, UART OFF, WIEG ON	557.29
AC-HID-PIVCLASS-921NHPTEK0033D	RDR, RK40-H, PIVCLASS, SE E, LF OFF, HF STD/SIO/SEOS/FIPS/CAK, 485HDX, TERM, BLK, STD-1, OSDP V1, OPEN COLL, OSDP TAMP ENBLD, TEST KEYS, POLL=75MS, A/V OFF, KPF, ASCII, BFFRD 1 KEY, FIPS 64-BIT, IPM OFF, UART OFF, WIEG OFF	557.29
AC-HID-PIVCLASS-921NHPTEK0033E	RDR, RK40-H, PIVCLASS, SE E, LF OFF, HF STD/SIO/SEOS/FIPS/CAK, 485HDX, TERM, BLK, STD-1, LED RED, FLSH GRN, BZR ON, OPT TAMP, OPEN COLL, KPF, BFFRD 1 KEY, NO PAR, 4-BIT MSG, FIPS 75-BIT, IPM OFF, UART OFF, WIEG ON	557.29
AC-HID-PIVCLASS-921NHPTEK0036M		557.29

All prices are exclusive of taxes and freight. Motorola Solutions reserves the right to make changes to pricing and discount margins. All installation and use of Access Control Manager software is governed by its end user license agreement (EULA).

CONFIDENTIAL : The contents of this document are considered confidential and should not be posted on a public access website, made available for general public distribution, or otherwise shared with others without prior written authorization from Motorola Solutions Inc. ("Motorola Solutions").

	RDR, RK40-H, PIVCLASS, SE E, LF OFF, HF STD/SIO/SEOS/FIPS/CAK, 485HDX, TERM, BLK, STD-1, A/V OFF, OSDP V1, OPEN COLL, OSDP TAMP DISBLD, TEST KEYS, POLL=75MS, FIPS 200-BIT, KPF, BFFRD 1 KEY, DOR COMPL, NO PAR, 8-BIT MSG, IP	
AC-HID-PIVCLASS-921NHPTEK0036V	RDR, RK40-H, PIVCLASS, SE E, LF OFF, HF STD/SIO/SEOS/FIPS/CAK, 485HDX, TERM, BLK, STD-1, A/V OFF, OSDP V1, OPEN COLL, OSDP TAMP DISBLD, TEST KEYS, POLL=75MS, FIPS 200-BIT, KPF, ASCII, BFFRD 1 KEY, IPM OFF, UART	557.29
AC-HID-PIVCLASS-921NHPTEKE013T	RDR, RK40-H, PIVCLASS, SE E, LF OFF, HF STD/SIO/SEOS/FIPS/CAK, 485HDX, TERM, BLK, ELITE KEYS, A/V OFF, OSDP V1, OPEN COLL, OSDP TAMP ENBLD, TEST KEYS, POLL=75MS, FIPS 200-BIT, KPF, BFFRD 1 KEY, DOR COMPL, NO PAR, 8-BIT MSG	557.29
AC-HID-PIVCLASS-921NHRNEK0000C	RDR, RK40-H, PIVCLASS, SE E, LF OFF, HF STD/SIO/SEOS/FIPS/CAK, 485FDX, PIG, BLK, STD-1, LED RED, FLSH GRN, BZR ON, OPT TAMP, OPEN COLL, FIPS 200-BIT, IPM OFF, UART OFF, WIEG ON	557.29
AC-HID-PIVCLASS-921NHRNEK00039	RDR, RK40-H, PIVCLASS, SE E, LF OFF, HF STD/SIO/SEOS/FIPS/CAK, 485FDX, PIG, BLK, STD-1, LED RED, FLSH GRN, BZR ON, OPT TAMP, OPEN COLL, FIPS 75-BIT, KPF, BFFRD 1 KEY, NO PAR, 4-BIT MSG, IPM OFF, UART OFF, WIEG ON	557.29
AC-HID-PIVCLASS-921NHRNEK00044	RDR, RK40-H, PIVCLASS, SE E, LF OFF, HF STD/SIO/SEOS/FIPS/CAK, 485FDX, PIG, BLK, STD-1, LED RED, FLSH GRN, BZR ON, OPT TAMP, OPEN COLL, FIPS 64-BIT, BCD, KPF, BFFRD 1 KEY, NO PAR, 4-BIT MSG, IPM OFF, UART OFF, WIEG ON	557.29
AC-HID-PIVCLASS-921NHRNEK0004K	RDR, RK40-H, PIVCLASS, SE E, LF OFF, HF STD/SIO/SEOS/FIPS/CAK, 485FDX, PIG, BLK, STD-1, LED RED, FLSH GRN, BZR ON, OPT TAMP, OPEN COLL, FIPS 200-BIT, MIF/DES 56-BIT CSN, KPF, BFFRD 1 KEY, NO PAR, 4-BIT MSG, IPM OFF, UART OFF, WIEG ON	557.29
AC-HID-PIVCLASS-921NHRNEK0004M	RDR, RK40-H, PIVCLASS, SE E, LF OFF, HF STD/SIO/SEOS/FIPS/CAK, 485FDX, PIG, BLK, STD-1, LED RED, FLSH GRN, BZR ON, OPT TAMP, OPEN COLL, FIPS 200-BIT, KPF, BFFRD 1 KEY, NO PAR, 4-BIT MSG, IPM OFF, UART OFF, WIEG ON	557.29
AC-HID-PIVCLASS-921NHRNEK00062	RDR, RK40-H, PIVCLASS, SE E, LF OFF, HF STD/SIO/SEOS/FIPS/CAK, 485FDX, PIG, BLK, STD-1, LED RED, FLSH GRN, BZR ON, OPT TAMP, OPEN COLL, FIPS 200-BIT, KPF, BFFRD 1 KEY, DOR COMPL, NO PAR, 8-BIT MSG, IPM OFF, UART OFF, WIEG ON	557.29
AC-HID-PIVCLASS-921NHRNEK0006V	RDR, RK40-H, PIVCLASS, SE E, LF OFF, HF STD/SIO/SEOS/FIPS/CAK, 485FDX, PIG, BLK, STD-1, LED RED, FLSH GRN, BZR ON, OPT TAMP, OPEN COLL, FIPS 200-BIT, MIF/DES 26-BIT CSN, KPF, BFFRD 1 KEY, NO PAR, 4-BIT MSG, IPM OFF, UART OFF, WIEG ON	557.29
AC-HID-PIVCLASS-921NHRNEK0008P	RDR, RK40-H, PIVCLASS, SE E, LF OFF, HF STD/SIO/SEOS/FIPS/CAK, 485FDX, PIG, BLK, STD-1, LED RED, FLSH GRN, BZR ON, OPT TAMP, OPEN COLL, FIPS 75-BIT, KPF, BFFRD 1 TO 5 KEYS, PAR, USER ENTRD FC, 26-BIT MSG, IPM OFF, UART OFF, WIEG ON	557.29
AC-HID-PIVCLASS-921NHRNEK000Y5	RDR, RK40-H, PIVCLASS, SE E, LF OFF, HF STD/SIO/SEOS/FIPS/CAK, 485FDX, PIG, BLK, STD-1, LED RED, FLSH GRN, BZR ON, FIPS 128-BIT REVERSED, KPF, DOR COMPL, BFFRD 1 KEY, NO PAR, 8 BIT-MSG, IPM OFF, UART OFF, WIEG ON	557.29
AC-HID-PIVCLASS-921NHRNEK0011K	RDR, RK40-H, PIVCLASS, SE E, LF OFF, HF STD/SIO/SEOS/FIPS/CAK, 485FDX, PIG, BLK, STD-1, LED RED, FLSH GRN, BZR ON, OPT TAMP, OPEN COLL, FIPS 75-BIT, MIF/DES 56-BIT CSN, KPF, BFFRD 1 KEY, NO PAR, 4-BIT MSG, IPM OFF, UART OFF, WIEG ON	557.29
AC-HID-PIVCLASS-921NHRNEK00121	RDR, RK40-H, PIVCLASS, SE E, LF OFF, HF STD/SIO/SEOS/FIPS/CAK, 485FDX, PIG, BLK, STD-1, LED RED, FLSH GRN, BZR ON, OPT TAMP, OPEN COLL, FIPS 128-BIT, FASCN + RMV OVRHD, KPF, BFFRD 1 KEY, NO PAR, 4-BIT MSG, IPM OFF, UART OFF, WIEG ON	557.29
AC-HID-PIVCLASS-921NHRNEK00139	RDR, RK40-H, PIVCLASS, SE E, LF OFF, HF STD/SIO/SEOS/FIPS/CAK, 485FDX, PIG, BLK, STD-1, LED RED, FLSH GRN, BZR ON, OPT TAMP, OPEN COLL, FIPS 64-BIT, BCD, KPF, BFFRD 1 KEY, DOR COMPL, NO PAR, 8-BIT MSG, IPM OFF, UART OFF, WIEG ON	557.29
AC-HID-PIVCLASS-921NHRNEK0013W	RDR, RK40-H, PIVCLASS, SE E, LF OFF, HF STD/SIO/SEOS/FIPS/CAK, 485FDX, PIG, BLK, STD-1, LED RED, FLSH GRN, BZR ON, OPT TAMP, OPEN COLL, FIPS 75-BIT, KPF, BFFRD 1 KEY, DOR COMPL, NO PAR, 8-BIT MSG, IPM OFF, UART OFF, WIEG ON	557.29
AC-HID-PIVCLASS-921NHRNEK0016Y	RDR, RK40-H, PIVCLASS, SE E, LF OFF, HF STD/SIO/SEOS/FIPS/CAK, 485FDX, PIG, BLK, STD-1, LED RED, FLSH GRN, BZR ON, OPT TAMP, OPEN COLL, FIPS 200-BIT, MIF/DES 56-BIT CSN, KPF, BFFRD 1 KEY, DOR COMPL, NO PAR, 8-BIT MSG, IPM OFF	557.29
AC-HID-PIVCLASS-921NHRNEK0024J	RDR, RK40-H, PIVCLASS, SE E, LF OFF, HF STD/SIO/SEOS/FIPS/CAK, 485FDX, PIG, BLK, STD-1, LED RED, FLSH GRN, BZR ON, OPT TAMP, OPEN COLL, FIPS 200-BIT, KPF, BFFRD 1 TO 5 KEYS, PAR, USER ENTRD FC, 26-BIT MSG, IPM OFF, UART OFF, WIEG ON	557.29

All prices are exclusive of taxes and freight. Motorola Solutions reserves the right to make changes to pricing and discount margins. All installation and use of Access Control Manager software is governed by its end user license agreement (EULA).

CONFIDENTIAL : The contents of this document are considered confidential and should not be posted on a public access website, made available for general public distribution, or otherwise shared with others without prior written authorization from Motorola Solutions Inc. ("Motorola Solutions").

AC-HID-PIVCLASS-921NHRNEK0033A	RDR, RK40-H, PIVCLASS, SE E, LF OFF, HF STD/SIO/SEOS/FIPS/CAK, 485FDX, PIG, BLK, STD-1, LED RED, FLSH GRN, BZR ON, OPT TAMP, OPEN COLL, KPF, ASCII, XMIT CMLPT, IPM OFF, UART ON, WIEG OFF	557.29
AC-HID-PIVCLASS-921NHRNEK0037F	RDR, RK40-H, PIVCLASS, SE E, LF OFF, HF STD/SIO/SEOS/FIPS/CAK, 485FDX, PIG, BLK, STD-1, LED RED, FLSH GRN, BZR ON, OPT TAMP, OPEN COLL, KPF, BFFRD 1 KEY, NO PAR, 4-BIT MSG, FIPS 64-BIT REVERSE BCD, IPM OFF, UART OFF, WIEG ON	557.29
AC-HID-PIVCLASS-921NHRNEKE004M	RDR, RK40-H, PIVCLASS, SE E, LF OFF, HF STD/SIO/SEOS/FIPS/CAK, 485FDX, PIG, BLK, ELITE KEYS, LED RED, FLSH GRN, BZR ON, OPT TAMP, OPEN COLL, FIPS 200-BIT, KPF, BFFRD 1 KEY, NO PAR, 4-BIT MSG, IPM OFF, UART OFF, WIEG ON	557.29
AC-HID-PIVCLASS-921NHRNEKE0062	RDR, RK40-H, PIVCLASS, SE E, LF OFF, HF STD/SIO/SEOS/FIPS/CAK, 485FDX, PIG, BLK, ELITE KEYS, LED RED, FLSH GRN, BZR ON, OPT TAMP, OPEN COLL, FIPS 200-BIT, KPF, BFFRD 1 KEY, DOR COMPL, NO PAR, 8-BIT MSG, IPM OFF, UART OFF, WIEG ON	557.29
AC-HID-PIVCLASS-921NHRTEK00039	RDR, RK40-H, PIVCLASS, SE E, LF OFF, HF STD/SIO/SEOS/FIPS/CAK, 485FDX, TERM, BLK, STD-1, LED RED, FLSH GRN, BZR ON, OPT TAMP, OPEN COLL, FIPS 75-BIT, KPF, BFFRD 1 KEY, NO PAR, 4-BIT MSG, IPM OFF, UART OFF, WIEG ON	557.29
AC-HID-PIVCLASS-921NHRTEK0004K	RDR, RK40-H, PIVCLASS, SE E, LF OFF, HF STD/SIO/SEOS/FIPS/CAK, 485FDX, TERM, BLK, STD-1, LED RED, FLSH GRN, BZR ON, OPT TAMP, OPEN COLL, FIPS 200-BIT, MIF/DES 56-BIT CSN, KPF, BFFRD 1 KEY, NO PAR, 4-BIT MSG, IPM OFF, UART OFF, WIEG ON	557.29
AC-HID-PIVCLASS-921NHRTEK0004M	RDR, RK40-H, PIVCLASS, SE E, LF OFF, HF STD/SIO/SEOS/FIPS/CAK, 485FDX, TERM, BLK, STD-1, LED RED, FLSH GRN, BZR ON, OPT TAMP, OPEN COLL, FIPS 200-BIT, KPF, BFFRD 1 KEY, NO PAR, 4-BIT MSG, IPM OFF, UART OFF, WIEG ON	557.29
AC-HID-PIVCLASS-921NHRTEK00054	RDR, RK40-H, PIVCLASS, SE E, LF OFF, HF STD/SIO/SEOS/FIPS/CAK, 485FDX, TERM, BLK, STD-1, LED RED, FLSH OFF, BZR ON, OPT TAMP, OPEN COLL, FIPS 64-BIT, RVRS BCD, KPF, BFFRD 1 KEY, NO PAR, 4-BIT MSG, IPM OFF, UART OFF, WIEG ON	557.29
AC-HID-PIVCLASS-921NHRTEK00062	RDR, RK40-H, PIVCLASS, SE E, LF OFF, HF STD/SIO/SEOS/FIPS/CAK, 485FDX, TERM, BLK, STD-1, LED RED, FLSH GRN, BZR ON, OPT TAMP, OPEN COLL, FIPS 200-BIT, KPF, BFFRD 1 KEY, DOR COMPL, NO PAR, 8-BIT MSG, IPM OFF, UART OFF, WIEG ON	557.29
AC-HID-PIVCLASS-921NHRTEK0006Q	RDR, RK40-H, PIVCLASS, SE E, LF OFF, HF STD/SIO/SEOS/FIPS/CAK, 485FDX, TERM, BLK, STD-1, LED OFF, FLSH OFF, BZR ON, OPT TAMP, OPEN COLL, FIPS 75-BIT, KPF, BFFRD 1 KEY, NO PAR, 4-BIT MSG, IPM OFF, UART OFF, WIEG ON	557.29
AC-HID-PIVCLASS-921NHRTEK0006V	RDR, RK40-H, PIVCLASS, SE E, LF OFF, HF STD/SIO/SEOS/FIPS/CAK, 485FDX, TERM, BLK, STD-1, LED RED, FLSH GRN, BZR ON, OPT TAMP, OPEN COLL, FIPS 200-BIT, MIF/DES 26-BIT CSN, KPF, BFFRD 1 KEY, NO PAR, 4-BIT MSG, IPM OFF, UART OFF, WIEG ON	557.29
AC-HID-PIVCLASS-921NHRTEK00073	RDR, RK40-H, PIVCLASS, SE E, LF OFF, HF STD/SIO/SEOS/FIPS/CAK, 485FDX, TERM, BLK, STD-1, LED RED, FLSH OFF, BZR ON, OPT TAMP, OPEN COLL, FIPS 64-BIT, BCD, KPF, BFFRD 1 KEY, NO PAR, 4-BIT MSG, IPM OFF, UART OFF, WIEG ON	557.29
AC-HID-PIVCLASS-921NHRTEK0008P	RDR, RK40-H, PIVCLASS, SE E, LF OFF, HF STD/SIO/SEOS/FIPS/CAK, 485FDX, TERM, BLK, STD-1, LED RED, FLSH GRN, BZR ON, OPT TAMP, OPEN COLL, FIPS 75-BIT, KPF, BFFRD 1 TO 5 KEYS, PAR, USER ENTRD FC, 26-BIT MSG, IPM OFF, UART OFF, WIEG ON	557.29
AC-HID-PIVCLASS-921NHRTEK000NL	RDR, RK40-H, PIVCLASS, SE E, LF OFF, HF STD/SIO/SEOS/FIPS/CAK, 485FDX, TERM, BLK, STD-1, LED RED, FLSH GRN, BZR ON, OPT TAMP, OPEN COLL, FIPS 200-BIT, MIF/DES 56-BIT MSB CSN, KPF, BFFRD 1 KEY, DOR COMPL, NO PAR, 8-BIT MSG, IPM OFF, UART OFF, WIEG ON	557.29
AC-HID-PIVCLASS-921NHRTEK000Q7	RDR, RK40-H, PIVCLASS, SE E, LF OFF, HF STD/SIO/SEOS/FIPS/CAK, 485FDX, TERM, BLK, STD-1, A/V OFF, OPT TAMP, OPEN COLL, FIPS 58-BIT AMAG, KPF, BFFRD 1 KEY, DOR COMPL, NO PAR, 8 BIT MSG, IPM OFF, UART OFF, WIEG ON	557.29
AC-HID-PIVCLASS-921NHRTEK000Y5	RDR, RK40-H, PIVCLASS, SE E, LF OFF, HF STD/SIO/SEOS/FIPS/CAK, 485FDX, TERM, BLK, STD-1, LED RED, FLSH GRN, BZR ON, FIPS 128-BIT REVERSED, KPF, DOR COMPL, BFFRD 1 KEY, NO PAR, 8 BIT-MSG, IPM OFF, UART OFF, WIEG ON	557.29
AC-HID-PIVCLASS-921NHRTEK0011G	RDR, RK40-H, PIVCLASS, SE E, LF OFF, HF STD/SIO/SEOS/FIPS/CAK, 485FDX, TERM, BLK, STD-1, LED RED, FLSH GRN, BZR ON, OPT TAMP, OPEN COLL, FIPS 75-BIT, 14443A 56-BIT CSN, KPF, BFFRD 1 KEY, DOR COMPL, NO PAR, 8-BIT MSG, IPM OFF, UART OFF, WIEG	557.29
AC-HID-PIVCLASS-921NHRTEK0011J		557.29

All prices are exclusive of taxes and freight. Motorola Solutions reserves the right to make changes to pricing and discount margins. All installation and use of Access Control Manager software is governed by its end user license agreement (EULA).

CONFIDENTIAL : The contents of this document are considered confidential and should not be posted on a public access website, made available for general public distribution, or otherwise shared with others without prior written authorization from Motorola Solutions Inc. ("Motorola Solutions").

	RDR, RK40-H, PIVCLASS, SE E, LF OFF, HF STD/SIO/SEOS/FIPS/CAK, 485FDX, TERM, BLK, STD-1, LED RED, FL SH GRN, BZR ON, OPT TAMP, OPEN COLL, FIPS 64-BIT, BCD, KPF, BFFRD 1 KEY, PAR, 6-BIT MSG, IPM OFF, UART OFF, WIEG ON	
AC-HID-PIVCLASS-921NHRTEK00121	RDR, RK40-H, PIVCLASS, SE E, LF OFF, HF STD/SIO/SEOS/FIPS/CAK, 485FDX, TERM, BLK, STD-1, LED RED, FL SH GRN, BZR ON, OPT TAMP, OPEN COLL, FIPS 128-BIT, FASCN + RMV OVRHD, KPF, BFFRD 1 KEY, NO PAR, 4-BIT MSG, IPM OFF, UART OFF, WIEG ON	557.29
AC-HID-PIVCLASS-921NHRTEK00123	RDR, RK40-H, PIVCLASS, SE E, LF OFF, HF STD/SIO/SEOS/FIPS/CAK, 485FDX, TERM, BLK, STD-1, LED RED, FL SH GRN, BZR ON, OPT TAMP, OPEN COLL, FIPS 40-BIT, BCD, KPF, BFFRD 1 TO 5 KEYS, PAR, USER ENTRD FC, 26-BIT MSG, IPM OFF, UART OFF, WIEG ON	557.29
AC-HID-PIVCLASS-921NHRTEK0013W	RDR, RK40-H, PIVCLASS, SE E, LF OFF, HF STD/SIO/SEOS/FIPS/CAK, 485FDX, TERM, BLK, STD-1, LED RED, FL SH GRN, BZR ON, OPT TAMP, OPEN COLL, FIPS 75-BIT, KPF, BFFRD 1 KEY, DOR COMPL, NO PAR, 8-BIT MSG, IPM OFF, UART OFF, WIEG ON	557.29
AC-HID-PIVCLASS-921NHRTEK0033A	RDR, RK40-H, PIVCLASS, SE E, LF OFF, HF STD/SIO/SEOS/FIPS/CAK, 485FDX, TERM, BLK, STD-1, LED RED, FL SH GRN, BZR ON, OPT TAMP, OPEN COLL, KPF, ASCII, XMIT CMPLT, IPM OFF, UART ON, WIEG OFF	557.29
AC-HID-PIVCLASS-921NHRTEK0037F	RDR, RK40-H, PIVCLASS, SE E, LF OFF, HF STD/SIO/SEOS/FIPS/CAK, 485FDX, TERM, BLK, STD-1, LED RED, FL SH GRN, BZR ON, OPT TAMP, OPEN COLL, KPF, BFFRD 1 KEY, NO PAR, 4-BIT MSG, FIPS 64-BIT REVERSE BCD, IPM OFF, UART OFF, WIEG ON	557.29
AC-HID-PIVCLASS-921PHPNEK0000F	RDR, RPK40-H, PIVCLASS, SE E, LF STD, HF STD/SIO/SEOS/FIPS/CAK, 485HDX, FIG, BLK, STD-1, OSDP V1, OPEN COLL, OSDP TAMP ENBLD, TEST KEYS, POLL=75MS, A/V OFF, KPF, ASCII, BFFRD 1 KEY, FIPS 200-BIT, IPM OFF, UART OFF, WIEG OFF	598.00
AC-HID-PIVCLASS-921PHPNEK0004R	RDR, RPK40-H, PIVCLASS, SE E, LF STD, HF STD/SIO/SEOS/FIPS/CAK, 485HDX, FIG, BLK, STD-1, LED RED, FL SH GRN, BZR ON, OPT TAMP, OPEN COLL, KPF, BFFRD 1 KEY, NO PAR, 4-BIT MSG, FIPS 64-BIT REVERSE BCD, IPM OFF, UART OFF, WIEG ON	598.00
AC-HID-PIVCLASS-921PHPNEK000HC	RDR, RPK40-H, PIVCLASS, SE E, LF STD, HF STD/SIO/SEOS/FIPS/CAK, 485HDX, FIG, BLK, STD-1, LED RED, FL SH GRN, BZR ON, FIPS 128-BIT REVERSED, KPF, BFFRD 1 KEY, NO PAR, 4-BIT MSG, IPM OFF, UART OFF, WIEG ON	598.00
AC-HID-PIVCLASS-921PHPNEK000R2	RDR, RPK40-H, PIVCLASS, SE E, LF STD, HF STD/SIO/SEOS/FIPS/CAK, 485HDX, FIG, BLK, STD-1, LED RED, FL SH GRN, BZR ON, KPF, BFFRD 1 KEY, NO PAR, 8-BIT MSG, FIPS 200-BIT, IPM OFF, UART OFF, WIEG ON	598.00
AC-HID-PIVCLASS-921PHPNEK000UE	RDR, RPK40-H, PIVCLASS, SE E, LF STD, HF STD/SIO/SEOS/FIPS/CAK, 485HDX, FIG, BLK, STD-1, OSDP V2, OPEN COLL, OSDP TAMP ENBLD, TEST KEYS, POLL=75MS, A/V OFF, KPF, ASCII, BFFRD 1 KEY, FIPS 200-BIT, IPM OFF, UART OFF, WIEG OFF	598.00
AC-HID-PIVCLASS-921PHPNEK0032N	RDR, RPK40-H, PIVCLASS, SE E, LF STD, HF STD/SIO/SEOS/FIPS/CAK, 485HDX, FIG, BLK, STD-1, LED RED, FL SH GRN, BZR ON, KPF, BFFRD 1 KEY, NO PAR, 4-BIT MSG, FIPS 200-BIT, IPM OFF, UART OFF, WIEG ON	598.00
AC-HID-PIVCLASS-921PHPNEK0033G	RDR, RPK40-H, PIVCLASS, SE E, LF STD, HF STD/SIO/SEOS/FIPS/CAK, 485HDX, FIG, BLK, STD-1, OSDP V1, OPEN COLL, OSDP TAMP ENBLD, TEST KEYS, POLL=75MS, A/V OFF, KPF, ASCII, BFFRD 1 KEY, FIPS 75-BIT, IPM OFF, UART OFF, WIEG OFF	598.00
AC-HID-PIVCLASS-921PHPNEK0033H	RDR, RPK40-H, PIVCLASS, SE E, LF STD, HF STD/SIO/SEOS/FIPS/CAK, 485HDX, FIG, BLK, STD-1, OSDP V1, OPEN COLL, OSDP TAMP ENBLD, TEST KEYS, POLL=75MS, A/V OFF, KPF, ASCII, BFFRD 1 KEY, FIPS 64-BIT, IPM OFF, UART OFF, WIEG OFF	598.00
AC-HID-PIVCLASS-921PHPNEK0033J	RDR, RPK40-H, PIVCLASS, SE E, LF STD, HF STD/SIO/SEOS/FIPS/CAK, 485HDX, FIG, BLK, STD-1, LED RED, FL SH GRN, BZR ON, OPT TAMP, OPEN COLL, KPF, BFFRD 1 KEY, NO PAR, 4-BIT MSG, FIPS 75-BIT, IPM OFF, UART OFF, WIEG ON	598.00
AC-HID-PIVCLASS-921PHPNEK0033K	RDR, RPK40-H, PIVCLASS, SE E, LF STD, HF STD/SIO/SEOS/FIPS/CAK, 485HDX, FIG, BLK, STD-1, LED RED, FL SH GRN, BZR ON, OPT TAMP, OPEN COLL, KPF, BFFRD 1 KEY, NO PAR, 4-BIT MSG, FIPS 64-BIT, IPM OFF, UART OFF, WIEG ON	598.00
AC-HID-PIVCLASS-921PHPNEKE000F	RDR, RPK40-H, PIVCLASS, SE E, LF STD, HF STD/SIO/SEOS/FIPS/CAK, 485HDX, FIG, BLK, STD-1, OSDP V1, OPEN COLL, OSDP TAMP ENBLD, TEST KEYS, POLL=75MS, A/V OFF, KPF, ASCII, BFFRD 1 KEY, FIPS 200-BIT, IPM OFF, UART OFF, WIEG OFF	598.00
AC-HID-PIVCLASS-921PHPNEKE033H		598.00

All prices are exclusive of taxes and freight. Motorola Solutions reserves the right to make changes to pricing and discount margins. All installation and use of Access Control Manager software is governed by its end user license agreement (EULA).

CONFIDENTIAL : The contents of this document are considered confidential and should not be posted on a public access website, made available for general public distribution, or otherwise shared with others without prior written authorization from Motorola Solutions Inc. ("Motorola Solutions").

	RDR, RPK40-H, PIVCLASS, SE E, LF STD, HF STD/SIO/SEOS/FIPS/CAK, 485HDX, FIG, BLK, STD-1, OSDP V1, OPEN COLL, OSDP TAMP ENBLD, TEST KEYS, POLL=75MS, A/V OFF, KPF, ASCII, BFFRD 1 KEY, FIPS 64-BIT, IPM OFF, UART OFF, WIEG OFF	
AC-HID-PIVCLASS-921PHPNEKE033K	RDR, RPK40-H, PIVCLASS, SE E, LF STD, HF STD/SIO/SEOS/FIPS/CAK, 485HDX, FIG, BLK, STD-1, LED RED, FLSH GRN, BZR ON, OPT TAMP, OPEN COLL, KPF, BFFRD 1 KEY, NO PAR, 4-BIT MSG, FIPS 64-BIT, IPM OFF, UART OFF, WIEG ON	598.00
AC-HID-PIVCLASS-921PHPTEK0000F	RDR, RPK40-H, PIVCLASS, SE E, LF STD, HF STD/SIO/SEOS/FIPS/CAK, 485HDX, TERM, BLK, STD-1, OSDP V1, OPEN COLL, OSDP TAMP ENBLD, TEST KEYS, POLL=75MS, A/V OFF, KPF, ASCII, BFFRD 1 KEY, FIPS 200-BIT, IPM OFF, UART OFF, WIEG OFF	598.00
AC-HID-PIVCLASS-921PHPTEK000RY	RDR, RPK40-H, PIVCLASS, SE E, LF FSK ONLY, HF DIW/FIPS/CAK, 485HDX, TERM, BLK, STD-1, LED RED, FLSH GRN, BZR ON, OPT TAMP, OPEN COLL, FIPS 200-BIT, KPF, BFFRD 1 KEY, DOR COMPL, NO PAR, 8-BIT MSG, IPM OFF, UART OFF, WIEG ON, SPAWAR	598.00
AC-HID-PIVCLASS-921PHPTEK000UE	RDR, RPK40-H, PIVCLASS, SE E, LF STD, HF STD/SIO/SEOS/FIPS/CAK, 485HDX, TERM, BLK, STD-1, OSDP V2, OPEN COLL, OSDP TAMP ENBLD, TEST KEYS, POLL=75MS, A/V OFF, KPF, ASCII, BFFRD 1 KEY, FIPS 200-BIT, IPM OFF, UART OFF, WIEG OFF	598.00
AC-HID-PIVCLASS-921PHPTEK0032N	RDR, RPK40-H, PIVCLASS, SE E, LF STD, HF STD/SIO/SEOS/FIPS/CAK, 485HDX, TERM, BLK, STD-1, LED RED, FLSH GRN, BZR ON, OPT TAMP, OPEN COLL, KPF, BFFRD 1 KEY, NO PAR, 4-BIT MSG, FIPS 200-BIT, IPM OFF, UART OFF, WIEG ON	598.00
AC-HID-PIVCLASS-921PHPTEK0033G	RDR, RPK40-H, PIVCLASS, SE E, LF STD, HF STD/SIO/SEOS/FIPS/CAK, 485HDX, TERM, BLK, STD-1, OSDP V1, OPEN COLL, OSDP TAMP ENBLD, TEST KEYS, POLL=75MS, A/V OFF, KPF, ASCII, BFFRD 1 KEY, FIPS 75-BIT, IPM OFF, UART OFF, WIEG OFF	598.00
AC-HID-PIVCLASS-921PHPTEK0033J	RDR, RPK40-H, PIVCLASS, SE E, LF STD, HF STD/SIO/SEOS/FIPS/CAK, 485HDX, TERM, BLK, STD-1, LED RED, FLSH GRN, BZR ON, OPT TAMP, OPEN COLL, KPF, BFFRD 1 KEY, NO PAR, 4-BIT MSG, FIPS 75-BIT, IPM OFF, UART OFF, WIEG ON	598.00
AC-HID-PIVCLASS-921PHPTEKE032N	RDR, RPK40-H, PIVCLASS, SE E, LF STD, HF STD/SIO/SEOS/FIPS/CAK, 485HDX, TERM, BLK, STD-1, LED RED, FLSH GRN, BZR ON, OPT TAMP, OPEN COLL, KPF, BFFRD 1 KEY, NO PAR, 4-BIT MSG, FIPS 200-BIT, IPM OFF, UART OFF, WIEG ON	598.00
AC-HID-PIVCLASS-921PHRNEK0001U	RDR, RPK40-H, PIVCLASS, SE E, LF STD, HF STD/SIO/SEOS/FIPS/CAK, 485FDX, FIG, BLK, STD-1, LED RED, FLSH OFF, BZR ON, OPT TAMP, OPEN COLL, FIPS 40-BIT, BCD, KPF, BFFRD 1 KEY, NO PAR, 4-BIT MSG, IPM OFF, UART OFF, WIEG ON	598.00
AC-HID-PIVCLASS-921PHRNEK0002D	RDR, RPK40-H, PIVCLASS, SE E, LF STD, HF STD/SIO/SEOS/FIPS/CAK, 485FDX, FIG, BLK, STD-1, LED RED, FLSH GRN, BZR ON, OPT TAMP, OPEN COLL, FIPS 200-BIT, KPF, BFFRD 1 KEY, DOR COMPL, NO PAR, 8-BIT MSG, IPM OFF, UART OFF, WIEG ON	598.00
AC-HID-PIVCLASS-921PHRNEK0002G	RDR, RPK40-H, PIVCLASS, SE E, LF STD, HF STD/SIO/SEOS/FIPS/CAK, 485FDX, FIG, BLK, STD-1, LED RED, FLSH GRN, BZR ON, OPT TAMP, OPEN COLL, FIPS 75-BIT, KPF, BFFRD 1 KEY, NO PAR, 4-BIT MSG, IPM OFF, UART OFF, WIEG ON	598.00
AC-HID-PIVCLASS-921PHRNEK0002H	RDR, RPK40-H, PIVCLASS, SE E, LF STD, HF STD/SIO/SEOS/FIPS/CAK, 485FDX, FIG, BLK, STD-1, LED RED, FLSH GRN, BZR ON, OPT TAMP, OPEN COLL, FIPS 75-BIT, KPF, BFFRD 1 KEY, DOR COMPL, NO PAR, 8-BIT MSG, IPM OFF, UART OFF, WIEG ON	598.00
AC-HID-PIVCLASS-921PHRNEK0004V	RDR, RPK40-H, PIVCLASS, SE E, LF STD, HF STD/SIO/SEOS/FIPS/CAK, 485FDX, FIG, BLK, STD-1, LED RED, FLSH GRN, BZR ON, OPT TAMP, OPEN COLL, FIPS 40-BIT, BCD, IPM OFF, UART OFF, WIEG ON	598.00
AC-HID-PIVCLASS-921PHRNEK0004Y	RDR, RPK40-H, PIVCLASS, SE E, LF STD, HF STD/SIO/SEOS/FIPS/CAK, 485FDX, FIG, BLK, STD-1, LED RED, FLSH OFF, BZR ON, OPT TAMP, OPEN COLL, FIPS 75-BIT, KPF, BFFRD 1 TO 5 KEYS, PAR, USER ENTRD FC, 26-BIT MSG, IPM OFF, UART OFF, WIEG ON	598.00
AC-HID-PIVCLASS-921PHRNEK0005D	RDR, RPK40-H, PIVCLASS, SE E, LF STD, HF STD/SIO/SEOS/FIPS/CAK, 485FDX, FIG, BLK, STD-1, LED RED, FLSH GRN, BZR ON, OPT TAMP, OPEN COLL, FIPS 75-BIT, MIF/DES 56-BIT CSN, KPF, BFFRD 1 KEY, NO PAR, 4-BIT MSG, IPM OFF, UART OFF, WIEG ON	598.00
AC-HID-PIVCLASS-921PHRNEK0005P	RDR, RPK40-H, PIVCLASS, SE E, LF STD, HF STD/SIO/SEOS/FIPS/CAK, 485FDX, FIG, BLK, STD-1, LED RED, FLSH	598.00

All prices are exclusive of taxes and freight. Motorola Solutions reserves the right to make changes to pricing and discount margins. All installation and use of Access Control Manager software is governed by its end user license agreement (EULA).

CONFIDENTIAL : The contents of this document are considered confidential and should not be posted on a public access website, made available for general public distribution, or otherwise shared with others without prior written authorization from Motorola Solutions Inc. ("Motorola Solutions").

	GRN, BZR ON, OPT TAMP, OPEN COLL, FIPS 75-BIT, KPF, BFFRD 1 TO 5 KEYS, PAR, USER ENTRD FC, 26-BIT MSG, IPM OFF, UART OFF, WIEG ON	
AC-HID-PIVCLASS-921PHRNEK0005T	RDR, RPK40-H, PIVCLASS, SE E, LF STD, HF STD/SIO/SEOS/FIPS/CAK, 485FDX, PIG, BLK, STD-1, LED RED, FLSSH GRN, BZR ON, OPT TAMP, OPEN COLL, FIPS 200-BIT, KPF, BFFRD 1 TO 5 KEYS, PAR, USER ENTRD FC, 26-BIT MSG, IPM OFF, UART OFF, WIEG ON	598.00
AC-HID-PIVCLASS-921PHRNEK00068	RDR, RPK40-H, PIVCLASS, SE E, LF STD, HF STD/SIO/SEOS/FIPS/CAK, 485FDX, PIG, BLK, STD-1, LED RED, FLSSH OFF, BZR ON, OPT TAMP, OPEN COLL, FIPS 75-BIT, KPF, BFFRD 1 KEY, DOR COMPL, NO PAR, 8-BIT MSG, IPM OFF, UART OFF, WIEG ON	598.00
AC-HID-PIVCLASS-921PHRNEK0006F	RDR, RPK40-H, PIVCLASS, SE E, LF STD, HF STD/SIO/SEOS/FIPS/CAK, 485FDX, PIG, BLK, STD-1, LED RED, FLSSH GRN, BZR ON, OPT TAMP, OPEN COLL, FIPS 64-BIT, RVRS BCD, KPF, BFFRD 1 KEY, DOR COMPL, NO PAR, 8-BIT MSG, IPM OFF, UART OFF, WIEG ON	598.00
AC-HID-PIVCLASS-921PHRNEK000CU	RDR, RPK40-H, PIVCLASS, SE E, LF STD, HF CST, 485FDX, PIG, BLK, STD-1, LED RED, FLSSH GRN, BZR ON, OPT TAMP/OPN COL, FIPS200-BIT, KPF BFRD 1 KEY, DOR CMP, NOPAR, 8-BIT, IPM OFF, UART OFF, WIEG ON, CSTM /FIPS/CAK/MIGR,LFENBD,PATHNJ	598.00
AC-HID-PIVCLASS-921PHRNEK000E7	RDR, RPK40-H, PIVCLASS, SE E, LF STD, HF STD/SIO/SEOS/FIPS/CAK,485FDX,PIG,BLK,STD-1, LED RED,FLSSH GRN,BZR ON,OPT TAMP, OC,CSN 32 BIT MSB,FIPS 75-BIT,BFFRD 1 KEY,DOR COMPL,NO PAR, 8-BIT,IPM OFF,UART ON,WIEG ON,PROX FSK PRIORITY	598.00
AC-HID-PIVCLASS-921PHRNEK000EF	RDR, RPK40-H, PIVCLASS, SE E, LF STD, HF STD/SIO/SEOS/FIPS/CAK,485FDX,PIG, BLK,STD-1, LED RED,FLSSH ON,BZR ON,OPT TAMP,OPN COL, FIPS 200-BIT,MIF/DES 56-BIT CSN,BFRD 1 KEY, DOR COMPL,NO PAR,8-BIT MSG,IPM OFF,UART OFF, WIEG ON	598.00
AC-HID-PIVCLASS-921PHRNEK000HC	RDR, RPK40-H, PIVCLASS, SE E, LF STD, HF STD/SIO/SEOS/FIPS/CAK, 485FDX, PIG, BLK, STD-1, LED RED, FLSSH GRN, BZR ON, FIPS 128-BIT REVERSED, KPF, BFFRD 1 KEY, NO PAR, 4-BIT MSG, IPM OFF, UART OFF, WIEG ON	598.00
AC-HID-PIVCLASS-921PHRNEK000K3	RDR, RPK40-H, PIVCLASS, SE E, LF STD, HF STD/SIO/SEOS/FIPS/CAK, 485FDX, PIG, BLK, STD-1, LED ON, FLSSH OFF, BZR ON, OPT TAMP, OPEN COLL, FIPS 200 BIT, PROX FSK, KPF, BFFRD 1 KEY, NO PAR, 4-BIT MSG, IPM OFF, UART OFF, WIEG ON, CSTM SEOS LEDS	598.00
AC-HID-PIVCLASS-921PHRNEK0010K	RDR, RPK40-H, PIVCLASS, SE E, LF STD, HF FIPS/CAK/MIGR, 485FDX, PIG, BLK, STD-1, LED RED, FLSSH OFF, BZR ON, OPT TAMP, OPEN COLL, FIPS200-BIT, KPF BFRD 1 KEY, DOR CMP, NOPAR, 8-BIT, IPM OFF, UART OFF, WIEG ON, JFK	598.00
AC-HID-PIVCLASS-921PHRNEK0010N	RDR, RPK40-H, PIVCLASS, SE E, LF STD, HF STD/SIO/SEOS/FIPS/CAK, 485FDX, PIG, BLK, STD-1, LED RED, FLSSH OFF, BZR ON, OPT TAMP, OPEN COLL, FIPS 64-BIT, RVRS BCD, KPF, BFFRD 1 KEY, NO PAR, 4-BIT MSG, IPM OFF, UART OFF, WIEG ON	598.00
AC-HID-PIVCLASS-921PHRNEK0011B	RDR, RPK40-H, PIVCLASS, SE E, LF STD, HF STD/SIO/SEOS/FIPS/CAK, 485FDX, PIG, BLK, STD-1, LED RED, FLSSH OFF, BZR ON, OPT TAMP, OPEN COLL, FIPS 75-BIT, KPF, BFFRD 1 KEY, NO PAR, 4-BIT MSG, IPM OFF, UART OFF, WIEG ON	598.00
AC-HID-PIVCLASS-921PHRNEK0011R	RDR, RPK40-H, PIVCLASS, SE E, LF STD, HF STD/SIO/SEOS/FIPS/CAK, 485FDX, PIG, BLK, STD-1, LED RED, FLSSH GRN, BZR ON, OPT TAMP, OPEN COLL, FIPS 200-BIT, MIF/DES 26-BIT CSN, KPF, BFFRD 1 KEY, NO PAR, 4-BIT MSG, IPM OFF, UART OFF, WIEG ON	598.00
AC-HID-PIVCLASS-921PHRNEK00127	RDR, RPK40-H, PIVCLASS, SE E, LF STD, HF STD/SIO/SEOS/FIPS/CAK, 485FDX, PIG, BLK, STD-1, LED RED, FLSSH GRN, BZR ON, OPT TAMP, OPEN COLL, FIPS 40-BIT, BCD, KPF, BFFRD 1 KEY, DOR COMPL, NO PAR, 8-BIT MSG, IPM OFF, UART OFF, WIEG ON	598.00
AC-HID-PIVCLASS-921PHRNEK0013F	RDR, RPK40-H, PIVCLASS, SE E, LF STD, HF STD/SIO/SEOS/FIPS/CAK, 485FDX, PIG, BLK, STD-1, LED RED, FLSSH OFF, BZR ON, OPT TAMP, OPEN COLL, FIPS 200-BIT, KPF, BFFRD 1 TO 5 KEYS, PAR, USER ENTRD FC, 26-BIT MSG, IPM OFF, UART OFF, WIEG ON	598.00
AC-HID-PIVCLASS-921PHRNEK00145	RDR, RPK40-H, PIVCLASS, SE E, LF STD, HF STD/SIO/SEOS/FIPS/CAK, 485FDX, PIG, BLK, STD-1, LED RED, FLSSH OFF, BZR ON, OPT TAMP, OPEN COLL, FIPS 200-BIT, KPF, BFFRD 1 KEY, NO PAR, 4-BIT MSG, IPM OFF	598.00
AC-HID-PIVCLASS-921PHRNEK0015D		598.00

All prices are exclusive of taxes and freight. Motorola Solutions reserves the right to make changes to pricing and discount margins. All installation and use of Access Control Manager software is governed by its end user license agreement (EULA).

CONFIDENTIAL : The contents of this document are considered confidential and should not be posted on a public access website, made available for general public distribution, or otherwise shared with others without prior written authorization from Motorola Solutions Inc. ("Motorola Solutions").

	RDR, RPK40-H, PIVCLASS, SE E, LF STD, HF STD/SIO/SEOS/FIPS/CAK, 485FDX, PIG, BLK, STD-1, LED OFF, FLSH OFF, BZR OFF, OPT TAMP, OPEN COLL, FIPS 75-BIT, KPF, BFFRD 1 KEY, NO PAR, 4-BIT MSG, IPM OFF	
AC-HID-PIVCLASS-921PHRNEK0020D	RDR, RPK40-H, PIVCLASS, SE E, LF STD, HF STD/SIO/SEOS/FIPS/CAK, 485FDX, PIG, BLK, STD-1, LED OFF, FLSH OFF, BZR ON, OPT TAMP, OPEN COLL, FIPS 64-BIT, RVRS BCD, KPF, BFFRD 1 KEY, DOR COMPL, NO PAR, 8-BIT MSG, IPM OFF	598.00
AC-HID-PIVCLASS-921PHRNEK0020R	RDR, RPK40-H, PIVCLASS, SE E, LF STD, HF STD/SIO/SEOS/FIPS/CAK, 485FDX, PIG, BLK, STD-1, LED RED, FLSH GRN, BZR ON, OPT TAMP, OPEN COLL, FIPS 64-BIT, BCD, KPF, BFFRD 1 KEY, NO PAR, 4-BIT MSG, IPM OFF, UART OFF, WIEG ON	598.00
AC-HID-PIVCLASS-921PHRNEK0020U	RDR, RPK40-H, PIVCLASS, SE E, LF STD, HF STD/SIO/SEOS/FIPS/CAK, 485FDX, PIG, BLK, STD-1, LED RED, FLSH GRN, BZR ON, OPT TAMP, OPEN COLL, FIPS 64-BIT, RVRS BCD, KPF, BFFRD 1 TO 5 KEYS, PAR, USER ENTRD FC, 26-BIT MSG, IPM OFF	598.00
AC-HID-PIVCLASS-921PHRNEK0026H	RDR, RPK40-H, PIVCLASS, SE E, LF STD, HF STD/SIO/SEOS/FIPS/CAK, 485FDX, PIG, BLK, STD-1, LED RED, FLSH GRN, BZR ON, OPT TAMP, OPEN COLL, FIPS 200-BIT, KPF, BFFRD 1 KEY, ADD PAR, *E, #F, 6-BIT MSG, IPM OFF, UART OFF, WIEG ON	598.00
AC-HID-PIVCLASS-921PHRNEK0026J	RDR, RPK40-H, PIVCLASS, SE E, LF STD, HF STD/SIO/SEOS/FIPS/CAK, 485FDX, PIG, BLK, STD-1, LED RED, FLSH GRN, BZR ON, OPT TAMP, OPEN COLL, FIPS 40-BIT, BCD, KPF, BFFRD 1 TO 5 KEYS, PAR, USER ENTRD FC, 26-BIT MSG, IPM OFF, UART OFF, WIEG ON	598.00
AC-HID-PIVCLASS-921PHRNEK0026L	RDR, RPK40-H, PIVCLASS, SE E, LF STD, HF STD/SIO/SEOS/FIPS/CAK, 485FDX, PIG, BLK, STD-1, LED RED, FLSH GRN, BZR ON, OPT TAMP, OPEN COLL, FIPS 75-BIT, MIF/DES 56-BIT CSN, KPF, BFFRD 1 KEY, DOR COMPL, NO PAR, 8-BIT MSG, IPM OFF, UART OFF, WIE	598.00
AC-HID-PIVCLASS-921PHRNEK0026M	RDR, RPK40-H, PIVCLASS, SE E, LF STD, HF STD/SIO/SEOS/FIPS/CAK, 485FDX, PIG, BLK, STD-1, LED RED, FLSH GRN, BZR ON, OPT TAMP, OPEN COLL, KPF, BFFRD 1 KEY, DOR COMPL, NO PAR, 8-BIT MSG, IPM OFF, UART OFF, WIEG ON	598.00
AC-HID-PIVCLASS-921PHRNEK0026W	RDR, RPK40-H, PIVCLASS, SE E, LF STD, HF STD/SIO/SEOS/FIPS/CAK, 485FDX, PIG, BLK, STD-1, LED RED, FLSH GRN, BZR OFF, OPT TAMP, OPEN COLL, FIPS 75-BIT, KPF, BFFRD 1 KEY, NO PAR, 4-BIT MSG, IPM OFF, UART OFF, WIEG ON	598.00
AC-HID-PIVCLASS-921PHRNEK0026Y	RDR, RPK40-H, PIVCLASS, SE E, LF STD, HF STD/SIO/SEOS/FIPS/CAK, 485FDX, PIG, BLK, STD-1, LED OFF, FLSH GRN, BZR ON, OPT TAMP, OPEN COLL, FIPS 200-BIT, KPF, BFFRD 1 KEY, NO PAR, 4-BIT MSG, IPM OFF, UART OFF, WIEG ON	598.00
AC-HID-PIVCLASS-921PHRNEK00273	RDR, RPK40-H, PIVCLASS, SE E, LF STD, HF STD/SIO/SEOS/FIPS/CAK, 485FDX, PIG, BLK, STD-1, LED OFF, FLSH OFF, BZR ON, OPT TAMP, OPEN COLL, FIPS 200-BIT, KPF, BFFRD 1 KEY, NO PAR, 4-BIT MSG, IPM OFF, UART OFF, WIEG ON	598.00
AC-HID-PIVCLASS-921PHRNEK00274	RDR, RPK40-H, PIVCLASS, SE E, LF STD, HF STD/SIO/SEOS/FIPS/CAK, 485FDX, PIG, BLK, STD-1, LED OFF, FLSH OFF, BZR ON, OPT TAMP, OPEN COLL, FIPS 75-BIT, KPF, BFFRD 1 KEY, DOR COMPL, NO PAR, 8-BIT MSG, IPM OFF, UART OFF, WIEG ON	598.00
AC-HID-PIVCLASS-921PHRNEK0032W	RDR, RPK40-H, PIVCLASS, SE E, LF STD, HF STD/SIO/SEOS/FIPS/CAK, 485FDX, PIG, BLK, STD-1, LED RED, FLSH GRN, BZR ON, KPF, BFFRD 1 KEY, NO PAR, 4-BIT MSG, FIPS 200-BIT, IPM OFF, UART OFF, WIEG ON	598.00
AC-HID-PIVCLASS-921PHRNEK0033B	RDR, RPK40-H, PIVCLASS, SE E, LF STD, HF STD/SIO/SEOS/FIPS/CAK, 485FDX, PIG, BLK, STD-1, LED RED, FLSH GRN, BZR ON, OPT TAMP, OPEN COLL, KPF, ASCII, XMIT CMPLT, IPM OFF, UART ON, WIEG OFF	598.00
AC-HID-PIVCLASS-921PHRNEK0037G	RDR, RPK40-H, PIVCLASS, SE E, LF STD, HF STD/SIO/SEOS/FIPS/CAK, 485FDX, PIG, BLK, STD-1, LED RED, FLSH GRN, BZR ON, OPT TAMP, OPEN COLL, FIPS 64-BIT, RVRS BCD, KPF, BFFRD 1 KEY, NO PAR, 4-BIT MSG, IPM OFF, UART OFF, WIEG ON	598.00
AC-HID-PIVCLASS-921PHRNEK0043E	RDR, RPK40-H, PIVCLASS, SE E, LF STD, HF STD/SIO/SEOS/FIPS/CAK, 485FDX, PIG, BLK, STD-1, LED RED, FLSH ON, BZR ON, OPT TAMP, OPN COL, FIPS 200-BIT, 14443A 56-BIT CSN, KPF, BFRD 1 KEY, DOR COMPL, NO PAR, 8-BIT MSG, IPM OFF, UART OFF, WIEG ON	598.00
AC-HID-PIVCLASS-921PHRNEK0043G	RDR, RPK40-H, PIVCLASS, SE E, LF STD, HF STD/SIO/SEOS/FIPS/CAK, 485FDX, PIG, BLK, STD-1, LED RED, FLSH GRN, BZR ON, OPT TAMP, OPEN COLL, FIPS 200-BIT, MIF/DES 56-BIT	598.00

All prices are exclusive of taxes and freight. Motorola Solutions reserves the right to make changes to pricing and discount margins. All installation and use of Access Control Manager software is governed by its end user license agreement (EULA).

CONFIDENTIAL : The contents of this document are considered confidential and should not be posted on a public access website, made available for general public distribution, or otherwise shared with others without prior written authorization from Motorola Solutions Inc. ("Motorola Solutions").

	CSN, KPF, BFFRD 1 KEY, NO PAR, 4-BIT MSG, IPM OFF, UART OFF, WIEG ON	
AC-HID-PIVCLASS-921PHRNEK0043T	RDR, RPK40-H, PIVCLASS, SE E, LF STD, HF STD/SIO/SEOS/FIPS/CAK, 485FDX, PIG, BLK, STD-1, LED RED, FL SH GRN, BZR ON, OPT TAMP, OPEN COLL, FIPS 75-BIT, 14443A MIF 56-BIT CSN, KPF, BFFRD 1 KEY, NO PAR, 4-BIT MSG, IPM OFF, UART OFF, WIEG ON	598.00
AC-HID-PIVCLASS-921PHRNEK0044K	RDR, RPK40-H, PIVCLASS, SE E, LF STD, HF STD/SIO/SEOS/FIPS/CAK, 485FDX, PIG, BLK, STD-1, LED RED, FL SH GRN, BZR ON, OPT TAMP, OPEN COLL, FIPS 64-BIT, BCD, KPF, BFFRD 1 KEY, PAR, 8-BIT MSG, IPM OFF, UART OFF, WEIG ON	598.00
AC-HID-PIVCLASS-921PHRNEK00467	RDR, RPK40-H, PIVCLASS, SE E, LF STD, HF OFF, 485FDX, PIG, BLK, STD-1, CSN SURPRESSED, LED RED, FL SH GRN, BZR ON, OPT TAMP, OPEN COLL, KPF, BFFRD 1 KEY, DOR COMPL, NO PAR, 8-BIT MSG, IPM OFF, UART OFF, WIEG ON	598.00
AC-HID-PIVCLASS-921PHRNEK0046F	RDR, RPK40-H, PIVCLASS, SE E, LF STD, HF STD/SIO/SEOS/FIPS/CAK, 485FDX, PIG, BLK, STD-1, LED RED, FL SH GRN, BZR ON, OPT TAMP, OPEN COLL, , KPF, BFFRD 1 KEY, DOR COMPL, NO PAR, 8 BIT MSG, IPM OFF, UART OFF, WIEG ON	598.00
AC-HID-PIVCLASS-921PHRNEK00470	RDR, RPK40-H, PIVCLASS, SE E, LF CST, HF STD/SIO/SEOS/FIPS/CAK, 485FDX, PIG, BLK, STD-1, LED OFF, FL SH OFF, BZR ON, OPT TAMP, OPEN COLL, FIPS 200 BIT, KPF, BFFRD 1 KEY, DOR, NO PAR, 8-BIT MSG, IPM OFF, UART OFF, WIEG ON, FSK, ASK, PSK ENABL	598.00
AC-HID-PIVCLASS-921PHRNEK0047A	RDR, RPK40-H, PIVCLASS, SE E, LF STD, HF CST, 485FDX, PIG, BLK, STD-1, LED RED, FL SH GRN, BZR ON, OPT TMP/OPN COL, FIPS200-BIT, KPF BFRD 1 KEY, DOR CMP, NOPAR, 8-BIT, IPM OFF, UART OFF, WIEG ON, CST STD/SIO/SEOS/FIPS/CAK/MIGR,LFENBD,PATHNJ	598.00
AC-HID-PIVCLASS-921PHRNEK0051T	RDR, RPK40-H, PIVCLASS, SE E, LF CST, HF STD/SIO/SEOS/FIPS/CAK, 485FDX, PIG, BLK, STD-1, LED RED, FL SH GRN, BZR ON, OPT , OC, FIPS 75-BIT, MIF/DES 56-BIT CSN, KPF, BFFRD 1 KEY, NO PAR, 4-BIT MSG, FSK PROX READ ONLY, IPM OFF, UART OFF	598.00
AC-HID-PIVCLASS-921PHRNEK0051V	RDR, RPK40-H, PIVCLASS, SE E, LF CST, HF STD/SIO/SEOS/FIPS/CAK, 485FDX, PIG, BLK, STD-1, LED RED, FL SH GRN, BZR ON, KPF, BFFRD 1 KEY, NO PAR, 4-BIT MSG, FIPS 200-BIT, FSK PROX READ ONLY, IPM OFF, UART OFF, WIEG ON	598.00
AC-HID-PIVCLASS-921PHRNEK0053Q	RDR, RPK40-H, PIVCLASS, SE E, LF STD, HF STD/SIO/SEOS/FIPS/CAK, 485FDX, PIG, BLK, STD-1, LED RED, FL SH GRN, BZR ON,CSN 32-BIT MSB, KPF, BFFRD 1 KEY, NO PAR, 4-BIT MSG, FIPS 75-BIT, IPM OFF, UART OFF, WIEG ON	598.00
AC-HID-PIVCLASS-921PHRNEK0057D	RDR, RPK40-H, PIVCLASS,SE E,LF STD,HF STD/SIO/SEOS/FIPS/CAK,485FDX,PIG,BLK,STD-1,LED RED,FL SH GRN,BZR ON,OPT TAMP,OPEN COLL,FIPS 128-BIT,FASCN+RMV OVRHD+RMV PAR ,KPF,BFFRD 1 KEY,DOR COMPL,NO PAR 8-BIT MSG,IPM OFF	598.00
AC-HID-PIVCLASS-921PHRNEK00589	RDR, RPK40-H, PIVCLASS, SE E, LF STD, HF STD/SIO/SEOS/FIPS/CAK, 485FDX, PIG, BLK, STD-1, LED RED, FL SH GRN, BZR ON, OPT TAMP, OPEN COLL, FIPS 200-BIT, KPF, BFFRD 1 TO 5 KEYS, PAR, FC FIXED 96, 26-BIT MSG, IPM OFF, UART OFF, WIEG ON	598.00
AC-HID-PIVCLASS-921PHRNEKE026V	RDR, RPK40-H, PIVCLASS, SE E, LF STD, HF STD/SIO/SEOS/FIPS/CAK, 485FDX, PIG, BLK, ELITE KEYS, LED RED, FL SH GRN, BZR ON, OPT TAMP, OPEN COLL, FIPS 40-BIT, RVRS BCD, KPF, BFFRD 1 KEY, NO PAR, 4-BIT MSG, IPM OFF, UART OFF, WIEG ON	598.00
AC-HID-PIVCLASS-921PHRNEKE032W	RDR, RPK40-H, PIVCLASS, SE E, LF STD, HF STD/SIO/SEOS/FIPS/CAK, 485FDX, PIG, BLK, STD-1, LED RED, FL SH GRN, BZR ON, OPT TAMP, OPEN COLL, KPF, BFFRD 1 KEY, NO PAR, 4-BIT MSG, FIPS 200-BIT, IPM OFF, UART OFF, WIEG ON	598.00
AC-HID-PIVCLASS-921PHRTEK0002D	RDR, RPK40-H, PIVCLASS, SE E, LF STD, HF STD/SIO/SEOS/FIPS/CAK, 485FDX, TERM, BLK, STD-1, LED RED, FL SH GRN, BZR ON, OPT TAMP, OPEN COLL, FIPS 200-BIT, KPF, BFFRD 1 KEY, DOR COMPL, NO PAR, 8-BIT MSG, IPM OFF, UART OFF, WIEG ON	598.00
AC-HID-PIVCLASS-921PHRTEK0002G	RDR, RPK40-H, PIVCLASS, SE E, LF STD, HF STD/SIO/SEOS/FIPS/CAK, 485FDX, TERM, BLK, STD-1, LED RED, FL SH GRN, BZR ON, KPF, BFFRD 1 KEY, NO PAR, 4-BIT MSG, FIPS 75-BIT, IPM OFF, UART OFF, WIEG ON	598.00
AC-HID-PIVCLASS-921PHRTEK000HC		598.00

All prices are exclusive of taxes and freight. Motorola Solutions reserves the right to make changes to pricing and discount margins. All installation and use of Access Control Manager software is governed by its end user license agreement (EULA).

CONFIDENTIAL : The contents of this document are considered confidential and should not be posted on a public access website, made available for general public distribution, or otherwise shared with others without prior written authorization from Motorola Solutions Inc. ("Motorola Solutions").

	RDR, RPK40-H, PIVCLASS, SE E, LF STD, HF STD/SIO/SEOS/FIPS/CAK, 485FDX, TERM, BLK, STD-1, LED RED, FLSH GRN, BZR ON, FIPS 128-BIT REVERSED, KPF, BFFRD 1 KEY, NO PAR, 4-BIT MSG, IPM OFF, UART OFF, WIEG ON	
AC-HID-PIVCLASS-921PHRTEK000Y6	RDR, RPK40-H, PIVCLASS, SE E, LF STD, HF STD/SIO/SEOS/FIPS/CAK, 485FDX, TERM, BLK, STD-1, LED RED, FLSH GRN, BZR ON, FIPS 128-BIT REVERSED, KPF, DOR COMPL, BFFRD 1 KEY, NO PAR, 8 BIT-MSG, IPM OFF, UART OFF, WIEG ON	598.00
AC-HID-PIVCLASS-921PHRTEK00127	RDR, RPK40-H, PIVCLASS, SE E, LF STD, HF STD/SIO/SEOS/FIPS/CAK, 485FDX, TERM, BLK, STD-1, LED RED, FLSH GRN, BZR ON, OPT TAMP, OPEN COLL, FIPS 40-BIT, BCD, KPF, BFFRD 1 KEY, DOR COMPL, NO PAR, 8-BIT MSG, IPM OFF, UART OFF, WIEG ON	598.00
AC-HID-PIVCLASS-921PHRTEK0020R	RDR, RPK40-H, PIVCLASS, SE E, LF STD, HF STD/SIO/SEOS/FIPS/CAK, 485FDX, TERM, BLK, STD-1, LED RED, FLSH GRN, BZR ON, OPT TAMP, OPEN COLL, KPF, BFFRD 1 KEY, NO PAR, 4-BIT MSG, FIPS 64-BIT, IPM OFF, UART OFF, WIEG ON	598.00
AC-HID-PIVCLASS-921PHRTEK0032W	RDR, RPK40-H, PIVCLASS, SE E, LF STD, HF STD/SIO/SEOS/FIPS/CAK, 485FDX, TERM, BLK, STD-1, LED RED, FLSH GRN, BZR ON, OPT TAMP, OPEN COLL, KPF, BFFRD 1 KEY, NO PAR, 4-BIT MSG, FIPS 200-BIT, IPM OFF, UART OFF, WIEG ON	598.00
AC-HID-PIVCLASS-921PHRTEK0033B	RDR, RPK40-H, PIVCLASS, SE E, LF STD, HF STD/SIO/SEOS/FIPS/CAK, 485FDX, TERM, BLK, STD-1, LED RED, FLSH GRN, BZR ON, OPT TAMP, OPEN COLL, KPF, ASCII, XMIT CMPLT, IPM OFF, UART ON, WIEG OFF	598.00
AC-HID-PIVCLASS-921PHRTEK0037G	RDR, RPK40-H, PIVCLASS, SE E, LF STD, HF STD/SIO/SEOS/FIPS/CAK, 485FDX, TERM, BLK, STD-1, LED RED, FLSH GRN, BZR ON, OPT TAMP, OPEN COLL, KPF, BFFRD 1 KEY, NO PAR, 4-BIT MSG, FIPS 64-BIT REVERSE BCD, IPM OFF, UART OFF, WIEG ON	598.00
AC-HID-PIVCLASS-921PHRTEK0043T	RDR, RPK40-H, PIVCLASS, SE E, LF STD, HF STD/SIO/SEOS/FIPS/CAK, 485FDX, TERM, BLK, STD-1, LED RED, FLSH GRN, BZR ON, OPT TAMP, OPEN COLL, FIPS 75-BIT, 14443A MIF 56-BIT CSN, KPF, BFFRD 1 KEY, NO PAR, 4-BIT MSG, IPM OFF, UART OFF, WIEG ON	598.00
AC-HID-PIVCLASS-921PHRTEK0043U	RDR, RPK40-H, PIVCLASS, SE E, LF STD, HF STD/SIO/SEOS/FIPS/CAK, 485FDX, TERM, BLK, STD-1, LED RED, FLSH GRN, BZR ON, OPT TAMP, OPEN COLL, FIPS 75-BIT, 14443A MIF 56-BIT CSN, KPF, BFFRD 1 KEY, DOR COMPL, NO PAR, 8-BIT MSG, IPM OFF, UART OFF	598.00
AC-HID-PIVCLASS-921PHRTEK00467	RDR, RPK40-H, PIVCLASS, SE E, LF STD, HF OFF, 485FDX, TERM, BLK, STD-1, CSN SURPRESSED, LED RED, FLSH GRN, BZR ON, OPT TAMP, OPEN COLL, KPF, BFFRD 1 KEY, DOR COMPL, NO PAR, 8-BIT MSG, IPM OFF, UART OFF, WIEG ON	598.00
AC-HID-PIVCLASS-921PHRTEK00478	RDR, RPK40-H, PIVCLASS, SE E, LF STD, HF OFF, 485FDX, TERM, BLK, STD-1, CSN SURPRESSED, LED OFF, FLSH OFF, BZR ON, OPT TAMP, OPEN COLL, KPF, BFFRD 1 KEY, DOR COMPL, NO PAR, 8-BIT MSG, IPM OFF, UART OFF, WIEG ON	598.00
AC-HID-PIVCLASS-921PHRTEK0047A	RDR, RPK40-H, PIVCLASS, SE E, LF STD, HF CST, 485FDX, TERM, BLK, STD-1, LED RED, FLSH GRN, BZR ON, OPT TMP/OPN COL, FIPS200-BIT, KPF BFRD 1 KEY, DOR CMP, NOPAR, 8-BIT, IPM OFF, UART OFF, WIEG ON, CST STD/SIO/SEOS/FIPS/CAK/MIGR,LFENBD,PATHNJ	598.00
AC-HID-PIVCLASS-921PHRTEKE002G	RDR, RPK40-H, PIVCLASS, SE E, LF STD, HF STD/SIO/SEOS/FIPS/CAK, 485FDX, TERM, BLK, STD-1, LED RED, FLSH GRN, BZR ON, OPT TAMP, OPEN COLL, KPF, BFFRD 1 KEY, NO PAR, 4-BIT MSG, FIPS 75-BIT, IPM OFF, UART OFF, WIEG ON	598.00
AC-HID-PIVCLASS-921PHRTEKE00HC	RDR, RPK40-H, PIVCLASS, SE E, LF STD, HF STD/SIO/SEOS/FIPS/CAK, 485FDX, TERM, BLK, ELITE, LED RED, FLSH GRN, BZR ON, FIPS 128-BIT REVERSED, KPF, BFFRD 1 KEY, NO PAR, 4-BIT MSG, IPM OFF, UART OFF, WIEG ON	598.00
AC-HID-PIVCLASS-921PHRTEKE020R	RDR, RPK40-H, PIVCLASS, SE E, LF STD, HF STD/SIO/SEOS/FIPS/CAK, 485FDX, TERM, BLK, STD-1, LED RED, FLSH GRN, BZR ON, OPT TAMP, OPEN COLL, KPF, BFFRD 1 KEY, NO PAR, 4-BIT MSG, FIPS 64-BIT, IPM OFF, UART OFF, WIEG ON	598.00
AC-HID-PIVCLASS-921PHRTEKE032W	RDR, RPK40-H, PIVCLASS, SE E, LF STD, HF STD/SIO/SEOS/FIPS/CAK, 485FDX, TERM, BLK, STD-1, LED RED, FLSH GRN, BZR ON, OPT TAMP, OPEN COLL, KPF, BFFRD 1 KEY, NO PAR, 4-BIT MSG, FIPS 200-BIT, IPM OFF, UART OFF, WIEG ON	598.00
AC-HID-PIVCLASS-921PHRTEKE033B	RDR, RPK40-H, PIVCLASS, SE E, LF STD, HF STD/SIO/SEOS/FIPS/CAK, 485FDX, TERM, BLK, STD-1, LED RED, FLSH GRN, BZR ON, OPT TAMP, OPEN COLL, KPF, ASCII, XMIT CMPLT, IPM OFF, UART ON, WIEG OFF	598.00

All prices are exclusive of taxes and freight. Motorola Solutions reserves the right to make changes to pricing and discount margins. All installation and use of Access Control Manager software is governed by its end user license agreement (EULA).

CONFIDENTIAL : The contents of this document are considered confidential and should not be posted on a public access website, made available for general public distribution, or otherwise shared with others without prior written authorization from Motorola Solutions Inc. ("Motorola Solutions").

AC-HID-PIVCLASS-921PHRTEKE037G	RDR, RPK40-H, PIVCLASS, SE E, LF STD, HF STD/SIO/SEOS/FIPS/CAK, 485FDX, TERM, BLK, STD-1, LED RED, FLSH GRN, BZR ON, OPT TAMP, OPEN COLL, KPF, BFFRD 1 KEY, NO PAR, 4-BIT MSG, FIPS 64-BIT REVERSE BCD, IPM OFF, UART OFF, WIEG ON	598.00
AC-HID-PIVCLASS-921PTNTEK0000B	RDR, RPK40, MULTICLASS, SE E, LF STD, HF STD/SIO/SEOS/FIPS/CAK/PKI, 485FDX, LED RED, FLSH GRN, BZR ON, KPF, ASCII, XMIT CMPLT PIN, LCD 1F, IPM OFF, UART ON, WIEG OFF	597.23
AC-HID-PIVCLASS-923NPPNEK0000L	RDR, RKCL40-P, PIVCLASS, SE E, CONT LCD, RF SUPPR, 485HDX, FIG, BLK, STD-1, A/V OFF, OSDP V2, OPT TAMP, OPEN COLL, OSDP TAMP ENBLD, TEST KEY, POLL=75MS, FIPS 75-BIT, KPF, ASCII, BFFRD 1 KEY, LCD 1F, IPM OFF, UART OFF, WIEG OFF	799.28
AC-HID-PIVCLASS-923NPPNEK000HD	RDR, RKCL40-P, PIVCLASS, SE E, CONT LCD, LF OFF, HF STD/SIO/SEOS/FIPS/CAK/PKI, 485HDX, FIG, BLK, STD-1, LED RED, FLSH GRN, BZR ON, FIPS 128-BIT REVERSED, KPF, BFFRD 1 KEY, NO PAR, 4-BIT MSG, LCD 1F, IPM OFF, UART OFF, WIEG ON	799.28
AC-HID-PIVCLASS-923NPPNEK000P3	RDR, RKCL40-P, PIVCLASS, SE E, CONT LCD, LF OFF, HF STD/SIO/SEOS/FIPS/CAK/PKI, 485HDX, FIG, BLK, STD-1, A/V OFF, OSDP V2, OPT TAMP, OPEN COLL, OSDP TAMP ENBLD, TEST KEYS, POLL=75MS, KPF, ASCII, XMIT CMPLT, LCD 1F, IPM OFF	799.28
AC-HID-PIVCLASS-923NPPNEK0032T	RDR, RKCL40-P, PIVCLASS, SE E, CONT LCD, LF OFF, HF STD/SIO/SEOS/FIPS/CAK/PKI, 485HDX, FIG, BLK, STD-1, LED RED, FLSH GRN, BZR ON, OPT TAMP, OPEN COLL, KPF, BFFRD 1 KEY, NO PAR, 4-BIT MSG, FIPS 200-BIT, LCD 1F, IPM OFF, UART OFF, WIEG ON	799.28
AC-HID-PIVCLASS-923NPPNEK0033L	RDR, RKCL40-P, PIVCLASS, SE E, CONT LCD, LF OFF, HF STD/SIO/SEOS/FIPS/CAK/PKI, 485HDX, FIG, BLK, STD-1, OSDP V2, OPN COL, OSDP TAMP ENBLD, TST KEYS, POLL=75MS, A/V OFF, KPF, ASCII, BFFRD 1 KEY, FIPS 75-BIT, LCD 1F, IPM OFF, UART OFF, WIEG OFF	799.28
AC-HID-PIVCLASS-923NPPNEK0033M	RDR, RKCL40-P, PIVCLASS, SE E, CONT LCD, LF OFF, HF STD/SIO/SEOS/FIPS/CAK/PKI, 485HDX, FIG, BLK, STD-1, OSDP V2, OPEN COL, OSDP TAMP ENBLD, TST KEYS, POLL=75MS, A/V OFF, KPF, ASCII, BFFRD 1 KEY, FIPS 64-BIT, LCD 1F, IPM OFF, UART OFF, WIEG OFF	799.28
AC-HID-PIVCLASS-923NPPNEK0033N	RDR, RKCL40-P, PIVCLASS, SE E, CONT LCD, LF OFF, HF STD/SIO/SEOS/FIPS/CAK/PKI, 485HDX, FIG, BLK, STD-1, LED RED, FLSH GRN, BZR ON, OPT TAMP, OPEN COLL, KPF, BFFRD 1 KEY, NO PAR, 4-BIT MSG, FIPS 75-BIT, LCD 1F, IPM OFF, UART OFF, WIEG ON	799.28
AC-HID-PIVCLASS-923NPPNEK0033P	RDR, RKCL40-P, PIVCLASS, SE E, CONT LCD, LF OFF, HF STD/SIO/SEOS/FIPS/CAK/PKI, 485HDX, FIG, BLK, STD-1, LED RED, FLSH GRN, BZR ON, OPT TAMP, OPEN COLL, KPF, BFFRD 1 KEY, NO PAR, 4-BIT MSG, FIPS 64-BIT, LCD 1F, IPM OFF, UART OFF, WIEG ON	799.28
AC-HID-PIVCLASS-923NPPNEK0036H	RDR, RKCL40-P, PIVCLASS, SE E, CONT LCD, LF OFF, HF STD/SIO/SEOS/FIPS/CAK/PKI, 485HDX, FIG, BLK, STD-1, LED RED, FLSH GRN, BZR ON, OPT TAMP, OPEN COLL, KPF, BFFRD 1 KEY, NO PAR, 4-BIT MSG, FIPS 64-BIT REVERSE BCD, IPM OFF, UART OFF, WIEG ON	799.28
AC-HID-PIVCLASS-923NPPNEK200KR	RDR, RKCL40-P, PIVCLASS, SE E, CONT LCD, LF OFF, HF FIPS/CAK/PKI, 485HDX, FIG, BLK, STD-2, A/V OFF, OSDP V2, OPT TAMP, OPEN COLL, OSDP TAMP ENBLD, TEST KEY, POLL=75MS, FIPS 75-BIT, KPF, ASCII, BFFRD 1 KEY, LCD 1F, IPM OFF, UART OFF, WIEG OFF	799.28
AC-HID-PIVCLASS-923NPPNEKE000U	RDR, RKCL40-P, PIVCLASS, SE E, CONT LCD, LF OFF, HF STD/SIO/SEOS/FIPS/CAK/PKI, 485HDX, FIG, BLK, STD-1, OSDP V2, OPN COL, OSDP TAMP ENBLD, TST KEYS, POLL=75MS, A/V OFF, KPF, ASCII, BFFRD 1 KEY, FIPS 200-BIT, LCD 1F, IPM OFF, UART OFF, WIEG OFF	799.28
AC-HID-PIVCLASS-923NPPNEKE00HD	RDR, RKCL40-P, PIVCLASS, SE E, CONT LCD, LF OFF, HF STD/SIO/SEOS/FIPS/CAK/PKI, 485HDX, FIG, BLK, ELITE, LED RED, FLSH GRN, BZR ON, FIPS 128-BIT REVERSED, KPF, BFFRD 1 KEY, NO PAR, 4-BIT MSG, LCD 1F, IPM OFF, UART OFF, WIEG ON	799.28
AC-HID-PIVCLASS-923NPPNEKE032T	RDR, RKCL40-P, PIVCLASS, SE E, CONT LCD, LF OFF, HF STD/SIO/SEOS/FIPS/CAK/PKI, 485HDX, FIG, BLK, STD-1, LED RED, FLSH GRN, BZR ON, OPT TAMP, OPEN COLL, KPF, BFFRD 1 KEY, NO PAR, 4-BIT MSG, FIPS 200-BIT, LCD 1F, IPM OFF, UART OFF, WIEG ON	799.28
AC-HID-PIVCLASS-923NPPNEKE033L	RDR, RKCL40-P, PIVCLASS, SE E, CONT LCD, LF OFF, HF STD/SIO/SEOS/FIPS/CAK/PKI, 485HDX, FIG, BLK, STD-1, OSDP V2, OPN COL, OSDP TAMP ENBLD, TST KEYS, POLL=75MS, A/V OFF, KPF, ASCII, BFFRD 1 KEY, FIPS 75-BIT, LCD 1F, IPM OFF, UART OFF, WIEG OFF	799.28

All prices are exclusive of taxes and freight. Motorola Solutions reserves the right to make changes to pricing and discount margins. All installation and use of Access Control Manager software is governed by its end user license agreement (EULA).

CONFIDENTIAL : The contents of this document are considered confidential and should not be posted on a public access website, made available for general public distribution, or otherwise shared with others without prior written authorization from Motorola Solutions Inc. ("Motorola Solutions").

AC-HID-PIVCLASS-923NPPNEKE033M	RDR, RKCL40-P, PIVCLASS, SE E, CONT LCD, LF OFF, HF STD/SIO/SEOS/FIPS/CAK/PKI, 485HDX, PIG, BLK, STD-1, OSDP V2, OPN COL, OSDP TAMP ENBLD, TEST KEYS, POLL=75MS, A/V OFF, KPF, ASCII, BFFRD 1 KEY, FIPS 64-BIT, LCD 1F, IPM OFF, UART OFF, WIEG OFF	799.28
AC-HID-PIVCLASS-923NPPNEKE033N	RDR, RKCL40-P, PIVCLASS, SE E, CONT LCD, LF OFF, HF STD/SIO/SEOS/FIPS/CAK/PKI, 485HDX, PIG, BLK, STD-1, LED RED, FL SH GRN, BZR ON, OPT TAMP, OPEN COLL, KPF, BFFRD 1 KEY, NO PAR, 4-BIT MSG, FIPS 75-BIT, LCD 1F, IPM OFF, UART OFF, WIEG ON	799.28
AC-HID-PIVCLASS-923NPPNEKE033P	RDR, RKCL40-P, PIVCLASS, SE E, CONT LCD, LF OFF, HF STD/SIO/SEOS/FIPS/CAK/PKI, 485HDX, PIG, BLK, STD-1, LED RED, FL SH GRN, BZR ON, OPT TAMP, OPEN COLL, KPF, BFFRD 1 KEY, NO PAR, 4-BIT MSG, FIPS 64-BIT, LCD 1F, IPM OFF, UART OFF, WIEG ON	799.28
AC-HID-PIVCLASS-923NPPNEKE036H	RDR, RKCL40-P, PIVCLASS, SE E, CONT LCD, LF OFF, HF STD/SIO/SEOS/FIPS/CAK/PKI, 485HDX, PIG, BLK, STD-1, LED RED, FL SH GRN, BZR ON, OPT TAMP, OPEN COLL, KPF, BFFRD 1 KEY, NO PAR, 4-BIT MSG, FIPS 64-BIT REVERSE BCD, IPM OFF, UART OFF, WIEG ON	799.28
AC-HID-PIVCLASS-923NPPTEK0000L	RDR, RKCL40-P, PIVCLASS, SE E, CONT LCD, RF SUPPR, 485HDX, TERM, BLK, STD-1, A/V OFF, OSDP V2, OPT TAMP, OPEN COLL, OSDP TAMP ENBLD, TEST KEY, POLL=75MS, FIPS 75-BIT, KPF, ASCII, BFFRD 1 KEY, LCD 1F, IPM OFF, UART OFF, WIEG OFF	799.28
AC-HID-PIVCLASS-923NPPTEK0000U	RDR, RKCL40-P, PIVCLASS, SE E, CONT LCD, LF OFF, HF STD/SIO/SEOS/FIPS/CAK/PKI, 485HDX, TERM, BLK, STD-1, OSDP V2, OPN COL, OSDP TAMP ENBLD, TST KEYS, POLL=75MS, A/V OFF, KPF, ASCII, BFFRD 1 KEY, FIPS 200-BIT, LCD 1F, IPM OFF, UART OFF, WIEG OFF	799.28
AC-HID-PIVCLASS-923NPPTEK0000HD	RDR, RKCL40-P, PIVCLASS, SE E, CONT LCD, LF OFF, HF STD/SIO/SEOS/FIPS/CAK/PKI, 485HDX, TERM, BLK, STD-1, LED RED, FL SH GRN, BZR ON, FIPS 128-BIT REVERSED, KPF, BFFRD 1 KEY, NO PAR, 4-BIT MSG, LCD 1F, IPM OFF, UART OFF, WIEG ON	799.28
AC-HID-PIVCLASS-923NPPTEK0000P3	RDR, RKCL40-P, PIVCLASS, SE E, CONT LCD, LF OFF, HF STD/SIO/SEOS/FIPS/CAK/PKI, 485HDX, TERM, BLK, STD-1, A/V OFF, OSDP V2, OPT TAMP, OPEN COLL, OSDP TAMP ENBLD, TEST KEYS, POLL=75MS, KPF, ASCII, XMIT CMPLT, LCD 1F, IPM OFF	799.28
AC-HID-PIVCLASS-923NPPTEK00032T	RDR, RKCL40-P, PIVCLASS, SE E, CONT LCD, LF OFF, HF STD/SIO/SEOS/FIPS/CAK/PKI, 485HDX, TERM, BLK, STD-1, LED RED, FL SH GRN, BZR ON, KPF, BFFRD 1 KEY, NO PAR, 4-BIT MSG, FIPS 200-BIT, LCD 1F, IPM OFF, UART OFF, WIEG ON	799.28
AC-HID-PIVCLASS-923NPPTEK00033L	RDR, RKCL40-P, PIVCLASS, SE E, CONT LCD, LF OFF, HF STD/SIO/SEOS/FIPS/CAK/PKI, 485HDX, TERM, BLK, STD-1, OSDP V2, OPN COL, OSDP TAMP ENBLD, TST KEYS, POLL=75MS, A/V OFF, KPF, ASCII, BFFRD 1 KEY, FIPS 75-BIT, LCD 1F, IPM OFF, UART OFF, WIEG OFF	799.28
AC-HID-PIVCLASS-923NPPTEK00033M	RDR, RKCL40-P, PIVCLASS, SE E, CONT LCD, LF OFF, HF STD/SIO/SEOS/FIPS/CAK/PKI, 485HDX, TERM, BLK, STD-1, OSDP V2, OPN COL, OSDP TAMP ENBLD, TST KEYS, POLL=75MS, A/V OFF, KPF, ASCII, BFFRD 1 KEY, FIPS 64-BIT, LCD 1F, IPM OFF, UART OFF, WIEG OFF	799.28
AC-HID-PIVCLASS-923NPPTEK00033N	RDR, RKCL40-P, PIVCLASS, SE E, CONT LCD, LF OFF, HF STD/SIO/SEOS/FIPS/CAK/PKI, 485HDX, TERM, BLK, STD-1, LED RED, FL SH GRN, BZR ON, OPT TAMP, OPEN COLL, KPF, BFFRD 1 KEY, NO PAR, 4-BIT MSG, FIPS 75-BIT, LCD 1F, IPM OFF, UART OFF, WIEG ON	799.28
AC-HID-PIVCLASS-923NPPTEK00033P	RDR, RKCL40-P, PIVCLASS, SE E, CONT LCD, LF OFF, HF STD/SIO/SEOS/FIPS/CAK/PKI, 485HDX, TERM, BLK, STD-1, LED RED, FL SH GRN, BZR ON, OPT TAMP, OPEN COLL, KPF, BFFRD 1 KEY, NO PAR, 4-BIT MSG, FIPS 64-BIT, LCD 1F, IPM OFF, UART OFF, WIEG ON	799.28
AC-HID-PIVCLASS-923NPPTEK00036H	RDR, RKCL40-P, PIVCLASS, SE E, CONT LCD, LF OFF, HF STD/SIO/SEOS/FIPS/CAK/PKI, 485HDX, TERM, BLK, STD-1, LED RED, FL SH GRN, BZR ON, KPF, BFFRD 1 KEY, NO PAR, 4-BIT MSG, FIPS 64-BIT REVERSE BCD, LCD 1F, IPM OFF, UART OFF, WIEG ON	799.28
AC-HID-PIVCLASS-923NPPTEK200KR	RDR, RKCL40-P, PIVCLASS, SE E, CONT LCD, LF OFF, HF FIPS/CAK/PKI, 485HDX, TERM, BLK, STD-2, A/V OFF, OSDP V2, OPT TAMP, OPEN COLL, OSDP TAMP ENBLD, TEST KEY, POLL=75MS, FIPS 75-BIT, KPF, ASCII, BFFRD 1 KEY, LCD 1F, IPM OFF, UART OFF, WIEG OFF	799.28
AC-HID-PIVCLASS-923NPPTEKE000U	RDR, RKCL40-P, PIVCLASS, SE E, CONT LCD, LF OFF, HF STD/SIO/SEOS/FIPS/CAK/PKI, 485HDX, TERM, BLK, STD-1, OSDP V2, OPN COL, OSDP TAMP ENBLD, TST KEYS, POLL=75MS, A/V OFF, KPF, ASCII, BFFRD 1 KEY, FIPS 200-BIT, LCD 1F, IPM OFF, UART OFF, WIEG OFF	799.28
AC-HID-PIVCLASS-923NPPTEKE000HD		799.28

All prices are exclusive of taxes and freight. Motorola Solutions reserves the right to make changes to pricing and discount margins. All installation and use of Access Control Manager software is governed by its end user license agreement (EULA).

CONFIDENTIAL : The contents of this document are considered confidential and should not be posted on a public access website, made available for general public distribution, or otherwise shared with others without prior written authorization from Motorola Solutions Inc. ("Motorola Solutions").

	RDR, RKCL40-P, PIVCLASS, SE E, CONT LCD, LF OFF, HF STD/SIO/SEOS/FIPS/CAK/PKI, 485HDX, TERM, BLK, ELITE, LED RED, FLSH GRN, BZR ON, FIPS 128-BIT REVERSED, KPF, BFFRD 1 KEY, NO PAR, 4-BIT MSG, LCD 1F, IPM OFF, UART OFF, WIEG ON	
AC-HID-PIVCLASS-923NPPTKE032T	RDR, RKCL40-P, PIVCLASS, SE E, CONT LCD, LF OFF, HF STD/SIO/SEOS/FIPS/CAK/PKI, 485HDX, TERM, BLK, STD-1, LED RED, FLSH GRN, BZR ON, OPT TAMP, OPEN COLL, KPF, BFFRD 1 KEY, NO PAR, 4-BIT MSG, FIPS 200-BIT, LCD 1F, IPM OFF, UART OFF, WIEG ON	799.28
AC-HID-PIVCLASS-923NPPTKE033L	RDR, RKCL40-P, PIVCLASS, SE E, CONT LCD, LF OFF, HF STD/SIO/SEOS/FIPS/CAK/PKI, 485HDX, TERM, BLK, STD-1, OSDP V2, OPN COL, OSDP TAMP ENBLD, TEST KEYS, POLL=75MS, A/V OFF, KPF, ASCII, BFFRD 1 KEY, FIPS 75-BIT, LCD 1F, IPM OFF, UART OFF, WIEG OFF	799.28
AC-HID-PIVCLASS-923NPPTKE033M	RDR, RKCL40-P, PIVCLASS, SE E, CONT LCD, LF OFF, HF STD/SIO/SEOS/FIPS/CAK/PKI, 485HDX, TERM, BLK, STD-1, OSDP V2, OPN COL, OSDP TAMP ENBLD, TST KEYS, POLL=75MS, A/V OFF, KPF, ASCII, BFFRD 1 KEY, FIPS 64-BIT, LCD 1F, IPM OFF, UART OFF, WIEG OFF	799.28
AC-HID-PIVCLASS-923NPPTKE033N	RDR, RKCL40-P, PIVCLASS, SE E, CONT LCD, LF OFF, HF STD/SIO/SEOS/FIPS/CAK/PKI, 485HDX, TERM, BLK, STD-1, LED RED, FLSH GRN, BZR ON, OPT TAMP, OPEN COLL, KPF, BFFRD 1 KEY, NO PAR, 4-BIT MSG, FIPS 75-BIT, LCD 1F, IPM OFF, UART OFF, WIEG ON	799.28
AC-HID-PIVCLASS-923NPPTKE033P	RDR, RKCL40-P, PIVCLASS, SE E, CONT LCD, LF OFF, HF STD/SIO/SEOS/FIPS/CAK/PKI, 485HDX, TERM, BLK, STD-1, LED RED, FLSH GRN, BZR ON, OPT TAMP, OPEN COLL, KPF, BFFRD 1 KEY, NO PAR, 4-BIT MSG, FIPS 64-BIT, LCD 1F, IPM OFF, UART OFF, WIEG ON	799.28
AC-HID-PIVCLASS-923NPPTKE036H	RDR, RKCL40-P, PIVCLASS, SE E, CONT LCD, LF OFF, HF STD/SIO/SEOS/FIPS/CAK/PKI, 485HDX, TERM, BLK, STD-1, LED RED, FLSH GRN, BZR ON, OPT TAMP, OPEN COLL, KPF, BFFRD 1 KEY, NO PAR, 4-BIT MSG, FIPS 64-BIT REVERSE BCD, IPM OFF, UART OFF, WIEG O	799.28
AC-HID-PIVCLASS-923NPRNEK0000Q	RDR, RKCL40-P, PIVCLASS, SE E, CONT LCD, LF OFF, HF STD/SIO/SEOS/FIPS/CAK/PKI, 485FDX, FIG, BLK, STD-1, LED RED, FLSH GRN, BZR ON, OPT TAMP, OPEN COLL, FIPS 200-BIT, LCD 1F, IPM OFF, UART OFF, WIEG ON	799.28
AC-HID-PIVCLASS-923NPRNEK000HD	RDR, RKCL40-P, PIVCLASS, SE E, CONT LCD, LF OFF, HF STD/SIO/SEOS/FIPS/CAK/PKI, 485FDX, FIG, BLK, STD-1, LED RED, FLSH GRN, BZR ON, FIPS 128-BIT REVERSED, KPF, BFFRD 1 KEY, NO PAR, 4-BIT MSG, LCD 1F, IPM OFF, UART OFF, WIEG ON	799.28
AC-HID-PIVCLASS-923NPRNEK000Y7	RDR, RKCL40-P, PIVCLASS, SE E, CONT LCD, LF OFF, HF STD/SIO/SEOS/FIPS/CAK/PKI, 485FDX, FIG, BLK, STD-1, LED RED, FLSH GRN, BZR ON, FIPS 128-BIT REVERSED, KPF, DOR COMPL, BFFRD 1 KEY, NO PAR, 8 BIT-MSG, LCD 1F, IPM OFF, UART OFF, WIEG ON	799.28
AC-HID-PIVCLASS-923NPRNEK0032V	RDR, RKCL40-P, PIVCLASS, SE E, CONT LCD, LF OFF, HF STD/SIO/SEOS/FIPS/CAK/PKI, 485FDX, FIG, BLK, STD-1, LED RED, FLSH GRN, BZR ON, KPF, ASCII, XMIT CMPLT, LCD 1F, IPM OFF, UART ON, WIEG OFF	799.28
AC-HID-PIVCLASS-923NPRNEK00333	RDR, RKCL40-P, PIVCLASS, SE E, CONT LCD, LF OFF, HF STD/SIO/SEOS/FIPS/CAK/PKI, 485FDX, FIG, BLK, STD-1, LED RED, FLSH GRN, BZR ON, KPF, BFFRD 1 KEY, NO PAR, 4-BIT MSG, FIPS 75-BIT, LCD 1F, IPM OFF, UART OFF, WIEG ON	799.28
AC-HID-PIVCLASS-923NPRNEK00334	RDR, RKCL40-P, PIVCLASS, SE E, CONT LCD, LF OFF, HF STD/SIO/SEOS/FIPS/CAK/PKI, 485FDX, FIG, BLK, STD-1, LED RED, FLSH GRN, BZR ON, OPT TAMP, OPEN COLL, KPF, BFFRD 1 KEY, NO PAR, 4-BIT MSG, FIPS 64-BIT, LCD 1F, IPM OFF, UART OFF, WIEG ON	799.28
AC-HID-PIVCLASS-923NPRNEK0037H	RDR, RKCL40-P, PIVCLASS, SE E, CONT LCD, LF OFF, HF STD/SIO/SEOS/FIPS/CAK/PKI, 485FDX, FIG, BLK, STD-1, LED RED, FLSH GRN, BZR ON, OPT TAMP, OPEN COLL, KPF, BFFRD 1 KEY, NO PAR, 4-BIT MSG, FIPS 64-BIT REVERSE BCD, IPM OFF, UART OFF, WIEG ON	799.28
AC-HID-PIVCLASS-923NPRNEK00435	RDR, RKCL40-P, PIVCLASS, SE E, CONT LCD, LF OFF, HF STD/SIO/SEOS/FIPS/CAK/PKI, 485FDX, FIG, BLK, STD-1, LED RED, FLSH GRN, BZR ON, OPT TAMP, OPEN COLL, FIPS 200-BIT, 14443 56-BIT MIFARE, LCD 1F, IPM OFF, UART OFF, WIEG ON	799.28
AC-HID-PIVCLASS-923NPRNEK0052K	RDR, RKCL40-P, PIVCLASS, SE E, CONT LCD, LF OFF, HF STD/SIO/SEOS/FIPS/CAK/PKI, 485FDX, FIG, BLK, STD-1, LED RED, FLSH GRN, BZR ON, DESFIRE MIFARE CSN 56 BIT LSB, KPF, ASCII, XMIT CMPLT, LCD 1F, IPM OFF, UART ON, WIEG OFF	799.28
AC-HID-PIVCLASS-923NPRNEK0057A		799.28

All prices are exclusive of taxes and freight. Motorola Solutions reserves the right to make changes to pricing and discount margins. All installation and use of Access Control Manager software is governed by its end user license agreement (EULA).

CONFIDENTIAL : The contents of this document are considered confidential and should not be posted on a public access website, made available for general public distribution, or otherwise shared with others without prior written authorization from Motorola Solutions Inc. ("Motorola Solutions").

	RDR, RKCL40-P, PIVCLASS, SE E, CONT LCD, LF OFF, HF STD/SIO/SEOS/FIPS/CAK/PKI, 485FDX, PIG, BLK, STD-1, LED RED, FLSH GRN, BZR ON, KPF, BFFRD 1 KEY, DOR COMPL, NO PAR, 8-BIT MSG, FIPS 200-BIT, LCD 1F, IPM OFF	
AC-HID-PIVCLASS-923NPRNEK0057K	RDR, RKCL40-P, PIVCLASS, SE E, CONT LCD, LF OFF, HF STD/SIO/SEOS/FIPS/CAK/PKI, 485FDX, PIG, BLK, STD-1, LED RED, FLSH GRN, BZR ON, DESFIRE MIFARE CSN 56 BIT MSB, KPF, ASCII, XMIT CMPLT, LCD 1F, IPM OFF, UART ON, WIEG OFF	799.28
AC-HID-PIVCLASS-923NPRNEKE000Q	RDR, RKCL40-P, PIVCLASS, SE E, CONT LCD, LF OFF, HF STD/SIO/SEOS/FIPS/CAK/PKI, 485FDX, PIG, BLK, ELITE, LED RED, FLSH GRN, BZR ON, OPT TAMP, OPEN COLL, FIPS 200-BIT, LCD 1F, IPM OFF, UART OFF, WIEG ON	799.28
AC-HID-PIVCLASS-923NPRNEKE00HD	RDR, RKCL40-P, PIVCLASS, SE E, CONT LCD, LF OFF, HF STD/SIO/SEOS/FIPS/CAK/PKI, 485FDX, PIG, BLK, ELITE, LED RED, FLSH GRN, BZR ON, FIPS 128-BIT REVERSED, KPF, BFFRD 1 KEY, NO PAR, 4-BIT MSG, LCD 1F, IPM OFF, UART OFF, WIEG ON	799.28
AC-HID-PIVCLASS-923NPRNEKE032V	RDR, RKCL40-P, PIVCLASS, SE E, CONT LCD, LF OFF, HF STD/SIO/SEOS/FIPS/CAK/PKI, 485FDX, PIG, BLK, STD-1, LED RED, FLSH GRN, BZR ON, OPT TAMP, OPEN COLL, KPF, ASCII, XMIT CMPLT, LCD 1F, IPM OFF, UART ON, WIEG OFF	799.28
AC-HID-PIVCLASS-923NPRNEKE0333	RDR, RKCL40-P, PIVCLASS, SE E, CONT LCD, LF OFF, HF STD/SIO/SEOS/FIPS/CAK/PKI, 485FDX, PIG, BLK, STD-1, LED RED, FLSH GRN, BZR ON, OPT TAMP, OPEN COLL, KPF, BFFRD 1 KEY, NO PAR, 4-BIT MSG, FIPS 75-BIT, LCD 1F, IPM OFF, UART OFF, WIEG ON	799.28
AC-HID-PIVCLASS-923NPRNEKE0334	RDR, RKCL40-P, PIVCLASS, SE E, CONT LCD, LF OFF, HF STD/SIO/SEOS/FIPS/CAK/PKI, 485FDX, PIG, BLK, STD-1, LED RED, FLSH GRN, BZR ON, OPT TAMP, OPEN COLL, KPF, BFFRD 1 KEY, NO PAR, 4-BIT MSG, FIPS 64-BIT, LCD 1F, IPM OFF, UART OFF, WIEG ON	799.28
AC-HID-PIVCLASS-923NPRNEKE037H	RDR, RKCL40-P, PIVCLASS, SE E, CONT LCD, LF OFF, HF STD/SIO/SEOS/FIPS/CAK/PKI, 485FDX, PIG, BLK, STD-1, LED RED, FLSH GRN, BZR ON, OPT TAMP, OPEN COLL, KPF, BFFRD 1 KEY, NO PAR, 4-BIT MSG, FIPS 64-BIT REVERSE BCD, IPM OFF, UART OFF, WIEG ON	799.28
AC-HID-PIVCLASS-923NPRTEK0000Q	RDR, RKCL40-P, PIVCLASS, SE E, CONT LCD, LF OFF, HF STD/SIO/SEOS/FIPS/CAK/PKI, 485FDX, TERM, BLK, STD-1, LED RED, FLSH GRN, BZR ON, OPT TAMP, OPEN COLL, FIPS 200-BIT, LCD 1F, IPM OFF, UART OFF, WIEG ON	799.28
AC-HID-PIVCLASS-923NPRTEK000HD	RDR, RKCL40-P, PIVCLASS, SE E, CONT LCD, LF OFF, HF STD/SIO/SEOS/FIPS/CAK/PKI, 485FDX, TERM, BLK, STD-1, LED RED, FLSH GRN, BZR ON, FIPS 128-BIT REVERSED, KPF, BFFRD 1 KEY, NO PAR, 4-BIT MSG, LCD 1F, IPM OFF, UART OFF, WIEG ON	799.28
AC-HID-PIVCLASS-923NPRTEK000Y7	RDR, RKCL40-P, PIVCLASS, SE E, CONT LCD, LF OFF, HF STD/SIO/SEOS/FIPS/CAK/PKI, 485FDX, TERM, BLK, STD-1, LED RED, FLSH GRN, BZR ON, FIPS 128-BIT REVERSED, KPF, DOR COMPL, BFFRD 1 KEY, NO PAR, 8 BIT-MSG, LCD 1F, IPM OFF, UART OFF, WIEG ON	799.28
AC-HID-PIVCLASS-923NPRTEK0032V	RDR, RKCL40-P, PIVCLASS, SE E, CONT LCD, LF OFF, HF STD/SIO/SEOS/FIPS/CAK/PKI, 485FDX, TERM, BLK, STD-1, LED RED, FLSH GRN, BZR ON, KPF, ASCII, XMIT CMPLT, LCD 1F, IPM OFF, UART ON, WIEG OFF	799.28
AC-HID-PIVCLASS-923NPRTEK00333	RDR, RKCL40-P, PIVCLASS, SE E, CONT LCD, LF OFF, HF STD/SIO/SEOS/FIPS/CAK/PKI, 485FDX, TERM, BLK, STD-1, LED RED, FLSH GRN, BZR ON, OPT TAMP, OPEN COLL, KPF, BFFRD 1 KEY, NO PAR, 4-BIT MSG, FIPS 75-BIT, LCD 1F, IPM OFF, UART OFF, WIEG ON	799.28
AC-HID-PIVCLASS-923NPRTEK00334	RDR, RKCL40-P, PIVCLASS, SE E, CONT LCD, LF OFF, HF STD/SIO/SEOS/FIPS/CAK/PKI, 485FDX, TERM, BLK, STD-1, LED RED, FLSH GRN, BZR ON, OPT TAMP, OPEN COLL, KPF, BFFRD 1 KEY, NO PAR, 4-BIT MSG, FIPS 64-BIT, LCD 1F, IPM OFF, UART OFF, WIEG ON	799.28
AC-HID-PIVCLASS-923NPRTEK0037H	RDR, RKCL40-P, PIVCLASS, SE E, CONT LCD, LF OFF, HF STD/SIO/SEOS/FIPS/CAK/PKI, 485FDX, TERM, BLK, STD-1, LED RED, FLSH GRN, BZR ON, OPT TAMP, OPEN COLL, KPF, BFFRD 1 KEY, NO PAR, 4-BIT MSG, FIPS 64-BIT REVERSE BCD, IPM OFF, UART OFF, WIEG O	799.28
AC-HID-PIVCLASS-923NPRTEK00381	RDR, RKCL40-P, PIVCLASS, SE E, CONT LCD, LF OFF, HF STD/SIO/SEOS/FIPS/CAK/PKI, 485FDX, TERM, BLK, STD-1 WEIG, LED RED, FLSH GRN, BZR ON, OPT TAMP, OPEN COLL, FIPS 75-BIT, MIF/DES 56-BIT CSN, LCD 1F, IPM OFF, UART OFF, WIEG ON	799.28
AC-HID-PIVCLASS-923NPRTEK005A9	RDR, RKCL40-P, PIVCLASS, SE E, CONT LCD, LF OFF, HF STD/SIO/SEOS/FIPS/CAK/PKI, 485FDX, TERM, BLK, STD-1, LED RED, FLSH GRN, BZR ON, OPT TAMP, OC, KPF, BFFRD 1 KEY, DOR COMPL, NO PAR, 8-BIT MSG, FIPS 75-BIT, LCD 1F, IPM OFF, UART OFF, WIEG ON	799.28

All prices are exclusive of taxes and freight. Motorola Solutions reserves the right to make changes to pricing and discount margins. All installation and use of Access Control Manager software is governed by its end user license agreement (EULA).

CONFIDENTIAL : The contents of this document are considered confidential and should not be posted on a public access website, made available for general public distribution, or otherwise shared with others without prior written authorization from Motorola Solutions Inc. ("Motorola Solutions").

AC-HID-PIVCLASS-923NPRTEKE000Q	RDR, RKCL40-P, PIVCLASS, SE E, CONT LCD, LF OFF, HF STD/SIO/SEOS/FIPS/CAK/PKI, 485FDX, TERM, BLK, ELITE, LED RED, FLSH GRN, BZR ON, OPT TAMP, OPEN COLL, FIPS 200-BIT, LCD 1F, IPM OFF, UART OFF, WIEG ON	799.28
AC-HID-PIVCLASS-923NPRTEKE00HD	RDR, RKCL40-P, PIVCLASS, SE E, CONT LCD, LF OFF, HF STD/SIO/SEOS/FIPS/CAK/PKI, 485FDX, TERM, BLK, ELITE, LED RED, FLSH GRN, BZR ON, FIPS 128-BIT REVERSED, KPF, BFFRD 1 KEY, NO PAR, 4-BIT MSG, LCD 1F, IPM OFF, UART OFF, WIEG ON	799.28
AC-HID-PIVCLASS-923NPRTEKE032V	RDR, RKCL40-P, PIVCLASS, SE E, CONT LCD, LF OFF, HF STD/SIO/SEOS/FIPS/CAK/PKI, 485FDX, TERM, BLK, STD-1, LED RED, FLSH GRN, BZR ON, OPT TAMP, OPEN COLL, KPF, ASCII, XMIT CMPLT, LCD 1F, IPM OFF, UART ON, WIEG OFF	799.28
AC-HID-PIVCLASS-923NPRTEKE0333	RDR, RKCL40-P, PIVCLASS, SE E, CONT LCD, LF OFF, HF STD/SIO/SEOS/FIPS/CAK/PKI, 485FDX, TERM, BLK, STD-1, LED RED, FLSH GRN, BZR ON, OPT TAMP, OPEN COLL, KPF, BFFRD 1 KEY, NO PAR, 4-BIT MSG, FIPS 75-BIT, LCD 1F, IPM OFF, UART OFF, WIEG ON	799.28
AC-HID-PIVCLASS-923NPRTEKE0334	RDR, RKCL40-P, PIVCLASS, SE E, CONT LCD, LF OFF, HF STD/SIO/SEOS/FIPS/CAK/PKI, 485FDX, TERM, BLK, STD-1, LED RED, FLSH GRN, BZR ON, OPT TAMP, OPEN COLL, KPF, BFFRD 1 KEY, NO PAR, 4-BIT MSG, FIPS 64-BIT, LCD 1F, IPM OFF, UART OFF, WIEG ON	799.28
AC-HID-PIVCLASS-923NPRTEKE037H	RDR, RKCL40-P, PIVCLASS, SE E, CONT LCD, LF OFF, HF STD/SIO/SEOS/FIPS/CAK/PKI, 485FDX, TERM, BLK, STD-1, LED RED, FLSH GRN, BZR ON, OPT TAMP, OPEN COLL, KPF, BFFRD 1 KEY, NO PAR, 4-BIT MSG, FIPS 64-BIT REVERSE BCD, IPM OFF, UART OFF, WIEG O	799.28
AC-HID-PIVCLASS-923PPPNEK0000G	RDR, RPKCL40-P, PIVCLASS, SE E, CONT LCD, LF STD, HF STD/SIO/SEOS/FIPS/CAK/PKI, 485HDX, FIG, BLK, STD-1, OSDP V2, OPN COL, OSDP TAMP ENBLD, TST KEYS, POLL=75MS, A/V OFF, KPF, ASCII, BFFRD 1 KEY, FIPS 200-BIT, LCD 1F, IPM OFF, UART OFF, WIEG OFF	838.60
AC-HID-PIVCLASS-923PPPNEK000HE	RDR, RPKCL40-P, PIVCLASS, SE E, CONT LCD, LF STD, HF STD/SIO/SEOS/FIPS/CAK/PKI, 485HDX, FIG, BLK, STD-1, LED RED, FLSH GRN, BZR ON, FIPS 128-BIT REVERSED, KPF, BFFRD 1 KEY, NO PAR, 4-BIT MSG, LCD 1F, IPM OFF, UART OFF, WIEG ON	838.60
AC-HID-PIVCLASS-923PPPNEK000K5	RDR, RPKCL40-P, PIVCLASS, SE E, CONT LCD, LF STD, HF STD/SIO/SEOS/FIPS/CAK/PKI, 485HDX, FIG, BLK, STD-1, A/V OFF, OSDP V2, OPT TAMP, OPEN COLL, OSDP TAMP ENBLD, TEST KEY, POLL=75MS, FIPS 75-BIT, KPF, ASCII, BFFRD 1 KEY, LCD 1F, IPM OFF, UART OFF, WIEG OFF	838.60
AC-HID-PIVCLASS-923PPPNEK000P4	RDR, RPKCL40-P, PIVCLASS, SE E, CONT LCD, LF STD, HF STD/SIO/SEOS/FIPS/CAK/PKI, 485HDX, FIG, BLK, STD-1, A/V OFF, OSDP V2, OPT TAMP, OPEN COLL, OSDP TAMP ENBLD, TEST KEYS, POLL=75MS, KPF, ASCII, XMIT CMPLT PIN, LCD 1F, IPM OFF	838.60
AC-HID-PIVCLASS-923PPPNEK0032P	RDR, RPKCL40-P, PIVCLASS, SE E, CONT LCD, LF STD, HF STD/SIO/SEOS/FIPS/CAK/PKI, 485HDX, FIG, BLK, STD-1, LED RED, FLSH GRN, BZR ON, KPF, BFFRD 1 KEY, NO PAR, 4-BIT MSG, FIPS 200-BIT, LCD 1F, IPM OFF, UART OFF, WIEG ON	838.60
AC-HID-PIVCLASS-923PPPNEK0033Q	RDR, RPKCL40-P, PIVCLASS, SE E, CONT LCD, LF STD, HF STD/SIO/SEOS/FIPS/CAK/PKI, 485HDX, FIG, BLK, STD-1, OSDP V2, OPN COL, OSDP TAMP ENBLD, TST KEYS, POLL=75MS, A/V OFF, KPF, ASCII, BFFRD 1 KEY, FIPS 75-BIT, LCD 1F, IPM OFF, UART OFF, WIEG OFF	838.60
AC-HID-PIVCLASS-923PPPNEK0033R	RDR, RPKCL40-P, PIVCLASS, SE E, CONT LCD, LF STD, HF STD/SIO/SEOS/FIPS/CAK/PKI, 485HDX, FIG, BLK, STD-1, OSDP V2, OPN COL, OSDP TAMP ENBLD, TST KEYS, POLL=75MS, A/V OFF, KPF, ASCII, BFFRD 1 KEY, FIPS 64-BIT, LCD 1F, IPM OFF, UART OFF, WIEG OFF	838.60
AC-HID-PIVCLASS-923PPPNEK0033T	RDR, RPKCL40-P, PIVCLASS, SE E, CONT LCD, LF STD, HF STD/SIO/SEOS/FIPS/CAK/PKI, 485HDX, FIG, BLK, STD-1, LED RED, FLSH GRN, BZR ON, OPT TAMP, OPEN COLL, KPF, BFFRD 1 KEY, NO PAR, 4-BIT MSG, FIPS 75-BIT, LCD 1F, IPM OFF, UART OFF, WIEG ON	838.60
AC-HID-PIVCLASS-923PPPNEK0033U	RDR, RPKCL40-P, PIVCLASS, SE E, CONT LCD, LF STD, HF STD/SIO/SEOS/FIPS/CAK/PKI, 485HDX, FIG, BLK, STD-1, LED RED, FLSH GRN, BZR ON, OPT TAMP, OPEN COLL, KPF, BFFRD 1 KEY, NO PAR, 4-BIT MSG, FIPS 64-BIT, LCD 1F, IPM OFF, UART OFF, WIEG ON	838.60
AC-HID-PIVCLASS-923PPPNEK0036J	RDR, RPKCL40-P, PIVCLASS, SE E, CONT LCD, LF STD, HF STD/SIO/SEOS/FIPS/CAK/PKI, 485HDX, FIG, BLK, STD-1, LED RED, FLSH GRN, BZR ON, OPT TAMP, OPEN COLL, KPF, BFFRD 1 KEY, NO PAR, 4-BIT MSG, FIPS 64-BIT REVERSE BCD, LCD 1F, IPM OFF, UART OFF	838.60
AC-HID-PIVCLASS-923PPPNEKE000G		838.60

All prices are exclusive of taxes and freight. Motorola Solutions reserves the right to make changes to pricing and discount margins. All installation and use of Access Control Manager software is governed by its end user license agreement (EULA).

CONFIDENTIAL : The contents of this document are considered confidential and should not be posted on a public access website, made available for general public distribution, or otherwise shared with others without prior written authorization from Motorola Solutions Inc. ("Motorola Solutions").

	RDR, RPKCL40-P, PIVCLASS, SE E, CONT LCD, LF STD, HF STD/SIO/SEOS/FIPS/CAK/PKI, 485HDX, FIG, BLK,STD-1,OSDP V2,OPN COL,OSDP TAMP ENBLD,TST KEYS,POLL=75MS,A/V OFF,KPF, ASCII, BFFRD 1 KEY,FIPS 200-BIT,LCD 1F,IPM OFF,UART OFF,WIEG OFF	
AC-HID-PIVCLASS-923PPPNEKE00HE	RDR, RPKCL40-P, PIVCLASS, SE E, CONT LCD, LF STD, HF STD/SIO/SEOS/FIPS/CAK/PKI, 485HDX, FIG, BLK, ELITE, LED RED, FLSH GRN, BZR ON, FIPS 128-BIT REVERSED, KPF, BFFRD 1 KEY, NO PAR, 4-BIT MSG, LCD 1F, IPM OFF, UART OFF, WIEG ON	838.60
AC-HID-PIVCLASS-923PPPNEKE032P	RDR, RPKCL40-P, PIVCLASS, SE E, CONT LCD, LF STD, HF STD/SIO/SEOS/FIPS/CAK/PKI, 485HDX, FIG, BLK, STD-1, LED RED, FLSH GRN, BZR ON, OPT TAMP, OPEN COLL, KPF, BFFRD 1 KEY, NO PAR, 4-BIT MSG, FIPS 200-BIT, LCD 1F, IPM OFF, UART OFF, WIEG ON	838.60
AC-HID-PIVCLASS-923PPPNEKE033Q	RDR, RPKCL40-P, PIVCLASS, SE E, CONT LCD, LF STD, HF STD/SIO/SEOS/FIPS/CAK/PKI, 485HDX, FIG, BLK, STD-1, OSDP V2,OPN COL,OSDP TAMP ENBLD,TST KEYS,POLL=75MS,A/V OFF,KPF, ASCII, BFFRD 1 KEY,FIPS 75-BIT,LCD 1F,IPM OFF,UART OFF,WIEG OFF	838.60
AC-HID-PIVCLASS-923PPPNEKE033R	RDR, RPKCL40-P, PIVCLASS, SE E, CONT LCD, LF STD, HF STD/SIO/SEOS/FIPS/CAK/PKI, 485HDX, FIG, BLK, STD-1, OSDP V2,OPN COL,OSDP TAMP ENBLD,TST KEYS,POLL=75MS,A/V OFF,KPF, ASCII, BFFRD 1 KEY,FIPS 64-BIT,LCD 1F,IPM OFF,UART OFF,WIEG OFF	838.60
AC-HID-PIVCLASS-923PPPNEKE033T	RDR, RPKCL40-P, PIVCLASS, SE E, CONT LCD, LF STD, HF STD/SIO/SEOS/FIPS/CAK/PKI, 485HDX, FIG, BLK, STD-1, LED RED, FLSH GRN, BZR ON, OPT TAMP, OPEN COLL, KPF, BFFRD 1 KEY, NO PAR, 4-BIT MSG, FIPS 75-BIT, LCD 1F, IPM OFF, UART OFF, WIEG ON	838.60
AC-HID-PIVCLASS-923PPPNEKE033U	RDR, RPKCL40-P, PIVCLASS, SE E, CONT LCD, LF STD, HF STD/SIO/SEOS/FIPS/CAK/PKI, 485HDX, FIG, BLK, STD-1, LED RED, FLSH GRN, BZR ON, OPT TAMP, OPEN COLL, KPF, BFFRD 1 KEY, NO PAR, 4-BIT MSG, FIPS 64-BIT, LCD 1F, IPM OFF, UART OFF, WIEG ON	838.60
AC-HID-PIVCLASS-923PPPNEKE036J	RDR, RPKCL40-P, PIVCLASS, SE E, CONT LCD, LF STD, HF STD/SIO/SEOS/FIPS/CAK/PKI, 485HDX, FIG, BLK, STD-1, LED RED, FLSH GRN, BZR ON, OPT TAMP, OPEN COLL, KPF, BFFRD 1 KEY, NO PAR, 4-BIT MSG, FIPS 64-BIT REVERSE BCD, LCD 0F, IPM OFF, UART OFF	838.60
AC-HID-PIVCLASS-923PPPTEK0000G	RDR, RPKCL40-P, PIVCLASS, SE E, CONT LCD, LF STD, HF STD/SIO/SEOS/FIPS/CAK/PKI, 485HDX, TERM, BLK,STD-1,OSDP V2,OPN COL,OSDP TAMP ENBLD,TST KEYS,POLL=75MS,A/V OFF,KPF,BFRD 1 KEY,NO PAR,4-BIT MSG,FIPS 200-BIT,LCD 1F,IPM OFF,UART OFF,WIEG OFF	838.60
AC-HID-PIVCLASS-923PPPTEK000HE	RDR, RPKCL40-P, PIVCLASS, SE E, CONT LCD, LF STD, HF STD/SIO/SEOS/FIPS/CAK/PKI, 485HDX, TERM, BLK, STD-1, LED RED, FLSH GRN, BZR ON, FIPS 128-BIT REVERSED, KPF, BFFRD 1 KEY, NO PAR, 4-BIT MSG, LCD 1F, IPM OFF, UART OFF, WIEG ON	838.60
AC-HID-PIVCLASS-923PPPTEK000K5	RDR, RPKCL40-P, PIVCLASS, SE E, CONT LCD, LF STD, HF STD/SIO/SEOS/FIPS/CAK/PKI,485HDX,TERM, BLK,STD-1,A/V OFF,OSDP V2,OPT TAMP,OPEN COLL,OSDP TAMP ENBLD,TEST KEY,POLL=75MS,FIPS 75-BIT,KPF,ASCII,BFFRD 1 KEY,LCD 1F,IPM OFF,UART OFF,WIEG OFF	838.60
AC-HID-PIVCLASS-923PPPTEK000P4	RDR, RPKCL40-P, PIVCLASS, SE E, CONT LCD, LF STD, HF STD/SIO/SEOS/FIPS/CAK/PKI, 485HDX, TERM, BLK, STD-1, A/V OFF, OSDP V2, OPT TAMP, OPEN COLL, OSDP TAMP ENBLD, TEST KEYS, POLL=75MS, KPF, ASCII, XMIT CMLPT PIN, LCD 1F, IPM OFF	838.60
AC-HID-PIVCLASS-923PPPTEK000RW	RDR, RPKCL40-P, PIVCLASS, SE E, CONT LCD, LF FSK ONLY, HF DIW/FIPS/CAK, 485HDX, TERM, BLK, STD-1, LED RD, FLSH GN, BZR ON, OPT TAMP, OPEN COLL, KPF, BFFRD 1 KEY, DOR COMPL, NO PAR, 8-BIT MSG,FIPS 200-BIT,LCD 1F, IPM OF,URT OFF,WIEG ON,SPAWR	838.60
AC-HID-PIVCLASS-923PPPTEK0032P	RDR, RPKCL40-P, PIVCLASS, SE E, CONT LCD, LF STD, HF STD/SIO/SEOS/FIPS/CAK/PKI, 485HDX, TERM, BLK, STD-1, LED RED, FLSH GRN, BZR ON, KPF, BFFRD 1 KEY, NO PAR, 4-BIT MSG, FIPS 200-BIT, LCD 1F, IPM OFF, UART OFF, WIEG ON	838.60
AC-HID-PIVCLASS-923PPPTEK0033Q	RDR, RPKCL40-P, PIVCLASS, SE E, CONT LCD, LF STD, HF STD/SIO/SEOS/FIPS/CAK/PKI, 485HDX, TERM, BLK, STD-1,OSDP V2,OPN COL,OSDP TAMP ENBLD,TST KEYS,POLL=75MS,A/V OFF,KPF, ASCII, BFFRD 1 KEY,FIPS 75-BIT,LCD 1F,IPM OFF,UART OFF,WIEG OFF	838.60
AC-HID-PIVCLASS-923PPPTEK0033R	RDR, RPKCL40-P, PIVCLASS, SE E, CONT LCD, LF STD, HF STD/SIO/SEOS/FIPS/CAK/PKI, 485HDX, TERM, BLK, STD-1,OSDP V2,OPN COL,OSDP TAMP ENBLD,TST KEYS,POLL=75MS,A/V OFF,KPF, ASCII, BFFRD 1 KEY,FIPS 64-BIT,LCD 1F,IPM OFF,UART OFF,WIEG OFF	838.60

All prices are exclusive of taxes and freight. Motorola Solutions reserves the right to make changes to pricing and discount margins. All installation and use of Access Control Manager software is governed by its end user license agreement (EULA).

CONFIDENTIAL : The contents of this document are considered confidential and should not be posted on a public access website, made available for general public distribution, or otherwise shared with others without prior written authorization from Motorola Solutions Inc. ("Motorola Solutions").

AC-HID-PIVCLASS-923PPPTKE0033T	RDR, RPKCL40-P, PIVCLASS, SE E, CONT LCD, LF STD, HF STD/SIO/SEOS/FIPS/CAK/PKI, 485HDX, TERM, BLK, STD-1, LED RED, FLSH GRN, BZR ON, OPT TAMP, OPEN COLL, KPF, BFFRD 1 KEY, NO PAR, 4-BIT MSG, FIPS 75-BIT, LCD 1F, IPM OFF, UART OFF, WIEG ON	838.60
AC-HID-PIVCLASS-923PPPTKE0033U	RDR, RPKCL40-P, PIVCLASS, SE E, CONT LCD, LF STD, HF STD/SIO/SEOS/FIPS/CAK/PKI, 485HDX, TERM, BLK, STD-1, LED RED, FLSH GRN, BZR ON, OPT TAMP, OPEN COLL, KPF, BFFRD 1 KEY, NO PAR, 4-BIT MSG, FIPS 64-BIT, LCD 1F, IPM OFF, UART OFF, WIEG ON	838.60
AC-HID-PIVCLASS-923PPPTKE0036J	RDR, RPKCL40-P, PIVCLASS, SE E, CONT LCD, LF STD, HF STD/SIO/SEOS/FIPS/CAK/PKI, 485HDX, TERM, BLK, STD-1, LED RED, FLSH GRN, BZR ON, KPF, BFFRD 1 KEY, NO PAR, 4-BIT MSG, FIPS 64-BIT REVERSE BCD, LCD 1F, IPM OFF, UART OFF, WIEG ON	838.60
AC-HID-PIVCLASS-923PPPTKE0000G	RDR, RPKCL40-P, PIVCLASS, SE E, CONT LCD, LF STD, HF STD/SIO/SEOS/FIPS/CAK/PKI, 485HDX, TERM, BLK, STD-1, OSDP V2, OPN COL, OSDP TAMP ENBLD, TST KEYS, POLL=75MS, A/V OFF, KPF, ASCII, BFFRD 1 KEY, FIPS 200-BIT, LCD 1F, IPM OFF, UART OFF, WIEG OFF	838.60
AC-HID-PIVCLASS-923PPPTKE000HE	RDR, RPKCL40-P, PIVCLASS, SE E, CONT LCD, LF STD, HF STD/SIO/SEOS/FIPS/CAK/PKI, 485HDX, TERM, BLK, ELITE, LED RED, FLSH GRN, BZR ON, FIPS 128-BIT REVERSED, KPF, BFFRD 1 KEY, NO PAR, 4-BIT MSG, LCD 1F, IPM OFF, UART OFF, WIEG ON	838.60
AC-HID-PIVCLASS-923PPPTKE032P	RDR, RPKCL40-P, PIVCLASS, SE E, CONT LCD, LF STD, HF STD/SIO/SEOS/FIPS/CAK/PKI, 485HDX, TERM, BLK, STD-1, LED RED, FLSH GRN, BZR ON, OPT TAMP, OPEN COLL, KPF, BFFRD 1 KEY, NO PAR, 4-BIT MSG, FIPS 200-BIT, LCD 1F, IPM OFF, UART OFF, WIEG ON	838.60
AC-HID-PIVCLASS-923PPPTKE033Q	RDR, RPKCL40-P, PIVCLASS, SE E, CONT LCD, LF STD, HF STD/SIO/SEOS/FIPS/CAK/PKI, 485HDX, TERM, BLK, STD-1, OSDP V2, OPN COL, OSDP TAMP ENBLD, TST KEYS, POLL=75MS, A/V OFF, KPF, ASCII, BFFRD 1 KEY, FIPS 75-BIT, LCD 1F, IPM OFF, UART OFF, WIEG OFF	838.60
AC-HID-PIVCLASS-923PPPTKE033R	RDR, RPKCL40-P, PIVCLASS, SE E, CONT LCD, LF STD, HF STD/SIO/SEOS/FIPS/CAK/PKI, 485HDX, TERM, BLK, STD-1, OSDP V2, OPN COL, OSDP TAMP ENBLD, TST KEYS, POLL=75MS, A/V OFF, KPF, ASCII, BFFRD 1 KEY, FIPS 64-BIT, LCD 1F, IPM OFF, UART OFF, WIEG OFF	838.60
AC-HID-PIVCLASS-923PPPTKE033T	RDR, RPKCL40-P, PIVCLASS, SE E, CONT LCD, LF STD, HF STD/SIO/SEOS/FIPS/CAK/PKI, 485HDX, TERM, BLK, STD-1, LED RED, FLSH GRN, BZR ON, OPT TAMP, OPEN COLL, KPF, BFFRD 1 KEY, NO PAR, 4-BIT MSG, FIPS 75-BIT, LCD 1F, IPM OFF, UART OFF, WIEG ON	838.60
AC-HID-PIVCLASS-923PPPTKE033U	RDR, RPKCL40-P, PIVCLASS, SE E, CONT LCD, LF STD, HF STD/SIO/SEOS/FIPS/CAK/PKI, 485HDX, TERM, BLK, STD-1, LED RED, FLSH GRN, BZR ON, OPT TAMP, OPEN COLL, KPF, BFFRD 1 KEY, NO PAR, 4-BIT MSG, FIPS 64-BIT, LCD 1F, IPM OFF, UART OFF, WIEG ON	838.60
AC-HID-PIVCLASS-923PPPTKE036J	RDR, RPKCL40-P, PIVCLASS, SE E, CONT LCD, LF STD, HF STD/SIO/SEOS/FIPS/CAK/PKI, 485HDX, TERM, BLK, STD-1, LED RED, FLSH GRN, BZR ON, OPT TAMP, OPEN COLL, KPF, BFFRD 1 KEY, NO PAR, 4-BIT MSG, FIPS 64-BIT REVERSE BCD, LCD 0F, IPM OFF, UART OF	838.60
AC-HID-PIVCLASS-923PPRNEK00008	RDR, RPKCL40-P, PIVCLASS, SE E, CONT LCD, LF STD, HF STD/SIO/SEOS/FIPS/CAK/PKI, 485FDX, FIG, BLK, STD-1, LED RED, FLSH GRN, BZR ON, OPT TAMP, OPEN COLL, KPF, BFFRD 1 KEY, NO PAR, 4-BIT MSG, FIPS 200-BIT, LCD 1F, IPM OFF, UART OFF, WIEG ON	838.60
AC-HID-PIVCLASS-923PPRNEK00009	RDR, RPKCL40-P, PIVCLASS, SE E, CONT LCD, LF STD, HF STD/SIO/SEOS/FIPS/CAK/PKI, 485FDX, FIG, BLK, STD-1, LED RED, FLSH GRN, BZR ON, KPF, BFFRD 1 KEY, NO PAR, 4-BIT MSG, FIPS 75-BIT, LCD 1F, IPM OFF, UART OFF, WIEG ON	838.60
AC-HID-PIVCLASS-923PPRNEK0000A	RDR, RPKCL40-P, PIVCLASS, SE E, CONT LCD, LF STD, HF STD/SIO/SEOS/FIPS/CAK/PKI, 485FDX, FIG, BLK, STD-1, LED RED, FLSH GRN, BZR ON, OPT TAMP, OPEN COLL, KPF, BFFRD 1 KEY, NO PAR, 4-BIT MSG, FIPS 64-BIT, LCD 1F, IPM OFF, UART OFF, WIEG ON	838.60
AC-HID-PIVCLASS-923PPRNEK0000B	RDR, RPKCL40-P, PIVCLASS, SE E, CONT LCD, LF STD, HF STD/SIO/SEOS/FIPS/CAK/PKI, 485FDX, FIG, BLK, STD-1, LED RED, FLSH GRN, BZR ON, KPF, ASCII, XMIT CMPLT PIN, LCD 1F, IPM OFF, UART ON, WIEG OFF	838.60
AC-HID-PIVCLASS-923PPRNEK000CC	RDR, RPKCL40-P, PIVCLASS, SE E, CONT LCD, LF STD, HF STD/SIO/SEOS/FIPS/CAK/PKI, 485HDX, FIG, BLK, STD-1, LED RED, FLSH GRN, BZR ON, OPT, OPEN COLL, CSN 34-BIT MSB, FIPS 75-BIT, KPF, BFFRD 1 KEY, NO PAR, 4-BIT MSG, LCD 1F, IPM OFF, UART OFF, WIEG ON	838.60
AC-HID-PIVCLASS-923PPRNEK000HE	RDR, RPKCL40-P, PIVCLASS, SE E, CONT LCD, LF STD, HF STD/SIO/SEOS/FIPS/CAK/PKI, 485FDX, FIG, BLK, STD-1, LED RED,	838.60

All prices are exclusive of taxes and freight. Motorola Solutions reserves the right to make changes to pricing and discount margins. All installation and use of Access Control Manager software is governed by its end user license agreement (EULA).

CONFIDENTIAL : The contents of this document are considered confidential and should not be posted on a public access website, made available for general public distribution, or otherwise shared with others without prior written authorization from Motorola Solutions Inc. ("Motorola Solutions").

	FLSH GRN, BZR ON, FIPS 128-BIT REVERSED, KPF, BFFRD 1 KEY, NO PAR, 4-BIT MSG, LCD 1F, IPM OFF, UART OFF, WIEG ON	
AC-HID-PIVCLASS-923PPRNEK000Y8	RDR, RPKCL40-P, PIVCLASS, SE E, CONT LCD, LF STD, HF STD/SIO/SEOS/FIPS/CAK/PKI, 485FDX, PIG, BLK, STD-1, LED RED, FLSH GRN, BZR ON, FIPS 128-BIT REVERSED, KPF, DOR COMPL, BFFRD 1 KEY, NO PAR, 8 BIT-MSG, LCD 1F, IPM OFF, UART OFF, WIEG ON	838.60
AC-HID-PIVCLASS-923PPRNEK0037J	RDR, RPKCL40-P, PIVCLASS, SE E, CONT LCD, LF STD, HF STD/SIO/SEOS/FIPS/CAK/PKI, 485FDX, PIG, BLK, STD-1, LED RED, FLSH GRN, BZR ON, OPT TAMP, OPEN COLL, KPF, BFFRD 1 KEY, NO PAR, 4-BIT MSG, FIPS 64-BIT REVERSE BCD, LCD 0F, IPM OFF, UART OFF	838.60
AC-HID-PIVCLASS-923PPRNEK00427	RDR, RPKCL40-P, PIVCLASS, SE E, CONT LCD, LF STD, HF STD/SIO/SEOS/FIPS/CAK/PKI, 485FDX, PIG, BLK, STD-1, LED RED, FLSH OFF, BZR ON, OPT TAMP, OPEN COLL, KPF, BFFRD 1 KEY, NO PAR, 4-BIT MSG, FIPS 40-BIT, BCD, LCD 0F, IPM OFF, UART OFF, WIEG	838.60
AC-HID-PIVCLASS-923PPRNEK0044M	RDR, RPKCL40-P, PIVCLASS, SE E, CONT LCD, LF STD, HF STD/SIO/SEOS/FIPS/CAK/PKI, 485FDX, PIG, BLK, STD-1, LED RED, FLSH GRN, BZR ON, OPT TAMP, OPEN COLL, KPF, BFFRD 1 KEY-5, PAR, 26-BIT MSG, FIPS 200-BIT, LCD 1F, IPM OFF, UART OFF, WEIG ON	838.60
AC-HID-PIVCLASS-923PPRNEK00474	RDR, RPKCL40-P, PIVCLASS, SE E, CONT LCD, LF STD, HF STD/SIO/SEOS/FIPS/CAK/PKI, 485FDX, PIG, BLK, STD-1, LED RED, FLSH GRN, BZR ON, OPT TAMP, OPEN COLL, KPF 1 KEY DOR COMPL, NO PAR. 8 BIT, 200-BIT, LCD 1F, IPM OFF, UART OFF, WIEG ON	838.60
AC-HID-PIVCLASS-923PPRNEK0047L	RDR, RPKCL40-P, PIVCLASS, SE E, CONT LCD, LF STD, HF STD/SIO/SEOS/FIPS/CAK/PKI, 485FDX, PIG, BLK, STD-1, LED RED, FLSH GRN, BZR ON, OPT, OPEN COLL, FIPS 200 BIT, KPF, BFFRD 1 KEY, NO PAR, 4 BIT MSG, IPM OFF, UART OFF, WIEG ON, WIEG PULSE, 52 USEC	838.60
AC-HID-PIVCLASS-923PPRNEK00519	RDR, RPKCL40-P, PIVCLASS, SE E, CONT LCD, LF STD, HF STD/SIO/SEOS/FIPS/CAK/PKI, 485FDX, PIG, BLK, STD-1, LED RED, FLSH GRN, BZR ON, BFFRD 1 KEY, DOR COMPL, NO PAR, 8-BIT MSG, FIPS 75-BIT, LCD 1F, IPM OFF, UART OFF, WIEG ON	838.60
AC-HID-PIVCLASS-923PPRNEK0057M	RDR, RPKCL40-P, PIVCLASS, SE E, CONT LCD, LF STD, HF STD/SIO/SEOS/FIPS/CAK/PKI, 485FDX, PIG, BLK, STD-1, LED RED, FLSH GRN, BZR ON, KPF, BFFRD 1 KEY, DOR COMPL, NO PAR, 8-BIT MSG, FIPS 128-BIT, FASCN+RMV OVRHD+RMV PAR, LCD 1F, IPM OFF, UART OFF, WIEG ON	838.60
AC-HID-PIVCLASS-923PPRNEKE0008	RDR, RPKCL40-P, PIVCLASS, SE E, CONT LCD, LF STD, HF STD/SIO/SEOS/FIPS/CAK/PKI, 485FDX, PIG, BLK, STD-1, LED RED, FLSH GRN, BZR ON, OPT TAMP, OPEN COLL, KPF, BFFRD 1 KEY, NO PAR, 4-BIT MSG, FIPS 200-BIT, LCD 1F, IPM OFF, UART OFF, WIEG ON	838.60
AC-HID-PIVCLASS-923PPRNEKE0009	RDR, RPKCL40-P, PIVCLASS, SE E, CONT LCD, LF STD, HF STD/SIO/SEOS/FIPS/CAK/PKI, 485FDX, PIG, BLK, STD-1, LED RED, FLSH GRN, BZR ON, OPT TAMP, OPEN COLL, KPF, BFFRD 1 KEY, NO PAR, 4-BIT MSG, FIPS 75-BIT, LCD 1F, IPM OFF, UART OFF, WIEG ON	838.60
AC-HID-PIVCLASS-923PPRNEKE000A	RDR, RPKCL40-P, PIVCLASS, SE E, CONT LCD, LF STD, HF STD/SIO/SEOS/FIPS/CAK/PKI, 485FDX, PIG, BLK, STD-1, LED RED, FLSH GRN, BZR ON, OPT TAMP, OPEN COLL, KPF, BFFRD 1 KEY, NO PAR, 4-BIT MSG, FIPS 64-BIT, LCD 1F, IPM OFF, UART OFF, WIEG ON	838.60
AC-HID-PIVCLASS-923PPRNEKE000B	RDR, RPKCL40-P, PIVCLASS, SE E, CONT LCD, LF STD, HF STD/SIO/SEOS/FIPS/CAK/PKI, 485FDX, PIG, BLK, STD-1, LED RED, FLSH GRN, BZR ON, OPT TAMP, OPEN COLL, KPF, ASCII, XMIT CMPLT PIN, LCD 1F, IPM OFF, UART ON, WIEG OFF	838.60
AC-HID-PIVCLASS-923PPRNEKE0044M	RDR, RPKCL40-P, PIVCLASS, SE E, CONT LCD, LF STD, HF STD/SIO/SEOS/FIPS/CAK/PKI, ELITE, 485FDX, PIG, BLK, STD-1, LED RED, FLSH GRN, BZR ON, KPF, BFFRD 1 KEY- 5 KEYS, PAR, 26 BIT MSG, FIPS 200-BIT, LCD 1F, IPM OFF, UART OFF, WIEG ON	838.60
AC-HID-PIVCLASS-923PPRNEKE00HE	RDR, RPKCL40-P, PIVCLASS, SE E, CONT LCD, LF STD, HF STD/SIO/SEOS/FIPS/CAK/PKI, 485FDX, PIG, BLK, ELITE, LED RED, FLSH GRN, BZR ON, FIPS 128-BIT REVERSED, KPF, BFFRD 1 KEY, NO PAR, 4-BIT MSG, LCD 1F, IPM OFF, UART OFF, WIEG ON	838.60
AC-HID-PIVCLASS-923PPRNEKE037J	RDR, RPKCL40-P, PIVCLASS, SE E, CONT LCD, LF STD, HF STD/SIO/SEOS/FIPS/CAK/PKI, 485FDX, PIG, BLK, STD-1, LED RED, FLSH GRN, BZR ON, OPT TAMP, OPEN COLL, KPF, BFFRD 1 KEY, NO PAR, 4-BIT MSG, FIPS 64-BIT REVERSE BCD, LCD 0F, IPM OFF, UART OFF	838.60
AC-HID-PIVCLASS-923PPRTEK00008	RDR, RPKCL40-P, PIVCLASS, SE E, CONT LCD, LF STD, HF STD/SIO/SEOS/FIPS/CAK/PKI, 485FDX, TERM, BLK, STD-1, LED RED,	838.60

All prices are exclusive of taxes and freight. Motorola Solutions reserves the right to make changes to pricing and discount margins. All installation and use of Access Control Manager software is governed by its end user license agreement (EULA).

CONFIDENTIAL : The contents of this document are considered confidential and should not be posted on a public access website, made available for general public distribution, or otherwise shared with others without prior written authorization from Motorola Solutions Inc. ("Motorola Solutions").

	FLSH GRN, BZR ON, OPT TAMP, OPEN COLL, KPF, BFFRD 1 KEY, NO PAR, 4-BIT MSG, FIPS 200-BIT, LCD 1F, IPM OFF, UART OFF, WIEG ON	
AC-HID-PIVCLASS-923PPRTEK00009	RDR, RPKCL40-P, PIVCLASS, SE E, CONT LCD, LF STD, HF STD/SIO/SEOS/FIPS/CAK/PKI, 485FDX, TERM, BLK, STD-1, LED RED, FLSH GRN, BZR ON, OPT TAMP, OPEN COLL, KPF, BFFRD 1 KEY, NO PAR, 4-BIT MSG, FIPS 75-BIT, LCD 1F, IPM OFF, UART OFF, WIEG ON	838.60
AC-HID-PIVCLASS-923PPRTEK0000A	RDR, RPKCL40-P, PIVCLASS, SE E, CONT LCD, LF STD, HF STD/SIO/SEOS/FIPS/CAK/PKI, 485FDX, TERM, BLK, STD-1, LED RED, FLSH GRN, BZR ON, OPT TAMP, OPEN COLL, KPF, BFFRD 1 KEY, NO PAR, 4-BIT MSG, FIPS 64-BIT, LCD 1F, IPM OFF, UART OFF, WIEG ON	838.60
AC-HID-PIVCLASS-923PPRTEK0000B	RDR, RPKCL40-P, PIVCLASS, SE E, CONT LCD, LF STD, HF STD/SIO/SEOS/FIPS/CAK/PKI, 485FDX, TERM, BLK, STD-1, LED RED, FLSH GRN, BZR ON, KPF, ASCII, XMIT CMPLT PIN, LCD 1F, IPM OFF, UART ON, WIEG OFF	838.60
AC-HID-PIVCLASS-923PPRTEK000HE	RDR, RPKCL40-P, PIVCLASS, SE E, CONT LCD, LF STD, HF STD/SIO/SEOS/FIPS/CAK/PKI, 485FDX, TERM, BLK, STD-1, LED RED, FLSH GRN, BZR ON, FIPS 128-BIT REVERSED, KPF, BFFRD 1 KEY, NO PAR, 4-BIT MSG, LCD 1F, IPM OFF, UART OFF, WIEG ON	838.60
AC-HID-PIVCLASS-923PPRTEK000Y8	RDR, RPKCL40-P, PIVCLASS, SE E, CONT LCD, LF STD, HF STD/SIO/SEOS/FIPS/CAK/PKI, 485FDX, TERM, BLK, STD-1, LED RED, FLSH GRN, BZR ON, FIPS 128-BIT REVERSED, KPF, DOR COMPL, BFFRD 1 KEY, NO PAR, 8 BIT-MSG, LCD 1F, IPM OFF, UART OFF, WIEG ON	838.60
AC-HID-PIVCLASS-923PPRTEK0037J	RDR, RPKCL40-P, PIVCLASS, SE E, CONT LCD, LF STD, HF STD/SIO/SEOS/FIPS/CAK/PKI, 485FDX, TERM, BLK, STD-1, LED RED, FLSH GRN, BZR ON, OPT TAMP, OPEN COLL, KPF, BFFRD 1 KEY, NO PAR, 4-BIT MSG, FIPS 64-BIT REVERSE BCD, LCD 0F, IPM OFF, UART OF	838.60
AC-HID-PIVCLASS-923PPRTEK00382	RDR, RPKCL40-P, PIVCLASS, SE E, CONT LCD, LF STD, HF STD/SIO/SEOS/FIPS/CAK/PKI, 485FDX, TERM, BLK, STD-1, LED RED, FLSH GRN, BZR ON, OPT TAMP, OPEN COLL, KPF BFFRD 1 KEY, NO PAR, 4 BIT MSG, FIPS 75 BIT, LCD 1F, IPM OFF, UART OFF, WIEG ON	838.60
AC-HID-PIVCLASS-923PPRTEK00426	RDR, RPKCL40-P, PIVCLASS, SE E, CONT LCD, LF STD, HF STD/SIO/SEOS/FIPS/CAK/PKI, 485FDX, TERM, BLK, STD-1, LED RED, FLSH GRN, BZR ON, OPT TAMP, OPEN COLL, KPF, BFFRD 1 KEY, NO PAR, 4-BIT, FIPS 75-BIT 56 CSN, LCD 0F, IPM OFF, UART OFF, WIE	838.60
AC-HID-PIVCLASS-923PPRTEK00519	RDR, RPKCL40-P, PIVCLASS, SE E, CONT LCD, LF STD, HF STD/SIO/SEOS/FIPS/CAK/PKI, 485FDX, TERM, BLK, STD-1, LED RED, FLSH GRN, BZR ON, BFFRD 1 KEY, DOR COMPL, NO PAR, 8-BIT MSG, FIPS 75-BIT, LCD 1F, IPM OFF, UART OFF, WIEG ON	838.60
AC-HID-PIVCLASS-923PPRTEKE0008	RDR, RPKCL40-P, PIVCLASS, SE E, CONT LCD, LF STD, HF STD/SIO/SEOS/FIPS/CAK/PKI, 485FDX, TERM, BLK, STD-1, LED RED, FLSH GRN, BZR ON, OPT TAMP, OPEN COLL, KPF, BFFRD 1 KEY, NO PAR, 4-BIT MSG, FIPS 200-BIT, LCD 1F, IPM OFF, UART OFF, WIEG ON	838.60
AC-HID-PIVCLASS-923PPRTEKE0009	RDR, RPKCL40-P, PIVCLASS, SE E, CONT LCD, LF STD, HF STD/SIO/SEOS/FIPS/CAK/PKI, 485FDX, TERM, BLK, STD-1, LED RED, FLSH GRN, BZR ON, OPT TAMP, OPEN COLL, KPF, BFFRD 1 KEY, NO PAR, 4-BIT MSG, FIPS 75-BIT, LCD 1F, IPM OFF, UART OFF, WIEG ON	838.60
AC-HID-PIVCLASS-923PPRTEKE000A	RDR, RPKCL40-P, PIVCLASS, SE E, CONT LCD, LF STD, HF STD/SIO/SEOS/FIPS/CAK/PKI, 485FDX, TERM, BLK, STD-1, LED RED, FLSH GRN, BZR ON, OPT TAMP, OPEN COLL, KPF, BFFRD 1 KEY, NO PAR, 4-BIT MSG, FIPS 64-BIT, LCD 1F, IPM OFF, UART OFF, WIEG ON	838.60
AC-HID-PIVCLASS-923PPRTEKE000B	RDR, RPKCL40-P, PIVCLASS, SE E, CONT LCD, LF STD, HF STD/SIO/SEOS/FIPS/CAK/PKI, 485FDX, TERM, BLK, STD-1, LED RED, FLSH GRN, BZR ON, OPT TAMP, OPEN COLL, KPF, ASCII, XMIT CMPLT PIN, LCD 1F, IPM OFF, UART ON, WIEG OFF	838.60
AC-HID-PIVCLASS-923PPRTEKE00HE	RDR, RPKCL40-P, PIVCLASS, SE E, CONT LCD, LF STD, HF STD/SIO/SEOS/FIPS/CAK/PKI, 485FDX, TERM, BLK, ELITE, LED RED, FLSH GRN, BZR ON, FIPS 128-BIT REVERSED, KPF, BFFRD 1 KEY, NO PAR, 4-BIT MSG, LCD 1F, IPM OFF, UART OFF, WIEG ON	838.60
AC-HID-PIVCLASS-923PPRTEKE037J	RDR, RPKCL40-P, PIVCLASS, SE E, CONT LCD, LF STD, HF STD/SIO/SEOS/FIPS/CAK/PKI, 485FDX, TERM, BLK, STD-1, LED RED, FLSH GRN, BZR ON, OPT TAMP, OPEN COLL, KPF, BFFRD 1 KEY, NO PAR, 4-BIT MSG, FIPS 64-BIT REVERSE BCD, LCD 0F, IPM OFF, UART OF	838.60
AC-HID-PIVCLASS-924NPRNEK00504	RDR, RKCLB40-P, PIVCLASS, SE E, CONT LCD BIO, LF OFF, HF STD/SIO/SEOS/FIPS/CAK/PKI, 485FDX, FIG, BLK, STD-1, LED RED, FLSH GRN, BZR ON, KPF, ASCII, XMIT CMPLT, LCD 1F, IPM OFF, UART ON, WIEG OFF	1,354.47
AC-HID-PIVCLASS-924NPRNEKE0504		1,354.47

All prices are exclusive of taxes and freight. Motorola Solutions reserves the right to make changes to pricing and discount margins. All installation and use of Access Control Manager software is governed by its end user license agreement (EULA).

CONFIDENTIAL : The contents of this document are considered confidential and should not be posted on a public access website, made available for general public distribution, or otherwise shared with others without prior written authorization from Motorola Solutions Inc. ("Motorola Solutions").

	RDR, RKCLB40-P, PIVCLASS, SE E, CONT LCD BIO, LF OFF, HF STD/SIO/SEOS/FIPS/CAK/PKI, 485FDX, FIG, BLK, ELITE KEYS, STD-1, LED RED, FLSH GRN, BZR ON, KPF, ASCII, XMIT CMPLT, LCD 1F, IPM OFF, UART ON, WIEG OFF	
AC-HID-PIVCLASS-924NPRTEK00504	RDR, RKCLB40-P, PIVCLASS, SE E, CONT LCD BIO, LF OFF, HF STD/SIO/SEOS/FIPS/CAK/PKI, 485FDX, TERM, BLK, STD-1, LED RED, FLSH GRN, BZR ON, KPF, ASCII, XMIT CMPLT, LCD 1F, IPM OFF, UART ON, WIEG OFF	1,354.47
AC-HID-PIVCLASS-924NPRTEK00504	RDR, RKCLB40-P, PIVCLASS, SE E, CONT LCD BIO, LF OFF, HF STD/SIO/SEOS/FIPS/CAK/PKI, 485FDX, TERM, BLK, ELITE KEYS, STD-1, LED RED, FLSH GRN, BZR ON, KPF, ASCII, XMIT CMPLT, LCD 1F, IPM OFF, UART ON, WIEG OFF	1,354.47
AC-HID-PIVCLASS-928NFNTEK000TE	RDR/ENROLLER, RKL40, ICLASS, SE E, HF STD BIO/SEOS BIO, LCD/BIO, WIEG, TERM, BLK, STD-1, LED RED, FLSH GRN, BZR ON, LCD 1F, KPF, BFFRD 1 KEY, NO PAR, 4-BIT MSG, IPM OFF, WPC MODEL RKCLB40	1,449.98
AC-HID-PIVCLASS-B920NHRNEK0032Y	PIVCLASS BUNDLE, TWO R40-H PIVCLASS REV E PIGTAIL BLK RDRS & ONE M2000 PIVCLASS AUTHENTICATION MODULE (PAM)	2,615.26
AC-HID-PIVCLASS-B920NHRTEK0032Y	PIVCLASS BUNDLE, TWO R40-H PIVCLASS REV E TERMINAL BLK RDRS & ONE M2000 PIVCLASS AUTHENTICATION MODULE (PAM), 032Y PIVCLASS CONFIG	2,615.26
AC-HID-PIVCLASS-B920PHRNEK00007	PIVCLASS BUNDLE, TWO RP40-H PIVCLASS REV E PIGTAIL BLK RDRS & ONE M2000 PIVCLASS AUTHENTICATION MODULE (PAM), 0007 PIVCLASS CONFIG	2,715.90
AC-HID-PIVCLASS-B920PHRTEK00007	PIVCLASS BUNDLE, TWO RP40-H PIVCLASS REV E TERMINAL BLK RDRS & ONE M2000 PIVCLASS AUTHENTICATION MODULE (PAM), 0007 PIVCLASS CONFIG	2,715.90
AC-HID-PIVCLASS-B923NPRNEK0032V	PIVCLASS BUNDLE, TWO RKCL40-P PIVCLASS REV E PIGTAIL BLK RDRS & ONE M2000 PIVCLASS AUTHENTICATION MODULE (PAM)	3,441.13
AC-HID-PIVCLASS-B923NPRTEK0032V	PIVCLASS BUNDLE, TWO RKCL40-P PIVCLASS REV E TERMINAL BLK RDRS & ONE M2000 PIVCLASS AUTHENTICATION MODULE (PAM), 032V PIVCLASS CONFIG	3,441.13
AC-HID-PIVCLASS-B923PPRNEK0000B	PIVCLASS BUNDLE, TWO RPKCL40-P PIVCLASS REV E PIGTAIL BLK RDRS & ONE M2000 PIVCLASS AUTHENTICATION MODULE (PAM), 000B PIVCLASS CONFIG	3,542.91
AC-HID-PIVCLASS-B923PPRTEK0000B	PIVCLASS BUNDLE, TWO RPKCL40-P PIVCLASS REV E TERMINAL BLK RDRS & ONE M2000 PIVCLASS AUTHENTICATION MODULE (PAM), 000B PIVCLASS CONFIG	3,542.91
AC-HID-PIVCLASS-B924NPRNEK00504	PIVCLASS BUNDLE, TWO RKCLB40-P PIVCLASS REV E PIGTAIL BLK RDRS & ONE M2000 PIVCLASS AUTHENTICATION MODULE (PAM)	4,448.60
AC-HID-PIVCLASS-B924NPRTEK00504	PIVCLASS BUNDLE, TWO RKCLB40-P PIVCLASS REV E TERMINAL BLK RDRS & ONE M2000 PIVCLASS AUTHENTICATION MODULE (PAM)	4,448.60
AC-HID-PIVCLASS-E91000-MS	EMBEDDED AUTHENTICATION CONTROLLER, STD M&S 8X5 M-F CST (Requires pivCLASS Supplemental Ordering Information form with ALL orders found in the pivCLASS How To Order Guide https://www.hidglobal.com/documents/how-to-order)	63.76
AC-HID-PIVCLASS-E920NHPNEK000P1	PIVCLASS BUNDLE, EMBEDDED AUTHENTICATION MODULE & TWO R40-H PIGTAIL READERS, FIRST YEAR EA MAINTENANCE AND SUPPORT INCLUDED	1,142.79
AC-HID-PIVCLASS-E920NHPTEK000P1	PIVCLASS BUNDLE, EMBEDDED AUTHENTICATION MODULE & TWO R40-H TERMINAL READERS, FIRST YEAR EA MAINTENANCE AND SUPPORT INCLUDED	1,142.79
AC-HID-PIVCLASS-E920PHPNEK000P2	PIVCLASS BUNDLE, EMBEDDED AUTHENTICATION MODULE & TWO RP40-H PIGTAIL READERS, FIRST YEAR EA MAINTENANCE AND SUPPORT INCLUDED	1,215.67
AC-HID-PIVCLASS-E920PHPTEK000P2	PIVCLASS BUNDLE, EMBEDDED AUTHENTICATION MODULE & TWO RP40-H TERMINAL READERS, FIRST YEAR EA MAINTENANCE AND SUPPORT INCLUDED	1,215.67
AC-HID-PIVCLASS-E923NPPNEK000P3	PIVCLASS BUNDLE, EMBEDDED AUTHENTICATION MODULE & TWO RKCL40-P PIGTAIL READERS, FIRST YEAR EA MAINTENANCE AND SUPPORT INCLUDED	2,084.34
AC-HID-PIVCLASS-E923NPPTEK000P3	PIVCLASS BUNDLE, EMBEDDED AUTHENTICATION MODULE & TWO RKCL40-P TERMINAL READERS, FIRST YEAR EA MAINTENANCE AND SUPPORT INCLUDED	2,084.34
AC-HID-PIVCLASS-E923PPPNEK000P4	PIVCLASS BUNDLE, EMBEDDED AUTHENTICATION MODULE & TWO RPKCL40-P PIGTAIL READERS, FIRST YEAR EA MAINTENANCE AND SUPPORT INCLUDED	2,157.24

All prices are exclusive of taxes and freight. Motorola Solutions reserves the right to make changes to pricing and discount margins. All installation and use of Access Control Manager software is governed by its end user license agreement (EULA).

CONFIDENTIAL : The contents of this document are considered confidential and should not be posted on a public access website, made available for general public distribution, or otherwise shared with others without prior written authorization from Motorola Solutions Inc. ("Motorola Solutions").

AC-HID-PIVCLASS-E923PPPTK000P4	PIVCLASS BUNDLE, EMBEDDED AUTHENTICATION MODULE & TWO RPKCL40-P TERMINAL READERS, FIRST YEAR EA MAINTENANCE AND SUPPORT INCLUDED	2,157.24
AC-HID-PIVCLASS-EA-LICENSE2	TWO (2) EMBEDDED AUTHENTICATION LICENSES (Requires pivCLASS Supplemental Ordering Information form with ALL orders found in the pivCLASS How To Order Guide https://www.hidglobal.com/documents/how-to-order)	533.46
AC-HID-PIVCLASS-PACS-SVC-18-00	PIVCLASS PACS SERVICE COMPONENT; AVIGILON ACM, DOWNLOAD (Requires pivCLASS Supplemental Ordering Information form with ALL orders found in the pivCLASS How To Order Guide https://www.hidglobal.com/documents/how-to-order)	5.31
AC-HID-PIVCLASS-PVC-CM	PIVCLASS CERTIFICATE MANAGER, 1 LICENSE/PACS, DOWNLOAD, CODEBENCH SUPPLIER (Requires pivCLASS Supplemental Ordering Information form with ALL orders found in the pivCLASS How To Order Guide https://www.hidglobal.com/documents/how-to-order)	15,708.00
AC-HID-PIVCLASS-PVC-CM-MS	CERTIFICATE MANAGER, STD M&S 8X5 M-F CST, CODEBENCH SUPPLIER (Requires pivCLASS Supplemental Ordering Information form with ALL orders found in the pivCLASS How To Order Guide https://www.hidglobal.com/documents/how-to-order)	2,457.79
AC-HID-PIVCLASS-PVC-CM-REDNT	PIVCLASS CERTIFICATE MANAGER, 1 LICENSE/PACS REDUNDANT, DOWNLOAD (Requires pivCLASS Supplemental Ordering Information form with ALL orders found in the pivCLASS How To Order Guide https://www.hidglobal.com/documents/how-to-order)	7,854.00
AC-HID-PIVCLASS-PVC-CM-REDNT-MS	CERTIFICATE MANAGER, STD M&S 8X5 M-F CST, REDUNDANT (Requires pivCLASS Supplemental Ordering Information form with ALL orders found in the pivCLASS How To Order Guide https://www.hidglobal.com/documents/how-to-order)	1,228.90
AC-HID-PIVCLASS-PVC-D/S	PIVCLASS VALIDATION WORKSTATION & DOCUMENTATION, DOWNLOAD, CODEBENCH SUPPLIER (Requires pivCLASS Supplemental Ordering Information form with ALL orders found in the pivCLASS How To Order Guide https://www.hidglobal.com/documents/how-to-order)	2,688.72
AC-HID-PIVCLASS-PVC-D/S-MS	VALIDATION WORKSTATION STD M&S 8X5 M-F CST, CODEBENCH SUPPLIER (Requires pivCLASS Supplemental Ordering Information form with ALL orders found in the pivCLASS How To Order Guide https://www.hidglobal.com/documents/how-to-order)	421.06
AC-HID-PIVCLASS-PVC-DTAIMP-18-00	PIVCLASS DATA IMPORT; AVIGILON ACM, DOWNLOAD (Requires pivCLASS Supplemental Ordering Information form with ALL orders found in the pivCLASS How To Order Guide https://www.hidglobal.com/documents/how-to-order)	6,551.46
AC-HID-PIVCLASS-PVC-DTAIMP-MS	PIVCLASS DATA IMPORT, STD M&S 8X5 M-F CST (Requires pivCLASS Supplemental Ordering Information form with ALL orders found in the pivCLASS How To Order Guide https://www.hidglobal.com/documents/how-to-order)	1,025.71
AC-HID-PIVCLASS-PVC-DTAIMP-REDNT-18-00	PIVCLASS DATA IMPORT - REDUNDANT; AVIGILON ACM, DOWNLOAD (Requires pivCLASS Supplemental Ordering Information form with ALL orders found in the pivCLASS How To Order Guide https://www.hidglobal.com/documents/how-to-order)	3,276.24
AC-HID-PIVCLASS-PVC-DTAIMP-REDNT-MS	PIVCLASS DATA IMPORT - REDUNDANT, STD M&S 8X5 M-F CST (Requires pivCLASS Supplemental Ordering Information form with ALL orders found in the pivCLASS How To Order Guide https://www.hidglobal.com/documents/how-to-order)	512.86
AC-HID-PIVCLASS-PVC-FXRDR	PIVCLASS READER SERVICES, SW & DOC, DOWNLOAD, CODEBENCH SUPPLIER (Requires pivCLASS Supplemental Ordering Information form with ALL orders found in the pivCLASS How To Order Guide https://www.hidglobal.com/documents/how-to-order)	266.22
AC-HID-PIVCLASS-PVC-FXRDR-MS	READER SERVICES, STD M&S 8X5 M-F CST, CODEBENCH SUPPLIER (Requires pivCLASS Supplemental Ordering Information form with ALL orders found in the pivCLASS How To Order Guide https://www.hidglobal.com/documents/how-to-order)	41.62
AC-HID-PIVCLASS-PVC-FXRDR-REDNT	REDUNDANT PIVCLASS READER SERVICES, SW & DOC, DOWNLOAD, CODEBENCH SUPPLIER (Requires pivCLASS Supplemental Ordering Information form with ALL orders found in the pivCLASS How To Order Guide https://www.hidglobal.com/documents/how-to-order)	133.62
AC-HID-PIVCLASS-PVC-FXRDR-REDNT-MS	REDUNDANT READER SERVICES, STD M&S 8X5 M-F CST, CODEBENCH SUPPLIER (Requires pivCLASS Supplemental Ordering Information form with ALL orders found in the pivCLASS How To Order Guide https://www.hidglobal.com/documents/how-to-order)	21.03
AC-HID-PIVCLASS-PVC-IDPUB1000		16,283.28

All prices are exclusive of taxes and freight. Motorola Solutions reserves the right to make changes to pricing and discount margins. All installation and use of Access Control Manager software is governed by its end user license agreement (EULA).

CONFIDENTIAL : The contents of this document are considered confidential and should not be posted on a public access website, made available for general public distribution, or otherwise shared with others without prior written authorization from Motorola Solutions Inc. ("Motorola Solutions").

	PIVCLASS ID PUBLISHER 1000, DOWNLOAD, CODEBENCH SUPPLIER (Requires pivCLASS Supplemental Ordering Information form with ALL orders found in the pivCLASS How To Order Guide https://www.hidglobal.com/documents/how-to-order)	
AC-HID-PIVCLASS-PVC-IDPUB1000-MS	PIVCLASS ID PUBLISHER 1000, STD M&S 8X5 M-F CST, CODEBENCH SUPPLIER (Requires pivCLASS Supplemental Ordering Information form with ALL orders found in the pivCLASS How To Order Guide https://www.hidglobal.com/documents/how-to-order)	2,548.37
AC-HID-PIVCLASS-PVC-IDPUB1000-REDNT	REDUNDANT PIVCLASS ID PUBLISHER 1000, DOWNLOAD, CODEBENCH SUPPLIER (Requires pivCLASS Supplemental Ordering Information form with ALL orders found in the pivCLASS How To Order Guide https://www.hidglobal.com/documents/how-to-order)	8,141.64
AC-HID-PIVCLASS-PVC-IDPUB1000-REDNT-MS	REDUNDANT PIVCLASS ID PUBLISHER 1000, STD M&S 8X5 M-F CST, CODEBENCH SUPPLIER (Requires pivCLASS Supplemental Ordering Information form with ALL orders found in the pivCLASS How To Order Guide https://www.hidglobal.com/documents/how-to-order)	1,274.17
AC-HID-PIVCLASS-PVC-IDPUB500	PIVCLASS ID PUBLISHER 500, DOWNLOAD, CODEBENCH SUPPLIER (Requires pivCLASS Supplemental Ordering Information form with ALL orders found in the pivCLASS How To Order Guide https://www.hidglobal.com/documents/how-to-order)	8,065.14
AC-HID-PIVCLASS-PVC-IDPUB500-MS	PIVCLASS ID PUBLISHER 500, STD M&S 8X5 M-F CST, CODEBENCH SUPPLIER (Requires pivCLASS Supplemental Ordering Information form with ALL orders found in the pivCLASS How To Order Guide https://www.hidglobal.com/documents/how-to-order)	1,261.94
AC-HID-PIVCLASS-PVC-IDPUB500-REDNT	REDUNDANT PIVCLASS ID PUBLISHER 500, DOWNLOAD, CODEBENCH SUPPLIER (Requires pivCLASS Supplemental Ordering Information form with ALL orders found in the pivCLASS How To Order Guide https://www.hidglobal.com/documents/how-to-order)	4,032.06
AC-HID-PIVCLASS-PVC-IDPUB500-REDNT-MS	REDUNDANT PIVCLASS ID PUBLISHER 500, STD M&S 8X5 M-F CST, CODEBENCH SUPPLIER (Requires pivCLASS Supplemental Ordering Information form with ALL orders found in the pivCLASS How To Order Guide https://www.hidglobal.com/documents/how-to-order)	631.58
AC-HID-PIVCLASS-PVC-IDPUBUNL	PIVCLASS ID PUBLISHER UNL, DOWNLOAD, CODEBENCH SUPPLIER (Requires pivCLASS Supplemental Ordering Information form with ALL orders found in the pivCLASS How To Order Guide https://www.hidglobal.com/documents/how-to-order)	27,152.40
AC-HID-PIVCLASS-PVC-IDPUBUNL-MS	PIVCLASS ID PUBLISHER UNL, STD M&S 8X5 M-F CST, CODEBENCH SUPPLIER (Requires pivCLASS Supplemental Ordering Information form with ALL orders found in the pivCLASS How To Order Guide https://www.hidglobal.com/documents/how-to-order)	4,249.73
AC-HID-PIVCLASS-PVC-IDPUBUNL-REDNT	REDUNDANT PIVCLASS ID PUBLISHER UNL, DOWNLOAD, CODEBENCH SUPPLIER (Requires pivCLASS Supplemental Ordering Information form with ALL orders found in the pivCLASS How To Order Guide https://www.hidglobal.com/documents/how-to-order)	13,576.20
AC-HID-PIVCLASS-PVC-IDPUBUNL-REDNT-MS	REDUNDANT PIVCLASS ID PUBLISHER UNL, STD M&S 8X5 M-F CST, CODEBENCH SUPPLIER (Requires pivCLASS Supplemental Ordering Information form with ALL orders found in the pivCLASS How To Order Guide https://www.hidglobal.com/documents/how-to-order)	2,124.85
AC-HID-PIVCLASS-PVC-MPX-CNSL	PIVCLASS MULTIPACS CONSOLE, DOWNLOAD, CODEBENCH SUPPLIER (Requires pivCLASS Supplemental Ordering Information form with ALL orders found in the pivCLASS How To Order Guide https://www.hidglobal.com/documents/how-to-order)	15,702.90
AC-HID-PIVCLASS-PVC-MPX-CNSL-MS	PIVCLASS MULTIPACS CONSOLE, STD M&S 8X5 M-F CST, CODEBENCH SUPPLIER (Requires pivCLASS Supplemental Ordering Information form with ALL orders found in the pivCLASS How To Order Guide https://www.hidglobal.com/documents/how-to-order)	2,457.79
AC-HID-PIVCLASS-PVC-MPX-CNSL-REDNT	REDUNDANT PIVCLASS MULTIPACS CONSOLE, DOWNLOAD, CODEBENCH SUPPLIER (Requires pivCLASS Supplemental Ordering Information form with ALL orders found in the pivCLASS How To Order Guide https://www.hidglobal.com/documents/how-to-order)	7,850.94
AC-HID-PIVCLASS-PVC-MPX-CNSL-REDNT-MS	REDUNDANT PIVCLASS MULTIPACS CONSOLE, STD M&S 8X5 M-F CST, CODEBENCH SUPPLIER (Requires pivCLASS Supplemental Ordering Information form with ALL orders found in the pivCLASS How To Order Guide https://www.hidglobal.com/documents/how-to-order)	1,228.90
AC-HID-PIVCLASS-PVC-MPX-CNX-18-00	PIVCLASS MULTIPACS CONNECTOR; AVIGILON ACM, DOWNLOAD (Requires pivCLASS Supplemental Ordering Information form with ALL orders found in the pivCLASS How To Order Guide https://www.hidglobal.com/documents/how-to-order)	10,184.70
AC-HID-PIVCLASS-PVC-MPX-CNX-MS	PIVCLASS MULTIPACS CONNECTOR, STD M&S 8X5 M-F CST, CODEBENCH SUPPLIER (Requires pivCLASS Supplemental Ordering Information form with ALL orders found in the pivCLASS How To Order Guide https://www.hidglobal.com/documents/how-to-order)	1,593.65

All prices are exclusive of taxes and freight. Motorola Solutions reserves the right to make changes to pricing and discount margins. All installation and use of Access Control Manager software is governed by its end user license agreement (EULA).

CONFIDENTIAL : The contents of this document are considered confidential and should not be posted on a public access website, made available for general public distribution, or otherwise shared with others without prior written authorization from Motorola Solutions Inc. ("Motorola Solutions").

AC-HID-PIVCLASS-PVC-MPX-CNX-REDNT	REDUNDANT PIVCLASS MULTIPACS CONNECTOR; DOWNLOAD, CODEBENCH SUPPLIER (Requires pivCLASS Supplemental Ordering Information form with ALL orders found in the pivCLASS How To Order Guide https://www.hidglobal.com/documents/how-to-order)	5,092.86
AC-HID-PIVCLASS-PVC-MPX-CNX-REDNT-MS	REDUNDANT PIVCLASS MULTIPACS CONNECTOR, STD M&S 8X5 M-F CST, CODEBENCH SUPPLIER (Requires pivCLASS Supplemental Ordering Information form with ALL orders found in the pivCLASS How To Order Guide https://www.hidglobal.com/documents/how-to-order)	796.82
AC-HID-PIVCLASS-PVCAT-D	PIVCLASS VALIDATION WORKSTATION AUDIT TRAIL, DOWNLOAD, CODEBENCH SUPPLIER (Requires pivCLASS Supplemental Ordering Information form with ALL orders found in the pivCLASS How To Order Guide https://www.hidglobal.com/documents/how-to-order)	1,576.92
AC-HID-PIVCLASS-PVCAT-D-MS	VALIDATION WORKSTATION AUDIT TRAIL, STD M&S 8X5 M-F CST, CODEBENCH SUPPLIER (Requires pivCLASS Supplemental Ordering Information form with ALL orders found in the pivCLASS How To Order Guide https://www.hidglobal.com/documents/how-to-order)	247.25
AC-HID-PIVCLASS-PVCP-D/S-18-00	PIVCLASS REGISTRATION ENGINE; AVIGILON ACM, DOWNLOAD (Requires pivCLASS Supplemental Ordering Information form with ALL orders found in the pivCLASS How To Order Guide https://www.hidglobal.com/documents/how-to-order)	13,068.24
AC-HID-PIVCLASS-PVCP-D/S-CPLG-18-00	PIVCLASS PACS PLUGIN CHANGE; AVIGILON ACM, DOWNLOAD (Requires pivCLASS Supplemental Ordering Information form with ALL orders found in the pivCLASS How To Order Guide https://www.hidglobal.com/documents/how-to-order)	7,630.62
AC-HID-PIVCLASS-PVCP-D/S-MS	REGISTRATION ENGINE, STD M&S 8X5 M-F CST, CODEBENCH SUPPLIER (Requires pivCLASS Supplemental Ordering Information form with ALL orders found in the pivCLASS How To Order Guide https://www.hidglobal.com/documents/how-to-order)	2,045.30
AC-HID-USB-FINGERPRINT-RDR-MSO-1300E3-SNR-00058	HID SNR-00058 MSO-1300E3 USB FINGER PRINT SENSOR	602.75

Salto

MODEL NUMBER	DESCRIPTION	MSRP \$
AC-SALTO-ADAPTER-RING-SP220418.38-IM	SALTO Mortise cylinder collar. B=3/8" (9.5mm) collar, Satin stainless steel (US32D) (Available only in the USA and Canada)	26.29
AC-SALTO-ADAPTER-RING-SP220495-14-IM	Adapter Ring, 1/4" key override depth spacer, satin stainless (Available only in the USA and Canada)	15.09
AC-SALTO-ADAPTER-RING-SP220495-18-IM	Adapter Ring, 1/8" key override depth spacer, satin stainless (Available only in the USA and Canada)	15.09
AC-SALTO-AELEMENT-AEB0IMBA3A8	AElement elec Black Rdr BLE Mifare DESFire SVN, Standard Anthracite BB satin stainless trim (Available only in the USA and Canada)	547.93
AC-SALTO-AELEMENT-AEB0IPBA3A8	AElement elec Black Rdr BLE Mifare DESFire SVN, Standard Anthracite BB polished ss trim (Available only in the USA and Canada)	578.66
AC-SALTO-AELEMENT-AEB1IMBA3A8	AElement elec Black Rdr BLE Mifare DESFire SVN, Elec Privacy Anthracite BB satin stainless trim (Available only in the USA and Canada)	562.25
AC-SALTO-AELEMENT-AEB1IPBA3A8	AElement elec Black Rdr BLE Mifare DESFire SVN, Elec Privacy Anthracite BB polished ss trim (Available only in the USA and Canada)	592.99
AC-SALTO-AELEMENT-AEJ1IMBA3A8	AElement elec Black Rdr BLE HID iCLASS SVN, Elec Privacy Anthracite BB satin stainless trim (Available only in the USA and Canada)	518.20
AC-SALTO-AELEMENT-FUSION-READER-ANSI-AFB7PMB4A8	SALTO AElement Fusion electronics. Includes split spindles that must be used with the AElement handle set (Mortise lock and handles not included and must be ordered separately)(Available only in the USA and Canada)	679.35
AC-SALTO-AELEMENT-HANDLE-R3SJRIM081	SALTO J handle for AElement handle set. Round rose. To be fitted with the split spindle provided with the AElement electronics. 2 handles set. (Available only in the USA and Canada)	253.09
AC-SALTO-AELEMENT-HANDLE-R3SWRPM081	SALTO W handle for AElement handle set. Round rose. To be fitted with the split spindle provided with the AElement electronics. 2 handles set. (Available only in the USA and Canada)	189.61
AC-SALTO-AELEMENT-MORTISE-LOCK-LA1T1770A24IMSRH	Mortise Lock AElement ANSI, Door+Egress detectors RH stainless steel (Available only in the USA and Canada)	359.29
AC-SALTO-AELEMENT-MORTISE-LOCKS-LA1T1770F74PMSRH	Mortise Lock AElement ANSI, Door+Egress detectors RH satin brass (Available only in the USA and Canada)	383.41
AC-SALTO-AELEMENT-READER-ANSI-AEB0PMB3A8		580.94

All prices are exclusive of taxes and freight. Motorola Solutions reserves the right to make changes to pricing and discount margins. All installation and use of Access Control Manager software is governed by its end user license agreement (EULA).

CONFIDENTIAL : The contents of this document are considered confidential and should not be posted on a public access website, made available for general public distribution, or otherwise shared with others without prior written authorization from Motorola Solutions Inc. ("Motorola Solutions").

	SALTO AElement electronics with ANSI mechanical privacy. Includes split spindles that must be used with the AElement handle set (Mortise lock and handles not included and must be ordered separately) (Available only in the USA and Canada)	
AC-SALTO-ASSEMBLY-TOOL-NEOXX-PADLOCK-SP226009	Assembly Tool Neox Padlock, (Available only in the USA and Canada)	31.10
AC-SALTO-BLUENET-BLACK-GATEWAYB3CUS	Wireless Gateway BLUEnet node black 12VDC xfmr, Ethernet supports upto 6 additional wired nodes (Available only in the USA and Canada)	753.36
AC-SALTO-BLUENET-WHITE-GATEWAYW3CUS	Wireless Gateway BLUEnet node white 12VDC xfmr, Ethernet supports upto 6 additional wired nodes (Available only in the USA and Canada)	753.36
AC-SALTO-CONTROL-UNIT-IP-CLEARCOVER-CU42E0TUS	Control Unit XS4 2.0 two rdr 6 in 4 out ethernet, expandable via RS485 12VDC xfmr enc clear cover (Available only in the USA and Canada)	1,363.91
AC-SALTO-CONTROL-UNIT-IP-GREYCOVER-CU42E0GUS	Control Unit XS4 2.0 two rdr 6 in 4 out ethernet, expandable via RS485 12VDC xfmr enc Grey cover (Available only in the USA and Canada)	1,363.91
AC-SALTO-CONTROL-UNIT-IP-NOCOVER-CU42E0US	Control Unit XS4 2.0 two rdr 6 in 4 out ethernet, expandable via RS485 12VDC xfmr No enclosure (Available only in the USA and Canada)	1,363.91
AC-SALTO-CONTROL-UNIT-RS485-CLEARCOVER-CU4200TUS	Control Unit XS4 2.0 two rdr 6 in 4 out RS485 aux, offline or exp of CU42Ex 12V xfmr enc Clear cover (Available only in the USA and Canada)	776.25
AC-SALTO-CONTROL-UNIT-RS485-GREYCOVER-CU4200GUS	Control Unit XS4 2.0 two rdr 6 in 4 out RS485 aux, offline or exp of CU42Ex 12V xfmr enc Grey cover (Available only in the USA and Canada)	776.25
AC-SALTO-CONTROL-UNIT-RS485-NOCOVER-CU4200US	Control Unit XS4 2.0 two rdr 6 in 4 out RS485 aux, offline or exp of CU42Ex 12VDC xfmr No enclosure (Available only in the USA and Canada)	776.25
AC-SALTO-COVER-PLATE-ANSI-WIDE-COPLE110IMCA	Cover Plate Pr ANSI wide cyl cartridge compatible, 13-53/64" H X 4-21/64" W satin stainless (Available only in the USA and Canada)	118.19
AC-SALTO-CREDENTIAL-BRACELET-WBM01KNL-5	SALTO proximity silicone Bracelets, MIFARE, 01K 1KBytes, Black, Large, Pack of 5 bracelets (Available only in the USA and Canada)	112.25
AC-SALTO-CREDENTIAL-BRACELET-WBM01KNM-5	SALTO proximity silicone Bracelets, MIFARE, 01K 1KBytes, Black, Medium, Pack of 5 bracelets (Available only in the USA and Canada)	112.25
AC-SALTO-CREDENTIAL-BRACELET-WBM01KNS-5	SALTO proximity silicone Bracelets, MIFARE, 01K 1KBytes, Black, Small, Pack of 5 bracelets (Available only in the USA and Canada)	112.25
AC-SALTO-CREDENTIAL-CARD-MIFARE-PCM04KB	SALTO Credential CR80 card dual technology, Mifare 4KB with magstripe pack of 50 (Available only in the USA and Canada)	314.29
AC-SALTO-CREDENTIAL-CONSTRUCTION-HID-PCH002C	Credential Construction Card HID iClass, testing and management prior to initialization (Available only in the USA and Canada)	36.93
AC-SALTO-CREDENTIAL-CONSTRUCTION-MIFARE-PCM01KC	Credential Construction Card Mifare, testing and management prior to initialization (Available only in the USA and Canada)	28.29
AC-SALTO-CREDENTIAL-CR80-CARD-HID-ICLASS-PCH004-50	Credential CR80 card printable white HID iClass, 32Kbs sammed for use with Salto standard codes, pack of 50 (Available only in the USA and Canada)	1,766.29
AC-SALTO-CREDENTIAL-CR80-CARD-MIFARE-PCD04KB-50	Credential CR80 card printable white Mifare 4KB, pack of 50 (Available only in the USA and Canada)	321.62
AC-SALTO-CREDENTIAL-CR80-CARD-MIFARE-PCM01KB-50	Credential CR80 card printable white Mifare 1KB pack of 50 (Available only in the USA and Canada)	256.13
AC-SALTO-CREDENTIAL-CR80-CARD-MIFARE-PCM04KBH-50	SALTO Credential CR80 card dual technology, Mifare 4KB with magstripe pack of 50 (Available only in the USA and Canada)	321.64
AC-SALTO-CREDENTIAL-FOB-DESFIRE-PFD04KB-10	Credential FOB blue with white center Salto logo, DESFire EV2 4KB pack of 10 (Available only in the USA and Canada)	101.23
AC-SALTO-CREDENTIAL-FOB-DESFIRE-PFD04KN-10	Credential FOB black with white center Salto logo, DESFire EV2 4KB pack of 10 (Available only in the USA and Canada)	101.25
AC-SALTO-CREDENTIAL-FOB-MIFARE-PFM04KB-10	Credential FOB blue with white center Salto logo, Mifare 4KB pack of 10 (Available only in the USA and Canada)	105.94
AC-SALTO-CREDENTIAL-FOB-SVN-BLUE-PFD04KBSVNKS-5	SVNKS SALTO KS + SVN compatible Tags - Blue - Pack of 5 (Available only in the USA and Canada)	90.75
AC-SALTO-CREDENTIAL-FOB-SVN-GREEN-PFD04KGSVNKS-5	SVNKS SALTO KS + SVN compatible Tags - Green - Pack of 5 (Available only in the USA and Canada)	90.75
AC-SALTO-CREDENTIAL-FOB-SVN-RED-PFD04KRSVNKS-5	SVNKS SALTO KS + SVN compatible Tags - Red - Pack of 5 (Available only in the USA and Canada)	90.75
AC-SALTO-CREDENTIAL-FOB-SVN-SILVER-PFD04KSSVNKS-5	SVNKS SALTO KS + SVN compatible Tags - Silver - Pack of 5 (Available only in the USA and Canada)	90.75

All prices are exclusive of taxes and freight. Motorola Solutions reserves the right to make changes to pricing and discount margins. All installation and use of Access Control Manager software is governed by its end user license agreement (EULA).

CONFIDENTIAL : The contents of this document are considered confidential and should not be posted on a public access website, made available for general public distribution, or otherwise shared with others without prior written authorization from Motorola Solutions Inc. ("Motorola Solutions").

AC-SALTO-CREDENTIAL-FOB-SVN-WHITE-PFD04KWSVNKS-5	SVNKS SALTO KS + SVN compatible Tags - White - Pack of 5 (Available only in the USA and Canada)	90.75
AC-SALTO-CYLINDRICAL-CARTRIDGE-ALIGNMENT-KIT-1848	Alignment Kit Cylindrical Cartridge, use with Ax6xx and LCxK cartridge combination (Available only in the USA and Canada)	15.70
AC-SALTO-CYLINDRICAL-CARTRIDGE-LOCK-LC1KC60IM	SALTO cylindrical latch grade 1. ANSI A156.2 grade1. model K. squared front plate. latch by lever either side. Auxiliat latch (anticard) deadlock the latch. Backset 50mm - 2 3/8. ASA strike, screws and dust box included. (Available only in the USA and Canada)	134.68
AC-SALTO-CYLINDRICAL-CARTRIDGE-LOCK-LC1KC70IM	Cylindrical Cartridge Lock ANSI Grade 2, 2-3/4" backset(std comm) satin stainless (Available only in the USA and Canada)	127.03
AC-SALTO-DEADBOLT-GEO-LD51C70CS	Deadbolt, single cylinder for use with GEO heavy duty deadbolt cylinder, 2 3/4" backset, standard operation, satin chromium finish (Available only in the USA and Canada)	207.16
AC-SALTO-DEADBOLT-NEO-LD51C60CS	Deadbolt less single cyl 2 3/8" backset requires eCylinder satin stainless (Available only in the USA and Canada)	225.43
AC-SALTO-DOOR-DETECTOR-ESCUTCHEON-RFDTCTS18W01	RFDTCT Door detector with plug connection for the SALTO wireles escutcheon, S For steel doors, 18 For wide body escutcheons (Available only in the USA and Canada)	54.50
AC-SALTO-EMERGENCY-POWER-SUPPLY-EPS100	Emergency Power Supply PPD connection cord, battery harness requires 4 AA batteries (Available only in the USA and Canada)	50.58
AC-SALTO-ENCODER-DESFIRE-EC904B0US	SALTO NCode - Proximity card encoder Mifare/DESFire. USB and Ethernet connections. DHCP addressing. Desktop reader capabilities (Bluetooth mobile keys not supported)(Available only in the USA and Canada)	1,039.30
AC-SALTO-ENCODER-DESFIRE-ECB04B0US	Encoder BLE DESFire Mifare ethernet, USB can be used as desktop reader (Available only in the USA and Canada)	980.24
AC-SALTO-ENCODER-HID-ECJ04B0US	Encoder BLE HID iClass ethernet, USB can be used as desktop reader (Available only in the USA and Canada)	980.24
AC-SALTO-EXPANSION-UNIT-RS485-NOCOVER-CU4EB8US	Expansion Unit XS4 2.0 4 in 8 out RS485 auxillary, exp of CU42xx 12VDC xfmr No enclosure (Available only in the USA and Canada)	670.68
AC-SALTO-GEO-INDOOR-PADLOCK-BLKRDR-G9P2148830CPBN	GEO Indoor Padlock Mifare DESFire SVN - Black Rdr shackle 8mm dia-30mm len polished chrome (Available only in the USA and Canada)	689.61
AC-SALTO-GEO-INDOOR-PADLOCK-BLKRDR-G9P2148860CPBN	GEO Indoor Padlock Mifare DESFire SVN - Black Rdr shackle 8mm dia-60mm len polished chrome (Available only in the USA and Canada)	689.61
AC-SALTO-GEO-INDOOR-PADLOCK-BLKRDR-G9P2148890CPBN	GEO Indoor Padlock Mifare DESFire SVN - Black Rdr shackle 8mm dia-90mm len polished chrome (Available only in the USA and Canada)	689.61
AC-SALTO-INSTALLATION-TOOL-NEO-SP220764	SALTO Geo installation tool (NOT NEO) (Available only in the USA and Canada)	9.24
AC-SALTO-INSTALLATION-TOOL-NEO-SP225542	SALTO Neo installation tool (Available only in the USA and Canada)	33.71
AC-SALTO-LOCKER-LOCK-DESFIRE-ANTHRASITE-LB050A30	Locker Lock XS4 BLE DESFire Mifare battery incl, 20-30mm door sandwich mount BioCote anthracite rdr (Available only in the USA and Canada)	433.57
AC-SALTO-LOCKER-LOCK-DESFIRE-WHITE-LB050M30	Locker Lock XS4 BLE DESFire Mifare battery incl, 20-30mm door sandwich mount BioCote white rdr rdr (Available only in the USA and Canada)	433.57
AC-SALTO-LOCKER-LOCK-HID-ANTHRACITE-LJ050A30	Locker Lock XS4 BLE HID iClass SEOS battery incl, 20-30mm door sandwich mount BioCote anthracite rdr (Available only in the USA and Canada)	433.57
AC-SALTO-LOCKER-LOCK-HID-WHITE-LJ050M30	Locker Lock XS4 BLE HID iClass SEOS battery incl, 20-30mm door sandwich mount BioCote white rdr rdr (Available only in the USA and Canada)	433.57
AC-SALTO-LOCKSET-PIN-SPO1047-325	Replacement Part: Single thumbturn knob for locks.(Available only in the USA and Canada)	97.57
AC-SALTO-MOBILE-USER-LICENSE-SPACE-OPT-0016-1	SALTO ProAccess SPACE, SPACE Mobile Users License (0016-1), included for first 12 months from software registration, billed annually thereafter - Requires Annual Subscription Renewal (0028-2) (Available only in the USA and Canada)	3.30
AC-SALTO-MORTISE-LOCK-LA1T0570A21IM8LH	Mortise Lock ANSI Grade 1 32mm faceplate, Door detector LH(field rev) satin stainless (Available only in the USA and Canada)	167.02
AC-SALTO-MORTISE-LOCK-LA1T0570A21IM8RH	Mortise Lock ANSI Grade 1 32mm faceplate, Door detector RH(field rev) satin stainless (Available only in the USA and Canada)	167.02
AC-SALTO-MORTISE-LOCK-LA1T0770A22IMSLH	Mortise Lock AElement ANSI, Door+Egress detectors LH satin stainless (Available only in the USA and Canada)	338.88
AC-SALTO-MORTISE-LOCK-LA1T0770A22IMSLR		338.88

All prices are exclusive of taxes and freight. Motorola Solutions reserves the right to make changes to pricing and discount margins. All installation and use of Access Control Manager software is governed by its end user license agreement (EULA).

CONFIDENTIAL : The contents of this document are considered confidential and should not be posted on a public access website, made available for general public distribution, or otherwise shared with others without prior written authorization from Motorola Solutions Inc. ("Motorola Solutions").

	Mortise Lock AElement ANSI, Door+Egress detectors LHR satin stainless (Available only in the USA and Canada)	
AC-SALTO-MORTISE-LOCK-LA1T0770A22IMSRH	Mortise Lock AElement ANSI, Door+Egress detectors RH satin stainless (Available only in the USA and Canada)	338.88
AC-SALTO-MORTISE-LOCK-LA1T0770A22IMSRR	Mortise Lock AElement ANSI, Door+Egress detectors RHR satin stainless (Available only in the USA and Canada)	338.88
AC-SALTO-MORTISE-LOCK-LA1T0770A24IMSLH	Mortise Lock AElement ANSI, Privacy+Door+Egress detectors LH satin stainless (Available only in the USA and Canada)	338.88
AC-SALTO-MORTISE-LOCK-LA1T0770A24IMSLR	Mortise Lock AElement ANSI, Privacy+Door+Egress detectors LHR satin stainless (Available only in the USA and Canada)	338.88
AC-SALTO-MORTISE-LOCK-LA1T0770A24IMSRH	Mortise Lock AElement ANSI, Privacy+Door+Egress detectors RH satin stainless (Available only in the USA and Canada)	338.88
AC-SALTO-MORTISE-LOCK-LA1T0770A24IMSRR	Mortise Lock AElement ANSI, Privacy+Door+Egress detectors RHR satin stainless (Available only in the USA and Canada)	338.88
AC-SALTO-MORTISE-LOCK-LA1T1570A21IM8LH	Mortise Lock Deadbolt ANSI Grade 1 32mm faceplate - Door detector LH (field rev) satin stainless (Available only in the USA and Canada)	177.08
AC-SALTO-MORTISE-LOCK-LA1T1570A21IM8RH	Mortise Lock Deadbolt ANSI Grade 1 32mm faceplate - Door detector RH(field rev) satin stainless (Available only in the USA and Canada)	176.56
AC-SALTO-MORTISE-LOCK-LA1T1570A71IM8R	SALTO Mortise Lock Deadbolt ANSI Grade 1 27mm faceplate, Door detector RH(field rev) satin stainless (Available only in the USA and Canada)	167.04
AC-SALTO-MORTISE-LOCK-LA1T3570A21IM8LH	SALTO Mortise Lock - ANSI with latch and automatic deadbolt. with panic function Auto-DB ANSI Grade 1 32mm faceplate Door detector LH(field rev) satin stainless (Available only in the USA and Canada)	298.53
AC-SALTO-MORTISE-LOCK-LA1T3570A21IM8RH	SALTO Mortise Lock - ANSI with latch and automatic deadbolt. with panic function Auto-DB ANSI Grade 1 32mm faceplate Door detector RH(field rev) satin stainless (Available only in the USA and Canada)	298.53
AC-SALTO-NEO-CAM-CYL-BLKRDR-NBCL119M40BCBA	Deadbolt, single cylinder for use with GEO heavy duty deadbolt cylinder, 2 3/4" backset, standard operation, satin chromium finish (Available only in the USA and Canada)	640.75
AC-SALTO-NEO-CAM-CYL-NBCL119M28BCBA	NEO Cam Cylinder BLE Mifare DESFire SVN, Black Rdr IP55 BioCote (Available only in the USA and Canada)	606.12
AC-SALTO-NEO-CAM-CYL-NBCL119M28BCBAR	NEO Cam Cylinder BLE Mifare DESFire SVN, Black Rdr IP66 BioCote (Available only in the USA and Canada)	634.14
AC-SALTO-NEO-CAM-CYL-NBCL119M28CPBA	NEO Cam Cylinder BLE Mifare DESFire SVN, Black Rdr IP55 polished chrome (Available only in the USA and Canada)	540.46
AC-SALTO-NEO-CAM-CYL-NBCL119M28CPBAR	NEO Cam Cylinder BLE Mifare DESFire SVN, Black Rdr IP66 polished chrome (Available only in the USA and Canada)	568.97
AC-SALTO-NEO-CAM-CYL-NBCL119M28CSBA	NEO Cam Cylinder BLE Mifare DESFire SVN, Black Rdr IP55 satin chrome (Available only in the USA and Canada)	540.46
AC-SALTO-NEO-CAM-CYL-NBCL119M28CSBAR	NEO Cam Cylinder BLE Mifare DESFire SVN, Black Rdr IP66 satin chrome (Available only in the USA and Canada)	568.97
AC-SALTO-NEO-CAM-CYL-NJCL119M28BCBA	NEO Cam Cylinder HID iClass SEOS SVN, Black Rdr IP55 BioCote (Available only in the USA and Canada)	606.12
AC-SALTO-NEO-CAM-CYL-NJCL119M28BCBAR	NEO Cam Cylinder HID iClass SEOS SVN, Black Rdr IP66 BioCote (Available only in the USA and Canada)	634.64
AC-SALTO-NEO-CAM-CYL-NJCL119M28CPBA	NEO Cam Cylinder HID iClass SEOS SVN, Black Rdr IP55 polished chrome (Available only in the USA and Canada)	540.46
AC-SALTO-NEO-CAM-CYL-NJCL119M28CPBAR	NEO Cam Cylinder HID iClass SEOS SVN, Black Rdr IP66 polished chrome (Available only in the USA and Canada)	568.97
AC-SALTO-NEO-CAM-CYL-NJCL119M28CSBA	NEO Cam Cylinder HID iClass SEOS SVN, Black Rdr IP55 satin chrome (Available only in the USA and Canada)	540.46
AC-SALTO-NEO-CAM-CYL-NJCL119M28CSBAR	NEO Cam Cylinder HID iClass SEOS SVN, Black Rdr IP66 satin chrome (Available only in the USA and Canada)	568.97
AC-SALTO-NEO-MORTISE-CYL-NBM1132N00BCBN	NEO Mortise Cylinder BLE Mifare DESFire SVN, Black Rdr 1-1/4" body length IP55 BioCote (Available only in the USA and Canada)	606.12
AC-SALTO-NEO-MORTISE-CYL-NBM1132N00BCBNR	NEO Mortise Cylinder BLE Mifare DESFire SVN, Black Rdr 1-1/4" body length IP66 BioCote (Available only in the USA and Canada)	634.64
AC-SALTO-NEO-MORTISE-CYL-NBM1132N00CPBN	NEO Mortise Cylinder BLE Mifare DESFire SVN, Black Rdr 1-1/4" body length IP55 polished chrome (Available only in the USA and Canada)	540.46
AC-SALTO-NEO-MORTISE-CYL-NBM1132N00CPBNR		568.97

All prices are exclusive of taxes and freight. Motorola Solutions reserves the right to make changes to pricing and discount margins. All installation and use of Access Control Manager software is governed by its end user license agreement (EULA).

CONFIDENTIAL : The contents of this document are considered confidential and should not be posted on a public access website, made available for general public distribution, or otherwise shared with others without prior written authorization from Motorola Solutions Inc. ("Motorola Solutions").

	NEO Mortise Cylinder BLE Mifare DESFire SVN, Black Rdr 1-1/4" body length IP66 polished chrome (Available only in the USA and Canada)	
AC-SALTO-NEO-MORTISE-CYL-NBM1132N00CSBN	NEO Mortise Cylinder BLE Mifare DESFire SVN, Black Rdr 1-1/4" body length IP55 satin chrome (Available only in the USA and Canada)	540.46
AC-SALTO-NEO-MORTISE-CYL-NBM1132N00CSBNR	NEO Mortise Cylinder BLE Mifare DESFire SVN, Black Rdr 1-1/4" body length IP66 satin chrome (Available only in the USA and Canada)	568.97
AC-SALTO-NEO-MORTISE-CYL-NBM1132N00NEBNR	SALTO NEO Mortise profile electronic cylinder Exterior cylinder, one knob, no thumbturn. (Can be initialized in SALTO SPACE or SALTO KS) (Available only in the USA and Canada)	569.95
AC-SALTO-NEO-MORTISE-CYL-NBM1135N00CSBNR	SALTO NEO Mortise profile electronic cylinder Exterior cylinder, one knob, no thumbturn - BLE DESFire MIFARE: Standard - standard length, standard cams, standard finish (Available only in the USA and Canada)	603.26
AC-SALTO-NEO-MORTISE-CYL-NJM1132N00BCBN	NEO Mortise Cylinder HID iClass SEOS SVN, Black Rdr 1-1/4" body length IP55 BioCote (Available only in the USA and Canada)	606.12
AC-SALTO-NEO-MORTISE-CYL-NJM1132N00BCBNR	NEO Mortise Cylinder HID iClass SEOS SVN, Black Rdr 1-1/4" body length IP66 BioCote (Available only in the USA and Canada)	634.64
AC-SALTO-NEO-MORTISE-CYL-NJM1132N00CPBN	NEO Mortise Cylinder HID iClass SEOS SVN, Black Rdr 1-1/4" body length IP55 polished chrome (Available only in the USA and Canada)	540.46
AC-SALTO-NEO-MORTISE-CYL-NJM1132N00CPBNR	NEO Mortise Cylinder HID iClass SEOS SVN, Black Rdr 1-1/4" body length IP66 polished chrome (Available only in the USA and Canada)	568.97
AC-SALTO-NEO-MORTISE-CYL-NJM1132N00CSBN	NEO Mortise Cylinder HID iClass SEOS SVN, Black Rdr 1-1/4" body length IP55 satin chrome (Available only in the USA and Canada)	540.46
AC-SALTO-NEO-MORTISE-CYL-NJM1132N00CSBNR	NEO Mortise Cylinder HID iClass SEOS SVN, Black Rdr 1-1/4" body length IP66 satin chrome (Available only in the USA and Canada)	568.97
AC-SALTO-NEO-RIM-CYL-BLKRDR-NBB3151N00BCBN	SALTO NEO Rim Cylinder BLE Mifare DESFire SVN - Black Rdr Salto DB not incl IP55 BioCote (Available only in the USA and Canada)	640.75
AC-SALTO-NEO-RIM-CYL-BLKRDR-NBB3151N00BCBNR	SALTO NEO Rim Cylinder BLE Mifare DESFire SVN - Black Rdr Salto DB not incl IP66 BioCote (Available only in the USA and Canada)	670.92
AC-SALTO-NEO-SERVER-RACK-CYL-INDR-NBE9130N00NEBR	NEO Server Rack Cyl BLE Mifare DESFire SVN, Black Rdr 40mm long satin black (Available only in the USA and Canada)	663.16
AC-SALTO-NEO-SERVER-RACK-CYL-NJE9130N00NEBR	NEO Server Rack Cyl HID iClass SEOS SVN, Black Rdr 40mm long satin black (Available only in the USA and Canada)	663.16
AC-SALTO-NEO-SERVER-RACK-CYL-NJE9130N00NEBR	NEO Server Rack Cyl HID iClass SEOS SVN, Black Rdr 40mm long satin black (Available only in the USA and Canada)	691.71
AC-SALTO-NEO-SERVER-RACK-CYL-OUTDR-NBE9130N00NEBR	NEO Server Rack Cyl BLE Mifare DESFire SVN, Black Rdr 40mm long satin black (Available only in the USA and Canada)	569.00
AC-SALTO-NEO-US-RIM-CYL-NBB1100N00BCBN	NEO US Rim Cylinder BLE Mifare DESFire SVN, Black Rdr IP55 BioCote (Available only in the USA and Canada)	606.12
AC-SALTO-NEO-US-RIM-CYL-NBB1100N00BCBNR	NEO US Rim Cylinder BLE Mifare DESFire SVN, Black Rdr IP66 BioCote (Available only in the USA and Canada)	634.64
AC-SALTO-NEO-US-RIM-CYL-NBB1100N00CPBN	NEO US Rim Cylinder BLE Mifare DESFire SVN, Black Rdr IP55 polished chrome (Available only in the USA and Canada)	540.46
AC-SALTO-NEO-US-RIM-CYL-NBB1100N00CPBNR	NEO US Rim Cylinder BLE Mifare DESFire SVN, Black Rdr IP66 polished chrome (Available only in the USA and Canada)	568.97
AC-SALTO-NEO-US-RIM-CYL-NBB1100N00CSBN	NEO US Rim Cylinder BLE Mifare DESFire SVN, Black Rdr IP55 satin chrome (Available only in the USA and Canada)	540.46
AC-SALTO-NEO-US-RIM-CYL-NBB1100N00CSBNR	NEO US Rim Cylinder BLE Mifare DESFire SVN, Black Rdr IP66 satin chrome (Available only in the USA and Canada)	568.97
AC-SALTO-NEO-US-RIM-CYL-NBB3151N00CSBN	NEO Rim Cylinder BLE Mifare DESFire SVN Black Rdr Salto DB not incl IP55 satin chrome - SALTO NEO Heavy duty deadbolt electronic cylinder. To be used in combination with SALTO deadbolt LD51 or LD71series (Available only in the USA and Canada)	573.01
AC-SALTO-NEO-US-RIM-CYL-NJB1100N00BCBN	NEO US Rim Cylinder HID iClass SEOS SVN, Black Rdr IP55 BioCote (Available only in the USA and Canada)	606.12
AC-SALTO-NEO-US-RIM-CYL-NJB1100N00BCBNR	NEO US Rim Cylinder HID iClass SEOS SVN, Black Rdr IP66 BioCote (Available only in the USA and Canada)	634.64
AC-SALTO-NEO-US-RIM-CYL-NJB1100N00CPBN	NEO US Rim Cylinder HID iClass SEOS SVN, Black Rdr IP55 polished chrome (Available only in the USA and Canada)	540.46
AC-SALTO-NEO-US-RIM-CYL-NJB1100N00CPBNR	NEO US Rim Cylinder HID iClass SEOS SVN, Black Rdr IP66 polished chrome (Available only in the USA and Canada)	568.97
AC-SALTO-NEO-US-RIM-CYL-NJB1100N00CSBN	NEO US Rim Cylinder HID iClass SEOS SVN, Black Rdr IP55 satin chrome (Available only in the USA and Canada)	540.46

All prices are exclusive of taxes and freight. Motorola Solutions reserves the right to make changes to pricing and discount margins. All installation and use of Access Control Manager software is governed by its end user license agreement (EULA).

CONFIDENTIAL : The contents of this document are considered confidential and should not be posted on a public access website, made available for general public distribution, or otherwise shared with others without prior written authorization from Motorola Solutions Inc. ("Motorola Solutions").

AC-SALTO-NEO-US-RIM-CYL-NJB1100N00CSBNR	NEO US Rim Cylinder HID iClass SEOS SVN, Black Rdr IP66 satin chrome (Available only in the USA and Canada)	568.97
AC-SALTO-NEOXX-PADLOCK-DESFIRE-NBP4P60150CPB1	Neoxx Padlock BLE Mifare DESFire SVN Black - Removable shackle 11mm dia-60mm len IP66 chain (Available only in the USA and Canada)	1,065.06
AC-SALTO-NEOXX-PADLOCK-DESFIRE-NBP4R60150CPB0	Neoxx Padlock BLE Mifare DESFire SVN Black, Non-removable shackle 11mm dia-60mm len IP66 (Available only in the USA and Canada)	955.77
AC-SALTO-NEOXX-PADLOCK-HID-ICLASS-NJP4R60150CPB0	Neoxx Padlock HID iClass SEOS BLE SVN Black, Non-removable shackle 11mm dia-60mm len IP66 (Available only in the USA and Canada)	1,257.46
AC-SALTO-OUTDOOR-KIT-XS4-ESCUTCHEON-SP220475-6	Outdoor Kit, pair of gaskets for weather exposed, XS4 escutcheons, pack of 6 sets (Available only in the USA and Canada)	107.77
AC-SALTO-PORTABLE-PROGRAMMING-DEVICE-PPD800	Portable Programming Device NFC USB connection, 3 pin harness connector req 3 AAA batteries, incl (Available only in the USA and Canada)	881.77
AC-SALTO-PROACCESS-SPACE-SOFTWARE-SPACE-OPT-0032	SALTO ProAccess SPACE software SPACE-OPT-0032, SALTO event-alarms & communication module. Enables event alarms and also sends emails to the operators generated by the events. (Available only in the USA and Canada)	1,132.24
AC-SALTO-PROACCESS-SPACE-SOFTWARE-SPAONLINE	SALTO ProAccess SPACE, ProAccess SPACE Software Online SVN RF Lockdown, Event Stream Automatic Key Assignment Less Photo (Available only in the USA and Canada)	1,518.16
AC-SALTO-PROACCESS-SPACE-SOFTWARE-SPAPART	SALTO ProAccess SPACE software Partitional package that includes: - All the features included in the SALTO ProAccess SPACE ID System package - Partitional functionalities (department operator) (Available only in the USA and Canada)	3,886.08
AC-SALTO-PROACCESS-SPACE-STARTER-KIT-SPAONLABAB	SALTO Starter Kit - ProAccess SPACE Software - Online, standard readers, ANSI, black readers (Available only in the USA and Canada)	3,624.66
AC-SALTO-RFNET-BLACK-GATEWAYB2CUS	Wireless Gateway RFnet node black 12VDC xfmr, Ethernet supports upto 6 additional wired nodes (Available only in the USA and Canada)	753.36
AC-SALTO-RFNET-WHITE-GATEWAYW2CUS	Wireless Gateway RFnet node white 12VDC xfmr, Ethernet supports upto 6 additional wired nodes (Available only in the USA and Canada)	753.36
AC-SALTO-RIM-PB-PBF110033IM	Rim Panic Bar Device 33" length - Use w/KPB03 satin stainless (Available only in the USA and Canada)	1,304.77
AC-SALTO-SAMKIT9	Salto Authorization Module(SAM) DESFire EndUser, requires EC9xx application subject to approval, SAM Software Kit. Includes SAM Software, SAM card. (Available only in the USA and Canada)	6,087.17
AC-SALTO-SAMKITH	Salto Authorization Module(SAM) HID iClass EndUser, requires ECHxx application subject to approval, SAM Software Kit. Includes SAM Software, SAM card. (Available only in the USA and Canada)	6,087.17
AC-SALTO-SHACKLE-CHAIN-NEOXX-PADLOCK-SP226335	Shackle Chain collar attached 300mm length, For use with Neoxx Padlock, Padlock Not Included (Available only in the USA and Canada)	51.70
AC-SALTO-SHIP-OPTION-SPACE-OPT-0018	SALTO ProAccess SPACE, SPACE SHIP Interface Option (0018) (Available only in the USA and Canada)	427.15
AC-SALTO-SPACE-TRAINING-KIT-TR-SPACE-V1	Salto SPACE Training Kit (one user) (Available only in the USA and Canada)	5,818.50
AC-SALTO-SPACER-PLATE-SP226233.02-BM	Spacer Plate for door thickness 1-1/4" - 1-3/8" (30-35mm) (Available only in the USA and Canada)	19.57
AC-SALTO-STICKERS-SMARTCARD-PSM04K-20	Credential smart sticker 1" round white PVC Pack of 20 stickers Mifare 4KB pack of 20 (Available only in the USA and Canada)	204.67
AC-SALTO-THUMBTURN-SP01027-IM	Replacement Part: 25 Pack. Internal pin for lockset. (Available only in the USA and Canada)	29.41
AC-SALTO-UPDATER-KIT-UBOX42DBABTUS	The UBOX4000 offers a compact solution updater kit based on a SALTO Controller and a Wall Reader that permits to integrate with third party products. ANSI - North American - Single gang mount reader, Black, Transparent Cover, US version, Includes UBOX 42 controller in a case with translucent cover and black ANSI rectangular BLE Mifare DESFire reader. (Available only in the USA and Canada)	697.84
AC-SALTO-UPDATER-KIT-UBOX42DBMBTUS	The UBOX4000 offers a compact solution updater kit based on a SALTO Controller and a Wall Reader that permits to integrate with third party products. Mullion - narrow reader, Black, Transparent Cover, US version, Includes UBOX 42 controller in a case with translucent cover and black mullion BLE Mifare DESFire reader. (Available only in the USA and Canada)	697.84
AC-SALTO-WALL-READER-DESFIRE-BLACK-WRDB0A4B	Wall Reader ANSI XS4 2.0 BLE DESFire Mifare Black, series CU42xx controller req IP66 (Available only in the USA and Canada)	546.50
AC-SALTO-WALL-READER-DESFIRE-WHITE-WRDB0A4W	Wall Reader ANSI XS4 2.0 BLE DESFire Mifare White, series CU42xx controller req IP66 (Available only in the USA and Canada)	546.50

All prices are exclusive of taxes and freight. Motorola Solutions reserves the right to make changes to pricing and discount margins. All installation and use of Access Control Manager software is governed by its end user license agreement (EULA).

CONFIDENTIAL : The contents of this document are considered confidential and should not be posted on a public access website, made available for general public distribution, or otherwise shared with others without prior written authorization from Motorola Solutions Inc. ("Motorola Solutions").

AC-SALTO-WALL-READER-ICLASS-BLACK-WRDJ0A4B	Wall Reader ANSI XS4 2.0 BLE HID iClass Black, series CU42xx controller req IP66 (Available only in the USA and Canada)	546.50
AC-SALTO-WALL-READER-ICLASS-WHITE-WRDJ0A4W	Wall Reader ANSI XS4 2.0 BLE HID iClass White, series CU42xx controller req IP66 (Available only in the USA and Canada)	546.50
AC-SALTO-WALL-READER-KEYPAD-DESFIRE-BLACK-WRDB0ABK	Wall Reader Keypad ANSI XS4 2.0 BLE DESFire Mifare, Black series CU42xx controller req IP66 (Available only in the USA and Canada)	739.10
AC-SALTO-WALL-READER-KEYPAD-DESFIRE-WHITE-WRDB0AWK	Wall Reader Keypad ANSI XS4 2.0 BLE DESFire Mifare, White series CU42xx controller req IP66 (Available only in the USA and Canada)	739.10
AC-SALTO-WALL-READER-KEYPAD-ICLASS-BLACK-WRDJ0ABK	Wall Reader Keypad ANSI XS4 2.0 BLE HID iClass, Black series CU42xx controller req IP66 (Available only in the USA and Canada)	739.10
AC-SALTO-WALL-READER-KEYPAD-ICLASS-WHITE-WRDJ0AWK	Wall Reader Keypad ANSI XS4 2.0 BLE HID iClass, White series CU42xx controller req IP66 (Available only in the USA and Canada)	739.10
AC-SALTO-WALL-READER-MULLION-DESFIR-BLACK-WRDB0M4B	Wall Reader Mullion XS4 2.0 BLE DESFire Mifare, Black series CU42xx controller req IP66 (Available only in the USA and Canada)	546.50
AC-SALTO-WALL-READER-MULLION-DESFIR-WHITE-WRDB0M4W	Wall Reader Mullion XS4 2.0 BLE DESFire Mifare, White series CU42xx controller req IP66 (Available only in the USA and Canada)	546.50
AC-SALTO-WALL-READER-MULLION-ICLASS-BLACK-WRDJ0M4B	Wall Reader Mullion XS4 2.0 BLE HID iClass, Black series CU42xx controller req IP66 (Available only in the USA and Canada)	546.50
AC-SALTO-WALL-READER-MULLION-ICLASS-WHITE-WRDJ0M4W	Wall Reader Mullion XS4 2.0 BLE HID iClass, White series CU42xx controller req IP66 (Available only in the USA and Canada)	546.50
AC-SALTO-WALL-READER-PANEL-MOUNT-DESFIRE-WRDB0P40	Wall Reader Panel Mount XS4 2.0 BLE DESFire Mifare, Incl stickers series CU42xx controller req IP66	546.50
AC-SALTO-WIRELESS-NODE-BLUENET-RFNODE3	Wireless Node BLUEnet white, Wired requires GATEWAYxx for operation (Available only in the USA and Canada)	144.01
AC-SALTO-WIRELESS-NODE-RFNET-RFNODE	Wireless Node RFnet white, Wired requires GATEWAYxx for operation (Available only in the USA and Canada)	144.01
AC-SALTO-WIRELESS-OPTION-BLUENET-SPACE-OPT-0033	SALTO ProAccess SPACE, SPACE BLUEnet Wireless Connection Option (0033), 1ea per Lockset (online) (Available only in the USA and Canada)	128.88
AC-SALTO-WIRELESS-OPTION-RF-SPACE-OPT-0021	SALTO ProAccess SPACE, SPACE Wireless Option (0021) enables RF (Available only in the USA and Canada)	101.86
AC-SALTO-WIRELESS-REPEATER-BLUENET-REPEATER03US	Wireless Repeater BLUEnet white, Wired requires GATEWAYx3 or RFNODE3 for operation (Available only in the USA and Canada)	144.01
AC-SALTO-XS4-ANSI-MINI-CB250N60BCB3	XS4 ANSI Mini BLE Mifare DESFire Black Rdr, Entrance N lever 2-3/8" backset BioCote (Available only in the USA and Canada)	828.51
AC-SALTO-XS4-ANSI-MINI-CB250N60CPB3	XS4 ANSI Mini BLE Mifare DESFire Black Rdr, Entrance N lever 2-3/8" backset polished chrome (Available only in the USA and Canada)	851.30
AC-SALTO-XS4-ANSI-MINI-CB250N60CSB3	XS4 ANSI Mini BLE Mifare DESFire Black Rdr, Entrance N lever 2-3/8" backset satin chrome (Available only in the USA and Canada)	828.51
AC-SALTO-XS4-ANSI-MINI-CB250N70CSB3	XS4 ANSI Mini BLE Mifare DESFire Black Rdr Entrance N lever 2-3/4" backset satin chrome (Available only in the USA and Canada)	875.84
AC-SALTO-XS4-ANSI-MINI-CB250N70CSB4	XS4 ANSI Mini BLE Mifare DESFire Black Rdr Entrance N lever 2-3/4" backset satin chrome (Available only in the USA and Canada)	875.84
AC-SALTO-XS4-ANSI-MINI-CB250R70CSB3	XS4 ANSI Mini BLE Mifare DESFire Black Rdr Entrance R lever 2-3/4" backset satin chrome (Available only in the USA and Canada)	875.84
AC-SALTO-XS4-ANSI-MINI-CB250R70NEB3	XS4 ANSI Mini BLE Mifare DESFire Black Rdr Entrance R lever 2-3/4" backset satin black (Available only in the USA and Canada)	927.13
AC-SALTO-XS4-ANSI-MINI-CB260N70CSB3	SALTO XS4 Mini ANSI Electronic Escutcheon Grade 1 cylindrical latch, 2 handles, any type. Entrance Lock with key override. BLE Mifare DESFire: Standard - standard square spindles, finishes and handles.Mechanical cylinder not included. (Available only in the USA and Canada)	878.41
AC-SALTO-XS4-ANSI-MINI-CB260N70CSB4	SALTO XS4 Mini ANSI Electronic Escutcheon Grade 1 cylindrical latch, 2 handles, any type. Entrance Lock with key override. BLE Mifare DESFire: Standard - standard square spindles, finishes and handles.Mechanical cylinder not included. (Available only in the USA and Canada)	878.44
AC-SALTO-XS4-ANSI-MINI-CB260N70DBB3	SALTO XS4 Mini ANSI Electronic Escutcheon Grade 1 cylindrical latch, 2 handles, any type. Entrance Lock with key override. BLE Mifare DESFire: Standard - standard square spindles, finishes and handles. Mechanical cylinder not included. (Available only in the USA and Canada)	929.87
AC-SALTO-XS4-ANSI-MINI-CJ250N60BCB3	XS4 ANSI Mini BLE HID iClass Black Rdr, Entrance N lever 2-3/8" backset BioCote (Available only in the USA and Canada)	901.21
AC-SALTO-XS4-ANSI-MINI-CJ250N60CPB3	XS4 ANSI Mini BLE HID iClass Black Rdr, Entrance N lever 2-3/8" backset polished chrome (Available only in the USA and Canada)	851.30

All prices are exclusive of taxes and freight. Motorola Solutions reserves the right to make changes to pricing and discount margins. All installation and use of Access Control Manager software is governed by its end user license agreement (EULA).

CONFIDENTIAL : The contents of this document are considered confidential and should not be posted on a public access website, made available for general public distribution, or otherwise shared with others without prior written authorization from Motorola Solutions Inc. ("Motorola Solutions").

AC-SALTO-XS4-ANSI-MINI-CJ250N60CSB3	XS4 ANSI Mini BLE HID iClass Black Rdr, Entrance N lever 2-3/8" backset satin chrome (Available only in the USA and Canada)	828.51
AC-SALTO-XS4-CABLE-SP01045-100	XS4 Original connection circuit cable. For XS4 Original with door thickness up to 100mm (Available only in the USA and Canada)	9.17
AC-SALTO-XS4-CREDENTIAL-UHF-WINDSHLD-TRPDR-PWU008B	SALTO Windshield transponder ISO-Format UHF 8 bytes for SALTO WRLUD readers. White neutral. UHF UID printed on the card. (Available only in the USA and Canada)	28.07
AC-SALTO-XS4-ESCUTCHEON-AB660J00IM38	XS4 Escutcheon BLE Mifare DESFire SVN, KO Entrance ANSI J lever satin stainless (Available only in the USA and Canada)	944.49
AC-SALTO-XS4-ESCUTCHEON-KEYPAD-ANSI-AB650G00IM38WK	SALTO XS4 Electronic Escutcheon Ax650, with keypad For ANSI mortise locks, 2 handles, any type. BLE DESFire Technology:Wireless - 8 mm square spindle, finishes and handles. (Available only in the USA and Canada)	1,424.08
AC-SALTO-XS4-ESCUTCHEON-PB-AB656N00BC38W	XS4 Escutcheon BLE Mifare DESFire SVN - Privacy Button ANSI N lever BioCote (Available only in the USA and Canada)	1,293.95
AC-SALTO-XS4-ESCUTCHEON-AB650A00IM38	XS4 Escutcheon BLE Mifare DESFire SVN, Entrance ANSI A lever satin stainless (Available only in the USA and Canada)	918.14
AC-SALTO-XS4-ESCUTCHEON-AB650A00IM38W	XS4 Escutcheon BLE Mifare DESFire SVN RFnet, Entrance ANSI A lever satin stainless (Available only in the USA and Canada)	1,157.00
AC-SALTO-XS4-ESCUTCHEON-AB650W00IM38	XS4 Escutcheon BLE Mifare DESFire SVN, Entrance ANSI W lever satin stainless (Available only in the USA and Canada)	918.20
AC-SALTO-XS4-ESCUTCHEON-AB658N61IM48C	SALTO XS4 Electronic Escutcheon Ax658, For ANSI mortise locks, 2 handles, any type, inside thumbturn 90o, with connector for mortise lock with micro-switch. BLE Mifare Technology:Wireless convertible - 8 mm square spindle, finishes and handles. (Available only in the USA and Canada)	937.67
AC-SALTO-XS4-ESCUTCHEON-AJ650A00IM38W	XS4 Escutcheon BLE HID iClass SVN, Entrance ANSI A lever satin stainless (Available only in the USA and Canada)	1,081.42
AC-SALTO-XS4-ESCUTCHEON-MIFAR-ANSI-PB-AB656N00IM38W	SALTO XS4 Escutcheon BLE Mifare DESFire SVN RFnet, Privacy Button ANSI N lever satin stainless (Available only in the USA and Canada)	1,157.05
AC-SALTO-XS4-MINI-ANSI-CB250G70CSB3	SALTO XS4 Mini ANSI Electronic Escutcheon Grade 1 cylindrical latch, 2 handles, any type. Entrance Lock. BLE Mifare DESFire: Standard - standard square spindles, finishes and handles. (Available only in the USA and Canada)	878.41
AC-SALTO-XS4-ONE-ESCUTCHEON-DEADLAT-EB756HDLIMB4MD5	SALTO XS4 ONE Electronic Escutcheon Ex756, 2 Handles, any type. Electronic "do not disturb" system. BLE Mifare DESFire: Standard - standard square spindles, finishes and handles. (Available only in the USA and Canada)	1,332.71
AC-SALTO-XS4-OP-ESCUTCHEON-BIOCOTE-AM656N00BCB38	SALTO XS4 Original + Escutcheon BLE Mifare DESFire HSE SVN Privacy Button ANSI N lever BioCote BlueNet Capable (Available only in the USA and Canada)	1,129.98
AC-SALTO-XS4-OP-ESCUTCHEON-BIOCOTE-AM656N00BCB48	SALTO XS4 Original + Escutcheon BLE Mifare DESFire HSE SVN Privacy Button ANSI N lever BioCote BlueNet Capable (Available only in the USA and Canada)	1,129.98
AC-SALTO-XS4-OP-ESCUTCHEON-BIOCOTE-AM658N61BCB38	SALTO XS4 Original + Escutcheon BLE Mifare DESFire HSE SVN leadbolt ANSI N lever BioCote BlueNet Capable (Available only in the USA and Canada)	1,129.98
AC-SALTO-XS4-OP-ESCUTCHEON-BIOCOTE-AM658N62BCB38	SALTO XS4 Original + Escutcheon BLE Mifare DESFire HSE SVN leadbolt ANSI N lever BioCote BlueNet Capable (Available only in the USA and Canada)	1,129.98
AC-SALTO-XS4-OP-ESCUTCHEON-DC-KIT-SP01798-C8-4	SALTO XS4 Original + Escutcheon Door Thickness Change Kit (Available only in the USA and Canada)	14.89
AC-SALTO-XS4-OP-HALF-ESCUTCH-ANSI-AM660W00PMBH8E5	SALTO XS4 Electronic Half Escutcheon Ax660 for panic bar, 1 handle, any type, built in mechanical cylinder with audit . Technology: Mifare + Bluetooth LE + HSE and standard square spindles, finishes and handles. (Available only in the USA and Canada)	1,152.11
AC-SALTO-XS4-OP-HALF-ESCUTCHEON-ANSI-AM650A00BCWH8	SALTO XS4 Electronic Half Escutcheon Ax650 for panic bar, 1 handle, any type. Technology: Mifare + Bluetooth LE + HSE and standard square spindles, finishes and handles (Available only in the USA and Canada)	1,184.73
AC-SALTO-XS4-OP-HALF-ESCUTCHEON-ANSI-AM650G00IMBH8	SALTO XS4 Electronic Half Escutcheon Ax650 for panic bar, 1 handle, any type. Technology: Mifare + Bluetooth LE + HSE and standard square spindles, finishes and handles. (Available only in the USA and Canada)	1,107.67
AC-SALTO-XS4-OP-HALF-ESCUTCHEON-ANSI-AM650G00IMBP8	SALTO XS4 Electronic Half Escutcheon Ax650 for panic bar, 1 handle, any type for concealed rod panic bars. Technology: Mifare + Bluetooth LE + HSE and standard square spindles, finishes and handles.(Available only in the USA and Canada)	1,107.67
AC-SALTO-XS4-OP-HALF-ESCUTCHN-ANSI-AM650G00IMBH8E5		1,152.11

All prices are exclusive of taxes and freight. Motorola Solutions reserves the right to make changes to pricing and discount margins. All installation and use of Access Control Manager software is governed by its end user license agreement (EULA).

CONFIDENTIAL : The contents of this document are considered confidential and should not be posted on a public access website, made available for general public distribution, or otherwise shared with others without prior written authorization from Motorola Solutions Inc. ("Motorola Solutions").

	SALTO XS4 Electronic Half Escutcheon Ax650 for panic bar, 1 handle, any type. Technology: Mifare + Bluetooth LE + HSE and standard square spindles, finishes and handles. (Available only in the USA and Canada)	
AC-SALTO-XS4-OP-HALF-ESCTCHN-ANSI-AM650N00IMBH8E5	SALTO XS4 Electronic Half Escutcheon Ax650 for panic bar, 1 handle, any type. Technology: Mifare + Bluetooth LE + HSE and standard square spindles, finishes and handles. (Available only in the USA and Canada)	1,061.85
AC-SALTO-XS4-OP-HALF-ESCTCHN-ANSI-AM660B00IMBH8E5	SALTO XS4 Electronic Half Escutcheon Ax660 for panic bar, 1 handle, any type, built in mechanical cylinder with audit . Technology: Mifare + Bluetooth LE + HSE and standard square spindles, finishes and handles. (Available only in the USA and Canada)	1,152.11
AC-SALTO-XS4-OP-HALF-ESCTCHN-ANSI-AM660J00IMBH8	SALTO XS4 Original+ Half escutcheon ANSI - Electronic Half Escutcheon Ax660 for panic bar, 1 handle, any type, built in mechanical cylinder with audit . Technology: Mifare + Bluetooth LE + HSE and standard square spindles, finishes and handles. Mechanical cylinder not included. (Available only in the USA and Canada)	1,122.78
AC-SALTO-XS4-OP-HALF-ESCTHEON-ANSI-AM660N00IMBH8E5	XS4 Original+ Half escutcheon BLE Mifare DESFire HSE Black Rdr KO Entrance ANSI N lever satin ss, SALTO XS4 Electronic Half Escutcheon Ax660 for panic bar, 1 handle, any type, built in mechanical cylinder with audit . Technology: Mifare + Bluetooth LE + HSE and standard square spindles, finishes and handles. (Available only in the USA and Canada)	1,152.11
AC-SALTO-XS4-OP-PANIC-BAR-BIOCOTE-AM650N00BCBH8	SALTO XS4 Original + Panic Bar Trim BLE Mifare DESFire HSE SVN RIM compatible ANSI N lever BioCote BlueNet Capable (Available only in the USA and Canada)	1,181.35
AC-SALTO-XS4-OP-PANIC-BAR-BIOCOTE-AM650N00BCBP8	SALTO XS4 Original + Panic Bar Trim BLE Mifare DESFire HSE SVN Con rod compatible ANSI N lever BioCote BlueNet Capable (Available only in the USA and Canada)	1,129.98
AC-SALTO-XS4-OP-PANIC-BAR-KIT-CR-KPP17IM	SALTO XS4 Original + PB Kit Corbin Russwin ED2500 & Yale 7100 SVN satin stainless (Available only in the USA and Canada)	355.96
AC-SALTO-XS4-OP-PANIC-BAR-KIT-DK-KPP55IM	SALTO XS4 Original + PB Kit Dorma Kabba SVN satin stainless (Available only in the USA and Canada)	355.96
AC-SALTO-XS4-OP-PANIC-BAR-KIT-DORMA-KPP19IM	SALTO XS4 Panic Bar Kit for versions of DORMA. (Available only in the USA and Canada)	329.02
AC-SALTO-XS4-OP-PANIC-BAR-KIT-SAR-KPP08IM	SALTO XS4 Original + PB Kit SARGENT 8888 SVN satin stainless (Available only in the USA and Canada)	355.96
AC-SALTO-XS4-OP-PANIC-BAR-KIT-SAR-KPP39IM	SALTO XS4 Panic Bar Kit for versions of SARGENT 8800 prior to 2002 (Available only in the USA and Canada)	329.02
AC-SALTO-XS4-OP-PANIC-BAR-KIT-VD-KPB03IM-U	Kit panic bars - UNIVERSAL - KPB Kit panic bars SALTO XS4 Panic Bar Kit for versions of VON DUPRIN Satin stainless steel UI-listed (Available only in the USA and Canada)	356.99
AC-SALTO-XS4-OP-PANIC-BAR-KIT-VD-KPP03IM	SALTO XS4 Original + PB Kit Salto PBF110 Von Duprin series 98 & 99 SVN satin stainless (Available only in the USA and Canada)	355.96
AC-SALTO-XS4-OP-PANIC-BAR-KIT-VD-KPP04IM	SALTO XS4 Original + PB Kit Von Duprin series 98/9927 & 98/9957 SVN satin stainless (Available only in the USA and Canada)	355.96
AC-SALTO-XS4-OP-PANIC-BAR-KIT-VD-KPP37IM	SALTO XS4 Panic Bar Kit for versions of VON DUPRIN. (Available only in the USA and Canada)	356.99
AC-SALTO-XS4-OP-WB-ESCTCHEON-ANSI-AM650A00IMB38E5G	SALTO XS4 Electronic Escutcheon Ax650, For ANSI mortise locks, 2 handles, any type. Technology: Mifare + Bluetooth LE + HSE - 8 mm square spindle, finishes and handles. (Available only in the USA and Canada)	1,055.39
AC-SALTO-XS4-OP-WB-ESCTCHEON-ANSI-AM650A00IMB48E5G	SALTO XS4 Electronic Escutcheon Ax650, For ANSI mortise locks, 2 handles, any type. Technology: Mifare + Bluetooth LE + HSE - 8 mm square spindle, finishes and handles. (Available only in the USA and Canada)	1,055.39
AC-SALTO-XS4-OP-WB-ESCTCHEON-ANSI-AM650N00IMBH8	SALTO XS4 Electronic Half Escutcheon Ax650 for panic bar, 1 handle, any type. Technology: Mifare + Bluetooth LE + HSE and standard square spindles, finishes and handles. (Available only in the USA and Canada)	1,020.89
AC-SALTO-XS4-OP-WB-ESCTCHEON-ANSI-AM658A62IMB38E5G	SALTO XS4 Electronic Escutcheon Ax658, For ANSI mortise locks, 2 handles, any type, inside thumbturn 90°, with connector for mortise lock with micro-switch. Technology: Mifare + Bluetooth LE + HSE - 8 mm square spindle, finishes and handles. (Available only in the USA and Canada)	1,055.39
AC-SALTO-XS4-OP-WB-ESCTCHEON-ANSI-AM658A62IMB48E5G	SALTO XS4 Electronic Escutcheon Ax658, For ANSI mortise locks, 2 handles, any type, inside thumbturn 90°, with connector for mortise lock with micro-switch. Technology: Mifare + Bluetooth LE + HSE - 8 mm square spindle, finishes and handles. (Available only in the USA and Canada)	1,055.39
AC-SALTO-XS4-OP-WB-ESCTCHEON-ANSI-AM660U00IMB38E5G		1,055.39

All prices are exclusive of taxes and freight. Motorola Solutions reserves the right to make changes to pricing and discount margins. All installation and use of Access Control Manager software is governed by its end user license agreement (EULA).

CONFIDENTIAL : The contents of this document are considered confidential and should not be posted on a public access website, made available for general public distribution, or otherwise shared with others without prior written authorization from Motorola Solutions Inc. ("Motorola Solutions").

	SALTO XS4 Electronic Escutcheon Ax660, For ANSI mortise locks, 2 handles, any type, built in mechanical cylinder with audit housing, (mechanical cylinder not included, for technical specifications consult SALTO). Technology: Mifare + Bluetooth LE + HSE - 8 mm square spindle, finishes and handles. (Available only in the USA and Canada)	
AC-SALTO-XS4-OP-WB-ESCUTCHEON-ANSI-AM668U62IMB48E5G	SALTO XS4 Electronic Escutcheon Ax668, For ANSI mortise locks, 2 handles, any type, inside thumbturn 90°, with connector for mortise lock, built in mechanical cylinder with audit housing, (mechanical cylinder not included). Technology: Mifare + Bluetooth LE + HSE - 8 mm square spindle, finishes and handles. (Available only in the USA and Canada)	1,055.39
AC-SALTO-XS4-OP-WB-ESCUTCHEON-ANSI-AM660N00IMB48E5G	SALTO XS4 Electronic Escutcheon Ax660, For ANSI mortise locks, 2 handles, any type, built in mechanical cylinder with audit housing, (mechanical cylinder not included, for technical specifications consult SALTO). Technology: Mifare + Bluetooth LE + HSE - 8 mm square spindle, finishes and handles. (Available only in the USA and Canada)	1,145.10
AC-SALTO-XS4-OP-WB-ESCUTCHEON-ANSI-AM650A00IMB38	XS4 Original+ Wide Body Escutcheon - ANSI BLE Mifare DESFire HSE Black Rdr Entrance ANSI A lever satin ss (Available only in the USA and Canada)	1,056.20
AC-SALTO-XS4-OP-WB-ESCUTCHEON-ANSI-AM650A00IMB48G	SALTO XS4 Original+ Wide Body Escutcheon - ANSI - Electronic Escutcheon Ax650, For ANSI mortise locks, 2 handles, any type. Technology: Mifare + Bluetooth LE + HSE - 8 mm square spindle, finishes and handles. (Available only in the USA and Canada)	1,100.67
AC-SALTO-XS4-OP-WB-ESCUTCHEON-ANSI-AM650A00IMBH8E5	SALTO XS4 Electronic Half Escutcheon Ax650 for panic bar, 1 handle, any type. Technology: Mifare + Bluetooth LE + HSE and standard square spindles, finishes and handles. (Available only in the USA and Canada)	1,061.85
AC-SALTO-XS4-OP-WB-ESCUTCHEON-ANSI-AM650G00IMB38E5	SALTO XS4 Electronic Escutcheon Ax650, For ANSI mortise locks, 2 handles, any type. Technology: Mifare + Bluetooth LE + HSE - 8 mm square spindle, finishes and handles. (Available only in the USA and Canada)	1,100.67
AC-SALTO-XS4-OP-WB-ESCUTCHEON-ANSI-AM650N00IMB38	SALTO XS4 Electronic Escutcheon Ax650, For ANSI mortise locks, 2 handles, any type. Technology: Mifare + Bluetooth LE + HSE - 8 mm square spindle, finishes and handles. (Available only in the USA and Canada)	1,056.18
AC-SALTO-XS4-OP-WB-ESCUTCHEON-ANSI-AM650N00IMB38E5	SALTO XS4 Original+ BLE Mifare DESFire HSE Black Rdr Entrance ANSI N lever satin ss, XS4 Original+ Wide Body Escutcheon - ANSI Electronic Escutcheon Ax650, For ANSI mortise locks, 2 handles, any type. Technology: Mifare + Bluetooth LE + HSE - 8 mm square spindle, finishes and handles. (Available only in the USA and Canada)	1,100.67
AC-SALTO-XS4-OP-WB-ESCUTCHEON-ANSI-AM650W00IMB38	XS4 Original+ BLE Mifare DESFire HSE Black Rdr Entrance ANSI W lever satin ss (Available only in the USA and Canada)	1,053.12
AC-SALTO-XS4-OP-WB-ESCUTCHEON-ANSI-AM650W00NEB38	XS4 Original+ BLE Mifare DESFire HSE Black Rdr Entrance ANSI W lever blk chromium (Available only in the USA and Canada)	1,104.41
AC-SALTO-XS4-OP-WB-ESCUTCHEON-ANSI-AM650W00NEBH8	XS4 Original+ Half Escutcheon for Panic Bar BLE Mifare DESFire HSE Black Rdr Entrance ANSI W lever blk chromium (Available only in the USA and Canada)	1,155.73
AC-SALTO-XS4-OP-WB-ESCUTCHEON-ANSI-AM656A00IMB48	XS4 Original+ BLE Mifare DESFire HSE Black Rdr Privacy Button ANSI A lever satin ss (Available only in the USA and Canada)	1,053.12
AC-SALTO-XS4-OP-WB-ESCUTCHEON-ANSI-AM656A00IMB48G	SALTO XS4 Electronic Escutcheon Ax656, For ANSI mortise locks, 2 Handles, any type, Electronic "do not disturb" system. Technology: Mifare + Bluetooth LE + HSE - 8 mm square spindle, finishes and handles. (Available only in the USA and Canada)	1,100.67
AC-SALTO-XS4-OP-WB-ESCUTCHEON-ANSI-AM656N00IMB38	SALTO XS4 original+ Wide Body Electronic Escutcheon, For ANSI mortise locks, 2 Handles, any type, Electronic "do not disturb" system. Technology: Mifare + Bluetooth LE + HSE - 8 mm square spindle, finishes and handles. XS4 Original+ BLE Mifare DESFire HSE Black Rdr Privacy Button ANSI N lever satin ss (Available only in the USA and Canada)	1,056.20
AC-SALTO-XS4-OP-WB-ESCUTCHEON-ANSI-AM656N00IMB38G	SALTO XS4 Electronic Escutcheon Ax656, For ANSI mortise locks, 2 Handles, any type, Electronic "do not disturb" system. Technology: Mifare + Bluetooth LE + HSE - 8 mm square spindle, finishes and handles. (Available only in the USA and Canada)	1,100.67
AC-SALTO-XS4-OP-WB-ESCUTCHEON-ANSI-AM656W00IMB38	XS4 Original+ BLE Mifare DESFire HSE Black Rdr Privacy Button ANSI W lever satin ss (Available only in the USA and Canada)	1,053.12
AC-SALTO-XS4-OP-WB-ESCUTCHEON-ANSI-AM658N62DBB38	SALTO XS4 original+ Wide Body Electronic Escutcheon, For ANSI mortise locks, 2 handles, any type, inside thumbturn 90°, with connector for mortise lock with micro-switch. Technology: Mifare + Bluetooth LE + HSE - 8 mm square spindle, finishes and handles. XS4 Original+ BLE Mifare HSE Dark Bronze Black Rdr ANSI N lever (Available only in the USA and Canada)	1,107.67
AC-SALTO-XS4-OP-WB-ESCUTCHEON-ANSI-AM658N62IMB38	XS4 Original+ BLE Mifare DESFire HSE Black Rdr Deadbolt ANSI N lever satin ss (Available only in the USA and Canada)	1,056.20

All prices are exclusive of taxes and freight. Motorola Solutions reserves the right to make changes to pricing and discount margins. All installation and use of Access Control Manager software is governed by its end user license agreement (EULA).

CONFIDENTIAL : The contents of this document are considered confidential and should not be posted on a public access website, made available for general public distribution, or otherwise shared with others without prior written authorization from Motorola Solutions Inc. ("Motorola Solutions").

AC-SALTO-XS4-OP-WB-ESCUTCHEON-ANSI-AM660A00IMB38E5	SALTO XS4 Electronic Escutcheon Ax660, For ANSI mortise locks, 2 handles, any type, built in mechanical cylinder with audit housing, (mechanical cylinder not included). Technology: Mifare + Bluetooth LE + HSE - 8 mm square spindle, finishes and handles. XS4 Original+ BLE Mifare DESFire HSE Black Rdr KO Entrance ANSI A lever satin ss (Available only in the USA and Canada)	1,100.67
AC-SALTO-XS4-OP-WB-ESCUTCHEON-ANSI-AM660A00IMB3SG	SALTO XS4 Electronic Escutcheon Ax660, For ANSI mortise locks, 2 handles, any type, built in mechanical cylinder with audit housing, (mechanical cylinder not included, for technical specifications consult SALTO). Technology: Mifare + Bluetooth LE + HSE - 8 mm split square spindle, finishes and handles. (Available only in the USA and Canada)	1,100.62
AC-SALTO-XS4-OP-WB-ESCUTCHEON-ANSI-AM660J00IMB38	SALTO XS4 Electronic Escutcheon Ax660, For ANSI mortise locks, 2 handles, any type, built in mechanical cylinder with audit housing, (mechanical cylinder not included, for technical specifications consult SALTO). Technology: Mifare + Bluetooth LE + HSE - 8 mm square spindle, finishes and handles. (Available only in the USA and Canada)	1,086.45
AC-SALTO-XS4-OP-WB-ESCUTCHEON-ANSI-AM666N00BCB38	SALTO XS4 Electronic Escutcheon Ax666, For ANSI mortise locks, 2 handles, any type, electronic "do not disturb" system, built in mechanical cylinder with audit housing, (mechanical cylinder not included). Technology: Mifare + Bluetooth LE + HSE - 8 mm square spindle, finishes and handles. (Available only in the USA and Canada)	1,133.25
AC-SALTO-XS4-OP-WB-ESCUTCHEONANSI-AM658N62IMB38E5G	SALTO XS4 Original+ Wide Body Escutcheon - ANSI - Electronic Escutcheon Ax658, For ANSI mortise locks, 2 handles, any type, inside thumbturn 90°, with connector for mortise lock with micro-switch. Technology: Mifare + Bluetooth LE + HSE - 8 mm square spindle, finishes and handles. (Available only in the USA and Canada)	1,145.37
AC-SALTO-XS4-OP-WB-ESCUTCHEONANSI-AM660A00IMB48E5G	SALTO XS4 Electronic Escutcheon Ax660, For ANSI mortise locks, 2 handles, any type, built in mechanical cylinder with audit housing, (mechanical cylinder not included, for technical specifications consult SALTO). Technology: Mifare + Bluetooth LE + HSE - 8 mm square spindle, finishes and handles.(Available only in the USA and Canada)	1,055.39
AC-SALTO-XS4-OP-WB-ESCUTCHEONANSI-AM668U61IMW38E5G	SALTO XS4 Electronic Escutcheon Ax668, For ANSI mortise locks, 2 handles, any type,inside thumbturn 90°, with connector for mortise lock, built in mechanical cylinder with audit housing,(mechanical cylinder not included). Technology: Mifare + Bluetooth LE + HSE - 8 mm square spindle, finishes and handles.(Available only in the USA and Canada)	1,055.39
AC-SALTO-XS4-OP-WB-ESCUTHEON-ANSI-AM660N00IMB38E5	XS4 Original+ BLE Mifare DESFire HSE Black Rdr KO Entrance ANSI N lever satin ss, SALTO XS4 Electronic Escutcheon Ax660, For ANSI mortise locks, 2 handles, any type, built in mechanical cylinder with audit housing, (mechanical cylinder not included). Technology: Mifare + Bluetooth LE + HSE - 8 mm square spindle, finishes and handles. (Available only in the USA and Canada)	1,100.67
AC-SALTO-XS4-PANIC-RIM-ANSI-BIOCOTE-AB650N00BCH8	XS4 Panic Bar Trim BLE Mifare DESFire SVN - RIM compatible ANSI N lever BioCote (Available only in the USA and Canada)	1,088.80
AC-SALTO-XS4-PANIC-RIM-ANSI-BIOCOTE-AB650N00BCH8W	XS4 Panic Bar Trim BLE Mifare DESFire SVN Rfnet - RIM compatible ANSI N lever BioCote (Available only in the USA and Canada)	1,214.13
AC-SALTO-XS4-PB-KIT-CR-KPB17IM	XS4 PB Kit Corbin Russwin ED2500 & Yale 7100 - SVN satin stainless (Available only in the USA and Canada)	355.95
AC-SALTO-XS4-PB-KIT-SG-KPB08IM	XS4 PB Kit SARGENT 8888 - SVN satin stainless (Available only in the USA and Canada)	355.95
AC-SALTO-XS4-PB-KIT-SG-KPB08IMW	XS4 PB Kit SARGENT 8888 - SVN RFnet satin stainless (Available only in the USA and Canada)	487.19
AC-SALTO-XS4-PB-KIT-VD-KPB03IM	XS4 PB Kit Salto PBF110 Von Duprin series 98 & 99 - SVN satin stainless (Available only in the USA and Canada)	355.95
AC-SALTO-XS4-PB-KIT-VD-KPB04IM	XS4 PB Kit Von Duprin series 98/9927 & 98/9957 - SVN satin stainless (Available only in the USA and Canada)	355.95
AC-SALTO-XS4-PB-KIT-VONDUPRIN-98-99-KPB03IMW	SALTO KPB03XX.. Adapter Kit for Von Duprin 98/99 Panic Bar Single Point (Available only in the USA and Canada)	460.88
AC-SALTO-XS4-PB-MIFARE-RIM-EXIT-ANSI-AB650N00IMH8W	SALTO Mortise XS4 Panic Bar Trim BLE Mifare DESFire SVN RFnet, RIM compatible ANSI N lever satin stainless (Available only in the USA and Canada)	1,173.42
AC-SALTO-XS4-READER-UHF-LD-WRLUD24BUS	SALTO XS4 UHF Long Distance Reader. Up to 7 meters distance reading. To be used with CU42E0 controller. Needs a WRLUD-SIC1 to be connected to the CU. Mounting bracket included. Cable and WRLUD-SIC1 not included. (Available only in the USA and Canada)	4,144.63
AC-SALTO-XS4-UHF-LD-CONNECTION-CABLE-10M-WRLUD-C10	SALTO XS4 UHF Long Distance Reader 10 meters connetion cable - 10m lenth Connection cable - 10m with 4 pin connector. (Available only in the USA and Canada)	220.60
AC-SALTO-XS4-UHF-LD-SIC-MODULE-CONVERTR-WRLUD-SIC1	SALTO XS4 UHF long Distance Reader SIC module LD Reader - CU42E0 Wiegand signal converter device. (Available only in the USA and Canada)	474.80

All prices are exclusive of taxes and freight. Motorola Solutions reserves the right to make changes to pricing and discount margins. All installation and use of Access Control Manager software is governed by its end user license agreement (EULA).

CONFIDENTIAL : The contents of this document are considered confidential and should not be posted on a public access website, made available for general public distribution, or otherwise shared with others without prior written authorization from Motorola Solutions Inc. ("Motorola Solutions").

Professional Services

Onsite

MODEL NUMBER	DESCRIPTION	MSRP \$
PRO-ACM-ONSITE-8H	ACM Professional Services, 8 hours on-site consulting (Includes all travel costs), Contact ACM SE prior to Purchase	8,000.00

Remote

MODEL NUMBER	DESCRIPTION	MSRP \$
AC-PRO-HM-1024	One-time migration of field hardware data from a Mercury Security Hardware-based system of up to 1024 card readers to Avigilon ACM and includes controllers, reader interface modules, input modules, output modules, holidays, and schedules. PREREQUISITES: AC-SW-LIC-REST-6-P ACM Rest API licensing is required and is not included. Service will be delivered remotely and requires remote access to the customers environment.	54,900.00
AC-PRO-HM-2048	One-time migration of field hardware data from a Mercury Security Hardware-based system of up to 2048 card readers to Avigilon ACM and includes controllers, reader interface modules, input modules, output modules, holidays, and schedules. PREREQUISITES: AC-SW-LIC-REST-6-P ACM Rest API licensing is required and is not included. Service will be delivered remotely and requires remote access to the customers environment.	109,800.00
AC-PRO-HM-256	One-time migration of field hardware data from a Mercury Security Hardware-based system of up to 256 card readers to Avigilon ACM and includes controllers, reader interface modules, input modules, output modules, holidays, and schedules. PREREQUISITES: AC-SW-LIC-REST-6-P ACM Rest API licensing is required and is not included. Service will be delivered remotely and requires remote access to the customers environment.	13,800.00
AC-PRO-HM-512	One-time migration of field hardware data from a Mercury Security Hardware-based system of up to 512 card readers to Avigilon ACM and includes controllers, reader interface modules, input modules, output modules, holidays, and schedules. PREREQUISITES: AC-SW-LIC-REST-6-P ACM Rest API licensing is required and is not included. Service will be delivered remotely and requires remote access to the customers environment.	27,500.00
AC-PRO-MIG-LDAP	One-time migration of Identity data from a single LDAP-based data source into Avigilon ACM. Migrated data will include demographic information, images, tokens, and roles. PREREQUISITES: AC-SW-LIC-LDAP-6-P ACM LDAP collaboration licensing is required and is not included. Service will be delivered remotely and requires remote access to the customers environment.	9,300.00
AC-PRO-MIG-ORCL	One-time migration of Identity data from a single Oracle data source into Avigilon ACM. Migrated data will include demographic information, images, tokens, and roles. PREREQUISITES: AC-SW-LIC-ORCL-6-P ACM Oracle collaboration licensing is required and is not included. Service will be delivered remotely and requires remote access to the customers environment.	9,300.00
AC-PRO-MIG-SQL	One-time migration of Identity data from a single SQL data source into Avigilon ACM. Migrated data will include demographic information, images, tokens, and roles. PREREQUISITES: AC-SW-LIC-SQL-6-P ACM SQL collaboration licensing is required and is not included. Service will be delivered remotely and requires remote access to the customers environment.	9,300.00
AC-PRO-MIGF-LDAP	One-time migration and filtering of Identity data from a single LDAP-based data source into Avigilon ACM. Migrated data will include demographic information, images, tokens, and roles. PREREQUISITES: AC-SW-LIC-LDAP-6-P ACM LDAP collaboration licensing is required and is not included. Service will be delivered remotely and requires remote access to the customers environment.	12,400.00
AC-PRO-MIGF-ORCL	One-time migration and filtering of Identity data from a single Oracle data source into Avigilon ACM. Migrated data will include demographic	12,400.00

All prices are exclusive of taxes and freight. Motorola Solutions reserves the right to make changes to pricing and discount margins. All installation and use of Access Control Manager software is governed by its end user license agreement (EULA).

CONFIDENTIAL : The contents of this document are considered confidential and should not be posted on a public access website, made available for general public distribution, or otherwise shared with others without prior written authorization from Motorola Solutions Inc. ("Motorola Solutions").

	information, images, tokens, and roles. PREREQUISITES: AC-SW-LIC-ORCL-6-P ACM Oracle collaboration licensing is required and is not included. Service will be delivered remotely and requires remote access to the customers environment.	
AC-PRO-MIGF-SQL	One-time migration and filtering of Identity data from a single SQL data source into Avigilon ACM. Migrated data will include demographic information, images, tokens, and roles. PREREQUISITES: AC-SW-LIC-SQL-6-P ACM SQL collaboration licensing is required and is not included. Service will be delivered remotely and requires remote access to the customers environment.	12,400.00
AC-PRO-SYNC-AD-AZURE	On-going one-way inbound synchronization of Identity data from a single AzureAD data source into Avigilon ACM. Imported data will include demographic information, images, tokens, and roles. PREREQUISITES: Separate Windows-based server (virtual is acceptable) to host the synchronization service. AC-SW-LIC-REST-6-P ACM Rest API licensing is required and is not included. Service will be delivered remotely and requires remote access to the customers environment.	22,750.00
AC-PRO-SYNC-AD-GEN	On-going one-way inbound synchronization of Identity data from a single Generic AD data source into Avigilon ACM. Imported data will include demographic information, images, tokens, and roles. PREREQUISITES: Separate Windows-based server (virtual is acceptable) to host the synchronization service. AC-SW-LIC-REST-6-P ACM Rest API licensing is required and is not included. Service will be delivered remotely and requires remote access to the customers environment.	22,750.00
AC-PRO-SYNC-CUSTOM	Hourly Rate to configure on-going one-way inbound synchronization of Identity data from a single Custom Third-Party data source into Avigilon ACM. Imported data will include demographic information, images, tokens, and roles. PREREQUISITES: Separate Windows-based server (virtual is acceptable) to host the synchronization service. AC-SW-LIC-REST-6-P ACM Rest API licensing is required and is not included. Service will be delivered remotely and requires remote access to the customers environment.	100.00
AC-PRO-SYNC-LDAP	On-going one-way inbound synchronization of Identity data from a single LDAP data source into Avigilon ACM. Imported data will include demographic information, images, tokens, and roles. PREREQUISITES: Separate Windows-based server (virtual is acceptable) to host the synchronization service. AC-SW-LIC-REST-6-P ACM Rest API licensing is required and is not included. Service will be delivered remotely and requires remote access to the customers environment.	22,750.00
AC-PRO-SYNC-ORCL	On-going one-way inbound synchronization of Identity data from a single Oracle data source into Avigilon ACM. Imported data will include demographic information, images, tokens, and roles. PREREQUISITES: Separate Windows-based server (virtual is acceptable) to host the synchronization service. AC-SW-LIC-REST-6-P ACM Rest API licensing is required and is not included. Service will be delivered remotely and requires remote access to the customers environment.	22,750.00
AC-PRO-SYNC-SQL	On-going one-way inbound synchronization of Identity data from a single SQL data source into Avigilon ACM. Imported data will include demographic information, images, tokens, and roles. PREREQUISITES: Separate Windows-based server (virtual is acceptable) to host the synchronization service. AC-SW-LIC-REST-6-P ACM Rest API licensing is required and is not included. Service will be delivered remotely and requires remote access to the customers environment.	22,750.00
PRO-ACM-REMOTE-4H	ACM Professional Services, 4 hours remote consulting, Contact ACM SE prior to Purchase	2,500.00
PRO-ACM-REMOTE-8H	ACM Professional Services, 8 hours remote consulting, Contact ACM SE prior to Purchase	5,000.00

All prices are exclusive of taxes and freight. Motorola Solutions reserves the right to make changes to pricing and discount margins. All installation and use of Access Control Manager software is governed by its end user license agreement (EULA).

CONFIDENTIAL : The contents of this document are considered confidential and should not be posted on a public access website, made available for general public distribution, or otherwise shared with others without prior written authorization from Motorola Solutions Inc. ("Motorola Solutions").



Video Security MSRP - USD

US Pricelist effective February 3, 2023

CONFIDENTIAL

The Contents of this document are considered confidential and should not be posted on a public access website, made available for general public distribution, or otherwise shared with others without prior written authorization from Avigilon Corporation.

© 2023 Avigilon. All rights reserved. AVIGILON, the AVIGILON logo, TRUSTED SECURITY SOLUTIONS, AVIGILON CONTROL CENTER, and ACC are trademarks of Avigilon Corporation.

Page 1 of 41

Summary Of Changes

- 2022-12-16 : NVR4X Standard 48TB Windows Server 2016 & NVR4X Premium 192TB (Windows Server 2016) models have been re-opened due to remaining stock. Please strongly consider these models as economic alternatives to equivalent NVR5s (13.42% discount) with Windows Server 2019 Kit upgrade kit (NVR4-S19-COA) available.
- 2022-03-07 : Effective Mar. 7, 2022, in all currencies, price increase on all Video security products by ~7%. This price increase does not apply to the Avigilon NVR4X Standard and Premium servers, H4M camera, and Motorola Solutions' VT100 and VB400 body-worn cameras.
- 2022-04-20 : Effective April 20th, the one time registration fee for access to the ACC SDK and SDK Developer Portal Access will be waived.
- 2022-03-02 : NVR5 Premium (252TB-432TB) High-Density Models are now shipping and available for orders.
- 2022-04-22 : NVR5 Premium (252TB-432TB) High-Density Model accessories are now available for pre-orders.
- 2022-04-29 : NVR5 Premium (96TB-224TB) models and accessories are now available for pre-orders.
- 2022-05-27 : NVR5 Premium (96TB-224TB) models are now shipping and available for orders.
- 2021-10-20 : AI NVR Premium is now available for pre-order.
- 2022-06-07 : NVR5 Standard 64TB models and accessories are now available for pre-orders.
- 2022-07-05 : Effective Jul. 5, 2022, in all currencies, Motorola Solutions is increasing prices by 6% on all fixed video products due to rising costs. This price increase does not apply to any software-related products, Motorola Solutions' Concealed Weapons Detection solution, body-worn cameras, and any access control products.
- 2022-07-18 : NVR5 STD (32TB, 48TB, 64TB) is now open for price listing, quoting, ordering and shipping.
- 2022-08-04 : NVR4X PRM (64TB, 96TB) North America SKUs are now re-opened for price listing, quoting, ordering and shipping while quantities last.
- 2022-08-04 : NVR4 VAL SKUs, which were missed in the Jul 5 price increase, have now been increased by 6%.
- 2022-08-22 : NVR5 Premium (252TB-432TB) High-Density Model accessories are now available for orders and shipping.
- 2022-08-22 : NVR5 Premium (96TB-224TB) accessories are now available for orders and shipping.
- 2022-09-22 : Prior gen (NVR4 and RM5) workstations are now re-opened in North America while quantities last, at a 13.42% MSRP discount to current gen workstations. All NVR4 and RM5 workstations come with NVIDIA graphics cards.
- 2022-10-26 : ENV2 PLUS Appliance, the second generation of ES Appliances, is now available for orders and shipping.
- 2022-11-01 : NVR5 Standard 16TB W10 and S19 models are now available for orders and shipping. NVR4X Standard 16TB W10 and S16 models have effectively sold out and officially EOL'ed.
- 2022-11-02 : The upgrade kits to First Generation AI Appliance CG1 and CG2 models (VMA-AIA1-CG1-UPGK, VMA-AIA1-CG2-UPGK) have been temporarily EOL'ed due to component shortages driven by higher than expected demand.
- 2022-11-01 : All AINVR-VAL-6TB (NA, EU, UK, AU variants) have now been EOL'ed. Please consider AINVR-VAL-12TB as an alternative.
- 2021-05-05 : AI Appliance 2 now open for pre-orders
- 2021-05-05 : IP Horn Speaker (ACC-SPEAKER) added to pricelist
- 2021-05-18 : Effective July 4, 2021, Avigilon is increasing prices in all currencies by 2% on video products to help offset a portion of increased supply chain costs
- 2021-01-01 : AI NVR added to the price list.
- 2021-02-01 : Effective March 1, 2021 increased price to the following accessories. ES-PS-S4, CM-AC-AVIO1, H4-AC-WIFI2-EU
- 2022-12-16 : NVR4X Standard 48TB Windows Server 2016 & NVR4X Premium 192TB (Windows Server 2016) models have been re-opened due to remaining inventory. Please strongly consider these models as economic alternatives (13.42% discount) to equivalent NVR5s with Windows Server 2019 Kit upgrade kit (NVR4-S19-COA) available.
- 2023-01-20 : NVR3-HDDN-INT-10TB, HD-NVR3-STD-2NDPS-AU, HD-NVR3-STD-2NDPS-UK, HD-NVR3-PRM-2NDPS-AU, VMA-AIA-2NDPS-AU, NVR4-HDDN-INT-4TB have been officially EOL'ed as we've run out of remaining stock quantities.
- 2022-12-12 : NVR5 Premium FIPS models have now been lifted from pre-order status to GA shipping.

All prices are exclusive of taxes and freight. Avigilon reserves the right to make changes to pricing and discount margins. All installation and use of Avigilon software is governed by its end user license agreement (EULA). Contact Avigilon or visit www.avigilon.com to get a copy of the EULA.

CONFIDENTIAL : The Contents of this document are considered confidential and should not be posted on a public access website, made available for general public distribution, or otherwise shared with others without prior written authorization from Avigilon Corporation.

Storage

Extended Warranty

MODEL NUMBER	DESCRIPTION	MSRP \$
AINVR-KYD-WARR-5YR	5 Year Keep Your Drive Warranty, All AI NVR Models	1,156.88
AINVR-PRM-WARR-5Y4HMC	Upgrade the 5 year NBD warranty that comes with AI NVR Premium or AI NVR Premium+ to 5 year 4HMC	4,627.54
AINVR-PRM-WARR-EXTEND-3MO	3 Month Warranty Extension for AINVR PRM/PRM+ (approved project only).	1,000.00
AINVR-PRM-WARR-EXTEND-6MO	3 Month Warranty Extension for AINVR PRM/PRM+ (approved project only).	2,000.00
AINVR-STD-WARR-5Y4HMC	Upgrade the 5 year NBD warranty that comes with AI NVR Standard to 5 year 4HMC	2,892.21
AINVR-VAL-WARR-5Y4HMC	Upgrade the 5 year NBD warranty that comes with AI NVR Value to 5 year 4HMC	1,619.64
AVA-WARR-EXTEND-1YR	1 Year Warranty Extension for Avigilon Video Archive	7,717.10
AVA-WARR-EXTEND-2YR	2 Year Warranty Extension for Avigilon Video Archive	15,433.06
HD-NVR-KYD-WARR-1YR	1 Year Keep Your Drive Warranty, All NVR Models	387.56
HD-NVR-KYD-WARR-2YR	2 Year Keep Your Drive Warranty, All NVR Models	578.44
HD-NVR-KYD-WARR-3YR	3 Year Keep Your Drive Warranty, All NVR Models	769.33
HD-NVR-KYD-WARR-4YR	4 Year Keep Your Drive Warranty, All NVR Models	966.00
HD-NVR-KYD-WARR-5YR	5 Year Keep Your Drive Warranty, All NVR Models	1,156.88
HD-NVR-WARR-EXTEND-2YR	2 Year Warranty Extension for NVR1	4,290.68
HD-NVR2-WARR-EXTEND-2YR	2 Year Warranty Extension for NVR2	3,237.01
HD-NVR3-PRM-WARR-EXTEND-2YR	2 Year Warranty Extension for NVR3 Premium	4,627.54
HD-NVR3-STD-WARR-EXTEND-2YR	2 Year Warranty Extension for NVR3 Standard	2,892.21
HD-NVR3-VAL-WARR-EXTEND-2YR	2 Year Warranty Extension for NVR3 Value	1,932.68
HD-NVR3-VAL-WARR-EXTEND-2YR-G2	2 Year Warranty Extension for NVR3 Value	1,932.68
HD-NVR4-PRM-WARR-EXTEND-2YR	2 Year Warranty Extension for NVR4 Premium	4,627.54
HD-NVR4-STD-WARR-EXTEND-2YR	2 Year Warranty Extension for NVR4 Standard	2,892.21
HD-NVRWS-WARR-EXTEND-2YR	2 Year Warranty Extension for HD-NVRWS	828.33
HD-NVRWS3-WARR-EXTEND-2YR	2 Year Warranty Extension for HD-NVRWS3	828.33
HD-RMWS-2MN-WARR-EXTEND-2YR	2 Year Warranty Extension for 2MN-HD-RMWS	828.33
HD-RMWS-4MN-WARR-EXTEND-2YR	2 Year Warranty Extension for 4MN-HD-RMWS	751.97
HD-RMWS3-2MN-WARR-EXTEND-2YR	2 Year Warranty Extension for HD-RMWS3-2MN	828.33
HD-RMWS3-4MN-WARR-EXTEND-2YR	2 Year Warranty Extension for HD-RMWS3-4MN	751.97
HD-RMWS4-4MN-WARR-EXTEND-2YR	2 Year Warranty Extension for HD-RMWS4-4MN	751.97
NVR-KYD-WARR-1YR-A	1 Yr Keep Your Drive Wty,NVR5 STD/PRM 16-224 TB	387.56
NVR-KYD-WARR-2YR-A	2 Yr Keep Your Drive Wty,NVR5 STD/PRM 16-224 TB	578.44
NVR-KYD-WARR-3YR-A	3 Yr Keep Your Drive Wty,NVR5 STD/PRM 16-224 TB	769.33
NVR-KYD-WARR-4YR-A	4 Yr Keep Your Drive Wty,NVR5 STD/PRM 16-224 TB	966.00
NVR-KYD-WARR-5YR-A	5 Yr Keep Your Drive Wty,NVR5 STD/PRM 16-224 TB	1,156.88
NVR4-VAL-WARR-EXTEND-2YR	2 Year Warranty Extension for NVR4 Value	1,156.88
NVR4-WKS-WARR-EXTEND-2YR	2 Year Warranty Extension for NVR4-WKS or RM5-WKS	445.40

All prices are exclusive of taxes and freight. Avigilon reserves the right to make changes to pricing and discount margins. All installation and use of Avigilon software is governed by its end user license agreement (EULA). Contact Avigilon or visit www.avigilon.com to get a copy of the EULA.

CONFIDENTIAL : The Contents of this document are considered confidential and should not be posted on a public access website, made available for general public distribution, or otherwise shared with others without prior written authorization from Avigilon Corporation.

NVR4X-PRM1-WARR-5Y4HMC	Upgrade the 5 Year Next Business Day warranty to 5 Years 4 Hour Mission Critical for NVR4X PRM 64/96/128/157TB.	4,627.54
NVR4X-PRM1-WARR-5YNBD-EDU	Upgrade the 3 Year Basic warranty to 5 Years Next Business Day.	2,835.50
NVR4X-PRM2-WARR-5Y4HMC	Upgrade the 5 Year Next Business Day warranty to 5 Years 4 Hour Mission Critical for NVR4X PRM 192/217TB.	4,627.54
NVR4X-PRM2-WARR-5YNBD-EDU	Upgrade the 3 Year Basic warranty to 5 Years Next Business Day.	6,124.68
NVR4X-STD-WARR-5Y4HMC	Upgrade the 5 Year Next Business Day warranty to 5 Years 4 Hour Mission Critical for NVR4X STD.	2,892.21
NVR4X-STD-WARR-5YNBD-EDU	Upgrade the 3 Year Basic warranty to 5 Years Next Business Day.	2,835.50
NVR4X-WKS-WARR-EXTEND-2YR	2 Year Extended Warranty for NVR4X Workstations	445.74
NVR5-PRM1-WARR-5Y4HMC-EDU	WARR,UPG 5Y4HMC, 96-160TB,NVR5 PRM,EDU	10,752.64
NVR5-PRM1-WARR-5YNBD-EDU	WARRANTY,UPG 2 NBD,96-160TB,NVR5 PRM,EDU	6,124.68
NVR5-PRM2-WARR-5Y4HMC-EDU	WARR,UPG 5Y4HMC,192/224TB,NVR5 PRM,EDU	10,752.64
NVR5-PRM2-WARR-5YNBD-EDU	WARRANTY,UPG 2 NBD,192/224TB,NVR5 PRM,EDU	6,124.68
NVR5-STD-WARR-5Y4HMC	WARRANTY,UPG to 4HR, NVR5 STD	2,892.74
NVR5-STD-WARR-5YNBD-EDU	WARRANTY,UPG 2 NBD,NVR5 STD,EDU	2,835.50
RM5-WKS-WARR-EXTENDED-2YR	2 Year Extended Warranty for RM5-WKS	445.40
RM6-WKS-WARR-EXTEND-2YR	2 Year Extended Warranty for RM6 Workstations	445.74
VMA-AS3-16P-WARR-EXTEND-1YR	1YR Warranty Extension for HDVA3 16-Port	387.56
VMA-AS3-16P-WARR-EXTEND-2YR	2YR Warranty Extension for HDVA3 16-Port	723.06
VMA-AS3-24P-WARR-EXTEND-1YR	1YR Warranty Extension for HDVA3 24-Port	578.44
VMA-AS3-24P-WARR-EXTEND-2YR	2YR Warranty Extension for HDVA3 24-Port	1,110.60
VMA-AS3-8P-WARR-EXTEND-1YR	1YR Warranty Extension for HDVA3 8-Port	190.88
VMA-AS3-8P-WARR-EXTEND-2YR	2YR Warranty Extension for HDVA3 8-Port	347.07
VMA-ENVR1-8P-WARR-EXTEND-2YR	Can be applied to VMA-ENVR1-8Px, VMA-ENVR1-8PxA, or VMA-ENVR1-8PxB	462.75

NVR

MODEL NUMBER	DESCRIPTION	MSRP \$
NVR4-VAL-12TB-AU	NVR4 Value 12TB, 1U Rack Mount, Windows 10, AU	6,162.84
NVR4-VAL-12TB-EU	NVR4 Value 12TB, 1U Rack Mount, Windows 10, EU	6,162.84
NVR4-VAL-12TB-NA	NVR4 Value 12TB, 1U Rack Mount, Windows 10, NA	6,162.84
NVR4-VAL-12TB-UK	NVR4 Value 12TB, 1U Rack Mount, Windows 10, UK	6,162.84
NVR4-VAL-16TB-AU	NVR4 Value 16TB, 1U Rack Mount, Windows 10, AU	7,298.10
NVR4-VAL-16TB-EU	NVR4 Value 16TB, 1U Rack Mount, Windows 10, EU	7,298.10
NVR4-VAL-16TB-NA	NVR4 Value 16TB, 1U Rack Mount, Windows 10, NA	7,298.10
NVR4-VAL-16TB-UK	NVR4 Value 16TB, 1U Rack Mount, Windows 10, UK	7,298.10
NVR4-VAL-24TB-AU	NVR4 Value 24TB, 1U Rack Mount, Windows 10, AU	10,866.06
NVR4-VAL-24TB-EU	NVR4 Value 24TB, 1U Rack Mount, Windows 10, EU	10,866.06
NVR4-VAL-24TB-NA	NVR4 Value 24TB, 1U Rack Mount, Windows 10, NA	10,866.06
NVR4-VAL-24TB-UK	NVR4 Value 24TB, 1U Rack Mount, Windows 10, UK	10,866.06
NVR4-VAL-6TB-AU	NVR4 Value 6TB, 1U Rack Mount, Windows 10, AU	4,865.40
NVR4-VAL-6TB-EU	NVR4 Value 6TB, 1U Rack Mount, Windows 10, EU	4,865.40
NVR4-VAL-6TB-NA	NVR4 Value 6TB, 1U Rack Mount, Windows 10, NA	4,865.40
NVR4-VAL-6TB-UK	NVR4 Value 6TB, 1U Rack Mount, Windows 10, UK	4,865.40
NVR4-WKS-8TB-NA	NVR4 Workstation 8TB, Windows 10, NA	2,724.00
NVR4X-PRM-192TB-NA	NVR4X Premium 192TB 2U Rack Mnt, Windows Server 2016, NA	72,930.00

All prices are exclusive of taxes and freight. Avigilon reserves the right to make changes to pricing and discount margins. All installation and use of Avigilon software is governed by its end user license agreement (EULA). Contact Avigilon or visit www.avigilon.com to get a copy of the EULA.

CONFIDENTIAL : The Contents of this document are considered confidential and should not be posted on a public access website, made available for general public distribution, or otherwise shared with others without prior written authorization from Avigilon Corporation.

NVR4X-STD-16TB-NA	NVR4X Standard 16TB 2U Rack Mnt, Windows 10, NA	13,388.00
NVR4X-STD-24TB-AU	NVR4X Standard 24TB 2U Rack Mnt, Windows 10, AU	15,372.00
NVR4X-STD-24TB-EU	NVR4X Standard 24TB 2U Rack Mnt, Windows 10, EU	15,372.00
NVR4X-STD-24TB-NA	NVR4X Standard 24TB 2U Rack Mnt, Windows 10, NA	15,372.00
NVR4X-STD-24TB-UK	NVR4X Standard 24TB 2U Rack Mnt, Windows 10, UK	15,372.00
NVR4X-STD-48TB-S16-NA	NVR4X Standard 48TB 2U Rack Mnt, Windows Server 2016, NA	25,460.00
NVR4X-WKS-4TB-AU	NVR4X Workstation 4TB, Windows 10, AU	2,701.66
NVR4X-WKS-4TB-EU	NVR4X Workstation 4TB, Windows 10, EU	2,701.66
NVR4X-WKS-4TB-NA	NVR4X Workstation 4TB, Windows 10, NA	2,701.66
NVR4X-WKS-4TB-UK	NVR4X Workstation 4TB, Windows 10, UK	2,701.66
NVR4X-WKS-8TB-AU	NVR4X Workstation 8TB, Windows 10, AU	3,089.56
NVR4X-WKS-8TB-EU	NVR4X Workstation 8TB, Windows 10, EU	3,089.56
NVR4X-WKS-8TB-NA	NVR4X Workstation 8TB, Windows 10, NA	3,089.56
NVR4X-WKS-8TB-UK	NVR4X Workstation 8TB, Windows 10, UK	3,089.56
NVR5-PRM-128TB-EDU	NVR5 Premium,Education Series 128TB RAID6, no OS	33,906.00
NVR5-PRM-128TB-S19-AU	NVR5 PRM 128TB 2U Rack Mnt, WS19 AU	54,952.52
NVR5-PRM-128TB-S19-EU	NVR5 PRM 128TB 2U Rack Mnt, WS19 EU	54,952.52
NVR5-PRM-128TB-S19-NA	NVR5 PRM 128TB 2U Rack Mnt, WS19 NA	54,952.52
NVR5-PRM-128TB-S19-UK	NVR5 PRM 128TB 2U Rack Mnt, WS19 UK	54,952.52
NVR5-PRM-160TB-EDU	NVR5 Premium,Education Series 160TB RAID6, no OS	43,594.00
NVR5-PRM-160TB-S19-AU	NVR5 PRM 160TB 2U Rack Mnt, WS19 AU	67,484.90
NVR5-PRM-160TB-S19-EU	NVR5 PRM 160TB 2U Rack Mnt, WS19 EU	67,484.90
NVR5-PRM-160TB-S19-NA	NVR5 PRM 160TB 2U Rack Mnt, WS19 NA	67,484.90
NVR5-PRM-160TB-S19-UK	NVR5 PRM 160TB 2U Rack Mnt, WS19 UK	67,484.90
NVR5-PRM-192TB-EDU	NVR5 Premium,Education Series 192TB RAID60, no OS	50,981.00
NVR5-PRM-192TB-S19-AU	NVR5 PRM 192TB 2U Rack Mnt, WS19 AU	82,717.10
NVR5-PRM-192TB-S19-EU	NVR5 PRM 192TB 2U Rack Mnt, WS19 EU	82,717.10
NVR5-PRM-192TB-S19-NA	NVR5 PRM 192TB 2U Rack Mnt, WS19 NA	82,717.10
NVR5-PRM-192TB-S19-UK	NVR5 PRM 192TB 2U Rack Mnt, WS19 UK	82,717.10
NVR5-PRM-224TB-EDU	NVR5 Premium,Education Series 224TB RAID60, no OS	57,520.00
NVR5-PRM-224TB-S19-AU	NVR5 PRM 224TB 2U Rack Mnt, WS19 AU	93,302.26
NVR5-PRM-224TB-S19-EU	NVR5 PRM 224TB 2U Rack Mnt, WS19 EU	93,302.26
NVR5-PRM-224TB-S19-NA	NVR5 PRM 224TB 2U Rack Mnt, WS19 NA	93,302.26
NVR5-PRM-224TB-S19-UK	NVR5 PRM 224TB 2U Rack Mnt, WS19 UK	93,302.26
NVR5-PRM-252TB-S19-AU	NVR5 PRM 252TB 2U Rack Mnt, WS19 AU	104,803.26
NVR5-PRM-252TB-S19-EU	NVR5 PRM 252TB 2U Rack Mnt, WS19 EU	104,803.26
NVR5-PRM-252TB-S19-NA	NVR5 PRM 252TB 2U Rack Mnt, WS19 NA	104,803.26
NVR5-PRM-252TB-S19-UK	NVR5 PRM 252TB 2U Rack Mnt, WS19 UK	104,803.26
NVR5-PRM-288TB-S19-AU	NVR5 PRM 288TB 2U Rack Mnt, WS19 AU	116,366.80
NVR5-PRM-288TB-S19-EU	NVR5 PRM 288TB 2U Rack Mnt, WS19 EU	116,366.80
NVR5-PRM-288TB-S19-NA	NVR5 PRM 288TB 2U Rack Mnt, WS19 NA	116,366.80
NVR5-PRM-288TB-S19-UK	NVR5 PRM 288TB 2U Rack Mnt, WS19 UK	116,366.80
NVR5-PRM-360TB-S19-AU	NVR5 PRM 360TB 2U Rack Mnt, WS19 AU	138,675.56
NVR5-PRM-360TB-S19-EU	NVR5 PRM 360TB 2U Rack Mnt, WS19 EU	138,675.56
NVR5-PRM-360TB-S19-NA	NVR5 PRM 360TB 2U Rack Mnt, WS19 NA	138,675.56
NVR5-PRM-360TB-S19-UK	NVR5 PRM 360TB 2U Rack Mnt, WS19 UK	138,675.56
NVR5-PRM-432TB-S19-AU	NVR5 PRM 432TB 2U Rack Mnt, WS19 AU	161,964.82

All prices are exclusive of taxes and freight. Avigilon reserves the right to make changes to pricing and discount margins. All installation and use of Avigilon software is governed by its end user license agreement (EULA). Contact Avigilon or visit www.avigilon.com to get a copy of the EULA.

CONFIDENTIAL : The Contents of this document are considered confidential and should not be posted on a public access website, made available for general public distribution, or otherwise shared with others without prior written authorization from Avigilon Corporation.

NVR5-PRM-432TB-S19-EU	NVR5 PRM 432TB 2U Rack Mnt, WS19 EU	161,964.82
NVR5-PRM-432TB-S19-NA	NVR5 PRM 432TB 2U Rack Mnt, WS19 NA	161,964.82
NVR5-PRM-432TB-S19-UK	NVR5 PRM 432TB 2U Rack Mnt, WS19 UK	161,964.82
NVR5-PRM-96TB-EDU	NVR5 Premium,Education Series 96TB RAID6, no OS	27,852.00
NVR5-PRM-96TB-S19-AU	NVR5 PRM 96TB 2U Rack Mnt, WS19 AU	41,647.00
NVR5-PRM-96TB-S19-EU	NVR5 PRM 96TB 2U Rack Mnt, WS19 EU	41,647.40
NVR5-PRM-96TB-S19-NA	NVR5 PRM 96TB 2U Rack Mnt, WS19 NA	41,647.40
NVR5-PRM-96TB-S19-UK	NVR5 PRM 96TB 2U Rack Mnt, WS19 UK	41,647.40
NVR5-PRM-FIPS-128TB-NA	NVR5 PRM FIPS 128TB 2U Rack Mnt, WS19 NA	60,100.48
NVR5-PRM-FIPS-160TB-NA	NVR5 PRM FIPS 160TB 2U Rack Mnt, WS19 NA	72,359.69
NVR5-PRM-FIPS-96TB-NA	NVR5 PRM FIPS 96TB 2U Rack Mnt, WS19 NA	45,549.39
NVR5-STD-16TB-S19-AU	NVR5 STD 16TB 2U Rack Mnt, WS19 AU	17,498.48
NVR5-STD-16TB-S19-EU	NVR5 STD 16TB 2U Rack Mnt, WS19 EU	17,498.48
NVR5-STD-16TB-S19-NA	NVR5 STD 16TB 2U Rack Mnt, WS19 NA	17,498.48
NVR5-STD-16TB-S19-UK	NVR5 STD 16TB 2U Rack Mnt, WS19 UK	17,498.48
NVR5-STD-16TB-W10-AU	NVR5 STD 16TB 2U Rack Mnt, W10 AU	15,184.50
NVR5-STD-16TB-W10-EU	NVR5 STD 16TB 2U Rack Mnt, W10 EU	15,184.50
NVR5-STD-16TB-W10-NA	NVR5 STD 16TB 2U Rack Mnt, W10 NA	15,184.50
NVR5-STD-16TB-W10-UK	NVR5 STD 16TB 2U Rack Mnt, W10 UK	15,184.50
NVR5-STD-24TB-EDU	NVR5 Standard,Education Series 24TB RAID6, no OS	12,720.00
NVR5-STD-24TB-S19-AU	NVR5 STD 24TB 2U Rack Mnt, WS19 AU	19,748.86
NVR5-STD-24TB-S19-EU	NVR5 STD 24TB 2U Rack Mnt, WS19 EU	19,748.86
NVR5-STD-24TB-S19-NA	NVR5 STD 24TB 2U Rack Mnt, WS19 NA	19,748.86
NVR5-STD-24TB-S19-UK	NVR5 STD 24TB 2U Rack Mnt, WS19 UK	19,748.86
NVR5-STD-32TB-EDU	NVR5 Standard,Education Series 32TB RAID6, no OS	14,840.00
NVR5-STD-32TB-S19-AU	NVR5 STD 32TB 2U Rack Mnt, WS19 AU	21,698.20
NVR5-STD-32TB-S19-EU	NVR5 STD 32TB 2U Rack Mnt, WS19 EU	21,698.20
NVR5-STD-32TB-S19-NA	NVR5 STD 32TB 2U Rack Mnt, WS19 NA	21,698.20
NVR5-STD-32TB-S19-UK	NVR5 STD 32TB 2U Rack Mnt, WS19 UK	21,698.20
NVR5-STD-32TB-W10-AU	NVR5 STD 32TB 2U Rack Mnt, W10 AU	18,996.26
NVR5-STD-32TB-W10-EU	NVR5 STD 32TB 2U Rack Mnt, W10 EU	18,996.26
NVR5-STD-32TB-W10-NA	NVR5 STD 32TB 2U Rack Mnt, W10 NA	18,996.26
NVR5-STD-32TB-W10-UK	NVR5 STD 32TB 2U Rack Mnt, W10 UK	18,996.26
NVR5-STD-48TB-EDU	NVR5 Standard,Education Series 48TB RAID6, no OS	16,960.00
NVR5-STD-48TB-S19-AU	NVR5 STD 48TB 2U Rack Mnt, WS19 AU	28,876.52
NVR5-STD-48TB-S19-EU	NVR5 STD 48TB 2U Rack Mnt, WS19 EU	28,876.52
NVR5-STD-48TB-S19-NA	NVR5 STD 48TB 2U Rack Mnt, WS19 NA	28,876.52
NVR5-STD-48TB-S19-UK	NVR5 STD 48TB 2U Rack Mnt, WS19 UK	28,876.52
NVR5-STD-48TB-W10-AU	NVR5 STD 48TB 2U Rack Mnt, W10 AU	27,128.58
NVR5-STD-48TB-W10-EU	NVR5 STD 48TB 2U Rack Mnt, W10 EU	27,128.58
NVR5-STD-48TB-W10-NA	NVR5 STD 48TB 2U Rack Mnt, W10 NA	27,128.58
NVR5-STD-48TB-W10-UK	NVR5 STD 48TB 2U Rack Mnt, W10 UK	27,128.58
NVR5-STD-64TB-EDU	NVR5 Standard,Education Series 64TB RAID6, no OS	20,223.00
NVR5-STD-64TB-S19-AU	NVR5 STD 64TB 2U Rack Mnt, WS19 AU	35,862.98
NVR5-STD-64TB-S19-EU	NVR5 STD 64TB 2U Rack Mnt, WS19 EU	35,862.98
NVR5-STD-64TB-S19-NA	NVR5 STD 64TB 2U Rack Mnt, WS19 NA	35,862.98

All prices are exclusive of taxes and freight. Avigilon reserves the right to make changes to pricing and discount margins. All installation and use of Avigilon software is governed by its end user license agreement (EULA). Contact Avigilon or visit www.avigilon.com to get a copy of the EULA.

CONFIDENTIAL : The Contents of this document are considered confidential and should not be posted on a public access website, made available for general public distribution, or otherwise shared with others without prior written authorization from Avigilon Corporation.

NVR5-STD-64TB-S19-UK	NVR5 STD 64TB 2U Rack Mnt, WS19 UK	35,862.98
NVR5-STD-64TB-W10-AU	NVR5 STD 64TB 2U Rack Mnt, W10 AU	33,993.14
NVR5-STD-64TB-W10-EU	NVR5 STD 64TB 2U Rack Mnt, W10 EU	33,993.14
NVR5-STD-64TB-W10-NA	NVR5 STD 64TB 2U Rack Mnt, W10 NA	33,993.14
NVR5-STD-64TB-W10-UK	NVR5 STD 64TB 2U Rack Mnt, W10 UK	33,993.14

Video Appliances

MODEL NUMBER	DESCRIPTION	MSRP \$
VMA-AS3-16P06-AU	(Manual Order Only) HD Video Appliance Pro 16-Port 6TB, AU. ACC licenses sold separately	4,921.39
VMA-AS3-16P06-EU	(Manual Order Only) HD Video Appliance Pro 16-Port 6TB, EU. ACC licenses sold separately	4,921.39
VMA-AS3-16P06-NA	(Manual Order Only) HD Video Appliance Pro 16-Port 6TB, NA. ACC licenses sold separately	4,921.39
VMA-AS3-16P06-UK	(Manual Order Only) HD Video Appliance Pro 16-Port 6TB, UK. ACC licenses sold separately	4,921.39
VMA-AS3-16P09-AU	(Manual Order Only) HD Video Appliance Pro 16-Port 9TB, AU. ACC licenses sold separately	5,900.11
VMA-AS3-16P09-EU	(Manual Order Only) HD Video Appliance Pro 16-Port 9TB, EU. ACC licenses sold separately	5,900.11
VMA-AS3-16P09-NA	(Manual Order Only) HD Video Appliance Pro 16-Port 9TB, NA. ACC licenses sold separately	5,900.11
VMA-AS3-16P09-UK	(Manual Order Only) HD Video Appliance Pro 16-Port 9TB, UK. ACC licenses sold separately	5,900.11
VMA-AS3-16P12-AU	(Manual Order Only) HD Video Appliance Pro 16-Port 12TB, AU. ACC licenses sold separately	7,080.13
VMA-AS3-16P12-EU	(Manual Order Only) HD Video Appliance Pro 16-Port 12TB, EU. ACC licenses sold separately	7,080.13
VMA-AS3-16P12-NA	(Manual Order Only) HD Video Appliance Pro 16-Port 12TB, NA. ACC licenses sold separately	7,080.13
VMA-AS3-16P12-UK	(Manual Order Only) HD Video Appliance Pro 16-Port 12TB, UK. ACC licenses sold separately	7,080.13
VMA-AS3-24P12-AU	HD Video Appliance Pro 24-Port 12TB, AU. ACC licenses sold separately	7,316.13
VMA-AS3-24P12-EU	HD Video Appliance Pro 24-Port 12TB, EU. ACC licenses sold separately	7,316.13
VMA-AS3-24P12-NA	HD Video Appliance Pro 24-Port 12TB, NA. ACC licenses sold separately	7,316.13
VMA-AS3-24P12-UK	HD Video Appliance Pro 24-Port 12TB, UK. ACC licenses sold separately	7,316.13
VMA-AS3-24P18-AU	HD Video Appliance Pro 24-Port 18TB, AU. ACC licenses sold separately	9,245.82
VMA-AS3-24P18-EU	HD Video Appliance Pro 24-Port 18TB, EU. ACC licenses sold separately	9,245.82
VMA-AS3-24P18-NA	HD Video Appliance Pro 24-Port 18TB, NA. ACC licenses sold separately	9,245.82
VMA-AS3-24P18-UK	HD Video Appliance Pro 24-Port 18TB, UK. ACC licenses sold separately	9,245.82
VMA-AS3-24P24-AU	HD Video Appliance Pro 24-Port 24TB, AU. ACC licenses sold separately	11,411.50
VMA-AS3-24P24-EU	HD Video Appliance Pro 24-Port 24TB, EU. ACC licenses sold separately	11,411.50
VMA-AS3-24P24-NA	HD Video Appliance Pro 24-Port 24TB, NA. ACC licenses sold separately	11,411.50
VMA-AS3-24P24-UK	HD Video Appliance Pro 24-Port 24TB, UK. ACC licenses sold separately	11,411.50
VMA-AS3-8P2-AU	HD Video Appliance 8-Port 2TB, AU. ACC licenses sold separately	2,360.05
VMA-AS3-8P2-EU	HD Video Appliance 8-Port 2TB, EU. ACC licenses sold separately	2,360.05
VMA-AS3-8P2-NA	HD Video Appliance 8-Port 2TB, NA. ACC licenses sold separately	2,360.05
VMA-AS3-8P2-UK	HD Video Appliance 8-Port 2TB, UK. ACC licenses sold separately	2,360.05
VMA-AS3-8P4-AU	HD Video Appliance 8-Port 4TB, AU. ACC licenses sold separately	2,561.34
VMA-AS3-8P4-EU	HD Video Appliance 8-Port 4TB, EU. ACC licenses sold separately	2,561.34
VMA-AS3-8P4-NA	HD Video Appliance 8-Port 4TB, NA. ACC licenses sold separately	2,561.34

All prices are exclusive of taxes and freight. Avigilon reserves the right to make changes to pricing and discount margins. All installation and use of Avigilon software is governed by its end user license agreement (EULA). Contact Avigilon or visit www.avigilon.com to get a copy of the EULA.

CONFIDENTIAL : The Contents of this document are considered confidential and should not be posted on a public access website, made available for general public distribution, or otherwise shared with others without prior written authorization from Avigilon Corporation.

VMA-AS3-8P4-UK	HD Video Appliance 8-Port 4TB, UK. ACC licenses sold separately	2,561.34
VMA-AS3-8P8-AU	HD Video Appliance 8-Port 8TB, AU. ACC licenses sold separately	3,151.35
VMA-AS3-8P8-NA	HD Video Appliance 8-Port 8TB, NA. ACC licenses sold separately	3,151.35
VMA-AS3-8P8-UK	HD Video Appliance 8-Port 8TB, UK. ACC licenses sold separately	3,151.35

ES Appliances

MODEL NUMBER	DESCRIPTION	MSRP \$
ENVR2-PLUS-8P4-AU	ENVR2 PLUS 4 TB with Avigilon Control Center, AU Power Cord	2,110.00
ENVR2-PLUS-8P4-EU	ENVR2 PLUS 4 TB with Avigilon Control Center, EU Power Cord	2,110.00
ENVR2-PLUS-8P4-NA	ENVR2 PLUS 4 TB with Avigilon Control Center, NA Power Cord	2,110.00
ENVR2-PLUS-8P4-UK	ENVR2 PLUS 4 TB with Avigilon Control Center, UK Power Cord	2,110.00
ENVR2-PLUS-8P8-AU	ENVR2 PLUS 8 TB with Avigilon Control Center, AU Power Cord	2,778.00
ENVR2-PLUS-8P8-EU	ENVR2 PLUS 8 TB with Avigilon Control Center, EU Power Cord	2,778.00
ENVR2-PLUS-8P8-NA	ENVR2 PLUS 8 TB with Avigilon Control Center, NA Power Cord	2,778.00
ENVR2-PLUS-8P8-UK	ENVR2 PLUS 8 TB with Avigilon Control Center, UK Power Cord	2,778.00
VMA-ENVR1-8P4A-AU	ES 8-Port Appliance, 4TB, ACC and Analytics licenses sold separately.	1,870.68
VMA-ENVR1-8P4A-EU	ES 8-Port Appliance, 4TB, ACC and Analytics licenses sold separately.	1,870.68
VMA-ENVR1-8P4A-NA	ES 8-Port Appliance, 4TB, ACC and Analytics licenses sold separately.	1,870.68
VMA-ENVR1-8P4A-UK	ES 8-Port Appliance, 4TB, ACC and Analytics licenses sold separately.	1,870.68
VMA-ENVR1-8P8A-AU	ES 8-Port Appliance, 8TB, ACC and Analytics licenses sold separately.	2,460.69
VMA-ENVR1-8P8A-EU	ES 8-Port Appliance, 8TB, ACC and Analytics licenses sold separately.	2,460.69
VMA-ENVR1-8P8A-NA	ES 8-Port Appliance, 8TB, ACC and Analytics licenses sold separately.	2,460.69
VMA-ENVR1-8P8A-UK	ES 8-Port Appliance, 8TB, ACC and Analytics licenses sold separately.	2,460.69
VMA-RPA-RGD-8P2	ES 8-Port Rugged Appliance with 2TB, power supply sold separately	6,254.12
VMA-RPA-RGD-8P4	ES 8-Port Rugged Appliance with 4TB, power supply sold separately	8,260.16

AI Appliances

MODEL NUMBER	DESCRIPTION	MSRP \$
VMA-AIA2-CG1-AU	AI Appliance 2 CG1 model with 10 channels of video analytics included (ACC7-VAC)	8,673.16
VMA-AIA2-CG1-EU	AI Appliance 2 CG1 model with 10 channels of video analytics included (ACC7-VAC)	8,673.16
VMA-AIA2-CG1-NA	AI Appliance 2 CG1 model with 10 channels of video analytics included (ACC7-VAC)	8,673.16
VMA-AIA2-CG1-UK	AI Appliance 2 CG1 model with 10 channels of video analytics included (ACC7-VAC)	8,673.16
VMA-AIA2-CG2-AU	AI Appliance 2 CG2 model with 30 channels of video analytics included (ACC7-VAC)	14,243.56
VMA-AIA2-CG2-EU	AI Appliance 2 CG2 model with 30 channels of video analytics included (ACC7-VAC)	14,243.56
VMA-AIA2-CG2-NA	AI Appliance 2 CG2 model with 30 channels of video analytics included (ACC7-VAC)	14,243.56
VMA-AIA2-CG2-UK	AI Appliance 2 CG2 model with 30 channels of video analytics included (ACC7-VAC)	14,243.56

Video Archives

MODEL NUMBER	DESCRIPTION	MSRP \$
AVA-EXP1-263TB	Video Archive Expansion Unit, 263TB, 3YR Support	66,636.52

All prices are exclusive of taxes and freight. Avigilon reserves the right to make changes to pricing and discount margins. All installation and use of Avigilon software is governed by its end user license agreement (EULA). Contact Avigilon or visit www.avigilon.com to get a copy of the EULA.

CONFIDENTIAL : The Contents of this document are considered confidential and should not be posted on a public access website, made available for general public distribution, or otherwise shared with others without prior written authorization from Avigilon Corporation.

AVA-EXP1-263TB-5YR	Video Archive Expansion Unit, 263TB, 5YR Support	82,485.83
AVA-EXP1-526TB	Video Archive Expansion Unit, 526TB, 3YR Support	112,911.84
AVA-EXP1-526TB-5YR	Video Archive Expansion Unit, 526TB, 5YR Support	129,918.05
AVA-EXP1-789TB	Video Archive Expansion Unit, 789TB, 3YR Support	148,440.70
AVA-EXP1-789TB-5YR	Video Archive Expansion Unit, 789TB, 5YR Support	165,434.41
AVA-HDD1-263TB	263TB Expansion Disk Pack for Avigilon Video Archive	63,895.16
AVA-HED1-225TB	Video Archive Head Unit, 225TB, 3YR Support	83,295.65
AVA-HED1-225TB-5YR	Video Archive Head Unit, 225TB, 5YR Support	95,905.68
AVA-HED1-488TB	Video Archive Head Unit, 488TB, 3YR Support	141,139.85
AVA-HED1-488TB-5YR	Video Archive Head Unit, 488TB, 5YR Support	159,997.04
AVA-HED1-751TB	Video Archive Head Unit, 751TB, 3YR Support	174,631.61
AVA-HED1-751TB-5YR	Video Archive Head Unit, 751TB, 5YR Support	190,885.86
AVA-HED1-NVR4-CONNECT	Kit to connect an NVR4 to an Avigilon Video Archive	2,389.76

AI NVR

MODEL NUMBER	DESCRIPTION	MSRP \$
AINVR-PRM-128TB-AU	AI NVR Premium, 128TB, AU	54,951.99
AINVR-PRM-128TB-EDU	AI NVR Premium, Education Series 128TB RAID6	48,827.31
AINVR-PRM-128TB-EU	AI NVR Premium, 128TB, EU	54,951.99
AINVR-PRM-128TB-NA	AI NVR Premium, 128TB, NA	54,951.99
AINVR-PRM-128TB-UK	AI NVR Premium, 128TB, UK	54,951.99
AINVR-PRM-160TB-AU	AI NVR Premium, 160TB, AU	67,484.90
AINVR-PRM-160TB-EDU	AI NVR Premium, Education Series 160TB RAID6	61,360.22
AINVR-PRM-160TB-EU	AI NVR Premium, 160TB, EU	67,484.90
AINVR-PRM-160TB-NA	AI NVR Premium, 160TB, NA	67,484.90
AINVR-PRM-160TB-UK	AI NVR Premium, 160TB, UK	67,484.90
AINVR-PRM-64TB-AU	AI NVR Premium, 64TB, AU	35,863.40
AINVR-PRM-64TB-EDU	AI NVR Premium, Education Series 64TB RAID6	29,738.72
AINVR-PRM-64TB-EU	AI NVR Premium, 64TB, EU	35,863.40
AINVR-PRM-64TB-NA	AI NVR Premium, 64TB, NA	35,863.40
AINVR-PRM-64TB-UK	AI NVR Premium, 64TB, UK	35,863.40
AINVR-PRM-96TB-AU	AI NVR Premium, 96TB, AU	41,647.82
AINVR-PRM-96TB-EDU	AI NVR Premium, Education Series 96TB RAID6	35,523.14
AINVR-PRM-96TB-EU	AI NVR Premium, 96TB, EU	41,647.82
AINVR-PRM-96TB-NA	AI NVR Premium, 96TB, NA	41,647.82
AINVR-PRM-96TB-UK	AI NVR Premium, 96TB, UK	41,647.82
AINVR-PRM-PLUS-128TB-AU	AI NVR Premium+, 128TB, AU	56,086.19
AINVR-PRM-PLUS-128TB-EU	AI NVR Premium+, 128TB, EU	56,086.19
AINVR-PRM-PLUS-128TB-NA	AI NVR Premium+, 128TB, NA	56,086.19
AINVR-PRM-PLUS-128TB-UK	AI NVR Premium+, 128TB, UK	56,086.19
AINVR-PRM-PLUS-160TB-AU	AI NVR Premium+, 160TB, AU	68,619.10
AINVR-PRM-PLUS-160TB-EU	AI NVR Premium+, 160TB, EU	68,619.10
AINVR-PRM-PLUS-160TB-NA	AI NVR Premium+, 160TB, NA	68,619.10
AINVR-PRM-PLUS-160TB-UK	AI NVR Premium+, 160TB, UK	68,619.10
AINVR-PRM-PLUS-64TB-AU	AI NVR Premium+, 64TB, AU	36,997.60
AINVR-PRM-PLUS-64TB-EU	AI NVR Premium+, 64TB, EU	36,997.60

All prices are exclusive of taxes and freight. Avigilon reserves the right to make changes to pricing and discount margins. All installation and use of Avigilon software is governed by its end user license agreement (EULA). Contact Avigilon or visit www.avigilon.com to get a copy of the EULA.

CONFIDENTIAL : The Contents of this document are considered confidential and should not be posted on a public access website, made available for general public distribution, or otherwise shared with others without prior written authorization from Avigilon Corporation.

AINVR-PRM-PLUS-64TB-NA	AI NVR Premium+, 64TB, NA	36,997.60
AINVR-PRM-PLUS-64TB-UK	AI NVR Premium+, 64TB, UK	36,997.60
AINVR-PRM-PLUS-96TB-AU	AI NVR Premium+, 96TB, AU	42,782.02
AINVR-PRM-PLUS-96TB-EU	AI NVR Premium+, 96TB, EU	42,782.02
AINVR-PRM-PLUS-96TB-NA	AI NVR Premium+, 96TB, NA	42,782.02
AINVR-PRM-PLUS-96TB-UK	AI NVR Premium+, 96TB, UK	42,782.02
AINVR-STD-24TB-AU	AI NVR Standard, 24TB, AU	17,434.92
AINVR-STD-24TB-EU	AI NVR Standard, 24TB, EU	17,434.92
AINVR-STD-24TB-NA	AI NVR Standard, 24TB, NA	17,434.92
AINVR-STD-24TB-UK	AI NVR Standard, 24TB, UK	17,434.92
AINVR-STD-32TB-AU	AI NVR Standard, 32TB, AU	18,996.72
AINVR-STD-32TB-EU	AI NVR Standard, 32TB, EU	18,996.72
AINVR-STD-32TB-NA	AI NVR Standard, 32TB, NA	18,996.72
AINVR-STD-32TB-UK	AI NVR Standard, 32TB, UK	18,996.72
AINVR-STD-48TB-AU	AI NVR Standard, 48TB, AU	27,128.93
AINVR-STD-48TB-EU	AI NVR Standard, 48TB, EU	27,128.93
AINVR-STD-48TB-NA	AI NVR Standard, 48TB, NA	27,128.93
AINVR-STD-48TB-UK	AI NVR Standard, 48TB, UK	27,128.93
AINVR-VAL-12TB-AU	AI NVR Value, 12TB, AU	7,519.75
AINVR-VAL-12TB-EU	AI NVR Value, 12TB, EU	7,519.75
AINVR-VAL-12TB-NA	AI NVR Value, 12TB, NA	7,519.75
AINVR-VAL-12TB-UK	AI NVR Value, 12TB, UK	7,519.75

All prices are exclusive of taxes and freight. Avigilon reserves the right to make changes to pricing and discount margins. All installation and use of Avigilon software is governed by its end user license agreement (EULA). Contact Avigilon or visit www.avigilon.com to get a copy of the EULA.

CONFIDENTIAL : The Contents of this document are considered confidential and should not be posted on a public access website, made available for general public distribution, or otherwise shared with others without prior written authorization from Avigilon Corporation.

Accessories

Encoder

MODEL NUMBER	DESCRIPTION	MSRP \$
ENC-4P-H264	4-Port H.264 Analog Video Encoder with 4 audio support	407.11
ENC-BRK1U	1U Rack Mout Shelf for three Avigilon Analog Video Encoders	64.90

Sensor

MODEL NUMBER	DESCRIPTION	MSRP \$
APD-MT-WALL1	Optional wVideo or corner Mount for Avigilon Presence Detector	9.43

Camera Accessories

MODEL NUMBER	DESCRIPTION	MSRP \$
320SH4ATHC-WARR-EXTEND-1YR	Extended Warranty for QVGA H4 Thermal cameras, 1 year extension	463.91
320SH4ATHC-WARR-EXTEND-2YR	Extended Warranty for QVGA H4 Thermal cameras, 2 years extension	926.66
640SH4ATHC-WARR-EXTEND-1YR	Extended Warranty for VGA H4 Thermal cameras, 1 year extension	831.80
640SH4ATHC-WARR-EXTEND-2YR	Extended Warranty for VGA H4 Thermal cameras, 2 years extension	1,663.87
640SH4ATHD-WARR-EXTEND-1YR	Extended Warranty for H4 Thermal ETD cameras, 1 year extension	448.87
640SH4ATHD-WARR-EXTEND-2YR	Extended Warranty for H4 Thermal ETD cameras, 2 year extension	897.75
ACC-MIC	Omni-directional, low impedance, electret condenser microphone with built-in preamp for producing line level output. It is housed in a high impact ABS dome designed for ceiling or wall mounting. Normal pick-up pattern is approximately 15' from the microphone location, all directions, or within 30' diameter circle. No wiring or plug is provided with the microphone, Avigilon HD Dome Cameras and Analog Encoders with Audio use a 3.5mm plug.	344.57
ACC-SPLIT	POE Splitter for Camera Installation, allows the camera to be powered by the network's POE while opening a direct connection to a laptop for image display.	86.77
APD-WARR-EXTEND-1YR	Extended Warranty for Avigilon Presence Detector, 1 year extension	98.34
APD-WARR-EXTEND-2YR	Extended Warranty for Avigilon Presence Detector, 2 year extension	196.67
AVO-VSA-DED-CSM-SERV-ANNUAL	AVO VSA Annual Dedicated CSM Service Offering	250,000.00
AVO-VSA-ELITE-SERV-PILOT	Pilot for Elite / Elite Plus Service Offering VSA AVO	257,072.00
AVO-VSA-ENH-TAM-SERV-ANNUAL	AVO VSA Annual Enhanced TAM Service Offering	166,666.66
AVO-VSA-POOL-CSM-SERV-ANNUAL	AVO VSA Annual Pooled CSM Service Offering	166,666.66
AVO-VSA-SEM-SERV-12MO	AVO VSA 12-Month Support Experience Manager Service Offering	83,333.33
AVO-VSA-SEM-SERV-2YR	AVO VSA 2-Year Support Experience Manager Service Offering	150,000.00
AVO-VSA-SEM-SERV-6MO	AVO VSA 6-Month Support Experience Manager Service Offering	58,333.33
AVO-VSA-STD-TAM-SERV-ANNUAL	AVO VSA Annual Standard TAM Service Offering	116,666.66
BRKTMD-1001	DIN Rail Mount for Modular Camera Main Unit	44.40
BRKTMD-1011	Replacement L Bracket for Modular Camera Microbullet Sensor Head	37.83
BRKTMD-1021	Replacement Flat Bracket for Modular CameraRight Angle Sensor Head	33.19
BRKTMD-1031	Replacement Trimring Bracket for Modular Camera Microbullet Sensor head	30.60

All prices are exclusive of taxes and freight. Avigilon reserves the right to make changes to pricing and discount margins. All installation and use of Avigilon software is governed by its end user license agreement (EULA). Contact Avigilon or visit www.avigilon.com to get a copy of the EULA.

CONFIDENTIAL : The Contents of this document are considered confidential and should not be posted on a public access website, made available for general public distribution, or otherwise shared with others without prior written authorization from Avigilon Corporation.

CAM-ACCS-H3-D-PLUG	Replacement H3 Dome NPT Plugs, pack of 6	23.61
CAM-FIPS	FIPS Camera license	10.91
CAM-FIPS-CRYPT-R-L3	MSI CRYPT-R SD with Camera license to enable FIPS Level 3 cryptographic mode on any H5A camera	149.80
CBL2M-1001	2m (6 ft) HD BNC Cable for Modular Camera	58.30
CBL5M-1001	5m (16 ft) HD BNC Cable for Modular Camera	84.80
CM-AC-AVIO1	3.5mm audio and video I/O jack with 1.8m fly wire	18.51
CM-AC-FERR1	Ferrite clamp, for use with H4 Multisensor aux power cable to meet EN-50121-4 compliance. Pack of 5.	28.32
CM-AC-GROM1	Cable sealing grommet for use with 3/4" conduit entry, pack of 10	11.80
CM-MT-WALL1	Pendant wVideo arm for H4 Fisheye (needs H4F-MT-NPTA1), H4SL (needs H4SL-MT-NPTA1), H4 PTZ or H3-xMH-DP-B cameras.	94.84
CNBX-1001	Conduit entry gang box vandal resistant white for corner camera accepts 1/2 and 3/4 inch conduit	134.97
DOVE-CLEAR	Replacement dome bubble for JPEG2000 Dome and JPEG2000 Panoramic cameras.	20.07
DOVE-CVR-CLEAR	Replacement clear dome bubble and trim for JPEG2000 Panoramic and JPEG2000 dome cameras.	99.12
DOVE-IND-CEL	Indoor in-ceiling mount add-on adapter Videows the camera to be ceiling mounted with only the external clear bubble showing.	112.11
DOVE-OD-BASE	Outdoor mounting base add-on, creates an IP66 seal and Videows conduit connection and pipe mounting.	27.15
DOVE-OD-PEND	Indoor/Outdoor pendant mount, creates an IP66 sealed enclosure for connection to industry standard pendant wVideo brackets.	27.15
DOVE-SMOKE	Replacement smoked transparent dome and trim for JPEG2000 Panoramic and JPEG2000 dome cameras. Reduces light transmission by 50% compared to the standard clear cover. Not recommended for low light applications.	11.80
ES-HD-CWS	Standard Format Enclosure for cameras with 12VDC/24VDC Vented Cooler, Wall Bracket and Sunshield. Maximum combined camera and lens length is 9.8" (25 cm).	381.77
ES-HD-CWS-LG	Large Format Enclosure for Avigilon HD IP Professional Cameras with 12VDC/24VDC Vented Cooler, Wall Bracket and Sunshield. Maximum combined camera and lens length is 12.8" (32.5 cm).	578.44
ES-HD-HS-XL	Extra Large Format Enclosure for Avigilon HD IP Professional Cameras with 24 VAC Triple fan assisted heater. Maximum combined camera and lens length is 20" (51.9 cm).	1,973.51
ES-HD-HWS	Standard Format Enclosure for cameras with 12VDC/24VAC Heater, Wall Bracket and Sunshield. Maximum combined camera and lens length is 9.8" (25 cm).	260.30
ES-HD-HWS-LG	Large Format Enclosure for Avigilon HD IP Professional Cameras with 12VDC/24VAC Heater, Wall Bracket and Sunshield. Maximum combined camera and lens length is 12.8" (32.5 cm).	480.11
ES-HD-HWS-SM	Standard Format Enclosure for Avigilon HD H.264 IP Cameras with 12VDC/24VAC Heater, Wall Bracket and Sunshield. Maximum combined camera and lens length is 9.8" (25 cm).	173.53
ES-HD-IPM	Optional PoE+ power module. Powers full camera enclosure features and supplies PoE power to camera with a single Ethernet connection. Compatible with ES-HD-HWS, ES-HD-CWS, ES-HD-HWS-LG & ES-HD-CWS-LG. Not compatible with H5 Pro cameras.	271.87
ES-HD-MNT-ARM	Ceiling arm mount for ES-HD-HWS-SM, ES-HD-HWS, ES-HD-CWS, ES-HD-HWS-LG & ES-HD-CWS-LG.	133.04
ES-HD-MNT-CORNER	Corner mount adapter. Compatible with wVideo arm included with for ES-HD-HWS-SM, ES-HD-HWS, ES-HD-CWS, ES-HD-HWS-LG, ES-HD-CWS-LG or ES-HD-LP-HS enclosures.	75.20
ES-HD-MNT-PAR	Pedestal and ceiling mount for ES-HD-HWS-SM, ES-HD-HWS, ES-HD-CWS, ES-HD-HWS-LG, ES-HD-CWS-LG or ES-HD-LP-HS enclosure.	127.25
ES-HD-MNT-PLATE	Wall reinforcing wVideo plate, compatible with wVideo arm included with for ES-HD-HWS-SM, ES-HD-HWS, ES-HD-CWS, ES-HD-HWS-LG, ES-HD-CWS-LG or ES-HD-LP-HS enclosures.	46.28
ES-HD-MNT-POLE-LG	Large pole mount for pole diameter 210mm (8.2 in) to 225mm (8.85 in). Compatible with wVideo arm included with for ES-HD-HWS-SM,	185.10

All prices are exclusive of taxes and freight. Avigilon reserves the right to make changes to pricing and discount margins. All installation and use of Avigilon software is governed by its end user license agreement (EULA). Contact Avigilon or visit www.avigilon.com to get a copy of the EULA.

CONFIDENTIAL : The Contents of this document are considered confidential and should not be posted on a public access website, made available for general public distribution, or otherwise shared with others without prior written authorization from Avigilon Corporation.

	ES-HD-HWS, ES-HD-CWS, ES-HD-HWS-LG, ES-HD-CWS-LG or ES-HD-LP-HS enclosures when used in conjunction with ES-HD-MNT-PLATE.	
ES-HD-MNT-POLE-MD	Medium pole mount for pole diameter 80mm (3 in) to 150mm (5.9 in). Compatible with wVideo arm included with for ES-HD-HWS-SM, ES-HD-HWS, ES-HD-CWS, ES-HD-HWS-LG, ES-HD-CWS-LG or ES-HD-LP-HS enclosures when used in conjunction with ES-HD-MNT-PLATE. Up to two mounting positions.	219.81
ES-HD-MNT-POLE-SM	SmVideo pole mount for pole diameter 60mm (2.5 in) to 110mm (4.3 in). Compatible with wVideo arm included with for ES-HD-HWS-SM, ES-HD-HWS, ES-HD-CWS, ES-HD-HWS-LG, ES-HD-CWS-LG or ES-HD-LP-HS enclosures Up to two mounting positions.	86.77
ES-HD-MNT-WBLA	Ball Joint Wall Arm for ES-HD-HS-XL	937.07
H264ENC-WARR-EXTEND-1YR	Extended Warranty for Analog Video Encoder, 1 year extension	40.49
H264ENC-WARR-EXTEND-2YR	Extended Warranty for Analog Video Encoder, 2 years extension	79.83
H3-BO-JB	Junction box for the H3-BO-IR HD Bullet Cameras	112.11
H3-BO-SHLD1	Replacement sun shield for H3 bullet cameras	17.70
H3-D-CLEAR	Replacement clear transparent cover, includes dome bubble and camera cover for indoor domes.	47.20
H3-D-SMOKE	Replacement smoked transparent cover, includes dome bubble and camera cover for indoor domes. Reduces light transmission by 50% compared to the standard clear cover. Not recommended for low light applications or with the integrated IR illuminator.	47.20
H3-DC-CLEAR	Replacement clear transparent cover, includes dome bubble and camera cover for in-ceiling domes.	47.20
H3-DC-PNL	Metal ceiling panel for use with H3-DC in-ceiling dome cameras to replace or reinforce the existing ceiling tile in suspended ceiling installations.	112.11
H3-DC-SMOKE	Replacement smoked transparent cover, includes dome bubble and camera cover for in-ceiling domes. Reduces light transmission by 50% compared to the standard clear cover. Not recommended for low light applications.	47.20
H3-MC-CLER1	Replacement clear transparent cover, includes dome bubble and gray trim for in-ceiling microdomes.	14.15
H3-MC-CLER1-BL	Replacement clear transparent cover, includes dome bubble and black trim for in-ceiling microdomes.	14.15
H3-MH-NPTA1	Replacement female NPT adapter for use with H3 PTZ H4 PTZ and H3 Multisensor cameras.	29.50
H4-AC-WIFI2-NA	WiFi Installation Kit with WiFi USB adapter, micro-USB to USB adapter and TT20 torx driver bit. For use in the following countries: Argentina, Bolivia, Canada, Chile, Colombia, Costa Rica, Cuba, Dominican Republic, Ecuador, El Salvador, Guatemala, Haiti, Honduras, Mexico, Nicaragua, Panama, Paraguay, Peru, Puerto Rico, Taiwan, United States, Uruguay, Venezuela	153.40
H4-BO-DEMO1	Replacement H5A, H4 HD Bullet or H4 Thermal configuration port cover with a female 1/4-20 screw mount for use with tripod head for demo purposes only. Do not use for actual installation.	5.89
H4-BO-JBOX1	Junction box for the H5A Bullet, H4A HD Bullet, H4SL HD Bullet, or H4 Thermal cameras.	106.20
H4-DC-CPNL1	Metal ceiling panel for use with H5A, H4A or H4SL-MT-DCIL1 in-ceiling dome cameras to replace or reinforce the existing ceiling tile in suspended ceiling installations.	112.11
H4-MT-CRNR1	Corner mount adapter for use with H4A-MT-Wall1, H4-BO-JBOX1, H4SL, H4F, H4 PTZ, H4 IR PTZ and H4 Multisensor cameras.	106.20
H4-MT-POLE1	Pole mount adapter for use with H4A-MT-Wall1, H4-BO-JBOX1, H4SL, H4F, H4 PTZ, H4 IR PTZ and H4 Multisensor cameras.	106.20
H4A-AC-GROM1	Cable sealing grommet for use with H5A/H4A dome cameras, pack of 10	18.06
H4A-BO-SHLD1	Replacement sun shield for H5A bullet cameras, H4A bullet cameras and H4 Thermal Cameras.	17.70
H4A-DC-CLER1	Replacement clear transparent cover for H5A/H4A in-ceiling dome camera. Includes dome bubble and grey camera cover.	47.20
H4A-DC-CLER1-BL	Replacement clear transparent cover for H5A/H4A in-ceiling dome camera. Includes dome bubble and black camera cover.	47.20
H4A-DC-SMOK1	Replacement smoked transparent cover for H5A/H4A in-ceiling dome camera. Reduces light transmission by 50%. Not recommended for low	47.20

All prices are exclusive of taxes and freight. Avigilon reserves the right to make changes to pricing and discount margins. All installation and use of Avigilon software is governed by its end user license agreement (EULA). Contact Avigilon or visit www.avigilon.com to get a copy of the EULA.

CONFIDENTIAL : The Contents of this document are considered confidential and should not be posted on a public access website, made available for general public distribution, or otherwise shared with others without prior written authorization from Avigilon Corporation.

	light applications or with the integrated IR illuminator. Includes dome bubble and grey camera cover.	
H4A-DC-SMOK1-BL	Replacement smoked transparent cover for H5A/H4A in-ceiling dome camera. Reduces light transmission by 50%. Not recommended for low light applications or with the integrated IR illuminator. Includes dome bubble and black camera cover.	47.20
H4A-DD-CLER1	Replacement clear transparent cover for H5A/H4A indoor dome camera. Includes dome bubble and grey camera cover.	47.20
H4A-DD-CLER1-BL	Replacement clear transparent cover for H5A/H4A indoor dome camera. Includes dome bubble and black camera cover.	47.20
H4A-DD-SDWL1	Replacement sidewideo knockout plug for H5A/H4A indoor dome cameras, pack of 5	5.89
H4A-DD-SDWL1-BL	Replacement sidewideo knockout plug for H5A/H4A indoor dome cameras, black, pack of 5	5.89
H4A-DD-SMOK1	Replacement smoked transparent cover for H5A/H4A indoor dome camera. Reduces light transmission by 50%. Not recommended for low light applications or with the integrated IR illuminator. Includes dome bubble and grey camera cover.	47.20
H4A-DD-SMOK1-BL	Replacement smoked transparent cover for H5A/H4A indoor dome camera. Reduces light transmission by 50%. Not recommended for low light applications or with the integrated IR illuminator. Includes dome bubble and black camera cover.	47.20
H4A-DO-CLER1	Replacement clear transparent cover for H5A/H4A outdoor dome camera. Includes dome bubble and grey camera cover.	70.80
H4A-DO-SMOK1	Replacement smoked transparent cover for H5A/H4A outdoor dome camera. Reduces light transmission by 50%. Not recommended for low light applications or with the integrated IR illuminator. Includes dome bubble and grey camera cover.	70.80
H4A-DP-CLER1	Replacement clear transparent cover for H5A/H4A pendant dome camera. Includes dome bubble and grey camera cover.	70.80
H4A-DP-SMOK1	Replacement smoked transparent cover for H5A/H4A pendant dome camera. Reduces light transmission by 50%. Not recommended for low light applications or with the integrated IR illuminator. Includes dome bubble and grey camera cover.	70.80
H4A-MT-NPTA1	NPT adapter for use with H5A/H4A pendant dome cameras	70.80
H4A-MT-WALL1	Wall mount bracket for use with H5A/H4A pendant dome cameras	88.16
H4A-WARR-EXTEND-1YR	Extended Warranty for H4A box, dome and bullet cameras, 1 year extension	119.15
H4A-WARR-EXTEND-2YR	Extended Warranty for H4A box, dome and bullet cameras, 2 years extension	237.16
H4AES-WARR-EXTEND-1YR	Extended Warranty for H4A ES box, dome and bullet cameras, 1 year extension	159.65
H4AES-WARR-EXTEND-2YR	Extended Warranty for H4A ES box, dome and bullet cameras, 2 years extension	319.30
H4AMH-ACCS-CABL1	Replacement cabling accessory kit for H4 Multisensor with audio, external power and I/O pigtail cable connector, RJ45 CAT5E plugs and RJ45 connector water proof gland.	76.70
H4AMH-AD-CEIL1	In-ceiling adapter, must order either a H4AMH-DC-COVR1 or H4AMH-DC-COVR1-SMOKE.	177.00
H4AMH-AD-DOME1	Outdoor surface mount adapter, must order either a H4AMH-DO-COVR1 or H4AMH-DO-COVR1-SMOKE.	188.80
H4AMH-AD-IRIL1	Optional IR illuminator ring, up to 30m (100ft), for use with H4AMH-DO-COVR1.	389.40
H4AMH-AD-PEND1	Outdoor pendant mount adapter, must order one of IRPTZ-MNT-Wall1 or IRPTZ-MNT-NPTA1 and one of H4AMH-DO-COVR1 or H4AMH-DO-COVR1-SMOKE.	188.80
H4AMH-DC-COVR1	In-Ceiling Dome Cover for H4 Multisensor	82.61
H4AMH-DC-COVR1-SMOKE	In-Ceiling Smoke Dome Cover for H4 Multisensor	82.61
H4AMH-DC-CPNL1	Drop Ceiling Metal Panel for H4 Multisensor	129.80
H4AMH-DO-COVR1	Outdoor Dome Cover for H4 Multisensor	188.80
H4AMH-DO-COVR1-SMOKE	Outdoor Smoke Dome Cover for H4 Multisensor	188.80
H4AMH-WARR-EXTEND-1YR	Extended Warranty for H4 Multisensor camera, 1 year extension	219.81

All prices are exclusive of taxes and freight. Avigilon reserves the right to make changes to pricing and discount margins. All installation and use of Avigilon software is governed by its end user license agreement (EULA). Contact Avigilon or visit www.avigilon.com to get a copy of the EULA.

CONFIDENTIAL : The Contents of this document are considered confidential and should not be posted on a public access website, made available for general public distribution, or otherwise shared with others without prior written authorization from Avigilon Corporation.

H4AMH-WARR-EXTEND-2YR	Extended Warranty for H4 Multisensor camera, 2 years extensions	439.61
H4F-AC-DES1	Replacement Dessiccant Packs for H4 Fisheye (Pack of 5)	11.80
H4F-ACCS-KIT1	Replacement Installation Accessories for H4 Fisheye Cameras	35.39
H4F-DO-CVER1	Replacement Top Cover for H4 Fisheye Cameras	188.80
H4F-MT-NPTA1	NPT Adapter for H4 Fisheye Cameras	70.80
H4F-WARR-EXTEND-1YR	Extended Warranty for H4 Fisheye cameras, 1 year extension	101.80
H4F-WARR-EXTEND-2YR	Extended Warranty for H4 Fisheye cameras, 2 years extension	203.62
H4IRPTZ-WARR-EXTEND-1YR	Extended Warranty for H4 IR PTZ cameras, non-moving parts only, 1 year extension	421.11
H4IRPTZ-WARR-EXTEND-2YR	Extended Warranty for H4 IR PTZ cameras, non-moving parts only, 2 years extension	841.06
H4LPC-WARR-EXTEND-1YR	Extended Warranty for H4 LPC camera only, 1 year extension	101.80
H4LPC-WARR-EXTEND-2YR	Extended Warranty for H4 LPC camera only, 2 years extension	203.62
H4M-BZL1-BL	Black surface mount bezel for H4M dome cameras, package of 5	33.08
H4M-BZL1-GRY	Grey surface mount bezel for H4M dome cameras, package of 5.	33.08
H4M-MT-DCIL1	In-Ceiling mount for H4M dome cameras	33.08
H4M-MT-DCIL1-BL	In-Ceiling mount for H4M dome cameras, Black	33.08
H4M-MT-DSPL	Package of 5 Video plates for H4M dome cameras	33.08
H4M-MT-NPTA1	Pendant mount for H4M dome cameras	33.08
H4M-MT-NPTA1-BL	Pendant mount for H4M dome cameras, Black	33.08
H4M-WARR-EXTEND-1YR	Extended Warranty for H4 Mini Dome cameras, 1 year extension	41.65
H4M-WARR-EXTEND-2YR	Extended Warranty for H4 Mini Dome cameras, 2 years extension	82.14
H4PRO-WARR-EXTEND-1YR	Extended Warranty for H4 Pro camera, 1 year extension	629.34
H4PRO-WARR-EXTEND-2YR	Extended Warranty for H4 Pro camera, 2 years extension	1,258.96
H4PTZ-WARR-EXTEND-1YR	Extended Warranty for H4 PTZ cameras, non-moving parts only, 1 year extension	297.32
H4PTZ-WARR-EXTEND-2YR	Extended Warranty for H4 PTZ cameras, non-moving parts only, 2 years extension	594.64
H4SL-AC-CNID1	Conduit Opening Cover, Grey, 5 pack. For H5SL or H4SL dome cameras.	11.80
H4SL-AC-CNPL1	Conduit Plate, Grey for 1/2" 5 pack. For H5SL or H4SL dome cameras.	17.70
H4SL-AC-CNPL2	Conduit Plate, Grey for 3/4" 5 pack. For H5SL or H4SL dome cameras.	17.70
H4SL-AC-COND1	Conduit Cover, Grey, 5 pack. For H5SL or H4SL dome cameras.	11.80
H4SL-AC-GROM1	Rubber grommet cable seal, 10 pack. For H5SL or H4SL dome cameras.	17.70
H4SL-BO-SHLD1	Replacement Sunshield of H5SL/H4SL Bullet Cameras	11.80
H4SL-D1-BASE	Replacement H5SL or H4SL indoor dome surface mount adapter	47.20
H4SL-DD-CLER1	Replacement clear transparent cover for H5SL or H4SL outdoor dome camera. Includes dome bubble and grey camera cover.	35.39
H4SL-DD-SMOK1	Replacement smoked transparent cover for H5SL or H4SL outdoor dome camera. Reduces light transmission by 50%. Not recommended for low light applications where the integrated IR illuminator is used. Includes dome bubble and grey camera cover.	41.30
H4SL-DI-CLER1	Replacement clear transparent cover for H5SL or H4SL indoor dome camera. Includes dome bubble and grey camera cover.	29.50
H4SL-DI-SMOK1	Replacement smoked transparent cover for H5SL or H4SL indoor dome camera. Reduces light transmission by 50%. Not recommended for low light applications where the integrated IR illuminator is used. Includes dome bubble and grey camera cover.	35.39
H4SL-DO1-BASE	Replacement mounting plate for H5SL or H4SL surface mount dome cameras.	53.11
H4SL-MT-DCIL1	In-Ceiling Adapter for H5SL/H4SL Dome Cameras	35.39
H4SL-MT-NPTA1	NPT Adapter for H5SL/H4SL Dome Cameras	40.37
H4SL-WARR-EXTEND-1YR	Extended Warranty for H4SL dome and bullet cameras, 1 year extension	56.69
H4SL-WARR-EXTEND-2YR	Extended Warranty for H4SL dome and bullet cameras, 2 years extension	113.38

All prices are exclusive of taxes and freight. Avigilon reserves the right to make changes to pricing and discount margins. All installation and use of Avigilon software is governed by its end user license agreement (EULA). Contact Avigilon or visit www.avigilon.com to get a copy of the EULA.

CONFIDENTIAL : The Contents of this document are considered confidential and should not be posted on a public access website, made available for general public distribution, or otherwise shared with others without prior written authorization from Avigilon Corporation.

H4VI-AC-RELY1	Safety Relay for H4 Video Intercom	141.61
H4VI-ACCS-KIT1	Replacement installation accessories for H4VI. Includes terminal block plugs and screws.	23.61
H4VI-MT-SURF1	Surface mount adapter for H4 Video Intercom	265.51
H4VI-RO-CVER1	Replacement dome cover for H4VI camera, package of 5	47.20
H4VI-WARR-EXTEND-1YR	Extended Warranty for H4 Video Intercom, 1 year extension	133.04
H4VI-WARR-EXTEND-2YR	Extended Warranty for H4 Video Intercom, 2 years extension	266.08
H5A-FE-ACC-DC-KIT1	Replacement installation accessories for H5A Fisheye In-ceiling Camera. Includes star-shaped screwdriver, power terminal block, rubber grommets and RJ45 grommet piercing cap.	11.34
H5A-FE-ACC-KIT1	Replacement installation accessories for H5A Fisheye Dome Camera. Includes star-shaped screwdriver, power terminal block, rubber grommets, RJ45 grommet piercing cap, conduit shroud and screws	11.34
H5A-FE-DC-CPNL1	Metal ceiling panel for use with H5A Fisheye in-ceiling cameras to replace or reinforce the existing ceiling tile in suspended ceiling installations.	112.22
H5A-FE-DD-CLER1	Package of 3 replacement dome bubble for H5A Fisheye Dome Camera.	44.23
H5A-FE-MT-NPTA1	NPT Adapter For H5A Fisheye Dome Camera (H5A-FE-DO)	70.80
H5AEX-BO-WARR-EXTEND-2YR	2 year extended warranty for H5 Explosion Protected Bullet camera. Must be purchased at the same time as the camera.	1,180.70
H5AEX-CO-WARR-EXTEND-2YR	2 year extended warranty for H5 Explosion Protected Compact Bullet camera. Must be purchased at the same time as the camera.	711.48
H5AEX-PTZ-WARR-EXTEND-2YR	2 year extended warranty for H5 Explosion Protected PTZ camera. Must be purchased at the same time as the camera.	3,239.28
H5DH-DO-CLER1	Replacement Indoor/Outdoor Dome Cover for H5A Dual Head Camera	93.80
H5DH-DO-JBOX1	Junction Box for H5A Dual Head Camera	106.20
H5DH-MT-NPTA1	Pendant adapter for the H5A Dual Head camera. Also compatible with an optional wall arm, CM-MT-WALL1.	70.80
H5M-DO-BZL1	Package of 4 shroud replacement parts for H5M dome cameras	35.39
H5M-MT-DCIL1	In-ceiling mount adapter for H5M dome cameras	35.39
H5PTZ-ACCS-CABL1	H5A PTZ cable gland nut kit. Pack of 10.	109.90
H6M-BZL1-BL	Black surface mount bezel for H6M dome cameras, package of 5	35.54
H6M-BZL1-GRY	Grey surface mount bezel for H6M dome cameras, package of 5	35.54
H6M-MT-DCIL1	In-Ceiling mount for H6M dome cameras	35.54
H6M-MT-DCIL1-BL	In-Ceiling mount for H6M dome cameras, Black	35.54
H6M-MT-NPTA1	Pendant mount for H6M dome camera	35.54
H6M-MT-NPTA1-BL	Pendant mount for H6M dome cameras, Black	35.54
HALO-SMADAPT	Surface Mount Adapter for HALO IoT Smart Sensor	124.76
HALO-V2.00C	HALO IoT Smart Sensor 2C	1,780.80
HD-LP-PS-A	Replacement Power Supply for JPEG2000 LPR Kits	955.81
IND-CEL-PNL	Metal ceiling panel for use with the DOME-IND-CEL to replace or reinforce the existing ceiling tile in suspended ceiling installations.	102.66
IRPTZ-ACCS-CABL1	H4 IRPTZ Replacement Power and I/O Cables	33.04
IRPTZ-MNT-NPTA1	Pedant NPT adapter. For use with H4 IR PTZ or H4A-MH-AD-PEND1 on H4 Multisensor.	64.90
IRPTZ-MNT-WALL1	Pedant wVideo mount adapter. For use with H4 IR PTZ or H4A-MH-AD-PEND1 on H4 Multisensor.	112.11
LEF10040045CA2	Canon 100-400mm f/4.5-f/5.6 Lens. Compatible with Video H4 Pro Cameras.	5,061.93
LEF1506005TA	Tamron 150-600mm f/5-6.3 VC G2 Lens for Pro Camera	3,037.39
LEF163528CA2	Canon 16-35mm f/2.8 Lens for Pro Cameras	4,627.54
LEF20028CA	Canon 200mm f/2.8 lens. Compatible with Video H4 Pro cameras.	2,221.90
LEF2414CA	Canon 24mm f/1.4 lens. Compatible with Video H4 Pro cameras.	4,095.60
LEF247028TA2	Tamron 24-70mm f/2.8 VC Lens for Pro Cameras	2,601.85

All prices are exclusive of taxes and freight. Avigilon reserves the right to make changes to pricing and discount margins. All installation and use of Avigilon software is governed by its end user license agreement (EULA). Contact Avigilon or visit www.avigilon.com to get a copy of the EULA.

CONFIDENTIAL : The Contents of this document are considered confidential and should not be posted on a public access website, made available for general public distribution, or otherwise shared with others without prior written authorization from Avigilon Corporation.

LEF2814SI	Sigma 28mm f/1.4 Lens for Pro Cameras	3,037.39
LEF3514TA	Tamron 35mm f/1.4 Lens for Pro Cameras	1,949.69
LEF5012CA	Canon 50mm f/1.2 lens. Compatible with Video H4 Pro cameras.	3,855.15
LEF5014CA	Canon 50mm f/1.4 lens. Compatible with Video H4 Pro cameras.	964.84
LEF5014SI	Sigma 50mm f/1.4 Lens for Pro Cameras	2,054.04
LEF5018CA2	Canon 50mm f/1.8 lens. Compatible with Video H4 Pro cameras.	370.21
LEF7020028TA	Tamron 70-200mm f/2.8 VC G2 Lens for Pro Cameras	2,806.01
LEF7030040CA	Canon 70-300mm f/4-f/5.6 Lens. Compatible with Video H4 Pro Cameras.	1,307.73
LEF8518CA	Canon 85mm f/1.8 lens. Compatible with Video H4 Pro cameras.	1,110.60
LEF9028TA	Tamron 90mm f/2.8 VC Lens for Pro Cameras	1,503.95
LEFS183518SI	Sigma 18-35mm f/1.8 Lens for Pro Cameras. The lens is only compatible with 8-16MP H4 Pro cameras or 8-26MP H5 Pro cameras.	1,778.93
LEFS3014SI	Sigma 30mm f/1.4 Lens for Pro Cameras. The lens is only compatible with 8-16MP H4 Pro cameras or 8-26MP H5 Pro cameras.	1,156.88
MNT-AD-CORNER	Corner mount adapter for use with MNT-PEND-Wall, H3-BO-JB or HD Bullet Camera	106.20
MNT-AD-POLE-B	Pole mount adapter for use with MNT-PEND-Wall, H3-BO-JB or HD Bullet Camera	106.20
MNT-PEND-WALL	Compact wVideo bracket for use with H3PTZ-DP and H3-DP Pendant Dome Cameras	106.20
POE60U-1BTE	Gigabit 802.3bt 60 W PoE Injector, Indoor, single port	177.00
PPMNT-1001	Parapet Wall Arm Mount for Outdoor Pendant Cameras	496.00
PPMNT-2001	Parapet Wall Arm Mount Large for Outdoor Pendant Camera	550.00
PRO-ACC-ONSITE-8H	Professional Services, 8 hours on-site consulting	3,710.00
PRO-ACC-REMOTE-4H	ACC Professional Services, 4 hours remote consulting	1,855.00
PRO-ACC-REMOTE-8H	ACC Professional Services, 8 hours remote consulting	3,710.00
PTZH5A-CLER1	H5A PTZ Replacement Clear Bubble Assembly	138.83
PTZH5A-SMOK1	H5A PTZ Replacement Smoked Bubble Assembly	138.83
PTZMH-ACCS-CABL1	Replacement cable accessory and adapter kit for H4 PTZ and HD Multisensor (H3-xMH) pendant mount cameras. Includes waterproof RJ45 connector, M8 2-pin male cable and M12 12-pin female cable.	59.00
PTZMH-DC-CLER1	In-ceiling replacement clear transparent cover, includes dome bubble and camera cover for H4 PTZ and HD Multisensor (H3-xMH) pendant cameras.	141.61
PTZMH-DC-CPNL1	Metal Ceiling panel for H4 PTZ and HD Multisensor cameras.	106.20
PTZMH-DC-SMOK1	Replacement smoked transparent cover, includes dome bubble and camera cover H4 PTZ and HD Multisensor (H3-xMH) In-Ceiling cameras. Reduces light transmission by 50% compared to the standard clear cover. Not recommended for low light applications.	141.61
PTZMH-DP-CLER1	IK10 replacement clear transparent cover, includes dome bubble and camera cover for H4 PTZ and HD Multisensor (H3-xMH) pendant cameras.	141.61
PTZMH-DP-SMOK1	IK10 replacement smoked transparent cover, includes dome bubble and camera cover for H4 PTZ and HD Multisensor (H3-xMH) pendant cameras. Reduces light transmission by 50% compared to the standard clear cover. Not recommended for low light applications.	141.61
PTZMH-MT-NPTA1	Replacement male NPT adapter for use with H4 PTZ or HD Multisensor (H3-xMH) cameras.	29.50
RLEF20028CA	Refurbished Canon 200mm f/2.8 L lens. Lens may be missing original packaging and documentation. Lens may also contain cosmetic scratches which will not impair its functionality. Available in limited quantities.	1,084.00
RLEF7020028CA	Refurbished Canon 70-200mm f/2.8 L lens. Lens may be missing original packaging and documentation. Lens may also contain cosmetic scratches which will not impair its functionality. Available in limited quantities.	1,807.91
USB-AC56-EU-MSI	USB Wi-Fi dongle for camera configuration, Europe	153.40
USB-AC56-NA-MSI	USB Wi-Fi dongle for camera configuration, North America	153.40

All prices are exclusive of taxes and freight. Avigilon reserves the right to make changes to pricing and discount margins. All installation and use of Avigilon software is governed by its end user license agreement (EULA). Contact Avigilon or visit www.avigilon.com to get a copy of the EULA.

CONFIDENTIAL : The Contents of this document are considered confidential and should not be posted on a public access website, made available for general public distribution, or otherwise shared with others without prior written authorization from Avigilon Corporation.

Storage Accessories

MODEL NUMBER	DESCRIPTION	MSRP \$
ACC-SPEAKER-2	IP Horn Speaker that integrates with ACC.	720.00
ACC-SPEAKER-POLE-BANDS	Pair of pole bands for ACC Speaker	45.37
AINVR-HDDS-HOT-12TB	Spare Hard Drive for AINVR-PRM-PLUS-96TB, AINVR-PRM-96TB	1,706.97
AINVR-HDDS-HOT-16TB	Spare Hard Drive for AINVR-PRM-PLUS-160TB, AINVR-PRM-PLUS-128TB, AINVR-PRM-160TB, AINVR-PRM-128TB	2,423.79
AINVR-HDDS-HOT-2TB	Spare Hard Drive for AINVR-VAL-6TB	832.96
AINVR-HDDS-HOT-4TB	Spare Hard Drive for AINVR-VAL-12TB, AINVR-STD-24TB	1,064.34
AINVR-HDDS-HOT-8TB	Spare Hard Drive for AINVR-STD-32TB, AINVR-STD-48TB, AINVR-PRM-64TB, AINVR-PRM-PLUS-64TB	1,764.82
AINVR-PRM-2NDPS-AU	Secondary Power Supply for AI NVR Premium or AI NVR Premium+, AU	793.94
AINVR-PRM-2NDPS-NA	Secondary Power Supply for AI NVR Premium or AI NVR Premium+, NA	793.94
AINVR-PRM-2NDPS-UK	Secondary Power Supply for AI NVR Premium or AI NVR Premium+, UK	793.94
AINVR-SFPPLUS-SR	SFP+ 10GBASE-SR Optical Transceiver (single) for AI NVR	340.26
AINVR-STD-10GBE	Network Card, QP 10G-SFP+ for AI NVR Standard. This network card cannot be used with AINVR-STD-PRK.	1,122.86
AINVR-STD-2NDPS-AU	Secondary Power Supply for AI NVR Standard, AU	647.85
AINVR-STD-2NDPS-EU	Secondary Power Supply for AI NVR Standard, EU	647.85
AINVR-STD-2NDPS-NA	Secondary Power Supply for AI NVR Standard, NA	647.85
AINVR-STD-2NDPS-UK	Secondary Power Supply for AI NVR Standard, UK	647.85
AINVR-STD-PRK	AI NVR Standard Performance Kit. With this kit installed AI NVR Standard can support up to 25 Classified Object Detection channels. AINVR-STD-PRK cannot be used with AINVR-STD-10GBE.	3,345.89
AINVR-VAL-2NDPS-AU	Secondary Power Supply for AI NVR Value, AU	474.32
AINVR-VAL-2NDPS-EU	Secondary Power Supply for AI NVR Value, EU	474.32
AINVR-VAL-2NDPS-NA	Secondary Power Supply for AI NVR Value, NA	474.32
AINVR-VAL-2NDPS-UK	Secondary Power Supply for AI NVR Value, UK	474.32
AVA-HED1-NVR4X-PRM1-CONNECT	AVA Connectivity Kit, 64/96/128/157TB PRM Models	5,530.36
AVA-HED1-NVR4X-PRM2-CONNECT	AVA Connectivity Kit 192TB and 217TB PRM Models	2,389.76
AVA-HED1-NVR4X-STD-CONNECT	AVA Connectivity Kit for STD Models	3,690.69
AVA-HED1-NVR5-CONNECT-A	Kit,AVA Con NVR5STD/PRM 16-224 TB ex STD 2CPU	2,660.64
AVA-HED1-NVR5-CONNECT-B	KIT,AVA Connectivity, NVR5 PRM 252TB+	3,005.10
AVA-SAN-CONNECT-1	Kit, AVA SAN Con 1x AVA Tsc & FC	425.61
AVA-SAN-CONNECT-8	Kit, AVA SAN Con 8x AVA Tsc & FC	3,404.89
DIN-ENVR2-8P	DIN rail mount installation kit	190.00
DINPS-240W-RPA-RGD-8P	Din Mount Power Supply for ES 8-Port Rugged Appliance, 24VDC, 240W	118.00
HD-NVR-ANK2-1	Analytics Kit for Appearance Search and Face Recognition, NVR4 Value or any NVR3 models	1,156.42
HD-NVR2-W10UPG	Windows 7 to Windows 10 Upgrade for NVR2	335.98
HD-NVR3-PRM-2NDCPU	2nd CPU + Heatsink + 2x 8GB RAM, NVR3 Premium	2,395.43
HD-NVR3-PRM-2NDPS-NA	Power Supply for NVR3 Premium with an North American power cord, 750W	537.95
HD-NVR3-PRM-2NDPS-UK	Power Supply for NVR3 Premium with an United Kingdom power cord, 750W	537.95
HD-NVR3-SFPPLUS-DA	SFP+ 10GbE Transceiver at each end of Twinax Direct Attach Copper Cable, 3m	150.39
HD-NVR3-SFPPLUS-SR	SFP+ 10GBASE-SR Optical Transceiver (single)	341.28
HD-NVR3-STD-10GBE	NETWORK CARD, DP 10G-SFP+, NVR3 Standard	902.37

All prices are exclusive of taxes and freight. Avigilon reserves the right to make changes to pricing and discount margins. All installation and use of Avigilon software is governed by its end user license agreement (EULA). Contact Avigilon or visit www.avigilon.com to get a copy of the EULA.

CONFIDENTIAL : The Contents of this document are considered confidential and should not be posted on a public access website, made available for general public distribution, or otherwise shared with others without prior written authorization from Avigilon Corporation.

HD-NVR3-STD-2NDCPU	2nd CPU + Heatsink + 2x 8GB RAM, NVR3 Standard	2,134.56
HD-NVR3-STD-2NDPS-NA	Power Supply for NVR3 Standard with an North American power cord, 750W	537.95
HD-NVR3-VAL-2NDPS-AU	Power Supply for NVR3 Value with an Australian power cord, 350W	474.32
HD-NVR3-VAL-2NDPS-NA	Power Supply for NVR3 Value with an North American power cord, 350W	474.32
HD-NVR3-VAL-2NDPS-UK	Power Supply for NVR3 Value with an United Kingdom power cord, 350W	474.32
HD-NVR3-W10UPG	Windows 10 (LTSB 1607) upgrade kit for NVR3-STD, NVR3-VAL, NVRWS3 and RMWS3	335.98
HD-NVR4-PRM-10GBE	Network Card, DP 10G-SFP+, NVR4 Premium	720.32
HD-NVR4-PRM-2NDCPU	2nd CPU + Heatsink + 2x 16GB RAM, NVR4 Premium	3,060.00
HD-NVR4-PRM-2NDPS-AU	Power Supply for NVR4 Premium with an Australian power cord, 1100W	537.95
HD-NVR4-PRM-2NDPS-NA	Power Supply for NVR4 Premium with an North American power cord, 1100W	537.95
HD-NVR4-PRM-2NDPS-UK	Power Supply for NVR4 Premium with an United Kingdom power cord, 1100W	537.95
HD-NVR4-SFPPLUS-DA	SFP+ 10GbE Transceiver at each end of Twinax Direct Attach Copper Cable, 3m	150.39
HD-NVR4-SFPPLUS-SR	SFP+ 10GBASE-SR Optical Transceiver (single)	341.28
HD-NVR4-STD-10GBE	Network Card, DP 10G-SFP+, NVR4 Standard	763.54
HD-NVR4-STD-2NDCPU	2nd CPU + Heatsink + 2x 8GB RAM, NVR4 Standard	1,882.00
HD-NVR4-STD-2NDPS-AU	Power Supply for NVR4 Standard with an Australian power cord, 750W	537.95
HD-NVR4-STD-2NDPS-NA	Power Supply for NVR4 Standard with an North American power cord, 750W	537.95
HD-NVR4-STD-2NDPS-UK	Power Supply for NVR4 Standard with an United Kingdom power cord, 750W	537.95
IDRAC8-ENT-UPG	IDRAC 8 Enterprise Upgrade for NVR3 Models	775.11
IDRAC9-ENT-UPG	IDRAC 9 Enterprise Upgrade for AI NVR, NVR4/4X, or AIA	775.11
NVR3-HDDN-HOT-4TB	Spare Hard Drive, 4TB, Front/Rear Bay, NLSAS compatible with NVR3-STD-24TB	1,354.23
NVR3-HDDS-HOT-2TB	Spare Hard Drive, 2TB, Front/Rear Bay, SATA compatible with NVR3-VAL-6TB, Gen 2	775.11
NVR4-HDDN-HOT-4TB	Spare Hard Drive, 4TB, Front/Rear Bay, NLSAS compatible with NVR4-PRM-64TB	1,354.23
NVR4-HDDN-INT-8TB	Spare Hard Drive, 8TB, Internal Bay, NLSAS compatible with NVR4-PRM-128TB, NVR4-PRM-96TB	2,082.39
NVR4-HDDS-HOT-12TB	HARD DRIVE, 12TB, Ext, Caddy	1,706.97
NVR4-HDDS-HOT-16TB	HARD DRIVE, 16TB, Ext, Caddy	2,423.79
NVR4-HDDS-HOT-2TB	Spare Hard Drive, 2TB, Front/Rear Bay, SATA compatible with NVR4-VAL-6TB	832.96
NVR4-HDDS-HOT-4TB	Spare Hard Drive, 4TB, Front/Rear Bay, SATA compatible with NVR4-STD-24TB, NVR4-STD-16TB, NVR4-VAL-12TB	1,064.34
NVR4-HDDS-HOT-8TB	Spare Hard Drive, 8TB, Front/Rear Bay, SATA compatible with NVR4-STD-48TB, NVR4-STD-32TB, NVR4-VAL-24TB, NVR4-VAL-16TB	1,764.82
NVR4-HDDS-INT-16TB	HARD DRIVE, 16TB, Int	2,331.92
NVR4-HDDS-PACK-16TB	Storage Expansion Pack to add 16TB of effective storage to NVR4-STD-32TB or NVR4-STD-16TB	6,362.86
NVR4-HDDS-PACK-32TB	Storage Expansion Pack to add 32TB of effective storage to NVR4-STD-32TB or NVR4-STD-16TB	10,585.49
NVR4-S16-COA	Windows Server 2016 license for NVR4-STD/NVR4X-STD. Required to upgrade from Windows 10 LTSB to Windows Server 2016. Package includes the Windows 2016 COA license and activation key. The OS installation files are obtained via direct download.	1,522.10
NVR4-S19-COA	Windows Server 2019 Field Upgrade Kit for NVR4/NVR4X. Compatible with NVR4-VAL, NVR4-STD, NVR4-PRM, NVR4X-STD and NVR4X-PRM. Required to upgrade from Windows 10 LTSB or Windows Server 2016 to Windows Server 2019. Package includes the Upgrade USB drive and the Windows 2019 COA license and activation key.	1,644.59

All prices are exclusive of taxes and freight. Avigilon reserves the right to make changes to pricing and discount margins. All installation and use of Avigilon software is governed by its end user license agreement (EULA). Contact Avigilon or visit www.avigilon.com to get a copy of the EULA.

CONFIDENTIAL : The Contents of this document are considered confidential and should not be posted on a public access website, made available for general public distribution, or otherwise shared with others without prior written authorization from Avigilon Corporation.

NVR4-VAL-10GBE	Network Card, DP 10G-SFP+, NVR4 Value	861.88
NVR4-VAL-2NDPS-AU	Power Supply for NVR4 Value with an Australian power cord, 350W	474.32
NVR4-VAL-2NDPS-EU	Power Supply for NVR4 Value with an European power cord, 350W	474.32
NVR4-VAL-2NDPS-NA	Power Supply for NVR4 Value with an North American power cord, 350W	474.32
NVR4-VAL-2NDPS-UK	Power Supply for NVR4 Value with an United Kingdom power cord, 350W	474.32
NVR4X-1100W-2NDPS-AU	PSU, Second HS, 1100W, w/ POWERCORD Australia	578.44
NVR4X-1100W-2NDPS-EU	PSU, Second HS, 1100W, w/ POWERCORD EU	578.44
NVR4X-1100W-2NDPS-NA	PSU, Second HS, 1100W, w/ POWERCORD NA	578.44
NVR4X-1100W-2NDPS-UK	PSU, Second HS, 1100W, w/ POWERCORD UK	578.44
NVR4X-750W-2NDPS-AU	PSU, Second HS, 750W, w/ POWERCORD Australia	537.95
NVR4X-750W-2NDPS-EU	PSU, Second HS, 750W, w/ POWERCORD EU	537.95
NVR4X-750W-2NDPS-NA	PSU, Second HS, 750W, w/ POWERCORD NA	537.95
NVR4X-750W-2NDPS-UK	PSU, Second HS, 750W, w/ POWERCORD UK	537.95
NVR4X-PRM-2NDCPU	2nd CPU for NVR4X PRM -- includes 2x memory modules	3,470.65
NVR4X-SFPPLUS-SR	SFP+ 10GBASE-SR Optical Transceiver (single) for NVR4X	341.28
NVR4X-STD-10GBE	Low Profile Network Card, DP 10G-SFP+, NVR4X STD	763.54
NVR5-10GBASET-A1	KIT,X710,10G-BT LP,QP,NVR5STD/PRM	2,192.61
NVR5-10GBASET-A2	KIT,X710,10G-BT FH,QP,NVR5PRM192/224TB	2,192.61
NVR5-10GBASET-B	KIT,10G-BaseT Low Profile,Dual Port,NVR5 PRM 252TB+	1,193.56
NVR5-AVA-SAN-CONNECT-A	Kit,NVR5 AVA SAN Con,STD/PRM 16-224 TB ex CPU	1,900.62
NVR5-AVA-SAN-CONNECT-B	KIT,NVR5 AVA SAN Connectivity,PRM 252TB+	2,661.66
NVR5-HDD-HOT-4TB	HDD,4TB,Ext,Caddy,NVR5 STD16/24TB	1,064.34
NVR5-HDD-HOT-8TB	HDD,8TB,Ext,Caddy,NVR5 STD32-64TB	1,764.82
NVR5-HDDS-HOT-12TB	HDD,12TB,Ext,Caddy,NVR5 PRM 96TB	2,465.30
NVR5-HDDS-HOT-16TB-A1	HDD,16TB,Ext,Caddy,NVR5 PRM 128/160TB	5,006.91
NVR5-HDDS-HOT-16TB-A2	HDD,16TB,Ext,Caddy,NVR5 PRM 192/224TB	5,006.91
NVR5-HDDS-HOT-18TB	HDD,18TB,Ext,Caddy,NVR5 PRM 252TB+	5,144.18
NVR5-HDDS-INT-16TB	HDD,16TB,Int,NVR5 PRM 192/224TB	3,294.00
NVR5-PRM-2NDCPU	KIT, 2nd CPU, 6x8GB, NVR5 PRM 192/224TB	7,683.74
NVR5-PSU-1000W-AU	Redundant, hot-swappable 1000W power supply for NVR5 PRM 252TB+, AU	1,459.62
NVR5-PSU-1000W-EU	Redundant, hot-swappable 1000W power supply for NVR5 PRM 252TB+, EU	1,459.62
NVR5-PSU-1000W-NA	Redundant, hot-swappable 1000W power supply for NVR5 PRM 252TB+, NA	1,459.62
NVR5-PSU-1000W-UK	Redundant, hot-swappable 1000W power supply for NVR5 PRM 252TB+, UK	1,459.62
NVR5-PSU-1100W-A1-AU	PSU, 1100W, NVR5 PRM 96-160TB, AU	857.01
NVR5-PSU-1100W-A1-EU	PSU, 1100W, NVR5 PRM 96-160TB, EU	857.01
NVR5-PSU-1100W-A1-NA	PSU, 1100W, NVR5 PRM 96-160TB, NA	857.01
NVR5-PSU-1100W-A1-UK	PSU, 1100W, NVR5 PRM 96-160TB, UK	857.01
NVR5-PSU-1100W-A2-AU	PSU, 1100W, NVR5 PRM 192/224TB, AU	857.01
NVR5-PSU-1100W-A2-EU	PSU, 1100W, NVR5 PRM 192/224TB, EU	857.01
NVR5-PSU-1100W-A2-NA	PSU, 1100W, NVR5 PRM 192/224TB, NA	857.01
NVR5-PSU-1100W-A2-UK	PSU, 1100W, NVR5 PRM 192/224TB, UK	857.01
NVR5-PSU-800W-AU	PSU, 800W, NVR5 STD, AU	393.26
NVR5-PSU-800W-EU	PSU, 800W, NVR5 STD, EU	393.26
NVR5-PSU-800W-NA	PSU, 800W, NVR5 STD, NA	393.26

All prices are exclusive of taxes and freight. Avigilon reserves the right to make changes to pricing and discount margins. All installation and use of Avigilon software is governed by its end user license agreement (EULA). Contact Avigilon or visit www.avigilon.com to get a copy of the EULA.

CONFIDENTIAL : The Contents of this document are considered confidential and should not be posted on a public access website, made available for general public distribution, or otherwise shared with others without prior written authorization from Avigilon Corporation.

NVR5-PSU-800W-UK	PSU, 800W, NVR5 STD, UK	393.26
NVR5-RAM-16GB-A	KIT, 2x8GB, NVR5 STD,PRM	1,590.00
NVR5-RAM-16GB-B	KIT, 2x8GB RAM, NVR5 PRM 252TB+	827.86
NVR5-SFPPLUS-DA	KIT,10G SFP+ SR DA,NVR5 STD/PRM	240.20
NVR5-SFPPLUS-LR-A	KIT,10G SFP+ LR Tsc,NVR5 STD/PRM	1,927.88
NVR5-SFPPLUS-LR-B	KIT,10G SFP+ LR Transceivers, NVR5 PRM 252TB+	1,869.84
NVR5-SFPPLUS-SR-A	KIT,10G SFP+ SR Tsc,NVR5 STD/PRM	380.01
NVR5-SFPPLUS-SR-B	KIT,10G SFP+ SR Transceivers, NVR5 PRM 252TB+	897.82
NVR5-STD-10GBE	KIT,X710,10G-SFP+ OCP,DP,NVR5 STD	763.54
NVR5-STD-2NDCPU	KIT, 2nd CPU, 2x8GB, NVR5 STD	3,258.39
PRO-ACC-ONSITE-TRN		162.02
PS-180W-ENVR1-8P	Power Supply for ES 8-Port Appliance, 180W	156.06
PS-220W-RPA-RGD-8P-AU	Power Supply for ES 8-Port Rugged Appliance with an Australian power cord, 220W	342.21
PS-220W-RPA-RGD-8P-EU	Power Supply for ES 8-Port Rugged Appliance with an European power cord, 220W	342.21
PS-220W-RPA-RGD-8P-NA	Power Supply for ES 8-Port Rugged Appliance with an North American power cord, 220W	342.21
PS-220W-RPA-RGD-8P-UK	Power Supply for ES 8-Port Rugged Appliance with an United Kingdom power cord, 220W	342.21
PS-270W-AS3-8P	Power Supply for HDVA3 8-Port, 270W	271.40
PS-920W-AS3-16/24P	Power Supply for HDVA3 16/24-Port, 920W	489.71
PS-ENVR2-8P	Replacement power adapter without the power cord	255.00
RAILS-B-AS3-16/24P	Mounting Rails for HDVA3 16/24-Port	76.70
RMS1U-A-ENVR1-8P	1U Rack Mount Shelf for up to two ES 8-Port Appliance	374.07
RMS1U-B-AS3-8P	1U Rack mount shelf for HDVA3 8-port. Adjustable to fit 641mm to 910mm rack depth.	159.30
RMS1U-ENVR2-8P	Rack mount installation kit	374.00
SSD-2TB-RPA-RGD	2TB Solid State Drive for VMA-RPA-RGD-8P2	1,309.10
SSD-4TB-RPA-RGD	4TB Solid State Drive for VMA-RPA-RGD-8P4	2,756.00
VMA-AIA-2NDPS-NA	2nd Power Supply for AI Appliance with an North American power cord	548.72
VMA-AIA-2NDPS-UK	2nd Power Supply for AI Appliance with an United Kingdom power cord	548.72
VMA-AIA2-2NDPS-AU	Secondary Power Supply for AI Appliance 2, AU	537.61
VMA-AIA2-2NDPS-EU	Secondary Power Supply for AI Appliance 2, EU	537.61
VMA-AIA2-2NDPS-NA	Secondary Power Supply for AI Appliance 2, NA	537.61
VMA-AIA2-2NDPS-UK	Secondary Power Supply for AI Appliance 2, UK	537.61
VMA-AIA2-WARR-EXTEND-2YR	2 Year Warranty Extension for AI Appliance 2	1,156.88
VMA-AS1-W10UPG	Windows 10 (LTSB 1607) upgrade kit for AS1 models	335.98
VMA-AS3-ANK	Analytics Kit for Appearance Search and Face Recognition, HDVA3 16/24-port	1,156.42
VMA-AS3-HDD02	HDVA3 2TB Hard Drive for VMA-AS3-8P2, VMA-AS3-16P06	200.61
VMA-AS3-HDD03	HDVA3 3TB Hard Drive for VMA-AS3-16P09	241.90
VMA-AS3-HDD04	HDVA3 4TB Hard Drive for VMA-AS3-8P4, VMA-AS3-16P12	318.60
VMA-AS3-HDD06	HDVA3 6TB Hard Drive for VMA-AS3-24P18	454.31
VMA-AS3-HDD08	HDVA3 8TB Hard Drive for VMA-AS3-8P8, VMA-AS3-24P24	584.11
VMA-RPX-4PPS-90	Power Supply for ES HD Recorder or ES Analytics Appliance, 90W	177.00
VMA-RPX-4PRMS1U	1U Rack Mount Shelf for ES HD Recorder or ES Analytics Appliance	283.21
WKS-RACK	4 Post Rack Shelf for three NVR4-WKS or RM5-WKS, 7U	474.32

All prices are exclusive of taxes and freight. Avigilon reserves the right to make changes to pricing and discount margins. All installation and use of Avigilon software is governed by its end user license agreement (EULA). Contact Avigilon or visit www.avigilon.com to get a copy of the EULA.

CONFIDENTIAL : The Contents of this document are considered confidential and should not be posted on a public access website, made available for general public distribution, or otherwise shared with others without prior written authorization from Avigilon Corporation.

Body-Worn Cameras

Body-Worn Camera Accessories

MODEL NUMBER	DESCRIPTION	MSRP \$
AC-LANYARD-05	Lanyard for Body-worn cameras	6.00
AC-USB-DOCK-050	USB Cable for Body-worn cameras	26.00
AC-USB-DOCK-200	USB Cable for Body-worn cameras	26.00
AC-USB-MICROB-100	USB Cable for Body-worn cameras	30.60
DC-200-12MW	12 Month Warranty for DC-200	132.60
DC-200/AUS	DockController DC-200, PSU, AUS power & LAN cable. Available only for EU, EFTA, US, Australia, New Zealand and Canada. For use with	735.00
DC-200/EU	DockController (EU)	735.00
DC-200/ROW	DockController (ROW)	735.00
DC-200/US	DockController DC-200, PSU, US power & LAN cable. Available only for EU, EFTA, US, Australia, New Zealand and Canada. For use with body worn cameras.	735.00
KF-DOCK05BVELCRO	Klick Fast Belt Loop	18.90
KF-DOCKBUTTONF	Klick Fast Button Dock Female	15.75
KF-DOCKBUTTONM	Klick Fast Button Dock Male	15.75
KF-DOCKCLAMP	Klick Fast Dock Clamp (pocket klik fast dock). For use with body worn cameras.	31.00
KF-DOCKCROCCLAT	Klick Fast Crocodile clip with Anti-Tilt Attachment	22.05
KF-DOCKCROCCCLIP	Klick Fast crocodile clip	18.90
KF-DOCKEP	Klick Fast Dock Epaulette (epaulette klikfast dock)	26.00
KF-DOCKRUCKSACK	Klick Fast Rucksack Dock	15.75
KF-HARN3	Klick Fast 3-point chest harness	62.00
KF-HARN4	Klick Fast 4-point chest harness	62.00
KF-HARN5	Klick Fast shoulder harness. For use with body worn cameras.	62.00
KF-LOOP	Klick Fast radio loop dock. For use with body worn cameras.	21.00
KF-MAGMOUNT2	Klick Fast Magnetic Mounting Set (w/Magnets)	68.05
KF-MOLLEVEST	Klick Fast Dock for MOLLE vests. For use with body worn cameras.	21.00
KF-SCREW	Klick Fast uniform screw-on dock. For use with body worn cameras.	21.00
RF-220	RFID RF-220 reader & base (MIFARE, MULTI-ISO, and LF). For use with body worn cameras.	740.00
RF-CARD-10	10x RFID plastic cards. For use with body worn cameras.	21.00
RF-STICKER-10	10x RFID sticker-style tags. For use with body worn cameras.	11.00
VB-400-DOCK-SOLO	VB400 1-Port Dock	86.70
VB-400-DOCK14/AUS	VB400 14-Port Dock with AUS power cable	816.00
VB-400-DOCK14/EU	VB400 14-Port Dock with EU power cable	816.00
VB-400-DOCK14/US	VB400 14-Port Dock with US power cable	816.00
VB-400-QR-KFSTUD	Klick Fast Quick Release Stud for VB-440-64-QR-N	26.00
VB-400-QR-KFTILT	VB-400 Tilting KlickFast for QR base	36.00
VB-400-QR-KFTILT2	Klick Fast Quick Release Wide Tilt Mount for VB-440-64-QR-N	62.00
VB-400-QR-SPORT	VB-400 Sports Camera fitting for QR base	26.00

All prices are exclusive of taxes and freight. Avigilon reserves the right to make changes to pricing and discount margins. All installation and use of Avigilon software is governed by its end user license agreement (EULA). Contact Avigilon or visit www.avigilon.com to get a copy of the EULA.

CONFIDENTIAL : The Contents of this document are considered confidential and should not be posted on a public access website, made available for general public distribution, or otherwise shared with others without prior written authorization from Avigilon Corporation.

VB-400-VF-MAG	Close-Fit Magnetic Mount for VB-440-64-VF-N	36.00
VB-400-VF-MOL2	Close-Fit Double MOLLE Mount for VB-440-64-VF-N	72.00

VT100

MODEL NUMBER	DESCRIPTION	MSRP \$
VM-EPL-VT-CONNECT-1	Licence: 1x VM Connect for VT100	193.80
VM-EPL-VT-CONNECT-TO-PLUS-1	Licence: 1x Upg. to VM Plus for VT100	40.80
VM-EPL-VT-PLUS-1	Licence: 1x VM Plus for VT100	224.40
VM-ESA-VT-12M-1	SW Assurance: +12 mnths for 1x VM-EPL-VT	61.20
VM-ESA-VT-24M-1	Software Assurance: +24 Months for 1x VM-EPL-VT license	71.40
VT-100-12MW-N	Warranty: +12 mnths for 1x VT100	132.60
VT-100-24MW-N	Warranty: +24 months warranty for VT100	219.30
VT-100-DOCK14-12MW	Warranty: +12 mnths for VT-100-DOCK14	132.60
VT-100-DOCK14-24MW	Warranty: +24 Months warranty for VT-100-DOCK14	219.30
VT-100-DOCK14/AUS	VT100 series 14-port USB dock, PSU, AUS cable. Available only for EU, EFTA, US, Australia, New Zealand and Canada.	816.00
VT-100-DOCK14/EU	VT100 series 14-port USB dock, PSU, EU cable. Available only for EU, EFTA, US, Australia, New Zealand and Canada.	816.00
VT-100-DOCK14/ROW	VT100 series 14-port USB dock, PSU, no cable. Available only for EU, EFTA, US, Australia, New Zealand and Canada.	816.00
VT-100-DOCK14/UK	VT100 series 14-port USB dock, PSU, UK cable. Available only for EU, EFTA, US, Australia, New Zealand and Canada.	816.00
VT-100-DOCK14/US	VT100 series 14-port USB dock, PSU, US cable. Available only for EU, EFTA, US, Australia, New Zealand and Canada.	816.00
VT-100-DOCK7/UK	VT100 series 7-port USB dock, PSU, UK cable. Available only for EU, EFTA, US, Australia, New Zealand and Canada.	578.44
VT-100-FIX-ALIG	VT100 series rotatable long Videoigator clip	20.40
VT-100-FIX-EP	VT100 series epaulette mount	25.50
VT-100-FIX-KF-ALT	VT100 series Klick Fast stud	20.40
VT-100-FIX-SPORT	VT-100 series sports camera pillar	25.50
VT-100-ID-CUS-1000	1000 Custom front panel ID-card for the VT-100 camera	2,346.00
VT-100-ID-CUS-250	250 Custom front panel ID-card for the VT100 camera	1,821.00
VT-100-ID-CUS-5000	5000 Custom front panel ID-card for the VT-100 camera	8,757.00
VT-100-ID-CUS-ART	Artwork creation for custom VT100 front panel ID-card	443.70
VT-100-N	Body-worn VT100 camera. Available only for EFTA, US, Australia, New Zealand and Canada.	377.40
VT-100-SOLO	VT100 one-port USB dock, USB cable. Available only for EU, EFTA, US and Canada.	86.70
VT-100-SOLO-12MW	Warranty: +12 Months warranty for VT-100-SOLO	35.70
VT-100-SOLO-24MW	Warranty: +24 Months warranty for VT-100-SOLO	61.20

Accessories

MODEL NUMBER	DESCRIPTION	MSRP \$
DC-200-24MW	Warranty: +24 months warranty for DC-200	219.30
RF-220-12MW	Warranty: +12 Months warranty for RF-220	132.60
RF-220-24MW	Warranty: +24 Months warranty for RF-220	219.30

All prices are exclusive of taxes and freight. Avigilon reserves the right to make changes to pricing and discount margins. All installation and use of Avigilon software is governed by its end user license agreement (EULA). Contact Avigilon or visit www.avigilon.com to get a copy of the EULA.

CONFIDENTIAL : The Contents of this document are considered confidential and should not be posted on a public access website, made available for general public distribution, or otherwise shared with others without prior written authorization from Avigilon Corporation.

VB400

MODEL NUMBER	DESCRIPTION	MSRP \$
VB-400-12MW-N	12 Month Additional Warranty for VB-400 Body-worn camera	147.90
VB-400-24MW-N	24 Month Additional Warranty for VB-400 Body-worn camera	255.00
VB-400-DOCK14-12MW	12 Month Additional Warranty for VB400-DOCK14	132.60
VB-400-DOCK14-24MW	24 Month Additional Warranty for VB-400-DOCK14	255.00
VB-400-DOCK14/ROW	VB400 14-Port Dock with no power cable	816.00
VB-400-DOCK14/UK	VB400 14-Port Dock with UK power cable	816.00
VB-400-EXT-CHARGE	USB Type-A to VB400 cable including VB400 adaptor	71.00
VB-400-ID-CUS-250	Custom VB400 Front-button Stickers (250)	678.30
VB-400-ID-CUS-ART	Custom VB400 Front button Sticker Design	413.10
VB-400-SOLO-12MW	12 Month Additional Warranty for VB-400-DOCK-SOLO	35.70
VB-400-SOLO-24MW	Warranty: +24 Months warranty for VB-400-SOLO	61.20
VB-440-64-ALIG	VB400 Alligator clip Body-worn camera	607.00
VB-440-64-KF-N	VB400 Klick Fast Stud Body-worn camera	606.90
VB-440-64-QR-N	VB400 Body-worn camera with QuickRelease Mount	607.00
VB-440-64-VF-N	VB400 Close Fit Body-worn camera	607.00

Software

MODEL NUMBER	DESCRIPTION	MSRP \$
VM-EPL-3PVMS	3rd party VMS support for VideoManager	5,964.00
VM-EPL-HQ-BASE	VideoManager for Head-quarters - Base	4,326.97
VM-EPL-STORE-1TB	VideoManager object storage access license, 1TB	884.68
VM-EPL-VB-CONNECT-1	License: 1x VideoManager CONNECT license for VB400 body-worn camera	316.20
VM-EPL-VB-CONNECT-TO-PLUS-1	License: 1x VideoManager UPGRADE license for VB400 body-worn camera	122.40
VM-EPL-VB-PLUS-1	License: 1x VideoManager PLUS license for VB400 body-worn camera	402.90
VM-ESA-3PVMS-12M	12 m for VideoManager 3rd-party VMS	1,378.05
VM-ESA-3PVMS-24M	24 m for VideoManager 3rd-party VMS	2,427.19
VM-ESA-HQ-BASE-12M	12 m for VideoManager HQ Base	884.68
VM-ESA-HQ-BASE-24M	24 m for VideoManager HQ Base	1,548.18
VM-ESA-STORE1TB12M	12 m for VideoManager ObjectStorage 1Tb	209.83
VM-ESA-VB-12M-1	12 Month Additional S/W Assurance for VideoManager (VB400)	86.70
VM-ESA-VB-24M-1	Software Assurance: +24 Months for 1x VM-EPL-VB license	147.90

All prices are exclusive of taxes and freight. Avigilon reserves the right to make changes to pricing and discount margins. All installation and use of Avigilon software is governed by its end user license agreement (EULA). Contact Avigilon or visit www.avigilon.com to get a copy of the EULA.

CONFIDENTIAL : The Contents of this document are considered confidential and should not be posted on a public access website, made available for general public distribution, or otherwise shared with others without prior written authorization from Avigilon Corporation.

Camera

Box

MODEL NUMBER	DESCRIPTION	MSRP \$
1.0C-H4A-B2-B	1.0 Megapixel (720p) WDR, LightCatcher, Day/Night, 3-9mm f/1.3 P-iris lens, Self-Learning Video Analytics	826.02
2.0C-H5A-B1	2.0 MP (1080p) WDR, LightCatcher, Day/Night, 4.7-84.6mm f/1.6 lens, Next-Generation Analytics	997.12
2.0C-H5A-B2	2.0 MP (1080p) WDR, LightCatcher, Day/Night, 3.3-9mm f/1.3 P-iris lens, Next-Generation Analytics	944.01
3.0C-H4A-B2-B	3.0 Megapixel WDR, LightCatcher, Day/Night, 3-9mm f/1.3 P-iris lens, Self-Learning Video Analytics	985.31
3.0C-H4A-B3	3.0 Megapixel WDR, LightCatcher, Day/Night, 9-22mm f/1.6 P-iris lens, Self-Learning Video Analytics	1,032.51
4.0C-H5A-B2	4.0 MP WDR, LightCatcher, Day/Night, 3.3-9mm f/1.3 lens, Next-Generation Analytics	1,111.58
4.0C-H5A-B3	4.0 MP WDR, LightCatcher, Day/Night, 9-22mm f/1.6 lens, Next-Generation Analytics	1,158.78
6.0C-H5A-B2	6.0 MP WDR, LightCatcher, Day/Night, 4.9-8mm f/1.8 lens, Next-Generation Analytics	1,280.67
8.0C-H5A-B2	8.0 MP (4K) WDR, LightCatcher, Day/Night, 4.9-8mm f/1.8 lens, Next-Generation Analytics	1,534.03

Bullet

MODEL NUMBER	DESCRIPTION	MSRP \$
1.0C-H4A-BO2-IR-B	1.0 Megapixel (720p) WDR, LightCatcher, 9-22mm f/1.6 P-iris lens, Integrated IR, Self-Learning Video Analytics	1,109.23
1.3C-H5SL-BO1-IR	1.3 MP, WDR, LightCatcher, Day/Night, Indoor/Outdoor Bullet Camera, 3.1-8.4mm f/1.6, Integrated IR	554.61
2.0C-H4A-BO2-IR-B	2.0 Megapixel (1080p) WDR, LightCatcher, 9-22mm f/1.6 P-iris lens, Integrated IR, Self-Learning Video Analytics	1,227.46
2.0C-H5A-BO1-IR	2.0 MP (1080p) WDR, LightCatcher, 3.3-9mm f/1.3 P-iris lens, Integrated IR, Next-Generation Analytics	1,180.02
2.0C-H5A-BO2-IR	2.0 MP (1080p) WDR, LightCatcher, 9-22mm f/1.6 P-iris lens, Integrated IR, Next-Generation Analytics	1,227.46
2.0C-H5SL-BO1-IR	2.0 MP, WDR, LightCatcher, Day/Night, Indoor/Outdoor Bullet Camera, 3.1-8.4mm f/1.6, Integrated IR	613.61
3.0C-H5SL-BO1-IR	3.0 MP, WDR, LightCatcher, Day/Night, Indoor/Outdoor Bullet Camera, 3.1-8.4mm f/1.6, Integrated IR	672.61
3.0C-H5SL-BO2-IR	3.0 MP, WDR, LightCatcher, Day/Night, Indoor/Outdoor Bullet Camera, 9.5-31mm f/1.4, Integrated IR	731.61
4.0C-H5A-BO1-IR	4.0 MP WDR, LightCatcher, 3.3-9mm f/1.3 P-iris lens, Integrated IR, Next-Generation Analytics	1,347.77
4.0C-H5A-BO2-IR	4.0 MP WDR, LightCatcher, 9-22mm f/1.6 P-iris lens, Integrated IR, Next-Generation Analytics	1,395.20
5.0C-H5A-BO2-IR	5.0 MP WDR, LightCatcher, 9-22mm f/1.6 P-iris lens, Integrated IR, Next-Generation Analytics	1,469.24
5.0C-H5SL-BO1-IR	5.0 MP, WDR, LightCatcher, Day/Night, Indoor/Outdoor Bullet Camera, 3.1-8.4mm f/1.6, Integrated IR	790.61
5.0C-H5SL-BO2-IR	5.0 MP, WDR, LightCatcher, Day/Night, Indoor/Outdoor Bullet Camera, 9.5-31mm f/1.4, Integrated IR	849.62

All prices are exclusive of taxes and freight. Avigilon reserves the right to make changes to pricing and discount margins. All installation and use of Avigilon software is governed by its end user license agreement (EULA). Contact Avigilon or visit www.avigilon.com to get a copy of the EULA.

CONFIDENTIAL : The Contents of this document are considered confidential and should not be posted on a public access website, made available for general public distribution, or otherwise shared with others without prior written authorization from Avigilon Corporation.

6.0C-H5A-BO1-IR	6.0 MP WDR, LightCatcher, 4.9-8mm f/1.8 P-iris lens, Integrated IR, Next-Generation Analytics	1,516.68
8.0C-H5A-BO1-IR	8.0 MP (4K) WDR, LightCatcher, 4.9-8mm f/1.8 P-iris lens, Integrated IR, Next-Generation Analytics	1,770.03

Dome

MODEL NUMBER	DESCRIPTION	MSRP \$
1.0C-H4A-DO1-IR-B	1.0 Megapixel (720p) WDR, LightCatcher, Day/Night, Outdoor Dome, 3-9mm f/1.3 P-iris lens, Integrated IR, Self-Learning Video Analytics	1,062.02
1.3C-H5SL-D1	1.3 MP, WDR, LightCatcher, Day/Night, Indoor Dome, 3-9mm f/1.4	424.81
1.3C-H5SL-D1-IR	1.3 MP, WDR, LightCatcher, Day/Night, Indoor Dome, 3-9mm f/1.4, Integrated IR	466.11
1.3C-H5SL-DO1-IR	1.3 MP, WDR, LightCatcher, Day/Night, Outdoor Dome, 3.1-8.4mm f/1.6, Integrated IR	554.61
2.0C-H4A-D2-B	2.0 Megapixel (1080p) WDR, LightCatcher, Day/Night, Indoor Dome, 9-22mm f/1.6 P-iris lens, Self-Learning Video Analytics	991.23
2.0C-H4A-DO2-B	2.0 Megapixel (1080p) WDR, LightCatcher, Day/Night, Outdoor Dome, 9-22mm f/1.6 P-iris lens, Self-Learning Video Analytics	1,168.23
2.0C-H4A-DP2-B	2.0 Megapixel H4 HD Dome Cameras with Self-Learning Video Analytics	1,097.42
2.0C-H5A-D1	2.0 MP (1080p) WDR, LightCatcher, Day/Night, Indoor Dome, 3.3-9mm f/1.3 P-iris lens, Next-Generation Analytics	944.01
2.0C-H5A-D1-IR	2.0 MP (1080p) WDR, LightCatcher, Day/Night, Indoor Dome, 3.3-9mm f/1.3 P-iris lens, Integrated IR, Next-Generation Analytics	1,003.01
2.0C-H5A-D2	2.0 MP (1080p) WDR, LightCatcher, Day/Night, Indoor Dome, 9-22mm f/1.6 P-iris lens, Next-Generation Analytics	991.23
2.0C-H5A-DC1	2.0 MP (1080p) WDR, LightCatcher, Day/Night, In-Ceiling Dome, 3.3-9mm f/1.3 P-iris lens, Next-Generation Analytics	1,003.01
2.0C-H5A-DC1-IR	2.0 MP (1080p) WDR, LightCatcher, Day/Night, In-Ceiling Dome, 3.3-9mm f/1.3 P-iris lens, Integrated IR, Next-Generation Analytics	1,062.02
2.0C-H5A-DC2	2.0 MP (1080p) WDR, LightCatcher, Day/Night, In-Ceiling Dome, 9-22mm f/1.6 P-iris lens, Next-Generation Analytics	1,050.23
2.0C-H5A-DO1	2.0 MP (1080p) WDR, LightCatcher, Day/Night, Outdoor Dome, 3.3-9mm f/1.3 P-iris lens, Next-Generation Analytics	1,121.02
2.0C-H5A-DO1-IR	2.0 MP (1080p) WDR, LightCatcher, Day/Night, Outdoor Dome, 3.3-9mm f/1.3 P-iris lens, Integrated IR, Next-Generation Analytics	1,180.02
2.0C-H5A-DO2	2.0 MP (1080p) WDR, LightCatcher, Day/Night, Outdoor Dome, 9-22mm f/1.6 P-iris lens, Next-Generation Analytics	1,168.23
2.0C-H5A-DP1	2.0 MP (1080p) WDR, LightCatcher, Day/Night, Pendant Dome, 3.3-9mm f/1.3 P-iris lens, Next-Generation Analytics. Must use with a H4A-MT-Wall1 or H4A-MT-NPTA1.	1,050.23
2.0C-H5A-DP1-IR	2.0 MP (1080p) WDR, LightCatcher, Day/Night, Pendant Dome, 3.3-9mm f/1.3 P-iris lens, Integrated IR, Next-Generation Analytics. Must use with a H4A-MT-Wall1 or H4A-MT-NPTA1.	1,109.23
2.0C-H5A-DP2	2.0 MP (1080p) WDR, LightCatcher, Day/Night, Pendant Dome, 9-22mm f/1.6 P-iris lens, Next-Generation Analytics. Must use with a H4A-MT-Wall1 or H4A-MT-NPTA1.	1,097.42
2.0C-H5M-DO1-IR	2.0 MP WDR, LightCatcher, Day/Night, Outdoor Dome, 2.8mm f/1.2, IR	472.00
2.0C-H5SL-D1	2.0 MP, WDR, LightCatcher, Day/Night, Indoor Dome, 3-9mm f/1.4	483.81
2.0C-H5SL-D1-IR	2.0 MP, WDR, LightCatcher, Day/Night, Indoor Dome, 3-9mm f/1.4, Integrated IR	525.11
2.0C-H5SL-DO1-IR	2.0 MP, WDR, LightCatcher, Day/Night, Outdoor Dome, 3.1-8.4mm f/1.6, Integrated IR	613.61
2.0C-H6M-D1	2.0 MP, H6 Mini Dome Camera, WDR, LightCatcher, Day/Night, 2.9mm f/2.0	400.68
2.0C-H6M-D1-IR	2.0 MP, H6 Mini Dome Camera, WDR, LightCatcher, Day/Night, 2.9mm f/2.0, IR	441.00
3.0C-H4A-DC2-B	3.0 Megapixel WDR, LightCatcher, Day/Night, In-Ceiling Dome, 9-22mm f/1.6 P-iris lens, Self-Learning Video Analytics	1,070.12

All prices are exclusive of taxes and freight. Avigilon reserves the right to make changes to pricing and discount margins. All installation and use of Avigilon software is governed by its end user license agreement (EULA). Contact Avigilon or visit www.avigilon.com to get a copy of the EULA.

CONFIDENTIAL : The Contents of this document are considered confidential and should not be posted on a public access website, made available for general public distribution, or otherwise shared with others without prior written authorization from Avigilon Corporation.

3.0C-H4A-DO2-B	3.0 Megapixel WDR, LightCatcher, Day/Night, Outdoor Dome, 9-22mm f/1.6 P-iris lens, Self-Learning Video Analytics	1,185.81
3.0C-H5A-CR1-IR	H5A, Corner, CRS, 3.0 MP WDR, 3-9mm,IR	1,416.02
3.0C-H5A-CR1-IR-SS	H5A, Corner, SS, 3.0 MP WDR, 3-9mm, IR	1,711.03
3.0C-H5A-CR2-IR	Avigilon H5A Corner Camera, 2.3mm Fixed Lens, 3 MP, White Steel	1,272.00
3.0C-H5A-CR2-IR-SS	Avigilon H5A Corner Camera, 2.3mm Fixed Lens, 3 MP, Stainless Steel	1,537.00
3.0C-H5SL-D1	3.0 MP, WDR, LightCatcher, Day/Night, Indoor Dome, 3-9mm f/1.4	542.80
3.0C-H5SL-D1-IR	3.0 MP, WDR, LightCatcher, Day/Night, Indoor Dome, 3-9mm f/1.4, Integrated IR	584.11
3.0C-H5SL-DO1-IR	3.0 MP, WDR, LightCatcher, Day/Night, Outdoor Dome, 3.1-8.4mm f/1.6, Integrated IR	672.61
3.0C-H6M-D1	3.0 MP, H6 Mini Dome Camera, WDR, LightCatcher, Day/Night, 2.9mm f/2.0	460.04
3.0C-H6M-D1-IR	3.0 MP, H6 Mini Dome Camera, WDR, LightCatcher, Day/Night, 2.9mm f/2.0, IR	500.32
3.0C-H6M-D2-IR	3.0 MP, H6 Mini Dome Camera, WDR, LightCatcher, Day/Night, 2.4mm f/2.1, IR	515.16
4.0C-H5A-D1	4.0 MP WDR, LightCatcher, Day/Night, Indoor Dome, 3.3-9mm f/1.3 P-iris lens, Next-Generation Analytics	1,111.58
4.0C-H5A-D1-IR	4.0 MP WDR, LightCatcher, Day/Night, Indoor Dome, 3.3-9mm f/1.3 P-iris lens, Integrated IR, Next-Generation Analytics	1,170.59
4.0C-H5A-D2	4.0 MP WDR, LightCatcher, Day/Night, Indoor Dome, 9-22mm f/1.6 P-iris lens, Next-Generation Analytics	1,158.78
4.0C-H5A-DC1	4.0 MP WDR, LightCatcher, Day/Night, In-Ceiling Dome, 3.3-9mm f/1.3 P-iris lens, Next-Generation Analytics	1,170.59
4.0C-H5A-DC1-IR	4.0 MP WDR, LightCatcher, Day/Night, In-Ceiling Dome, 3.3-9mm f/1.3 P-iris lens, Integrated IR, Next-Generation Analytics	1,229.77
4.0C-H5A-DC2	4.0 MP WDR, LightCatcher, Day/Night, In-Ceiling Dome, 9-22mm f/1.6 P-iris lens, Next-Generation Analytics	1,218.19
4.0C-H5A-DO1	4.0 MP WDR, LightCatcher, Day/Night, Outdoor Dome, 3.3-9mm f/1.3 P-iris lens, Next-Generation Analytics	1,288.77
4.0C-H5A-DO1-IR	4.0 MP WDR, LightCatcher, Day/Night, Outdoor Dome, 3.3-9mm f/1.3 P-iris lens, Integrated IR, Next-Generation Analytics	1,347.77
4.0C-H5A-DO2	4.0 MP WDR, LightCatcher, Day/Night, Outdoor Dome, 9-22mm f/1.6 P-iris lens, Next-Generation Analytics	1,336.20
4.0C-H5A-DP1	4.0 MP WDR, LightCatcher, Day/Night, Pendant Dome, 3.3-9mm f/1.3 P-iris lens, Next-Generation Analytics. Must use with a H4A-MT-Wall1 or H4A-MT-NPTA1.	1,218.19
4.0C-H5A-DP1-IR	4.0 MP WDR, LightCatcher, Day/Night, Pendant Dome, 3.3-9mm f/1.3 P-iris lens, Integrated IR, Next-Generation Analytics. Must use with a H4A-MT-Wall1 or H4A-MT-NPTA1.	1,277.20
4.0C-H5A-DP2	4.0 MP WDR, LightCatcher, Day/Night, Pendant Dome, 9-22mm f/1.6 P-iris lens, Next-Generation Analytics. Must use with a H4A-MT-Wall1 or H4A-MT-NPTA1.	1,265.63
5.0C-H5A-CR1-IR	H5A, Corner, CRS, 5.0 MP WDR, 3-9mm,IR	1,888.03
5.0C-H5A-CR1-IR-SS	H5A, Corner, SS, 5.0 MP WDR, 3-9mm, IR	2,183.04
5.0C-H5A-CR2-IR	Avigilon H5A Corner Camera, 2.3mm Fixed Lens, 5 MP, White Steel	1,696.00
5.0C-H5A-CR2-IR-SS	Avigilon H5A Corner Camera, 2.3mm Fixed Lens, 5 MP, Stainless Steel	1,961.00
5.0C-H5A-DO2	5.0 MP WDR, LightCatcher, Day/Night, Outdoor Dome, 9-22mm f/1.6 P-iris lens, Next-Generation Analytics	1,410.25
5.0C-H5A-DP2	5.0 MP WDR, LightCatcher, Day/Night, Pendant Dome, 9-22mm f/1.6 P-iris lens, Next-Generation Analytics. Must use with a H4A-MT-Wall1 or H4A-MT-NPTA1.	1,339.67
5.0C-H5M-DO1-IR	5.0 MP WDR, LightCatcher, Day/Night, Outdoor Dome, 2.8mm f/1.2, IR	590.01
5.0C-H5SL-D1	5.0 MP, WDR, LightCatcher, Day/Night, Indoor Dome, 3.1-8.4mm f/1.6	660.80
5.0C-H5SL-D1-IR	5.0 MP, WDR, LightCatcher, Day/Night, Indoor Dome, 3.1-8.4mm f/1.6, Integrated IR	702.11
5.0C-H5SL-DO1-IR	5.0 MP, WDR, LightCatcher, Day/Night, Outdoor Dome, 3.1-8.4mm f/1.6, Integrated IR	790.61

All prices are exclusive of taxes and freight. Avigilon reserves the right to make changes to pricing and discount margins. All installation and use of Avigilon software is governed by its end user license agreement (EULA). Contact Avigilon or visit www.avigilon.com to get a copy of the EULA.

CONFIDENTIAL : The Contents of this document are considered confidential and should not be posted on a public access website, made available for general public distribution, or otherwise shared with others without prior written authorization from Avigilon Corporation.

5.0C-H6M-D1-IR	5.0 MP, H6 Mini Dome Camera, WDR, LightCatcher, Day/Night, 2.9mm f/2.0, IR	583.00
5.0C-H6M-D2-IR	5.0 MP, H6 Mini Dome Camera, WDR, LightCatcher, Day/Night, 2.4mm f/2.1, IR	597.84
5.0L-H4A-DC2-B	5.0 Megapixel, LightCatcher, Day/Night, In-Ceiling Dome, 9-22mm f/1.6 P-iris lens, Self-Learning Video Analytics	1,233.24
5.0L-H4A-DO2-B	5.0 Megapixel, LightCatcher, Day/Night, Outdoor Dome, 9-22mm f/1.6 P-iris lens, Self-Learning Video Analytics	1,351.25
5.0L-H4A-DP2-B	5.0 Megapixel, LightCatcher, Day/Night, Pendant Dome, 9-22mm f/1.6 P-iris lens, Self-Learning Video Analytics. Must use with a H4A-MT-Wall1 or H4A-MT-NPTA1.	1,280.67
6.0C-H5A-D1	6.0 MP WDR, LightCatcher, Day/Night, Indoor Dome, 4.9-8mm f/1.8 P-iris lens, Next-Generation Analytics	1,280.67
6.0C-H5A-D1-IR	6.0 MP WDR, LightCatcher, Day/Night, Indoor Dome, 4.9-8mm f/1.8 P-iris lens, Integrated IR, Next-Generation Analytics	1,339.67
6.0C-H5A-DC1	6.0 MP WDR, LightCatcher, Day/Night, In-Ceiling Dome, 4.9-8mm f/1.8 P-iris lens, Next-Generation Analytics	1,339.67
6.0C-H5A-DC1-IR	6.0 MP WDR, LightCatcher, Day/Night, In-Ceiling Dome, 4.9-8mm f/1.8 P-iris lens, Integrated IR, Next-Generation Analytics	1,398.67
6.0C-H5A-DO1	6.0 MP WDR, LightCatcher, Day/Night, Outdoor Dome, 4.9-8mm f/1.8 P-iris lens, Next-Generation Analytics	1,457.67
6.0C-H5A-DO1-IR	6.0 MP WDR, LightCatcher, Day/Night, Outdoor Dome, 4.9-8mm f/1.8 P-iris lens, Integrated IR, Next-Generation Analytics	1,516.68
6.0C-H5A-DP1	6.0 MP WDR, LightCatcher, Day/Night, Pendant Dome, 4.9-8mm f/1.8 P-iris lens, Next-Generation Analytics. Must use with a H4A-MT-Wall1 or H4A-MT-NPTA1.	1,387.11
6.0C-H5A-DP1-IR	6.0 MP WDR, LightCatcher, Day/Night, Pendant Dome, 4.9-8mm f/1.8 P-iris lens, Integrated IR, Next-Generation Analytics. Must use with a H4A-MT-Wall1 or H4A-MT-NPTA1.	1,446.11
8.0-H4A-D1-B	4K UHD (8.0 Megapixel), Day/Night, Indoor Dome, 4.3-8mm f/1.8 P-iris lens, Self-Learning Video Analytics	1,534.03
8.0-H4A-DC1-B	4K UHD (8.0 Megapixel), Day/Night, In-Ceiling Dome, 4.3-8mm f/1.8 P-iris lens, Self-Learning Video Analytics	1,593.03
8.0-H4A-DO1-B	4K UHD (8.0 Megapixel), Day/Night, Outdoor Dome, 4.3-8mm f/1.8 P-iris lens, Self-Learning Video Analytics	1,711.03
8.0-H4A-DO1-IR-B	4K UHD (8.0 Megapixel), Day/Night, Outdoor Dome, 4.3-8mm f/1.8 P-iris lens, Integrated IR, Self-Learning Video Analytics	1,770.03
8.0-H4A-DP1-B	4K UHD (8.0 Megapixel), Day/Night, Pendant Dome, 4.3-8mm f/1.8 P-iris lens, Self-Learning Video Analytics. Must use with a H4A-MT-Wall1 or H4A-MT-NPTA1.	1,640.47
8.0C-H5A-D1	8.0 MP (4K) WDR, LightCatcher, Day/Night, Indoor Dome, 4.9-8mm f/1.8 P-iris lens, Next-Generation Analytics	1,534.03
8.0C-H5A-D1-IR	8.0 MP (4K) WDR, LightCatcher, Day/Night, Indoor Dome, 4.9-8mm f/1.8 P-iris lens, Integrated IR, Next-Generation Analytics	1,593.03
8.0C-H5A-DC1	8.0 MP (4K) WDR, LightCatcher, Day/Night, In-Ceiling Dome, 4.9-8mm f/1.8 P-iris lens, Next-Generation Analytics	1,593.03
8.0C-H5A-DC1-IR	8.0 MP (4K) WDR, LightCatcher, Day/Night, In-Ceiling Dome, 4.9-8mm f/1.8 P-iris lens, Integrated IR, Next-Generation Analytics	1,652.03
8.0C-H5A-DO1	8.0 MP (4K) WDR, LightCatcher, Day/Night, Outdoor Dome, 4.9-8mm f/1.8 P-iris lens, Next-Generation Analytics	1,711.03
8.0C-H5A-DO1-IR	8.0 MP (4K) WDR, LightCatcher, Day/Night, Outdoor Dome, 4.9-8mm f/1.8 P-iris lens, Integrated IR, Next-Generation Analytics	1,770.03
8.0C-H5A-DP1	8.0 MP (4K) WDR, LightCatcher, Day/Night, Pendant Dome, 4.9-8mm f/1.8 P-iris lens, Next-Generation Analytics. Must use with a H4A-MT-Wall1 or H4A-MT-NPTA1.	1,640.47
8.0C-H5A-DP1-IR	8.0 MP (4K) WDR, LightCatcher, Day/Night, Pendant Dome, 4.9-8mm f/1.8 P-iris lens, Integrated IR, Next-Generation Analytics. Must use with a H4A-MT-Wall1 or H4A-MT-NPTA1.	1,699.47
CR-FFKIT-SS	H5A Corner Front Faceplate replacement Kit Stainless Steel	368.62
CR-FFKIT-WHT	H5A Corner Front Faceplate replacement Kit White Steel	294.89

All prices are exclusive of taxes and freight. Avigilon reserves the right to make changes to pricing and discount margins. All installation and use of Avigilon software is governed by its end user license agreement (EULA). Contact Avigilon or visit www.avigilon.com to get a copy of the EULA.

CONFIDENTIAL : The Contents of this document are considered confidential and should not be posted on a public access website, made available for general public distribution, or otherwise shared with others without prior written authorization from Avigilon Corporation.

HD LPR

MODEL NUMBER	DESCRIPTION	MSRP \$
3.0C-HD-LP-B1	H4 LPC Box camera, 3.0 MP, 4.7-84.6mm f/1.6 lens, with visible light blocker. Must be ordered in conjunction with ES-HD-IR-IP6 and ES-HD-LP-HS.	1,038.42
ES-HD-IR-IP6	IR illuminator, PoE+, Outdoor, included lens option for 60°, 35°, or 10° horizontal coverage. Included mounting adapter to ES-HD-LP-HS.	790.61
ES-HD-LP-HS	Standard format enclosure with heater, sunshield and PoE passthrough for a camera. PoE+ powers the camera enclosure and camera using one Ethernet connection.	767.02

Modular

MODEL NUMBER	DESCRIPTION	MSRP \$
3C-H5MOD-MB2	3MP, H5A Mod, WDR, 2.8mm Fixed Lens, f/2.0, Micro Bullet Imager Module	263.94
3C-H5MOD-RP4	3MP, H5A Mod, WDR, 3.7mm Fixed Pinhole Lens, f/2.5, Right Angle Imager Module	263.94
5C-H5MOD-MB2	5MP, H5A Mod, WDR, 2.8mm Fixed Lens, f/2.0, Micro Bullet Imager Module	369.94
H5A-MOD-2P	2 Port H5A Modular Main Unit, Next-Generation Analytics	556.50

Panoramic

MODEL NUMBER	DESCRIPTION	MSRP \$
10.0C-H5DH-DO1-IR	2x 5MP H5A Dual Head Camera. Outdoor camera with built-in IR	1,792.04
12.0W-H5A-FE-DC1	12.0 MP, Fisheye In-ceiling Camera, Day/Night, WDR, 1.6mm f/2.0, Next-Generation Analytics	1,307.28
12.0W-H5A-FE-DO1	12.0 MP, Fisheye Dome Camera, Day/Night, WDR, 1.6mm f/2.0, Next-Generation Analytics	1,272.57
12.0W-H5A-FE-DO1-IR	12.0 MP, Fisheye Dome Camera, Day/Night, WDR, 1.6mm f/2.0, Next-Generation Analytics, Integrated IR	1,330.42
12C-H4A-4MH-360	4x 3 MP, WDR, LightCatcher, 2.8mm, Camera Only	2,248.98
15C-H4A-3MH-180	3x 5 MP, WDR, LightCatcher, 4mm, Camera Only	2,124.04
15C-H4A-3MH-270	3x 5 MP, WDR, LightCatcher, 2.8mm, Camera Only	2,124.04
20C-H4A-4MH-360	4x 5 MP, WDR, LightCatcher, 2.8mm, Camera Only	2,478.05
24C-H4A-3MH-180	3x 8 MP, WDR, LightCatcher, 5.2mm, Camera Only	2,478.05
24C-H4A-3MH-270	3x 8 MP, WDR, LightCatcher, 4mm, Camera Only	2,478.05
3.0C-H4VI-RO1-IR	3.0 MP, H4 Video Intercom, WDR, LightCatcher, Day/Night, 1.83mm f/2.4, Integrated IR, Recessed Mount	1,357.02
32C-H4A-4MH-360	4x 8 MP, WDR, LightCatcher, 4mm, Camera Only	2,832.06
6.0C-H5DH-DO1-IR	2x 3MP H5A Dual Head Camera. Outdoor camera with built-in IR	1,560.66
8.0C-H5A-FE-DC1	8.0 MP, H5A Fisheye In-ceiling Camera, LightCatcher, Day/Night, WDR, 1.41mm f/2.0, Next-Generation Analytics	873.45
8.0C-H5A-FE-DO1	8.0 MP, H5A Fisheye Dome Camera, LightCatcher, Day/Night, WDR, 1.41mm f/2.0, Next-Generation Analytics	838.75
8.0C-H5A-FE-DO1-IR	8.0 MP, H5A Fisheye Dome Camera, LightCatcher, Day/Night, WDR, 1.41mm f/2.0, Next-Generation Analytics, Integrated IR	896.59
9C-H4A-3MH-180	3x 3 MP, WDR, LightCatcher, 4mm, Camera Only	1,953.97
9C-H4A-3MH-270	3x 3 MP, WDR, LightCatcher, 2.8mm, Camera Only	1,953.97

Pro Cameras

All prices are exclusive of taxes and freight. Avigilon reserves the right to make changes to pricing and discount margins. All installation and use of Avigilon software is governed by its end user license agreement (EULA). Contact Avigilon or visit www.avigilon.com to get a copy of the EULA.

CONFIDENTIAL : The Contents of this document are considered confidential and should not be posted on a public access website, made available for general public distribution, or otherwise shared with others without prior written authorization from Avigilon Corporation.

MODEL NUMBER	DESCRIPTION	MSRP \$
16C-H5PRO-B	5K (16 MP) H5 Pro Camera. Lens and housing not included.	8,850.16
26C-H5PRO-B	6.25K (26 MP) H5 Pro Camera. Lens and housing not included.	10,620.19
40C-H5PRO-B	8K (40 MP) H5 Pro Camera. Lens and housing not included.	12,980.24
61C-H5PRO-B	10K (61 MP) H5 Pro Camera. Lens and housing not included.	17,700.33
8C-H5PRO-B	4K (8 MP) H5 Pro Camera. Lens and housing not included.	3,540.06

PTZ

MODEL NUMBER	DESCRIPTION	MSRP \$
2.0C-H4IRPTZ-DP30-WP	2MP H4 IR PTZ, with Wiper 30X, Self-learning analytics, IK10, IP66, 250m IR	3,924.67
2.0C-H5A-IRPTZ-DP40-WP	CAM, H5A IR PTZ, Pendant 2MP 40X 300m	4,198.00
2.0C-H5A-PTZ-DC36	H5A, 2MP 36x In-Ceiling PTZ Dome	2,820.48
2.0C-H5A-PTZ-DP36	H5A, 2MP 36x Pendant PTZ Dome	3,139.78
2.0C-H5A-RGDPTZ-DP36	Avigilon H5A Rugged PTZ 2MP	6,414.65
4.0C-H5A-IRPTZ-DP36-WP	CAM, H5A IR PTZ, Pendant 4MP 36X 150m	4,709.00
4.0C-H5A-PTZ-DC36	H5A, 4MP 36x In-Ceiling PTZ Dome	3,484.54
4.0C-H5A-PTZ-DP36	H5A, 4MP 36x Pendant PTZ Dome	3,484.54
4.0C-H5A-RGDPTZ-DP36	Avigilon H5A Rugged PTZ 4MP	7,484.65
8.0C-H5A-IRPTZ-DP36-WP	CAM, H5A IR PTZ, Pendant 8MP 36X 150m	5,299.00
8.0C-H5A-PTZ-DC36	H5A, 8MP 36x In-Ceiling PTZ Dome	4,124.29
8.0C-H5A-PTZ-DP36	H5A, 8MP 36x Pendant PTZ Dome	4,124.29
8.0C-H5A-RGDPTZ-DP36	Avigilon H5A Rugged PTZ 8MP	8,554.65
AVCOMB100A	Communication box 220-230Vac	1,385.65
AVCOMB200A	Communication box 24Vac	1,385.65
AVCOMB300A	Communication box 120-127Vac	1,385.65
AVOUEMAN	Maintenance Kit	69.55
AVOUESUN04	Sunshield	37.45
AVOUEWIPER	Wiper blade	33.17
AVSURGEPR	Lightning surge protector	212.93
AVUEAC	Corner adaptor	148.73
AVUEAP	Pole adaptor	116.63
AVUEAW	Corner adaptor	159.43
AVUEBP0AA	Parapet bracket	95.23
AVUEBP4AA	Parapet bracket with quick connectors	180.83
AVUEBP7AA	Parapet bracket with quick connectors	208.65
AVUEBWAA	Wall bracket	95.23
AVUEI8AA	IR illuminator 850nm	326.35
AVUEI8AAP	Long distance IR illuminator 850nm	326.35
AVUEI9AA	IR Illuminator 940nm	373.43
AVUEIWAA	White light illuminator	326.35
AVUEIWAAP	Long distance White Illuminator	326.35
AVWASPT0V23L11M00	Water tank 23l 230Vac-24Vac-120Vac	946.95
AVWASPT0V5L5M00	Water tank 5l 230Vac-24Vac-120Vac	512.53
AVWASPT1V23L30M00	Water tank 23l 230Vac	1,642.45
AVWASPT3V23L30M00	Water tank 23l 120Vac	1,642.45

All prices are exclusive of taxes and freight. Avigilon reserves the right to make changes to pricing and discount margins. All installation and use of Avigilon software is governed by its end user license agreement (EULA). Contact Avigilon or visit www.avigilon.com to get a copy of the EULA.

CONFIDENTIAL : The Contents of this document are considered confidential and should not be posted on a public access website, made available for general public distribution, or otherwise shared with others without prior written authorization from Avigilon Corporation.

Thermal

MODEL NUMBER	DESCRIPTION	MSRP \$
320S-H4A-THC-BO12	320x256, Thermal Outdoor Bullet, 18.0mm f/1.0, 9Hz, NETD	5,546.10
320S-H4A-THC-BO24	320x256, Thermal Outdoor Bullet, 9.1mm f/1.0, 9Hz, NETD	4,602.09
320S-H4A-THC-BO50	320x256, Thermal Outdoor Bullet, 4.3mm f/1.0, 9Hz, NETD	4,366.08
640S-H4A-THC-BO12	640x512, Thermal Outdoor Bullet, 36.0mm f/1.0, 9Hz, NETD	9,853.18
640S-H4A-THC-BO24	640x512, Thermal Outdoor Bullet, 18.0mm f/1.0, 9Hz, NETD	7,198.13
640S-H4A-THC-BO50	640x512, Thermal Outdoor Bullet, 8.7mm f/1.0, 9Hz, NETD	6,962.13
H4A-ETD-KIT	H4 Thermal Elevated Temperature Detection Solution, 640x512 Thermal Bullet Camera, Black Body, Tripod x 2	6,490.12

All prices are exclusive of taxes and freight. Avigilon reserves the right to make changes to pricing and discount margins. All installation and use of Avigilon software is governed by its end user license agreement (EULA). Contact Avigilon or visit www.avigilon.com to get a copy of the EULA.

CONFIDENTIAL : The Contents of this document are considered confidential and should not be posted on a public access website, made available for general public distribution, or otherwise shared with others without prior written authorization from Avigilon Corporation.

Monitoring

Display Monitors

MODEL NUMBER	DESCRIPTION	MSRP \$
M1300	Monitor, 19", LCD HD, SXGA	325.00
M1300-AU	Monitor, 19", LCD HD, SXGA	325.00
M1300-EU	Monitor, 19", LCD HD, SXGA	325.00
M1300-UK	Monitor, 19", LCD HD, SXGA	325.00
M4K32-G2-AU	Monitor, 32" LCD 4K UHD, 16:9 Widescreen Aspect Ratio	1,805.65
M4K32-G2-EU	Monitor, 32" LCD 4K UHD, 16:9 Widescreen Aspect Ratio	1,805.65
M4K32-G2-NA	Monitor, 32" LCD 4K UHD, 16:9 Widescreen Aspect Ratio	1,805.65
M4K43-G2-AU	Monitor, 43" LCD 4K UHD, 16:9 Widescreen Aspect Ratio	1,694.00
M4K43-G2-EU	Monitor, 43" LCD 4K UHD, 16:9 Widescreen Aspect Ratio	1,694.00
M4K43-G2-NA	Monitor, 43" LCD 4K UHD, 16:9 Widescreen Aspect Ratio	1,694.00
M4K43-G2-UK	Monitor, 43" LCD 4K UHD, 16:9 Widescreen Aspect Ratio	1,694.00
MHD24-G2-EU	Monitor, 24" LCD HD, WUXGA	647.85
MHD24-G3-AU	Monitor, 24", HD, 16:9 Aspect Ratio	689.00
MHD24-G3-EU	Monitor, 24", HD, 16:9 Aspect Ratio	689.00
MHD24-G3-NA	Monitor, 24", HD, 16:9 Aspect Ratio	689.00
MHD24-G3-UK	Monitor, 24", HD, 16:9 Aspect Ratio	689.00

Joysticks

MODEL NUMBER	DESCRIPTION	MSRP \$
ACC-USB-JOY	Programmable USB Surveillance Joystick for controlling digital and conventional PTZ within Avigilon Control Center	723.06
ACC-USB-JOY-PRO	Fully configured Professional USB Surveillance joystick for full control of Avigilon Control Center including shuttle playback control and digital and conventional PTZ.	1,093.25

Workstations

MODEL NUMBER	DESCRIPTION	MSRP \$
RM5-WKS-2MN-NA	Remote Monitoring Workstation, 2 monitors, NA	2,040.00
RM5-WKS-4MN-NA	Remote Monitoring Workstation, 4 monitors, NA	3,203.00
RM6-WKS-2MN-AU	Remote Monitoring Workstation, 2 Monitors, AU	2,313.77
RM6-WKS-2MN-EU	Remote Monitoring Workstation, 2 Monitors, EU	2,313.77
RM6-WKS-2MN-NA	Remote Monitoring Workstation, 2 Monitors, NA	2,313.77
RM6-WKS-2MN-UK	Remote Monitoring Workstation, 2 Monitors, UK	2,313.77
RM6-WKS-4MN-AU	Remote Monitoring Workstation, 4 Monitors, AU	3,632.84
RM6-WKS-4MN-EU	Remote Monitoring Workstation, 4 Monitors, EU	3,632.84
RM6-WKS-4MN-NA	Remote Monitoring Workstation, 4 Monitors, NA	3,632.84
RM6-WKS-4MN-UK	Remote Monitoring Workstation, 4 Monitors, UK	3,632.84

All prices are exclusive of taxes and freight. Avigilon reserves the right to make changes to pricing and discount margins. All installation and use of Avigilon software is governed by its end user license agreement (EULA). Contact Avigilon or visit www.avigilon.com to get a copy of the EULA.

CONFIDENTIAL : The Contents of this document are considered confidential and should not be posted on a public access website, made available for general public distribution, or otherwise shared with others without prior written authorization from Avigilon Corporation.

Networking

Extenders

MODEL NUMBER	DESCRIPTION	MSRP \$
EX1	Single port 100Mbps PoE Extender for extending Cat 5 beyond the 100m cable limit.	359.80

Injectors

MODEL NUMBER	DESCRIPTION	MSRP \$
POE-INJ-BT-60W-NA	Indoor single port Gigabit PoE++ 60W, 802.3bt compliant, North American power cord included. May be used in USA, Canada, European Union, Australia, New Zealand and UK. Temperature range of the PoE injector is -10C to +40C (14 °F to 104 °F). Compatible only with cameras requiring the 802.3bt PoE ++ standard.	177.00
POE-INJ2-60W-NA	Indoor single port Gigabit PoE++ 60W, North American power cord included. May also be used in European Union, Japan, Australia, New Zealand, Mexico, China, South Korea, Russia, Argentina, Saudi Arabia, Kuwait, UAE and Brazil. Temperature range of the PoE injector is -10C to +45C (14 °F to 113 °F). When used with the H4 IR PTZ, the camera will operate in a reduced temperature range from -10 °C to +50 °C (14 °F to 122 °F).	177.00
POE-INJ2-95W-NA	Indoor single Port PoE Injector Gigabit, 95W, NA power cord, for use with H4IR PTZ - indoor installation rated. Temperature range of the PoE injector is -10C to +45C. Compatible with power cord with C13 on one side and with country specific plug on the other side. Countries supported: USA, Canada, Mexico, Puerto Rico, Aruba, Trinidad,Tobago, United Kingdom, France, Germany, Portugal, Spain, Italy, Iceland, Ireland, Switzerland, Denmark, Finland, Poland, Norway, Belgium, Croatia, Slovenia, Georgia, Australia, New Zealand, Cyprus, Jordan, Qatar, Qatar, Bahrain, Utd. Arab Emirate, Chile, Colombia, Bolivia, Costa Rica, Honduras, Panama, Paraguay, Brazil, Sierra Leone, Zambia, Namibia, Ghana, Mauritius, Vietnam, Thailand, Philippines, Fiji, Pap. New Guinea	472.01
POE-INJ2-PLUS-AU	Indoor single port POE+ injector, for use with H4 PTZ in-ceiling or pendant variants in temperature range of -10°C to +50°C (14°F to 122°F); compatible with indoor (in-ceiling) models or outdoor models installed in temperature range of -10°C to +50°C (14°F to 122°F). AU power cord. Injector temperature range -20°C to +40°C (-4°F to 104°F).	88.50
POE-INJ2-PLUS-NA	Indoor single port POE+ injector, for use with H4 PTZ in-ceiling or pendant variants in temperature range of -10°C to +50°C (14°F to 122°F); compatible with indoor (in-ceiling) models or outdoor models installed in temperature range of -10°C to +50°C (14°F to 122°F). NA power cord. Injector temperature range -20°C to +40°C (-4°F to 104°F).	88.50
POE-INJ2-PLUS-UK	Indoor single port POE+ injector, for use with H4 PTZ in-ceiling or pendant variants in temperature range of -10°C to +50°C (14°F to 122°F); compatible with indoor (in-ceiling) models or outdoor models installed in temperature range of -10°C to +50°C (14°F to 122°F). UK power cord. Injector temperature range -20°C to +40°C (-4°F to 104°F).	88.50
POE-INJ2-STD-AU	Indoor single port Gigabit 802.3af PoE injector, Class 3 - AU power cord. Injector temperature range 0°C to +40°C (32°F to 104°F).	82.61
POE-INJ2-STD-NA	Indoor single port Gigabit 802.3af PoE injector, Class 3 - NA power cord. Injector temperature range 0°C to +40°C (32°F to 104°F).	82.61
POE-INJ2-STD-UK	Indoor single port Gigabit 802.3af PoE injector, Class 3 - UK power cord. Injector temperature range 0°C to +40°C (32°F to 104°F).	82.61

Switches

MODEL NUMBER	DESCRIPTION	MSRP \$
--------------	-------------	---------

All prices are exclusive of taxes and freight. Avigilon reserves the right to make changes to pricing and discount margins. All installation and use of Avigilon software is governed by its end user license agreement (EULA). Contact Avigilon or visit www.avigilon.com to get a copy of the EULA.

CONFIDENTIAL : The Contents of this document are considered confidential and should not be posted on a public access website, made available for general public distribution, or otherwise shared with others without prior written authorization from Avigilon Corporation.

CBS350-24FP-4G-NA	28-port Gigabit Managed Switch (24 PoE+ budget 370W, 4 Gigabit SFP) - NA	2,342.12
CBS350-8FP-E-2G-NA	10-port Gigabit Managed Switch (8 PoE+ budget 120W, 2 copper/SFP combo) - NA	918.70
CBS350-8FP-E-2G-UK	10-port Gigabit Managed Switch (8 PoE+ budget 120W, 2 copper/SFP combo) - UK	918.70
ES-PS-MNT-POLE	Pole mount bracket for ES-PS-S4 switch.	80.98
ES-PS-S4-NPC	Managed switch, 5 port, Outdoor IP66, -40°C (-40°F) to 50°C (122°F), Gigabit Ethernet, AC power input. 1x SFP uplink and 4 port RJ45. No power cord. Maximum PoE power allocation: Up to 4 ports of PoE+ each, or 2 ports of 60W PoE each. In 60W PoE mode, compatible with all H4 PTZ and H4 IR PTZ.	1,814.72
SM24TAT2SA-NA	24-Port Gigabit Managed Switch (24) PoE+ budget 370W, (2) SFP - NA	1,605.90
SM8TAT2SA-NA	8-Port Gigabit Managed Switch (8) PoE+ budget 130W, (2) SFP - NA	810.90

All prices are exclusive of taxes and freight. Avigilon reserves the right to make changes to pricing and discount margins. All installation and use of Avigilon software is governed by its end user license agreement (EULA). Contact Avigilon or visit www.avigilon.com to get a copy of the EULA.

CONFIDENTIAL : The Contents of this document are considered confidential and should not be posted on a public access website, made available for general public distribution, or otherwise shared with others without prior written authorization from Avigilon Corporation.

Services

Expert Services

MODEL NUMBER	DESCRIPTION	MSRP \$
FLDSUP-AUDIT	One Day Onsite (8Hrs) System Audit	3,500.00
FLDSUP-CONFIG	One Day Onsite (8Hrs) System Configuration	3,500.00
FLDSUP-NETWORK	One Day Onsite (8Hrs) Network Configuration	5,250.00
FLDSUP-TSHOOT	One Day Onsite (8Hrs) Troubleshoot	3,500.00
FTRVL-ADDTLDAY	One Additional Day Of Travel	575.00
FTRVL-FRSTAIR	First Day Of Travel By Air	2,800.00
RMTSUP-AUDIT	One Day Remote (8Hrs) System Audit	3,500.00
RMTSUP-CONFIG	One Day Remote (8Hrs) System Configuration	3,500.00
RMTSUP-NETWORK	One Day Remote (8Hrs) Network Design/Configuration/Troubleshoot	5,250.00
RMTSUP-TSHOOT	One Day Remote (8Hrs) Troubleshoot	3,500.00

All prices are exclusive of taxes and freight. Avigilon reserves the right to make changes to pricing and discount margins. All installation and use of Avigilon software is governed by its end user license agreement (EULA). Contact Avigilon or visit www.avigilon.com to get a copy of the EULA.

CONFIDENTIAL : The Contents of this document are considered confidential and should not be posted on a public access website, made available for general public distribution, or otherwise shared with others without prior written authorization from Avigilon Corporation.

Software

ACC

MODEL NUMBER	DESCRIPTION	MSRP \$
ACC-CCURE-ALARM-2.90	CCure v2.90 Alarm Integration	2,728.50
ACC-CCURE-ALARM-2.90-P	CCure v2.90 Alarm Integration, printed	2,728.50
ACC-CCURE-VIDEO-2.90	CCure v2.90 Video Integration	2,728.50
ACC-CCURE-VIDEO-2.90-P	CCure v2.90 Video Integration, printed	2,728.50
ACC-ENT-SMART-1YR	ACC Enterprise Smart Plan, 1 year	32.10
ACC-ENT-SMART-3YR	ACC Enterprise Smart Plan, 3 year	69.55
ACC-ENT-SMART-5YR	ACC Enterprise Smart Plan, 5 year	107.00
ACC-POS-HW-2S	Avigilon 2 port serial Server	559.89
ACC-STD-SMART-1YR	ACC Standard Smart Plan, 1 year	16.05
ACC-STD-SMART-3YR	ACC Standard Smart Plan, 3 year	42.80
ACC-STD-SMART-5YR	ACC Standard Smart Plan, 5 year	64.20
ACC5-4TO5-COR-UPG	ACC 4 to 5 Core Version Upgrade	103.68
ACC5-4TO5-ENT-UPG	ACC 4 to 5 Enterprise Version Upgrade	365.62
ACC5-4TO5-STD-UPG	ACC 4 to 5 Standard Version Upgrade	201.91
ACC6-AMAG-SMTRY	ACC6 Amag Symmetry Integ.	2,728.50
ACC6-AMAG-SMTRY-M	ACC6 Amag Symmetry Integ. +media	2,728.50
ACC6-GLGR-CMND	ACC6 Gallagher CmdC Integ.	2,728.50
ACC6-GLGR-CMND-M	ACC6 Gallagher CmdC Integ. +media	2,728.50
ACC6-HRSH-VLCTY	ACC6 Hirsch Velocity Integ.	2,728.50
ACC6-HRSH-VLCTY-M	ACC6 Hirsch Velocity Integ. +media	2,728.50
ACC6-INTX-FORCE	ACC6 Interlogix Forcefield Integ.	2,728.50
ACC6-INTX-FORCE-M	ACC6 Interlogix Forcefield Integ. +media	2,728.50
ACC6-JAQS-INTCM	ACC6 Jacques Intercom Integ.	2,728.50
ACC6-JAQS-INTCM-M	ACC6 Jacques Intercom Integ. +media	2,728.50
ACC6-LENL-ONGRD	ACC6 Lenel OnGuard Integ.	2,728.50
ACC6-LENL-ONGRD-M	ACC6 Lenel OnGuard Integ. +media	2,728.50
ACC6-PXTN-NET2	ACC6 Paxton Net2 Integ.	2,728.50
ACC6-PXTN-NET2-M	ACC6 Paxton Net2 Integ. +media	2,728.50
ACC6-S2-NETBX	ACC6 S2 Netbox Integ.	2,728.50
ACC6-S2-NETBX-M	ACC6 S2 Netbox Integ. +media	2,728.50
ACC6-STFN-ALPHA	ACC6 Stentofon Intercom Integ.	2,728.50
ACC6-STFN-ALPHA-M	ACC6 Stentofon Intercom Integ. +media	2,728.50
ACC6-SWHS-CCURE	ACC6 SWHS CCure 9000 2.80 or earlier Integ.	2,728.50
ACC6-SWHS-CCURE-M	ACC6 SWHS CCure 9000 2.80 or earlier Integ. +media	2,728.50
ACC7-COR	ACC 7 Core camera channel	92.77
ACC7-COR-P	ACC 7 Core camera channel, printed	92.77
ACC7-COR-TO-ENT-UPG	ACC 7 CORE to ENT Edition UPG	245.57

All prices are exclusive of taxes and freight. Avigilon reserves the right to make changes to pricing and discount margins. All installation and use of Avigilon software is governed by its end user license agreement (EULA). Contact Avigilon or visit www.avigilon.com to get a copy of the EULA.

CONFIDENTIAL : The Contents of this document are considered confidential and should not be posted on a public access website, made available for general public distribution, or otherwise shared with others without prior written authorization from Avigilon Corporation.

ACC7-COR-TO-ENT-UPG-P	ACC 7 CORE to ENT Edition UPG, printed	245.57
ACC7-COR-TO-STD-UPG	ACC 7 CORE to STD Edition UPG	114.60
ACC7-COR-TO-STD-UPG-P	ACC 7 CORE to STD Edition UPG, printed	114.60
ACC7-ENT	ACC 7 Enterprise camera channel	316.51
ACC7-ENT-FO	ACC 7 ENT failover channel	49.11
ACC7-ENT-FO-P	ACC 7 ENT failover channel, printed	49.11
ACC7-ENT-P	ACC 7 Enterprise camera channel, printed	316.51
ACC7-FACE	ACC7 Face channel	1,637.10
ACC7-FACE-10C	ACC7 Face channel 10 pack	5,457.00
ACC7-FACE-10C-P	ACC7 Face channel 10 pack, printed	5,457.00
ACC7-FACE-P	ACC7 Face channel, printed	1,637.10
ACC7-LPR	ACC 7 LPR lane	3,492.48
ACC7-LPR-P	ACC 7 LPR lane, printed	3,492.48
ACC7-MEDIA	ACC 7 Media	21.83
ACC7-POS-STR	ACC 7 Point of Sale stream	245.57
ACC7-POS-STR-P	ACC 7 Point of Sale stream, printed	245.57
ACC7-RADIO-ALERT	ACC7 Radio Alert	1,637.10
ACC7-RADIO-ALERT-P	ACC7 Radio Alert, printed	1,637.10
ACC7-STD	ACC 7 Standard camera channel	180.08
ACC7-STD-P	ACC 7 Standard camera channel, printed	180.08
ACC7-STD-TO-ENT-UPG	ACC 7 STD to ENT Edition UPG	191.00
ACC7-STD-TO-ENT-UPG-P	ACC 7 STD to ENT Edition UPG, printed	191.00
ACC7-VAC	ACC7 Video Analytics channel	327.42
ACC7-VAC-P	ACC7 Video Analytics channel, printed	327.42
COMPASS-DRIVER-ARITECH2X-S1	Driver SUP: UTC Aritech 2X (12 M)	1,819.00
COMPASS-DRIVER-ARITECH2X-S2	Driver SUP: UTC Aritech 2X (24 M)	3,231.40
COMPASS-DRIVER-ARITECH2X-S3	Driver SUP: UTC Aritech 2X (36 M)	4,547.50
COMPASS-DRIVER-ARITECH2X-S4	Driver SUP: UTC Aritech 2X (48 M)	5,649.60
COMPASS-DRIVER-ARITECH2X-S5	Driver SUP: UTC Aritech 2X (60 M)	6,559.10
COMPASS-DRIVER-AVIGILONACC-S1	Driver SUP: Avigilon ACC (12 M)	0.00
COMPASS-DRIVER-AVIGILONACC-S2	Driver SUP: Avigilon ACC (24 M)	0.00
COMPASS-DRIVER-AVIGILONACC-S3	Driver SUP: Avigilon ACC (36 M)	0.00
COMPASS-DRIVER-AVIGILONACC-S4	Driver SUP: Avigilon ACC (48 M)	0.00
COMPASS-DRIVER-AVIGILONACC-S5	Driver SUP: Avigilon ACC (60 M)	0.00
COMPASS-DRIVER-AXIS-S1	Driver SUP: Axis Cameras (12 M)	1,819.00
COMPASS-DRIVER-AXIS-S2	Driver SUP: Axis Cameras (24 M)	3,231.40
COMPASS-DRIVER-AXIS-S3	Driver SUP: Axis Cameras (36 M)	4,547.50
COMPASS-DRIVER-AXIS-S4	Driver SUP: Axis Cameras (48 M)	5,649.60
COMPASS-DRIVER-AXIS-S5	Driver SUP: Axis Cameras (60 M)	6,559.10
COMPASS-DRIVER-BOSCHD9412GV4-S1	Driver SUP: Bosch D9412/9512 GV4 (12 M)	1,819.00
COMPASS-DRIVER-BOSCHD9412GV4-S2	Driver SUP: Bosch D9412/9512 GV4 (24 M)	3,231.40
COMPASS-DRIVER-BOSCHD9412GV4-S3	Driver SUP: Bosch D9412/9512 GV4 (36 M)	4,547.50
COMPASS-DRIVER-BOSCHD9412GV4-S4	Driver SUP: Bosch D9412/9512 GV4 (48 M)	5,649.60
COMPASS-DRIVER-BOSCHD9412GV4-S5	Driver SUP: Bosch D9412/9512 GV4 (60 M)	6,559.10
COMPASS-DRIVER-BOSCHHYBRID-S1	Driver SUP: Bosch Hybrid 3000 (12 M)	1,819.00
COMPASS-DRIVER-BOSCHHYBRID-S2	Driver SUP: Bosch Hybrid 3000 (24 M)	3,231.40
COMPASS-DRIVER-BOSCHHYBRID-S3	Driver SUP: Bosch Hybrid 3000 (36 M)	4,547.50

All prices are exclusive of taxes and freight. Avigilon reserves the right to make changes to pricing and discount margins. All installation and use of Avigilon software is governed by its end user license agreement (EULA). Contact Avigilon or visit www.avigilon.com to get a copy of the EULA.

CONFIDENTIAL : The Contents of this document are considered confidential and should not be posted on a public access website, made available for general public distribution, or otherwise shared with others without prior written authorization from Avigilon Corporation.

COMPASS-DRIVER-BOSCHHYBRID-S4	Driver SUP: Bosch Hybrid 3000 (48 M)	5,649.60
COMPASS-DRIVER-BOSCHHYBRID-S5	Driver SUP: Bosch Hybrid 3000 (60 M)	6,559.10
COMPASS-DRIVER-BOSCHVRM-S1	Driver SUP: Bosch VRM (12 M)	1,819.00
COMPASS-DRIVER-BOSCHVRM-S2	Driver SUP: Bosch VRM (24 M)	3,231.40
COMPASS-DRIVER-BOSCHVRM-S3	Driver SUP: Bosch VRM (36 M)	4,547.50
COMPASS-DRIVER-BOSCHVRM-S4	Driver SUP: Bosch VRM (48 M)	5,649.60
COMPASS-DRIVER-BOSCHVRM-S5	Driver SUP: Bosch VRM (60 M)	6,559.10
COMPASS-DRIVER-COMMBOX-FOGCENTER-S1	Driver SUP: CommBox FogCenter (12 M)	1,819.00
COMPASS-DRIVER-COMMBOX-FOGCENTER-S2	Driver SUP: CommBox FogCenter (24 M)	3,231.40
COMPASS-DRIVER-COMMBOX-FOGCENTER-S3	Driver SUP: CommBox FogCenter (36 M)	4,547.50
COMPASS-DRIVER-COMMBOX-FOGCENTER-S4	Driver SUP: CommBox FogCenter (48 M)	5,649.60
COMPASS-DRIVER-COMMBOX-FOGCENTER-S5	Driver SUP: CommBox FogCenter (60 M)	6,559.10
COMPASS-DRIVER-DAHUA-S1	Driver SUP: Dahua Recorders (12 M)	1,819.00
COMPASS-DRIVER-DAHUA-S2	Driver SUP: Dahua Recorders (24 M)	3,231.40
COMPASS-DRIVER-DAHUA-S3	Driver SUP: Dahua Recorders (36 M)	4,547.50
COMPASS-DRIVER-DAHUA-S4	Driver SUP: Dahua Recorders (48 M)	5,649.60
COMPASS-DRIVER-DAHUA-S5	Driver SUP: Dahua Recorders (60 M)	6,559.10
COMPASS-DRIVER-DSC-RECEIVER-S1	Driver SUP: Sur-Gard Receiver (12 M)	1,819.00
COMPASS-DRIVER-DSC-RECEIVER-S2	Driver SUP: Sur-Gard Receiver (24 M)	3,231.40
COMPASS-DRIVER-DSC-RECEIVER-S3	Driver SUP: Sur-Gard Receiver (36 M)	4,547.50
COMPASS-DRIVER-DSC-RECEIVER-S4	Driver SUP: Sur-Gard Receiver (48 M)	5,649.60
COMPASS-DRIVER-DSC-RECEIVER-S5	Driver SUP: Sur-Gard Receiver (60 M)	6,559.10
COMPASS-DRIVER-EDESIX-VIDEOMANAGER-S1	Driver SUP: Edesix VideoManager (12 M)	0.00
COMPASS-DRIVER-EDESIX-VIDEOMANAGER-S2	Driver SUP: Edesix VideoManager (24 M)	0.00
COMPASS-DRIVER-EDESIX-VIDEOMANAGER-S3	Driver SUP: Edesix VideoManager (36 M)	0.00
COMPASS-DRIVER-EDESIX-VIDEOMANAGER-S4	Driver SUP: Edesix VideoManager (48 M)	0.00
COMPASS-DRIVER-EDESIX-VIDEOMANAGER-S5	Driver SUP: Edesix VideoManager (60 M)	0.00
COMPASS-DRIVER-EMIZON-S1	Driver SUP: Emizon TCD (12 M)	1,819.00
COMPASS-DRIVER-EMIZON-S2	Driver SUP: Emizon TCD (24 M)	3,231.40
COMPASS-DRIVER-EMIZON-S3	Driver SUP: Emizon TCD (36 M)	4,547.50
COMPASS-DRIVER-EMIZON-S4	Driver SUP: Emizon TCD (48 M)	5,649.60
COMPASS-DRIVER-EMIZON-S5	Driver SUP: Emizon TCD (60 M)	6,559.10
COMPASS-DRIVER-FP2000-S1	Driver SUP: UTC FP1200/2000 (12 M)	1,819.00
COMPASS-DRIVER-FP2000-S2	Driver SUP: UTC FP1200/2000 (24 M)	3,231.40
COMPASS-DRIVER-FP2000-S3	Driver SUP: UTC FP1200/2000 (36 M)	4,547.50
COMPASS-DRIVER-FP2000-S4	Driver SUP: UTC FP1200/2000 (48 M)	5,649.60
COMPASS-DRIVER-FP2000-S5	Driver SUP: UTC FP1200/2000 (60 M)	6,559.10
COMPASS-DRIVER-GALAXY-EMIZON-S1	Driver SUP: Galaxy via Emizon TCD (12 M)	1,819.00
COMPASS-DRIVER-GALAXY-EMIZON-S2	Driver SUP: Galaxy via Emizon TCD (24 M)	3,231.40
COMPASS-DRIVER-GALAXY-EMIZON-S3	Driver SUP: Galaxy via Emizon TCD (36 M)	4,547.50
COMPASS-DRIVER-GALAXY-EMIZON-S4	Driver SUP: Galaxy via Emizon TCD (48 M)	5,649.60
COMPASS-DRIVER-GALAXY-EMIZON-S5	Driver SUP: Galaxy via Emizon TCD (60 M)	6,559.10
COMPASS-DRIVER-GANZ-S1	Driver SUP: Ganz DR16H Recorders (12 M)	1,819.00
COMPASS-DRIVER-GANZ-S2	Driver SUP: Ganz DR16H Recorders (24 M)	3,231.40
COMPASS-DRIVER-GANZ-S3	Driver SUP: Ganz DR16H Recorders (36 M)	4,547.50
COMPASS-DRIVER-GANZ-S4	Driver SUP: Ganz DR16H Recorders (48 M)	5,649.60

All prices are exclusive of taxes and freight. Avigilon reserves the right to make changes to pricing and discount margins. All installation and use of Avigilon software is governed by its end user license agreement (EULA). Contact Avigilon or visit www.avigilon.com to get a copy of the EULA.

CONFIDENTIAL : The Contents of this document are considered confidential and should not be posted on a public access website, made available for general public distribution, or otherwise shared with others without prior written authorization from Avigilon Corporation.

COMPASS-DRIVER-GANZ-S5	Driver SUP: Ganz DR16H Recorders (60 M)	6,559.10
COMPASS-DRIVER-GANZCORTROL-S1	Driver SUP: Ganz Cortrol (12 M)	1,819.00
COMPASS-DRIVER-GANZCORTROL-S2	Driver SUP: Ganz Cortrol (24 M)	3,231.40
COMPASS-DRIVER-GANZCORTROL-S3	Driver SUP: Ganz Cortrol (36 M)	4,547.50
COMPASS-DRIVER-GANZCORTROL-S4	Driver SUP: Ganz Cortrol (48 M)	5,649.60
COMPASS-DRIVER-GANZCORTROL-S5	Driver SUP: Ganz Cortrol (60 M)	6,559.10
COMPASS-DRIVER-GEUTEBRUCK-S1	Driver SUP: Geutebrück (12 M)	1,819.00
COMPASS-DRIVER-GEUTEBRUCK-S2	Driver SUP: Geutebrück (24 M)	3,231.40
COMPASS-DRIVER-GEUTEBRUCK-S3	Driver SUP: Geutebrück (36 M)	4,547.50
COMPASS-DRIVER-GEUTEBRUCK-S4	Driver SUP: Geutebrück (48 M)	5,649.60
COMPASS-DRIVER-GEUTEBRUCK-S5	Driver SUP: Geutebrück (60 M)	6,559.10
COMPASS-DRIVER-HIKVISION-S1	Driver SUP: Hikvision Recorders (12 M)	1,819.00
COMPASS-DRIVER-HIKVISION-S2	Driver SUP: Hikvision Recorders (24 M)	3,231.40
COMPASS-DRIVER-HIKVISION-S3	Driver SUP: Hikvision Recorders (36 M)	4,547.50
COMPASS-DRIVER-HIKVISION-S4	Driver SUP: Hikvision Recorders (48 M)	5,649.60
COMPASS-DRIVER-HIKVISION-S5	Driver SUP: Hikvision Recorders (60 M)	6,559.10
COMPASS-DRIVER-HONEYWELL-RECEIVER-S1	Driver SUP: Honeywell Receiver (12 M)	1,819.00
COMPASS-DRIVER-HONEYWELL-RECEIVER-S2	Driver SUP: Honeywell Receiver (24 M)	3,231.40
COMPASS-DRIVER-HONEYWELL-RECEIVER-S3	Driver SUP: Honeywell Receiver (36 M)	4,547.50
COMPASS-DRIVER-HONEYWELL-RECEIVER-S4	Driver SUP: Honeywell Receiver (48 M)	5,649.60
COMPASS-DRIVER-HONEYWELL-RECEIVER-S5	Driver SUP: Honeywell Receiver (60 M)	6,559.10
COMPASS-DRIVER-INDIGOKIOSKAI-S1	Driver SUP: IndigoKiosk AI (12 M)	0.00
COMPASS-DRIVER-INDIGOKIOSKAI-S2	Driver SUP: IndigoKiosk AI (24 M)	0.00
COMPASS-DRIVER-INDIGOKIOSKAI-S3	Driver SUP: IndigoKiosk AI (36 M)	0.00
COMPASS-DRIVER-INDIGOKIOSKAI-S4	Driver SUP: IndigoKiosk AI (48 M)	0.00
COMPASS-DRIVER-INDIGOKIOSKAI-S5	Driver SUP: IndigoKiosk AI (60 M)	0.00
COMPASS-DRIVER-INDIGOVISION-S1	Driver SUP: IndigoVision CC (12 M)	0.00
COMPASS-DRIVER-INDIGOVISION-S2	Driver SUP: IndigoVision CC (24 M)	0.00
COMPASS-DRIVER-INDIGOVISION-S3	Driver SUP: IndigoVision CC (36 M)	0.00
COMPASS-DRIVER-INDIGOVISION-S4	Driver SUP: IndigoVision CC (48 M)	0.00
COMPASS-DRIVER-INDIGOVISION-S5	Driver SUP: IndigoVision CC (60 M)	0.00
COMPASS-DRIVER-INDIGOVISIONCAMERAS-S1	Driver SUP: IndigoVision Cameras (12 M)	0.00
COMPASS-DRIVER-INDIGOVISIONCAMERAS-S2	Driver SUP: IndigoVision Cameras (24 M)	0.00
COMPASS-DRIVER-INDIGOVISIONCAMERAS-S3	Driver SUP: IndigoVision Cameras (36 M)	0.00
COMPASS-DRIVER-INDIGOVISIONCAMERAS-S4	Driver SUP: IndigoVision Cameras (48 M)	0.00
COMPASS-DRIVER-INDIGOVISIONCAMERAS-S5	Driver SUP: IndigoVision Cameras (60 M)	0.00
COMPASS-DRIVER-INIM-S1	Driver SUP: INIM SmartLiving (12 M)	1,819.00
COMPASS-DRIVER-INIM-S2	Driver SUP: INIM SmartLiving (24 M)	3,231.40
COMPASS-DRIVER-INIM-S3	Driver SUP: INIM SmartLiving (36 M)	4,547.50
COMPASS-DRIVER-INIM-S4	Driver SUP: INIM SmartLiving (48 M)	5,649.60
COMPASS-DRIVER-INIM-S5	Driver SUP: INIM SmartLiving (60 M)	6,559.10
COMPASS-DRIVER-INTELBRAS-S1	Driver SUP: Intelbras Recorders (12 M)	1,819.00
COMPASS-DRIVER-INTELBRAS-S2	Driver SUP: Intelbras Recorders (24 M)	3,231.40
COMPASS-DRIVER-INTELBRAS-S3	Driver SUP: Intelbras Recorders (36 M)	4,547.50
COMPASS-DRIVER-INTELBRAS-S4	Driver SUP: Intelbras Recorders (48 M)	5,649.60
COMPASS-DRIVER-INTELBRAS-S5	Driver SUP: Intelbras Recorders (60 M)	6,559.10
COMPASS-DRIVER-LANACCESS-S1	Driver SUP: Lanaccess OnSafe (12 M)	1,819.00

All prices are exclusive of taxes and freight. Avigilon reserves the right to make changes to pricing and discount margins. All installation and use of Avigilon software is governed by its end user license agreement (EULA). Contact Avigilon or visit www.avigilon.com to get a copy of the EULA.

CONFIDENTIAL : The Contents of this document are considered confidential and should not be posted on a public access website, made available for general public distribution, or otherwise shared with others without prior written authorization from Avigilon Corporation.

COMPASS-DRIVER-LANACCESS-S2	Driver SUP: Lanaccess OnSafe (24 M)	3,231.40
COMPASS-DRIVER-LANACCESS-S3	Driver SUP: Lanaccess OnSafe (36 M)	4,547.50
COMPASS-DRIVER-LANACCESS-S4	Driver SUP: Lanaccess OnSafe (48 M)	5,649.60
COMPASS-DRIVER-LANACCESS-S5	Driver SUP: Lanaccess OnSafe (60 M)	6,559.10
COMPASS-DRIVER-MILESTONE-S1	Driver SUP: Milestone VMS (12 M)	1,819.00
COMPASS-DRIVER-MILESTONE-S2	Driver SUP: Milestone VMS (24 M)	3,231.40
COMPASS-DRIVER-MILESTONE-S3	Driver SUP: Milestone VMS (36 M)	4,547.50
COMPASS-DRIVER-MILESTONE-S4	Driver SUP: Milestone VMS (48 M)	5,649.60
COMPASS-DRIVER-MILESTONE-S5	Driver SUP: Milestone VMS (60 M)	6,559.10
COMPASS-DRIVER-MOBOTIX-S1	Driver SUP: Mobotix Cameras (12 M)	1,819.00
COMPASS-DRIVER-MOBOTIX-S2	Driver SUP: Mobotix Cameras (24 M)	3,231.40
COMPASS-DRIVER-MOBOTIX-S3	Driver SUP: Mobotix Cameras (36 M)	4,547.50
COMPASS-DRIVER-MOBOTIX-S4	Driver SUP: Mobotix Cameras (48 M)	5,649.60
COMPASS-DRIVER-MOBOTIX-S5	Driver SUP: Mobotix Cameras (60 M)	6,559.10
COMPASS-DRIVER-MOXAIO-S1	Driver SUP: Moxa ioLogik E1200 (12 M)	1,819.00
COMPASS-DRIVER-MOXAIO-S2	Driver SUP: Moxa ioLogik E1200 (24 M)	3,231.40
COMPASS-DRIVER-MOXAIO-S3	Driver SUP: Moxa ioLogik E1200 (36 M)	4,547.50
COMPASS-DRIVER-MOXAIO-S4	Driver SUP: Moxa ioLogik E1200 (48 M)	5,649.60
COMPASS-DRIVER-MOXAIO-S5	Driver SUP: Moxa ioLogik E1200 (60 M)	6,559.10
COMPASS-DRIVER-ONVIF-S1	Driver SUP: ONVIF S/G Source (12 M)	1,819.00
COMPASS-DRIVER-ONVIF-S2	Driver SUP: ONVIF S/G Source (24 M)	3,231.40
COMPASS-DRIVER-ONVIF-S3	Driver SUP: ONVIF S/G Source (36 M)	4,547.50
COMPASS-DRIVER-ONVIF-S4	Driver SUP: ONVIF S/G Source (48 M)	5,649.60
COMPASS-DRIVER-ONVIF-S5	Driver SUP: ONVIF S/G Source (60 M)	6,559.10
COMPASS-DRIVER-PELCO-VX-S1	Driver SUP: Pelco VideoXpert (12 M)	0.00
COMPASS-DRIVER-PELCO-VX-S2	Driver SUP: Pelco VideoXpert (24 M)	0.00
COMPASS-DRIVER-PELCO-VX-S3	Driver SUP: Pelco VideoXpert (36 M)	0.00
COMPASS-DRIVER-PELCO-VX-S4	Driver SUP: Pelco VideoXpert (48 M)	0.00
COMPASS-DRIVER-PELCO-VX-S5	Driver SUP: Pelco VideoXpert (60 M)	0.00
COMPASS-DRIVER-PROVISION-S1	Driver SUP: Provision Recorders (12 M)	1,819.00
COMPASS-DRIVER-PROVISION-S2	Driver SUP: Provision Recorders (24 M)	3,231.40
COMPASS-DRIVER-PROVISION-S3	Driver SUP: Provision Recorders (36 M)	4,547.50
COMPASS-DRIVER-PROVISION-S4	Driver SUP: Provision Recorders (48 M)	5,649.60
COMPASS-DRIVER-PROVISION-S5	Driver SUP: Provision Recorders (60 M)	6,559.10
COMPASS-DRIVER-RISCO-S1	Driver SUP: Risco (12 M)	1,819.00
COMPASS-DRIVER-RISCO-S2	Driver SUP: Risco (24 M)	3,231.40
COMPASS-DRIVER-RISCO-S3	Driver SUP: Risco (36 M)	4,547.50
COMPASS-DRIVER-RISCO-S4	Driver SUP: Risco (48 M)	5,649.60
COMPASS-DRIVER-RISCO-S5	Driver SUP: Risco (60 M)	6,559.10
COMPASS-DRIVER-RTSP-S1	Driver SUP: RTSP Source (12 M)	1,819.00
COMPASS-DRIVER-RTSP-S2	Driver SUP: RTSP Source (24 M)	3,231.40
COMPASS-DRIVER-RTSP-S3	Driver SUP: RTSP Source (36 M)	4,547.50
COMPASS-DRIVER-RTSP-S4	Driver SUP: RTSP Source (48 M)	5,649.60
COMPASS-DRIVER-RTSP-S5	Driver SUP: RTSP Source (60 M)	6,559.10
COMPASS-DRIVER-TRIKDIS-S1	Driver SUP: TRIKDIS IPcom (12 M)	1,819.00
COMPASS-DRIVER-TRIKDIS-S2	Driver SUP: TRIKDIS IPcom (24 M)	3,231.40

All prices are exclusive of taxes and freight. Avigilon reserves the right to make changes to pricing and discount margins. All installation and use of Avigilon software is governed by its end user license agreement (EULA). Contact Avigilon or visit www.avigilon.com to get a copy of the EULA.

CONFIDENTIAL : The Contents of this document are considered confidential and should not be posted on a public access website, made available for general public distribution, or otherwise shared with others without prior written authorization from Avigilon Corporation.

COMPASS-DRIVER-TRIKDIS-S3	Driver SUP: TRIKDIS IPcom (36 M)	4,547.50
COMPASS-DRIVER-TRIKDIS-S4	Driver SUP: TRIKDIS IPcom (48 M)	5,649.60
COMPASS-DRIVER-TRIKDIS-S5	Driver SUP: TRIKDIS IPcom (60 M)	6,559.10
COMPASS-DRIVER-VIGILANT-ITS-S1	Driver SUP: Vigilant ITS (12 M)	0.00
COMPASS-DRIVER-VIGILANT-ITS-S2	Driver SUP: Vigilant ITS (24 M)	0.00
COMPASS-DRIVER-VIGILANT-ITS-S3	Driver SUP: Vigilant ITS (36 M)	0.00
COMPASS-DRIVER-VIGILANT-ITS-S4	Driver SUP: Vigilant ITS (48 M)	0.00
COMPASS-DRIVER-VIGILANT-ITS-S5	Driver SUP: Vigilant ITS (60 M)	0.00
VIG-ACI-CPL	One (1) Vigilant ClientPortal limited account. (US Only)	0.00
VIG-ACI-CPS	One (1) Avigilon camera channel in an existing ClientPortal account for sole purpose of sharing with Law Enforcement Agencies. US only.	0.00

All prices are exclusive of taxes and freight. Avigilon reserves the right to make changes to pricing and discount margins. All installation and use of Avigilon software is governed by its end user license agreement (EULA). Contact Avigilon or visit www.avigilon.com to get a copy of the EULA.

CONFIDENTIAL : The Contents of this document are considered confidential and should not be posted on a public access website, made available for general public distribution, or otherwise shared with others without prior written authorization from Avigilon Corporation.

MODEL NUMBER	DESCRIPTION	MSRP \$
UEWBTA	Parapet or ceiling mounting bracket UK	293.48
WASEX2T4KC	WASEX2T4KC	2,559.90
WASEX2T4UL	WASEX2T4UL	2,559.90
NET6504-AU	Rack Mount Encoder 4-CH; AU Power Cord	510.00
NET6504-EU	Rack Mount Encoder 4-CH; EU Power Cord	510.00
NET6504-UK	Rack Mount Encoder 4-CH; UK Power Cord	510.00
NET6504-US	Rack Mount Encoder 4-CH; US Power Cord	510.00
NET6516-AU	Rack Mount Encoder16-CH; AU Power Cord	1,659.00
NET6516-EU	Rack Mount Encoder16-CH; EU Power Cord	1,659.00
NET6516-UK	Rack Mount Encoder16-CH; UK Power Cord	1,659.00
NET6516-US	Rack Mount Encoder16-CH; US Power Cord	1,659.00
BRKTMD-1001	DIN Rail Mount for Modular Camera Main Unit	44.40
BRKTMD-1011	Replacement L Bracket for Modular Camera Microbullet Sensor Head	37.83
BRKTMD-1021	Replacement Flat Bracket for Modular CameraRight Angle Sensor Head	33.19
BRKTMD-1031	Replacement Trimming Bracket for Modular Camera Microbullet Sensor head	30.60
CAM-FIPS	FIPS Camera license	10.91
CAM-FIPS-CRYPT-R-L3	CAM-FIPS-CRYPT-R-L3	149.80
CBL2M-1001	2m (6 ft) HD BNC Cable for Modular Camera	58.30
CBL5M-1001	5m (16 ft) HD BNC Cable for Modular Camera	84.80
CBLKT-1001	Cable kit replacement for for Multi sensor Multi directional cameras	76.80
CLPNL-1001	Ceiling panel metal white 2 ft X 2 ft for Multi Sensor Multi directional camera	110.19
CNBX-1001	Conduit entry gang box vandal resistant white for corner camera	134.97
COMB100A	COMB100A	1,527.43
COMB200A	COMB200A	1,527.43
COMB300A	COMB300A	1,527.43
COMBMP	COMBMP	253.46
CRNMT-1001	Corner Mount for large pendant wall mount WLMT-1001	110.19
DBHWGC	DBHWGC	112.19
DCZ	DCZ	808.40
DTWRX	DTWRX	59.36
EXBJ000	EXBJ000	505.59
EXHC003G	EXHC003G	22,624.64
EXHC003R	EXHC003R	2,251.79
EXHC203R	EXHC203R	2,251.79
EXHS000	EXHS000	143.27
FERR-1001	Ferrite clamp for Multi directional cameras to meet EN-50121-4 5 pack	32.28
FM1010	FM1010	58.30
HEB32D0A000B	HEB32D0A000B	128.20
HEB32K0A000B	HEB32K0A000B	163.68
HEB32K1A000B	HEB32K1A000B	198.77
HEB32K2A000B	HEB32K2A000B	198.77
HEG37K0A000	HEG37K0A000	248.12
HEG37K1A000	HEG37K1A000	280.14
HEG37K1A074	HEG37K1A074	336.17
HEG37K1A143	HEG37K1A143	413.54
HEG37K2A000	HEG37K2A000	280.14
HEG47K1A000	HEG47K1A000	297.48
HEG47K1A018	HEG47K1A018	462.90
HEG47K2A000	HEG47K2A000	297.48
HEG47K2A016	HEG47K2A016	408.20
HGV52K1A100	HGV52K1A100	1,855.59
HGV52K2A200	HGV52K2A200	1,855.59
HOT39D0A000	HOT39D0A000	65.23
HOT39D1A000	HOT39D1A000	81.11
HOT39D1A085	HOT39D1A085	114.59
HOT39D2A000	HOT39D2A000	81.11

All prices are exclusive of taxes and freight. Motorola Solutions reserves the right to make changes to pricing and discount margins. All installation and use of Access Control Manager software is governed by its end user license agreement (EULA).

MODEL NUMBER	DESCRIPTION	MSRP \$
HOT39D2A085	HOT39D2A085	114.59
HOT39K1A000	HOT39K1A000	96.98
HOT39K2A000	HOT39K2A000	96.98
HOT39K2A700	HOT39K2A700	230.78
HOV32K1A000	HOV32K1A000	197.17
HOV32K1A018	HOV32K1A018	356.18
HOV32K1A100	HOV32K1A100	597.63
HOV32K2A000	HOV32K2A000	197.17
HOV32K2A016	HOV32K2A016	306.82
HOV32K2A017	HOV32K2A017	306.82
HOV32K2A147	HOV32K2A147	699.02
HOV32K2A200	HOV32K2A200	597.63
HOV32K2A700	HOV32K2A700	416.21
HOV32K2A716	HOV32K2A716	465.57
HOV32K2A720	HOV32K2A720	582.96
HPV36D0A000B	HPV36D0A000B	88.44
HPV36K0A000B	HPV36K0A000B	102.98
HPV36K1A000B	HPV36K1A000B	125.80
HPV36K2A000B	HPV36K2A000B	125.80
HPV36K2A015B	HPV36K2A015B	161.95
HPV42K0A000	HPV42K0A000	136.47
HPV42K1A000	HPV42K1A000	161.68
HPV42K1A160	HPV42K1A160	241.45
HPV42K2A000	HPV42K2A000	161.68
HPV42K2A016	HPV42K2A016	286.81
HPV42K2A017	HPV42K2A017	286.81
HPV42K2A160	HPV42K2A160	241.45
HPV42K2A700	HPV42K2A700	366.85
HPV42K2A716	HPV42K2A716	413.54
HTG37K1A000	HTG37K1A000	1,558.11
HTG37K2A000	HTG37K2A000	1,558.11
HTV32K1A000	HTV32K1A000	1,470.07
HTV32K2A000	HTV32K2A000	1,470.07
IBD3-FP	Replacement front plate kit for IBD3 High Security Corner Camera Pantone 427C	274.54
IBD3-FPSS	Replacement front plate kit for IBD3 High Security Corner Camera Stainless Steel	338.14
IMD1-INC	Inceiling mount adapter for Sarix Multi cameras	156.09
IMD1-INCLD0	Lower dome smoked for inceiling mounted Sarix Multi camera	77.55
IMD1-INCLD1	Lower dome clear for inceiling mounted Sarix Multi camera	77.55
IMD1-IR	IR illuminator ring for Sarix Multi camera	388.44
IMD1-PMT	Pendant mount adapter for Sarix Multi cameras	175.72
IMD1-SMT	Surface mount adapter for Sarix Multi cameras	175.72
IMD1-SPLD0	Lower dome smoked for Surface or Pendant mounted Sarix Multi camera	175.72
IMD1-SPLD1	Lower dome clear for Surface or Pendant mounted IMD Series	175.72
IMM-CM	Corner Mount for WMVE-SR; Telegrey	144.69
IMM-CMAW	Corner Mount for WMVE-AW Pantone 427C	76.80
IMM-PNL	Ceiling Panel for Optera Inceiling Mount 2Ftx2Ft White	249.00
IMM12018-1EI	Optera 12MP 180 Environmental Inceiling dome camera telegrey	2,597.74
IMM12018-1EP	Optera 12MP 180 Environmental Pendant dome camera telegrey	2,597.74
IMM12018-1ES	Optera 12MP 180 Environmental Surface mount dome camera telegrey	2,597.74
IMM12018-1I	Optera 12MP 180 Indoor vandal Inceiling dome camera White	2,409.65
IMM12018-1P	HPV42K2A700	2,409.65
IMM12018-1S	HTG37K1A000	2,409.65
IMM12018-B1I	HTV32K1A000	2,409.65
IMM12018-B1P	IRH10H8A	2,409.65
IMM12018-B1S	IRH10L8A	2,409.65
IMM12027-1EI	IRH30H9A	2,597.74
IMM12027-1EP	IRH30L8A	2,597.74
IMM12027-1ES	IRH60H9A	2,597.74
IMM12027-1I	IRH60L8A	2,409.65
IMM12027-1P	IRHPS230	2,409.65
IMM12027-1S	IRN10A9AS00	2,409.65
IMM12027-B1I	IRN10B9AS00	2,409.65
IMM12027-B1P	IRN30A9AS00	2,409.65
IMM12027-B1S	IRN30B8AS00	2,409.65

All prices are exclusive of taxes and freight. Motorola Solutions reserves the right to make changes to pricing and discount margins. All installation and use of Access Control Manager software is governed by its end user license agreement (EULA).

MODEL NUMBER	DESCRIPTION	MSRP \$
IMM12036-1EI	IRN30BWAS00	2,597.74
IMM12036-1EP	IRN60A9AS00	2,597.74
IMM12036-1ES	IRN60B8AS00	2,597.74
IMM12036-1I	IRN60BWAS00	2,409.65
IMM12036-1P	MBA2S5A	2,409.65
IMM12036-1S	MBX1MAA	2,409.65
IMM12036-B1I	MBX3MAA	2,409.65
IMM12036-B1P	MBXWRE	2,409.65
IMM12036-B1S	MHX1CW000A	2,409.65
IMMBB0-BP	Backbox for Optera Indoor Vandal Pendant Mount Black	75.68
IMMBB0-BS	Backbox for Optera Indoor Vandal Surface Mount Black	75.68
IMMBB0-EI	Backbox for Optera Environmental Vandal Inceiling Mount Telegrey Plenum Rated	75.68
IMMBB0-EP	Backbox for Optera Environmental Vandal Pendant Mount Telegrey	75.68
IMMBB0-ES	Backbox for Optera Environmental Vandal Surface Mount Telegrey	75.68
IMMBB0-I	Backbox for Optera Indoor Vandal Inceiling Mount White Plenum Rated	75.68
IMMBB0-P	Backbox for Optera Indoor Vandal Pendant Mount White	75.68
IMMBB0-S	Backbox for Optera Indoor Vandal Surface Mount White	75.68
IRH10H8A	IRH10H8A	325.50
IRH10H9A	IRH10H9A	550.94
IRH10L8A	IRH10L8A	254.79
IRH30H8A	IRH30H8A	325.50
IRH30H9A	IRH30H9A	550.94
IRH30HWA	IRH30HWA	409.54
IRH30L8A	IRH30L8A	254.79
IRH60H8A	IRH60H8A	325.50
IRH60H9A	IRH60H9A	550.94
IRH60HWA	IRH60HWA	409.54
IRH60L8A	IRH60L8A	254.79
IRHPS120	IRHPS120	131.13
IRHPS230	IRHPS230	131.13
IRN10A8AS00	IRN10A8AS00	692.35
IRN10A9AS00	IRN10A9AS00	1,159.25
IRN10B8AS00	IRN10B8AS00	565.62
IRN10B9AS00	IRN10B9AS00	1,004.50
IRN30A8AS00	IRN30A8AS00	692.35
IRN30A9AS00	IRN30A9AS00	1,159.25
IRN30AWAS00	IRN30AWAS00	749.71
IRN30B8AS00	IRN30B8AS00	565.62
IRN30B9AS00	IRN30B9AS00	1,004.50
IRN30BWAS00	IRN30BWAS00	621.64
IRN60A8AS00	IRN60A8AS00	692.35
IRN60A9AS00	IRN60A9AS00	1,159.25
IRN60AWAS00	IRN60AWAS00	749.71
IRN60B8AS00	IRN60B8AS00	565.62
IRN60B9AS00	IRN60B9AS00	1,004.50
IRN60BWAS00	IRN60BWAS00	621.64
MBA1S5A	MBA1S5A	2,136.75
MBA2S5A	MBA2S5A	2,136.75
MBA3S5A	MBA3S5A	2,136.75
MBX1MAA	MBX1MAA	2,534.70
MBX2MAA	MBX2MAA	2,534.70
MBX3MAA	MBX3MAA	2,534.70
MBXMP	MBXMP	426.88
MBXWRE	MBXWRE	81.55
MHX1CS000A	MHX1CS000A	4,954.48
MHX1CW000A	MHX1CW000A	5,999.00
MHX2CS000A	MHX2CS000A	4,954.48
MHX2CW000A	MHX2CW000A	5,999.00
MHX3CS000A	MHX3CS000A	4,954.48
MHX3CW000A	MHX3CW000A	5,999.00
MHXT1C000B	MHXT1C000B	9,087.21
MHXT2C000B	MHXT2C000B	9,087.21
MHXT3C000B	MHXT3C000B	9,087.21
MHXWBS	MHXWBS	610.97

All prices are exclusive of taxes and freight. Motorola Solutions reserves the right to make changes to pricing and discount margins. All installation and use of Access Control Manager software is governed by its end user license agreement (EULA).

MODEL NUMBER	DESCRIPTION	MSRP \$
MHXWFWCA	MHXWFWCA	338.72
MLX2830AA	MLX2830AA	2,615.97
MLX2W30AA	MLX2W30AA	2,403.87
MMXCWCOL	MMXCWCOL	137.54
MPX2CABL101	MPX2CABL101	1,512.76
MPX2CABL41	MPX2CABL41	1,009.84
MPX2CABLARM101	MPX2CABLARM101	1,512.76
MPX2CABLARM41	MPX2CABLARM41	1,009.84
MPXCOL	MPXCOL	502.92
MPXCW	MPXCW	366.85
MPXWBA	MPXWBA	680.34
MPXWBTA	MPXWBTA	293.48
NPTA-1001	1.5 inch NPT Adapter for Large Pendant Mount Camera	65.67
NTM36K1000	NTM36K1000	2,301.15
NTM36K2000	NTM36K2000	2,301.15
NTW0K2000	NTW0K2000	7,573.12
NTW0K3000	NTW0K3000	4,078.04
NVXIRBKT	NVXIRBKT	87.11
NVXTUB	NVXTUB	276.14
NXCOL	NXCOL	366.85
NXCTPG13SS	NXCTPG13SS	222.78
NXCW	NXCW	183.16
NXFIGRU2	NXFIGRU2	509.59
NXFWBT	NXFWBT	284.14
NXM36D0000	NXM36D0000	863.10
NXM36K1000	NXM36K1000	944.47
NXM36K1050	NXM36K1050	989.83
NXM36K2000	NXM36K2000	944.47
NXM36K2700	NXM36K2700	1,108.55
NXPTZCOL	NXPTZCOL	452.23
NXPTZCW	NXPTZCW	330.83
NXPTZSFP	NXPTZSFP	673.67
NXPTZTW	NXPTZTW	262.80
NXPTZWB	NXPTZWB	610.97
NXW0K1000	NXW0K1000	1,918.29
NXW0K1025	NXW0K1025	2,697.35
NXWBL	NXWBL	636.32
NXWBS1	NXWBS1	352.18
NXWTU	NXWTU	581.62
OBJA	OBJA	20.14
OCTEX1/2-3/4P	OCTEX1/2-3/4P	50.03
OCTEX1/2C	OCTEX1/2C	39.75
OCTEX3/4	OCTEX3/4	66.17
OCTEX3/4C	OCTEX3/4C	69.14
OCTEXA1/2C	OCTEXA1/2C	72.17
OCTEXA3/4	OCTEXA3/4	72.17
OCTEXA3/4C	OCTEXA3/4C	145.81
OCTEXB1/2P	OCTEXB1/2P	92.10
OCTEXB3/4P	OCTEXB3/4P	233.16
OCTEXBA1/2P	OCTEXBA1/2P	148.25
OCTEXBA3/4P	OCTEXBA3/4P	279.56
OCTEXP3/4C	OCTEXP3/4C	454.89
OCTEXS1/2C	OCTEXS1/2C	29.35
OEXPLUG1/2P	OEXPLUG1/2P	22.39
OEXPLUG3/4P	OEXPLUG3/4P	24.59
OHEBVF1	OHEBVF1	40.69
OHEBVF2	OHEBVF2	40.69
OHEBVF3	OHEBVF3	75.77
OHEGBB	OHEGBB	65.63
OHEGBPS1B	OHEGBPS1B	107.79
OHEGBPS2B	OHEGBPS2B	107.79
OHEH01B	OHEH01B	24.01
OHEH02B	OHEH02B	46.02
OHEH05B	OHEH05B	27.35

All prices are exclusive of taxes and freight. Avigilon reserves the right to make changes to pricing and discount margins. All installation and use of Avigilon software is governed by its end user license agreement (EULA). Contact Avigilon or visit www.avigilon.com to get a copy of the EULA.

MODEL NUMBER	DESCRIPTION	MSRP \$
OHEH06B	OHEH06B	27.35
OHEH24B	OHEH24B	26.15
OHEH25B	OHEH25B	26.15
OHEH26	OHEH26	20.41
OHEH27	OHEH27	20.41
OHEP90INJ	OHEP90INJ	626.98
OHEP90INJO	OHEP90INJO	1,223.28
OHEPOWINJ	OHEPOWINJ	131.13
OHEPS01B	OHEPS01B	64.97
OHEPS02B	OHEPS02B	57.10
OHEPS19B	OHEPS19B	49.36
OHEPS20	OHEPS20	35.48
OHEPS25	OHEPS25	50.16
OHOTPS1	OHOTPS1	44.82
OHOTPS2	OHOTPS2	35.48
OHOTS	OHOTS	11.34
OHOVPOEIPM	OHOVPOEIPM	222.78
OHOVPS1B	OHOVPS1B	44.82
OHOVPS2B	OHOVPS2B	35.48
OHOVTA1	OHOVTA1	52.43
OHOVV1	OHOVV1	32.15
OHOVV2	OHOVV2	32.15
OHOVV3	OHOVV3	64.03
OHPVCF3	OHPVCF3	71.37
OHPVPOEIPM	OHPVPOEIPM	222.78
OHPVTA1	OHPVTA1	36.42
OHPVV1	OHPVV1	32.15
OHPVV2	OHPVV2	32.15
OHPVV3	OHPVV3	64.03
OMPXCRWRENCH	OMPXCRWRENCH	233.45
ONXAB1025B	ONXAB1025B	1,085.88
ONXAB2	ONXAB2	490.91
ONXMAIRB	ONXMAIRB	602.97
ONXMAIRBIR	ONXMAIRBIR	1,197.93
ONXPS1B	ONXPS1B	54.43
ONXPS2B	ONXPS2B	46.16
ONXWPS1B	ONXWPS1B	54.83
ONXWQG	ONXWQG	422.88
ONXWTG	ONXWTG	30.55
OSUPPIR	OSUPPIR	27.75
OWBIP2	OWBIP2	10.67
OWBIP3	OWBIP3	10.67
PEC-COMB100A	Comm. box; w PS & Switch; 220-230Vac	1,482.65
PEC-COMB200A	Comm. box; w PS & Switch; 24Vac	1,482.65
PEC-COMB300A	Comm. box; w PS & Switch; 120-127Vac	1,482.65
PEC-OUEMAN	UEA - Maintenance Kit	74.42
PEC-OUEWIPER	UEA - Spare wiper blade	35.49
PEC-SURGEPR	Lightning surge prot. for Ethernet line	227.84
PEC-UEAC	Corner adaptor ;SS AISI 316L	159.14
PEC-UEAP	Pole adaptor; stainless steel AISI 316L	124.79
PEC-UEAW	Counter-plate; stainless steel AISI 316L	170.59
PEC-UEBP0AA	Parapet bracket for Esprit Compact PTZ	101.90
PEC-UEBP4AA	PEC-UEBP4AA	193.49
PEC-UEBP7AA	Parapet brkt w quick con. RJ45 + 7 poles	223.26
PEC-UEBWAA	Wall bracket for Esprit Compact PTZ	101.90
PEC-UEI8AA	IR illuminator 850nm; Esprit Compact PTZ	349.19
PEC-UEI8AAP	Long dist. IR 850nm; Esprit Compact PTZ	349.19
PEC-UEI9AA	IR Illuminator 940nm; Esprit Compact PTZ	399.57
PEC-UEIWAA	White light illum; Esprit Compact PTZ	349.19
PEC-UEIWAAP	Long Dist White Illum; Esprit Compact	349.19
PEC-WASPT0V23L11M00	Washer 23l; 11m; 230Vac-24Vac-120Vac	1,013.24
PEC-WASPT0V5L5M00	Washer 5l; 5m; 230Vac-24Vac-120Vac	548.41
PEC-WASPT1V23L30M00	Washer 23l; 30m; water float; 230Vac	1,757.42
PEC-WASPT3V23L30M00	Washer 23l; 30m; water float; 120Vac	1,757.42

All prices are exclusive of taxes and freight. Avigilon reserves the right to make changes to pricing and discount margins. All installation and use of Avigilon software is governed by its end user license agreement (EULA). Contact Avigilon or visit www.avigilon.com to get a copy of the EULA.

MODEL NUMBER	DESCRIPTION	MSRP \$
PLMT-1001	Pole Mount for large pendant wall mount WLMT-1001	110.19
PTCC1	PTCC1	140.74
SURGEPR	SURGEPR	334.83
UEAC	UEAC	178.36
UEAP	UEAP	137.94
UEAW	UEAW	194.90
UEBP0AA	UEBP0AA	89.91
UEBP0FA	UEBP0FA	89.91
UEBP4AA	UEBP4AA	208.10
UEBP4FA	UEBP4FA	208.10
UEBP7AA	UEBP7AA	238.79
UEBP7FA	UEBP7FA	238.79
UEBWAA	UEBWAA	89.91
UEBWFA	UEBWFA	89.91
UEI8AA	UEI8AA	381.52
UEI8AAP	UEI8AAP	381.52
UEI8FA	UEI8FA	381.52
UEI8FAP	UEI8FAP	381.52
UEI9AA	UEI9AA	441.55
UEI9FA	UEI9FA	441.55
UEIWAA	UEIWAA	381.52
UEIWAAP	UEIWAAP	381.52
UEIWFA	UEIWFA	381.52
UEIWFAP	UEIWFAP	381.52
UPT1SLGAN00E	UPT1SLGAN00E	12,635.65
UPT1SLWAN00E	UPT1SLWAN00E	8,389.53
UPT2SLGAN00E	UPT2SLGAN00E	12,635.65
UPT2SLJAN00E	UPT2SLJAN00E	8,389.53
UPT3SLGAN00E	UPT3SLGAN00E	12,635.65
UPT3SLWAN00E	UPT3SLWAN00E	8,389.53
UPTBKITVB770	UPTBKITVB770	867.10
UPTBVTR	UPTBVTR	557.61
UPTHT1	UPTHT1	178.22
UPTHT2	UPTHT2	178.22
UPTIRN108A00	UPTIRN108A00	621.64
UPTIRN109A00	UPTIRN109A00	1,004.50
UPTIRN10WA00	UPTIRN10WA00	621.64
UPTIRN308A00	UPTIRN308A00	621.64
UPTIRN309A00	UPTIRN309A00	1,004.50
UPTIRN30WA00	UPTIRN30WA00	621.64
UPTIRN608A00	UPTIRN608A00	621.64
UPTIRN60WA00	UPTIRN60WA00	621.64
UPTIRNBKT	UPTIRNBKT	277.47
UPTIRPS100N	UPTIRPS100N	510.92
UPTIRPS120UL	UPTIRPS120UL	640.32
UPTIRPS230N	UPTIRPS230N	510.92
UPTJBUL	UPTJBUL	276.14
UPTWBA	UPTWBA	140.34
UPTWBTAB	UPTWBTAB	140.34
VIP6A1	VIP6A1	550.94
VIP6A2	VIP6A2	550.94
VIPNX1C	VIPNX1C	1,025.85
VIPNX2C	VIPNX2C	1,025.85
WAS0V23L11M00	WAS0V23L11M00	817.74
WAS0V23L5M00	WAS0V23L5M00	564.28
WAS0V5L5M00	WAS0V5L5M00	504.25
WAS1V23L30M00	WAS1V23L30M00	1,544.77
WAS3V23L30M00	WAS3V23L30M00	1,544.77
WASCAB	WASCAB	1,249.96
WASEX2T4AT	WASEX2T4AT	2,559.90
WASEX2T4ATPR	WASEX2T4ATPR	3,332.33
WASEX2T4GOR	WASEX2T4GOR	2,559.90
WASEX2T4IN	WASEX2T4IN	2,559.90
WASN1V10L20M00	WASN1V10L20M00	2,257.13

All prices are exclusive of taxes and freight. Avigilon reserves the right to make changes to pricing and discount margins. All installation and use of Avigilon software is governed by its end user license agreement (EULA). Contact Avigilon or visit www.avigilon.com to get a copy of the EULA.

MODEL NUMBER	DESCRIPTION	MSRP \$
WASNX2V10L20M00	WASNX2V10L20M00	2,257.13
WASNX3V10L20M00	WASNX3V10L20M00	2,257.13
WASPT0V23L11M00	WASPT0V23L11M00	1,099.22
WASPT0V23L5M00	WASPT0V23L5M00	712.36
WASPT0V5L5M00	WASPT0V5L5M00	668.33
WASPT1V23L30M00	WASPT1V23L30M00	1,900.95
WASPT3V23L30M00	WASPT3V23L30M00	1,900.95
WBJA	WBJA	26.01
WBLA	WBLA	795.06
WBMA	WBMA	26.01
WBOV3A2	WBOV3A2	217.44
WBOVA2	WBOVA2	38.55
WCM3A	WCM3A	87.51
WCM4A2	WCM4A2	125.53
WCM5A	WCM5A	140.47
WCMPA	WCMPA	35.35
WCPA	WCPA	40.55
WCWA	WCWA	63.90
WCWGC	WCWGC	106.05
WEXTUB30	WEXTUB30	260.13
WFWCA	WFWCA	109.12
WLMT-1001	Wall Mount for large pendant camera	121.32
WSFPA	WSFPA	73.24
MRC	Ceiling adapter for domes and MR3000; MR3050; MR4000 and MRU monitor mounts.	44.52
PMCL2-CM	Monitor Mount; Celing Mount And VESA Head For LCD Monitors	473.03
PMCL2-CMPL	Ceiling Mount And Telescoping Pole for 34-56" monitors	823.62
PMCL2-CMPS	Ceiling Mount And Telescoping Pole for 23-31" monitors	779.10
PMCL2-WM	VESA Wall Mount For LCD Monitor up to 50 lb	133.56
PMCL2-WM1A	1 Arm Wall Mount with Tilt/Swivel Head	350.60
PMCL2-WMT	Wall Mount With Tilt/Swivel Head	211.47
PMCL622	21.5" LED Backlit 1080p Resolution Security Display	579.87
PMCL624	24" LED Backlit 1080p Resolution Security Display	678.93
PMCL632	32" LED Backlit 1080p Resolution Security Display	980.55
PMCL643K	43" LED Backlit 4K Monitor	2,180.37
PMCL649K	49" LED Backlit 4K Monitor	2,569.92
PMCL655K	55" LED Backlit 4k Resolution Security Display	2,820.34
PMCL665K	65" LED Backlit 4K Monitor	3,101.93
PMCLNBWMF	Flat wall mount for Narrow Bezel LCD monitors for PMCL542NB PMCL546NB PMCL555NB	222.60
PMCLNBWMS	LCD Swing out arm wall mount for PMCL542NB PMCL546NB PMCL555NB	735.69
PMCLNBWMT	LCD Tilt wall mount for PMCL542NB PMCL546NB PMCL555NB	267.12
MCS4-2B	4 outputs; each 2Amp self-resetting; No master; UL Listed. 120 VAC in 24 VAC out	367.29
POE1236-ATEU	12 Port 36W per Port PoE AT Midspan AC DC Input EU Cord PD-9012G/ACDC	1,816.42
POE130-ATEU	Single Port PoE Plus 30W Midspan AC Input European Powercord PD-9001GC/AC	135.79
POE130-XT	Single Port 802.3AF 802.3AT Extender 100M PD-POE Extender	318.32
POE190-BT	HPOE 802.3BT Single Port Injector - US; EU; UK power cords PD-9601GC/AC-LNG	286.04
POE2436-ATEU	24 Port 36W per Port PoE AT Midspan AC DC Input EU Cord PD-9024G/ACDC	2,361.79
POE430-ATEU	4 Port 30W per Port PoE AT Midspan AC Input EU Cord PD-9004G/AC	589.89
PWRCRD-R-AR	Power Cord Round for Argentina	28.94
PWRCRD-R-AU	Power Cord Round for Australia	28.94
PWRCRD-R-EU	Power Cord Round for Europe	28.94
PWRCRD-R-UK	Power Cord Round for United Kingdom	28.94
PWRCRD-S-AR	Power Cord Standard for Argentina	28.94
PWRCRD-S-AU	Power Cord Standard for Australia	28.94
PWRCRD-S-EU	Power Cord Standard for Europe	28.94
PWRCRD-S-UK	Power Cord Standard for United Kingdom	28.94
TF2000	Camera power supply for 24 VAC cameras; 120 VAC to 24 VAC (Class 2); 20 vA.	35.62
TF9000	Camera power supply for 24 VAC cameras; 120 VAC to 24 VAC (Class 2); 50 vA.	46.75
WCS1-4	1 fused output total capacity of 4Amp. 120/240 VAC input; 24/26/28 VAC output.	250.43
EC-1501C-M	EConnect Local or Remote Single Port Coax Mini Case 12VDC/24VAC	359.50
EC-1501U-M	EConnect Local or Remote Single Port Cat5 Mini Case 12VDC/24VAC	348.37
EC-1504C-W	EConnect Local or Remote 4Port Coax with Pass Through PoE to 15 Watts Wall Mount	1,320.02
EC-1504U-W	EConnect Local or Remote 4Port Cat5 with Pass Through PoE to 15 Watts Wall Mount	1,347.84
EC-1508CL-R	EConnect Local Eight Port Coax with Pass Through PoE to 15 Watts 1 RU	2,026.77
EC-1508UL-R	EConnect Local Eight Port Cat5 with Pass Through PoE to 15 Watts 1 RU	2,026.77

All prices are exclusive of taxes and freight. Avigilon reserves the right to make changes to pricing and discount margins. All installation and use of Avigilon software is governed by its end user license agreement (EULA). Contact Avigilon or visit www.avigilon.com to get a copy of the EULA.

MODEL NUMBER	DESCRIPTION	MSRP \$
EC-1516CL-R	EConnect Local Sixteen Port Coax with Pass Through PoE to 15 Watts 1 RU	4,745.83
EC-1516UL-R	EConnect Local Sixteen Port Cat5 with Pass Through PoE to 15 Watts 1 RU	4,164.85
EC-3001CLPOE-M	EConnect Local Single Port Coax with True PoE to 30 Watts Mini Case 12VDC/24VAC	520.88
EC-3001CRPOE-M	EConnect Remote Single Port Coax with True PoE to 30 Watts Mini Case 12VDC/24VAC	520.88
EC-3001ULPOE-M	EConnect Local Single Port Cat5 with True PoE to 30 Watts Mini Case 12VDC/24VAC	547.60
EC-3001URPOE-M	EConnect Remote Single Port Cat5 with True PoE to 30 Watts Mini Case 12VDC/24VAC	547.60
EC-3004CLPOE-W	EConnect Local Four Port Coax with True PoE to 30 Watts Wall Mount	1,968.90
EC-3004CRPOE-W	EConnect Remote Four Port Coax with True PoE to 30 Watts Wall Mount	1,968.90
EC-3004ULPOE-W	EConnect Local Four Port Cat5 with True PoE to 30 Watts Wall Mount	2,031.23
EC-3004URPOE-W	EConnect Remote Four Port Cat5 with True PoE to 30 Watts Wall Mount	2,031.23
EC-3008CLPOE-R	EConnect Local Eight Port Coax with True PoE to 30 Watts 1 RU	3,120.85
EC-3008ULPOE-R	EConnect Local Eight Port Cat5 with True PoE to 30 Watts 1 RU	3,149.79
EC-3016CLPOE-R	EConnect Local Sixteen Port Coax with True PoE to 30 Watts 1 RU	6,576.72
EC-3016ULPOE-R	EConnect Local Sixteen Port Cat5 with True PoE to 30 Watts 1 RU	6,592.30
EC-4BY1SWCPOE-W	EConnect 4-Port Self Managed PoE Switch with Extended Coax Uplink Wall Mount	1,626.09
EC-4BY1SWUPOE-W	EConnect 4-Port Self Managed PoE Switch Extended Cat5 Uplink Wall Mount	1,678.40
ECPS-48VDC-10A	EthernetConnect 48VDC 10A Power Supply for 8 or 16 Channel PoE Applications	1,280.48
ECPS-48VDC-5A	EthernetConnect 48VDC 5A Power Supply for 4 Channel PoE applications	445.20
ECPS07-12VDC-3A	EthernetConnect 12VDC 3A 8 or 16 Channel non PoE applications	91.27
EUPS	Power Supply For Analog Fiber Card Cage European power cord	695.63
EURACK	Card Cage For Europe; Australia; UK	1,035.09
FEXTPS	Fiber External Power Supply 100- 240VAC 9V 2Amp EU US UK Australian power cords	70.12
FEXTPS-48V	Power supply for Fiber accessories 48VDC 1.36A output 100VAC-240VAC input	172.52
FMCI-AF1MM1ST	100Mbps Media Converter (A); ST Connector; mm; 1 fiber	617.72
FMCI-AF1MM1STM	Small Size 100Mbps Media Converter (A); ST Connector; AC/DC Power; mm; 1 fiber	532.01
FMCI-AF1SM1ST	100Mbps Media Converter (A); ST Connector; sm; 1 fiber	614.38
FMCI-AF1SM1STM	Small Size 100Mbps Media Converter (A); ST Connector; AC/DC Power; sm; 1 fiber	739.03
FMCI-BF1MM1ST	100Mbps Media Converter (B); ST Connector; mm; 1 fiber	617.72
FMCI-BF1MM1STM	Small Size 100Mbps Media Converter (B); ST Connector; AC/DC Power; mm; 1 fiber	532.01
FMCI-BF1SM1ST	100Mbps Media Converter (B); ST Connector; sm; 1 fiber	614.38
FMCI-BF1SM1STM	Small Size 100Mbps Media Converter (B); ST Connector; AC/DC Power; sm; 1 fiber	739.03
FMCI-PF1	100Mbps Media Converter	617.72
FMCI-PF1M	Small Size 100Mbps Media Converter	617.72
FMCI-PF1POE	100Mbps Media Converter; Power Over Ethernet	739.03
FMCI-PF2	Dual 2 Port 100Mbps Media Converter	870.37
FMCI-PG1	100Mbps Media Converter	988.34
FMCI-PG1M	Small Size 1000 Mbps Media Converter	988.34
FMCI-PG1POE	100Mbps Media Converter; Power Over Ethernet	1,187.57
FMCI-PG2	Dual 100Mbps Media Converter	1,439.11
FRD1M1ST	RS232/RS422/RS485 data transceiver RX multimode ST connector	785.78
FRD1S1FC	RS232/RS422/RS485 data transceiver RX single mode FC connector	997.25
FRD1S1ST	RS232/RS422/RS485 data transceiver RX single mode ST connector	997.25
FRD4M1ST	4ch bi-dir RS2322/RS422/RS485 data mux RX multimode ST	1,086.29
FRD4S1FC	4ch bi-dir RS2322/rs422/RS485 data mux RX singlemode FC	1,529.26
FRD4S1ST	4ch bi-dir RS2322/RS422/RS485 data mux RX singlemode ST	1,529.26
FRV10D1A2M1ST	1ch 10-bit video with 1 data 1 contact closure & 2 audio bi-dir RX multimode ST	2,134.73
FRV10D1A2S1FC	1ch 10-bit video with 1 data 1 contact closure & 2 audio bi-dir RX singlemode FC	2,416.32
FRV10D1A2S1ST	1ch 10-bit video with 1 data 1 contact closure & 2 audio bi-dir RX singlemode ST	2,416.32
FRV10D1M1ST	1ch 10-bit video 1ch bi-dir data receiver multimode ST	877.04
FRV10D1S1FC	1ch 10-bit video 1ch bi-dir data receiver singlemode FC	1,449.13
FRV10D1S1ST	1ch 10-bit video 1ch bi-dir data receiver singlemode ST	1,449.13
FRV160S1FC	16 channel 10-bit digital video multiplexer RX singlemode FC connector	11,068.79
FRV160S1ST	16 channel 10-bit digital video multiplexer RX singlemode ST connector	11,068.79
FRV20M2ST	2 channel 10-bit digital video 2 fiber receiver multimode ST connector	624.39
FRV20S2FC	2 channel 10-bit digital video 2 fiber receiver singlemode FC connector	1,562.65
FRV20S2ST	2 channel 10-bit digital video 2 fiber receiver singlemode ST connector	1,562.65
FRV320S1FC	32 channel 10-bit digital video multiplexer RX singlemode FC connector	26,834.43
FRV320S1ST	32 channel 10-bit digital video multiplexer RX singlemode ST connector	26,834.43
FRV40D2M1ST	4ch 10-bit video mux 2 data bi-dir & 1 contact closure bi-dir RX multimode ST	2,774.71
FRV40D2S1FC	4ch 10-bit video mux 2 data bi-dir & 1 contact closure bi-dir RX singlemode FC	3,373.50
FRV40D2S1ST	4ch 10-bit video mux 2 data bi-dir & 1 contact closure bi-dir RX singlemode ST	3,373.50
FRV40M1ST	4 channel 10-bit digital video multiplexer RX multimode ST connector	1,450.24
FRV40S1FC	4 channel 10-bit digital video multiplexer RX singlemode FC connector	2,416.32
FRV40S1ST	4 channel 10-bit digital video multiplexer RX singlemode ST connector	2,416.32

All prices are exclusive of taxes and freight. Avigilon reserves the right to make changes to pricing and discount margins. All installation and use of Avigilon software is governed by its end user license agreement (EULA). Contact Avigilon or visit www.avigilon.com to get a copy of the EULA.

MODEL NUMBER	DESCRIPTION	MSRP \$
FRV80D2M1ST	8ch 10-bit video mux 2 data bi-dir & 1 contact closure bi-dir RX multimode ST	4,022.38
FRV80D2S1FC	8ch 10-bit video mux 2 data bi-dir & 1 contact closure bi-dir RX singlemode FC	5,120.91
FRV80D2S1ST	8ch 10-bit video mux 2 data bi-dir & 1 contact closure bi-dir RX singlemode ST	5,120.91
FRV80M1ST	8 channel 10-bit digital video multiplexer RX multimode ST connector	3,350.13
FRV80S1FC	8 channel 10-bit digital video multiplexer RX singlemode FC connector	4,068.02
FRV80S1ST	8 channel 10-bit digital video multiplexer RX singlemode ST connector	4,068.02
FSFP-AFMM1SC2	100fx; 1310nm; 2km; SC; 1 Fiber; Pair with SFP-26B; MSA Compliant	189.21
FSFP-AFSM1LC20	100fx; 1310nm; 20km LC; 1 Fiber; Pair with SFP-10B; MSA Compliant	204.79
FSFP-AFSM1LC60	100fx; 1310nm; 60km; LC; 1 Fiber; Pair with SFP-20B; MSA Compliant	535.35
FSFP-BFSM1SC20	100fx; 1310nm; 20km; SC; 1 Fiber; Pair with SFP-36B; MSA Compliant	278.25
FSFP-AFSM1SC60	100fx; 1310nm; 60km; SC; 1 Fiber; Pair with SFP-24B; MSA Compliant	545.37
FSFP-AGSM1LC20	1000fx; 1310nm; 20km; LC; 1 Fiber; Pair with SFP-12B; MSA Compliant	318.32
FSFP-AGSM1LC60	1000fx; 1310nm; 60km; LC; 1 Fiber; Pair with SFP-18B; MSA Compliant	535.35
FSFP-AGSM1SC20	1000fx; 1310nm; 20km; SC; 1 Fiber; Pair with SFP-14B; MSA Compliant	318.32
FSFP-AGSM1SC60	1000fx; 1310nm; 60km; SC; 1 Fiber; Pair with SFP-22B; MSA Compliant	535.35
FSFP-BFMM1SC2	100fx; 1550nm; 2km; SC; 1 Fiber; Pair with SFP-26A; MSA Compliant	189.21
FSFP-BFSM1LC20	100fx; 1550nm; 20km; LC; 1 Fiber; Pair with SFP-10A; MSA Compliant	204.79
FSFP-BFSM1LC60	100fx; 1550nm; 60km; LC; 1 Fiber; Pair with SFP-20A; MSA Compliant	545.37
FSFP-BFSM1SC20	100fx; 1550nm; 20km; SC; 1 Fiber; Pair with SFP-36A; MSA Compliant	278.25
FSFP-BFSM1SC60	100fx; 1550nm; 60km; SC; 1 Fiber; Pair with SFP-24A; MSA Compliant	545.37
FSFP-BGSM1LC20	1000fx; 1550nm; 20km; LC; 1 Fiber; Pair with SFP-12A; MSA Compliant	318.32
FSFP-BGSM1LC60	1000fx; 1550nm; 60km; LC; 1 Fiber; Pair with SFP-18A; MSA Compliant	535.35
FSFP-BGSM1SC20	1000fx; 1550nm; 20km; SC; 1 Fiber; Pair with SFP-14A; MSA Compliant	387.32
FSFP-BGSM1SC60	1000fx;1550nm;60km; SC; 1 Fiber; Pair with SFP-22A; MSA Compliant	535.35
FSFP-EFMM2LC2	100fx; 1310nm; 2km; LC; 2 Fiber; MSA Compliant	126.88
FSFP-EFSM2LC20	100fx; 1310nm; 20km; LC; 2 Fiber; MSA Compliant	133.56
FSFP-EFSM2LC40	100fx; 1310nm; 40km; LC; 2 Fiber; MSA Compliant	369.52
FSFP-EFSM2LC80	100fx; 1550nm; 80km; LC; 2 Fiber; MSA Compliant	476.36
FSFP-EGMM2LC.55	10/100/1000Mbps; 850nm; 550m; LC; 2 Fiber	126.88
FSFP-EGRJ45	Copper 10/100/1000Mbps RJ45; MSA Compliant	168.06
FSFP-EGSM2LC120	1000fx; 1550nm; 120km; LC; 2 Fiber; MSA Compliant	1,015.06
FSFP-EGSM2LC15	1000fx; 1310nm; 15km; LC; 2 Fiber; MSA Compliant	139.13
FSFP-EGSM2LC40	1000fx; 1310nm; 40km; LC; 2 Fiber; MSA Compliant	369.52
FSFP-EGSM2LC70	1000fx; 1550nm; 70km; LC; 2 Fiber; MSA Compliant	476.36
FSV10D1M1ST	1ch 10-bit video 1ch bi-dir data transmitter for Spectra multimode ST	779.10
FSV10D1S1FC	1ch 10-bit video 1ch bi-dir data transmitter for Spectra singlemode FC	1,423.53
FSV10D1S1ST	1ch 10-bit video 1ch bi-dir data transmitter for Spectra singlemode ST	1,423.53
FTD1M1ST	RS232/RS422/RS485 data transceiver TX multimode ST connector	785.78
FTD1S1FC	RS232/RS422/RS485 data transceiver TX single mode FC connector	1,955.54
FTD1S1ST	RS232/RS422/RS485 data transceiver TX single mode ST connector	1,955.54
FTD4M1ST	4ch bi-dir RS2322/RS422/RS485 data mux TX multimode ST	1,086.29
FTD4S1FC	4ch bi-dir RS2322/rs422/RS485 data mux TX singlemode FC	1,489.19
FTD4S1ST	4ch bi-dir RS2322/RS422/RS485 data mux TX singlemode ST	1,489.19
FTV10D1A2M1ST	1ch 10-bit video with 1 data 1 contact closure & 2 audio bi-dir TX multimode ST	2,154.77
FTV10D1A2S1FC	1ch 10-bit video with 1 data 1 contact closure & 2 audio bi-dir TX singlemode FC	2,394.06
FTV10D1A2S1ST	1ch 10-bit video with 1 data 1 contact closure & 2 audio bi-dir TX singlemode ST	2,394.06
FTV10D1M1ST	1ch 10-bit video 1ch bi-dir data transmitter multimode ST	877.04
FTV10D1S1FC	1ch 10-bit video 1ch bi-dir data transmitter singlemode FC	1,449.13
FTV10D1S1ST	1ch 10-bit video 1ch bi-dir data transmitter singlemode ST	1,449.13
FTV10M1ST	Single 10-bit digital video transmitter multimode ST connector	365.06
FTV10M1STM	Mini single 10-bit digital video transmitter multimode ST connector	445.20
FTV10S1FC	Single 10-bit digital video transmitter multimode FC connector	788.00
FTV10S1FCM	Mini single 10-bit digital video transmitter singlemode FC connector	788.00
FTV10S1ST	Single 10-bit digital video transmitter singlemode ST connector	788.00
FTV10S1STM	Mini single 10-bit digital video transmitter singlemode ST connector	788.00
FTV160S1FC	16 channel 10-bit digital video multiplexer TX singlemode FC connector	11,068.79
FTV160S1ST	16 channel 10-bit digital video multiplexer TX singlemode ST connector	11,068.79
FTV320S1FC	32 channel 10-bit digital video multiplexer TX singlemode FC connector	26,834.43
FTV320S1ST	32 channel 10-bit digital video multiplexer TX singlemode ST connector	26,834.43
FTV40D2M1ST	4ch 10-bit video mux 2 data bi-dir & 1 contact closure bi-dir TX multimode ST	2,774.71
FTV40D2S1FC	4ch 10-bit video mux 2 data bi-dir & 1 contact closure bi-dir TX singlemode FC	3,373.50
FTV40D2S1ST	4ch 10-bit video mux 2 data bi-dir & 1 contact closure bi-dir TX singlemode ST	3,373.50
FTV40M1ST	4 channel 10-bit digital video multiplexer TX multimode ST connector	1,463.60
FTV40S1FC	4 channel 10-bit digital video multiplexer TX singlemode FC connector	2,394.06

All prices are exclusive of taxes and freight. Avigilon reserves the right to make changes to pricing and discount margins. All installation and use of Avigilon software is governed by its end user license agreement (EULA). Contact Avigilon or visit www.avigilon.com to get a copy of the EULA.

MODEL NUMBER	DESCRIPTION	MSRP \$
FTV40S1ST	4 channel 10-bit digital video multiplexer TX singlemode ST connector	2,394.06
FTV80D2M1ST	8ch 10-bit video mux 2 data bi-dir & 1 contact closure bi-dir TX multimode ST	4,022.38
FTV80D2S1FC	8ch 10-bit video mux 2 data bi-dir & 1 contact closure bi-dir TX singlemode FC	5,120.91
FTV80D2S1ST	8ch 10-bit video mux 2 data bi-dir & 1 contact closure bi-dir TX singlemode ST	5,120.91
FTV80M1ST	8 channel 10-bit digital video multiplexer TX multimode ST connector	3,350.13
FTV80S1FC	8 channel 10-bit digital video multiplexer TX singlemode FC connector	4,068.02
FTV80S1ST	8 channel 10-bit digital video multiplexer TX singlemode ST connector	4,068.02
FUMS-FFX2TX2	Unmanaged Switch; 4 Port; 100Mbps; 2 Fiber; 2 Copper; SFP Sold Separately	678.93
FUMS-FFX4TX4	Unmanaged Switch; 8 Port; 100Mbps; 4 Fiber; 4 Copper; SFP Sold Separately	991.68
FUMS-FFX8	Unmanaged Switch; 8 Port; 100Mbps; 8 Fiber; SFP Sold Separately	1,160.86
FUMS-FTX8	Unmanaged Switch; 8 Port; 100Mbps; 8 Copper; SFP Sold Separately	1,148.62
FUMS-GFX4	Unmanaged Switch; 4 Port; 1000Mbps; SFP Sold Separately	885.95
FUMS-GFX8	Unmanaged Switch; 8 Port; 1000Mbps; SFP Sold Separately	1,230.98
PDS-104GO/AC/M-CC-MSI	Managed Switch outdoor rated 4 port PoE+ 30W per port or 60W/2 ports + 1 SFP	1,946.64
RACK1B	1 Slot Blank Filler Plate	32.28
USRACK	Card Cage For US	1,035.09
13M2.8-8	Lens; 1/3-inch format 3 megapixel varifocal 2.8-8mm F/1.2-1.9 auto iris CS-mount	174.74
13VA5-50	CS Lens; 1/3-inch varifocal zoom; 5-50mm manual iris; f1.4-closed	183.65
M1.8-3	Megapixel CS 1.8-3mm F1.8 Lens For Sarix Box IP Cameras SL183A	362.84
M2.7-13	Megapixel CS 1/2.7Inch 2.7-13mm F1.4 Lens DC Iris M13VG2713IR	249.31
M2.8-8.5P	Megapixel CS 1/2.7Inch 2.8-8.5mm F1.2 P-iris Lens AG3Z2812KCS-MPWIR	272.69
M8-80	Megapixel CS 8-80mm for Sarix Box IP Cameras DV10X8SRA-SA1L	567.63
M9-40P	Megapixel CS 1/2.5Inch 9-40mm F1.5 P-iris Lens for Sarix Box IP Cameras SL940P	362.84
M12.8-8.5P	Megapixel I-CS Lens 2.8-8.5mm for Sarix box IP cameras AG3Z2812TCS-MPWIR	302.74
M13.9-10P	Megapixel I-CS 3.9-10Mm F1.5 Lens For Sarix Box IP Cameras EG3Z3915TCS-MPWIR	402.91
M19-50P	Megapixel I-CS 9-50mm F1.5 Lens for Sarix Box IP Cameras EG6Z0915TCS-MPWIR	705.64
YV2.7X2.2SR4A	1/3" or 1/2.7" CS mount lens 2.2-6mm; DC auto iris; F1.3	304.96
YV2.8X2.8SR4A	1/3" or 1/2.7" CS mount lens 2.8-8mm; DC auto iris; F1.3	244.86
YV3.3X15SR4A	1/3" or 1/2.7" CS mount lens 15-50mm; DC auto iris; F1.5	418.49
NET5500-XPWR-AU	Extended Temp Encoder AU Power Supply	34.50
NET5501-AR	Single channel rack mount Encoder AR power cord	601.02
NET5501-AU	Single channel rack mount Encoder AU power cord	595.46
NET5501-CN	Single channel rack mount Encoder No power cord	601.02
NET5501-EU	Single channel rack mount Encoder EU power cord	612.15
NET5501-I	Single-channel Inline Encoder	421.83
NET5501-UK	Single channel rack mount Encoder UK power cord	612.15
NET5501-XT	Single channel temperature-hardened encoder	920.45
NET5501-XT-AU	Single channel temperature-hardened encoder AU power cord	930.47
NET5501-XT-EU	Single channel temperature-hardened encoder EU power cord	912.66
NET5501-XT-UK	Single channel temperature-hardened encoder UK power cord	912.66
NET5504-AU	4 channel rack mount Encoder AU power cord	750.16
NET5504-EU	4 channel rack mount Encoder EU power cord	716.77
NET5508-AR	8 channel rack mount Encoder AR power cord	1,383.46
NET5508-AU	8 channel rack mount Encoder AU power cord	1,394.59
NET5508-CN	8 channel rack mount Encoder No power cord	1,370.10
NET5508-EU	8 channel rack mount Encoder EU power cord	1,356.75
NET5508-UK	8 channel rack mount Encoder UK power cord	1,356.75
NET5516-UK	16 channel rack mount Encoder UK power cord	2,264.96
3DX-600-3D MOUSE	VideoXpert; Enhanced 3D Mouse with Joy and Jog Stick	729.02
KBD5000	Keyboard for VideoXpert; Endura; and DS - modular jog dial; joystick; and keypad	2,530.96
KSC-3000U	Direct Mode Fixed/Variable Speed Controller; PTZ; Joystick	658.90
KSC-PSKIT	Power Adapter Kit (12VDC) for KSC-3000U Controller	26.71
C11-UM	Universal camera mount for Sarix Box cameras	122.43
CM1751	Light Duty mount ceiling/pendant/wall	61.22
CM400	Corner adapter for LWM41; IWM; IWM24; and DF5	95.72
CM400-SW	Corner Mount Adaptor For IWM-SW for Spectra Enhanced 7 IP PTZ Cameras RAL 9003	95.72
EC20	Ceiling Mount For EH20 Enclosures	310.53
EH14	Housing megapixel window IP66 CE and optional mounts and brackets	61.22
EH14-2	Housing megapixel window IP66 CE 24VAC power supply heater and blower	116.87
EH14-3	Housing megapixel window IP66 CE 230VAC power supply and heater and blower	160.27
EH16	Housing with megapixel window IP66 protection UL and CE certification	125.77
EH16-MT	Housing with megapixel window IP66 protection UL and CE certification and mount	150.26
EH20	Housing IP66; No Heater/Blower; Sunshade; Without Feedthrough Mount	159.16
EH20-2-H	Housing IP66; 24VAC with Heater/Blower; Sunshade and Feedthrough Mount	259.33

All prices are exclusive of taxes and freight. Avigilon reserves the right to make changes to pricing and discount margins. All installation and use of Avigilon software is governed by its end user license agreement (EULA). Contact Avigilon or visit www.avigilon.com to get a copy of the EULA.

MODEL NUMBER	DESCRIPTION	MSRP \$
EH20-3-H	Housing IP66; 110-230VAC with Heater/Blower; Sunshade and Feedthrough Mount	341.69
EH20-M	General purpose housing IP66; No Heater/Blower; With Feedthrough Mount	197.00
EH20-P-H	Housing IP66; PoE+/HPoE with Heater/Blower; Sunshade and Feedthrough Mount	407.36
EH4718	Enclosure; indoor front hinged lid and rear link-lock latch. 18-inch length	401.79
EHS8000-2-H	Stainless Steel Housing IP66; 24VAC with Heater/Blower	1,988.93
EHS8000-3-H	Stainless Steel Housing IP66; 230VAC with Heater/Blower	2,510.93
EHS8000-P-H	Stainless Steel Housing IP66; HPoE with Heater/Blower	2,262.73
EM14A	Light Duty Wall Mount For EH14 Enclosure Ral 9002	50.09
EM16	Feed through mount for EH16 Housing	27.83
EM3512	Wall mount; feedthrough for EH3512 24V	184.76
EMS8000	Mount For EHS8000 Stainless Steel	276.02
EP20	Pole Mount For EH20 Enclosures	103.51
EP21	Pole Mount For EM20 Enclosure Mount	76.80
EPS8000	Pole Mount For EHS8000 Enclosures	103.51
PA101	Pole adapter for EM1400; PM14; MM1000 mounts. Minimum pole diameter 1.5-inches	74.57
PA101-AW	Pole Mount Adapter for WMVE-AW min pole diameter 1.5 inches Pantone 427C	76.80
PA101-SW	Pole mount adapter. Minimum pole diameter 1.5-inches. White	74.57
PA402	Pole adapter for LWM41; IWM; IWM24 wall mounts Spectra and DF5 pendant series	99.06
PA402-SW	Pole Mount Adaptor for IWM-SW for Spectra Enhanced 7 IP PTZ Cameras RAL 9003	99.06
PM2000	Heavy-duty; for pan/tilt's or enclosures. Ceiling/pedestal mount; 24-inch height	190.32
PM2010	Heavy-duty; for pan/tilt's or enclosures. Ceiling/pedestal mount; 10-inch height	128.00
TB1751	Mount;Light Duty;with Bar Clip	63.44
VB-400-ID-CUS-1000	Custom VB400 Front-button Sticker (1000)	1,031.00
VB-400-ID-CUS-5000	Custom VB400 Front-button Sticker (5000)	1,362.00
AC-LANYARD-05	Lanyard for Body-worn cameras	6.00
AC-USB-DOCK-050	USB Cable for Body-worn cameras	26.00
AC-USB-DOCK-200	USB Cable for Body-worn cameras	26.00
DC-200/AUS	DockController (AUS)	735.00
DC-200/EU	DockController (EU)	735.00
DC-200/ROW	DockController (ROW)	735.00
DC-200/UK	DockController (UK)	735.00
DC-200/US	DockController (US)	735.00
KF-DOCK05BVELCRO	KF-DOCK05BVELCRO	18.90
KF-DOCKBUTTONF	KF-DOCKBUTTONF	15.75
KF-DOCKBUTTONM	KF-DOCKBUTTONM	15.75
KF-DOCKCLAMP	Klick Fast Dock Clamp	31.00
KF-DOCKCROCCLAT	KF-DOCKCROCCLAT	22.05
KF-DOCKCROCCLIP	KF-DOCKCROCCLIP	18.90
KF-DOCKEP	Klick Fast Epaulette Dock	26.00
KF-DOCKRUCKSACK	KF-DOCKRUCKSACK	15.75
KF-HARN3	Klick Fast 3-Point Chest Harness	62.00
KF-HARN4	Klick Fast 4-Point Chest Harness	62.00
KF-HARN5	Klick Fast Shoulder Harness	62.00
KF-LOOP	Klick Fast Radio Loop	21.00
KF-MAGMOUNT2	Klick Fast Magnetic Mounting Set (w/Magnets)	68.05
KF-MOLLEVEST	Klick Fast Dock for MOLLE vests	21.00
KF-SCREW	Klick Fast Screw-on Dock	21.00
RF-220	RF-220 RFID Reader	740.00
RF-CARD-10	RFID Cards for Body-worn cameras	21.00
RF-STICKER-10	RFID Stickers for Body-worn cameras	11.00
VB-400-DOCK-SOLO	VB400 1-Port Dock	86.70
VB-400-DOCK14/AUS	VB400 14-Port Dock (AUS)	816.00
VB-400-DOCK14/EU	VB400 14-Port Dock (EU)	816.00
VB-400-DOCK14/US	VB400 14-Port Dock (US)	816.00
VB-400-QR-KFSTUD	Klick Fast Quick Release Stud	26.00
VB-400-QR-KFTILT	Klick Fast Quick Release Tilt Mount (for VB400)	36.00
VB-400-QR-KFTILT2	Klick Fast Quick Release Wide Tilt Mount	62.00
VB-400-QR-SPORT	Quick Release Sports Camera Pillar (VB400)	26.00
VB-400-VF-MAG	Close-Fit Magnetic Mount	36.00
VB-400-VF-MOL2	Close-Fit Double MOLLE Mount	72.00
VB-400-12MW-N	12 Month Additional Warranty for VB-400 Body-worn camera	147.90
VB-400-24MW-N	24 Month Additional Warranty for VB-400 Body-worn camera	255.00
VB-400-DOCK14/UK	VB400 14-Port Dock (UK)	816.00
VB-400-EXT-CHARGE	USB Type-A to VB400 cable including VB400 adaptor	71.00

All prices are exclusive of taxes and freight. Avigilon reserves the right to make changes to pricing and discount margins. All installation and use of Avigilon software is governed by its end user license agreement (EULA). Contact Avigilon or visit www.avigilon.com to get a copy of the EULA.

MODEL NUMBER	DESCRIPTION	MSRP \$
VB-440-64-ALIG	VB400 Alligator clip Body-worn camera	607.00
VB-440-64-KF-N	VB400 Klick Fast Stud Body-worn camera	606.90
VB-440-64-QR-N	VB400 Quick Release Body-worn camera	607.00
VB-440-64-VF-N	VB400 Close Fit Body-worn camera	607.00
VM-EPL-HQ-BASE	VideoManager HQ Base License	4,082.05
VM-EPL-VB-CONNECT-1	CONNECT License for VB400	316.20
VM-EPL-VB-CONNECT-TO-PLUS-1	UPGRADE License for VB400	122.40
VM-EPL-VB-PLUS-1	PLUS License for VB400	402.90
VM-ESA-HQ-BASE-12M	VM-ESA-HQ-BASE-12M	834.60
VM-ESA-HQ-BASE-24M	VM-ESA-HQ-BASE-24M	1,460.55
VM-ESA-VB-12M-1	12 Month Additional S/W Assurance for VideoManager (VB400)	86.70
VM-ESA-VB-24M-1	24 Month S/W Assurance for VideoManager	147.90
ESSE1-2X40-SBT-PA	ESPRIT AC ENH1 2MPx40 FIXED	4,312.35
NVX220P00A	NVX220P00A	3,749.87
NVX220S00A	NVX220S00A	3,749.87
NVX220W00A	NVX220W00A	4,050.02
IDLO-PU2	Sarix Modular Camera 2 Port Processor Unit	556.50
IDL302-FXI	3MP Fixed Micro Bullet Imager for Sarix Modular Camera	263.94
IDL303-PHI	3MP Pin Hole Imager for Sarix Modular Camera	263.94
IDL502-FXI	5MP Fixed Micro Bullet Imager for Sarix Modular Camera	369.94
EVO-05LID	Evolution Mini 360 Degree Compact Indoor Surface Mount 5MP IP Camera White	566.52
EVO-05LJD	Evolution Mini 360 Degree Compact Indoor Surface Mount 5MP IP Camera Black	566.52
EVO-05LMD	Evolution Mini 360 5MP Environmental Surface Mount White	677.82
EVO-05NCD	Evolution 360 Degree Indoor Concealed 5MP IP Camera	980.55
EVO-05NJD	Evolution 360 Degree Indoor Surface Mount 5MP IP Camera Black	980.55
EVO-05NMD	Evolution 360 Degree Outdoor Surface Mount 5MP IP Camera White	744.60
EVO-180-WED-P	Evolution 180 Degree Outdoor Surface Mount Wall Mount 12MP IP Camera White	1,858.71
IMD12136	Sarix Multi IMD Series 12 MP 2.8mm 4 imager 360 degree multi-directional camera	1,756.54
IMD15118	Sarix Multi IMD Series 15 MP 4mm 3 imager 180 degree multi-directional camera	1,659.39
IMD15127	Sarix Multi IMD Series 15 MP 2.8mm 3 imager 270 degree multi-directional camera	1,659.39
IMD20136	Sarix Multi IMD Series 20 MP 2.8mm 4 imager 360 degree multi-directional camera	1,933.18
IMD24118	Sarix Multi IMD Series 24 MP 5.2mm 3 imager 180 degree multi-directional camera	1,933.18
IMD24127	Sarix Multi IMD Series 24 MP 4mm 3 imager 270 degree multi-directional camera	1,933.18
IMD32136	Sarix Multi IMD Series 32 MP 4mm 4 imager 360 degree camera multi-directional	2,206.97
IMD9118	Sarix Multi IMD Series 9 MP 4mm 3 imager 180 degree multi-directional camera	1,526.92
IMD9127	Sarix Multi IMD Series 9 MP 2.8mm 3 imager 270 degree multi-directional camera	1,526.92
IMF-INSTKT	Replacement Install Kit for Surface Mount IMF Pelco Fisheye Camera	21.15
IMF-LD1	Replacement Lower Dome Clear 3 Pack for IMF Pelco Fisheye Cameras	110.19
IMF-PM	Pendant Mount Adapter for Pelco Fisheye Environmental Cameras	87.93
IMF-PNL	Metal Ceiling Panel Mount Pelco Fisheye Tile 2 Ft X 2Ft Pantone 427C	166.95
IMF122-1ERS	12MP Fisheye Environmental IR Surface Mount True WDR 30 FPS Smart Analytics	1,445.79
IMF122-1ES	12MP Fisheye Environmental Surface Mount True WDR 30 FPS Smart Analytics	1,379.01
IMF122-1I	12MP Fisheye Inceiling Mount Indoor True WDR 30 FPS Smart Analytics	1,412.40
IMF82-1ERS	8MP Fisheye Environmental IR Surface Mount True WDR 30 FPS Smart Analytics	967.20
IMF82-1ES	8MP Fisheye Environmental Surface Mount True WDR 30 FPS Smart Analytics	911.55
IMF82-1I	8MP Fisheye Inceiling Mount Indoor True WDR 30 FPS Smart Analytics	944.94
IMFI-INSTKT	Replacement Install Kit for in ceiling Fisheye Camera includes tools fasteners	20.14
IMM12018-BASE	Optera Panomersive 12MP 180 degree Indoor Base camera module	2,303.38
IMM12018-E-BASE	Optera Panomersive 12MP 180 degree Environmental Base camera module	2,492.06
IMM12027-BASE	Optera Panomersive 12MP 270 degree Indoor Base camera module	2,303.38
IMM12027-E-BASE	Optera Panomersive 12MP 270 degree Environmental Base camera module	2,492.06
IMM12036-BASE	Optera Panomersive 12MP 360 degree Indoor Base camera module	2,303.38
IMM12036-E-BASE	Optera Panomersive 12MP 360 degree Environmental Base camera module	2,492.06
IMMBB0-BI	Backbox for Optera Indoor Vandal Inceiling Mount Black Plemun Rated	75.68
IMMLD0-0	Lower Dome for Optera Indoor Vandal White Trim Smoked Bubble	75.68
IMMLD0-0E	Lower Dome for Optera Environmental Vandal Telegrey Trim Smoked Bubble	75.68
IMMLD0-1	Lower Dome for Optera Indoor Vandal White Trim Clear Bubble	75.68
IMMLD0-1E	Lower Dome for Optera Environmental Vandal Telegrey Trim Clear Bubble	75.68
IMMLD0-B0	Lower Dome for Optera Indoor Vandal Black Trim Smoked Bubble	75.68
IMMLD0-B1	Lower Dome for Optera Indoor Vandal Black Trim Clear Bubble	75.68
OBE-01-OBA	Outdoor Pendant Black For Evolution 360 Degree 5MP Camera	90.15
OBE-02-OBA	Outdoor Sunshield Black For Evolution 360 Degree Camera Pendant	90.15
OBE-05-OBA	Outdoor Corner mount Black for Evolution 360 Degree Camera Includes Wall Mount	194.78
OBE-14-OBA	Outdoor Sunshield Black for 12 Mega Pixel Evolution 360 Degree Camera Pendant	99.06

All prices are exclusive of taxes and freight. Avigilon reserves the right to make changes to pricing and discount margins. All installation and use of Avigilon software is governed by its end user license agreement (EULA). Contact Avigilon or visit www.avigilon.com to get a copy of the EULA.

MODEL NUMBER	DESCRIPTION	MSRP \$
OBE-16-OWA	Evo Mini Environmental Conduit Backbox White	83.48
SMLE1-12V5-4H	Sarix Multi SMLE Series 12 MP 3.3-5.7mm 4 imager multi-directional camera	2,127.31
SMLE1-15V5-3H	Sarix Multi SMLE Series 15 MP 3.3-5.7mm 3 imager multi-directional camera	2,050.61
SMLE1-20V5-4H	Sarix Multi SMLE Series 20 MP 3.3-5.7mm 4 imager multi-directional camera	2,306.55
SMLE1-24V5-3H	Sarix Multi SMLE Series 24 MP 3.3-5.7mm 3 imager multi-directional camera	2,288.62
SMLE1-32V5-4H	Sarix Multi SMLE Series 32 MP 3.3-5.7mm 4 imager multi-directional camera	2,761.27
SMLE1-9V5-3H	Sarix Multi SMLE Series 9 MP 3.3-5.7mm 3 imager multi-directional camera	1,843.95
B6-F	Spectra Enhanced 1080P BackBox Flush	668.91
B6-PG	Spectra Enhanced 1080P BackBox Pendant Gray	753.50
B6-PG-E	Spectra Enhanced 1080P BackBox Environmental Pendant Gray	1,135.26
B7-F	Back Box Spectra 7 Indoor in-ceiling White	478.78
B7-F-E	Back Box Spectra 7 Environmental in-ceiling White	534.52
B7-PB-E	Back Box Spectra 7 Environmental Pendant Black	545.37
B7-PW-E	Back Box Spectra 7 Environmental Pendant White	454.10
D7230L	Spectra Enhanced 7 Dome 1080p 30X Environmental dome drive	2,906.04
D7818L	Spectra Enhanced 7 Dome 4K 20X Environmental dome drive	3,995.67
ECM101	Corner mount adapter for Esprit	123.21
EM20	Feedthrough mount for EH2000 Enclosures - MOUNT ONLY	52.31
EM20JB	Wall mount junction box for EM20	149.14
EPM	Pole adapter for Esprit; adapts Esprit wall mounts for pole mounting	95.72
EPP2	Esprit Pedestal Plate	63.44
ES-BLADE-10	Esprit replacement wiper blades; 10 pieces	52.31
ES-BLADE-2	Esprit replacement wiper blades; 2 pieces	28.94
ES6230-02	Esprit Enhanced 6 1080P POE/24V	4,276.15
ES6230-05	Esprit Enhanced 6 1080P 85-265V	4,276.15
ES6230-12	Esprit Enhanced 6 1080P Wiper POE/24V	4,459.79
ES6230-12-R2	Esprit Enhanced 6 1080P Wiper 48VDC IR200m	6,495.47
ES6230-12-RW	ES6230-12-RW	6,509.94
ES6230-12P	Esprit Enhanced 6 1080P Wiper Pressurized POE/24V	5,551.64
ES6230-12P-R2	Esprit Enhanced 6 1080P Wiper Pressurized 48VDC IR200m	7,466.00
ES6230-12P-RW	ES6230-12P-RW	7,473.80
ES6230-15	Esprit Enhanced 6 1080P Wiper 85-265V	4,459.79
ES6230-15-R2	Esprit Enhanced 6 1080P Wiper 100-240V IR200m	6,495.47
ES6230-15-RW	ES6230-15-RW	6,509.94
ES6230-15P	Esprit Enhanced 6 1080P Wiper Pressurized 85-265V	5,551.64
ES6230-15P-R2	Esprit Enhanced 6 1080P Wiper Pressurized 100-240V IR200m	7,466.00
ES6230-15P-RW	ES6230-15P-RW	7,473.80
ESCE1-2X40-RLU	Esprit Compact PTZ 2MP 40x-24Vac/dc	6,418.93
ESCE1-4X36-RLU	Esprit Compact PTZ 4MP 36x-24Vac/dc	7,488.93
ESCE1-8X36-RLU	Esprit Compact PTZ 8MP 36x-24Vac/dc	7,999.00
ESTX-HD-5	Power Supply 120/230VAC Esprit5	258.22
EWIM	Wall mount for Esprit; indoor and outdoor; optional adapter; EPM; for pole mount	80.00
IWM-GY	Wall mount with cable feedthrough for pendant Spectra cameras; Gray	109.07
IWM-SR	Wall Mount Lt Gray for Sarix IE P Pnd Lg	105.74
IWM-SW	Environmental wall mount with cable feedthrough for Spectra Enhanced 7; RAL 9003	109.07
IWM24-GY	Wall mount with integrated power; for Intercept or Spectra and DF5 outdoor; Gray	328.34
IWM24-SR	Wall Mount 24 VAC Light Gray for Sarix IE Pendant Long	290.49
IWM24-SW	Environmental wall mount cable feedthrough and power for Spectra Enh 7; RAL 9003	328.34
LD53PR-0	Spectra III Pressurized lower dome; pendant mount; smoke.	781.33
LD53PR-1	Spectra III Pressurized lower dome; pendant mount; clear.	781.33
LD6F-0	Spectra Enhanced 1080p Lower Dome Flush Smoked IK10	194.78
LD6F-1	Spectra Enhanced 1080p Lower Dome Flush Clear IK10	194.78
LD6PB-0	Spectra Enhanced 1080p Lower Dome Pendant Smoked IK10	223.71
LD6PB-1	Spectra Enhanced 1080p Lower Dome Pendant Clear IK10	223.71
LD7AF-0	Lower bubble Spectra 7 4K Indoor White Smoked bubble	318.32
LD7AF-1	Lower bubble Spectra 7 4K Indoor White Clear bubble	318.32
LD7APB-0	Lower bubble Spectra 7 4K Environmental Black Smoked bubble	318.32
LD7APB-1	Lower bubble Spectra 7 4K Environmental Black Clear bubble	318.32
LD7F-0	Lower bubble Spectra 7 Indoor White Smoked bubble	227.05
LD7F-1	Lower bubble Spectra 7 Indoor White Clear bubble	227.05
LD7PB-0	Lower bubble Spectra 7 Environmental Black Smoked bubble	227.05
LD7PB-1	Lower bubble Spectra 7 Environmental Black Clear bubble	227.05
LDHDPB-1	Spectra HD Lower Dome Black Pendant Clear	212.58
LDP-FWH-1	Lower Dome Professional Flush White Clear	122.43

All prices are exclusive of taxes and freight. Avigilon reserves the right to make changes to pricing and discount margins. All installation and use of Avigilon software is governed by its end user license agreement (EULA). Contact Avigilon or visit www.avigilon.com to get a copy of the EULA.

MODEL NUMBER	DESCRIPTION	MSRP \$
LDP-PWH-0	Lower Dome Professional Pendant White Smoke	122.43
NXPTZHD12VW0Z00C	NXPTZHD12VW0Z00C	12,612.97
NXPTZHD22VW0Z00C	NXPTZHD22VW0Z00C	12,612.97
NXPTZHD32VW0Z00C	NXPTZHD32VW0Z00C	12,612.97
P2230L-ESR	Spectra Pro2 series 2M Low Light 30X IR Lookup Environmental Pendant Gray	2,173.69
P2230L-EW0	Spectra Pro2 series 2M Low Light 30X Environmental Pendant White; smoked bubble	2,034.56
P2230L-EW1	Spectra Pro2 series 2M Low Light 30X Environmental Pendant White; Clear bubble	2,034.56
P2230L-FW0	Spectra Pro2 series 2M Low Light 30X Indoor in-ceiling White; smoked bubble	1,921.04
P2230L-FW1	Spectra Pro2 series 2M Low Light 30X Indoor in-ceiling White; Clear bubble	1,921.04
PP350	Parapet wall mount for Spectra and DF5 outdoor pendant domes	496.40
PP350-AW	Parapet Wall Mount for 1.5 Inch Pendant Swivels; Pantone 427C	496.40
PP350-SW	Parapet wall mount for Spectra and DF5 outdoor pendant domes; White	496.40
PP351	Rooftop Parapet wall mount for Spectra and DF5 outdoor pendant domes	767.59
PP351-AW	Parapet Rooftop Mount for 1.5 Inch Pendant Swivels; Pantone 427C	589.89
PP351-SW	Rooftop Parapet wall mount for Spectra and DF5 outdoor pendant style; White	589.89
PP450	Parapet adapter mount for Spectra and DF5 series pendant domes ; Gray	548.71
PP450-SW	Parapet adapter mount for Spectra and DF5 series pendant domes; White	548.71
PP451	Rooftop parapet adapter mount for Spectra and DF5 series pendant domes	808.01
PP451-SW	Rooftop parapet adapter mount for Spectra and DF5 series pendant domes; White	635.52
S7230L-EB0	Spectra Enhanced 7 Dome 1080p 30X Environmental Pendant Black Smoked Bubble	3,412.46
S7230L-EB1	Spectra Enhanced 7 Dome 1080p 30X Environmental Pendant Black Clear Bubble	3,412.46
S7230L-EW0	Spectra Enhanced 7 Dome 1080p 30X Environmental Pendant White Smoked Bubble	3,320.08
S7230L-EW1	Spectra Enhanced 7 Dome 1080p 30X Environmental Pendant White Clear Bubble	3,320.08
S7230L-FW0	Spectra Enhanced 7 Dome 1080p 30X Indoor in-ceiling White Smoked Bubble	3,044.06
S7230L-FW1	Spectra Enhanced 7 Dome 1080p 30X Indoor in-ceiling White Clear Bubble	3,044.06
S7230L-PW	Spectra Enhanced 7 IR Look-up 1080p 30X Environmental Pendant White	3,675.00
S7230L-YB0	Spectra Enhanced 7 Dome 1080p 30X Environmental in-ceiling Black Smoked Bubble	3,135.32
S7230L-YB1	Spectra Enhanced 7 Dome 1080p 30X Environmental in-ceiling Black Clear Bubble	3,135.32
S7240L-PW	Spectra Enh 7 IR lookup 1080p 40X OIS; Env; Wiper; Laser Focus Assist; White	4,333.00
S7818L-EB0	Spectra Enhanced 7 Dome 4K 20X Environmental Pendant Black Smoked bubble	4,615.61
S7818L-EB1	Spectra Enhanced 7 Dome 4K 20X Environmental Pendant Black Clear bubble	4,615.61
S7818L-EW0	Spectra Enhanced 7 Dome 4K 20X Environmental Pendant White Smoked bubble	4,525.46
S7818L-EW1	Spectra Enhanced 7 Dome 4K 20X Environmental Pendant White Clear bubble	4,525.46
S7818L-FW0	Spectra Enhanced 7 Dome 4K 20X Indoor in-ceiling White Smoked bubble	4,072.47
S7818L-FW1	Spectra Enhanced 7 Dome 4K 20X Indoor in-ceiling White Clear bubble	4,072.47
S7818L-YB0	Spectra Enhanced 7 Dome 4K 20X Environmental in-ceiling Black Smoked bubble	4,163.73
S7818L-YB1	Spectra Enhanced 7 Dome 4K 20X Environmental in-ceiling Black Clear bubble	4,163.73
S7820L-PW	Spectra Enh 7 IR lookup 4K 20x Env Pendant; Wiper; Laser Focus Assist; White	5,000.00
SWM-GY	Wall mount with cable feedthrough for Spectra and DF5 pendant domes; Gray	63.44
SWM-PA-BK	Pole adapter; cable feedthrough with SWM-BK. For Spectra or DF5 pendant; Black	45.63
SWM-PA-GY	Pole adapter; cable feedthrough with SWM-BK. For Spectra or DF5 pendant; Gray	37.84
SWM-SR	Compact Environmental wall mount RAL 7047	63.44
SWM-SW	Compact Environmental wall mount RAL 9003	86.85
UPK2PEJAN00B	UPK2PEJAN00B	33,882.27
UPK3PEWAN00B	UPK3PEWAN00B	33,882.27
UPKT1AFSA000A	UPKT1AFSA000A	36,227.44
H4A-ETD-KIT	Elevated Temperature Detection Solution Kit	6,490.12
MPXR1AA000C	MPXR1AA000C	28,846.42
MPXR1AA000CH	MPXR1AA000CH	29,077.20
MPXR1BA000C	MPXR1BA000C	28,846.42
MPXR1BA000CH	MPXR1BA000CH	29,077.20
MPXR1DA000C	MPXR1DA000C	35,769.88
MPXR1DA000CH	MPXR1DA000CH	36,230.11
MPXR1EA000C	MPXR1EA000C	35,769.88
MPXR1EA000CH	MPXR1EA000CH	36,230.11
MPXR2AA000C	MPXR2AA000C	28,846.42
MPXR2AA000CH	MPXR2AA000CH	29,077.20
MPXR2BA000C	MPXR2BA000C	28,846.42
MPXR2BA000CH	MPXR2BA000CH	29,077.20
MPXR2DA000C	MPXR2DA000C	35,769.88
MPXR2DA000CH	MPXR2DA000CH	36,230.11
MPXR2EA000C	MPXR2EA000C	35,769.88
MPXR2EA000CH	MPXR2EA000CH	36,230.11
MPXR3AA000C	MPXR3AA000C	28,846.42

All prices are exclusive of taxes and freight. Avigilon reserves the right to make changes to pricing and discount margins. All installation and use of Avigilon software is governed by its end user license agreement (EULA). Contact Avigilon or visit www.avigilon.com to get a copy of the EULA.

MODEL NUMBER	DESCRIPTION	MSRP \$
MPXR3AA000CH	MPXR3AA000CH	29,077.20
MPXR3BA000C	MPXR3BA000C	28,846.42
MPXR3BA000CH	MPXR3BA000CH	29,077.20
MPXR3DA000C	MPXR3DA000C	35,769.88
MPXR3DA000CH	MPXR3DA000CH	36,230.11
MPXR3EA000C	MPXR3EA000C	35,769.88
MPXR3EA000CH	MPXR3EA000CH	36,230.11
MPXT12AA000C	MPXT12AA000C	38,077.70
MPXT12AA000CH	MPXT12AA000CH	38,396.52
MPXT12BA000C	MPXT12BA000C	38,077.70
MPXT12BA000CH	MPXT12BA000CH	38,396.52
MPXT12DA000C	MPXT12DA000C	42,403.86
MPXT12DA000CH	MPXT12DA000CH	43,269.62
MPXT12EA000C	MPXT12EA000C	42,403.86
MPXT12EA000CH	MPXT12EA000CH	43,269.62
MPXT22AA000C	MPXT22AA000C	38,077.70
MPXT22AA000CH	MPXT22AA000CH	38,396.52
MPXT22BA000C	MPXT22BA000C	38,077.70
MPXT22BA000CH	MPXT22BA000CH	38,396.52
MPXT22DA000C	MPXT22DA000C	42,403.86
MPXT22DA000CH	MPXT22DA000CH	43,269.62
MPXT22EA000C	MPXT22EA000C	42,403.86
MPXT22EA000CH	MPXT22EA000CH	43,269.62
MPXT32AA000C	MPXT32AA000C	38,077.70
MPXT32AA000CH	MPXT32AA000CH	38,396.52
MPXT32BA000C	MPXT32BA000C	38,077.70
MPXT32BA000CH	MPXT32BA000CH	38,396.52
MPXT32DA000C	MPXT32DA000C	42,403.86
MPXT32DA000CH	MPXT32DA000CH	43,269.62
MPXT32EA000C	MPXT32EA000C	42,403.86
MPXT32EA000CH	MPXT32EA000CH	43,269.62
MVXT2D0SAZ00B	MVXT2D0SAZ00B	20,480.90
MVXT2D0SAZ00BH	MVXT2D0SAZ00BH	20,985.15
MVXT2D0SFZ01B	MVXT2D0SFZ01B	20,220.77
MVXT2D0SFZ01BH	MVXT2D0SFZ01BH	20,725.02
MVXT2H0SAZ00B	MVXT2H0SAZ00B	19,471.06
MVXT2H0SAZ00BH	MVXT2H0SAZ00BH	19,976.65
MVXT2H0SFZ01B	MVXT2H0SFZ01B	19,210.93
MVXT2H0SFZ01BH	MVXT2H0SFZ01BH	19,716.52
MVXT2I0SAZ00B	MVXT2I0SAZ00B	13,557.44
MVXT2I0SAZ00BH	MVXT2I0SAZ00BH	13,644.15
MVXT2I0SFZ01B	MVXT2I0SFZ01B	13,297.31
MVXT2I0SFZ01BH	MVXT2I0SFZ01BH	13,385.36
MVXT2Q0SAZ00B	MVXT2Q0SAZ00B	12,534.26
MVXT2Q0SAZ00BH	MVXT2Q0SAZ00BH	12,620.97
MVXT2Q0SFZ01B	MVXT2Q0SFZ01B	12,274.13
MVXT2Q0SFZ01BH	MVXT2Q0SFZ01BH	12,359.51
MVXT2U0SAZ00B	MVXT2U0SAZ00B	19,471.06
MVXT2U0SAZ00BH	MVXT2U0SAZ00BH	19,976.65
MVXT2U0SFZ01B	MVXT2U0SFZ01B	19,210.93
MVXT2U0SFZ01BH	MVXT2U0SFZ01BH	19,716.52
MVXT2Z0SAZ00B	MVXT2Z0SAZ00B	12,534.26
MVXT2Z0SAZ00BH	MVXT2Z0SAZ00BH	12,620.97
MVXT2Z0SFZ01B	MVXT2Z0SFZ01B	12,274.13
MVXT2Z0SFZ01BH	MVXT2Z0SFZ01BH	12,359.51
NTX2D0R00A	NTX2D0R00A	18,029.01
NTX2D0R00AH	NTX2D0R00AH	18,461.23
NTX2H0R00A	NTX2H0R00A	16,731.03
NTX2H0R00AH	NTX2H0R00AH	17,163.24
NTX2I0R00A	NTX2I0R00A	11,827.24
NTX2I0R00AH	NTX2I0R00AH	12,259.46
NTX2Q0R00A	NTX2Q0R00A	10,529.26
NTX2Q0R00AH	NTX2Q0R00AH	10,961.48
NTX2U0R00A	NTX2U0R00A	16,731.03

All prices are exclusive of taxes and freight. Avigilon reserves the right to make changes to pricing and discount margins. All installation and use of Avigilon software is governed by its end user license agreement (EULA). Contact Avigilon or visit www.avigilon.com to get a copy of the EULA.

MODEL NUMBER	DESCRIPTION	MSRP \$
NTX2U0R00AH	NTX2U0R00AH	17,163.24
NTX2Z0R00A	NTX2Z0R00A	10,529.26
NTX2Z0R00AH	NTX2Z0R00AH	10,961.48
NXPTZR1A00Z00C	NXPTZR1A00Z00C	19,471.06
NXPTZR1A00Z00CH	NXPTZR1A00Z00CH	19,904.61
NXPTZR1B00Z00C	NXPTZR1B00Z00C	19,471.06
NXPTZR1B00Z00CH	NXPTZR1B00Z00CH	19,904.61
NXPTZR1D00Z00C	NXPTZR1D00Z00C	26,682.67
NXPTZR1D00Z00CH	NXPTZR1D00Z00CH	27,116.22
NXPTZR1E00Z00C	NXPTZR1E00Z00C	26,682.67
NXPTZR1E00Z00CH	NXPTZR1E00Z00CH	27,116.22
NXPTZR2A00Z00C	NXPTZR2A00Z00C	19,471.06
NXPTZR2A00Z00CH	NXPTZR2A00Z00CH	19,904.61
NXPTZR2B00Z00C	NXPTZR2B00Z00C	19,471.06
NXPTZR2B00Z00CH	NXPTZR2B00Z00CH	19,904.61
NXPTZR2D00Z00C	NXPTZR2D00Z00C	26,682.67
NXPTZR2D00Z00CH	NXPTZR2D00Z00CH	27,116.22
NXPTZR2E00Z00C	NXPTZR2E00Z00C	26,682.67
NXPTZR2E00Z00CH	NXPTZR2E00Z00CH	27,116.22
NXPTZR3A00Z00C	NXPTZR3A00Z00C	19,471.06
NXPTZR3A00Z00CH	NXPTZR3A00Z00CH	19,904.61
NXPTZR3B00Z00C	NXPTZR3B00Z00C	19,471.06
NXPTZR3B00Z00CH	NXPTZR3B00Z00CH	19,904.61
NXPTZR3D00Z00C	NXPTZR3D00Z00C	26,682.67
NXPTZR3D00Z00CH	NXPTZR3D00Z00CH	27,116.22
NXPTZR3E00Z00C	NXPTZR3E00Z00C	26,682.67
NXPTZR3E00Z00CH	NXPTZR3E00Z00CH	27,116.22
NXPTZT12AW0Z00C	NXPTZT12AW0Z00C	22,904.78
NXPTZT12AW0Z00CH	NXPTZT12AW0Z00CH	23,337.00
NXPTZT12BW0Z00C	NXPTZT12BW0Z00C	22,904.78
NXPTZT12BW0Z00CH	NXPTZT12BW0Z00CH	23,337.00
NXPTZT12DW0Z00C	NXPTZT12DW0Z00C	31,810.56
NXPTZT12DW0Z00CH	NXPTZT12DW0Z00CH	32,242.78
NXPTZT12EW0Z00C	NXPTZT12EW0Z00C	31,810.56
NXPTZT12EW0Z00CH	NXPTZT12EW0Z00CH	32,242.78
NXPTZT22AW0Z00C	NXPTZT22AW0Z00C	22,904.78
NXPTZT22AW0Z00CH	NXPTZT22AW0Z00CH	23,337.00
NXPTZT22BW0Z00C	NXPTZT22BW0Z00C	22,904.78
NXPTZT22BW0Z00CH	NXPTZT22BW0Z00CH	23,337.00
NXPTZT22DW0Z00C	NXPTZT22DW0Z00C	31,810.56
NXPTZT22DW0Z00CH	NXPTZT22DW0Z00CH	32,242.78
NXPTZT22EW0Z00C	NXPTZT22EW0Z00C	31,810.56
NXPTZT22EW0Z00CH	NXPTZT22EW0Z00CH	32,242.78
NXPTZT32AW0Z00C	NXPTZT32AW0Z00C	22,904.78
NXPTZT32AW0Z00CH	NXPTZT32AW0Z00CH	23,337.00
NXPTZT32BW0Z00C	NXPTZT32BW0Z00C	22,904.78
NXPTZT32BW0Z00CH	NXPTZT32BW0Z00CH	23,337.00
NXPTZT32DW0Z00C	NXPTZT32DW0Z00C	31,810.56
NXPTZT32DW0Z00CH	NXPTZT32DW0Z00CH	32,242.78
NXPTZT32EW0Z00C	NXPTZT32EW0Z00C	31,810.56
NXPTZT32EW0Z00CH	NXPTZT32EW0Z00CH	32,242.78
UED22CA000A	UED22CA000A	14,711.35
UED22CA000AH	UED22CA000AH	14,711.35
UED22DA000A	UED22DA000A	14,711.35
UED22DA000AH	UED22DA000AH	14,711.35
UED22FA000A	UED22FA000A	18,317.15
UED22FA000AH	UED22FA000AH	18,317.15
UED22IA000A	UED22IA000A	25,096.54
UED22IA000AH	UED22IA000AH	25,096.54
UED22LA000A	UED22LA000A	25,962.31
UED22LA000AH	UED22LA000AH	25,962.31
UED22NA000A	UED22NA000A	26,538.60
UED22NA000AH	UED22NA000AH	26,538.60
UET2DA000A	UET2DA000A	20,480.90

All prices are exclusive of taxes and freight. Avigilon reserves the right to make changes to pricing and discount margins. All installation and use of Avigilon software is governed by its end user license agreement (EULA). Contact Avigilon or visit www.avigilon.com to get a copy of the EULA.

MODEL NUMBER	DESCRIPTION	MSRP \$
UET2DA000AH	UET2DA000AH	20,942.47
UET2DF000A	UET2DF000A	20,480.90
UET2DF000AH	UET2DF000AH	20,942.47
UET2EA000A	UET2EA000A	20,480.90
UET2EA000AH	UET2EA000AH	20,942.47
UET2EF000A	UET2EF000A	20,480.90
UET2EF000AH	UET2EF000AH	20,942.47
UET2GA000A	UET2GA000A	19,182.92
UET2GA000AH	UET2GA000AH	19,644.48
UET2GF000A	UET2GF000A	19,182.92
UET2GF000AH	UET2GF000AH	19,644.48
UET2IA000A	UET2IA000A	13,557.44
UET2IA000AH	UET2IA000AH	13,788.22
UET2IF000A	UET2IF000A	13,557.44
UET2IF000AH	UET2IF000AH	13,788.22
UET2LA000A	UET2LA000A	13,557.44
UET2LA000AH	UET2LA000AH	13,788.22
UET2LF000A	UET2LF000A	13,557.44
UET2LF000AH	UET2LF000AH	13,788.22
UET2MA000A	UET2MA000A	12,259.46
UET2MA000AH	UET2MA000AH	12,490.24
UET2MF000A	UET2MF000A	12,259.46
UET2MF000AH	UET2MF000AH	12,490.24
UET2UA000A	UET2UA000A	19,182.92
UET2UA000AH	UET2UA000AH	19,644.48
UET2UF000A	UET2UF000A	19,182.92
UET2UF000AH	UET2UF000AH	19,644.48
UET2ZA000A	UET2ZA000A	12,259.46
UET2ZA000AH	UET2ZA000AH	12,490.24
UET2ZF000A	UET2ZF000A	12,259.46
UET2ZF000AH	UET2ZF000AH	12,490.24
UPK1PEWAN00B	UPK1PEWAN00B	33,882.27
UPKT1AFSA000AH	UPKT1AFSA000AH	36,227.44
UPKT1AFSAN00A	UPKT1AFSAN00A	37,118.55
UPKT1AFSAN00AH	UPKT1AFSAN00AH	37,118.55
UPKT1BFA000A	UPKT1BFA000A	29,397.36
UPKT1BFSA000AH	UPKT1BFSA000AH	29,397.36
UPKT1BFSAN00A	UPKT1BFSAN00A	30,288.47
UPKT1BFSAN00AH	UPKT1BFSAN00AH	30,288.47
UPKT2AFSA000A	UPKT2AFSA000A	36,227.44
UPKT2AFSA000AH	UPKT2AFSA000AH	36,227.44
UPKT2AFSAN00A	UPKT2AFSAN00A	37,118.55
UPKT2AFSAN00AH	UPKT2AFSAN00AH	37,118.55
UPKT2BFSA000A	UPKT2BFSA000A	29,397.36
UPKT2BFSA000AH	UPKT2BFSA000AH	29,397.36
UPKT2BFSAN00A	UPKT2BFSAN00A	30,288.47
UPKT2BFSAN00AH	UPKT2BFSAN00AH	30,288.47
UPKT3AFSA000A	UPKT3AFSA000A	36,227.44
UPKT3AFSA000AH	UPKT3AFSA000AH	36,227.44
UPKT3AFSAN00A	UPKT3AFSAN00A	37,118.55
UPKT3AFSAN00AH	UPKT3AFSAN00AH	37,118.55
UPKT3BFSA000A	UPKT3BFSA000A	29,397.36
UPKT3BFSA000AH	UPKT3BFSA000AH	29,397.36
UPKT3BFSAN00A	UPKT3BFSAN00A	30,288.47
UPKT3BFSAN00AH	UPKT3BFSAN00AH	30,288.47
EXPE2-2X30-SPT-IRACF	EXPE2 2MP 30X SS IR PTZ 24VAC	23,900.00
EXPE2-2X30-SPT-IRACFG	EXPE2 2MP 30X SS IR PTZ 24VAC T6 70 SD	24,425.00
EXPE2-2X30-SPT-IRM1F	EXPE2 2MP 30X SS IR PTZ 120VAC	23,900.00
EXPE2-2X30-SPT-IRM1FG	EXPE2 2MP 30X SS IR PTZ 120VAC T6 70 SD	24,425.00
EXPE2-2X30-SPT-IRM2F	EXPE2 2MP 30X SS IR PTZ 230VAC	23,900.00
EXPE2-2X30-SPT-IRM2FG	EXPE2 2MP 30X SS IR PTZ; 230VAC SD	24,425.00
ACMICR-1001	Internal microphone accessory for Sarix Pro 4 Dome Cameras	10.00
AVIO-3500	3.5 mm audio I/O jack with 1.8 m fly wire	18.51
CNCVR-1001	Adapter 3/4 inch conduit for Sarix Pro 4 dome camera 5-pack	35.00

All prices are exclusive of taxes and freight. Avigilon reserves the right to make changes to pricing and discount margins. All installation and use of Avigilon software is governed by its end user license agreement (EULA). Contact Avigilon or visit www.avigilon.com to get a copy of the EULA.

MODEL NUMBER	DESCRIPTION	MSRP \$
DCLPNL-1001	Metal ceiling panel for dome camera installations in suspended ceilings	112.11
IBD332-1	IBD3 Sarix High Security Corner Camera 3MP Smart Analytics Pantone 427C	1,323.94
IBD332-1SS	IBD3 Sarix High Security Corner Camera 3MP Smart Analytics Stainless Steel	1,588.94
IBD532-1	IBD3 Sarix High Security Corner Camera 5MP Smart Analytics Pantone 427C	1,769.14
IBD532-1SS	IBD3 Sarix High Security Corner Camera 5MP Smart Analytics Stainless Steel	2,044.74
SLSPCIL-1001	In-ceiling mount for Sarix Pro 4 Dome camera	33.00
SRXP4-2V10-EBT-IR	2MP Sarix Pro 4 Environmental IR Bullet Camera with 3.4-10.5mm Lens	688.00
SRXP4-2V10-EMD	2MP Sarix Pro 4 Environmental Dome Camera with 3.4-10.5mm Lens	543.00
SRXP4-2V10-EMD-IR	2MP Sarix Pro 4 Environmental IR Dome Camera with 3.4-10.5mm Lens	582.00
SRXP4-2V10-IMD	2MP Sarix Pro 4 Indoor Dome Camera with 3.4-10.5mm Lens	459.00
SRXP4-2V10-IMD-IR	2MP Sarix Pro 4 Indoor IR Dome Camera with 3.4-10.5mm Lens	498.00
SRXP4-3V10-EBT-IR	3MP Sarix Pro 4 Environmental IR Bullet Camera with 3.4-10.5mm Lens	763.00
SRXP4-3V10-EMD	3MP Sarix Pro 4 Environmental Dome Camera with 3.4-10.5mm Lens	618.00
SRXP4-3V10-EMD-IR	3MP Sarix Pro 4 Environmental IR Dome Camera with 3.4-10.5mm Lens	657.00
SRXP4-3V10-IMD	3MP Sarix Pro 4 Indoor Dome Camera with 3.4-10.5mm Lens	530.00
SRXP4-3V10-IMD-IR	3MP Sarix Pro 4 Indoor IR Dome Camera with 3.4-10.5mm Lens	570.00
SRXP4-3V29-EBT-IR	3MP Sarix Pro 4 Environmental IR Bullet Camera with 10.9-29mm Lens	820.00
SRXP4-3V40-EBT-IR	3MP Sarix Pro 4 Environmental IR Bullet Camera with 4.8-40.8mm Lens	943.00
SRXP4-5V10-EBT-IR	5MP Sarix Pro 4 Environmental IR Bullet Camera with 3.4-10.5mm Lens	893.00
SRXP4-5V10-EMD	5MP Sarix Pro 4 Environmental Dome Camera with 3.4-10.5mm Lens	748.00
SRXP4-5V10-EMD-IR	5MP Sarix Pro 4 Environmental IR Dome Camera with 3.4-10.5mm Lens	787.00
SRXP4-5V10-IMD	5MP Sarix Pro 4 Indoor Dome Camera with 3.4-10.5mm Lens	658.00
SRXP4-5V10-IMD-IR	5MP Sarix Pro 4 Indoor IR Dome Camera with 3.4-10.5mm Lens	699.00
SRXP4-5V29-EBT-IR	5MP Sarix Pro 4 Environmental IR Bullet Camera with 10.9-29mm Lens	951.00
SRXP4-5V40-EBT-IR	5MP Sarix Pro 4 Environmental IR Bullet Camera with 4.8-40.8mm Lens	1,074.00
SRXP4-DMSLD	Weathershield for Sarix Pro 4 Environmental Dome cameras	21.00
SRXP4-EBT-DEMO1	Demo Port Cover for Sarix Pro 4 Bullet camera	25.00
SRXP4-LD-0E	Clear lower dome for Sarix Pro 4 Environmental Dome camera	35.00
SRXP4-LD-0I	Smoked lower dome for Sarix Pro 4 indoor dome camera	35.00
SRXP4-LD-1E	Smoked lower dome for Sarix Pro 4 Environmental Dome camera	35.00
SRXP4-LD-1I	Clear lower dome for Sarix Pro 4 indoor dome camera	35.00
SRXP4-PM-1E	Pendant mount for Sarix Pro 4 Dome camera	43.00
BB4-F	Spectra IV SE Back Box; indoor. For suspended or in-ceiling; Built-in memory	328.34
BB4-PG	Spectra IV SE Back Box; standard pendant mount; gray. Built-in memory	495.29
BB4-PG-E	Spectra IV SE Back Box; environmental pendant mount; gray. Built-in memory	598.79
BB4-PR-E	Spectra IV SE Press Back Box; environmental pendant; gray. Built-in memory	2,321.40
BB4-PSG-E	Spectra IV SE Back Box; stainless steel; environmental pendant. Built-in memory	1,442.45
BB4DOORASSY	Field replacement door assembly for all Spectra IV SE backboxes	178.08
BB5-PCA-GY	Spectra II pendant conduit adapter kit; gray; for DF5 with BB5A-PG or BB5T-PG.	120.20
DD530	Spectra Analog V SE Dome Drive C/BW 30X zoom NTSC/PAL	2,724.62
DD53KIT	Spectra III Fan/Pwr Sup Repair Kit	389.55
ES-REPLBLADE-10	Esprit 10-piece wiper blade replacement.	52.31
ESTX-5	Esprit 120/240 VAC power module.	223.71
FD5-P	FD5 Outdoor Dome Pendant Adapter	105.74
LD4W-0	Spectra Mini lower dome. Smoked bubble.	71.23
LD4W-1	Spectra Mini lower dome. Clear bubble.	64.55
LD53PSB-1	Spectra III and SE stainless steel lower dome; Pendant mount; black. Clear dome.	771.31
LD5B-0	Spectra Mini Smoked Black Lower Dome	85.70
LD5B-1	Spectra Mini Clear Black Lower Dome	85.70
LD5W-0	Spectra Mini Smoked White Lower Dome	85.70
LD5W-1	Spectra Mini Clear White Lower Dome	85.70
LDHQF-0	Spectra Quality lower dome/bubble; smoked; for standard in-ceiling/flush	237.07
LDHQPB-0	Spectra Quality lower dome/bubble; smoked; for pendant; and env in-ceiling/flush	280.48
LDHQPB-1	Spectra Quality lower dome/bubble; clear; for pendant; and env in-ceiling/flush	280.48
SD5-W0-X	Spectra Mini Smoked White Dome PAL	1,643.90
SD5-W1	Spectra Mini Clear White Dome NTSC	1,643.90
SD530-F0	Spectra Analog V SE 30X Flush mount White Smoked Dome NTSC/PAL	2,929.42
SD530-PG-0	Spectra Analog V SE 30X zoom PENDANT Grey Smoked Dome NTSC/PAL	3,632.83
SD530-PG-1	Spectra Analog V SE 30X zoom Pendant Grey Clear Dome NTSC/PAL	3,632.83
SD530-PG-E0	Spectra Analog V SE 30X zoom Environmental Pendant Grey Smoked Dome NTSC/PAL	3,724.10
SD530-PG-E1	Spectra Analog V SE 30X zoom Environmental Pendant Grey Clear Dome NTSC/PAL	3,724.10
SD530-PRE0	Spectra Analog V SE 30X zoom Pressurized Grey Smoked Dome NTSC/PAL	5,086.41
SD530-PRE1	Spectra Analog V SE 30X zoom Pressurized Grey Clear Dome NTSC/PAL	5,086.41
SD530-PSGE1	Spectra Analog V SE 30X zoom Stainless Steel Env Pendant Clear Dome NTSC/PAL	5,313.46

All prices are exclusive of taxes and freight. Avigilon reserves the right to make changes to pricing and discount margins. All installation and use of Avigilon software is governed by its end user license agreement (EULA). Contact Avigilon or visit www.avigilon.com to get a copy of the EULA.

MODEL NUMBER	DESCRIPTION	MSRP \$
SPM5-W	Spectra Mini White Pendant Mount	37.80
SWM5-W	Spectra Mini White Wall Mount	102.70
BU-ADAPTER	Adapter plate for conduit box for IR bullet surface mounting	46.75
IBE129-1I	Sarix Enhanced 2 Indoor IR Bullet camera 1.3MP 3-9mm PoE; 12VDC; 24VAC	848.11
IBE129-1R	Sarix Enhanced 2 Environmental IR Bullet camera 1.3MP 3-9mm PoE; 12VDC; 24VAC	900.42
IBE229-1I	Sarix Enhanced 2 Indoor IR Bullet camera 2MP 3-9mm PoE; 12VDC; 24VAC	900.42
IBE229-1R	Sarix Enhanced 2 Environmental IR Bullet camera 2MP 3-9mm PoE; 12VDC; 24VAC	996.14
IBE238-1ER	Sarix Enhanced 3 Outdoor Bullet 2MP 2.8-8mm Lens IR True WDR Advanced Analytics	1,019.51
IBE332-1ER	Sarix Enhanced 3 Outdoor Bullet 3MP 8-20mm Lens IR True WDR Advanced Analytics	1,286.63
IBE338-1ER	Sarix Enhanced 3 Outdoor Bullet 3MP 2.8-8mm Lens IR True WDR Advanced Analytics	1,169.76
IBE539-1ER	Sarix Enhanced 3 Outdoor Bullet 5MP 4-9mm Lens IR True WDR Advanced Analytics	1,244.33
IBE832-1ER	Sarix Enhanced 3 Outdoor Bullet 4K 8MP 9-20mm Lens IR True WDR Advanced Analytics	1,577.12
IBE839-1ER	Sarix Enhanced 3 Outdoor Bullet 4K 8MP 4-9mm Lens IR True WDR Advanced Analytics	1,383.46
IBEPLMT-E	Pole Mount for Sarix Enhanced 2 Environmental Bullet camera	101.28
IBEWLMT-E	Wall Mount for Sarix Enhanced 2 Environmental Bullet camera	101.28
IBEWLMT-I	Wall Mount for Sarix Enhanced 2 Indoor Bullet camera	101.28
IBP124-1R	Sarix Professional 2 Environmental IR Bullet 1MP 12-40mm lens	658.90
IBP131-1ER	Sarix Professional 3 Environmental IR Bullet 1MP 2.8-12mm nominal lens	500.85
IBP221-1I	Sarix Professional 2 Indoor IR Bullet 2MP 3-10mm lens	628.85
IBP222-1R	Sarix Professional 2 Environmental IR Bullet 2MP 9-22mm lens	756.84
IBP231-1ER	Sarix Professional 3 Environmental IR Bullet 2MP 2.8-12mm nominal lens	539.81
IBP232-1ER	Sarix Professional 3 Environmental IR Bullet 2MP 9-22mm lens	642.20
IBP235-1ER	Sarix Professional 3 Environmental IR Bullet 2MP 5-50mm lens	673.37
IBP2BBAP-EI	In-ceiling Mount for Sarix Professional 2 Environmental Bullet camera	60.10
IBP3-PLMT	Pole Mount for Sarix Enhanced 3 and Sarix Professional 3 Bullet cameras	76.80
IBP321-1I	Sarix Professional 2 Indoor IR Bullet 3MP 3-10mm lens	737.92
IBP322-1I	Sarix Professional 2 Indoor IR Bullet 3MP 9-22mm lens	774.65
IBP322-1R	Sarix Professional 2 Environmental IR Bullet 3MP 9-22mm lens	865.91
IBP331-1ER	Sarix Professional 3 Environmental IR Bullet 3MP 2.8-12mm nominal lens	642.20
IBP335-1ER	Sarix Professional 3 Environmental IR Bullet 3MP 5-50mm lens	765.74
IBP3BBAP-EI	In-ceiling Mount for Sarix Pro 3 and Sarix Enh 3 Environmental Bullet cameras	113.53
IBP3BBAP-ES	Surface Mount for Sarix Pro 3 and Sarix Enh 3 Environmental Bullet cameras	117.98
IBP531-1ER	Sarix Professional 3 Environmental IR Bullet 5MP 2.8-12mm nominal lens	781.33
IBP532-1ER	Sarix Professional 3 Environmental IR Bullet 5MP 9-22mm lens	924.90
IBV-A4S	4S Adapter Plate for IBV Series Varifocal Lens Sarix Value Bullets	54.54
IBV229-1ER	Sarix Value 2 Megapixel Varifocal 3.4-9.4 mm Environmental IR Bullet IP Camera	329.45
IBV529-1ER	Sarix Value 5 Megapixel Varifocal 3.4-9.4 mm Environmental IR Bullet IP Camera	427.39
IFBV-JB	Junction Box for Sarix Value IFV Fixed Lens Turrets and IBV Bullets	95.72
IFV222-1ERS	Sarix Value 2 Megapixel Fixed Focal 2.8 mm Environmental IR Turret IP Camera	219.26
IFV523-1ERS	Sarix Value 5 Megapixel Fixed Focal 3.6 mm Environmental IR Turret IP Camera	314.98
IJTFV-PA	Pendant Adapter Plate for Sarix Value IJV; ITV; IFV Series	45.63
ITV-AP	Adapter Plate for IJV Fixed Focal Dome ITV Varifocal Turret Sarix Value	33.39
IJV223-1ERS	Sarix Value 2Mp Fixed Focal 3.6mm Environmental IR Minidome Surface Mount	244.86
IJV522-1ERS	Sarix Value 5Mp Fixed Focal 2.8mm Environmental IR Minidome Surface Mount	342.80
IME11-BASE	Base Module Sarix Enhanced Range Indoor 1.2 Megapixel IP Camera Mini Dome Lens 3	1,099.64
IME222-1ES	SarixEnh2 Environmental dome camera 2MP 9-22mm Clear Surface mount	1,066.25
IME222-1IS	Sarix Enhanced 2 Indoor dome camera 2MP 9-22mm lens Clear bubble Surface mount	1,025.07
IME222-1RS	SarixEnh2 Environmental IR dome camera 2MP 9-22mm Clear Surface mount	1,174.22
IME238-1ERS	SarixEnh3 Outdoor Dome 2MP 2.8-8mm lens IR Clear SurfaceMt True WDR Adv Ana	1,015.06
IME238-1IRS	SarixEnh3 Indoor Dome 2MP 2.8-8mm lens IR Clear SurfaceMt True WDR Adv Ana	892.63
IME332-1ERS	SarixEnh3 Outdoor Dome 3MP 8-20mm lens IR Clear SurfaceMt True WDR Adv Ana	1,268.82
IME332-1IRS	SarixEnh3 Indoor Dome 3MP 8-20mm lens IR Clear SurfaceMt True WDR Adv Ana	1,116.34
IME338-1ERS	SarixEnh3 Outdoor Dome 3MP 2.8-8mm lens IR Clear SurfaceMt True WDR Adv Ana	1,167.54
IME338-1IRS	SarixEnh3 Indoor Dome 3MP 2.8-8mm lens IR Clear SurfaceMt True WDR Adv Ana	1,015.06
IME3EBAP-E	Adaptor plate for Electrical box for Sarix Enhanced 3 dome cameras	46.75
IME3ICM-E	Inceiling Mount For Sarix Enhanced 3 Dome Cameras Environmental And Indoor	105.74
IME3LD-0	Smoked Bubble Lower Dome For Sarix Enhanced 3 Indoor Dome Cameras Indoor	111.30
IME3LD-0E	Smoked Bubble Lower Dome For Sarix Enhanced 3 Environmental Dome Cameras	111.30
IME3LD-1	Clear Bubble Lower Dome For Sarix Enhanced 3 Indoor Dome Cameras Indoor	105.74
IME3LD-1E	Clear Bubble Lower Dome For Sarix Enhanced 3 Environmental Dome Cameras	105.74
IME3PM-E	Pendant Mount For Sarix Enhanced 3 Dome Cameras Environmental And Indoor	105.74
IME539-1ERS	SarixEnh3 Outdoor Dome 5MP 4-9mm lens IR Clear SurfaceMt True WDR Adv Ana	1,258.80
IME539-1IRS	SarixEnh3 Indoor Dome 5MP 4-9mm lens IR Clear SurfaceMt True WDR Adv Ana	1,116.34
IME832-1ERS	SarixEnh3 Outdoor Dome 4K 8MP 9-20mm lens IR Clear SurfaceMt True WDR Adv Ana	1,522.58

All prices are exclusive of taxes and freight. Avigilon reserves the right to make changes to pricing and discount margins. All installation and use of Avigilon software is governed by its end user license agreement (EULA). Contact Avigilon or visit www.avigilon.com to get a copy of the EULA.

MODEL NUMBER	DESCRIPTION	MSRP \$
IME832-1IRS	SarixEnh3 Indoor Dome 4K 8MP 9-20mm lens IR Clear SurfaceMt True WDR Adv Ana	1,380.12
IME839-1ERS	SarixEnh3 Outdoor Dome 4K 8MP 4-9mm lens IR Clear SurfaceMt True WDR Adv Ana	1,391.25
IME839-1IRS	SarixEnh3 Indoor Dome 4K 8MP 4-9mm lens IR Clear SurfaceMt True WDR Adv Ana	1,248.79
IMEBB-S	Backbox Surface Mount White for IP Sarix Enhanced Range Indoor Mini Dome	24.49
IMEBB-VI	Backbox InCeiling Mount for IP Sarix Enh Vandal and Environmental Mini Dome	76.80
IMEBB-VP	Backbox Pendant Mount for IP Sarix Enh Vandal and Environmental Mini Dome	89.04
IMEBB-VS	Backbox Surfacet Mount for IP Sarix Enh Vandal and Environmental Mini Dome	76.80
IMEICM-E	In-ceiling Mount for Sarix Enhanced 2 Environmental Dome cameras	110.19
IMEICM-I	In-ceiling Mount for Sarix Enhanced 2 Indoor Dome cameras	110.19
IMEBB-I	Backbox InCeiling Mount White for IP Sarix Enhanced Range Indoor Mini Dome	52.31
IMELD1-1EI	Clear Dome for IP Sarix Enh Range Environmental Inceiling mounted Mini Dome	89.04
IMELD1-1ES	Clear Dome for IP Sarix Enh Range Environmental Surface and Pendant Mini Dome	181.42
IMELD1-1S	Clear Dome for IP Sarix Enh Range Indoor! White Surface mounted Mini Dome	76.80
IMELD1-1VS	Clear Dome for IP Sarix Enh Range Vandal Surface and Pendant mounted Mini Dome	89.04
IMELD2-0E	Smoked Lower dome for Sarix Enhanced 2 Environmental Dome cameras	110.19
IMELD2-0I	Smoked Lower dome for Sarix Enhanced 2 Indoor Dome cameras	82.36
IMEPM-E	Pendant Mount for Sarix Enhanced 2 Environmental Dome cameras	110.19
IMEPM-I	Pendant Mount for Sarix Enhanced 2 Indoor Dome cameras	110.19
IMEPMB-I	Wall Mount for Sarix Enhanced 2 Indoor Dome cameras	64.55
IMJTV-JB	Junction Box for Sarix Value IMV; IJV; ITV Series	104.62
IMP121A-1IS	Sarix Pro 2 Indoor Dome Camera 1MP 3-10mm lens clear bubble surface mount	488.61
IMP131-1ERS	Sarix Pro 3 Environmental IR Dome Camera 1MP 2.8-12mm nominal clear surface mnt	495.29
IMP131-1IRS	Sarix Pro 3 Indoor IR Dome Camera 1MP 2.8-12mm nominal clear surface mount	426.28
IMP231-1ERS	Sarix Pro 3 Environmental IR Dome Cam 2MP 2.8-12mm nominal clear surface mount	527.56
IMP231-1ES	Sarix Pro 3 Environmental Dome Camera 2MP 2.8-12mm nominal clear surface mount	486.38
IMP231-1IRS	Sarix Pro 3 Indoor IR Dome Camera 2MP 2.8-12mm nominal clear surface mount	478.59
IMP231-1IS	Sarix Pro 3 Indoor Dome Camera 2MP 2.8-12mm nominal clear surface mount	442.97
IMP331-1ERS	Sarix Pro 3 Environmental IR Dome Cam 3MP 2.8-12mm nominal clear surface mount	612.15
IMP331-1ES	Sarix Pro 3 Environmental Dome Camera 3MP 2.8-12mm nominal clear surface mount	569.86
IMP331-1IRS	Sarix Pro 3 Indoor IR Dome Camera 3MP 2.8-12mm nominal clear surface mount	563.18
IMP331-1IS	Sarix Pro 3 Indoor Dome Camera 3MP 2.8-12mm nominal clear surface mount	527.56
IMP3EBAP	Adapter Plate for Electrical Box for Sarix Professional 3 Dome camera	21.15
IMP3ICM-1E	In-ceiling mount for Sarix Professional 3 Dome camera	81.25
IMP3LD-0E	Smoked lower dome for Sarix Professional 3 Environmental Dome camera	73.46
IMP3LD-0I	Smoked lower dome for Sarix Professional 3 Indoor Dome camera	67.89
IMP3LD-1E	Clear lower dome for Sarix Professional 3 Environmental Dome camera	73.46
IMP3LD-1I	Clear lower dome for Sarix Professional 3 Indoor Dome camera	86.81
IMP3PM-1E	Pendant mount for Sarix Professional 3 Dome camera	109.07
IMP3PMB-1I	Wall mount for Sarix Professional 3 Dome camera	50.09
IMP531-1ERS	Sarix Pro 3 Environmental IR Dome Cam 5MP 2.8-12mm nominal clear surface mount	725.68
IMP531-1ES	Sarix Pro 3 Environmental Dome Camera 5MP 2.8-12mm nominal clear surface mount	654.44
IMP531-1IRS	Sarix Pro 3 Indoor IR Dome Camera 5MP 2.8-12mm nominal clear surface mount	695.63
IMP531-1IS	Sarix Pro 3 Indoor Dome Camera 5MP 2.8-12mm nominal clear surface mount	613.26
IMPICM-1ER	In-ceiling mount for Sarix Professional 2 Environmental Dome cameras	73.46
IMPLD2-0I	Smoked lower dome for Sarix Professional 2 Indoor Dome camera	56.76
IMV-AP	Adapter Plate for IMV Series Varifocal Lens Sarix Value Minidomes	31.16
IMV-PA	Pendant Mount Adapter for IMV Series Varifocal Lens Sarix Value Minidomes	40.07
IMV-WMJB	Junction Box for SRXV-WMP Sarix Value Wall Mount	62.33
IMV229-1ERS	Sarix Value 2Mp Varifocal 3.4-9.4 mm Environmental IR Minidome Surface Mount	329.45
IMV529-1ERS	Sarix Value 5Mp Varifocal 3.4-9.4 mm Environmental IR Minidome Surface Mount	427.39
ITV529-1ERS	Sarix Value 5 Megapixel Varifocal 3.4-9.4 mm Environmental IR Turret IP Camera	412.92
IWP133-1ERS	Sarix Professional 3 Environmental Wedge camera 1MP 2.8mm lens	360.61
IWP232-1ERS	Sarix Professional 3 Environmental Wedge camera 2MP 2.4mm lens	440.75
IWP233-1ERS	Sarix Professional 3 Environmental Wedge camera 2MP 2.8mm lens	405.13
IWP234-1ERS	Sarix Professional 3 Environmental Wedge camera 2MP 4mm lens	405.13
IWP236-1ERS	Sarix Professional 3 Environmental Wedge camera 2MP 6mm lens	405.13
IWP333-1ERS	Sarix Professional 3 Environmental Wedge camera 3MP 2.8mm lens	476.36
IWP532-1ERS	Sarix Professional 3 Environmental Wedge camera 5MP 2.4mm lens	587.66
IWP533-1ERS	Sarix Professional 3 Environmental Wedge camera 5MP 2.8mm lens	552.05
IWPWPC	Waterproof RJ45 connector cover Sarix IWP	10.02
IXE23	Sarix Enhanced 3 Box IP Camera 2MP accepts I-CS lens True WDR Advanced Analytics	830.30
IXE33	Sarix Enhanced 3 Box IP Camera 3MP accepts I-CS lens True WDR Advanced Analytics	962.75
IXE53	Sarix Enhanced 3 Box IP Camera 5MP accepts I-CS lens True WDR Advanced Analytics	1,114.11
IXE83	SarixEnh3 Box IP Camera 4K 8MP accepts I-CS lens True WDR Adv Ana	1,224.30

All prices are exclusive of taxes and freight. Avigilon reserves the right to make changes to pricing and discount margins. All installation and use of Avigilon software is governed by its end user license agreement (EULA). Contact Avigilon or visit www.avigilon.com to get a copy of the EULA.

MODEL NUMBER	DESCRIPTION	MSRP \$
IXP13	Sarix Professional 3 Box Camera; 1MP	490.83
IXP23	Sarix Professional 3 Box Camera; 2MP	516.43
IXP33	Sarix Professional 3 Box Camera; 3MP	597.68
IXP53	Sarix Professional 3 Box Camera; 5MP	714.55
LDIMVE-0	Lower Dome Smoked For Sarix IM-V IM-E	52.31
SRXV-CM	Corner Mount for Wall Mounted Sarix Value IP Cameras and Bullets	197.00
SRXV-PCF	Ceiling Flange for Pendant Adapter and Pipe Extension for Sarix Value Cameras	204.79
SRXV-PLM	Pole Mount for Wall Mounted Sarix Value IP Cameras and Bullets	133.56
SRXV-PP	Pipe Extension for Pendant Adapter for Sarix Value Cameras	92.38
SRXV-WMP	Wall Mount for Sarix Value IP Cameras using Pendant Adapter Plate	62.33
SRXV-WMS	Wall Mount for Sarix Value IMV; IJV; ITV; IJV Series	58.99
WMVE-AW	Wall Mount Vandal Resistant Environmental For 1.5 Inch NPT Pendant Pantone 427C	62.33
WMVE-SR	Wall Mount 1.5 Inch NPT Cool Light Gray For Sarix IE; IM-V; IM-E; Others	62.33
WMVE-SW	Wall Mount 1.5 inch NPT with 0.75 inch NPT adapter RAL 9003	62.33
AXM200	Adjustable pan/tilt mount for ExSite 1 Fixed models; 316L stainless steel	888.17
CMXM200	Corner mount adapter for ExSite Enhanced made of 316L stainless steel.	858.12
ESTI3100-2N-X	Sarix Thermal Imaging Esprit Positioning System 384x288 with 100mm Lens IP or PA	27,082.63
ESTI3100-5N-X	Sarix Thermal Imaging Esprit Positioning System 384x288 with 100mm Lens IP or PA	27,082.63
ESTI335-5W-X	Sarix Thermal Imaging Esprit Positioning System 384x288 with 35mm Lens IP or PAL	19,731.26
EXC2602-62	ExSite 2 ExP compact camera; 6MP 4.9-8mm; 24VAC 24VDC POE+; no cable	5,890.55
EXC2602-62-A0	ExSite 2 ExP compact camera; 6MP 4.9-8mm; 24VAC 24VDC POE+; 10m armored cable	7,216.18
EXC2602-62-A4	ExSite 2 ExP compact camera; 6MP 4.9-8mm; 24VAC 24VDC POE+; 4m armored cable	6,664.74
EXF2230-52-A0	ExSite 2 ExP fixed camera; 2MPx30; T5; 24VAC; 10m armored Cable w/ gland	9,746.10
EXF2230-52-A4	ExSite 2 ExP fixed camera; 2MPx30; T5; 24VAC; 4m armored Cable w/ gland	9,043.65
EXF2230-52-C0	ExSite 2 series Explosion Proof fixed camera; 2MPx30; T5; 24VAC; 10m Cable tail	9,296.70
EXF2230-52-C4	ExSite 2 series Explosion Proof fixed camera; 2MPx30; T5; 24VAC; 4m Cable tail	8,662.50
EXF2230-62-A0	ExSite 2 ExP fixed camera; 2MPx30; T6; 24VAC; 10m armored Cable w/ gland	9,746.10
EXF2230-62-A4	ExSite 2 ExP fixed camera; 2MPx30; T6; 24VAC; 4m armored Cable w/ gland	9,043.65
EXF2230-62-C0	ExSite 2 series Explosion Proof fixed camera; 2MPx30; T6; 24VAC; 10m Cable tail	9,296.70
EXF2230-62-C4	ExSite 2 series Explosion Proof fixed camera; 2MPx30; T6; 24VAC; 4m Cable tail	8,662.50
EXP2230-62	ExSite 2 series Explosion Proof PTZ camera; 2MPx30; T6; 24VAC	18,900.00
EXP2230-62-G	ExSite 2 ExP PTZ camera; 2MPx30; T6; 24VAC; with ONVIF G remote storage	19,425.00
EXP2230-65	ExSite 2 series Explosion Proof PTZ camera; 2MPx30; T6; 120VAC	18,900.00
EXP2230-65-G	ExSite 2 ExP PTZ camera; 2MPx30; T6; 120VAC; with ONVIF G remote storage	19,425.00
EXP2230-67	ExSite 2 series Explosion Proof PTZ camera; 2MPx30; T6; 230VAC	18,900.00
EXP2230-67-G	ExSite 2 ExP PTZ camera; 2MPx30; T6; 230VAC; with ONVIF G remote storage	19,425.00
PAXM200	Pole mount adapter for ExSite Enhanced made of 316L stainless steel.	858.12
PEX-MBA1S5A	PEX communication box Aluminum housing; 230 VAC input (VTPN: MBA1S5A)	2,136.75
PEX-MBA2S5A	PEX communication box Aluminum housing; 24 VAC input (VTPN: MBA2S5A)	2,136.75
PEX-MBA3S5A	PEX communication box Aluminum housing; 120 VAC input (VTPN: MBA3S5A)	2,136.75
PEX-MBX1MAA	PEX communication box AISI 316L SS; 230 VAC input (VTPN: MBX1MAA)	2,534.70
PEX-MBX2MAA	PEX communication box AISI 316L SS; 24 VAC input (VTPN: MBX2MAA)	2,534.70
PEX-MBX3MAA	PEX communication box AISI 316L SS; 120 VAC input (VTPN: MBX3MAA)	2,534.70
PEX-MBXMP	Adapter plate for communication box to PEX-MPXCOR or PEX MPXCW mounts. AISI 316L	400.05
PEX-MBXWRE	Wrench for opening communication boxes; PEX-MBX (VTPN: MBXWRE)	76.65
PEX-MHXWFWCA	Parapet mounting bracket for use with EXF2230 cameras. AISI 316L stainless steel	300.30
PEX-MMXCABARM10	Replacement 10m armored cable for EXC2602 Compact camera (VTPN: MMXCABARM10)	706.86
PEX-MMXCABLARM4	Replacement 4m armored cable for EXC2602 Compact camera (VTPN: MMXCABLARM4)	412.34
PEX-MMXCWCOL	Stainless steel AISI 316L corner and pole mount adaptor for EXC2602 compact cam	106.03
PEX-MPX2CAARM10	Cabling; 10m (32.8 ft); armored cable; barrier cable gland (VTPN: MPX2CABARM10)	1,178.10
PEX-MPX2CABARM4	Cabling; 4m (13.1 ft); armored cable; barrier cable gland (VTPN: MPX2CABARM4)	786.45
PEX-MPX2CABL10	Cabling; 10m (32.8 ft); unarmored cable; barrier cable gland (VTPN: MPX2CABL10)	1,178.10
PEX-MPX2CABL4	Cabling; 4m (13.1 ft); unarmored cable; barrier cable gland (VTPN: MPX2CABL4)	786.45
PEX-MPXCOR	Pole mount adapter for use with PEX-MBXMP or EXP2230 cameras; AISI 316L SS	387.45
PEX-MPXCW	Corner mount adapter for use with PEX-MBXMP or EXP2230 cameras; AISI 316L SS	282.45
PEX-MPXWBA	Wall bracket for use with EXP2230 cameras. AISI 316L stainless steel	525.00
PEX-MPXWBT	Parapet or ceiling mount bracket for use with EXP2230 cameras. AISI 316L SS	226.80
PEX-NXCOL	Pole mount adapter for use with EXF2230 cameras or ExP washers; AISI 316L SS	282.45
PEX-NXCW	Corner mount adapter for EXF2230 cameras or ExP washers; AISI 316L SS	141.75
PEX-NXFWBT	Vertical riser; 124 mm (4.9"); for EXF2230 cameras. AISI 316L stainless steel	219.45
PEX-NXWBS1	Wall bracket for EXF2230 cameras. AISI 316L stainless steel	270.90
PEX-NXWTU	Wall adapter module; for PEX-NXWBS1. AISI 316L stainless steel	447.30
PEX-OCEX1/2-3/4	Cable gland reduction in nickel-plated brass 3/4" - 1/2" NPT -100°C/+400°C	40.95
PEX-OCTEX3/4C	Cable gland in nickel-plated brass with gasket EX 3/4" NPT; unarmoured cable	67.58

All prices are exclusive of taxes and freight. Avigilon reserves the right to make changes to pricing and discount margins. All installation and use of Avigilon software is governed by its end user license agreement (EULA). Contact Avigilon or visit www.avigilon.com to get a copy of the EULA.

MODEL NUMBER	DESCRIPTION	MSRP \$
PEX-OCTEXA3/4C	Cable gland in nickel-plated brass with gasket EX 3/4" NPT; armored cable	140.54
PEX-OCTEXB1/2P	Barrier cable gland 1/2" NPT unarmoured cable IECEx-ATEX -60/+135°C	86.10
PEX-OCTEXB3/4P	Barrier Cable Gland w/ unarmored cable (VTPN: OCTEXB3/4P)	216.30
PEX-OCTEXBA1/2P	Barrier cable gland 1/2" NPT armored cable -60/+135°C (VTPN: OCTEXBA1/2P)	137.55
PEX-OCTEXBA3/4P	Barrier Cable Gland w/ armored cable (VTPN: OCTEXBA3/4P)	257.25
PEX-OEXPLUG1/2P	EX 1/2" NPT IECEx-ATEX plug -100/+400°C (VTPN: OEXPLUG1/2P)	16.80
PEX-OEXPLUG3/4P	Plug EX 3/4" NPT (VTPN: OEXPLUG3/4P)	11.55
PEX-WASEX2T4AT	PEX washer ATEX certified solenoid valve (VTPN: WASEX2T4AT)	2,559.90
PEX-WASEX2T4GOR	PEX washer GOS certified solenoid valve (VTPN: WASEX2T4GOR)	2,559.90
PEX-WASEX2T4IN	PEX washer INMETRO certified solenoid valve (VTPN: WASEX2T4IN)	2,559.90
PEX-WASEX2T4KC	PEX washer KCS certified solenoid valve (VTPN: WASEX2T4KC)	3,079.65
PXM100	Pedestal mount designed to mount an ExSite Series system directly to a horizontal	161.39
PXM200	Pedestal mount for ExSite Enhanced made of 316L stainless steel.	169.18
TI2314	Sarix Thermal 2 camera QVGA 14mm wide lens option 25HZ; 720p dual; POE; Env	5,862.17
TI2350	Sarix Thermal 2 camera QVGA 50mm tele lens option 25HZ; 720p dual; POE; Env	7,907.87
TIWM	Sarix Thermal Imaging camera 2 series Wall mount	181.42
WXM200	Wall mount for ExSite Enhanced made of 316L stainless steel.	1,257.69
CBS350-24FP-4G-NA	28-port Gigabit Managed Switch (24 PoE+ budget 370W; 4 Gigabit SFP) - NA	2,342.12
CBS350-8FP-E-2G-NA	10-port Gigabit Managed Switch (8 PoE+ budget 120W; 2 copper/SFP combo) - NA	918.70
CBS350-8FP-E-2G-UK	10-port Gigabit Managed Switch (8 PoE+ budget 120W; 2 copper/SFP combo) - UK	918.70
SM24TAT2SA-NA	24-Port Gigabit Managed Switch (24) PoE+ budget 370W; (2) SFP - NA	1,605.90
SM8TAT2SA-NA	8-Port Gigabit Managed Switch (8) PoE+ budget 130W; (2) SFP - NA	810.90
FLDSUP-AUDIT	One Day Onsite (8Hrs) System Audit	3,500.00
FLDSUP-CONFIG	One Day Onsite (8Hrs) System Configuration	3,500.00
FLDSUP-NETWORK	One Day Onsite (8Hrs) Network Configuration	5,250.00
FLDSUP-TSHOOT	One Day Onsite (8Hrs) Troubleshoot	3,500.00
FTRVL-ADDTLDAY	One Additional Day Of Travel	575.00
FTRVL-FRSTAIR	First Day Of Travel By Air	2,800.00
RMTSUP-AUDIT	One Day Remote (8Hrs) System Audit	3,500.00
RMTSUP-CONFIG	One Day Remote (8Hrs) System Configuration	3,500.00
RMTSUP-NETWORK	One Day Remote (8Hrs) Network Design/Configuration/Troubleshoot	5,250.00
RMTSUP-TSHOOT	One Day Remote (8Hrs) Troubleshoot	3,500.00
CVA-BAP1-10C1Y	Calipsa Basic Plus;10ch;1yr	1,800.00
CVA-BAS1-10C1Y	Calipsa Basic;10ch;1yr	1,500.00
CVA-HLT1-10C1Y	Calipsa Camera Health;10ch;1yr	300.00
FLDSUP-VXSTIG	One Day Onsite VX System Hardening	3,855.60
FTRVL-FRSTLOCAL	First Day Of Travel By Car	945.00
HDDKIT-12TB-R550	MHX3CW000A	1,892.00
HDDKIT-18TB-R550	MHXT1C000B	2,992.00
INT-A2TEKNOLOJI	VX integration of A2 Based On A2-Vca And A2-Anpr Offers Advanced Plug-In	0.00
INT-ACCESSXPRT	Videoxpert Integration To Access Expert (Previously Known As Accessxpert)	0.00
INT-ACIC	Acic Analytic Integration	0.00
INT-ACM	Videoxpert And Acm Integration	0.00
INT-ACSPUGIN	Access Control System Viewer for VX Opscenter	0.00
INT-ADVGUARD	VX integration of Navtech Advanceguard	4,498.20
INT-AGENTVIDATA	VX integration of AgentVI Savvi	0.00
INT-AGENTVIPLUG	VX integration of Agentvi Plugin for VX OPS Center	4,498.20
INT-AMAG	Videoxpert V3.X Amag Integration	4,498.20
INT-AUDIOPLUGIN	Videoxpert Audio Out Plugin (License Cost Are Per Year)	214.20
INT-BRIEFCAM	Videoxpert Integration With Briefcams Review And Respond Modules.	4,498.20
INT-CCURE	VX integration of the Software House C-Cure 9000	4,498.20
INT-COMPASS	Videoxpert Compass integration license	0.00
INT-CONTINUUM	VX integration of Andover Continuum	0.00
INT-CORTECH	Cortech Integration License (Permanent License)	0.00
INT-CTGSE	Hmi Touchscreen Integration	0.00
INT-CYBERSECURE	Cybersecure Ips Integration (Permanent License)	0.00
INT-ECONNECT	VX integration of Econnect	0.00
INT-ENGIE	Videoxpert Integration - By Engie Of Citect Scada Access Control (Perm License)	0.00
INT-FIBERSENSYS	VX integration of Fiber Sensys Alarm Processing Units (Apus)	4,498.20
INT-GALLAGHER	VX integration of Gallaghers Command Centre Integrated Security Solutions	4,498.20
INT-GEMOS	Integration Of Videoxpert Gemos Psim Platform	0.00
INT-HIRSCHVEL	Videoxpert Hirsch Velocity Integration (License Cost Are Per Year)	4,498.20
INT-INNERRANGE	Innerrange Integriti Integration License (Permanent License)	0.00
INT-INSIDEOUT	Videoxpert Inside Out Group Integration (Permanent License)	0.00

All prices are exclusive of taxes and freight. Avigilon reserves the right to make changes to pricing and discount margins. All installation and use of Avigilon software is governed by its end user license agreement (EULA). Contact Avigilon or visit www.avigilon.com to get a copy of the EULA.

MODEL NUMBER	DESCRIPTION	MSRP \$
INT-IPSOTEKVI	Int Ipsotek Visuite	0.00
INT-ISSD	Issd Tunnel Incident Analytics Solution (Permanent License)	0.00
INT-JACQUESCOM	Videoxpert Jacques Integration (License Cost Are Per Year)	4,498.20
INT-JCI	VX integration of Johnson Controls P2000 Security Management System	4,498.20
INT-JENSON	Videoxpert And Jensen Integration	0.00
INT-KANTECH	Videoxpert Integration For Kantech Entrapass Security Management System.	4,498.20
RMTSUP-VXSTIG	One Day Remote VX System Hardening	2,570.40
TRNF-CUSTOM	Custom Training Field Class 1 Person Including Travel	10,500.00
TRNF-VXCSS	VxEnterprise Advanced Installer Certification; Level 3E Field; 1 Person w/Travel	892.50
TRNF-VXOPR	VX Operator & Administrator Certification; Level 2AO Field; 1 Person w/Travel	892.50
TRNF-VXPRO	VxPro Installation and Support Certification; Level 2P Field; 1 Person w/Travel	892.50
VX-CONNECT	Ability To Export Video Streams From Videoxpert Systems To 3rd Party Clients	1,539.28
E1-1C	VideoXpert Enterprise; one (1) camera channel license and one (1) year SUP	155.40
E1-1C-SUP1	VideoXpert Enterprise; one year software upgrade entitlement for one channel	45.15
E1-1C-SUP3	VideoXpert Enterprise; three year software upgrade entitlement for one channel	112.35
E1-1C3Y	VideoXpert Enterprise; one (1) camera channel license and three (3) year SUP	298.20
E1-4COR-SW	VideoXpert Enterprise; one (1) software license for four or more VxCore servers	85,680.00
E1-COR-SW	VideoXpert Enterprise; one (1) software license for a single VxCore server.	4,015.20
E1-MGW-SW	VideoXpert Enterprise; one (1) software license; single Media Gateway server	3,211.95
E1-NSM-1UP	VideoXpert Enterprise NSM5200/NSM5300 Upgrade; 100 channels; 1 year SUP	6,875.40
E1-NSM-1UP25	VideoXpert Enterprise NSM5200/NSM5300 Upgrade; 25 channels; 1 year SUP	1,718.85
E1-NSM-1UP50	VideoXpert Enterprise NSM5200/NSM5300 Upgrade; 50 channels; 1 year SUP	3,437.70
E1-VXS-SW	VideoXpert Enterprise; one (1) license for a single VxStorage software instance.	945.00
INT-KAPLOGIC	Vx Kaplogic Aegis Integration (Permanent License)	0.00
INT-KARADAG	Videoxpert Karadag Elektronik Integration (Permanent License)	0.00
INT-LENEL	Videoxpert V3.X Lenel Onguard Integration (License Cost Are Per Year)	4,477.20
INT-LENEL-OG-73	Videoxpert V3.X Lenel Onguard 7.3 Integration (Vx to Onguard) (Per year License)	4,498.20
INT-LENEL-OG-74	Videoxpert V3.X Lenel Onguard 7.4 Integration (Vx to Onguard) (Per year License)	4,498.20
INT-LENEL-OG-75	Videoxpert V3.X Lenel Onguard 7.5 Integration (Vx to Onguard) (Per year License)	4,498.20
INT-LENEL-OG-76	Videoxpert V3.X Lenel Onguard 7.6 Integration (Vx to Onguard) (Per year License)	4,498.20
INT-LENELDATA7X	Videoxpert V3.X Lenel Data Plugin Integration (Events From Onguard Into Vx)	4,498.20
INT-INLOG74W-AU	Videoxpert V3.X Audio Addition To Lenel Onguard 7.4 (License Cost Are Per Year)	6,211.80
INT-MAGOSMASS	VX integration of MAGO Radar system	4,498.20
INT-MAVILI	Integration License For Mavili Fire Alarm Detection System. Perm	0.00
INT-MAXPROGRES	Videoxpert C4 Integration By Maxprogres (License Cost Are Per Year)	0.00
INT-NETE2ASIA	Videoxpert Nete2 Integration (Permanent License)	0.00
INT-NEURALLAB	Neural Labs Lpr Integration (Permanent License)	0.00
INT-NGARO	VX integration of Ngaro Analytics	0.00
INT-NSCHEDULE	Vx Scheduling Middleware; Vx Event Notification To User By Schedule And Holiday	1,713.60
INT-OCCUPANCY	Occupancy Solution For VXAutomate Counting And Monitoring Facility Occupancy	856.80
INT-PAXTONVID	VX integration of Paxton Net2 Integration	4,498.20
INT-PERIDECT	Videoxpert Integration To Peridect+	0.00
INT-PLATESMART	Platesmart Ptnr Integration (Permanent License)	0.00
INT-PREMISYS	Videoxpert Integration For Identocard Premisys Access Control Event Integration	4,477.20
INT-RBHACCESS	Videoxpert RBH Access integration	0.00
INT-RECACES	VX integration of Recfaces	0.00
NSM53-VXS-UPG	Upgrade NSM5300 Linux OS recorder to a VideoXpert Windows Server 2019 recorder	1,742.00
U1-AGG-1C	VideoXpert Enterprise; one aggregated channel	93.45
VXCMG2-NSVR	Enhanced CMG; Server 2019 Standard; dual 550W pwr; Xeon Silver; 64GB ECC RAM	11,971.64
VXCMG3-10GKIT	VXCMG3-10GKIT	825.00
VXCMG3-NSVR	VXCMG3-NSVR	7,950.00
VXS2B-E168-N12S	E-Series VxStorage; Server 2019; 32GB RAM; Xeon Silver (x2); RAID 6;168TB	64,198.95
VXS2B-E216-N12S	E-Series VxStorage; Server 2019; 32GB RAM; Xeon Silver (x2); RAID 6;216TB	71,578.14
VXS2B-E288-N16S	E-Series VxStorage; Server 2019; 32GB RAM; Xeon Silver (x2); RAID 6;288TB	92,081.83
VXS2B-R0-N	VXS2B-R0-N	40,995.00
VXS2B-R144-N18	VXS2B-R144-N18	58,445.00
VXS2B-R96-N12	VXS2B-R96-N12	49,405.00
VXS2B-T0-N	VXS RAID STORAGE; Server 2019; 00TB (No Storage Drives); 100 CH LIC; 100 1YR SUP	40,995.13
VXS2B-T96-N8	T-Series VxStorage; Server 2019; 32GB RAM; Xeon Silver (x1); RAID 6;96TB	49,404.96
DS-VXP-1C	VideoXpert Professional; 1 channel upgrade license from Digital Sentry.	107.10
E1-OPS-WKSP	VideoXpert Ent Ult Workstation; w/Ops Center SW; UP TO 2 Monitors	4,507.65
ECO3-HDKIT-12TB	VxProEco 3 Series; Spare 12TB 7200 RPM SATA; Hot-plug Drive with Carrier.	1,320.02
ECO3-HDKIT-16TB	VxProEco 3 Series; Spare 16TB 7200 RPM SATA; Hot-plug Drive with Carrier.	1,707.34
ECO3-HDKIT-4TB	VxProEco 3 Series; Spare 4TB 7200 RPM SATA; Hot-plug Drive with Carrier.	382.87

All prices are exclusive of taxes and freight. Avigilon reserves the right to make changes to pricing and discount margins. All installation and use of Avigilon software is governed by its end user license agreement (EULA). Contact Avigilon or visit www.avigilon.com to get a copy of the EULA.

MODEL NUMBER	DESCRIPTION	MSRP \$
ECO3-HDKIT-8TB	VxProEco 3 Series; Spare 8TB 7200 RPM SATA; Hot-plug Drive with Carrier.	769.08
HDDKIT-12TB	VideoXpert 12TB SATA HDD Kit	1,892.10
HDDKIT-12TB-SAS	VideoXpert 12TB SAS HDD Kit	2,102.46
HDDKIT-16TB-SAS	VideoXpert 16TB SAS HDD Kit	3,005.10
INT-SALTO	VX integration of Salto	4,498.20
INT-SECONTINUUM	Videoexpert Continuum Integration By Schneider Electric (Permanent License)	0.00
INT-SECUREXPERT	VX integration of Security Expert	0.00
INT-SENTINEL	Sentinel Alarm System (Permanent License)	0.00
INT-SHOTPOINT	VX integration of Databouy Gunshot Detection	0.00
INT-SIPASS	Vx Sipass Integration 1Yr Lic	4,498.20
INT-SISTEMGROUP	Videoexpert Sig.Security Integration (Permanent License)	0.00
INT-SSKLPR	Ssk Lpr Integration And Occ Plugin (Permanent License)	0.00
INT-STENTOFON	Stentofon Manager Plugin Integration 1Yr Lic	4,498.20
INT-TAILCOUNT	VX integration of Tailgating Access Control	4,498.20
INT-UTIANVISIO	Uti Anyvision Local Facial Recognition Solution Integration	0.00
INT-VAXTOR	VideoXpert integration license	0.00
INT-VIDEOGRDSDK	VX integration of Videoguard; Allows Videoguard Psim To Get Video From Vx	0.00
INT-VIDEOGUARD	VX integration of Videoguard Middleware; Sends Events To Videoguard Event Server	0.00
INT-VIDSYS	Videoexpert Integration - Vidsys	0.00
INT-YALTES	Videoexpert Integration - Yaltes Control System	0.00
U1-AGG-1P	VideoXpert Professional; one aggregated chan from a remote system	214.20
VAX-1C	Vaxtor Camera License	1,148.70
VAX-ADR	Vaxtor Adr Per Camera	289.80
VAX-AVGSPED-BAS	Vaxtor Avrage Speed Basic	725.55
VAX-AVGSPED-PRO	Vaxtor Avrage Speed Pro	3,627.75
VAX-AVGSPED-STD	Vaxtor Avrage Speed Standard	1,813.35
VAX-BASIC	Vaxtor Helix Back Office Database Software - 1-10 Cameras	2,887.50
VAX-GRAFANA-BAS	Vaxtor Grafana Basic	725.55
VAX-GRAFANA-PRO	Vaxtor Grafana Pro	3,627.75
VAX-GRAFANA-STD	Vaxtor Grafana Standard	1,813.35
VAX-HELP-CAM	Vaxtor Remote Help Per Cam	217.35
VAX-HELP-HOUR	Vaxtor Remote Help Per Hour	217.35
VAX-INSTSPEED	Vaxtor Instant Speed Per Camera	1,015.35
VAX-MMC	Vaxtor Mmc Per Camera	565.95
VAX-MMC+VCLASS	Vaxtor Mmc+Vclass Per Camera	740.25
VAX-PRO	Vaxtor Helix Back Office Database Software - 26-50 Cameras	8,690.85
VAX-REDLIGHT	Vaxtor Red Light Per System	2,176.65
VAX-STANDARD	Vaxtor Helix Back Office Database Software - 11-25 Cameras	5,788.65
VAX-TIME-BAS	Vaxtor Time-Cross Basic	725.55
VAX-TIME-PRO	Vaxtor Time-Cross Pro	3,627.75
VAX-TIME-STD	Vaxtor Time-Cross Standard	1,813.35
VAX-VCLASS	Vaxtor Vclass Per Camera	565.95
VX-A4-DEC	VideoXpert Enhanced Decoder with Linux; 8GB RAM; VESA mount	2,578.82
VX-A5-SDD	VideoXpert Shared Display Decoder with Windows 10 IoT 2019; 16GB memory	3,197.65
VX-ASCII	VX Integration of Ascii; Commands Are Translated From Ascii Into Vx	0.00
VX-E-HDTRAY	Empty HD carrier tray for VideoXpert Professional Eco Series 1 or Series 2	32.28
VX-EVENT-MON	VX Integration of Event Monitor Service; I/O support in VX	0.00
VX-F-HDTRAY	Empty HD carrier tray for VideoXpert Professional Flex Series 1 or Series 2	32.28
VX-P1-HDTRAY	Empty hard drive carrier tray for VideoXpert Professional Power Series 1	31.16
VX-P2-HDTRAY	Empty hard drive carrier tray for VideoXpert Professional Power Series 2	47.70
VX-RKWKS8T	VideoXpert Workstation; Windows 10 IoT 2019; 16GB RAM; two NVIDIA Quadro P620	6,372.72
VX-RKWKST	VideoXpert Workstation; Windows 10 IoT 2019; 16GB RAM; one NVIDIA Quadro P620	5,442.57
VX-S2-HDTRAY	Empty HD carrier tray for VideoXpert Enterprise and Professional Recorders	47.70
VX-SNMP	VX license enables Simple Network Management Protocol (Snmp)	0.00
VX-WKST	VX Desktop Workstation; Win 10 IoT 2019; 16GB DDR4 memory; NVIDIA Quadro P620	4,263.90
VX3930-PS	Single 550W hot pluggable power supply; for Eco 3; Rackmount Wks; or CMG3	464.12
VXP-1C	VideoXpert Professional; one (1) camera channel license.	91.35
VXP-1C-3Y	VxPro; one camera channel license and three year upgrade for one channel	150.15
VXP-E2-0-J-S	VideoXpert Professional; Eco 2 Series Tower Server; Windows 10 IoT; 16GB RAM; In	3,469.22
VXP-E2-8-J-S	VxPro; Eco 2; Win 10 IoT; 16GB RAM; Xeon E; 2x1Gb NIC; JBOD; 8TB; Quadro P620	4,415.27
VXP-E3-0-J-S	VxPro; Eco 3 Rack; Win 10 IoT; 16GB RAM; i5; 1GbE NIC; No Drives; Quadro P620	4,003.62
VXP-E3-12-J-S	VxPro; Eco 3 Rack; Win 10 IoT; 16GB RAM; i5; 1GbE NIC; JBOD; 12TB; Quadro P620	5,359.36
VXP-E3-24-J-S	VxPro; Eco 3 Rack; Win 10 IoT; 16GB RAM; i5; 1GbE NIC; JBOD; 24TB; Quadro P620	6,350.46
VXP-E3-32-J-S	VxPro; Eco 3 Rack; Win 10 IoT; 16GB RAM; i5; 1GbE NIC; JBOD; 32TB; Quadro P620	7,341.56

All prices are exclusive of taxes and freight. Avigilon reserves the right to make changes to pricing and discount margins. All installation and use of Avigilon software is governed by its end user license agreement (EULA). Contact Avigilon or visit www.avigilon.com to get a copy of the EULA.

MODEL NUMBER	DESCRIPTION	MSRP \$
VXP-E3-4-J-S	VxPro; Eco 3 Rack; Win 10 IoT; 16GB RAM; i5; 1GbE NIC; JBOD; 4TB; Quadro P620	4,365.08
VXP-E3-8-J-S	VxPro; Eco 3 Rack; Win 10 IoT; 16GB RAM; i5; 1GbE NIC; JBOD; 8TB; Quadro P620	4,863.28
VXP-KIT-4TB	VideoXpert Professional; Eco 2 & Flex 2 Series; 4TB hard drive and tray kit.	830.19
VXP-KIT-8TB	VideoXpert Professional; Power Series; 8TB hard drive and tray kit.	1,180.89
VXP-KIT-P2-PSU	VideoXpert Professional; Power Series 2; 750W hot swappable power supply unit.	545.37
VXP-P2-0-XT	VxPro Power 2; Win 10 IoT 2019; 16GB RAM; Xeon Silver; 2x1Gb NIC; 0TB	9,441.42
VXP-P2-24-JT	VxPro Power 2; Win 10 IoT 2019; 16GB RAM; Xeon Silver; 2x1Gb NIC; JBOD; 24TB	12,362.78
VXP-P2-48-6T	VxPro Power 2; Win 10 IoT 2019; 16GB RAM; Xeon Silver; 2x1Gb NIC; RAID 6; 48TB	15,642.42
VXP-P2-48-JN	VxPro Power 2; Win 2019; 16GB RAM; Xeon Silver; 2x1Gb NIC; JBOD; 48TB	16,579.46
VXP-P2-48-JT	VxPro Power 2; Win 10 IoT 2019; 16GB RAM; Xeon Silver; 2x1Gb NIC; JBOD; 48TB	15,642.42
VXP-P2-72-5N	VxPro Power 2; Win 10 2019; 16GB RAM; Xeon Silver; 2x1Gb NIC; RAID 5; 72TB	19,388.46
VXP-P2-72-5T	VxPro Power 2; Win 10 IoT 2019; 16GB RAM; Xeon Silver; 2x1Gb NIC; RAID 5; 72TB	18,452.48
VXP-P2-72-6T	VxPro Power 2; Win 10 IoT 2019; 16GB RAM; Xeon Silver; 2x1Gb NIC; RAID 6; 72TB	18,452.48
VXP-P2-72-JN	VxPro Power 2; Win 2019; 16GB RAM; Xeon Silver; 2x1Gb NIC; JBOD; 72TB	19,388.46
VXP-P2-72-JT	VxPro Power 2; Win 10 IoT 2019; 16GB RAM; Xeon Silver; 2x1Gb NIC; JBOD; 72TB	18,452.48
VXP-P2-96-5T	VxPro Power 2; Win 10 IoT 2019; 16GB RAM; Xeon Silver; 2x1Gb NIC; RAID 5; 96TB	21,262.54
VXP-P2-96-6N	VxPro Power 2; Win 10 2019; 16GB RAM; Xeon Silver; 2x1Gb NIC; RAID 6; 96TB	22,198.52
VXP-P2-96-6T	VxPro Power 2; Win 10 IoT 2019; 16GB RAM; Xeon Silver; 2x1Gb NIC; RAID 6; 96TB	21,262.54
VXP-P2-96-JT	VxPro Power 2; Win 10 IoT 2019; 16GB RAM; Xeon Silver; 2x1Gb NIC; JBOD; 96TB	21,262.54
VXP-P3-0-XN	VXP-P3-0-XN	11,278.00
VXP-P3-0-XT	VXP-P3-0-XT	10,243.00
VXP-P3-36-5N	VXP-P3-36-5N	15,419.00
VXP-P3-36-5T	VXP-P3-36-5T	14,483.00
VXP-P3-36-JN	VXP-P3-36-JN	15,419.00
VXP-P3-36-JT	VXP-P3-36-JT	14,483.00
VXP-P3-48-5N	VXP-P3-48-5N	16,579.00
VXP-P3-48-5T	VXP-P3-48-5T	15,642.00
VXP-P3-48-6N	VXP-P3-48-6N	16,579.00
VXP-P3-48-6T	VXP-P3-48-6T	15,642.00
VXP-P3-48-JN	VXP-P3-48-JN	16,579.00
VXP-P3-48-JT	VXP-P3-48-JT	15,642.00
VXP-P3-72-5N	VXP-P3-72-5N	19,388.00
VXP-P3-72-5T	VXP-P3-72-5T	18,452.00
VXP-P3-72-6N	VXP-P3-72-6N	19,388.00
VXP-P3-72-6T	VXP-P3-72-6T	18,452.00
VXP-P3-72-JN	VXP-P3-72-JN	19,388.00
VXP-P3-72-JT	VXP-P3-72-JT	18,452.00
VXP-P3-96-5N	VXP-P3-96-5N	22,198.00
VXP-P3-96-5T	VXP-P3-96-5T	21,262.00
VXP-P3-96-6N	VXP-P3-96-6N	22,198.00
VXP-P3-96-6T	VXP-P3-96-6T	21,262.00
VXP-P3-96-JN	VXP-P3-96-JN	22,198.00
VXP-P3-96-JT	VXP-P3-96-JT	21,262.00
VXP-RK-FLEX	VideoXpert Professional; Flex Series Tower to Rack Conversion Kit	263.78
VXP-SUP-1Y	VideoXpert Professional; one (1) year software upgrade for one (1) channel.	26.25
VXP-SUP-3Y	VideoXpert Professional; three (3) year software upgrade for one (1) channel.	64.05

All prices are exclusive of taxes and freight. Avigilon reserves the right to make changes to pricing and discount margins. All installation and use of Avigilon software is governed by its end user license agreement (EULA). Contact Avigilon or visit www.avigilon.com to get a copy of the EULA.

PRODUCT PRICE NOTIFICATION

From: Terry Dankel - Senior Product Manager, Analytics

Effective: March 1, 2023

Re: Product Price Notification - Motorola Solutions Concealed Weapons Detection (CWD)

CWD (HARDWARE INCLUDES WIRELESS TABLETS)

PURCHASE/SUBSCRIPTION MODEL

- Year 1 payment: hardware + first-year annual subscription
- Commitment to purchase 4-years of annual software subscription (in years 2, 3 and 4)
- Ongoing subscription payment is required in year 5 and beyond
- Includes 2 Wireless Tablets and stands (1 desktop stand and 1 floor stand) per lane

PHYSICAL CONFIGURATIONS & PRODUCT PRICES

- For more detailed information about the configuration of the models and their respective product price, refer to the Physical Configurations section below.

PRODUCT PART NUMBERS TO ORDER FOR EACH	DESCRIPTION	CURRENCY	MSRP
MOTOROLA SOLUTIONS CONCEALED WEAPONS DETECTION PLATFORM (2 LANES, INDOOR)			
CWD-ACC7-2LANE-HW-ONLY-W	Hardware (with Wireless Tablets)	USD	\$109,698
CWD-ACC7-2LANE-SUB-1YR	Annual Software Subscription	USD	\$53,852
		Total 4-Year Price:	\$325,107
MOTOROLA SOLUTIONS CONCEALED WEAPONS DETECTION PLATFORM (1 LANE, LEFT SIDE, INDOOR)			
CWD-ACC7-1LANE-L-HW-ONLY-W	Hardware (with Wireless Tablets)	USD	\$107,910
CWD-ACC7-1LANE-SUB-1YR	Annual Software	USD	\$31,846



	Subscription		
		Total 4-Year Price:	\$235,295
MOTOROLA SOLUTIONS CONCEALED WEAPONS DETECTION PLATFORM (1 LANE, RIGHT SIDE, INDOOR)			
CWD-ACC7-1LANE-R-HW-ONLY-W	Hardware (with Wireless Tablets)	USD	\$107,910
CWD-ACC7-1LANE-R-SUB-1YR	Annual Software Subscription	USD	\$31,846
		Total 4-Year Price:	\$235,295
MOTOROLA SOLUTIONS CONCEALED WEAPONS DETECTION PLATFORM (2 LANES, OUTDOOR)			
CWD-ACC7-2LANE-O-HW-ONLY-W	Hardware (with Wireless Tablets)	USD	\$134,174
CWD-ACC7-2LANE-O-SUB-1YR	Annual Software Subscription	USD	\$53,710
		Total 4-Year Price:	\$349,015
MOTOROLA SOLUTIONS CONCEALED WEAPONS DETECTION PLATFORM (1 LANE, LEFT SIDE, OUTDOOR)			
CWD-ACC7-1LANE-LO-HW-ONLY-W	Hardware (with Wireless Tablets)	USD	\$128,380
CWD-ACC7-1LANE-LO-SUB-1YR	Annual Software Subscription	USD	\$32,063
		Total 4-Year Price:	\$256,633
MOTOROLA SOLUTIONS CONCEALED WEAPONS DETECTION PLATFORM (1 LANE, RIGHT SIDE, OUTDOOR)			
CWD-ACC7-1LANE-RO-HW-ONLY-W	Hardware(with Wireless Tablets)	USD	\$128,380

CWD-ACC7-1LANE-RO-SUB-1YR	Annual Software Subscription	USD	\$32,063
		Total 4-Year Price:	\$256,633

PURCHASE UPFRONT MODEL

- Hardware and 4-year annual software subscription paid upfront
- Ongoing subscription payment is required in year 5 and beyond (see purchase/subscription model above for an understanding of the 1-year subscription pricing for each model)
- Includes 2 Wireless Tablets and stands (1 desktop stand and 1 floor stand) per lane

PHYSICAL CONFIGURATIONS

- For more detailed information about the configuration of the models, refer to the Physical Configurations section below.

PRODUCT PART NUMBERS TO ORDER FOR EACH	DESCRIPTION	CURRENCY	MSRP
MOTOROLA SOLUTIONS CONCEALED WEAPONS DETECTION PLATFORM (2 LANES, INDOOR)			
CWD-ACC7-2LANE-HW-ONLY-W	Hardware (with Wireless Tablets)	USD	\$109,698
CWD-ACC7-2LANE-SUB-4YR	4-Year (48 Months) Software Subscription	USD	\$200,381
		Total 4-Year Price:	\$310,079
MOTOROLA SOLUTIONS CONCEALED WEAPONS DETECTION PLATFORM (1 LANE, LEFT SIDE, INDOOR)			
CWD-ACC7-1LANE-L-HW-ONLY-W	Hardware (with Wireless Tablets)	USD	\$107,910
CWD-ACC7-1LANE-L-SUB-4YR	4-Year (48 Months) Software Subscription	USD	\$118,498
		Total 4-Year Price:	\$226,408
MOTOROLA SOLUTIONS CONCEALED WEAPONS DETECTION PLATFORM (1 LANE, RIGHT SIDE, INDOOR)			
CWD-ACC7-1LANE-R-HW-ONLY-W	Hardware (with Wireless Tablets)	USD	\$107,910



	Tablets)		
CWD-ACC7-1LANE-R-SUB-4YR	4-Year (48 Months) Software Subscription	USD	\$118,498
		Total 4-Year Price:	\$226,408
MOTOROLA SOLUTIONS CONCEALED WEAPONS DETECTION PLATFORM (2 LANES, OUTDOOR)			
CWD-ACC7-2LANE-O-HW-ONLY-W	Hardware (with Wireless Tablets)	USD	\$134,174
CWD-ACC7-2LANE-O-SUB-4YR	4-Year (48 Months) Software Subscription	USD	\$199,852
		Total 4-Year Price:	\$334,026
MOTOROLA SOLUTIONS CONCEALED WEAPONS DETECTION PLATFORM (1 LANE, LEFT SIDE, OUTDOOR)			
CWD-ACC7-1LANE-LO-HW-ONLY-W	Hardware (with Wireless Tablets)	USD	\$128,380
CWD-ACC7-1LANE-LO-SUB-4YR	4-Year (48 Months) Software Subscription	USD	\$119,305
		Total 4-Year Price:	\$247,685
MOTOROLA SOLUTIONS CONCEALED WEAPONS DETECTION PLATFORM (1 LANE, RIGHT SIDE, OUTDOOR)			
CWD-ACC7-1LANE-RO-HW-ONLY-W	Hardware (with Wireless Tablets)	USD	\$128,380
CWD-ACC7-1LANE-RO-SUB-4YR	4-Year (48 Months) Software Subscription	USD	\$119,305
		Total 4-Year Price:	\$247,685

PHYSICAL CONFIGURATION DESCRIPTIONS

CONFIGURATION	DESCRIPTION
2 Lane	From the perspective of the security operator watching people exit the towers, the receiver towers are on both sides of the center transmitter tower.
1 Lane, Left Side	From the perspective of the security operator watching people exit the towers, the receiver tower is on the left side of the transmitter tower.
1 Lane, Right Side	From the perspective of the security operator watching people exit the towers, the receiver tower is on the right side of the transmitter tower.

See [datasheet](#) for product configuration diagrams.

ACCESSORIES

Two tablets and stands are included per lane with each model. Partner needs to purchase at least one operational test kit that is used to calibrate the system.

PRODUCT PART NUMBER	DESCRIPTION	CURRENCY	MSRP
CWD-TESTKIT	Motorola Solutions Concealed Weapons Detection Platform Operational Test Kit	USD	\$1,059

OPTIONAL ACCESSORIES

PRODUCT PART NUMBER	DESCRIPTION	CURRENCY	MSRP
CWD-10"TABLETONLY-W	CWD Wireless Replacement Tablet (for both indoor and outdoor)	USD	\$6,445
CWD-10"TABLET-F-W	CWD Wireless Tablet With Floor Stand (for both indoor and outdoor)	USD	\$7,174

CWD-10"TABLET-D-W	CWD Wireless Tablet With Desktop Stand (for both indoor and outdoor)	USD	\$7,174
CWD-STANDONLY-F	Motorola Solutions Concealed Weapons Detection Platform Floor Stand (no tablet)	USD	\$883
CWD-STANDONLY-D	Motorola Solutions Concealed Weapons Detection Platform Desktop stand (no tablet)	USD	\$883
CWD-BATTERYCHARGER-O-GANGED(6)	Motorola Solutions Concealed Weapons Detection Outdoor Battery Charger, Ganged (6)	USD	\$1,247
CWD-BATTERYCHARGER-O-SINGLE-AC	Motorola Solutions Concealed Weapons Detection Outdoor Battery Charger, Single w/AC Adapter	USD	\$406
CWD-BATTERY-O-90W	Motorola Solutions Concealed Weapons Detection Outdoor Replacement Battery, 90W, DTR Tablet	USD	\$490
CWD-BATTERY-30W-INDOOR	Motorola Solutions Concealed Weapons Detection Indoor Replacement 30W Spare Battery, ELO Wireless Tablet	USD	\$322
CWD-TXCOVER-O	Motorola Solutions Concealed Weapons Detection Platform Outdoor covers for Transmitter Tower	USD	\$2,452
CWD-RXCOVER-L-O	Motorola Solutions Concealed Weapons Detection Platform Outdoor Covers for Receiver Tower (Left)	USD	\$1,219
CWD-RXCOVER-R-O	Motorola Solutions Concealed Weapons Detection Platform Outdoor Covers for Receiver Tower (Right)	USD	\$1,219
CWD-TABLETCOVERS-O	Motorola Solutions Concealed Weapons Detection Outdoor Covers (Tablets)	USD	\$280
CWD-MOBILITY CART	Motorola Solutions Concealed Weapons Detection Mobility Cart	USD	\$7,006
CWD-TXTOWER-MOBILITYCOVER	Motorola Solutions Concealed Weapons Detection Transmit (Tx) Tower Mobility Cover	USD	\$1,023

CWD-FRU-KIT	Motorola Solutions Concealed Weapons Detection Platform Field Replaceable Parts Kit	USD	\$64,147
CWD-ACCESS CONTROL INTERFACE	Motorola Solutions Concealed Weapons Access Control Interface	USD	\$10,299

CUSTOMIZED GRAPHIC PANELS

Customers have the option and may want to customize the graphic panels on the side panels of the transmitter tower. Contact your Avigilon sales representative for more details.

NOT-FOR-RESALE DEMO SYSTEM

A Motorola Solutions Concealed Weapons Detection Platform demo system consists of the hardware (2 Lanes, Outdoor) with wireless tablets. Software is provided for demo purposes only. If this unit is ever deployed in a production environment then a software subscription needs to be purchased separately; the software warranty starts at time of software purchase. The hardware warranty starts when the demo unit is shipped.

PRODUCT PART NUMBER	DESCRIPTION	CURRENCY	MSRP
CWD-DEMOSYSTEM-NFR	Motorola Solutions Concealed Weapons Detection Platform Demo System (Only), Not for Resale	USD	\$108,555

APPENDIX

CONTENTS IN THE KIT

#	Item Number	Item Name	Weight	Dimension	Quantity
1	101-00225-01 rev 1	TX BARTINGTON WITH BRACKET	4 Oz	5 x 2 x 3	1
2	101-00359-01 rev 5	ASSY, TXCD EMI SHIELDING	3 Lbs	10 x 5 x 3	1

3	101-00376-01 rev 1	ASSY, RX BARTINGTON WITH BRACKET, PULTRUSION	3 Oz	6 x 2 x 2	1
4	101-00242-01	ASSY, TX POWER SUPPLY	6 lbs	11 x 5 x 5	1
5	130-00027-01 rev 3.8A	PCBA, DAS	5 Oz	9 x 2 x 1	2
6	130-00030-01 rev 7.1A	PCBA, TXI	6 Oz	8 x 6 x 1	1
7	130-00031-01 rev 7.0A	PCBA, RXI	5 Oz	9 x 3 x 1	2
8	130-00032-01 rev 6.1A	PCBA, PDB	3 Oz	4 x 4 x 1	2
9	130-00034-01 rev 3.1A	PCBA, INCLINOMETER	2 Oz	1.5 x 1 x 0.5	2
10	130-00037-01 rev 2.0A	PCBA, THP	2 Oz	2 x 1 x 1	2
11	130-00041-01 rev 4.1A	PCBA, ECS	6 Oz	9 x 5 x 1	2
12	130-00042-01 rev 3.1A	PCBA, WSI	2 Oz	3 x 2 x 1	2
13	200-00822 rev 2	MAT CORD CLIP	5 Oz	7 x 5 x 2	6
14	200-00860 rev 2	RX TOWER COVER BELT, PULTRUSION	6 Oz	9 x 5 x 2	4
15	340-00191 rev 4	CABLE, RXI CHAMP TO IP67 BASE	1 Lb	7 x 7 x 2	2
16	340-00192 rev 6	CABLE, TXI CHAMP TO IP67 BASE	8 Oz	7 x 7 x 2	2
17	350-00009 rev 01	CBL, USB 2.0, A Male to B Male 3.0'	4 Oz	6 x 5 x 1	2
18	350-00031 rev 01	CBL, USB 3.0, A to A, Male to Male, 6ft	5 Oz	10 x 8 x 1	2
19	350-00041 rev 4	CABLE, 26 PIN, IP67	1 lb	14 x 9 x 2	2
20	350-00048 rev 02	Cable, patch Cat6, 20ft , black	8 Oz	9 x 8 x 1	6
21	350-00049 rev 4	CABLE, 6 PIN, IP67	8 Oz	14 x 13 x 1	2
22	350-00081 rev 3	CABLE, HDMI, HIGH SPEED, BLACK, 4 FT.	2 Oz	8 x 6 x 1	2
23	350-00082 rev 2	CABLE, HDMI, HIGH SPEED, BLACK, 3 FT.	2 Oz	8 x 6 x 1	2
24	350-00083 rev 2	CABLE, HDMI, HIGH SPEED, BLACK, 1.5 FT.	1 Oz	8 x 6 x 1	2
25	350-00090 rev 2	CABLE, INDUSTRIAL, USB 3.0, A/A MALE, 2M LG	8 Oz	7 x 7 x 1	2
26	350-00091 rev 1	CABLE, USB 2.0 UP ANGLE A to B	5 Oz	8 x 6 x 1	2
27	350-00094 rev 2	CABLE, ETHERNET, IP67	6 Oz	7 x 7 x 2	2
28	400-00040 rev 2	POE, 8 PORT, DIN RAIL SWITCH	1 Lb	9 x 7 x 3	1