

NC Sheriffs' Association Technology Bid # 23-02-0222

Discount Catalog for Vicon Products

15% Discount off MSRP for Main Line Items

15% Discount off MSRP for Options/Accessories

Key Notes:

- **The NCSA fee of 0.0075 (3/4%) will be added to the Sales Price (Discount from MSRP)**
- **Freight & Sales Tax are not included in pricing**
- **Services are available – please contact Chris Hunter for info**
- **With current Supply Chain issues, MSRP prices are subject to change**



MSRP Price List

Effective February 1, 2022

Vicon Industries Inc.
Corporate Headquarters
135 Fell Court
Hauppauge, NY 11788

Tel: 800-645-9116 or (631) 952-2288

Fax: (631) 951-2288

Email: sales@vicon-security.com



Terms Conditions

General

These terms of sale, unless otherwise expressly agreed to in writing by the Company, supersede any earlier sets of terms appearing in the Company's catalogs or elsewhere and shall override any terms and conditions given verbally or referred to by the Purchaser whether in the order, in any negotiations or elsewhere.

"Company" means VICON INDUSTRIES INC. "Purchaser" means the person, firm, or corporation named as such in the invoice. "Goods" means the products, articles, services, or things supplied by the Company and which are described in the invoice. "Order" means the order placed by the Purchaser for the goods. "Special Order" means the order placed by the Purchaser for the goods where the Purchaser has specifically requested a non-standard capability and/or product or system specification (detailed in the invoice) from the Company.

Payment

All Orders are subject to acceptance by the Company. Terms of payment are net thirty (30) days from the date of the invoice, which is generally the date of shipment. Amounts outstanding and unpaid beyond the time specified in this term may, at the discretion of the Company, accrue interest and such interest shall accrue on a day-to-day basis until payment is made and shall be included in the payment made. The Company may make partial shipments unless otherwise specified by the Purchaser.

Where the contract is to be or may be fulfilled in separate installments, payment for each such installment or delivery of part shall be made as if the same constituted a separate contract.

Prices

Prices are subject to change without notice and, unless otherwise agreed upon in writing, each Order is subject to prices ruling at the date of Company acceptance thereof and any price list of the Company whether published or not shall not affect the right of the Company to charge for Goods in accordance with this section.

If any order is varied or suspended as a result of the Purchaser's instructions or lack of instructions, prices may be increased to cover any extra expenses thereby incurred by the Company.

Credit

All Orders are subject to credit approval by the Company prior to shipment. Credit may not be approved without completion of the Company's credit application. Please allow thirty (30) days for credit clearance after receipt of application.

New Accounts

If credit clearance has not been obtained in accordance with these terms, then new accounts shall be required to submit payment with order.

Clearance For Shipment

Orders that are subject to credit will be shipped upon credit clearance or upon receipt of payment. Those Orders which are not subject to the aforesaid will be shipped immediately.

Any delivery dates given by the Company indicate estimated delivery times and shall not amount to any contractual obligation to delivery at the time stated. No liability for direct or consequential or other loss or damage arising from delay in delivering will be accepted by the Company, unless specifically agreed to in writing.

Delinquent Accounts

Without prejudice to all or any other rights and remedies of the Company, any accounts delinquent over sixty (60) days from the date payment is due in accordance with these terms of sale will automatically be placed on credit hold for all unfilled orders.

Qualified Dealers

The Company reserves the right to refuse orders of any products where the Purchaser has not been factory qualified or, in the sole opinion of the Company, lacks sufficient technical expertise to sell or install such products.

Special Orders

Orders the subject of a specific Proposal Request (PR) will carry a cancellation fee based on progress as of the date of cancellation. No returns will be accepted for special order items once completed or delivered. PRs shall pertain solely to the specifications and equipment listed therein and no representation is made that application requirements or system

Terms Conditions

Minimum Orders

The Company reserves the right to refuse Orders below established minimum levels. Such levels may change at any time at the sole discretion of the Company.

Bankruptcy and Insolvency

In the event that the Purchaser defaults or commits a breach of any of his obligations to the Company, or if any distress or execution is levied upon the Purchaser, his property or assets, or if the Purchaser shall make or offer to make any arrangements of composition with creditors or commit any act of bankruptcy or any petition or receiving order in bankruptcy shall be presented or made against him, or if a Receiver or Liquidator of such company's property or assets or any part thereof shall be appointed, the Receiver or Liquidator will notify the Company forthwith as to the whereabouts of the goods and will join with the Company in recovering the goods in accordance with these Terms of Trade and the Company shall have the right forthwith to suspend all further deliveries or in the Company's opinion to make partial deliveries or the Company may terminate any Order then subsisting and upon written notice of such termination being mailed by the Company to the Purchaser's last known address any subsisting order shall be deemed to have been terminated without prejudice to any claim or right the Company might otherwise make or exercise.

Claims

Any claims for damage to goods in transit or short delivery must be made in writing to the Company and the carrier within three (3) days of delivery. The packing and contents should be retained for inspection. If Goods are not received by the Purchaser within seven (7) days of the invoice date, the Company and the carrier should be notified immediately. The Company shall not be liable for customer credits that are not used within one year from the date the credit is issued.

Cancellation

Orders accepted by the Company may be canceled by the Purchaser at the Company's discretion and may be subject to payment by the Purchaser of a cancellation charge.

Shipping

The Company reserves the right to make a charge for shipping, insurance and packing on all orders and all shipments from all Vicon distribution outlets which are made F.O.B.

Products

The Company reserves the right to modify or change either hardware or software in any of its goods, at any time, and at its sole discretion without notice.

Description and Copyright

All descriptive and forwarding specifications, drawings and other particulars issued by the Company are intended to present a general description of the goods to which they refer and shall not form part of the contract. All drawings, descriptions and other information submitted by the Company shall remain the exclusive property of the Company together with the copyright therein.

Patents, Copyrights and Trademarks

The Purchaser shall indemnify the Company against all damages, penalties, costs, and expenses to which the Company may become liable if any work done in accordance with the Purchaser's specification involves an infringement of a registered design, patent, copyright or trademark.

Exchange Rates

Unless otherwise agreed by the Company in writing, the purchase price specified on the invoice, subject to the terms herein, will be paid in U.S. dollars and no allowance will be made in the event of any fluctuation of exchange rates if shipments are made outside the United States.

Terms Conditions

Returned Goods Policy

Goods may not be returned to the Company for warranty, repair or otherwise without the Company's consent and the issuance of a Return Authorization number ("RA"). The RA is valid for 30 days after which a new RA must be secured from the Company.

All goods returned with the Company's consent must be prepaid, insured and properly packed with the RA. The RA number must be referenced on all correspondence and must be visible on the exterior of the packing, carton or box containing the returned goods.

The Purchaser may not return Goods supplied which are not standard catalog items. Orders the subject of a specific Proposal Request (PR) will not be accepted for return once completed and/or delivered.

The Company reserves the right to make a charge of up to 50% of the net invoice value on all those goods correctly supplied and returned to the Company to cover the cost of checking, refurbishing and restocking the returned goods.

The Company does not accept returns of **USED** Goods. The Company accepts for return without restocking charges all **NEW** goods, the subject of an RA issued within 30 days of the goods invoice date. Such Goods, however, must be in **NEW** condition returned in the original packaging with all accessories and literature intact.

Goods returned after 30 days from invoice date, which are not deemed defective, are subject to a minimum \$25 per item restocking charge up to a maximum of 50% of the invoice value.

Buy America Certification

Vicon hereby certifies that products identified by a "Recovery.gov" logo next to their name comply with the requirements of section 165(a) of the Surface Transportation Assistance Act of 1982, as amended, and the applicable regulations in 49 CFR part 661. Please note that when the logo appears at the top of a product category, all products within that category fulfill these requirements.

Terms Conditions

Vicon Standard Equipment Warranty

Vicon Industries Inc. (the "Company") warrants your equipment to be free from defects in material and workmanship under Normal Use from the date of original retail purchase for a period of three years, with the following exceptions:

1. Valerus Shadow Elite Servers, Recorders and Client Workstations: Five years from original retail purpose.
2. Access Control System Components: Two years from date of original retail purchase. Some credentials have a lifetime warranty; refer to VAX warranty document for details.
3. Thermal Body Temperature Camera and Biometric Thermal Kiosk: Two years from date of original retail purchase.
4. Thermal Sensor VTR-3XXX/VTR-6XXX: One year from date of original retail purchase.
5. For PTZ cameras, "Normal Use" excludes prolonged use of lens and pan-and-tilt motors, gear heads, and gears due to continuous use of "autopan" or "tour" modes of operation. Such continuous operation is outside the scope of this warranty.
6. Any product sold as "special" or not listed in Vicon's commercial price list: One year from date of original retail purchase.

Date of retail purchase is the date original end-user takes possession of the equipment, or, at the sole discretion of the Company, the date the equipment first becomes operational by the original end-user.

The sole remedy under this Warranty is that defective equipment be repaired or (at the Company's option) replaced, at Company repair centers, provided the equipment has been authorized for return by the Company, and the return shipment is prepaid in accordance with policy. Repaired or replacement hardware will be warranted for the remainder of the original Warranty Period or ninety (90) days, whichever is longer. When a product or part is exchanged the replacement hardware becomes the property of the original purchaser and all hardware or part thereof that is replaced shall become the property of Vicon.

The warranty does not apply (a) to faulty and improper installation, maintenance, service, repair and/or alteration in any way that is not contemplated in the documentation for the product or carried out with Vicon consent in writing, operation adjustments covered in the operating manual for the product or normal maintenance, (b) to cosmetic damages, (c) if the product is modified or tampered with, (d) if the product is damaged by acts of God, misuse, abuse, negligence, accident, normal wear and tear and deterioration, improper environmental conditions (including, but not limited to, electrical surges, water damage, chemical exposure, an/or heat/cold exposure) or lack of responsible care, € if the product has had the model or serial number altered, defaced or removed, (f) to consumables (such as storage media or batteries) (g) to products that have been purchased "as is" and Vicon the seller or the liquidator expressly disclaim their warranty obligation pertaining to the product, (h) to any non-Vicon hardware product or any software (irrespective of packaged or sold with Vicon hardware product) and Vicon products purchased from an unauthorized distributor/reseller, (i) to damage that occurs in shipment or (j) to damages by any other causes not related to defective design, workmanship and/or materials.

The warranty for the products shall run from Vicon to End User customers only (including product purchased through authorized partners and resellers). Vicon is not obligated under any circumstances to honor warranties on product(s) purchases from internet auction sites including eBay, uBid or from any other unauthorized resellers. Except as explicitly provided herein, Vicon disclaims all other warranties, including the implied warranties of fitness for a particular purpose and merchantability.

Software supplied either separately or in hardware is furnished on an "As Is" basis. Vicon does not warrant that such software shall be error (bug) free. Software support via telephone, if provided at no cost, may be discontinued at any time without notice at Vicon's sole discretion. Vicon reserves the right to make changes to its software in any of its products at any time and without notice.

Terms Conditions

The Warranty and remedies provided above are exclusive and in lieu of all other express or implied warranties including, but not limited to, the implied warranties of merchantability or fitness for a particular purpose. Certain jurisdictions do not allow the exclusion of implied warranties. If laws under such jurisdictions apply, then all express and implied warranties are limited to the warranty period identified above. Unless provided herein, any statements or representations made by any other person or firm are void. Except as provided in this written warranty and to the extent permitted by law, neither Vicon nor any affiliated shall be liable for any loss, (including loss of data and information), inconvenience, or damage, including, but not limited to, direct, special, incidental or consequential damages, resulting from the use or inability to use the Vicon product, whether resulting from breach of warranty or any other legal theory. Notwithstanding the foregoing, Vicon total liability for all claims under this warranty shall not exceed the price paid for the product. These limitations on potential liabilities have been an essential condition in setting the product.

No one is authorized to assume any liability on behalf of the Company, or impose any obligations on it in connection with the sale of any Goods, other than that which is specified above. In no event will the Company be liable for indirect, special, incidental, consequential, or other damages, whether arising from interrupted equipment operation, loss of data, replacement of equipment or software, costs or repairs undertaken by the Purchaser, or other causes.

This warranty applies to all sales made by the Company or its dealers and shall be governed by the laws of New York State without regard to its conflict of laws principles. This Warranty shall be enforceable against the Company only in the courts located in the State of New York.

The form of this Warranty is effective November 12, 2021.

THE TERMS OF THIS WARRANTY APPLY ONLY TO SALES MADE WHILE THIS WARRANTY IS IN EFFECT. THIS WARRANTY SHALL BE OF NO EFFECT IF AT THE TIME OF SALE A DIFFERENT WARRANTY IS POSTED ON THE COMPANY'S WEBSITE, WWW.VICON-SECURITY.COM. IN THAT EVENT, THE TERMS OF THE POSTED WARRANTY SHALL APPLY EXCLUSIVELY.

Table of Contents

Table of Contents with Hyperlinks

[Cover](#)

[Terms & Conditions](#)

[Quote Program](#)

[Professional Services](#)

[Valerus](#)

[ViconNet VMS](#)

[VAX Access Control](#)

[Fixed IP Dome Cameras](#)

[Bullet & Specialty Cameras](#)

[PTZ Dome Cameras](#)

[HD Analog Domes & Cameras](#)

[Miscellaneous](#)

[Product Code](#)

[AlphaNumeric](#)

[Removed Products](#)

[New Products](#)

[Price Changes](#)



Vicon Industries Inc.
 135 Fell Court
 Hauppauge NY 11788

TEL: (631) 952-2288
 FAX: (631) 951-2288

Date: 02/22/22

Customer ID:

Expiration Date: 3/24/22

DISCOUNT = 15%

Bill To

Ship to

Salesperson	Job	Shipping Method	Shipping Terms	Delivery Date	Payment Terms	Close Date
					Net 30	

A&E Vertical Market

Model Number	Product Code	Pre-Configured (add a "C")	Description	MSRP Price	Your Discounted Price	Qty	Line Total
	#N/A		#N/A	#N/A	#N/A		\$ -
	#N/A		#N/A	#N/A	#N/A		\$ -

Subtotal "
 Discount
 Total "

Vicon standard terms and conditions found herein apply to all quotations. Prices are subject to change without notice. This quotation package is for guideline purposes only and all prices must be validated by a Vicon representative.

Professional Services

Training, Classes and Field Services

Model	Product Code	Description	MSRP
TRAINER	10107-00	PROFESSIONAL TRAINER; customized training course; price per day. Course includes system design, installation, operation, troubleshooting and course materials. Includes travel time and expenses. Additional charges apply if equipment is required for training.	\$ 6,225
CLASS-REG	10107-10	REGISTRATION FEE; for Vicon certified dealer training course; per student	\$ 445
FLD-ENG	10107-20	FIELD ENGINEER/PROJECT ENGINEERING; on-site engineering; price per day; 2-day minimum outside the NY/NJ/CT tri-state area. Services include installation support, troubleshooting, system commissioning, and advanced system programming. Includes travel time and expenses.	\$ 5,100
PRO-SVC-REM	10107-30	REMOTE SUPPORT FOR SITE; 4 hours of remote support for programming, commissioning and troubleshooting; fee for 4 hour block of time for a single project (time cannot be saved if service takes less than 4 hours)	\$ 1,100

Valerus Factory Direct System Configuration*

Model	Product Code	Description	MSRP
PRO-VLR-AS	10496-00	PRECONFIGURATION OF APPLICATION SERVER; fee per server; set up includes license activation, unit name, network configuration, time synchronization, user and group additions, addition of NVRs and cameras if purchased simultaneously	\$ 335
PRO-VLR-RS	10496-05	PRECONFIGURATION OF RECORDING SERVER; fee per server; set up includes NVR name, network configuration, time synchronization, storage database configuration	\$ 280
PRO-VLR-GW	10496-10	PRECONFIGURATION OF GATEWAY SERVER; fee per server; set up includes Gateway name, network configuration, time synchronization	\$ 335
PRO-VLR-RAS	10496-15	PRECONFIGURATION OF REDUNDANT APPLICATION SERVER; fee per server; set up includes license activation, programming redundancy, unit name, network configuration, time synchronization, user and group additions	\$ 335
PRO-VLR-FRS	10496-40	PRECONFIGURATION OF FAILOVER RECORDING SERVER; fee per server; set up includes NVR name, network configuration, time synchronization, storage database configuration	\$ 335
PRO-VLR-CAM	10496-20	PRECONFIGURATION OF NETWORK CAMERAS; fee per camera; includes setup of camera name, network configuration, video stream, time synchronization and labeling	\$ 35
PRO-VLR-VMDC	10496-25	PRECONFIGURATION OF VMDC; fee per VMDC; set up includes unit name, network configuration, Nucleus association, time synchronization and labeling	\$ 225
PRO-VLR-KEYPAD	10496-30	PRECONFIGURATION OF KEYPAD; fee per keypad; set up includes network	\$ 115

* All system components can be pre-configured by in-house engineers before being shipped.

Add a "C" to the model number and add the associated price to the price of the component. Call your Vicon Representative for help as needed.

Valerus VMS

Valerus Video Management System



Valerus CORE Connection Licenses (for systems with up to 35 device connections and standard features)

Model	Product Code	Description	MSRP
VLR-VCORE-LIC	10455-20	VALERUS CORE LICENSE; single edge device new license for use with Vicon cameras and single-channel encoder	\$ 56
VLR-VCORE-LIC-ADD	10455-30	VALERUS CORE LICENSE ADD-ON; single edge device license to add-on to existing license; for use with Vicon cameras and single-channel encoder	\$ 56
VLR-CORE-LIC	10455-00	VALERUS CORE LICENSE; single edge device new license for use with third party cameras/encoders including the VLR-ENC-16	\$ 95
VLR-CORE-LIC-ADD	10455-10	VALERUS CORE LICENSE ADD-ON; single edge device license to add-on to existing license; for use with third party cameras/encoders including the VLR-ENC-16	\$ 95



Valerus PRO Connection Licenses

Model	Product Code	Description	MSRP
VLR-VPRO-LIC	10455-25	VALERUS PRO LICENSE; single edge device new license for use with Vicon cameras and single-channel encoder	\$ 111
VLR-VPRO-LIC-ADD	10455-35	VALERUS PRO LICENSE ADD-ON; single edge device license to add on to existing licenses; for use with Vicon cameras and single-channel encoder	\$ 111
VLR-PRO-LIC	10455-05	VALERUS PRO LICENSE; single edge device new license for use with third party cameras/encoders including the VLR-ENC-16	\$ 165
VLR-PRO-LIC-ADD	10455-15	VALERUS PRO LICENSE ADD-ON; single edge device license to add on to existing license; for use with third party cameras/encoders including the VLR-ENC-16	\$ 165

Redundant Application Server Licenses

VLR-REDSRV-LIC	10455-50	VALERUS LICENSE FOR REDUNDANT APPLICATION SERVER; for new Valerus system	\$ 500
VLR-REDSRV-LIC-ADD	10455-55	VALERUS UPGRADE LICENSE FOR REDUNDANT APPLICATION SERVER; for existing Valerus Systems; to provide activation key	\$ 500

Valerus ENTERPRISE Connection Licenses

Model	Product Code	Description	MSRP
VLR-VENT-LIC	10455-27	VALERUS ENT LICENSE; single edge device new license for use with Vicon cameras and single-channel encoder	\$ 170
VLR-VENT-LIC-ADD	10455-37	VALERUS ENT LICENSE ADD-ON; single edge device license to add on to existing licenses; for use with Vicon cameras and single-channel encoder	\$ 170
VLR-ENT-LIC	10455-07	VALERUS ENT LICENSE; single edge device new license for use with third party cameras/encoders including the VLR-ENC-16	\$ 255
VLR-ENT-LIC-ADD	10455-17	VALERUS ENT LICENSE ADD-ON; single edge device license to add on to existing licenses; for use with third party cameras/encoders including the VLR-ENC-16	\$ 255



Valerus Upgrade Protection Plans

Model	Product Code	Description	MSRP
VLR-CORE-UPP	10456-00	UPGRADE PROTECTION PLAN; for Valerus CORE tier; per device. Guarantee free upgrades for one year.	\$ 11
VLR-CORE-UPP-3	10456-01	UPGRADE PROTECTION PLAN; for Valerus CORE tier; per device. Guarantee free upgrades for three years.	\$ 25
VLR-CORE-UPP-5	10456-02	UPGRADE PROTECTION PLAN; for Valerus CORE tier; per device. Guarantee free upgrades for five years.	\$ 38
VLR-CORE-UPP-ADD	10456-60	UPGRADE PROTECTION PLAN ADD-ON; add device to existing CORE tier UPP; 1 year; per device	*
VLR-CORE-UPP-3-ADD	10456-61	UPGRADE PROTECTION PLAN ADD-ON; add device to existing CORE tier UPP; 3 year; per device	*
VLR-CORE-UPP-5-ADD	10456-62	UPGRADE PROTECTION PLAN ADD-ON; add device to existing CORE tier UPP; 5 year; per device	*
VLR-PRO-UPP	10456-05	UPGRADE PROTECTION PLAN; for Valerus PRO tier; per device. Guarantee free upgrades for one year.	\$ 22
VLR-PRO-UPP-3	10456-06	UPGRADE PROTECTION PLAN; for Valerus PRO tier; per device. Guarantee free upgrades for three years.	\$ 49
VLR-PRO-UPP-5	10456-07	UPGRADE PROTECTION PLAN; for Valerus PRO tier; per device. Guarantee free upgrades for five years.	\$ 77
VLR-PRO-UPP-ADD	10456-70	UPGRADE PROTECTION PLAN ADD-ON; add device to existing PRO tier UPP; 1 year; per device	*
VLR-PRO-UPP-3-ADD	10456-71	UPGRADE PROTECTION PLAN ADD-ON; add device to existing PRO tier UPP; 3 year; per device	*
VLR-PRO-UPP-5-ADD	10456-72	UPGRADE PROTECTION PLAN ADD-ON; add device to existing PRO tier UPP; 5 year; per device	*
VLR-ENT-UPP	10456-80	UPGRADE PROTECTION PLAN; for Valerus ENT tier; per device. Guarantee free upgrades for one year.	\$ 34

Valerus VMS

VLR-ENT-UPP-3	10456-81	UPGRADE PROTECTION PLAN; for Valerus ENT tier; per device. Guarantee free upgrades for three years.	\$	76
VLR-ENT-UPP-5	10456-82	UPGRADE PROTECTION PLAN; for Valerus ENT tier; per device. Guarantee free upgrades for five years.	\$	119
VLR-ENT-UPP-ADD	10456-83	UPGRADE PROTECTION PLAN ADD-ON; add device to existing ENT tier UPP; 1 year; per device		*
VLR-ENT-UPP-3-ADD	10456-84	UPGRADE PROTECTION PLAN ADD-ON; add device to existing ENT tier UPP; 3 years; per device		*
VLR-ENT-UPP-5-ADD	10456-85	UPGRADE PROTECTION PLAN ADD-ON; add device to existing ENT tier UPP; 5 years; per device		*

*Add-ons to existing UPPs are based on time remaining on the original UPP. Contact Vicon Sales for pricing.

Valerus VMS

Valerus Version Upgrades



Model	Product Code	Description	MSRP
VLR-VCORE-VER	10456-30	VERSION UPGRADE FOR VALERUS SOFTWARE; to next version; CORE tier; per Vicon device	\$ 22
VLR-CORE-VER	10456-20	VERSION UPGRADE FOR VALERUS SOFTWARE; to next version; CORE tier; per third party device	\$ 38
VLR-VPRO-VER	10456-35	VERSION UPGRADE FOR VALERUS SOFTWARE; to next version; PRO tier; per Vicon device	\$ 44
VLR-PRO-VER	10456-25	VERSION UPGRADE FOR VALERUS SOFTWARE; to next version; PRO tier; per third party device	\$ 66
VLR-VENT-VER	10456-91	VERSION UPGRADE FOR VALERUS SOFTWARE; to next version; ENT tier; per Vicon device	\$ 68
VLR-ENT-VER	10456-90	VERSION UPGRADE FOR VALERUS SOFTWARE; to next version; ENT tier; per third party device	\$ 102



Valerus Tier Upgrades

Model	Product Code	Description	MSRP
For Devices with a UPP			
VLR-VCORE-PRO	10457-10	TIER UPGRADE FOR VALERUS SOFTWARE; from CORE to PRO; Vicon devices; when purchased with current UPP; per device	\$ 55
VLR-CORE-PRO	10457-00	TIER UPGRADE FOR VALERUS SOFTWARE; from CORE to PRO; third party devices; when purchased with current UPP; per device	\$ 121
VLR-VCORE-ENT	10457-25	TIER UPGRADE FOR VALERUS SOFTWARE; from CORE to ENT; Vicon devices; when purchased with current UPP; per device	\$ 114
VLR-CORE-ENT	10457-20	TIER UPGRADE FOR VALERUS SOFTWARE; from CORE to ENT; third party devices; when purchased with current UPP; per device	\$ 160
VLR-VPRO-ENT	10457-35	TIER UPGRADE FOR VALERUS SOFTWARE; from PRO to ENT; Vicon devices; when purchased with current UPP; per device	\$ 59
VLR-PRO-ENT	10457-30	TIER UPGRADE FOR VALERUS SOFTWARE; from PRO to ENT; third party devices; when purchased with current UPP; per device	\$ 90
For Devices without a UPP			
VLR-VCORE-PRO-NP	10457-15	TIER UPGRADE FOR VALERUS SOFTWARE; from CORE to PRO; Vicon devices; when purchased without current UPP; per device	\$ 88
VLR-CORE-PRO-NP	10457-05	TIER UPGRADE FOR VALERUS SOFTWARE; from CORE to PRO; third party devices; when purchased without current UPP; per device	\$ 194
VLR-VCORE-ENT-NP	10457-45	TIER UPGRADE FOR VALERUS SOFTWARE; from CORE to ENT; Vicon devices; when purchased without current UPP; per device	\$ 182
VLR-CORE-ENT-NP	10457-40	TIER UPGRADE FOR VALERUS SOFTWARE; from CORE to ENT; third party devices; when purchased without current UPP; per device	\$ 256
VLR-VPRO-ENT-NP	10457-55	TIER UPGRADE FOR VALERUS SOFTWARE; from PRO to ENT; Vicon devices; when purchased without current UPP; per device	\$ 95
VLR-PRO-ENT-NP	10457-50	TIER UPGRADE FOR VALERUS SOFTWARE; from PRO to ENT; third party devices; when purchased without current UPP; per device	\$ 144

Valerus Integration Software

Model	Product Code	Description	MSRP
VLR-SWH-INTV2.80	9101-68	VALERUS-SOFTWARE HOUSE INTEGRATION PACKAGE; version 2.80; to use Valerus min version 18R2 on a Software House C-CURE 9000 access control workstation	\$ 1,000

[NOTE: Integration with Lenel OnGuard system is available using the Valerus Accessory Add-On. Contact your Lenel representative for details.](#)

Valerus VMS

Valerus Shadow Elite Line of Servers

Valerus Shadow Elite Application Servers

Model	Product Code	Description	MSRP
 <p>Small Form Factor; i7 Processor VEAA-SF000D-N01</p>	M00B34	APPLICATION SERVER; supports dual 4K monitors using onboard graphics. Small form factor. Intel 10th Gen i7 processor with 16 GB DDR4 RAM. Win 10 Enterprise IoT on 250 GB SSD. 200 W power supply. Includes four complimentary PRO licenses for Vicon IP cameras and five year NBD Onsite KYHD warranty with UL/FCC/CE and other required certifications. NDAA compliant.	\$ 4,890
 <p>1U Rack-Mount Form Factor; Xeon Processor VEAA-1U000D-N02</p>	M00B36	APPLICATION SERVER; supports quad WUXGA monitor using onboard graphics. 1U rack. Intel Xeon E-22XX processor with 16 GB DDR4 RAM. Win 10 Enterprise IoT on 250 GB SSD. 550 W dual redundant power supply. Dual Gigabit network ports. Includes four complimentary PRO licenses for Vicon IP cameras and five year NBD Onsite KYHD warranty with UL/FCC/CE and other required certifications. NDAA compliant.	\$ 6,890

Valerus Shadow Elite Workstations

Model	Product Code	Description	MSRP
 <p>Micro Form Factor; i3 Processor VECA-MC000D-N00</p>	M00B13	CLIENT WORKSTATION; supports dual 4K monitors using onboard graphics. Micro form factor. Intel 10th Gen i3 processor with 8 GB DDR4 RAM. Windows 10 Enterprise IoT on 250 GB SSD. 200 W power supply. Includes four complimentary PRO licenses for Vicon IP cameras and five year NBD Onsite KYHD warranty with UL/FCC/CE and other required certifications. NDAA compliant.	\$ 3,390
 <p>Micro Form Factor; i7 Processor VECA-MC000D-N01</p>	M00B12	CLIENT WORKSTATION; supports dual 4K monitors using onboard graphics. Micro form factor. Intel 10th Gen i7 processor with 16 GB DDR4 RAM. Windows 10 Enterprise IoT on 250 GB SSD. 200 W power supply. Includes four complimentary PRO licenses for Vicon IP cameras and five year NBD Onsite KYHD warranty with UL/FCC/CE and other required certifications. NDAA compliant.	\$ 4,890
 <p>Small Form Factor; i3 Processor VECA-SF000D-N00</p>	M00B09	CLIENT WORKSTATION; supports dual 4K monitors using onboard graphics. Small form factor. Intel 10th Gen i3 processor with 8 GB DDR4 RAM. Windows 10 Enterprise IoT on 250 GB SSD. 200 W power supply. Includes four complimentary PRO licenses for Vicon IP cameras and five year NBD Onsite KYHD warranty with UL/FCC/CE and other required certifications. NDAA compliant.	\$ 3,490
 <p>Small Form Factor; i7 Processor VECA-SF000D-N01</p>	M00B08	CLIENT WORKSTATION; supports dual 4K monitors using onboard graphics. Small form factor. Intel 10th Gen i7 processor with 16 GB DDR4 RAM. Windows 10 Enterprise IoT on 250 GB SSD. 200 W power supply. Includes four complimentary PRO licenses for Vicon IP cameras and five year NBD Onsite KYHD warranty with UL/FCC/CE and other required certifications. NDAA compliant.	\$ 4,690
 <p>VECA-SF000D-N04</p>	M00B07	CLIENT WORKSTATION; supports quad 4K monitors using nVidia Quadro graphics. Small form factor. Intel 10th Gen i7 processor with 16 GB DDR4 RAM. Windows 10 Enterprise IoT on 250 GB SSD. 200 W power supply. Includes four complimentary PRO licenses for Vicon IP cameras and five year NBD Onsite KYHD warranty with UL/FCC/CE and other required certifications. NDAA compliant.	\$ 5,590
 <p>1U Rack-Mount Form Factor; i7 Processor VECA-1U000D-N04</p>	M00B32	CLIENT WORKSTATION; supports quad 4K monitors using nVidia Quadro graphics. 1U rack. Intel 9th Gen i7 processor with 16 GB DDR4 RAM. Windows 10 Enterprise IoT on 250 GB SSD. 550 W dual redundant power supply. Dual Gigabit network ports. Includes four complimentary PRO licenses for Vicon IP cameras and five year NBD Onsite KYHD warranty with UL/FCC/CE and other required certifications. NDAA	\$ 7,490

Valerus VMS

Valerus Shadow Elite Recording Servers

Model	Product Code	Description	MSRP
Small Form Factor; i3 Processor			
 VERA-SF1T8D-N00	M00A05	RECORDING SERVER; 2 TB gross storage (1.8 TB usable) ; supports 100 IP cameras at 200 Mbps and dual 4K monitors using onboard graphics. Small form factor. Intel 10th Gen i3 processor with 8 GB DDR4 RAM. Windows 10 Enterprise IoT on 250 GB SSD. Dual Gigabit network ports. 200 W power supply. Includes eight complimentary PRO licenses for Vicon IP cameras and five year NBD Onsite KYHD warranty with UL/FCC/CE and other required certifications. NDAA compliant.	\$ 3,790
VERA-SF3T6D-N00	M00A03	RECORDING SERVER; 4 TB gross storage (3.6 TB usable) ; supports 100 IP cameras at 200 Mbps and dual 4K monitors using onboard graphics. Small form factor. Intel 10th Gen i3 processor with 8 GB DDR4 RAM. Windows 10 Enterprise IoT on 250 GB SSD. Dual Gigabit network ports. 200 W power supply. Includes eight complimentary PRO licenses for Vicon IP cameras and five year NBD Onsite KYHD warranty with UL/FCC/CE and other required certifications. NDAA compliant.	\$ 3,890
VERA-SF7T2D-N00	M00A01	RECORDING SERVER; 8 TB gross storage (7.2 TB usable) ; supports 100 IP cameras at 200 Mbps and dual 4K monitors using onboard graphics. Small form factor. Intel 10th Gen i3 processor with 8 GB DDR4 RAM. Windows 10 Enterprise IoT on 250 GB SSD. Dual Gigabit network ports. 200 W power supply. Includes eight complimentary PRO licenses for Vicon IP cameras and five year NBD Onsite KYHD warranty with UL/FCC/CE and other required certifications. NDAA compliant.	\$ 4,090
VERA-SF11TD-N00	M00A09	RECORDING SERVER; 12 TB gross storage (10.8 TB usable) ; supports 100 IP cameras at 200 Mbps and dual 4K monitors using onboard graphics. Small form factor. Intel 10th Gen i3 processor with 8 GB DDR4 RAM. Windows 10 Enterprise IoT on 250 GB SSD. Dual Gigabit network ports. 200 W power supply. Includes eight complimentary PRO licenses for Vicon IP cameras and five year NBD Onsite KYHD warranty with UL/FCC/CE and other required certifications. NDAA compliant.	\$ 4,390
VERA-SF14TD-N00	M00A07	RECORDING SERVER; 16 TB gross storage (14.4 TB usable) ; supports 100 IP cameras at 200 Mbps and dual 4K monitors using onboard graphics. Small form factor. Intel 10th Gen i3 processor with 8 GB DDR4 RAM. Windows 10 Enterprise IoT on 250 GB SSD. Dual Gigabit network ports. 200 W power supply. Includes eight complimentary PRO licenses for Vicon IP cameras and five year NBD Onsite KYHD warranty with UL/FCC/CE and other required certifications. NDAA compliant.	\$ 4,690
Small Form Factor; i7 Processor			
 VERA-SF1T8D-N01	M00A04	RECORDING SERVER; 2 TB gross storage (1.8 TB usable) ; supports 100 IP cameras at 200 Mbps and dual 4K monitors using onboard graphics. Small form factor. Intel 10th Gen i7 processor with 16 GB DDR4 RAM. Windows 10 Enterprise IoT on 250 GB SSD. Dual Gigabit network ports. 200 W power supply. Includes eight complimentary PRO licenses for Vicon IP cameras and five year NBD Onsite KYHD warranty with UL/FCC/CE and other required certifications. NDAA compliant.	\$ 4,990
VERA-SF3T6D-N01	M00A02	RECORDING SERVER; 4 TB gross storage (3.6 TB usable) ; supports 100 IP cameras at 200 Mbps and dual 4K monitors using onboard graphics. Small form factor. Intel 10th Gen i7 processor with 16 GB DDR4 RAM. Windows 10 Enterprise IoT on 250 GB SSD. Dual Gigabit network ports. 200 W power supply. Includes eight complimentary PRO licenses for Vicon IP cameras and five year NBD Onsite KYHD warranty with UL/FCC/CE and other required certifications. NDAA compliant.	\$ 5,190
VERA-SF7T2D-N01	M00A00	RECORDING SERVER; 8 TB gross storage (7.2 TB usable) ; supports 100 IP cameras at 200 Mbps and dual 4K monitors using onboard graphics. Small form factor. Intel 10th Gen i7 processor with 16 GB DDR4 RAM. Windows 10 Enterprise IoT on 250 GB SSD. Dual Gigabit network ports. 200 W power supply. Includes eight complimentary PRO licenses for Vicon IP cameras and five year NBD Onsite KYHD warranty with UL/FCC/CE and other required certifications. NDAA compliant.	\$ 5,390
VERA-SF11TD-N01	M00A08	RECORDING SERVER; 12 TB gross storage (10.8 TB usable) ; supports 100 IP cameras at 200 Mbps and dual 4K monitors using onboard graphics. Small form factor. Intel 10th Gen i7 processor with 16 GB DDR4 RAM. Windows 10 Enterprise IoT on 250 GB SSD. Dual Gigabit network ports. 200 W power supply. Includes eight complimentary PRO licenses for Vicon IP cameras and five year NBD Onsite KYHD warranty with UL/FCC/CE and other required certifications. NDAA compliant.	\$ 5,590
VERA-SF14TD-N01	M00A06	RECORDING SERVER; 16 TB gross storage (14.4 TB usable) ; supports 100 IP cameras at 200 Mbps and dual 4K monitors using onboard graphics. Small form factor. Intel 10th Gen i7 processor with 16 GB DDR4 RAM. Windows 10 Enterprise IoT on 250 GB SSD. Dual Gigabit network ports. 200 W power supply. Includes eight complimentary PRO licenses for Vicon IP cameras and five year NBD Onsite KYHD warranty with UL/FCC/CE and other required certifications. NDAA compliant.	\$ 5,890

Valerus VMS

Valerus Shadow Elite Recording Servers (cont'd)

1U Rack-Mount Form Factor; i3 Processor



VERA-1U3T6D-N03	M00A78	RECORDING SERVER; 4 TB gross storage (3.6 TB usable) on JBOD; supports 100 IP cameras at 200 Mbps and quad 4K monitors using nVidia Quadro graphics. 1U rack. Intel 9th Gen i3 processor with 8 GB DDR4 RAM. Windows 10 Enterprise IoT on 250 GB SSD. Dual Gigabit network ports. 550 W power supply. Includes eight complimentary PRO licenses for Vicon IP cameras and five year NBD Onsite KYHD warranty with UL/FCC/CE and other required certifications. NDAA compliant.	\$ 6,290
VERA-1U7T2D-N03	M00A74	RECORDING SERVER; 8 TB gross storage (7.2 TB usable) on JBOD; supports 100 IP cameras at 200 Mbps and quad 4K monitors using nVidia Quadro graphics. 1U rack. Intel 9th Gen i3 processor with 8 GB DDR4 RAM. Windows 10 Enterprise IoT on 250 GB SSD. Dual Gigabit network ports. 550 W power supply. Includes eight complimentary PRO licenses for Vicon IP cameras and five year NBD Onsite KYHD warranty with UL/FCC/CE and other required certifications. NDAA compliant.	\$ 6,490
VERA-1U11TD-N03	M00A92	RECORDING SERVER; 12 TB gross storage (10.8 TB usable) on JBOD; supports 100 IP cameras at 200 Mbps and quad 4K monitors using nVidia Quadro graphics. 1U rack. Intel 9th Gen i3 processor with 8 GB DDR4 RAM. Windows 10 Enterprise IoT on 250 GB SSD. Dual Gigabit network ports. 550 W power supply. Includes eight complimentary PRO licenses for Vicon IP cameras and five year NBD Onsite KYHD warranty with UL/FCC/CE and other required certifications. NDAA compliant.	\$ 6,590
VERA-1U14TD-N03	M00A88	RECORDING SERVER; 16 TB gross storage (14.4 TB usable) on JBOD; supports 100 IP cameras at 200 Mbps and quad 4K monitors using nVidia Quadro graphics. 1U rack. Intel 9th Gen i3 processor with 8 GB DDR4 RAM. Windows 10 Enterprise IoT on 250 GB SSD. Dual Gigabit network ports. 550 W power supply. Includes eight complimentary PRO licenses for Vicon IP cameras and five year NBD Onsite KYHD warranty with UL/FCC/CE and other required certifications. NDAA compliant.	\$ 6,890
VERA-1U22TD-N03	M00A86	RECORDING SERVER; 24 TB gross storage (21.6 TB usable) on JBOD; supports 100 IP cameras at 200 Mbps and quad 4K monitors using nVidia Quadro graphics. 1U rack. Intel 9th Gen i3 processor with 8 GB DDR4 RAM. Windows 10 Enterprise IoT on 250 GB SSD. Dual Gigabit network ports. 550 W power supply. Includes eight complimentary PRO licenses for Vicon IP cameras and five year NBD Onsite KYHD warranty with UL/FCC/CE and other required certifications. NDAA compliant.	\$ 7,590
VERA-1U29TD-N03	M00A82	RECORDING SERVER; 32 TB gross storage (28.8 TB usable) on JBOD; supports 100 IP cameras at 200 Mbps and quad 4K monitors using nVidia Quadro graphics. 1U rack. Intel 9th Gen i3 processor with 8 GB DDR4 RAM. Windows 10 Enterprise IoT on 250 GB SSD. Dual Gigabit network ports. 550 W power supply. Includes eight complimentary PRO licenses for Vicon IP cameras and five year NBD Onsite KYHD warranty with UL/FCC/CE and other required certifications. NDAA compliant.	\$ 8,190

1U Rack-Mount Form Factor; Xeon Processor



VERA-1U3T6D-N05	M00A77	RECORDING SERVER; 4 TB gross storage (3.6 TB usable) on JBOD; supports 100 IP cameras at 200 Mbps and quad 4K monitors using nVidia Quadro graphics. 1U rack. Intel Xeon E-22XX processor with 16 GB DDR4 RAM. Windows 10 Enterprise IoT on 250 GB SSD. Dual Gigabit network ports. 550 W dual redundant power supply. Includes eight complimentary PRO licenses for Vicon IP cameras and five year NBD Onsite KYHD warranty with UL/FCC/CE and other required certifications. NDAA compliant.	\$ 8,090
VERA-1U7T2D-N05	M00A73	RECORDING SERVER; 8 TB gross storage (7.2 TB usable) on JBOD; supports 100 IP cameras at 200 Mbps and quad 4K monitors using nVidia Quadro graphics. 1U rack. Intel Xeon E-22XX processor with 16 GB DDR4 RAM. Windows 10 Enterprise IoT on 250 GB SSD. Dual Gigabit network ports. 550 W dual redundant power supply. Includes eight complimentary PRO licenses for Vicon IP cameras and five year NBD Onsite KYHD warranty with UL/FCC/CE and other required certifications. NDAA compliant.	\$ 8,290
 VERA-1U11TD-N05	M00A91	RECORDING SERVER; 12 TB gross storage (10.8 TB usable) on JBOD; supports 100 IP cameras at 200 Mbps and quad 4K monitors using nVidia Quadro graphics. 1U rack; . Intel Xeon E-22XX processor with 16 GB DDR4 RAM. Windows 10 Enterprise IoT on 250 GB SSD. Dual Gigabit network ports. 550 W dual redundant power supply. Includes eight complimentary PRO licenses for Vicon IP cameras and five year NBD Onsite KYHD warranty with UL/FCC/CE and other required certifications. NDAA compliant.	\$ 8,390
 VERA-1U14TD-N05	M00A87	RECORDING SERVER; 16 TB gross storage (14.4 TB usable) on JBOD; supports 100 IP cameras at 200 Mbps and quad 4K monitors using nVidia Quadro graphics. 1U rack; . Intel Xeon E-22XX processor with 16 GB DDR4 RAM. Windows 10 Enterprise IoT on 250 GB SSD. Dual Gigabit network ports. 550 W dual redundant power supply. Includes eight complimentary PRO licenses for Vicon IP cameras and five year NBD Onsite KYHD warranty with UL/FCC/CE and other required certifications. NDAA compliant.	\$ 8,590
VERA-1U22TD-N05	M00A85	RECORDING SERVER; 24 TB gross storage (21.6 TB usable) on JBOD; supports 100 IP cameras at 200 Mbps and quad 4K monitors using nVidia Quadro graphics. 1U rack. Intel Xeon E-22XX processor with 16 GB DDR4 RAM. Windows 10 Enterprise IoT on 250 GB SSD. Dual Gigabit network ports. 550 W dual redundant power supply. Includes eight complimentary PRO licenses for Vicon IP cameras and five year NBD Onsite KYHD warranty with UL/FCC/CE and other required certifications. NDAA compliant.	\$ 9,290

Prices Effective February 1, 2022

Page 16 of 84

Valerus VMS

[VERA-1U29TD-N05](#)

M00A81

RECORDING SERVER; **32 TB gross storage (28.8TB usable)** on JBOD; supports 100 IP cameras at 200 Mbps and quad 4K monitors using nVidia Quadro graphics. 1U rack. Intel Xeon E-22XX processor with 16 GB DDR4 RAM. Windows 10 Enterprise IoT on 250 GB SSD. Dual Gigabit network ports. 550 W dual redundant power supply. Includes eight complimentary PRO licenses for Vicon IP cameras and five year NBD Onsite KYHD warranty with UL/FCC/CE and other required certifications. NDAA compliant.

\$ 9,890

Valerus VMS

Valerus Shadow Elite RAID Recording Servers

Model	Product Code	Description	MSRP
1U Rack-Mount Form Factor; Xeon Processor			
VERA-1U22TF-N02	M00A84	RECORDING SERVER WITH RAID; 32 TB gross storage (21.6 TB usable) on RAID5; supports 200 IP cameras at 500 Mbps and one WUXGA monitor using onboard graphics. 1U rack. Intel Xeon E-22XX processor with 16 GB DDR4 RAM. Windows 10 Enterprise IoT on dual 250 GB SSD on RAID1. Dual Gigabit network ports. 350 W dual redundant power supply. Dedicated IPMI server management port using Dell's iDRAC. Includes eight complimentary PRO licenses for Vicon IP cameras and five year NBD Onsite KYHD warranty with UL/FCC/CE and other required certifications. NDAA compliant.	\$ 12,490
			
VERA-1U32TF-N02	M00A80	RECORDING SERVER WITH RAID; 48 TB gross storage (32.4 TB usable) on RAID5; supports 200 IP cameras at 500 Mbps and one WUXGA monitor using onboard graphics. 1U rack. Intel Xeon E-22XX processor with 16 GB DDR4 RAM. Windows 10 Enterprise IoT on dual 250 GB SSD on RAID1. Dual Gigabit network ports. 350 W dual redundant power supply. Dedicated IPMI server management port using Dell's iDRAC. Includes eight complimentary PRO licenses for Vicon IP cameras and five year NBD Onsite KYHD warranty with UL/FCC/CE and other required certifications. NDAA compliant.	\$ 13,390
VERA-1U43TF-N02	M00A76	RECORDING SERVER WITH RAID; 64 TB gross storage (43.2 TB usable) on RAID5; supports 200 IP cameras at 500 Mbps and one WUXGA monitor using onboard graphics. 1U rack. Intel Xeon E-22XX processor with 16 GB DDR4 RAM. Windows 10 Enterprise IoT on dual 250 GB SSD on RAID1. Dual Gigabit network ports. 350 W dual redundant power supply. Dedicated IPMI server management port using Dell's iDRAC. Includes eight complimentary PRO licenses for Vicon IP cameras and five year NBD Onsite KYHD warranty with UL/FCC/CE and other required certifications. NDAA compliant.	\$ 14,390

Valerus VMS

Valerus Shadow Elite RAID Recording Servers (cont'd)

2U Rack-Mount Form Factor; Xeon Processor/12 HDDs



VERA-2U18TF-N02	M00A58	RECORDING SERVER WITH RAID; 24 TB gross storage (18 TB usable) on RAID5; supports 200 IP cameras at 600 Mbps and one WUXGA monitor using onboard graphics. 2U rack. Intel Xeon 42XXR processor with 16 GB DDR4 RAM. Windows 10 Enterprise IoT on dual 250 GB SSD on RAID1. Dual Gigabit network ports. 750 W dual redundant power supply. Dedicated IPMI server management port using Dell's iDRAC. Includes eight complimentary PRO licenses for Vicon IP cameras and five year NBD Onsite KYHD warranty with UL/FCC/CE and other required certifications. NDAA compliant.	\$ 16,490
VERA-2U36TF-N02	M00A56	RECORDING SERVER WITH RAID; 48 TB gross storage (36 TB usable) on RAID5; supports 200 IP cameras at 600 Mbps and one WUXGA monitor using onboard graphics. 2U rack. Intel Xeon 42XXR processor with 16 GB DDR4 RAM. Windows 10 Enterprise IoT on dual 250 GB SSD on RAID1. Dual Gigabit network ports. 750 W dual redundant power supply. Dedicated IPMI server management port using Dell's iDRAC. Includes eight complimentary PRO licenses for Vicon IP cameras and five year NBD Onsite KYHD warranty with UL/FCC/CE and other required certifications. NDAA compliant.	\$ 18,190
VERA-2U54TF-N02	M00A54	RECORDING SERVER WITH RAID; 72 TB gross storage (54 TB usable) on RAID5; supports 200 IP cameras at 600 Mbps and one WUXGA monitor using onboard graphics. 2U rack. Intel Xeon 42XXR processor with 16 GB DDR4 RAM. Windows 10 Enterprise IoT on dual 250 GB SSD on RAID1. Dual Gigabit network ports. 750 W dual redundant power supply. Dedicated IPMI server management port using Dell's iDRAC. Includes eight complimentary PRO licenses for Vicon IP cameras and five year NBD Onsite KYHD warranty with UL/FCC/CE and other required certifications. NDAA compliant.	\$ 19,590
VERA-2U72TF-N02	M00A52	RECORDING SERVER WITH RAID; 96 TB gross storage (72 TB usable) on RAID5; supports 200 IP cameras at 600 Mbps and one WUXGA monitor using onboard graphics. 2U rack. Intel Xeon 42XXR processor with 16 GB DDR4 RAM. Windows 10 Enterprise IoT on dual 250 GB SSD on RAID1. Dual Gigabit network ports. 750 W dual redundant power supply. Dedicated IPMI server management port using Dell's iDRAC. Includes eight complimentary PRO licenses for Vicon IP cameras and five year NBD Onsite KYHD warranty with UL/FCC/CE and other required certifications. NDAA compliant.	\$ 21,290
VERA-2U86TF-N02	M00B70	RECORDING SERVER WITH RAID; 112 TB gross storage (86 TB usable) on RAID5; supports 200 IP cameras at 600 Mbps and one WUXGA monitor using onboard graphics. 2U rack. Intel Xeon 42XXR processor with 16 GB DDR4 RAM. Windows 10 Enterprise IoT on dual 250 GB SSD on RAID1. Dual Gigabit network ports. 750 W dual redundant power supply. Dedicated IPMI server management port using Dell's iDRAC. Includes eight complimentary PRO licenses for Vicon IP cameras and five year NBD Onsite KYHD warranty with UL/FCC/CE and other required certifications. NDAA compliant.	\$ 22,690
VERA-2U108S-N02	M00A62	RECORDING SERVER WITH RAID; 144 TB gross storage (108 TB usable) on RAID6; supports 200 IP cameras at 600 Mbps and one WUXGA monitor using onboard graphics. 2U rack. Intel Xeon 42XXR processor with 16 GB DDR4 RAM. Windows 10 Enterprise IoT on dual 250 GB SSD on RAID1. Dual Gigabit network ports. 750 W dual redundant power supply. Dedicated IPMI server management port using Dell's iDRAC. Includes eight complimentary PRO licenses for Vicon IP cameras and five year NBD Onsite KYHD warranty with UL/FCC/CE and other required certifications. NDAA compliant.	\$ 25,490
VERA-2U129S-N02	M00B72	RECORDING SERVER WITH RAID; 176 TB gross storage (129.6 TB usable) on RAID6; supports 200 IP cameras at 600 Mbps and one WUXGA monitor using onboard graphics. 2U rack. Intel Xeon 42XXR processor with 16 GB DDR4 RAM. Windows 10 Enterprise IoT on dual 250 GB SSD on RAID1. Dual Gigabit network ports. 750 W dual redundant power supply. Dedicated IPMI server management port using Dell's iDRAC. Includes eight complimentary PRO licenses for Vicon IP cameras and five year NBD Onsite KYHD warranty with UL/FCC/CE and other required certifications. NDAA compliant.	\$ 27,990
VERA-2U144S-N02	M00A60	RECORDING SERVER WITH RAID; 192 TB gross storage (144 TB usable) on RAID6; supports 200 IP cameras at 600 Mbps and one WUXGA monitor using onboard graphics. 2U rack. Intel Xeon 42XXR processor with 16 GB DDR4 RAM. Windows 10 Enterprise IoT on dual 250 GB SSD on RAID1. Dual Gigabit network ports. 750 W dual redundant power supply. Dedicated IPMI server management port using Dell's iDRAC. Includes eight complimentary PRO licenses for Vicon IP cameras and five year NBD Onsite KYHD warranty with UL/FCC/CE and other required certifications. NDAA compliant.	\$ 29,190



Valerus VMS

Valerus Shadow Elite RAID Recording Servers (cont'd)

2U Heavy Rack-Mount Form Factor; Xeon Processor/18 HDDs



VERA-2H151S-N02

M00B75

RECORDING SERVER WITH RAID; **192 TB gross storage (151.2 TB usable)** on RAID6; supports 200 IP cameras at 600 Mbps and one WUXGA monitor using onboard graphics. 2U rack. Intel Xeon 42XXR processor with 16 GB DDR4 RAM. Windows 10 Enterprise IoT on dual 250 GB SSD on RAID1. Dual Gigabit network ports. 1100 W dual redundant power supply. Dedicated IPMI server management port using Dell's iDRAC. Includes eight complimentary PRO licenses for Vicon IP cameras and five year NBD Onsite KYHD warranty with UL/FCC/CE and other required certifications. NDAA compliant.

\$ 35,590



VERA-2H172S-N02

M00B76

RECORDING SERVER WITH RAID; **224 TB gross storage (172.8 TB usable)** on RAID6; supports 200 IP cameras at 600 Mbps and one WUXGA monitor using onboard graphics. 2U rack. Intel Xeon 42XXR processor with 16 GB DDR4 RAM. Windows 10 Enterprise IoT on dual 250 GB SSD on RAID1. Dual Gigabit network ports. 1100 W dual redundant power supply. Dedicated IPMI server management port using Dell's iDRAC. Includes eight complimentary PRO licenses for Vicon IP cameras and five year NBD Onsite KYHD warranty with UL/FCC/CE and other required certifications. NDAA compliant.

\$ 37,690



VERA-2H230S-N02

M00B78

RECORDING SERVER WITH RAID; **288TB gross storage (230.4 TB usable)** on RAID6; supports 200 IP cameras at 600 Mbps and one WUXGA monitor using onboard graphics. 2U rack. Intel Xeon 42XXR processor with 16 GB DDR4 RAM. Windows 10 Enterprise IoT on dual 250 GB SSD on RAID1. Dual Gigabit network ports. 1100 W dual redundant power supply. Dedicated IPMI server management port using Dell's iDRAC. Includes eight complimentary PRO licenses for Vicon IP cameras and five year NBD Onsite KYHD warranty with UL/FCC/CE and other required certifications. NDAA compliant.

\$ 43,390

2U Deep Rack-Mount Form Factor; Xeon Processor/26 HDDs



[VERA-2D316S-N02](#)

M00A66

RECORDING SERVER WITH RAID; **384 TB gross storage (316.8 TB usable)** on RAID6; supports 250 IP cameras at 800 Mbps and one WUXGA monitor using onboard graphics. 2U rack. Intel Xeon 42XXR processor with 16 GB DDR4 RAM. Windows 10 Enterprise IoT on dual 250 GB SSD on RAID1. Quad network ports (dual Gigabit and dual 10 Gig SFP+). 1100 W dual redundant power supply. Dedicated IPMI server management port using Dell's iDRAC. Includes eight complimentary PRO licenses for Vicon IP cameras and five year NBD Onsite KYHD warranty with UL/FCC/CE and other required certifications. NDAA compliant.

\$ 58,890

Valerus VMS



Valerus Application Servers and Viewing Stations

Model	Product Code	Description	MSRP
VLR-APPSRV-A	10453-05	APPLICATION SERVER; PC preloaded with Valerus software; includes Web Server; desktop case. Vicon certified hardware with i7 processor and 16 GB RAM.	\$ 3,230
 VLR-APPSRV-A-RK	10453-15	APPLICATION SERVER; PC preloaded with Valerus software; includes Web Server; rack-mount. Vicon certified hardware with i7 processor and 16 GB RAM.	\$ 3,689
VLR-CLIENT-A	10454-02	VIEWING STATION; PC for viewing and operating Valerus VMS; 2 monitor output support; desktop case; supports up to 4K resolution. Vicon certified hardware with i7 processor and 16 GB RAM.	\$ 3,407
VLR-CLIENT-A-RK	10454-12	VIEWING STATION; PC for viewing and operating Valerus VMS; 2 monitor output support; rack-mount; supports up to 4K resolution. Vicon certified hardware with i7 processor and 16 GB RAM.	\$ 3,754
VLR-CLIENT-4-A	10454-07	VIEWING STATION; PC for viewing and operating Valerus VMS; 4 monitor output support; tower; supports up to 4K resolution; Vicon certified hardware with i7 processor and 16 GB RAM.	\$ 4,484
VLR-CLIENT-4-A-RK	10454-17	VIEWING STATION; PC for viewing and operating Valerus VMS; 4 monitor output support; rack-mount; supports up to 4K resolution; Vicon certified hardware with i7 processor and 16 GB RAM.	\$ 5,236
 VN-KEYPAD	10395-00	KEYPAD; used to control ViconNet digital video management systems, including Virtual Matrix Display Controller (VMDC); desk-top design; connect and power via USB cable.	\$ 1,575

Video Hardware

Model	Product Code	Description	MSRP
 VLR-485-DL	10497-00	4-PORT RS-485 DISTRIBUTION LINE (HUB); expands one RS-485 network into four (4), allowing for star configuration wiring	\$ 780

Alarm I/O Device

Model	Product Code	Description	MSRP
 ADAM-6050	10189-00	IP I/O DEVICE; allows 12 external alarm inputs and 6 outputs to any NVR, workstation or Kollector DVR	\$ 912

Valerus-ViconNet Gateway: Licenses, Upgrade Protection Plans and Servers

Model	Product Code	Description	MSRP
 VLR-VN-GW-LIC	10455-40	VALERUS-VICONNET GATEWAY LICENSE; bridge existing ViconNet system to a new Valerus system	\$ 5,000
VLR-VN-GW-LIC-ADD	10455-45	UPGRADE VALERUS-VICONNET GATEWAY LICENSE; bridge existing ViconNet system to an existing Valerus system	\$ 5,000
VLR-VN-GW-UPP-1	10456-40	UPGRADE PROTECTION PLAN; for Valerus-ViconNet Gateway; 1 year; per device	\$ 175
VLR-VN-GW-UPP-3	10456-50	UPGRADE PROTECTION PLAN; for Valerus-ViconNet Gateway; 3 year; per device	\$ 500
VLR-VN-GW-UPP-5	10456-55	UPGRADE PROTECTION PLAN; for Valerus-ViconNet Gateway; 5 year; per device	\$ 675
 VLR-VN-GW-A	10453-30	VALERUS-VICONNET GATEWAY SERVER; PC preloaded with Gateway and required ViconNet software; desktop case. Vicon certified hardware with i7 processor and 16 GB RAM. Requires separate Gateway license.	\$ 3,230
 VLR-VN-GW-A-RK	10453-35	VALERUS-VICONNET GATEWAY SERVER; PC preloaded with Gateway and required ViconNet software; rack-mount. Vicon certified hardware with i7 processor and 16 GB RAM. Requires separate Gateway license.	\$ 3,689

Valerus Mini Recording Server

Model	Product Code	Description	MSRP
 VLR-MINI-6TBV1	10462-15	VALERUS MINI RECORDING SERVER; equipped with 6 TB HDD; can be used as all-in-one system server or recording server; up to 35 channels. Vicon certified hardware. Requires separate edge device connection license.	\$ 2,156

Valerus VMS

Valerus Recording Servers with PoE



Model	Product Code	Description	MSRP
VLR-POE-4TB	10550-00	RECORDING SERVER FOR VALERUS VMS SYSTEM; includes 16-channel PoE switch. Preloaded with software; includes 16-channel CORE license for Vicon IP cameras. 4 TB internal HDD storage; Vicon certified hardware with i3-6100 processor, 16 GB RAM, 256G mSATA; Windows 10; rack-mount	\$ 4,739
VLR-POE-8TB	10550-05	RECORDING SERVER FOR VALERUS VMS SYSTEM; includes 16-channel PoE switch. Preloaded with software; includes 16-channel CORE license for Vicon IP cameras. 8 TB internal HDD storage; Vicon certified hardware with i3-6100 processor, 16 GB RAM, 256G mSATA; Windows 10; rack-mount	\$ 5,062
VLR-POE-12TB	10550-10	RECORDING SERVER FOR VALERUS VMS SYSTEM; includes 16-channel PoE switch. Preloaded with software; includes 16-channel CORE license for Vicon IP cameras. 12 TB internal HDD storage; Vicon certified hardware with i3-6100 processor, 16 GB RAM, 256G mSATA; Windows 10; rack-mount	\$ 5,494
VLR-POE-16TB	10550-15	RECORDING SERVER FOR VALERUS VMS SYSTEM; includes 16-channel PoE switch. Preloaded with software; includes 16-channel CORE license for Vicon IP cameras. 16 TB internal HDD storage; Vicon certified hardware with i3-6100 processor, 16 GB RAM, 256G mSATA; Windows 10; rack-mount	\$ 5,823
VLR-POE-24TB	10550-25	RECORDING SERVER FOR VALERUS VMS SYSTEM; includes 16-channel PoE switch. Preloaded with software; includes 16-channel CORE license for Vicon IP cameras. 24 TB internal HDD storage; Vicon certified hardware with i3-6100 processor, 16 GB RAM, 256G mSATA; Windows 10; rack-mount	\$ 6,829



Valerus Recording Servers



Model	Product Code	Description	MSRP
VLR-1TB-A	10450-02	RECORDING SERVER; for Valerus VMS system. Preloaded with software; 1 TB internal HDD storage; also for use with external RAID; desktop case. Vicon certified hardware with i7 processor and 16 GB RAM.	\$ 3,407
VLR-1TB-A-RK	10451-02	RECORDING SERVER; for Valerus VMS system. Preloaded with software; 1 TB internal HDD storage; also for use with external RAID; rack-mount. Vicon certified hardware with i7 processor and 16 GB RAM.	\$ 4,095
VLR-2TB-A	10450-07	RECORDING SERVER; for Valerus VMS system. Preloaded with software; 2 TB internal HDD storage; desktop case. Vicon certified hardware with i7 processor and 16 GB RAM.	\$ 3,491
VLR-2TB-A-RK	10451-07	RECORDING SERVER; for Valerus VMS system. Preloaded with software; 2 TB internal HDD storage; rack-mount. Vicon certified hardware with i7 processor and 16 GB RAM.	\$ 4,173
VLR-4TB-A	10450-17	RECORDING SERVER; for Valerus VMS system. Preloaded with software; 4 TB internal HDD storage; desktop case. Vicon certified hardware with i7 processor and 16 GB RAM.	\$ 4,116
VLR-4TB-A-RK	10451-17	RECORDING SERVER; for Valerus VMS system. Preloaded with software; 4 TB internal HDD storage; rack-mount. Vicon certified hardware with i7 processor and 16 GB RAM.	\$ 4,886
VLR-6TB-A	10450-22	RECORDING SERVER; for Valerus VMS system. Preloaded with software; 6 TB internal HDD storage; desktop case. Vicon certified hardware with i7 processor and 16 GB RAM.	\$ 4,365
VLR-6TB-A-RK	10451-22	RECORDING SERVER; for Valerus VMS system. Preloaded with software; 6 TB internal HDD storage; rack-mount. Vicon certified hardware with i7 processor and 16 GB RAM.	\$ 5,138
VLR-8TB-A	10450-27	RECORDING SERVER; for Valerus VMS system. Preloaded with software; 8 TB internal HDD storage; desktop case. Vicon certified hardware with i7 processor and 16 GB RAM.	\$ 4,748
VLR-8TB-A-RK	10451-27	RECORDING SERVER; for Valerus VMS system. Preloaded with software; 8 TB internal HDD storage; rack-mount. Vicon certified hardware with i7 processor and 16 GB RAM.	\$ 5,540
VLR-10TB-A	10450-32	RECORDING SERVER; for Valerus VMS system. Preloaded with software; 10 TB internal HDD storage; tower case. Vicon certified hardware with i7 processor and 16 GB RAM.	\$ 5,247
VLR-10TB-A-RK	10451-32	RECORDING SERVER; for Valerus VMS system. Preloaded with software; 10 TB internal HDD storage; rack-mount. Vicon certified hardware with i7 processor and 16 GB RAM.	\$ 6,064
VLR-12TB-A	10450-37	RECORDING SERVER; for Valerus VMS system. Preloaded with software; 12 TB internal HDD storage; tower case. Vicon certified hardware with i7 processor and 16 GB RAM.	\$ 5,487
VLR-12TB-A-RK	10451-37	RECORDING SERVER; for Valerus VMS system. Preloaded with software; 12 TB internal HDD storage; rack-mount. Vicon certified hardware with i7 processor and 16 GB RAM.	\$ 6,384
VLR-14TB-A	10450-42	RECORDING SERVER; for Valerus VMS system. Preloaded with software; 14 TB internal HDD storage; tower case. Vicon certified hardware with i7 processor and 16 GB RAM.	\$ 5,757
VLR-14TB-A-RK	10451-42	RECORDING SERVER; for Valerus VMS system. Preloaded with software; 14 TB internal HDD storage; rack-mount. Vicon certified hardware with i7 processor and 16 GB RAM.	\$ 6,627

Valerus VMS

VLR-16TB-A	10450-47	RECORDING SERVER; for Valerus VMS system. Preloaded with software; 16 TB internal HDD storage; tower case. Vicon certified hardware with i7 processor and 16 GB RAM.	\$ 6,031
VLR-16TB-A-RK	10451-47	RECORDING SERVER; for Valerus VMS system. Preloaded with software; 16 TB internal HDD storage; rack-mount. Vicon certified hardware with i7 processor and 16 GB RAM.	\$ 6,912
VLR-20TB-A	10450-57	RECORDING SERVER; for Valerus VMS system. Preloaded with software; 20 TB internal HDD storage; tower case. Vicon certified hardware with i7 processor and 16 GB RAM.	\$ 6,783
VLR-20TB-A-RK	10451-57	RECORDING SERVER; for Valerus VMS system. Preloaded with software; 20 TB internal HDD storage; rack-mount. Vicon certified hardware with i7 processor and 16 GB RAM.	\$ 7,668

Valerus VMS

Valerus Shadow Recording Servers with Internal RAID



	Model	Product Code	Description	MSRP
1U 	VLR-11TB-R5-A	10452-75	1U RECORDING SERVER; for Valerus. Preloaded with NVR software; includes internal RAID with 16 TB raw storage and 11 TB usable storage and a redundant power supply; 4-bay; RAID5; rack-mount. Vicon certified hardware with i7 processor and 16 GB RAM.	\$ 9,201
	VLR-17TB-R5-A	10452-80	1U RECORDING SERVER; for Valerus. Preloaded with NVR software; includes internal RAID with 24 TB raw storage and 17 TB usable storage and a redundant power supply; 4-bay; RAID5; rack-mount. Vicon certified hardware with i7 processor and 16 GB RAM.	\$ 10,096
	VLR-22TB-R5-A	10452-85	1U RECORDING SERVER; for Valerus. Preloaded with NVR software; includes internal RAID with 32 TB raw storage and 22 TB usable storage and a redundant power supply; 4-bay; RAID5; rack-mount. Vicon certified hardware with i7 processor and 16 GB RAM.	\$ 11,329
	VLR-34TB-R5-A	10452-90	1U RECORDING SERVER; for Valerus. Preloaded with NVR software; includes internal RAID with 48 TB raw storage and 34 TB usable storage and redundant power supply; 4-bay; RAID5; rack-mount. Vicon certified hardware with i7 processor and 16 GB RAM.	\$ 15,047
2U 	VLR-53TB-R5-A	10506-00	2U RECORDING SERVER; for Valerus. Preloaded with NVR software; includes internal RAID with 64 TB raw storage and 53 TB usable storage and redundant OS and power supply; 8-bay; RAID5; Xeon E3 processor and 16 GB RAM; rack-mount. Vicon certified hardware.	\$ 17,213
	VLR-62TB-R5-A	10506-05	2U RECORDING SERVER; for Valerus. Preloaded with NVR software; includes internal RAID with 72 TB raw storage and 62 TB usable storage and redundant OS and power supply; 12-bay; RAID5; Xeon E3 processor and 16 GB RAM; rack-mount. Vicon certified hardware.	\$ 19,226
	VLR-83TB-R5-A	10506-10	2U RECORDING SERVER; for Valerus. Preloaded with NVR software; includes internal RAID with 96 TB raw storage and 83 TB usable storage and redundant OS and power supply; 12-bay; RAID5; Xeon E3 processor and 16 GB RAM; rack-mount. Vicon certified hardware.	\$ 23,458
	VLR-104TB-R5-A	10506-15	2U RECORDING SERVER; for Valerus. Preloaded with NVR software; includes internal RAID with 120 TB raw storage and 104 TB usable storage and redundant OS and power supply; 12-bay; RAID5; Xeon E3 processor and 16 GB RAM; rack-mount. Vicon certified hardware.	\$ 29,617
	VLR-125TB-R5-A	10506-20	2U RECORDING SERVER; for Valerus. Preloaded with NVR software; includes internal RAID with 144 TB raw storage and 125 TB usable storage and redundant OS and power supply; 12-bay; RAID5; Xeon E3 processor and 16 GB RAM; rack-mount. Vicon certified hardware.	\$ 34,796
4U 	VLR-174TB-R5-A	10506-25	4U RECORDING SERVER; for Valerus. Preloaded with NVR software; includes internal RAID with 192 TB raw storage and 174 TB usable storage and redundant OS and power supply; 24-bay; RAID5; Xeon E3 processor and 16 GB RAM; rack-mount. Vicon certified hardware.	\$ 43,260
	VLR-218TB-R5-A	10506-30	4U RECORDING SERVER; for Valerus. Preloaded with NVR software; includes internal RAID with 240 TB raw storage and 218 TB usable storage and redundant OS and power supply; 24-bay; RAID5; Xeon E3 processor and 16 GB RAM; rack-mount. Vicon certified hardware.	\$ 56,346
	VLR-262TB-R5-A	10506-35	4U RECORDING SERVER; for Valerus. Preloaded with NVR software; includes internal RAID with 288 TB raw storage and 262 TB usable storage and redundant OS and power supply; 24-bay; RAID5; Xeon E3 processor and 16 GB RAM; rack-mount. Vicon certified hardware.	\$ 70,629

The Shadow is also available with RAID6 configuration for the same price. Additionally, these can be configured with a "hot spare" drive. Note that the usable storage will be less. Contact your Vicon sales representative.

Spare Hard Drive Options



Model	Product Code	Description	MSRP
VN-SHD-HD1T	9127-30	HARD DRIVE REPLACEMENT KIT; for Shadow, SATA, 1 TB	\$ 260
VN-SHD-2T	9127-32	HARD DRIVE REPLACEMENT KIT; for Shadow, SATA, 2 TB	\$ 413
VN-SHD-4T	9127-34	HARD DRIVE REPLACEMENT KIT; for Shadow, SATA, 4 TB	\$ 595
VN-SHD-6T	9127-35	HARD DRIVE REPLACEMENT KIT; for Shadow, SATA, 6 TB	\$ 637
VN-SHD-8T	9127-37	HARD DRIVE REPLACEMENT KIT; for Shadow, SATA, 8 TB	\$ 826
VN-SHD-10T	9127-38	HARD DRIVE REPLACEMENT KIT; for Shadow, SATA, 10 TB	\$ 1,032
VN-SHD-12T	9127-39	HARD DRIVE REPLACEMENT KIT; for Shadow, SATA, 12 TB	\$ 1,175

ViconNet VMS

ViconNet Digital Video Management System



ViconNet® PEAK Network Video Recorder Software and Viewing Software Options

Model	Product Code	Description	MSRP
VWS-SWV8	10372-00	VICONNET WORKSTATION SOFTWARE; for use with ViconNet Digital Recorders, Video Encoders and ViconNet IP Cameras. Full ViconNet functionality except recording. Single PC license.	\$ 825
VWS-V8-10	10371-15	VICONNET MULTI-PACK: 10 user license pack of VN-WS-SW software	\$ 4,695
VNJC-SWV8	10382-00	VICONNET NUCLEUS/WEB SERVER SOFTWARE. Single server license.	\$ 1,056
VN-RMT-SWV8	10383-00*	VICONNET WEB SERVICE AND MOBILE APPLICATION SOFTWARE; software package for PC being used as a standalone Web Service or with mobile application. Single server license	\$ 1,056
VPK-SWV8	10372-20	VICONNET PEAK NVR SOFTWARE; for use with ViconNet Digital Recorders, Video Encoders and ViconNet IP Cameras. Full ViconNet functionality including recording. Single PC license.	\$ 8,000
VPK-V8-10	10371-20	VICONNET PEAK MULTI-PACK: 10 user license pack of VPK software	\$ 22,167
VN-VIEWERV8	10371-00	VICONNET 16-CHANNEL VIEWER SOFTWARE. Single PC license. Included free as standard viewer within all ViconNet DVR and IP products.	\$ 278
VN-CAM-LIC	9612-00	CONNECTION LICENSE; for non-ViconNet cameras to ViconNet system. One camera license.	\$ 600



***Vicon's free mobile app allows connection to a ViconNet system from an iPhone, iPad or Android device. For Apple devices, the app is available at the Apple App store; go to Google play for Android devices.**

Virtual Matrix Display Controllers

Model	Product Code	Description	MSRP
 VMDC-SWV8	10388-00	VIRTUAL MATRIX DISPLAY CONTROLLER SOFTWARE; installation on 3rd party server	\$ 3,835
 VMDC-2V8-A	10474-10	VIRTUAL MATRIX DISPLAY CONTROLLER; 2 display outputs; supports up to 4K resolution; Windows 10; tower case	\$ 6,278
 VMDC-4V8-A	10474-15	VIRTUAL MATRIX DISPLAY CONTROLLER; 4 display outputs; supports up to 4K resolution; Windows 10; tower case	\$ 6,744
 VMDC-6V8-B	10474-40	VIRTUAL MATRIX DISPLAY CONTROLLER; 6 display outputs; supports up to 4K resolution; Windows 10; tower case	\$ 7,222
 VMDC-2V8-B-RK	10474-45	VIRTUAL MATRIX DISPLAY CONTROLLER; 2 display outputs; supports up to 4K resolution; Windows 10; 3U rack mount	\$ 6,578
 VMDC-4V8-B-RK	10474-50	VIRTUAL MATRIX DISPLAY CONTROLLER; 4 display outputs; supports up to 4K resolution; Windows 10; 3U rack mount	\$ 7,100
 VMDC-6V8-B-RK	10474-55	VIRTUAL MATRIX DISPLAY CONTROLLER; 6 display outputs; supports up to 4K resolution; Windows 10; 3U rack mount	\$ 7,500
 VN-DECODER-2A	10153-10	VICONNET 2-CHANNEL DIGITAL VIDEO DECODER; for use with Virtual Matrix Display Controller; Windows 10	\$ 3,389
 VN-KEYPAD	10395-00	KEYPAD; used to control ViconNet digital video management systems, including Virtual Matrix Display Controller (VMDC); desk-top design; connect and power via USB cable .	\$ 1,575

ViconNet VMS



VICONNET PEAK Network Video Recorders

Turnkey Network Video Recorder preloaded with ViconNet software. View, record and configure ViconNet IP devices and recorders. Various internal HDD storage options. External RAID ready when optional iSCSI or NIC card installed.

Model	Product Code	Description	MSRP
 VPK-SANV8-A	10466-00	NETWORK VIDEO RECORDER; preloaded ViconNet, for use with external VN-SAN RAID only; no internal HDD storage; Windows 10; desktop case	\$ 8,500
 VPK-SANV8-B-RK	10467-01	NETWORK VIDEO RECORDER; preloaded ViconNet, for use with external VN-SAN RAID only; no internal HDD storage; Windows 10; rack mount with brushed aluminum front bezel	\$ 8,650
VPK-6TBV8-A	10466-25	NETWORK VIDEO RECORDER; preloaded ViconNet, view, record and configure ViconNet IP devices and recorders; 6 TB internal HDD storage; Windows 10; desktop case	\$ 8,700
VPK-6TBV8-B-RK	10467-26	NETWORK VIDEO RECORDER; preloaded ViconNet, view, record and configure ViconNet IP devices and recorders; 6 TB internal HDD storage; Windows 10; rack-mount with brushed aluminum front bezel	\$ 8,950
VPK-12TBV8-B-RK	10467-41	NETWORK VIDEO RECORDER; preloaded ViconNet, view, record and configure ViconNet IP devices and recorders; 12 TB internal HDD storage; Windows 10; rack-mount with brushed aluminum front bezel	\$ 9,200

Shadow Network Video Recorders with Internal RAID



Model	Product Code	Description	MSRP
 VPK-11TBV8-R5-1	10468-07	1U NETWORK VIDEO RECORDER; preloaded ViconNet, view, record and configure ViconNet IP devices and recorders; internal RAID with 16 TB raw and 11 TB usable storage and a redundant power supply; 4-bay; RAID5; i5 processor; Windows 10; rack-mount. Vicon certified hardware.	\$ 12,855
VPK-17TBV8-R5-1	10468-12	1U NETWORK VIDEO RECORDER; preloaded ViconNet, view, record and configure ViconNet IP devices and recorders; internal RAID with 24 TB raw and 17 TB usable storage and a redundant power supply; 4-bay; RAID5; i5 processor; Windows 10; rack-mount. Vicon certified hardware.	\$ 13,495
VPK-34TBV8-R5	10468-60	1U NETWORK VIDEO RECORDER; preloaded ViconNet, view, record and configure ViconNet IP devices and recorders; internal RAID with 48 TB raw and 34 TB usable storage and a redundant power supply; 4-bay; RAID5; i5 processor; Windows 10; rack-mount. Vicon certified hardware.	\$ 18,050
VPK-62TBV8-R5	10468-62	2U NETWORK VIDEO RECORDER; preloaded ViconNet, view, record and configure ViconNet IP devices and recorders; internal RAID with 72 TB raw storage and 62 TB usable storage and redundant OS and power supply; 12-bay; RAID5; Xeon E3 processor; Windows 10; rack-mount. Vicon certified hardware.	\$ 23,295
 VPK-83TBV8-R5	10468-64	2U NETWORK VIDEO RECORDER; preloaded ViconNet, view, record and configure ViconNet IP devices and recorders; internal RAID with 96 TB raw storage and 83 TB usable storage and redundant OS and power supply; 12-bay; RAID5; Xeon E3 processor; Windows 10; rack-mount. Vicon certified hardware.	\$ 27,495
VPK-125TBV8-R5	10468-66	2U NETWORK VIDEO RECORDER; preloaded ViconNet, view, record and configure ViconNet IP devices and recorders; internal RAID with 144 TB raw storage and 125 TB usable storage and redundant OS and power supply; 12-bay; RAID5; Xeon E3 processor; Windows 10; rack-mount. Vicon certified hardware.	\$ 38,495
 VPK-174TBV8-R5	10468-68	4U NETWORK VIDEO RECORDER; preloaded ViconNet, view, record and configure ViconNet IP devices and recorders; internal RAID with 192 TB raw storage and 174 TB usable storage and redundant OS and power supply; 24-bay; RAID5; Xeon E3 processor; Windows 10; rack-mount. Vicon certified hardware.	\$ 46,725

The Shadow is also available with RAID6 configuration for the same price. Additionally, these can be configured with a "hot spare" drive. Note that the usable storage will be less. Contact your Vicon sales representative.

ViconNet® Components



Model	Product Code	Description	MSRP
 VWS-PCV8-A	10465-05	PC WITH PRELOADED VWS SOFTWARE; for use with ViconNet Digital Recorders, Video Encoders and ViconNet IP Cameras. Full ViconNet functionality except recording. Windows 10. Single license.	\$ 3,399
VWS-PCV8-B-RK	10465-11	PC WITH PRELOADED VWS SOFTWARE; for use with ViconNet Digital Recorders, Video Encoders and ViconNet IP Cameras. Full ViconNet functionality except recording; Windows 10; rack-mount with brushed aluminum front bezel. Single license.	\$ 3,965
VNUC-PCV8-A	10472-05	PC WITH PRELOADED VICONNET VNUC NUCLEUS/WEB SERVER SOFTWARE; max 10 concurrent users. Windows 10. Single license.	\$ 3,399
 VNUC-PCV8-B-RK	10472-11	PC WITH PRELOADED VICONNET VNUC NUCLEUS/WEB SERVER SOFTWARE; max 10 concurrent users; Windows 10; rack-mount with brushed aluminum front bezel. Single license.	\$ 3,965

ViconNet VMS



*Vicon's free mobile app allows connection to a ViconNet system from an iPhone, iPad or Android device. For Apple devices, the app is available at the Apple App store; go to Google play for Android devices.

VAX Access Control

Door Controllers

Model	Product Code	Description	MSRP
Over-the-Door Controllers			
	VAX-1D-1	10354-52 SINGLE DOOR CONTROLLER; without integrated PIR/REX; supports back to back readers; 2 relays with 1A limit; black enclosure	\$ 1,260
	VAX-1D-REX-1	10354-42 SINGLE DOOR CONTROLLER; integrated PIR/REX; supports back to back readers; 2 relays with 1A limit; black enclosure	\$ 1,362
	VAX-2D-1	10355-32 TWO DOOR CONTROLLER; without integrated PIR/REX; for doors with only one reader; 2 relays with 1A limit; black enclosure	\$ 1,491
	VAX-2D-REX-1	10355-22 TWO DOOR CONTROLLER; integrated PIR/REX; for doors with only one reader; 2 relays with 1A limit; black enclosure	\$ 1,610
Controller Accessories			
	VAX-BK-BOX	10358-00 CONTROLLER BACKING PLATE; for mounting on concrete walls; metal construction with six conduit knockouts	\$ 74
	VAX-ENCL-W	10354-05 OPTIONAL WHITE ENCLOSURE; for door controllers	\$ 50
Multi-Door Controllers			
	VAX-MDK-2	10356-00 TWO DOOR MULTI-DOOR CONTROLLER; includes 1 master controller board and 1 two-door board; mounted in steel vented and lockable enclosure	\$ 2,247
	VAX-MDK-4	10356-05 FOUR DOOR MULTI-DOOR CONTROLLER; includes 1 master controller board and 2 two-door board; mounted in steel vented and lockable enclosure	\$ 3,108
	VAX-MDK-6	10356-10 SIX DOOR MULTI-DOOR CONTROLLER; includes 1 master controller board and 3 two-door board; mounted in steel vented and lockable enclosure	\$ 3,966
	VAX-MDK-8	10356-15 EIGHT DOOR MULTI-DOOR CONTROLLER; includes 1 master controller board and 4 two-door board; mounted in steel vented and lockable enclosure	\$ 4,827
	VAX-EXP-2D	10356-20 TWO-DOOR EXPANDER; used to expand 2, 4 and 6 multi-door kits	\$ 851
Trove Multi-Door Controllers			
	VAX-TROVE-2DR	10356-32 TWO DOOR CONTROLLER; includes 1 master controller board, 1 two-door boards and a 12 VDC @6A power supply in an Altronix Trove1 steel lockable enclosure	\$ 3,889
	VAX-TROVE-2DR-RK	10356-63 TWO DOOR CONTROLLER; includes 1 master controller board, 1 two-door boards and a 12 VDC @6A power supply in an Altronix Trove1R rack enclosure	\$ 5,082
	VAX-TROVE-4DR	10356-36 FOUR DOOR CONTROLLER; includes 1 master controller board, 2 two-door boards and a 12 VDC @6A power supply in an Altronix Trove1 steel lockable enclosure	\$ 4,750
	VAX-TROVE-4DR-RK	10356-62 FOUR DOOR CONTROLLER; includes 1 master controller board, 2 two-door boards and a 12 VDC @6A power supply in an Altronix Trove1R rack enclosure	\$ 5,943
	VAX-TROVE-6DR	10356-33 SIX DOOR CONTROLLER; includes 1 master controller board, 3 two-door boards and a 12 VDC @6A power supply in an Altronix Trove1 steel lockable enclosure	\$ 5,607
	VAX-TROVE-6DR-RK	10356-61 SIX DOOR CONTROLLER; includes 1 master controller board, 3 two-door boards and a 12 VDC @6A power supply in an Altronix Trove1R rack enclosure	\$ 6,801
	VAX-TROVE-8DR	10356-30 EIGHT DOOR CONTROLLER; includes 1 master controller board, 4 two-door boards and a 12 VDC @6A power supply in an Altronix Trove1 steel lockable enclosure	\$ 6,468
	VAX-TROVE-8DR-RK	10356-60 EIGHT DOOR CONTROLLER; includes 1 master controller board, 4 two-door boards and a 12 VDC @6A power supply in an Altronix Trove1R rack enclosure	\$ 7,662
	VAX-TROVE-10DR	10356-37 TEN DOOR CONTROLLER; includes 2 master controller board, 5 two-door boards and a 12 VDC @10A power supply in an Altronix Trove2 steel lockable enclosure	\$ 9,279
	VAX-TROVE-12DR	10356-38 TWELVE DOOR CONTROLLER; includes 2 master controller board, 6 two-door boards and a 12 VDC @10A power supply in an Altronix Trove2 steel lockable enclosure	\$ 10,140
	VAX-TROVE-14DR	10356-39 FOURTEEN DOOR CONTROLLER; includes 2 master controller board, 7 two-door boards and a 12 VDC @10A power supply in an Altronix Trove2 steel lockable enclosure	\$ 10,997
	VAX-TROVE-16DR	10356-35 SIXTEEN DOOR CONTROLLER; includes 2 master controller board, 8 two-door boards and a 12 VDC @10A power supply in an Altronix Trove2 steel lockable enclosure	\$ 11,858
	VAX-TROVE-32I/O	10356-40 32 I/O KIT; includes 1 master controller board, 4 input/output expansion boards and a 12 VDC @6A power supply in an Altronix Trove1 steel lockable enclosure	\$ 5,603

Elevator and I/O Controllers

VAX Access Control



Model	Product Code	Description	MSRP
VAX-ELV-STR-1	10357-02	ELEVATOR CONTROLLER; includes 8 floor module; complete in metal enclosure; 2 relays with 1A limit; add up to 7 expanders to control up to 64 floors	\$ 2,863
VAX-IO-STR-2	10357-08	INPUT/OUTPUT MASTER CONTROLLER; 8 I/O module; complete in metal enclosure; 2 relays with 1A limit; add up to 7 expanders to control up to 64 I/Os	\$ 2,142
VAX-ENCL-ST-1	10357-21	EMPTY STEEL ENCLOSURE; for use with VAX controller and MDK expander boards	\$ 305
VAX-IO-EXP8PCB	10357-17	8 FLOOR/IO EXPANDER; no enclosure; use with VAX-ELV-STR-1 or VAX-IO-STR-2	\$ 753

VAX Access Control

V1111 Thermal Biometric Kiosk (NDAA Compliant)

	Model	Product Code	Description	MSRP
	V1111-THM-TB	10498-90	THERMAL BIOMETRIC KIOSK; can be used as a biometric door reader in an access control system; 7-inch display; dual lens; 1024x600 resolution; includes one each wall mount plate and pole mount	\$ 2,305
Accessories				
	V1111-DSK	10498-93	DESK MOUNT MOUNT FOR V1111-THM-TB; allows tablet camera to be mounted on a desk; works with V1111-PM (included with tablet camera)	\$ 125
	V1111-FLW	10498-95	FLOOR STAND WITH WALL MOUNT FOR V1111-THM-TB; allows tablet camera to be on a floor stand with a wall mount configuration	\$ 275
	V1111-FLP	10498-96	FLOOR STAND WITH PENDANT MOUNT FOR V1111-THM-TB; allows tablet camera to be on a floor stand with a pendant mount configuration	\$ 275

Servers

	Model	Product Code	Description	MSRP
	VAX-PC-A	10353-20	VAX SERVER; preinstalled with Vicon Access Control Software; Windows 10; desktop PC. Requires software license.	\$ 2,300
	VAX-PC-B-RK	10353-26	VAX SERVER; preinstalled with Vicon Access Control Software; Windows 10; rack-mount PC with brushed aluminum bezel. Requires software license.	\$ 3,100

High-Security 13.5 MHz MIFARE® Readers and Card Credentials

	Model	Product Code	Description	MSRP
	VAX-D3R*	10364-60	SMARTCARD READER; designed to be mounted to metal door and window frames (mullion); reads MIFARE DESFire EV1 and EV2 compliant smartcards; read range up to 1.5 in. (38 mm); Wiegand protocol*	\$ 397
	VAX-D5R*	10364-65	SMARTCARD READER; designed to be mounted to standard single-gang wall box; reads MIFARE DESFire EV1 and EV2 compliant smartcards; read range up to 3 in. (76 mm); Wiegand protocol*	\$ 433
	NEW! VAX-D6.4R*	10364-78	SMARTCARD READER; designed to be mounted to standard single-gang wall box or flat surfaces; optimized for MIFARE DESFire EV1 and EV2 compliant smartcards; read range up to 2 in. (51 mm); Wiegand protocol*; integrates both a smartcard reader and keypad in a single unit	\$ 715
	VAX-DC1-1	10370-07	SMARTCARD; clamshell style; MIFARE compliant; 1 K-byte memory	\$ 5
	VAX-DC4-1	10370-08	SMARTCARD; clamshell style; MIFARE compliant; 4 K-byte memory	\$ 7
	VAX-DE2	10365-17	SMARTCARD; printable (dye sublimation); MIFARE DESFire EV2 compliant; 2 K-byte memory	\$ 12
	VAX-DK1-3	10370-04	KEY FOB SMARTCARD; small tag designed to be carried on a key ring; MIFARE compliant; 1 K-byte memory	\$ 10
	VAX-DK4-3	10370-05	KEY FOB SMARTCARD; small tag designed to be carried on a key ring; MIFARE compliant; 4 K-byte memory	\$ 14

*These readers are also available with OSDP protocol. For ordering purposes, add \$90 to the MSRP and -OSDP to the model name.

VAX Access Control

125 kHz Proximity Readers and Card Credentials

	Model	Product Code	Description	MSRP
	VAX-300R	10364-20	PROXIMITY READER; designed to be mounted to metal door and window frames (mullion); reads standard 125kHz Proximity cards; read range up to 4 in. (102 mm)	\$ 136
	VAX-500R	10364-25	PROXIMITY READER; designed to be mounted to standard single-gang wall box; reads standard 125kHz Proximity cards; read range up to 4 in. (102 mm)	\$ 157
	VAX-600KP	10364-05	PROXIMITY READER; designed to be mounted to metal door and window frames (mullion); integrates both a proximity reader and keypad into a single unit; reads standard 125kHz Proximity cards; read range up to 4 in. (102 mm)	\$ 401
	VAX-CRD-SD	10365-00	PROXIMITY CARD; clamshell style; non-graphic	\$ 4
	VAX-CRD-MT	10365-15	PROXIMITY CARD; ISO style; multi-technology for dye sublimation imaging	\$ 7
	VAX-PRX-TAG	10365-10	PROXIMITY FOB; small tag designed to be carried on a key ring; supports HID 125 kHz	\$ 8

Mobile (Bluetooth) Readers and Card Credentials

	Model	Product Code	Description	MSRP
	VAX-CR-35L*	10364-51	MOBILE-READY CONTACTLESS SMARTCARD READER; designed to be mounted to metal door and window frames (mullion); reads VAX-BTC mobile credentials up to 15 ft (4.6 m); Wiegand protocol. Supports MIFARE compliant smartcards; read range up to 1.5 in. (38 mm).*	\$ 359
	 VAX-CSR-6.4*	10364-80	MOBILE-READY CONTACTLESS SMARTCARD READER; designed to be mounted to single gang box or flat surfaces; reads VAX-BTC mobile credentials up to 15 ft (4.6 m); Wiegand protocol; supports both a smartcard reader and keypad in a single unit. Supports MIFARE compliant smartcards; read range up to 2 in. (51 mm).*	\$ 651
	 VAX-PCR-35L*	10364-74	MOBILE-READY CONTACTLESS PROXIMITY READER; designed to be mounted to metal door and window frames (mullions); reads VAX-BTC mobile credentials up to 15 ft (4.6 m); Wiegand protocol. Supports standard 125 KHz proximity cards; read range up to 4 in. (102 mm)*.	\$ 426
	 VAX-PCR-640L*	10364-76	MOBILE-READY CONTACTLESS PROXIMITY READER; designed to be mounted to single gang box or flat surfaces; reads VAX-BTC mobile credentials up to 15 ft (4.6 m); Wiegand protocol. Supports standard 125 KHz proximity cards and keypad in a single unit; read range up to 4 in. (102 mm)*.	\$ 683
	VAX-BTC	10364-52	MOBILE ACCESS CREDENTIAL; card credential stored on iPhone or Android smartphone for communication with mobile-ready readers	\$ 10
	VAX-CSM-2P	10370-01	MOBILE AND CONTACTLESS SMARTCARD CREDENTIALS; high-security ISO-style card; MIFARE DESFire EV2 compliant; 2K memory	\$ 10
	VAX-CSM-2S	10370-02	MOBILE AND CONTACTLESS SMARTCARD CREDENTIALS; high-security ISO-style card with HiCo magnetic stripe; MIFARE DESFire EV2 compliant; 2K memory	\$ 11
	VAX-CSK-2	10370-03	MOBILE AND CONTACTLESS SMARTCARD CREDENTIALS; high-security key fob style; MIFARE DESFire EV2 compliant	\$ 11
	VAX-CSC-2	10370-06	MOBILE AND CONTACTLESS SMARTCARD CREDENTIALS; high-security clamshell style; MIFARE DESFire EV2 compliant	\$ 10

model name.

Optional Power Equipment

	Model	Product Code	Description	MSRP
	VAX-MOD-DRY	10362-00	MODULE; converts lock 12 VDC output to dry contact output	\$ 56
	VAX-MOD-24	10362-05	MODULE; converts lock power from 12 VDC 500mA to 24 VDC 250mA	\$ 49
	VAX-MOD-MEM	10362-10	EXPANSION MEMORY MODULE; required for anti-passback	\$ 151

Demo Kits

	Model	Product Code	Description	MSRP
	VAX-DEMO	10394-00	DEMO ACCESS CONTROL KIT; includes VAX-SW40-1YR	\$2,150
	VAX-RUGGED-DEMO	10394-10	DEMO ACCESS CONTROL KIT; rugged case; includes VAX-SW40-1YR	\$3,200

VAX Access Control

Software Licenses

Model	Product Code	Description	MSRP
VAX-SW40-1YR	10369-00	1 YEAR LICENSE (ESSENTIALS); supports up to 40 doors, 40 cameras, 1 partition, and unlimited I/O. No elevator cabs, no unmanaged doors, and no LDAP support. Includes all updates and bug fixes during this time.	\$ 140
VAX-SW40-5YR	10369-01	5 YEAR LICENSE (ESSENTIALS); supports up to 40 doors, 40 cameras, 1 partition, and unlimited I/O. No elevator cabs, no unmanaged doors, and no LDAP support. Includes all updates and bug fixes during this time.	\$ 560
VAX-SW80-1YR	10369-10	1 YEAR LICENSE (SMALL); supports up to 80 doors, 80 cameras, 5 partitions, unlimited elevator cabs, unlimited I/O, unmanaged doors, and LDAP support. Includes all updates and bug fixes during this time.	\$ 360
VAX-SW80-5YR	10369-11	5 YEAR LICENSE (SMALL); supports up to 80 doors, 80 cameras, 5 partitions, unlimited elevator cabs, unlimited I/O, unmanaged doors, and LDAP support. Includes all updates and bug fixes during this time.	\$ 1,400
VAX-SW120-1YR	10369-20	1 YEAR LICENSE (MID); supports up to 120 doors, 120 cameras, 20 partitions, unlimited elevator cabs, unlimited I/O, unmanaged doors, and LDAP support. Includes all updates and bug fixes during this time.	\$ 700
VAX-SW120-5YR	10369-21	5 YEAR LICENSE (MID); supports up to 120 doors, 120 cameras, 20 partitions, unlimited elevator cabs, unlimited I/O, unmanaged doors, and LDAP support. Includes all updates and bug fixes during this time.	\$ 2,800
VAX-SW240-1YR	10369-60	1 YEAR LICENSE (LARGE); supports up to 240 doors, 240 cameras, 40 partitions, unlimited elevator cabs, unlimited I/O, unmanaged doors, and LDAP support. Includes all updates and bug fixes during this time.	\$ 1,120
VAX-SW240-5YR	10369-61	5 YEAR LICENSE (LARGE); supports up to 240 doors, 240 cameras, 40 partitions, unlimited elevator cabs, unlimited I/O, unmanaged doors, and LDAP support. Includes all updates and bug fixes during this time.	\$ 4,420
VAX-SWU-1YR	10369-30	1 YEAR LICENSE (ENTERPRISE); supports unlimited doors, unlimited cameras, unlimited partitions, unlimited elevator cabs, unlimited I/O, unmanaged doors, and LDAP support. Includes all updates and bug fixes during this time.	\$ 2,625
VAX-SWU-5YR	10369-31	5 YEAR LICENSE (ENTERPRISE); supports unlimited doors, unlimited cameras, unlimited partitions, unlimited elevator cabs, unlimited I/O, unmanaged doors, and LDAP support. Includes all updates and bug fixes during this time.	\$ 10,500

Partition Expanders

Model	Product Code	Description	MSRP
VAX-PAR-5	10369-40	PARTITION EXPANDER; increase number of partitions by 5 (max. 1 per license)	\$ 200
VAX-PAR-10	10369-41	PARTITION EXPANDER; increase number of partitions by 10 (max. 1 per license)	\$ 450
VAX-PAR-20	10369-42	PARTITION EXPANDER; increase number of partitions by 20 (max. 1 per license)	\$ 900

Fixed IP Dome Cameras

Roughneck Pro V2000D Outdoor IP Dome Cameras with Advanced Analytics (NDAA Compliant)



	Model	Product Code	Description	MSRP
	V2002D-W313MIR	10553-00	OUTDOOR VANDAL DOME STARLIGHT CAMERA; 2 MP; true WDR; 3.1-10 mm motorized varifocal lens; IR; advanced analytics; NDAA/GSA/TAA compliant	\$ 481
	V2005D-W313MIR	10553-10	OUTDOOR VANDAL DOME STARLIGHT CAMERA; 5 MP; true WDR; 3.1-10 mm motorized varifocal lens; IR; advanced analytics; NDAA/GSA/TAA compliant	\$ 567
	V2008D-W310MIR	10553-15	OUTDOOR VANDAL DOME STARLIGHT CAMERA; 8 MP; true WDR; 3.6-10 mm motorized varifocal lens; IR; advanced analytics; NDAA/GSA/TAA compliant	\$ 683
	V2002D-W28IR	10555-00	OUTDOOR MICRO DOME STARLIGHT CAMERA; 2 MP; true WDR; 2.8 mm fixed lens; IR; advanced analytics; NDAA/GSA/TAA compliant	\$ 288
	V2005D-W28IR	10555-05	OUTDOOR MICRO DOME STARLIGHT CAMERA; 5 MP; true WDR; 2.8 mm fixed lens; IR; advanced analytics; NDAA/GSA/TAA compliant	\$ 356

Roughneck Pro V2000D Dome Series Accessories

	Model	Product Code	Description	MSRP
	V2000D-PM	10553-30	PENDANT MOUNT; for the V2000D, V2000D micro dome, V2100D and V2360W series of cameras; compatible with SVFT-WM-1 and SVFT-UWM-1 wall mounts	\$ 67
	SVFT-WM-1	10476-05	WALL MOUNT; small; indoor/outdoor; compatible with V2000D-PTZ/V682-PTZ and V2000D-PM	\$ 87
	V2000D-PLATE	10553-40	ADAPTER PLATE; allows the V2000D domes to be mounted to a 4x4 electrical box	\$ 37
	V2000D-ICD	10553-45	IN-CEILING MOUNTING KIT; allows the V2000D domes to be installed in a drop ceiling	\$ 144
	V2000D-ICH	10553-50	IN-CEILING MOUNTING KIT; allows the V2000D domes to be installed in a hard ceiling	\$ 106
	V2000D-MICRO-PLATE	10555-30	ADAPTER PLATE; allows the V2000D micro domes to be mounted to a 4x4 electrical box	\$ 37
	V2000D-MICRO-BOX	10555-35	BACKBOX; for ease of cabling for the V2000D micro dome	\$ 44
	V2XXX-WDG	10555-55	WEDGE MOUNT; allows the V2000D micro dome and V2360W panoramic camera to be surface mounted on a tilt to maintain a full view	\$ 60
	V2XXX-WDG-PLATE	10555-60	ADAPTER PLATE; allows the V2XXX-WDG to be mounted to a 4x4 electrical box	\$ 37
	V-24CMB-4	10476-49	OUTSIDE CORNER MOUNT BRACKET; for corner mounting with a variety of Vicon mounts	\$ 112
V-20B-A-4	10476-48	POLE MOUNT ADAPTER; for 4-10 in. diameter poles; painted aluminum construction, includes mounting straps; for pole mounting with a variety of Vicon mounting equipment	\$ 183	

Roughneck V2100D Outdoor IP Dome Cameras (NDAA Compliant)



	Model	Product Code	Description	MSRP
	V2102D-W313MIR	10557-00	OUTDOOR DOME CAMERA; 2 MP; true WDR; 3.1-10 mm motorized varifocal lens; IR; NDAA/GSA/TAA compliant	\$ 375
	V2105D-W313MIR	10557-10	OUTDOOR DOME CAMERA; 5 MP; true WDR; 3.1-10 mm motorized varifocal lens; IR; NDAA/GSA/TAA compliant	\$ 442

Roughneck V2100D Dome Series Accessories

	Model	Product Code	Description	MSRP
	V2000D-PM	10553-30	PENDANT MOUNT; for the V2000D, V2000D micro dome, V2100D and V2360W series of cameras; compatible with SVFT-WM-1 and SVFT-UWM-1 wall mounts	\$ 67
	SVFT-WM-1	10476-05	WALL MOUNT; short; indoor/outdoor; compatible with V2000D-PTZ/V682-PTZ and V2000D-PM	\$ 87
	V2100D-PLATE	10557-30	ADAPTER PLATE; allows the V2100D domes to be mounted to a 4x4 electrical box	\$ 37
	V2100D-BOX	10557-35	BACKBOX; for ease of cabling for the V2100D dome	\$ 44
	V2100D-ICD	10557-40	IN-CEILING MOUNTING KIT; allows the V2100D domes to be installed in a drop ceiling	\$ 144
	V2100D-ICH	10557-45	IN-CEILING MOUNTING KIT; allows the V2100D domes to be installed in a hard ceiling	\$ 106
	V-24CMB-4	10476-49	OUTSIDE CORNER MOUNT BRACKET; for corner mounting with a variety of Vicon mounts	\$ 112
	V-20B-A-4	10476-48	POLE MOUNT ADAPTER; for 4-10 in. diameter poles; painted aluminum construction, includes mounting straps; for pole mounting with a variety of Vicon mounting equipment	\$ 183

Fixed IP Dome Cameras

Fixed IP Dome Cameras

Roughneck V2360W Panoramic Camera (NDAA Compliant)



Model	Product Code	Description	MSRP
V2360W-12	10559-00	OUTDOOR PANORAMIC CAMERA; 12 MP; WDR; fisheye 1.5 mm fixed lens; IR; built-in microphone; NDAA/GSA/TAA compliant	\$ 825

Roughneck Panoramic Camera Accessories

Model	Product Code	Description	MSRP
V2360W-ICD	10559-45	IN-CEILING MOUNTING KIT; allows the V2360W-12 dome to be installed in a drop ceiling	\$ 144
V2360W-ICH	10559-50	IN-CEILING MOUNTING KIT; allows the V2360W-12 dome to be installed in a hard ceiling	\$ 106
V2360W-PLATE	10559-35	ADAPTER PLATE; allows the V2360W dome to be mounted to a 4x4 electrical box	\$ 37
V2000B-BOX	10554-35	BACKBOX; for ease of cabling for the V2000B bullet camera and V2360W camera	\$ 44
V2000D-PM	10553-30	PENDANT MOUNT; for the V2000D, V2000D micro dome, V2100D and V2360W series of cameras; compatible with SVFT-WM-1 and SVFT-UWM-1 wall mounts	\$ 67
V2XXX-WDG	10555-55	WEDGE MOUNT; allows the V2000D micro dome and V2360W panoramic camera to be surface mounted on a tilt to maintain a full view	\$ 60
V2XXX-WDG-PLATE	10555-60	ADAPTER PLATE; allows the V2XXX-WDG to be mounted to a 4x4 electrical box	\$ 37
SVFT-WM-1	10476-05	WALL MOUNT; short; indoor/outdoor; compatible with V2000D-PTZ/V682-PTZ and V2000D-PM	\$ 87
V-24CMB-4	10476-49	OUTSIDE CORNER MOUNT BRACKET; for corner mounting with a variety of Vicon mounts	\$ 112
V-20B-A-4	10476-48	POLE MOUNT ADAPTER; for 4-10 in. diameter poles; painted aluminum construction, includes mounting straps; for pole mounting with a variety of Vicon mounting equipment	\$ 183

Roughneck Pro 360° Multi-Sensor Camera Series



Model	Product Code	Description	MSRP
V2020-WIR-360	10517-20	MULTI-SENSOR STARLIGHT CAMERA; 20 MP; 360° coverage; four 5 MP image sensors; smart IR; four motorized 3.1-10 mm lenses; H.264/H.265; true WDR; provides remote positioning and presets; includes mounting cap; NDAA-compliant	\$ 2,875
V2032-WIR-360	10517-25	MULTI-SENSOR STARLIGHT CAMERA; 32 MP; 360° coverage; four 8 MP image sensors; smart IR; four motorized 3.6-10 mm lenses; H.264/H.265; true WDR; provides remote positioning and presets; includes mounting cap; NDAA-compliant	\$ 3,500

Accessories

V1001-WM	10488-05	WALL MOUNT; for use with V1000-1/V2000 series multi-sensor cameras	\$ 125
V1001-PM	10488-15	PENDANT MOUNT; for use with V1000-1/V2000 series multi-sensor cameras	\$ 125
V1001-ADAPT	10488-25	ADAPTER PLATE; allows V1001-WM to be used with V-20B-A-4 pole mount adapter and V-24CMB-4 corner mounting bracket	\$ 50
V2000-360-ICD	10517-50	IN-CEILING MOUNTING KIT; allows the V2000-WIR-360 series to be installed in a drop ceiling	\$ 190
V-24CMB-4	10476-49	OUTSIDE CORNER MOUNT BRACKET; for corner mounting with a variety of Vicon mounts	\$ 112
V-20B-A-4	10476-48	POLE MOUNT ADAPTER; for 4-10 in. diameter poles; painted aluminum construction, includes mounting straps; for pole mounting with a variety of Vicon mounting equipment	\$ 183
SVFT-UPM-2	10476-20	UNIVERSAL PARAPET MOUNT; indoor/outdoor	\$ 327
VPOE-INJ-60BT	10193-15	SINGLE-PORT POE GIGABIT INJECTOR; compatible with IEE802.3BT; 60 W output	\$ 305

Fixed IP Dome Cameras

Network Switches

	Model	Product Code	Description	MSRP
	PS-10PP-240	8495-28	NETWORK SWITCH; smart managed 10-channel with 4 gigabit PoE+ ports, 4 gigabit 802.3bt PoE++ ports, 1 gigabit non-PoE copper port and 1 gigabit SFP port; 240 W; desk mount (Netgear model GS110TUP)	\$ 686
	PS-10PP-480	8495-29	NETWORK SWITCH; smart managed 10-channel with 8 gigabit 802.3bt PoE++ ports, 1 gigabit non-PoE copper port and 1 gigabit SFP port; 480 W; rack mount (Netgear model GS710TUP)	\$ 1,029
	PS-24P-380	8495-27	NETWORK SWITCH; smart managed 24-channel gigabit PoE+ ports, 2 gigabit SFP ports, 380 W, rack mount (Netgear model GS724TPP)	\$ 754

Camera Power Supplies

Model	Product Code	Description	MSRP
S24WPS-1	7028-10	POWER SUPPLY; 24 VAC output, 2.0 amps	\$ 29
S28WPS-1	7030-10	POWER SUPPLY; 28 VAC output, 4 amps	\$ 57

Bullet and Specialty IP Cameras

Roughneck Pro V2000B Outdoor IP Bullet Cameras with Advanced Analytics (NDAA Compliant)



Model	Product Code	Description	MSRP
V2002B-W313MIR	10554-00	OUTDOOR VANDAL BULLET STARLIGHT CAMERA; 2 MP; true WDR; 3.1-10 mm motorized varifocal lens; IR; advanced analytics; NDAA/GSA/TAA compliant	\$ 481
V2005B-W313MIR	10554-10	OUTDOOR VANDAL BULLET STARLIGHT CAMERA; 5 MP; true WDR; 3.1-10 mm motorized varifocal lens; IR; advanced analytics; NDAA/GSA/TAA compliant	\$ 567
V2008B-W310MIR	10554-15	OUTDOOR VANDAL BULLET STARLIGHT CAMERA; 8 MP; true WDR; 3.6-10 mm motorized varifocal lens; IR; advanced analytics; NDAA/GSA/TAA compliant	\$ 683

Roughneck Pro V2000B Series Accessories



Model	Product Code	Description	MSRP
V2000B-PLATE	10554-30	ADAPTER PLATE; allows the V2000B bullet camera to be mounted to a 4x4 electrical box	\$ 37
V2000B-BOX	10554-35	BACKBOX; for ease of cabling for the V2000B bullet camera and V2360W camera	\$ 44
V-24CMB-4	10476-49	OUTSIDE CORNER MOUNT BRACKET; for corner mounting with a variety of Vicon mounts	\$ 112
V-20B-A-4	10476-48	POLE MOUNT ADAPTER; for 4-10 in. diameter poles; painted aluminum construction, includes mounting straps; for pole mounting with a variety of Vicon mounting equipment	\$ 183

Roughneck Pro Box Camera with Advanced Analytics



Model	Product Code	Description	MSRP
V2008-W-NL	10556-00	BOX CAMERA; 8 MP; true WDR; CS/i-CS lens mount; advanced analytics; NDAA/GSA/TAA compliant	\$ 625

Roughneck V2008-W-NL Compatible Lenses



Model	Product Code	Description	MSRP
V4-13VF-P	10563-00	VARIFOCAL LENS; 1-1/8 in. format; 4-13 mm focal length; P-iris; f/1.5, 4K; CS-mount	\$ 625
V12-50VF-P	10563-10	VARIFOCAL LENS; 1-1/8 in. format; 12-50 mm focal length; P-iris; f/1.4, 4K; CS-mount	\$ 625

Roughneck V2100B Outdoor IP Bullet Cameras (NDAA Compliant)



Model	Product Code	Description	MSRP
V2102B-W28IR	10558-00	OUTDOOR BULLET CAMERA; 2 MP; true WDR; 2.8 mm fixed lens; IR; NDAA/GSA/TAA compliant	\$ 279
V2105B-W28IR	10558-20	OUTDOOR BULLET CAMERA; 5 MP; true WDR; 2.8 mm fixed lens; IR; NDAA/GSA/TAA compliant	\$ 346
V2102B-W313MIR	10558-05	OUTDOOR BULLET CAMERA; 2 MP; true WDR; 3.1-10 mm motorized varifocal lens; IR; NDAA/GSA/TAA compliant	\$ 375
V2105B-W313MIR	10558-25	OUTDOOR BULLET CAMERA; 5 MP; true WDR; 3.1-10 mm motorized varifocal lens; IR; NDAA/GSA/TAA compliant	\$ 442

Roughneck V2100B Series Accessories



Model	Product Code	Description	MSRP
V2100B-BOX	10558-35	BACKBOX; for ease of cabling for the V2100B bullet and mini bullet cameras	\$ 44
V2100B-PLATE	10558-30	ADAPTER PLATE; allows the V2100B bullet and mini bullet cameras to be mounted to a 4x4 electrical box	\$ 37
V-24CMB-4	10476-49	OUTSIDE CORNER MOUNT BRACKET; for corner mounting with a variety of Vicon mounts	\$ 112
V-20B-A-4	10476-48	POLE MOUNT ADAPTER; for 4-10 in. diameter poles; painted aluminum construction, includes mounting straps; for pole mounting with a variety of Vicon mounting equipment	\$ 183

Bullet and Specialty IP Cameras



V1110B Thermal Body Temperature Measurement Camera



Accessories



Model	Product Code	Description	MSRP
V1110B-THM-TEMP	10498-60	THERMAL BODY TEMPERATURE MEASUREMENT CAMERA; bi-spectral, 8 mm (thermal) and 2.7-12 mm (visible) lens; H.265/H.264; includes blackbody, one wall mount and one ceiling/pendant mount. NDAA compliant.	\$ 15,192
V1110B-TRP	10498-65	TRIPOD MOUNT FOR V1110B-THM-TEMP; for portable indoor installations	\$ 425
V1110B-WM	10498-66	WALL MOUNT FOR V1110B-THM-TEMP; for indoor and outdoor installation of the camera or blackbody	\$ 60
V1110B-PM	10498-67	PENDANT/CEILING MOUNT FOR V1110B-THM-TEMP; for indoor and outdoor installation of the camera or blackbody	\$ 90
V1110B-BKBD	10498-70	BLACKBODY CALIBRATION DEVICE FOR V1110B-THM-TEMP; device with thermal detection technology to maintain camera calibration accuracy in changing environments	\$ 5,870



Thermal Bullet Camera Series



Accessories



Model	Product Code	Description	MSRP
V1100B-THM-15MM	10498-05	THERMAL BULLET CAMERA; 396x264 resolution; 8 to 14 um spectral range; 15 mm lens	\$ 4,550
V1100B-THM-25MM	10498-10	THERMAL BULLET CAMERA; 396x264 resolution; 8 to 14 um spectral range; 25 mm lens	\$ 5,300
V1100B-THM-35MM	10498-20	THERMAL BULLET CAMERA; 396x264 resolution; 8 to 14 um spectral range; 35 mm lens	\$ 5,900
V1100B-THM-50MM	10498-25	THERMAL BULLET CAMERA; 396x264 resolution; 8 to 14 um spectral range; 50 mm lens	\$ 6,500
V1100B-PM	10498-50	POLE MOUNT; for use with the V1100B-THM series thermal cameras	\$ 40
V1100B-BOX	10498-55	JUNCTION BOX; for use with the V1100B-THM series thermal cameras	\$ 50



V922B Outdoor Impact-Resistant IP Bullet Camera



Accessories



Model	Product Code	Description	MSRP
V922B-W551MIR-A1	10398-40	OUTDOOR FIXED NETWORK BULLET CAMERA; 2 MP; true WDR; 5-51 mm motorized varifocal lens; IR illuminators	\$ 1,200
V670-HCM150	10492-10	CORNER MOUNT ADAPTER; compatible with SN683D with the V670-HCM154/V670-HDB242E, and V693V Cruiser/V672D/V672V-1/V672B with the V670-HCM155/V670-HDB243	\$ 34
V670-HCM151	10492-15	POLE MOUNT ADAPTER; compatible with V980B-BOX, SN683D with the V670-HCM154/V670-HDB242E, SN693V Cruiser/V672D/V672V/V672B with the V670-HCM155/V670-HDB243	\$ 48
VCAM-ADAPT	10499-15	ADAPTER; allows the camera to mount to a 4x4 electrical box; for V672B/V922B bullet cameras	\$ 37



Roughneck Corner-Mount High-Security Camera



Accessories

Model	Product Code	Description	MSRP
V-CELL-HD-B	10145-07	HIGH-SECURITY INDOOR; HD 3 MP day/night color camera and 2.3 mm lens; WDR; IR illumination; a brushed stainless steel housing; open platform H.264, MPEG-4 and M-JPEG compression; true WDR. NDAA compliant.	\$ 1,395
V920D-OSD	10176-90	OSD CONTROLLER; cable assembly connects to the camera service monitor port; used for making changes to camera ID and IP address from the On Screen Display	\$ 28

PTZ Dome Cameras

Roughneck® NDAAGSA/TAA Compliant IP PTZ Dome Camera



	Model	Product Code	Description	MSRP
	V2002D-PTZ	10561-00	1080P (2 MP) PTZ DOME STARLIGHT CAMERA; vandal-proof IP66, integral 1/2.8" day/night camera with 4.5-135 mm 30X zoom lens; NDAAGSA/TAA compliant	\$ 2,350
Mounting Accessories				
	SVFT-UWM-1	10476-00	WALL MOUNT; large; indoor/outdoor; compatible with V2000D-PTZ/V682-PTZ and V2000D-PM	\$ 152
	SVFT-WM-1	10476-05	WALL MOUNT; small; indoor/outdoor; compatible with V2000D-PTZ/V682-PTZ and V2000D-PM	\$ 87
	SVFT-UCM-1	10476-15	CEILING MOUNT; indoor/outdoor; compatible with V2000D-PTZ/V682-PTZ	\$ 53
	SVFT-UPM-2	10476-20	UNIVERSAL PARAPET MOUNT; indoor/outdoor	\$ 327
	V-24CMB-4	10476-49	OUTSIDE CORNER MOUNT BRACKET; for corner mounting with a variety of Vicon mounts	\$ 112
	V-20B-A-4	10476-48	POLE MOUNT ADAPTER; for 4-10 in. diameter poles; painted aluminum construction, includes mounting straps; for pole mounting with a variety of Vicon mounting equipment	\$ 183
	VPOE-INJ-60	10193-10	POE MIDSPAN INJECTOR; 60W; for use with cameras for PoE++	\$ 125

Cruiser™ IP PTZ Dome Camera



	Model	Product Code	Description	MSRP
	SN673V-C	10260-35	1080P PTZ IP DOME CAMERA; surface-mounted vandal-proof IP66, integral 1/2.8" CMOS day/night camera with 4.7-94 mm 20X zoom lens	\$ 1,650
	SN693V	10260-40	1080P PTZ IP DOME CAMERA; surface-mounted vandal-proof IP66, integral 1/2.8" CMOS day/night camera with 5-117 mm 23X zoom lens and true WDR; IR illumination	\$ 1,650
Mounting Accessories				
	V670-HDB243	10492-00	WALL MOUNT; for both indoor and outdoor dome installations; V672D/V672V-1 domes, SN673V and SN693V Cruiser, and is compatible with V670-HCM155 and then V670-HCM150 and V670-HCM151	\$ 94
	V670-HCS300	10236-05	IN-CEILING KIT; for mounting SN673V-C Cruiser vandal-proof dome into a ceiling	\$ 138
	V670-HDB242-VS8	10246-05	PENDANT ARM WALL MOUNT PREPACK; includes V670V-HDB242-1 wall mount and V670-HDA202-1 pipe mount adapter for mounting SN673V-C Cruiser vandal-proof dome in a pendant configuration from either a wall; compatible with V670-HCM154, which is compatible with the V670-HCM-150 and V670-HCM-151	\$ 203
	S660-HAH	10234-00	HEATER ACCESSORY; for SN673V-C Cruiser	\$ 62
	V670-HCM154	10492-45	ADAPTER; allows pendant arm to be mounted on a corner or pole mount adapter; compatible with V670-HDB242-VS8 for use with SN673V and SN693V Cruiser and V670-HDB242E, V670-HCM150 and V670-HCM151 for use with SN680D/SN240D	\$ 42
	V670-HCM150	10492-10	CORNER MOUNT ADAPTER; compatible with SN683D with the V670-HCM154/V670-HDB242E, SN673V and SN693V Cruiser/V672D/V672V-1/V672B with the V670-HCM155/V670-HDB243	\$ 34
	V670-HCM151	10492-15	POLE MOUNT ADAPTER; compatible with V980B-BOX, SN683D with the V670-HCM154/V670-HDB242E, SN673V and SN693V Cruiser/V672D/V672V-1/V672B with the V670-HCM155/V670-HDB243	\$ 48
	V670-HCM155	10492-40	ADAPTER; allows wall arm to be mounted on a corner or pole mount adapter; compatible with V670-HDB243/V670-HCM-150/V670-HCM-151 for use with SN693V Cruiser/V672D/V672V-1	\$ 59
	V670-BOX	10492-50	BACKBOX; for ease of cabling; surface mount; for SN673V and SN693V Cruiser	\$ 66
	V670-PMB-1	10492-56	PENDANT MOUNT BACKBOX; for ease of cabling; surface mount; can be used with V670-PM/V670-WM; for SN673V and SN693V Cruiser	\$ 66
	V670-PM	10492-65	PENDANT MOUNT; can be used with V670-BOX and V670-PMB-1; for SN673V/SN693V Cruiser and V8360W	\$ 160

PTZ Dome Cameras



[V670-WM](#)

10492-60 WALL MOUNT; for both indoor and outdoor dome installations; SN673V and SN693V \$ 160
Cruiser and V8360W, and is compatible with V670-BOX and V670-PMB-1

[V670-HDA202-1](#)

10492-21 1.5 IN. NPT PIPE MOUNT ADAPTER; converts dome for pendant mounting or for use \$ 90
with SVFT-WM-1/UWM-1; for V670V-1 domes and SN673V and SN693V Cruiser

PTZ Dome Cameras

Rugged IP PTZ Dome Camera



Model	Product Code	Description	MSRP
SN683D-WIR*	10308-30	3 MP PTZ IP DOME CAMERA; rugged vandal-proof IP66, integral 1/2.8" CMOS day/night camera with 4.6-165 mm (36X) zoom lens; IR illumination; wall or ceiling mounting options	\$ 3,820

*While supplies last

Accessories



V670-HDB242E	10150-68	PENDANT ARM WALL MOUNT; works with V670-HCM154 for SN680D	\$ 119
------------------------------	----------	---	--------



V670-HDB241	10277-05	POLE/CEILING MOUNT; for SN680D	\$ 106
-----------------------------	----------	--------------------------------	--------



V670-HCM151	10492-15	POLE MOUNT ADAPTER; compatible with V980B-BOX, SN683D with the V670-HCM154/V670-HDB242E, SN673V and SN693V Cruiser/V672D/V672V/V672B with the V670-HCM155/V670-HDB243	\$ 48
-----------------------------	----------	---	-------



V670-HCM154	10492-45	ADAPTER; allows pendant arm to be mounted on a corner or pole mount adapter; compatible with V670-HDB242-VS8 for use with SN673V and SN693V Cruiser and V670-HDB242E, V670-HCM150 and V670-HCM151 for use with SN680D	\$ 42
-----------------------------	----------	---	-------



V670-HCM150	10492-10	CORNER MOUNT ADAPTER; compatible with SN683D with the V670-HCM154/V670-HDB242E, SN673V and SN693V Cruiser/V672D/V672V-1/V672B with the V670-HCM155/V670-HDB243	\$ 34
-----------------------------	----------	--	-------

Thermal Sensor Camera



Model	Product Code	Description	MSRP
VTR-3200	10560-00	THERMAL SENSOR CAMERA; 360° thermal imaging module; 320x256 resolution; 6.3 mm focal length; built-in TRIA functionality	\$ 19,449
VTR-3300	10560-05	THERMAL SENSOR CAMERA; 360° thermal imaging module; 320x256 resolution; 9.1 mm focal length; built-in TRIA functionality	\$ 21,070
VTR-6200	10560-10	THERMAL SENSOR CAMERA; 360° thermal imaging module; 640x512 resolution; 8.7 mm focal length; built-in TRIA functionality	\$ 42,140
VTR-6400	10560-15	THERMAL SENSOR CAMERA; 360° thermal imaging module; 640x512 resolution; 14 mm focal length; built-in TRIA functionality	\$ 43,760
VTR-6600	10560-20	THERMAL SENSOR CAMERA; 360° thermal imaging module; 640x512 resolution; 18 mm focal length; built-in TRIA functionality	\$ 45,381

TR Accessories



V-ARM-TR	10514-40	MOUNTING ARM; required interface for combined VTR sensor and the SN683D/SN688D PTZ dome	\$ 508
--------------------------	----------	---	--------



V-GNB-TR	10514-41	GOOSENECK MOUNTING BRACKET; for VTR/PTZ combination	\$ 1,455
--------------------------	----------	---	----------



V-PMK-TR	10514-42	POLE MOUNTING KIT; for VTR/PTZ combination	\$ 125
--------------------------	----------	--	--------



V-CMK-TR	10514-43	CORNER MOUNTING KIT; for VTR/PTZ combination	\$ 157
--------------------------	----------	--	--------



V-RMK-TR	10514-44	ROOF MOUNTING KIT; for VTR/PTZ combination	\$ 1,455
--------------------------	----------	--	----------

HD Analog PTZ Dome Camera



Model	Product Code	Description	MSRP
V682-PTZ	10501-10	OUTDOOR/PENDANT AHD PTZ DOME; AHD/HD-TVI; 2 MP, 20X optical zoom, 16X digital zoom, true WDR	\$ 1,535

Mounting Accessories



SVFT-UWM-1	10476-00	WALL MOUNT; large; indoor/outdoor; compatible with V2000D-PTZ/V682-PTZ and V2000D-PM	\$ 152
----------------------------	----------	--	--------



SVFT-WM-1	10476-05	WALL MOUNT; small; indoor/outdoor; compatible with V2000D-PTZ/V682-PTZ and V2000D-PM	\$ 87
---------------------------	----------	--	-------



SVFT-UCM-1	10476-15	CEILING MOUNT; indoor/outdoor; compatible with V2000D-PTZ/V682-PTZ	\$ 53
----------------------------	----------	--	-------

PTZ Dome Cameras



[SVFT-UPM-2](#)

[V-24CMB-4](#)

[V-20B-A-4](#)

10476-20	UNIVERSAL PARAPET MOUNT; indoor/outdoor	\$	327
10476-49	OUTSIDE CORNER MOUNT BRACKET; for corner mounting with a variety of Vicon mounts	\$	112
10476-48	POLE MOUNT ADAPTER; for 4-10 in. diameter poles; painted aluminum construction, includes mounting straps; for pole mounting with a variety of Vicon mounting equipment	\$	183

HD Analog Domes and Cameras

V670 Series HD Analog Cameras

	Model	Product Code	Description	MSRP
Box Camera				
	V672-W-NL	10491-05	HD ANALOG (AHD/TVI/CVBS) DAY/NIGHT BOX CAMERA; 2 MP; true WDR; no lens 12 VDC/24 VAC. NDAA compliant.	\$ 321
Vandal Dome Camera				
	V672V-W312MIR-1	10493-10	HD ANALOG (AHD/TVI/CVBS) VANDAL-PROOF DOME CAMERA; 2 MP; true WDR; 2.8-12 mm motorized varifocal autoiris lens; IR illuminators; die-cast aluminum housing. NDAA compliant.	\$ 418
Outdoor Dome Camera				
	V672D-W312MIR	10484-00	HD ANALOG (AHD/TVI/CVBS) OUTDOOR DOME CAMERA; 2 MP; true WDR; 2.8-12 mm motorized varifocal autoiris lens; IR illuminators; plastic housing; can be mounted in-ceiling with use of integral flippers. NDAA compliant.	\$ 330
Bullet Camera				
	V672B-W312MIR	10485-00	HD ANALOG (AHD/TVI/CVBS) OUTDOOR BULLET CAMERA; 2 MP; true WDR; 2.8-12 mm motorized varifocal autoiris lens; IR illuminators. NDAA compliant.	\$ 330

Mounting Accessories for V672 Series

	Model	Product Code	Description	MSRP
	V670-HDB243	10492-00	WALL MOUNT; for both indoor and outdoor dome installations; V672D/V672V-1 domes, SN673V and SN693V Cruiser, and is compatible with V670-HCM155 and then V670-HCM150 and V670-HCM151	\$ 94
	V670-HCS254V	10492-06	IN-CEILING MOUNTING KIT; for V672V-1 vandal-proof domes	\$ 100
	V670-HDA202-1	10492-21	1.5 IN. NPT PIPE MOUNT ADAPTER; converts dome for pendant mounting or for use with SVFT-WM-1/UWM-1; for V670V-1 domes and SN673V and SN693V Cruiser	\$ 90
	V670-HT202VF	10492-25	HEATER; for V670D series outdoor camera domes. Extends unit's low range temperature to -20° F.	\$ 56
	V670-HT202VK	10492-26	HEATER; for V670V-1 series outdoor camera domes. Extends unit's low range temperature to -20° F.	\$ 56
	V670-TRIM	10492-35	TRIM RING; allows the V672 dome cameras to be installed on a 4x4 electrical box	\$ 17
	V670-SPOT	10492-30	CONNECTOR; allows V670 series cameras to connect to a spot monitor for installation purposes	\$ 17
	V932EZ-EB-2	10197-58	ELECTRICAL BOX; for ease of cabling; for V670V domes; compatible with V-24CMB-4 corner mount and V-20B-A-4 pole mount adapters	\$ 66
	V670-HCM150	10492-10	CORNER MOUNT ADAPTER; compatible with SN683D with the V670-HCM154/V670-HDB242E, SN673V and SN693V Cruiser/V672D/V672V-1/V672B with the V670-HCM155/V670-HDB243	\$ 34
	V670-HCM151	10492-15	POLE MOUNT ADAPTER; compatible with V980B-BOX, SN683D with the V670-HCM154/V670-HDB242E, SN673V and SN693V Cruiser/V672D/V672V/V672B with the V670-HCM155/V670-HDB243	\$ 48
	VCAM-BOX	10499-00	BACKBOX; for ease of cabling; for V672B bullet cameras	\$ 66
	VCAM-ADAPT	10499-15	ADAPTER; allows the camera to mount to a 4x4 electrical box; for V672B/V922B bullet cameras	\$ 37

HD Analog Domes and Cameras

HD Analog PTZ Dome Camera



Model	Product Code	Description	MSRP
V682-PTZ	10501-10	OUTDOOR/PENDANT AHD PTZ DOME; AHD/HD-TVI; 2 MP, 20X optical zoom, 16X digital zoom, true WDR. NDAA compliant.	\$ 1,535

Mounting Accessories



SVFT-UWM-1	10476-00	WALL MOUNT; large; indoor/outdoor; compatible with V2000D-PTZ/V682-PTZ and V2000D-PM	\$ 152
----------------------------	----------	--	--------



SVFT-WM-1	10476-05	WALL MOUNT; small; indoor/outdoor; compatible with V2000D-PTZ/V682-PTZ and V2000D-PM	\$ 87
---------------------------	----------	--	-------



SVFT-UCM-1	10476-15	CEILING MOUNT; indoor/outdoor; compatible with V2000D-PTZ/V682-PTZ	\$ 53
----------------------------	----------	--	-------



SVFT-UPM-2	10476-20	UNIVERSAL PARAPET MOUNT; indoor/outdoor	\$ 327
----------------------------	----------	---	--------



V-24CMB-4	10476-49	OUTSIDE CORNER MOUNT BRACKET; for corner mounting with a variety of Vicon mounts	\$ 112
---------------------------	----------	--	--------



V-20B-A-4	10476-48	POLE MOUNT ADAPTER; for 4-10 in. diameter poles; painted aluminum construction, includes mounting straps; for pole mounting with a variety of Vicon mounting equipment	\$ 183
---------------------------	----------	--	--------

Model	Product Code	Description	MSRP
VC24PS-1	4297-00	POWER SUPPLY; converts 120 VAC to 24 VAC	\$ 19
S24WPS-1	7028-10	POWER SUPPLY; 24 VAC output, 2.0 amps	\$ 29
S28WPS-1	7030-10	POWER SUPPLY; 28 VAC output, 4 amps	\$ 57

Miscellaneous

Wide Screen LED Monitor



Model	Product Code	Description	MSRP
VM-623LED-3	10495-12	23.8-INCH LED; 1080p HD resolution (1920 x 1080); 16:9/4:3 aspect ratio, CVBS (BNC) In/Out, HDMI, VGA input	\$ 900

Media Converters



Model	Product Code	Description	MSRP
FMC-TRM-A	9949-00	2-PORT MINI MEDIA CONVERTER; 10/100 Mbps Ethernet, AC/DC powered; utilizes ST connectors (1310 nm) with power supply, multimode fiber; order as a set with one A and one B model	\$ 660
FMC-TRM-B	9949-01	2-PORT MINI MEDIA CONVERTER; 10/100 Mbps Ethernet, AC/DC powered; utilizes ST connectors (1550 nm) with power supply, multimode fiber; order as a set with one A and one B model	\$ 660
FMC-TRRM-A	9947-10	2-PORT RACK-MOUNT MEDIA CONVERTER; 10/100 Mbps Ethernet, AC/DC powered; utilizes ST connectors (1310 nm) with power supply, multimode fiber; order as a set with one A and one B model	\$ 660
FMC-TRRM-B	9947-20	2-PORT RACK-MOUNT MEDIA CONVERTER; 10/100 Mbps Ethernet, AC/DC powered; utilizes ST connectors (1550 nm) with power supply, multimode fiber; order as a set with one A and one B model	\$ 660
FMC-RK	9948-50	14-SLOT CARD CAGE; includes internal power supply	\$ 998
FMC-BP	9948-60	BLANK PANEL; for FMC-RK, 1-inch	\$ 28

Product Codes

Model	Product Code	Description	MSRP
TRAINER	10107-00	PROFESSIONAL TRAINER; customized training course; price per day. Course includes system design, installation, operation, troubleshooting and course materials. Includes travel time and expenses. Additional charges apply if equipment is required for training.	\$ 6,225
CLASS-REG	10107-10	REGISTRATION FEE; for Vicon certified dealer training course; per student	\$ 445
FLD-ENG	10107-20	FIELD ENGINEER/PROJECT ENGINEERING; on-site engineering; price per day; 2-day minimum outside the NY/NJ/CT tri-state area. Services include installation support, troubleshooting, system commissioning, and advanced system programming. Includes travel time and expenses.	\$ 5,100
PRO-SVC-REM	10107-30	REMOTE SUPPORT FOR SITE; 4 hours of remote support for programming, commissioning and troubleshooting; fee for 4 hour block of time for a single project (time cannot be saved if service takes less than 4 hours)	\$ 1,100
V-CELL-HD-B	10145-07	HIGH-SECURITY INDOOR; HD 3 MP day/night color camera and 2.3 mm lens; WDR; IR illumination; a brushed stainless steel housing; open platform H.264, MPEG-4 and M-JPEG compression; true WDR. NDAA compliant.	\$ 1,395
V670-HDB242E	10150-68	PENDANT ARM WALL MOUNT; works with V670-HCM154 for SN680D	\$ 119
VN-DECODER-2A	10153-10	VICONNET 2-CHANNEL DIGITAL VIDEO DECODER; for use with Virtual Matrix Display Controller; Windows 10	\$ 3,389
V920D-OSD	10176-90	OSD CONTROLLER; cable assembly connects to the camera service monitor port; used for making changes to camera ID and IP address from the On Screen Display	\$ 28
ADAM-6050	10189-00	IP I/O DEVICE; allows 12 external alarm inputs and 6 outputs to any NVR, workstation or Collector DVR	\$ 912
VPOE-INJ-60	10193-10	POE MIDSPAN INJECTOR; 60W; for use with cameras for PoE++	\$ 125
VPOE-INJ-60BT	10193-15	SINGLE-PORT POE GIGABIT INJECTOR; compatible with IEE802.3BT;	\$ 305
V932EZ-BOX-2	10197-58	ELECTRICAL BOX; for ease of cabling; for V670V domes; compatible with V-24CMB-4 corner mount and V-20B-A-4 pole mount adapters	\$ 66
S660-HAH	10234-00	HEATER ACCESSORY; for SN673V-C Cruiser	\$ 62
V670-HCS300	10236-05	IN-CEILING KIT; for mounting SN673V-C Cruiser vandal-proof dome into a ceiling	\$ 138
V670-HDB242-VS8	10246-05	PENDANT ARM WALL MOUNT PREPACK; includes V670V-HDB242-1 wall mount and V670-HDA202-1 pipe mount adapter for mounting SN673V-C Cruiser vandal-proof dome in a pendant configuration from	\$ 203
SN673V-C	10260-35	1080P PTZ IP DOME CAMERA; surface-mounted vandal-proof IP66, integral 1/2.8" CMOS day/night camera with 4.7-94 mm 20X zoom lens	\$ 1,650
SN693V	10260-40	1080P PTZ IP DOME CAMERA; surface-mounted vandal-proof IP66, integral 1/2.8" CMOS day/night camera with 5-117 mm 23X zoom lens and true WDR; IR illumination	\$ 1,650
V670-HDB241	10277-05	POLE/CEILING MOUNT; for SN680D	\$ 106
SN683D-WIR	10308-30	3 MP PTZ IP DOME CAMERA; rugged vandal-proof IP66, integral 1/2.8" CMOS day/night camera with 4.6-165 mm (36X) zoom lens; IR illumination; wall or ceiling mounting options	\$ 3,820
VAX-PC-A	10353-20	VAX SERVER; preinstalled with Vicon Access Control Software; Windows 10; desktop PC. Requires software license.	\$ 2,300
VAX-PC-B-RK	10353-26	VAX SERVER; preinstalled with Vicon Access Control Software; Windows 10; rack-mount PC with brushed aluminum bezel. Requires software license.	\$ 3,100
VAX-ENCL-W	10354-05	OPTIONAL WHITE ENCLOSURE; for door controllers	\$ 50
VAX-1D-REX-1	10354-42	SINGLE DOOR CONTROLLER; integrated PIR/REX; supports back to back readers; 2 relays with 1A limit; black enclosure	\$ 1,362
VAX-1D-1	10354-52	SINGLE DOOR CONTROLLER; without integrated PIR/REX; supports back to back readers; 2 relays with 1A limit; black enclosure	\$ 1,260
VAX-2D-REX-1	10355-22	TWO DOOR CONTROLLER; integrated PIR/REX; for doors with only one reader; 2 relays with 1A limit; black enclosure	\$ 1,610
VAX-2D-1	10355-32	TWO DOOR CONTROLLER; without integrated PIR/REX; for doors with only one reader; 2 relays with 1A limit; black enclosure	\$ 1,491
VAX-MDK-2	10356-00	TWO DOOR MULTI-DOOR CONTROLLER; includes 1 master controller board and 1 two-door board; mounted in steel vented and lockable enclosure	\$ 2,247
VAX-MDK-4	10356-05	FOUR DOOR MULTI-DOOR CONTROLLER; includes 1 master controller board and 2 two-door board; mounted in steel vented and lockable enclosure	\$ 3,108
VAX-MDK-6	10356-10	SIX DOOR MULTI-DOOR CONTROLLER; includes 1 master controller board and 3 two-door board; mounted in steel vented and lockable enclosure	\$ 3,966
VAX-MDK-8	10356-15	EIGHT DOOR MULTI-DOOR CONTROLLER; includes 1 master controller board and 4 two-door board; mounted in steel vented and lockable enclosure	\$ 4,827

Product Codes

Model	Product Code	Description	MSRP
VAX-EXP-2D	10356-20	TWO-DOOR EXPANDER; used to expand 2, 4 and 6 multi-door kits	\$ 851
VAX-TROVE-8DR	10356-30	EIGHT DOOR CONTROLLER; includes 1 master controller board, 4 two-door boards and a 12 VDC @6A power supply in an Altronix Trove1 steel lockable enclosure	\$ 6,468
VAX-TROVE-2DR	10356-32	TWO DOOR CONTROLLER; includes 1 master controller board, 1 two-door boards and a 12 VDC @6A power supply in an Altronix Trove1 steel lockable enclosure	\$ 3,889
VAX-TROVE-6DR	10356-33	SIX DOOR CONTROLLER; includes 1 master controller board, 3 two-door boards and a 12 VDC @6A power supply in an Altronix Trove1 steel lockable enclosure	\$ 5,607
VAX-TROVE-16DR	10356-35	SIXTEEN DOOR CONTROLLER; includes 2 master controller board, 8 two-door boards and a 12 VDC @10A power supply in an Altronix Trove2 steel lockable enclosure	\$ 11,858
VAX-TROVE-4DR	10356-36	FOUR DOOR CONTROLLER; includes 1 master controller board, 2 two-door boards and a 12 VDC @6A power supply in an Altronix Trove1 steel lockable enclosure	\$ 4,750
VAX-TROVE-10DR	10356-37	TEN DOOR CONTROLLER; includes 2 master controller board, 5 two-door boards and a 12 VDC @10A power supply in an Altronix Trove2 steel lockable enclosure	\$ 9,279
VAX-TROVE-12DR	10356-38	TWELVE DOOR CONTROLLER; includes 2 master controller board, 6 two-door boards and a 12 VDC @10A power supply in an Altronix Trove2 steel lockable enclosure	\$ 10,140
VAX-TROVE-14DR	10356-39	FOURTEEN DOOR CONTROLLER; includes 2 master controller board, 7 two-door boards and a 12 VDC @10A power supply in an Altronix Trove2 steel lockable enclosure	\$ 10,997
VAX-TROVE-32I/O	10356-40	32 I/O KIT; includes 1 master controller board, 4 input/output expansion boards and a 12 VDC @6A power supply in an Altronix Trove1 steel lockable enclosure	\$ 5,603
VAX-TROVE-8DR-RK	10356-60	EIGHT DOOR CONTROLLER; includes 1 master controller board, 4 two-door boards and a 12 VDC @6A power supply in an Altronix Trove1R rack enclosure	\$ 7,662
VAX-TROVE-6DR-RK	10356-61	SIX DOOR CONTROLLER; includes 1 master controller board, 3 two-door boards and a 12 VDC @6A power supply in an Altronix Trove1R rack enclosure	\$ 6,801
VAX-TROVE-4DR-RK	10356-62	FOUR DOOR CONTROLLER; includes 1 master controller board, 2 two-door boards and a 12 VDC @6A power supply in an Altronix Trove1R rack enclosure	\$ 5,943
VAX-TROVE-2DR-RK	10356-63	TWO DOOR CONTROLLER; includes 1 master controller board, 1 two-door boards and a 12 VDC @6A power supply in an Altronix Trove1R rack enclosure	\$ 5,082
VAX-ELV-STR-1	10357-02	ELEVATOR CONTROLLER; includes 8 floor module; complete in metal enclosure; 2 relays with 1A limit; add up to 7 expanders to control up to 64 floors	\$ 2,863
VAX-IO-STR-2	10357-08	INPUT/OUTPUT MASTER CONTROLLER; 8 I/O module; complete in metal enclosure; 2 relays with 1A limit; add up to 7 expanders to control	\$ 2,142
VAX-IO-EXP8PCB	10357-17	8 FLOOR/IO EXPANDER; no enclosure; use with VAX-ELV-STR-1 or VAX-IO-STR-2	\$ 753
VAX-ENCL-ST-1	10357-21	EMPTY STEEL ENCLOSURE; for use with VAX controller and MDK expander boards	\$ 305
VAX-BK-BOX	10358-00	CONTROLLER BACKING PLATE; for mounting on concrete walls; metal construction with six conduit knockouts	\$ 74
VAX-MOD-DRY	10362-00	MODULE; converts lock 12 VDC output to dry contact output	\$ 56
VAX-MOD-24	10362-05	MODULE; converts lock power from 12 VDC 500mA to 24 VDC 250mA	\$ 49
VAX-MOD-MEM	10362-10	EXPANSION MEMORY MODULE; required for anti-passback	\$ 151
VAX-600KP	10364-05	PROXIMITY READER; designed to be mounted to metal door and window frames (mullion); integrates both a proximity reader and keypad into a single unit; reads standard 125kHz Proximity cards; read range up to 4 in. (102 mm)	\$ 401
VAX-300R	10364-20	PROXIMITY READER; designed to be mounted to metal door and window frames (mullion); reads standard 125kHz Proximity cards; read range up to 4 in. (102 mm)	\$ 136
VAX-500R	10364-25	PROXIMITY READER; designed to be mounted to standard single-gang wall box; reads standard 125kHz Proximity cards; read range up to 4 in. (102 mm)	\$ 157
VAX-CR-35L	10364-51	MOBILE-READY CONTACTLESS SMARTCARD READER; designed to be mounted to metal door and window frames (mullion); reads VAX-BTC mobile credentials up to 15 ft (4.6 m); Wiegand protocol. Supports MIFARE compliant smartcards; read range up to 1.5 in. (38 mm).*	\$ 359
VAX-BTC	10364-52	MOBILE ACCESS CREDENTIAL; card credential stored on iPhone or Android smartphone for communication with mobile-ready readers	\$ 10
VAX-D3R	10364-60	SMARTCARD READER; designed to be mounted to metal door and window frames (mullion); reads MIFARE DESFire EV1 and EV2 compliant smartcards; read range up to 1.5 in. (38 mm); Wiegand protocol*	\$ 397

Product Codes

Model	Product Code	Description	MSRP
VAX-D5R	10364-65	SMARTCARD READER; designed to be mounted to standard single-gang wall box; reads MIFARE DESFire EV1 and EV2 compliant smartcards; read range up to 3 in. (76 mm); Wiegand protocol*	\$ 433
VAX-PCR-35L	10364-74	MOBILE-READY CONTACTLESS PROXIMITY READER; designed to be mounted to metal door and window frames (mullions); reads VAX-BTC mobile credentials up to 15 ft (4.6 m); Wiegand protocol. Supports standard 125 KHz proximity cards; read range up to 4 in. (102 mm)*.	\$ 426
VAX-PCR-640L	10364-76	MOBILE-READY CONTACTLESS PROXIMITY READER; designed to be mounted to single gang box or flat surfaces; reads VAX-BTC mobile credentials up to 15 ft (4.6 m); Wiegand protocol. Supports standard 125 KHz proximity cards and keypad in a single unit; read range up to 4 in. (102 mm)*.	\$ 683
VAX-D6.4R	10364-78	SMARTCARD READER; designed to be mounted to standard single-gang wall box or flat surfaces; optimized for MIFARE DESFire EV1 and EV2 compliant smartcards; read range up to 2 in. (51 mm); Wiegand protocol*; integrates both a smartcard reader and keypad in a single unit	\$ 715
VAX-CSR-6.4	10364-80	MOBILE-READY CONTACTLESS SMARTCARD READER; designed to be mounted to single gang box or flat surfaces; reads VAX-BTC mobile credentials up to 15 ft (4.6 m); Wiegand protocol; supports both a smartcard reader and keypad in a single unit. Supports MIFARE compliant smartcards; read range up to 2 in. (51 mm)*.	\$ 651
VAX-CRD-SD	10365-00	PROXIMITY CARD; clamshell style; non-graphic	\$ 4
VAX-PRX-TAG	10365-10	PROXIMITY FOB; small tag designed to be carried on a key ring; supports HID 125 kHz	\$ 8
VAX-CRD-MT	10365-15	PROXIMITY CARD; ISO style; multi-technology for dye sublimation imaging	\$ 7
VAX-DE2	10365-17	SMARTCARD; printable (dye sublimation); MIFARE DESFire EV2 compliant; 2 K-byte memory	\$ 12
VAX-SW40-1YR	10369-00	1 YEAR LICENSE (ESSENTIALS); supports up to 40 doors, 40 cameras, 1 partition, and unlimited I/O. No elevator cabs, no unmanaged doors, and no LDAP support. Includes all updates and bug fixes during this time.	\$ 140
VAX-SW40-5YR	10369-01	5 YEAR LICENSE (ESSENTIALS); supports up to 40 doors, 40 cameras, 1 partition, and unlimited I/O. No elevator cabs, no unmanaged doors, and no LDAP support. Includes all updates and bug fixes during this time.	\$ 560
VAX-SW80-1YR	10369-10	1 YEAR LICENSE (SMALL); supports up to 80 doors, 80 cameras, 5 partitions, unlimited elevator cabs, unlimited I/O, unmanaged doors, and LDAP support. Includes all updates and bug fixes during this time.	\$ 360
VAX-SW80-5YR	10369-11	5 YEAR LICENSE (SMALL); supports up to 80 doors, 80 cameras, 5 partitions, unlimited elevator cabs, unlimited I/O, unmanaged doors, and LDAP support. Includes all updates and bug fixes during this time.	\$ 1,400
VAX-SW120-1YR	10369-20	1 YEAR LICENSE (MID); supports up to 120 doors, 120 cameras, 20 partitions, unlimited elevator cabs, unlimited I/O, unmanaged doors, and LDAP support. Includes all updates and bug fixes during this time.	\$ 700
VAX-SW120-5YR	10369-21	5 YEAR LICENSE (MID); supports up to 120 doors, 120 cameras, 20 partitions, unlimited elevator cabs, unlimited I/O, unmanaged doors, and LDAP support. Includes all updates and bug fixes during this time.	\$ 2,800
VAX-SWU-1YR	10369-30	1 YEAR LICENSE (ENTERPRISE); supports unlimited doors, unlimited cameras, unlimited partitions, unlimited elevator cabs, unlimited I/O, unmanaged doors, and LDAP support. Includes all updates and bug fixes during this time.	\$ 2,625
VAX-SWU-5YR	10369-31	5 YEAR LICENSE (ENTERPRISE); supports unlimited doors, unlimited cameras, unlimited partitions, unlimited elevator cabs, unlimited I/O, unmanaged	\$ 10,500
VAX-PAR-5	10369-40	PARTITION EXPANDER; increase number of partitions by 5 (max. 1 per license)	\$ 200
VAX-PAR-10	10369-41	PARTITION EXPANDER; increase number of partitions by 10 (max. 1 per license)	\$ 450
VAX-PAR-20	10369-42	PARTITION EXPANDER; increase number of partitions by 20 (max. 1 per license)	\$ 900
VAX-SW240-1YR	10369-60	1 YEAR LICENSE (LARGE); supports up to 240 doors, 240 cameras, 40 partitions, unlimited elevator cabs, unlimited I/O, unmanaged doors, and LDAP support. Includes all updates and bug fixes during this time.	\$ 1,120
VAX-SW240-5YR	10369-61	5 YEAR LICENSE (LARGE); supports up to 240 doors, 240 cameras, 40 partitions, unlimited elevator cabs, unlimited I/O, unmanaged doors, and LDAP support. Includes all updates and bug fixes during this time.	\$ 4,420
VAX-CSM-2P	10370-01	MOBILE AND CONTACTLESS SMARTCARD CREDENTIALS; high-security ISO-style card; MIFARE DESFire EV2 compliant; 2K memory	\$ 10

Product Codes

Model	Product Code	Description	MSRP
VAX-CSM-2S	10370-02	MOBILE AND CONTACTLESS SMARTCARD CREDENTIALS; high-security ISO-style card with HiCo magnetic stripe; MIFARE DESFire EV2 compliant; 2K memory	\$ 11
VAX-CSK-2	10370-03	MOBILE AND CONTACTLESS SMARTCARD CREDENTIALS; high-security key fob style; MIFARE DESFire EV2 compliant	\$ 11
VAX-DK1-3	10370-04	KEY FOB SMARTCARD; small tag designed to be carried on a key ring; MIFARE compliant; 1 K-byte memory	\$ 10
VAX-DK4-3	10370-05	KEY FOB SMARTCARD; small tag designed to be carried on a key ring; MIFARE compliant; 4 K-byte memory	\$ 14
VAX-CSC-2	10370-06	MOBILE AND CONTACTLESS SMARTCARD CREDENTIALS; high-security clamshell style; MIFARE DESFire EV2 compliant	\$ 10
VAX-DC1-1	10370-07	SMARTCARD; clamshell style; MIFARE compliant; 1 K-byte memory	\$ 5
VAX-DC4-1	10370-08	SMARTCARD; clamshell style; MIFARE compliant; 4 K-byte memory	\$ 7
VN-VIEWERV8	10371-00	VICONNET 16-CHANNEL VIEWER SOFTWARE. Single PC license. Included free as standard viewer within all ViconNet DVR and IP	\$ 278
VWS-V8-10	10371-15	VICONNET MULTI-PACK: 10 user license pack of VWS software	\$ 4,695
VPK-V8-10	10371-20	VICONNET PEAK MULTI-PACK: 10 user license pack of VPK software	\$ 22,167
VWS-SWV8	10372-00	VICONNET WORKSTATION SOFTWARE; for use with ViconNet Digital Recorders, Video Encoders and ViconNet IP Cameras. Full ViconNet functionality except recording. Single PC license.	\$ 825
VPK-SWV8	10372-20	VICONNET PEAK NVR SOFTWARE; for use with ViconNet Digital Recorders, Video Encoders and ViconNet IP Cameras. Full ViconNet functionality including recording. Single PC license.	\$ 8,000
VNUC-SWV8	10382-00	VICONNET NUCLEUS/WEB SERVER SOFTWARE. Single server license.	\$ 1,056
VN-RMT-SWV8	10383-00	VICONNET WEB SERVICE AND MOBILE APPLICATION SOFTWARE; software package for PC being used as a standalone Web Service or with mobile application. Single server license.	\$ 1,056
VMDC-SWV8	10388-00	VIRTUAL MATRIX DISPLAY CONTROLLER SOFTWARE; installation on 3rd party server	\$ 3,835
VAX-DEMO	10394-00	DEMO ACCESS CONTROL KIT; includes VAX-SW40-1YR	\$ 2,150
VAX-RUGGED-DEMO	10394-10	DEMO ACCESS CONTROL KIT; rugged case; includes VAX-SW40-1YR	\$ 3,200
VN-KEYPAD	10395-00	KEYPAD; used to control ViconNet digital video management systems, including Virtual Matrix Display Controller (VMDC); desk-top design; connect and power via USB cable	\$ 1,575
V922B-W551MIR-A1	10398-40	OUTDOOR FIXED NETWORK BULLET CAMERA; 2 MP; true WDR; 5-51 mm motorized varifocal lens; IR illuminators	\$ 1,200
VLR-1TB-A	10450-02	RECORDING SERVER; for Valerus VMS system. Preloaded with software; 1 TB internal HDD storage; also for use with external RAID; desktop case. Vicon certified hardware with i7 processor and 16 GB RAM.	\$ 3,407
VLR-2TB-A	10450-07	RECORDING SERVER; for Valerus VMS system. Preloaded with software; 2 TB internal HDD storage; desktop case. Vicon certified hardware with i7 processor and 16 GB RAM.	\$ 3,491
VLR-4TB-A	10450-17	RECORDING SERVER; for Valerus VMS system. Preloaded with software; 4 TB internal HDD storage; desktop case. Vicon certified hardware with i7 processor and 16 GB RAM.	\$ 4,116
VLR-6TB-A	10450-22	RECORDING SERVER; for Valerus VMS system. Preloaded with software; 6 TB internal HDD storage; desktop case. Vicon certified hardware with i7 processor and 16 GB RAM.	\$ 4,365
VLR-8TB-A	10450-27	RECORDING SERVER; for Valerus VMS system. Preloaded with software; 8 TB internal HDD storage; desktop case. Vicon certified hardware with i7 processor and 16 GB RAM.	\$ 4,748
VLR-10TB-A	10450-32	RECORDING SERVER; for Valerus VMS system. Preloaded with software; 10 TB internal HDD storage; rack-mount. Vicon certified hardware with i7 processor and 16 GB RAM.	\$ 5,247
VLR-12TB-A	10450-37	RECORDING SERVER; for Valerus VMS system. Preloaded with software; 12 TB internal HDD storage; tower case. Vicon certified hardware with i7 processor and 16 GB RAM.	\$ 5,487
VLR-14TB-A	10450-42	RECORDING SERVER; for Valerus VMS system. Preloaded with software; 14 TB internal HDD storage; tower case. Vicon certified hardware with i7 processor and 16 GB RAM.	\$ 5,757
VLR-16TB-A	10450-47	RECORDING SERVER; for Valerus VMS system. Preloaded with software; 16 TB internal HDD storage; tower case. Vicon certified hardware with i7 processor and 16 GB RAM.	\$ 6,031

Product Codes

Model	Product Code	Description	MSRP
VLR-20TB-A	10450-57	RECORDING SERVER; for Valerus VMS system. Preloaded with software; 20 TB internal HDD storage; tower case. Vicon certified hardware with i7 processor and 16 GB RAM.	\$ 6,783
VLR-1TB-A-RK	10451-02	RECORDING SERVER; for Valerus VMS system. Preloaded with software; 1 TB internal HDD storage; also for use with external RAID; rack-mount. Vicon certified hardware with i7 processor and 16 GB RAM.	\$ 4,095
VLR-2TB-A-RK	10451-07	RECORDING SERVER; for Valerus VMS system. Preloaded with software; 2 TB internal HDD storage; rack-mount. Vicon certified hardware with i7 processor and 16 GB RAM.	\$ 4,173
VLR-4TB-A-RK	10451-17	RECORDING SERVER; for Valerus VMS system. Preloaded with software; 4 TB internal HDD storage; rack-mount. Vicon certified hardware with i7 processor and 16 GB RAM.	\$ 4,886
VLR-6TB-A-RK	10451-22	RECORDING SERVER; for Valerus VMS system. Preloaded with software; 6 TB internal HDD storage; rack-mount. Vicon certified hardware with i7 processor and 16 GB RAM.	\$ 5,138
VLR-8TB-A-RK	10451-27	RECORDING SERVER; for Valerus VMS system. Preloaded with software; 8 TB internal HDD storage; rack-mount. Vicon certified hardware with i7 processor and 16 GB RAM.	\$ 5,540
VLR-10TB-A-RK	10451-32	RECORDING SERVER; for Valerus VMS system. Preloaded with software; 10 TB internal HDD storage; rack-mount. Vicon certified hardware with i7 processor and 16 GB RAM.	\$ 6,064
VLR-12TB-A-RK	10451-37	RECORDING SERVER; for Valerus VMS system. Preloaded with software; 12 TB internal HDD storage; rack-mount. Vicon certified hardware with i7 processor and 16 GB RAM.	\$ 6,384
VLR-14TB-A-RK	10451-42	RECORDING SERVER; for Valerus VMS system. Preloaded with software; 14 TB internal HDD storage; rack-mount. Vicon certified hardware with i7 processor and 16 GB RAM.	\$ 6,627
VLR-16TB-A-RK	10451-47	RECORDING SERVER; for Valerus VMS system. Preloaded with software; 16 TB internal HDD storage; rack-mount. Vicon certified hardware with i7 processor and 16 GB RAM.	\$ 6,912
VLR-20TB-A-RK	10451-57	RECORDING SERVER; for Valerus VMS system. Preloaded with software; 20 TB internal HDD storage; rack-mount. Vicon certified hardware with i7 processor and 16 GB RAM.	\$ 7,668
VLR-11TB-R5-A	10452-75	1U RECORDING SERVER; for Valerus. Preloaded with NVR software; includes internal RAID with 16 TB raw storage and 11 TB usable storage and a redundant power supply; 4-bay; RAID5; rack-mount. Vicon certified hardware with i7 processor and 16 GB RAM.	\$ 9,201
VLR-17TB-R5-A	10452-80	1U RECORDING SERVER; for Valerus. Preloaded with NVR software; includes internal RAID with 24 TB raw storage and 17 TB usable storage and a redundant power supply; 4-bay; RAID5; rack-mount. Vicon certified hardware with i7 processor and 16 GB RAM.	\$ 10,096
VLR-22TB-R5-A	10452-85	1U RECORDING SERVER; for Valerus. Preloaded with NVR software; includes internal RAID with 32 TB raw storage and 22 TB usable storage and a redundant power supply; 4-bay; RAID5; rack-mount. Vicon certified hardware with i7 processor and 16 GB RAM.	\$ 11,329
VLR-34TB-R5-A	10452-90	1U RECORDING SERVER; for Valerus. Preloaded with NVR software; includes internal RAID with 48 TB raw storage and 34 TB usable storage and redundant power supply; 4-bay; RAID5; rack-mount. Vicon certified hardware with i7 processor and 16 GB RAM.	\$ 15,047
VLR-APPSRV-A	10453-05	APPLICATION SERVER; PC preloaded with Valerus software; includes Web Server; desktop case. Vicon certified hardware with i7 processor and 16 GB RAM.	\$ 3,230
VLR-APPSRV-A-RK	10453-15	APPLICATION SERVER; PC preloaded with Valerus software; includes Web Server; rack-mount. Vicon certified hardware with i7 processor and 16 GB RAM.	\$ 3,689
VLR-VN-GW-A	10453-30	VALERUS-VICONNET GATEWAY SERVER; PC preloaded with Gateway and required VIconNet software; desktop case. Vicon certified hardware with i7 processor and 16 GB RAM. Requires separate Gateway license.	\$ 3,230
VLR-VN-GW-A-RK	10453-35	VALERUS-VICONNET GATEWAY SERVER; PC preloaded with Gateway and required VIconNet software; rack-mount. Vicon certified hardware with i7 processor and 16 GB RAM. Requires separate Gateway license.	\$ 3,689
VLR-CLIENT-A	10454-02	VIEWING STATION; PC for viewing and operating Valerus VMS; 2 monitor output support; desktop case; supports up to 4K resolution. Vicon certified hardware with i7 processor and 16 GB RAM.	\$ 3,407

Product Codes

Model	Product Code	Description	MSRP
VLR-CLIENT-4-A	10454-07	VIEWING STATION; PC for viewing and operating Valerus VMS; 4 monitor output support; tower; supports up to 4K resolution; Vicon certified hardware with i7 processor and 16 GB RAM.	\$ 4,484
VLR-CLIENT-A-RK	10454-12	VIEWING STATION; PC for viewing and operating Valerus VMS; 2 monitor output support; rack-mount; supports up to 4K resolution. Vicon certified hardware with i7 processor and 16 GB RAM.	\$ 3,754
VLR-CLIENT-4-A-RK	10454-17	VIEWING STATION; PC for viewing and operating Valerus VMS; 4 monitor output support; rack-mount; supports up to 4K resolution; Vicon certified hardware with i7 processor and 16 GB RAM.	\$ 5,236
VLR-CORE-LIC	10455-00	VALERUS CORE LICENSE; single edge device new license for use with third party cameras/encoders including the VLR-ENC-16	\$ 95
VLR-PRO-LIC	10455-05	VALERUS PRO LICENSE; single edge device new license for use with third party cameras/encoders including the VLR-ENC-16	\$ 165
VLR-ENT-LIC	10455-07	VALERUS ENT LICENSE; single edge device new license for use with third party cameras/encoders including the VLR-ENC-16	\$ 255
VLR-CORE-LIC-ADD	10455-10	VALERUS CORE LICENSE ADD-ON; single edge device license to add-on to existing license; for use with third party cameras/encoders including the VLR-ENC-16	\$ 95
VLR-PRO-LIC-ADD	10455-15	VALERUS PRO LICENSE ADD-ON; single edge device license to add on to existing license; for use with third party cameras/encoders including the VLR-ENC-16	\$ 165
VLR-ENT-LIC-ADD	10455-17	VALERUS ENT LICENSE ADD-ON; single edge device license to add on to existing licenses; for use with third party cameras/encoders including the VLR-ENC-16	\$ 255
VLR-VCORE-LIC	10455-20	VALERUS CORE LICENSE; single edge device new license for use with Vicon cameras and single-channel encoder	\$ 56
VLR-VPRO-LIC	10455-25	VALERUS PRO LICENSE; single edge device new license for use with Vicon cameras and single-channel encoder	\$ 111
VLR-VENT-LIC	10455-27	VALERUS ENT LICENSE; single edge device new license for use with Vicon cameras and single-channel encoder	\$ 170
VLR-VCORE-LIC-ADD	10455-30	VALERUS CORE LICENSE ADD-ON; single edge device license add-on to existing license; for use with Vicon cameras and single-channel encoder	\$ 56
VLR-VPRO-LIC-ADD	10455-35	VALERUS PRO LICENSE ADD-ON; single edge device license to add on to existing licenses; for use with Vicon cameras and single-channel encoder	\$ 111
VLR-VENT-LIC-ADD	10455-37	VALERUS ENT LICENSE ADD-ON; single edge device license to add on to existing licenses; for use with Vicon cameras and single-channel encoder	\$ 170
VLR-VN-GW-LIC	10455-40	VALERUS-VICONNET GATEWAY LICENSE; bridge existing ViconNet system to a new Valerus system	\$ 5,000
VLR-VN-GW-LIC-ADD	10455-45	UPGRADE VALERUS-VICONNET GATEWAY LICENSE; bridge existing ViconNet system to an existing Valerus system	\$ 5,000
VLR-REDSRV-LIC	10455-50	VALERUS LICENSE FOR REDUNDANT APPLICATION SERVER; for new Valerus system	\$ 500
VLR-REDSRV-LIC-ADD	10455-55	VALERUS UPGRADE LICENSE FOR REDUNDANT APPLICATION SERVER; for existing Valerus Systems; to provide activation key	\$ 500
VLR-CORE-UPP	10456-00	UPGRADE PROTECTION PLAN; for Valerus CORE tier; per device. Guarantee free upgrades for one year.	\$ 11
VLR-CORE-UPP-3	10456-01	UPGRADE PROTECTION PLAN; for Valerus CORE tier; per device. Guarantee free upgrades for three years.	\$ 25
VLR-CORE-UPP-5	10456-02	UPGRADE PROTECTION PLAN; for Valerus CORE tier; per device. Guarantee free upgrades for five years.	\$ 38
VLR-PRO-UPP	10456-05	UPGRADE PROTECTION PLAN; for Valerus PRO tier; per third party device. Guarantee free upgrades for one year.	\$ 22
VLR-PRO-UPP-3	10456-06	UPGRADE PROTECTION PLAN; for Valerus PRO tier; per device. Guarantee free upgrades for three years.	\$ 49
VLR-PRO-UPP-5	10456-07	UPGRADE PROTECTION PLAN; for Valerus PRO tier; per device. Guarantee free upgrades for five years.	\$ 77
VLR-CORE-VER	10456-20	VERSION UPGRADE FOR VALERUS SOFTWARE; to next version; CORE tier; per third party device	\$ 38
VLR-PRO-VER	10456-25	VERSION UPGRADE FOR VALERUS SOFTWARE; to next version; PRO tier; per third party device	\$ 66
VLR-VCORE-VER	10456-30	VERSION UPGRADE FOR VALERUS SOFTWARE; to next version; CORE tier; per Vicon device	\$ 22
VLR-VPRO-VER	10456-35	VERSION UPGRADE FOR VALERUS SOFTWARE; to next version; PRO tier; per Vicon device	\$ 44
VLR-VN-GW-UPP-1	10456-40	UPGRADE PROTECTION PLAN; for Valerus-ViconNet Gateway; 1 year; per device	\$ 175

Product Codes

Model	Product Code	Description	MSRP
VLR-VN-GW-UPP-3	10456-50	UPGRADE PROTECTION PLAN; for Valerus-ViconNet Gateway; 3 year; per device	\$ 500
VLR-VN-GW-UPP-5	10456-55	UPGRADE PROTECTION PLAN; for Valerus-ViconNet Gateway; 5 year; per device	\$ 675
VLR-CORE-UPP-ADD	10456-60	UPGRADE PROTECTION PLAN ADD-ON; add device to existing CORE tier UPP; 1 year; per device	Contact Vicon Sales
VLR-CORE-UPP-3-ADD	10456-61	UPGRADE PROTECTION PLAN ADD-ON; add device to existing CORE tier UPP; 3 year; per device	Contact Vicon Sales
VLR-CORE-UPP-5-ADD	10456-62	UPGRADE PROTECTION PLAN ADD-ON; add device to existing CORE tier UPP; 5 year; per device	Contact Vicon Sales
VLR-PRO-UPP-ADD	10456-70	UPGRADE PROTECTION PLAN ADD-ON; add device to existing PRO tier UPP; 1 year; per device	Contact Vicon Sales
VLR-PRO-UPP-3-ADD	10456-71	UPGRADE PROTECTION PLAN ADD-ON; add device to existing PRO tier UPP; 3 year; per device	Contact Vicon Sales
VLR-PRO-UPP-5-ADD	10456-72	UPGRADE PROTECTION PLAN ADD-ON; add device to existing PRO tier UPP; 5 year; per device	Contact Vicon Sales
VLR-ENT-UPP	10456-80	UPGRADE PROTECTION PLAN; for Valerus ENT tier; per device. Guarantee free upgrades for one year.	\$ 34
VLR-ENT-UPP-3	10456-81	UPGRADE PROTECTION PLAN; for Valerus ENT tier; per device. Guarantee free upgrades for three years.	\$ 76
VLR-ENT-UPP-5	10456-82	UPGRADE PROTECTION PLAN; for Valerus ENT tier; per device. Guarantee free upgrades for five years.	\$ 119
VLR-ENT-UPP-ADD	10456-83	UPGRADE PROTECTION PLAN ADD-ON; add device to existing ENT tier UPP; 1 year; per device	Contact Vicon Sales
VLR-ENT-UPP-3-ADD	10456-84	UPGRADE PROTECTION PLAN ADD-ON; add device to existing ENT tier UPP; 3 years; per device	Contact Vicon Sales
VLR-ENT-UPP-5-ADD	10456-85	UPGRADE PROTECTION PLAN ADD-ON; add device to existing ENT tier UPP; 5 years; per device	Contact Vicon Sales
VLR-ENT-VER	10456-90	VERSION UPGRADE FOR VALERUS SOFTWARE; to next version; ENT tier; per third party device	\$ 102
VLR-VENT-VER	10456-91	VERSION UPGRADE FOR VALERUS SOFTWARE; to next version; ENT tier; per Vicon device	\$ 68
VLR-CORE-PRO	10457-00	TIER UPGRADE FOR VALERUS SOFTWARE; from CORE to PRO; third party devices; when purchased with current UPP; per device	\$ 121
VLR-CORE-PRO-NP	10457-05	TIER UPGRADE FOR VALERUS SOFTWARE; from CORE to PRO; third party devices; when purchased without current UPP; per device	\$ 194
VLR-VCORE-PRO	10457-10	TIER UPGRADE FOR VALERUS SOFTWARE; from CORE to PRO; Vicon devices; when purchased with current UPP; per device	\$ 55
VLR-VCORE-PRO-NP	10457-15	TIER UPGRADE FOR VALERUS SOFTWARE; from CORE to PRO; Vicon devices; when purchased without current UPP; per device	\$ 88
VLR-CORE-ENT	10457-20	TIER UPGRADE FOR VALERUS SOFTWARE; from CORE to ENT; third party devices; when purchased with current UPP; per device	\$ 160
VLR-VCORE-ENT	10457-25	TIER UPGRADE FOR VALERUS SOFTWARE; from CORE to ENT; Vicon devices; when purchased with current UPP; per device	\$ 114
VLR-PRO-ENT	10457-30	TIER UPGRADE FOR VALERUS SOFTWARE; from PRO to ENT; third party devices; when purchased with current UPP; per device	\$ 90
VLR-VPRO-ENT	10457-35	TIER UPGRADE FOR VALERUS SOFTWARE; from PRO to ENT; Vicon devices; when purchased with current UPP; per device	\$ 59
VLR-CORE-ENT-NP	10457-40	TIER UPGRADE FOR VALERUS SOFTWARE; from CORE to ENT; third party devices; when purchased without current UPP; per device	\$ 256
VLR-VCORE-ENT-NP	10457-45	TIER UPGRADE FOR VALERUS SOFTWARE; from CORE to ENT; Vicon devices; when purchased without current UPP; per device	\$ 182
VLR-PRO-ENT-NP	10457-50	TIER UPGRADE FOR VALERUS SOFTWARE; from PRO to ENT; third party devices; when purchased without current UPP; per device	\$ 144
VLR-VPRO-ENT-NP	10457-55	TIER UPGRADE FOR VALERUS SOFTWARE; from PRO to ENT; Vicon devices; when purchased without current UPP; per device	\$ 95
VLR-MINI-6TBV1	10462-15	VALERUS MINI RECORDING SERVER; equipped with 6 TB HDD; can be used as all-in-one system server or recording server; up to 35 channels. Vicon certified hardware. Requires separate edge device connection license.	\$ 2,156
VWS-PCV8-A	10465-05	PC WITH PRELOADED VWS-SW SOFTWARE; for use with ViconNet Digital Recorders, Video Encoders and ViconNet IP Cameras. Full ViconNet functionality except recording. Windows 10. Single license.	\$ 3,399

Product Codes

Model	Product Code	Description	MSRP
VWS-PCV8-B-RK	10465-11	PC WITH PRELOADED VWS-SW SOFTWARE; for use with ViconNet Digital Recorders, Video Encoders and ViconNet IP Cameras. Full ViconNet functionality except recording; Windows 10; rack-mount with brushed aluminum front bezel. Single license.	\$ 3,965
VPK-SANV8-A	10466-00	NETWORK VIDEO RECORDER; preloaded ViconNet, for use with external VN-SAN RAID only; no internal HDD storage; Windows 10; desktop case	\$ 8,500
VPK-6TBV8-A	10466-25	NETWORK VIDEO RECORDER; preloaded ViconNet, view, record and configure ViconNet IP devices and recorders; 6 TB internal HDD storage; Windows 10; desktop case	\$ 8,700
VPK-SANV8-B-RK	10467-01	NETWORK VIDEO RECORDER; preloaded ViconNet, for use with external VN-SAN RAID only; no internal HDD storage; Windows 10; rack mount with brushed aluminum front bezel	\$ 8,650
VPK-6TBV8-B-RK	10467-26	NETWORK VIDEO RECORDER; preloaded ViconNet, view, record and configure ViconNet IP devices and recorders; 6 TB internal HDD storage; Windows 10; rack-mount with brushed aluminum front bezel	\$ 8,950
VPK-12TBV8-B-RK	10467-41	NETWORK VIDEO RECORDER; preloaded ViconNet, view, record and configure ViconNet IP devices and recorders; 12 TB internal HDD storage; Windows 10; rack-mount with brushed aluminum front bezel	\$ 9,200
VPK-11TBV8-R5-1	10468-07	1U NETWORK VIDEO RECORDER; preloaded ViconNet, view, record and configure ViconNet IP devices and recorders; internal RAID with 16 TB raw and 11 TB usable storage and a redundant power supply; 4-bay; RAID5; i5 processor; Windows 10; rack-mount. Vicon certified hardware.	\$ 12,855
VPK-17TBV8-R5-1	10468-12	1U NETWORK VIDEO RECORDER; preloaded ViconNet, view, record and configure ViconNet IP devices and recorders; internal RAID with 24 TB raw and 17 TB usable storage and a redundant power supply; 4-bay; RAID5; i5 processor; Windows 10; rack-mount. Vicon certified hardware.	\$ 13,495
VPK-34TBV8-R5	10468-60	1U NETWORK VIDEO RECORDER; preloaded ViconNet, view, record and configure ViconNet IP devices and recorders; internal RAID with 48 TB raw and 34 TB usable storage and a redundant power supply; 4-bay; RAID5; i5 processor; Windows 10; rack-mount. Vicon certified hardware.	\$ 18,050
VPK-62TBV8-R5	10468-62	2U NETWORK VIDEO RECORDER; preloaded ViconNet, view, record and configure ViconNet IP devices and recorders; internal RAID with 72 TB raw storage and 62 TB usable storage and redundant OS and power supply; 12-bay; RAID5; Xeon E3 processor; Windows 10; rack-mount.	\$ 23,295
VPK-83TBV8-R5	10468-64	2U NETWORK VIDEO RECORDER; preloaded ViconNet, view, record and configure ViconNet IP devices and recorders; internal RAID with 96 TB raw storage and 83 TB usable storage and redundant OS and power supply; 12-bay; RAID5; Xeon E3 processor; Windows 10; rack-mount. Vicon certified hardware.	\$ 27,495
VPK-125TBV8-R5	10468-66	2U NETWORK VIDEO RECORDER; preloaded ViconNet, view, record and configure ViconNet IP devices and recorders; internal RAID with 144 TB raw storage and 125 TB usable storage and redundant OS and power supply; 12-bay; RAID5; Xeon E3 processor; Windows 10; rack-mount. Vicon certified hardware.	\$ 38,495
VPK-174TBV8-R5	10468-68	4U NETWORK VIDEO RECORDER; preloaded ViconNet, view, record and configure ViconNet IP devices and recorders; internal RAID with 192 TB raw storage and 174 TB usable storage and redundant OS and power supply; 24-bay; RAID5; Xeon E3 processor; Windows 10; rack-mount. Vicon certified hardware.	\$ 46,725
VNUC-PCV8-A	10472-05	PC WITH PRELOADED VICONNET VNUC-SWV7 NUCLEUS/WEB SERVER SOFTWARE; max 10 concurrent users. Windows 10. Single license.	\$ 3,399
VNUC-PCV8-B-RK	10472-11	PC WITH PRELOADED VICONNET VNUC-SWV7 NUCLEUS/WEB SERVER SOFTWARE; max 10 concurrent users; Windows 10; rack-mount with brushed aluminum front bezel. Single license.	\$ 3,965
VMDC-2V8-A	10474-10	VIRTUAL MATRIX DISPLAY CONTROLLER; 2 display outputs; supports up to 4K resolution; Windows 10; tower case	\$ 6,278
VMDC-4V8-A	10474-15	VIRTUAL MATRIX DISPLAY CONTROLLER; 4 display outputs; supports up to 4K resolution; Windows 10; tower case	\$ 6,744
VMDC-6V8-B	10474-40	VIRTUAL MATRIX DISPLAY CONTROLLER; 6 display outputs; supports up to 4K resolution; Windows 10; tower case	\$ 7,222
VMDC-2V8-B-RK	10474-45	VIRTUAL MATRIX DISPLAY CONTROLLER; 2 display outputs; supports up to 4K resolution; Windows 10; 3U rack mount	\$ 6,578
VMDC-4V8-B-RK	10474-50	VIRTUAL MATRIX DISPLAY CONTROLLER; 4 display outputs; supports up to 4K resolution; Windows 10; 3U rack mount	\$ 7,100
VMDC-6V8-B-RK	10474-55	VIRTUAL MATRIX DISPLAY CONTROLLER; 6 display outputs; supports up to 4K resolution; Windows 10; 3U rack mount	\$ 7,500
SVFT-UWM-1	10476-00	WALL MOUNT; large; indoor/outdoor; compatible with V2000D-PTZ/V682-PTZ and V2000D-PM	\$ 152

Product Codes

Model	Product Code	Description	MSRP
SVFT-WM-1	10476-05	WALL MOUNT; small; indoor/outdoor; compatible with V2000D-PTZ/V682-PTZ and V2000D-PM	\$ 87
SVFT-UCM-1	10476-15	CEILING MOUNT; indoor/outdoor; compatible with V2000D-PTZ/V682-PTZ	\$ 53
SVFT-UPM-2	10476-20	UNIVERSAL PARAPET MOUNT; indoor/outdoor	\$ 327
V-20B-A-4	10476-48	POLE MOUNT ADAPTER; for 4-10 in. diameter poles; painted aluminum construction, includes mounting straps; for pole mounting with a variety of Vicon mounting equipment	\$ 183
V-24CMB-4	10476-49	OUTSIDE CORNER MOUNT BRACKET; for corner mounting with a variety of Vicon mounts	\$ 112
V672D-W312MIR	10484-00	HD ANALOG (AHD/TVI/CVBS) OUTDOOR DOME CAMERA; 2 MP; true WDR; 2.8-12 mm motorized varifocal autoiris lens; IR illuminators; plastic housing; can be mounted in-ceiling with use of integral flippers. NDAA	\$ 330
V672B-W312MIR	10485-00	HD ANALOG (AHD/TVI/CVBS) OUTDOOR BULLET CAMERA; 2 MP; true WDR; 2.8-12 mm motorized varifocal autoiris lens; IR illuminators. NDAA compliant.	\$ 330
V1001-WM	10488-05	WALL MOUNT; for use with V1000-1/V2000 series multi-sensor cameras	\$ 125
V1001-PM	10488-15	PENDANT MOUNT; for use with V1000-1/V2000 series multi-sensor	\$ 125
V1001-ADAPT	10488-25	ADAPTER PLATE; allows V1001-WM to be used with V-20B-A-4 pole mount adapter and V-24CMB-4 corner mounting bracket	\$ 50
V672-W-NL	10491-05	HD ANALOG (AHD/TVI/CVBS) DAY/NIGHT BOX CAMERA; 2 MP; true WDR; no lens 12 VDC/24 VAC. NDAA compliant.	\$ 321
V670-HDB243	10492-00	WALL MOUNT; for both indoor and outdoor dome installations; V672D/V672V-1 domes, SN673V and SN693V Cruiser, and is compatible with V670-HCM155 and then V670-HCM150 and V670-HCM151	\$ 94
V670-HCS254V	10492-06	IN-CEILING MOUNTING KIT; for V672V-1 vandal-proof domes	\$ 100
V670-HCM150	10492-10	CORNER MOUNT ADAPTER; compatible with SN683D with the V670-HCM154/V670-HDB242E, SN673V and SN693V Cruiser/V672D/V672V-	\$ 34
V670-HCM151	10492-15	POLE MOUNT ADAPTER; compatible with V980B-BOX, SN683D with the V670-HCM154/V670-HDB242E, SN673V and SN693V Cruiser/V672D/V672V/V672B with the V670-HCM155/V670-HDB243	\$ 48
V670-HDA202-1	10492-21	1.5 IN. NPT PIPE MOUNT ADAPTER; converts dome for pendant mounting or for use with SVFT-WM-1/UWM-1; for V670V-1 domes and SN673V and SN693V Cruiser	\$ 90
V670-HT202VF	10492-25	HEATER; for V670D series outdoor camera domes. Extends unit's low range temperature to -20° F.	\$ 56
V670-HT202VK	10492-26	HEATER; for V670V-1 series outdoor camera domes. Extends unit's low range temperature to -20° F.	\$ 56
V670-SPOT	10492-30	CONNECTOR; allows V670 series cameras to connect to a spot monitor for installation purposes	\$ 17
V670-TRIM	10492-35	TRIM RING; allows the V672 dome cameras to be installed on a 4x4 electrical box	\$ 17
V670-HCM155	10492-40	ADAPTER; allows wall arm to be mounted on a corner or pole mount adapter; compatible with V670-HDB243/V670-HCM-150/V670-HCM-151 for use with SN693V Cruiser/V672D/V672V-1	\$ 59
V670-HCM154	10492-45	ADAPTER; allows pendant arm to be mounted on a corner or pole mount adapter; compatible with V670-HDB242-VS8 for use with SN673V and SN693V Cruiser and V670-HDB242E, V670-HCM150 and V670-HCM151 for use with SN680D	\$ 42
V670-BOX	10492-50	BACKBOX; for ease of cabling; surface mount; for SN673V and SN693V Cruiser	\$ 66
V670-PMB-1	10492-56	PENDANT MOUNT BACKBOX; for ease of cabling; surface mount; can be used with V670-PM/V670-WM; for SN673V and SN693V Cruiser	\$ 66
V670-WM	10492-60	WALL MOUNT; for both indoor and outdoor dome installations; SN673V and SN693V Cruiser, and is compatible with V670-BOX and V670-PMB-1	\$ 160
V670-PM	10492-65	PENDANT MOUNT; can be used with V670-BOX and V670-PMB-1; for SN673V/SN693V Cruiser and V8360W	\$ 160
V672V-W312MIR-1	10493-10	HD ANALOG (AHD/TVI/CVBS) VANDAL-PROOF DOME CAMERA; 2 MP; true WDR; 2.8-12 mm motorized varifocal autoiris lens; IR illuminators; die-cast aluminum housing. NDAA compliant.	\$ 418
VM-623LED-3	10495-12	23.8-INCH LED; 1080p HD resolution (1920 x 1080); 16:9/4:3 aspect ratio, CVBS (BNC) In/Out, HDMI, VGA input	\$ 900
PRO-VLR-AS	10496-00	PRECONFIGURATION OF APPLICATION SERVER; fee per server; set up includes license activation, unit name, network configuration, time synchronization, user and group additions, addition of NVRs and cameras if purchased simultaneously	\$ 335

Product Codes

Model	Product Code	Description	MSRP
PRO-VLR-RS	10496-05	PRECONFIGURATION OF RECORDING SERVER; fee per server; set up includes NVR name, network configuration, time synchronization, storage database configuration	\$ 280
PRO-VLR-GW	10496-10	PRECONFIGURATION OF GATEWAY SERVER; fee per server; set up includes Gateway name, network configuration, time synchronization	\$ 335
PRO-VLR-RAS	10496-15	PRECONFIGURATION OF REDUNDANT APPLICATION SERVER; fee per server; set up includes license activation, programming redundancy, unit name, network configuration, time synchronization, user and group additions	\$ 335
PRO-VLR-CAM	10496-20	PRECONFIGURATION OF NETWORK CAMERAS; fee per camera; includes setup of camera name, network configuration, video stream, time synchronization and labeling	\$ 35
PRO-VLR-VMDC	10496-25	PRECONFIGURATION OF VMDC; fee per VMDC; set up includes unit name, network configuration, Nucleus association, time synchronization and labeling	\$ 225
PRO-VLR-KEYPAD	10496-30	PRECONFIGURATION OF KEYPAD; fee per keypad; set up includes network configuration and labeling	\$ 115
PRO-VLR-FRS	10496-40	PRECONFIGURATION OF FAILOVER RECORDING SERVER; fee per server; set up includes NVR name, network configuration, time synchronization, storage database configuration	\$ 335
VLR-485-DL	10497-00	4-PORT RS-485 DISTRIBUTION LINE (HUB); expands one RS-485 network into four (4), allowing for star configuration wiring	\$ 780
V1100B-THM-15MM	10498-05	THERMAL BULLET CAMERA; 396x264 resolution; 8 to 14 um spectral range; 15 mm lens	\$ 4,550
V1100B-THM-25MM	10498-10	THERMAL BULLET CAMERA; 396x264 resolution; 8 to 14 um spectral range; 25 mm lens	\$ 5,300
V1100B-THM-35MM	10498-20	THERMAL BULLET CAMERA; 396x264 resolution; 8 to 14 um spectral range; 35 mm lens	\$ 5,900
V1100B-THM-50MM	10498-25	THERMAL BULLET CAMERA; 396x264 resolution; 8 to 14 um spectral range; 50 mm lens	\$ 6,500
V1100B-PM	10498-50	POLE MOUNT; for use with the V1100B-THM series thermal cameras	\$ 40
V1100B-BOX	10498-55	JUNCTION BOX; for use with the V1100B-THM series thermal cameras	\$ 50
V1110B-THM-TEMP	10498-60	THERMAL BODY TEMPERATURE MEASUREMENT CAMERA; bi-spectral, 8 mm (thermal) and 2.7-12 mm (visible) lens; H.265/H.264;	\$ 15,192
V1110B-TRP	10498-65	TRIPOD MOUNT FOR V1110B-THM-TEMP; for portable indoor installations	\$ 425
V1110B-WM	10498-66	WALL MOUNT FOR V1110B-THM-TEMP; for indoor and outdoor installation of the camera or blackbody	\$ 60
V1110B-PM	10498-67	PENDANT/CEILING MOUNT FOR V1110B-THM-TEMP; for indoor and outdoor installation of the camera or blackbody	\$ 90
V1110B-BKBD	10498-70	BLACKBODY CALIBRATION DEVICE FOR V1110B-THM-TEMP; device with thermal detection technology to maintain camera calibration accuracy	\$ 5,870
V1111-THM-TB	10498-90	THERMAL BIOMETRIC KIOSK; can be used as a biometric door reader in an access control system; 7-inch display; dual lens; 1024x600 resolution; includes one each wall mount plate and pole mount	\$ 2,305
V1111-DSK	10498-93	DESK MOUNT MOUNT FOR V1111-THM-TB; allows tablet camera to be mounted on a desk; works with V1111-PM (included with tablet camera)	\$ 125
V1111-FLW	10498-95	FLOOR STAND WITH WALL MOUNT FOR V1111-THM-TB; allows tablet camera to be on a floor stand with a wall mount configuration	\$ 275
V1111-FLP	10498-96	FLOOR STAND WITH PENDANT MOUNT FOR V1111-THM-TB; allows tablet camera to be on a floor stand with a pendant mount configuration	\$ 275
VCAM-BOX	10499-00	ADAPTER; allows the camera to mount to a 4x4 electrical box; for V672B/V922B bullet cameras	\$ 66
VCAM-ADAPT	10499-15	BACKBOX; for ease of cabling; for V672B bullet cameras	\$ 37
V682-PTZ	10501-10	OUTDOOR/PENDANT AHD PTZ DOME; AHD/HD-TVI; 2 MP, 20X optical zoom, 16X digital zoom, true WDR. NDAA compliant.	\$ 1,535
VLR-53TB-R5-A	10506-00	2U RECORDING SERVER; for Valerus. Preloaded with NVR software; includes internal RAID with 64 TB raw storage and 53 TB usable storage and redundant OS and power supply; 8-bay; RAID5; Xeon E3 processor and 16 GB RAM; rack-mount. Vicon certified hardware.	\$ 17,213
VLR-62TB-R5-A	10506-05	2U RECORDING SERVER; for Valerus. Preloaded with NVR software; includes internal RAID with 72 TB raw storage and 62 TB usable storage and redundant OS and power supply; 12-bay; RAID5; Xeon E3 processor and 16 GB RAM; rack-mount. Vicon certified hardware.	\$ 19,226
VLR-83TB-R5-A	10506-10	2U RECORDING SERVER; for Valerus. Preloaded with NVR software; includes internal RAID with 96 TB raw storage and 83 TB usable storage and redundant OS and power supply; 12-bay; RAID5; Xeon E3 processor and 16 GB RAM; rack-mount. Vicon certified hardware.	\$ 23,458

Product Codes

Model	Product Code	Description	MSRP
VLR-104TB-R5-A	10506-15	2U RECORDING SERVER; for Valerus. Preloaded with NVR software; includes internal RAID with 120 TB raw storage and 104 TB usable storage and redundant OS and power supply; 12-bay; RAID5; Xeon E3 processor and 16 GB RAM; rack-mount. Vicon certified hardware.	\$ 29,617
VLR-125TB-R5-A	10506-20	2U RECORDING SERVER; for Valerus. Preloaded with NVR software; includes internal RAID with 144 TB raw storage and 125 TB usable storage and redundant OS and power supply; 12-bay; RAID5; Xeon E3 processor and 16 GB RAM; rack-mount. Vicon certified hardware.	\$ 34,796
VLR-174TB-R5-A	10506-25	4U RECORDING SERVER; for Valerus. Preloaded with NVR software; includes internal RAID with 192 TB raw storage and 174 TB usable storage and redundant OS and power supply; 24-bay; RAID5; Xeon E3 processor and 16 GB RAM; rack-mount. Vicon certified hardware.	\$ 43,260
VLR-218TB-R5-A	10506-30	4U RECORDING SERVER; for Valerus. Preloaded with NVR software; includes internal RAID with 240 TB raw storage and 218 TB usable storage and redundant OS and power supply; 24-bay; RAID5; Xeon E3 processor and 16 GB RAM; rack-mount. Vicon certified hardware.	\$ 56,346
VLR-262TB-R5-A	10506-35	4U RECORDING SERVER; for Valerus. Preloaded with NVR software; includes internal RAID with 288 TB raw storage and 262 TB usable storage and redundant OS and power supply; 24-bay; RAID5; Xeon E3 processor and 16 GB RAM; rack-mount. Vicon certified hardware.	\$ 70,629
V-ARM-TR	10514-40	MOUNTING ARM; required interface for combined VTR sensor and the SN683D/SN688D PTZ dome	\$ 508
V-GNB-TR	10514-41	GOOSENECK MOUNTING BRACKET; for VTR/PTZ combination	\$ 1,455
V-PMK-TR	10514-42	POLE MOUNTING KIT; for VTR/PTZ combination	\$ 125
V-CMK-TR	10514-43	CORNER MOUNTING KIT; for VTR/PTZ combination	\$ 157
V-RMK-TR	10514-44	ROOF MOUNTING KIT; for VTR/PTZ combination	\$ 1,455
V2020-WIR-360	10517-20	MULTI-SENSOR STARLIGHT CAMERA; 20 MP; 360° coverage; four 5 MP image sensors; smart IR; four motorized 3.1-10 mm lenses; H.264/H.265; true WDR; provides remote positioning and presets; includes mounting cap; NDAA-compliant	\$ 2,875
V2032-WIR-360	10517-25	MULTI-SENSOR STARLIGHT CAMERA; 32 MP; 360° coverage; four 8 MP image sensors; smart IR; four motorized 3.6-10 mm lenses; H.264/H.265; true WDR; provides remote positioning and presets; includes mounting cap; NDAA-compliant	\$ 3,500
V2000-360-ICD	10517-50	IN-CEILING MOUNTING KIT; allows the V2000-WIR-360 series to be installed in a drop ceiling	\$ 190
VLR-POE-4TB	10550-00	RECORDING SERVER FOR VALERUS VMS SYSTEM; includes 16-channel PoE switch. Preloaded with software; includes 16-channel CORE license for Vicon IP cameras. 4 TB internal HDD storage; Vicon certified hardware with i3-6100 processor, 16 GB RAM, 256G mSATA; Windows 10; rack-mount	\$ 4,739
VLR-POE-8TB	10550-05	RECORDING SERVER FOR VALERUS VMS SYSTEM; includes 16-channel PoE switch. Preloaded with software; includes 16-channel CORE license for Vicon IP cameras. 8 TB internal HDD storage; Vicon certified hardware with i3-6100 processor, 16 GB RAM, 256G mSATA; Windows 10; rack-mount	\$ 5,062
VLR-POE-12TB	10550-10	RECORDING SERVER FOR VALERUS VMS SYSTEM; includes 16-channel PoE switch. Preloaded with software; includes 16-channel CORE license for Vicon IP cameras. 12 TB internal HDD storage; Vicon certified hardware with i3-6100 processor, 16 GB RAM, 256G mSATA; Windows 10; rack-mount	\$ 5,494
VLR-POE-16TB	10550-15	RECORDING SERVER FOR VALERUS VMS SYSTEM; includes 16-channel PoE switch. Preloaded with software; includes 16-channel CORE license for Vicon IP cameras. 16 TB internal HDD storage; Vicon certified hardware with i3-6100 processor, 16 GB RAM, 256G mSATA; Windows 10; rack-mount	\$ 5,823
VLR-POE-24TB	10550-25	RECORDING SERVER FOR VALERUS VMS SYSTEM; includes 16-channel PoE switch. Preloaded with software; includes 16-channel CORE license for Vicon IP cameras. 24 TB internal HDD storage; Vicon certified hardware with i3-6100 processor, 16 GB RAM, 256G mSATA; Windows 10; rack-mount	\$ 6,829
V2002D-W313MIR	10553-00	OUTDOOR VANDAL DOME STARLIGHT CAMERA; 2 MP; true WDR; 3.1-10 mm motorized varifocal lens; IR; advanced analytics; NDAA/GSA/TAA compliant	\$ 481
V2005D-W313MIR	10553-10	OUTDOOR VANDAL DOME STARLIGHT CAMERA; 5 MP; true WDR; 3.1-10 mm motorized varifocal lens; IR; advanced analytics; NDAA/GSA/TAA compliant	\$ 567

Product Codes

Model	Product Code	Description	MSRP
V2008D-W310MIR	10553-15	OUTDOOR VANDAL DOME STARLIGHT CAMERA; 8 MP; true WDR; 3.6-10 mm motorized varifocal lens; IR; advanced analytics; NDAA/GSA/TAA compliant	\$ 683
V2000D-PM	10553-30	PENDANT MOUNT; for the V2000D, V2000D micro dome, V2100D and V2360W series of cameras; compatible with SVFT-WM-1 and SVFT-UWM-1 wall mounts	\$ 67
V2000D-PLATE	10553-40	ADAPTER PLATE; allows the V2000D domes to be mounted to a 4x4 electrical box	\$ 37
V2000D-ICD	10553-45	IN-CEILING MOUNTING KIT; allows the V2000D domes to be installed in a drop ceiling	\$ 144
V2000D-ICH	10553-50	IN-CEILING MOUNTING KIT; allows the V2000D domes to be installed in a hard ceiling	\$ 106
V2002B-W313MIR	10554-00	OUTDOOR VANDAL BULLET STARLIGHT CAMERA; 2 MP; true WDR; 3.1-10 mm motorized varifocal lens; IR; advanced analytics; NDAA/GSA/TAA compliant	\$ 481
V2005B-W313MIR	10554-10	OUTDOOR VANDAL BULLET STARLIGHT CAMERA; 5 MP; true WDR; 3.1-10 mm motorized varifocal lens; IR; advanced analytics;	\$ 567
V2008B-W310MIR	10554-15	OUTDOOR VANDAL BULLET STARLIGHT CAMERA; 8 MP; true WDR; 3.6-10 mm motorized varifocal lens; IR; advanced analytics;	\$ 683
V2000B-PLATE	10554-30	ADAPTER PLATE; allows the V2000B bullet camera to be mounted to a 4x4 electrical box	\$ 37
V2000B-BOX	10554-35	BACKBOX; for ease of cabling for the V2000B bullet camera and V2360W camera	\$ 44
V2002D-W28IR	10555-00	OUTDOOR MICRO DOME STARLIGHT CAMERA; 2 MP; true WDR; 2.8 mm fixed lens; IR; advanced analytics; NDAA/GSA/TAA compliant	\$ 288
V2005D-W28IR	10555-05	OUTDOOR MICRO DOME STARLIGHT CAMERA; 5 MP; true WDR; 2.8 mm fixed lens; IR; advanced analytics; NDAA/GSA/TAA compliant	\$ 356
V2000D-MICRO-PLATE	10555-30	ADAPTER PLATE; allows the V2000D micro domes to be mounted to a 4x4 electrical box	\$ 37
V2000D-MICRO-BOX	10555-35	BACKBOX; for ease of cabling for the V2000D micro dome	\$ 44
V2XXX-WDG	10555-55	WEDGE MOUNT; allows the V2000D micro dome and V2360W panoramic camera to be surface mounted on a tilt to maintain a full view	\$ 60
V2XXX-WDG-PLATE	10555-60	ADAPTER PLATE; allows the V2XXX-WDG to be mounted to a 4x4 electrical box	\$ 37
V2008-W-NL	10556-00	BOX CAMERA; 8 MP; true WDR; CS/i-CS lens mount; advanced analytics; NDAA/GSA/TAA compliant	\$ 625
V2102D-W313MIR	10557-00	OUTDOOR DOME CAMERA; 2 MP; true WDR; 3.1-10 mm motorized varifocal lens; IR; NDAA/GSA/TAA compliant	\$ 375
V2105D-W313MIR	10557-10	OUTDOOR DOME CAMERA; 5 MP; true WDR; 3.1-10 mm motorized varifocal lens; IR; NDAA/GSA/TAA compliant	\$ 442
V2100D-PLATE	10557-30	ADAPTER PLATE; allows the V2100D domes to be mounted to a 4x4 electrical box	\$ 37
V2100D-BOX	10557-35	BACKBOX; for ease of cabling for the V2100D dome	\$ 44
V2100D-ICD	10557-40	IN-CEILING MOUNTING KIT; allows the V2100D domes to be installed in a drop ceiling	\$ 144
V2100D-ICH	10557-45	IN-CEILING MOUNTING KIT; allows the V2100D domes to be installed in a hard ceiling	\$ 106
V2102B-W28IR	10558-00	OUTDOOR BULLET CAMERA; 2 MP; true WDR; 2.8 mm fixed lens; IR; NDAA/GSA/TAA compliant	\$ 279
V2102B-W313MIR	10558-05	OUTDOOR BULLET CAMERA; 2 MP; true WDR; 3.1-10 mm motorized varifocal lens; IR; NDAA/GSA/TAA compliant	\$ 375
V2105B-W28IR	10558-20	OUTDOOR BULLET CAMERA; 5 MP; true WDR; 2.8 mm fixed lens; IR; NDAA/GSA/TAA compliant	\$ 346
V2105B-W313MIR	10558-25	OUTDOOR BULLET CAMERA; 5 MP; true WDR; 3.1-10 mm motorized varifocal lens; IR; NDAA/GSA/TAA compliant	\$ 442
V2100B-PLATE	10558-30	ADAPTER PLATE; allows the V2100B bullet and mini bullet cameras to be mounted to a 4x4 electrical box	\$ 37
V2100B-BOX	10558-35	BACKBOX; for ease of cabling for the V2100B bullet and mini bullet cameras	\$ 44
V2360W-12	10559-00	OUTDOOR PANORAMIC CAMERA; 12 MP; WDR; fisheye 1.5 mm fixed lens; IR; built-in microphone; NDAA/GSA/TAA compliant	\$ 825
V2360W-PLATE	10559-35	ADAPTER PLATE; allows the V2360W dome to be mounted to a 4x4 electrical box	\$ 37
V2360W-ICD	10559-45	IN-CEILING MOUNTING KIT; allows the V2360W-12 dome to be installed in a drop ceiling	\$ 144
V2360W-ICH	10559-50	IN-CEILING MOUNTING KIT; allows the V2360W-12 dome to be installed in a hard ceiling	\$ 106
VTR-3200	10560-00	THERMAL SENSOR CAMERA; 360° thermal imaging module; 320x256 resolution; 6.3 mm focal length; built-in TRIA functionality	\$ 19,449

Product Codes

Model	Product Code	Description	MSRP
VTR-3300	10560-05	THERMAL SENSOR CAMERA; 360° thermal imaging module; 320x256 resolution; 9.1 mm focal length; built-in TRIA functionality	\$ 21,070
VTR-6200	10560-10	THERMAL SENSOR CAMERA; 360° thermal imaging module; 640x512 resolution; 8.7 mm focal length; built-in TRIA functionality	\$ 42,140
VTR-6400	10560-15	THERMAL SENSOR CAMERA; 360° thermal imaging module; 640x512 resolution; 14 mm focal length; built-in TRIA functionality	\$ 43,760
VTR-6600	10560-20	THERMAL SENSOR CAMERA; 360° thermal imaging module; 640x512 resolution; 18 mm focal length; built-in TRIA functionality	\$ 45,381
V2002D-PTZ	10561-00	1080P (2 MP) PTZ DOME STARLIGHT CAMERA; vandal-proof IP66, integral 1/2.8" day/night camera with 4.5-135 mm 30X zoom lens; NDAA/GSA/TAA compliant	\$ 2,350
V4-13VF-P	10563-00	VARIFOCAL LENS; 1-1/8 in. format; 4-13 mm focal length; P-iris; f/1.5, 4K; CS-mount	\$ 625
V12-50VF-P	10563-10	VARIFOCAL LENS; 1-1/8 in. format; 12-50 mm focal length; P-iris; f/1.4, 4K; CS-mount	\$ 625
VC24PS-1	4297-00	POWER SUPPLY; converts 120 VAC to 24 VAC	\$ 19
S24WPS-1	7028-10	POWER SUPPLY; 24 VAC output, 2.0 amps	\$ 29
S28WPS-1	7030-10	POWER SUPPLY; 28 VAC output, 4 amps	\$ 57
PS-24P-380	8495-27	NETWORK SWITCH; smart managed 24-channel gigabit PoE+ ports, 2 gigabit SFP ports, 380 W, rack mount (Netgear model GS724TPP)	\$ 754
PS-10PP-240	8495-28	NETWORK SWITCH; smart managed 10-channel with 4 gigabit PoE+ ports, 4 gigabit 802.3bt PoE++ ports, 1 gigabit non-PoE copper port and 1 gigabit SFP port; 240 W; desk mount (Netgear model GS110TUP)	\$ 686
PS-10PP-480	8495-29	NETWORK SWITCH; smart managed 10-channel with 8 gigabit 802.3bt PoE++ ports, 1 gigabit non-PoE copper port and 1 gigabit SFP port; 480 W; rack mount (Netgear model GS710TUP)	\$ 1,029
VLR-SWH-INTV2.80	9101-68	VALERUS-SOFTWARE HOUSE INTEGRATION PACKAGE; version 2.80; to use Valerus min version 18R2 on a Software House C-CURE 9000 access control workstation	\$ 1,000
VN-SHD-HD1T	9127-30	HARD DRIVE REPLACEMENT KIT; for Shadow, SATA, 1 TB	\$ 260
VN-SHD-2T	9127-32	HARD DRIVE REPLACEMENT KIT; for Shadow, SATA, 2 TB	\$ 413
VN-SHD-4T	9127-34	HARD DRIVE REPLACEMENT KIT; for Shadow, SATA, 4 TB	\$ 595
VN-SHD-6T	9127-35	HARD DRIVE REPLACEMENT KIT; for Shadow, SATA, 6 TB	\$ 637
VN-SHD-8T	9127-37	HARD DRIVE REPLACEMENT KIT; for Shadow, SATA, 8 TB	\$ 826
VN-SHD-10T	9127-38	HARD DRIVE REPLACEMENT KIT; for Shadow, SATA, 10 TB	\$ 1,032
VN-SHD-12T	9127-39	HARD DRIVE REPLACEMENT KIT; for Shadow, SATA, 12 TB	\$ 1,175
VN-CAM-LIC	9612-00	CONNECTION LICENSE; for non-ViconNet cameras to ViconNet system. One camera license.	\$ 600
FMC-TRRM-A	9947-10	2-PORT RACK-MOUNT MEDIA CONVERTER; 10/100 Mbps Ethernet, AC/DC powered; utilizes ST connectors (1310 nm) with power supply, multimode fiber; order as a set with one A and one B model	\$ 660
FMC-TRRM-B	9947-20	2-PORT RACK-MOUNT MEDIA CONVERTER; 10/100 Mbps Ethernet, AC/DC powered; utilizes ST connectors (1550 nm) with power supply, multimode fiber; order as a set with one A and one B model	\$ 660
FMC-RK	9948-50	14-SLOT CARD CAGE; includes internal power supply	\$ 998
FMC-BP	9948-60	BLANK PANEL; for FMC-RK, 1-inch	\$ 28
FMC-TRM-A	9949-00	2-PORT MINI MEDIA CONVERTER; 10/100 Mbps Ethernet, AC/DC powered; utilizes ST connectors (1310 nm) with power supply, multimode fiber; order as a set with one A and one B model	\$ 660
FMC-TRM-B	9949-01	2-PORT MINI MEDIA CONVERTER; 10/100 Mbps Ethernet, AC/DC powered; utilizes ST connectors (1550 nm) with power supply, multimode fiber; order as a set with one A and one B model	\$ 660
VERA-SF7T2D-N01	M00A00	RECORDING SERVER; 8 TB gross storage (7.2 TB usable); supports 100 IP cameras at 200 Mbps and dual 4K monitors using onboard graphics. Small form factor. Intel 10th Gen i7 processor with 16 GB DDR4 RAM. Windows 10 Enterprise IoT on 250 GB SSD. Dual Gigabit network ports. 200 W power supply. Includes eight complimentary PRO licenses for Vicon IP cameras and five year NBD Onsite KYHD warranty with UL/FCC/CE and other required certifications. NDAA compliant.	\$ 5,390
VERA-SF7T2D-N00	M00A01	RECORDING SERVER; 8 TB gross storage (7.2 TB usable); supports 100 IP cameras at 200 Mbps and dual 4K monitors using onboard graphics. Small form factor. Intel 10th Gen i3 processor with 8 GB DDR4 RAM. Windows 10 Enterprise IoT on 250 GB SSD. Dual Gigabit network ports. 200 W power supply. Includes eight complimentary PRO licenses for Vicon IP cameras and five year NBD Onsite KYHD warranty with UL/FCC/CE and other required certifications. NDAA compliant.	\$ 4,090

Product Codes

Model	Product Code	Description	MSRP
VERA-SF3T6D-N01	M00A02	RECORDING SERVER; 4 TB gross storage (3.6 TB usable); supports 100 IP cameras at 200 Mbps and dual 4K monitors using onboard graphics. Small form factor. Intel 10th Gen i7 processor with 16 GB DDR4 RAM. Windows 10 Enterprise IoT on 250 GB SSD. Dual Gigabit network ports. 200 W power supply. Includes eight complimentary PRO licenses for Vicon IP cameras and five year NBD Onsite KYHD warranty with UL/FCC/CE and other required certifications. NDAA compliant.	\$ 5,190
VERA-SF3T6D-N00	M00A03	RECORDING SERVER; 4 TB gross storage (3.6 TB usable); supports 100 IP cameras at 200 Mbps and dual 4K monitors using onboard graphics. Small form factor. Intel 10th Gen i3 processor with 8 GB DDR4 RAM. Windows 10 Enterprise IoT on 250 GB SSD. Dual Gigabit network ports. 200 W power supply. Includes eight complimentary PRO licenses for Vicon IP cameras and five year NBD Onsite KYHD warranty with UL/FCC/CE and other required certifications. NDAA compliant.	\$ 3,890
VERA-SF1T8D-N01	M00A04	RECORDING SERVER; 2 TB gross storage (1.8 TB usable); supports 100 IP cameras at 200 Mbps and dual 4K monitors using onboard graphics. Small form factor. Intel 10th Gen i7 processor with 16 GB DDR4 RAM. Windows 10 Enterprise IoT on 250 GB SSD. Dual Gigabit network ports. 200 W power supply. Includes eight complimentary PRO licenses for Vicon IP cameras and five year NBD Onsite KYHD warranty with UL/FCC/CE and other required certifications. NDAA compliant.	\$ 4,990
VERA-SF1T8D-N00	M00A05	RECORDING SERVER; 2 TB gross storage (1.8 TB usable); supports 100 IP cameras at 200 Mbps and dual 4K monitors using onboard graphics. Small form factor. Intel 10th Gen i3 processor with 8 GB DDR4 RAM. Windows 10 Enterprise IoT on 250 GB SSD. Dual Gigabit network ports. 200 W power supply. Includes eight complimentary PRO licenses for Vicon IP cameras and five year NBD Onsite KYHD warranty with UL/FCC/CE and other required certifications. NDAA compliant.	\$ 3,790

Alpha Numeric

Model	Product Code	Description	MSRP
ADAM-6050	10189-00	IP I/O DEVICE; allows 12 external alarm inputs and 6 outputs to any NVR, workstation or Kollector DVR	\$ 912
CLASS-REG	10107-10	REGISTRATION FEE; for Vicon certified dealer training course; per student	\$ 445
FLD-ENG	10107-20	FIELD ENGINEER/PROJECT ENGINEERING; on-site engineering; price per day; 2-day minimum outside the NY/NJ/CT tri-state area. Services include installation support, troubleshooting, system commissioning, and advanced system programming. Includes travel time and expenses.	\$ 5,100
FMC-BP	9948-60	BLANK PANEL; for FMC-RK, 1-inch	\$ 28
FMC-RK	9948-50	14-SLOT CARD CAGE; includes internal power supply	\$ 998
FMC-TRM-A	9949-00	2-PORT MINI MEDIA CONVERTER; 10/100 Mbps Ethernet, AC/DC powered; utilizes ST connectors (1310 nm) with power supply, multimode fiber; order as a set with one A and one B model	\$ 660
FMC-TRM-B	9949-01	2-PORT MINI MEDIA CONVERTER; 10/100 Mbps Ethernet, AC/DC powered; utilizes ST connectors (1550 nm) with power supply, multimode fiber; order as a set with one A and one B model	\$ 660
FMC-TRRM-A	9947-10	2-PORT RACK-MOUNT MEDIA CONVERTER; 10/100 Mbps Ethernet, AC/DC powered; utilizes ST connectors (1310 nm) with power supply, multimode fiber; order as a set with one A and one B model	\$ 660
FMC-TRRM-B	9947-20	2-PORT RACK-MOUNT MEDIA CONVERTER; 10/100 Mbps Ethernet, AC/DC powered; utilizes ST connectors (1550 nm) with power supply, multimode fiber; order as a set with one A and one B model	\$ 660
PRO-SVC-REM	10107-30	REMOTE SUPPORT FOR SITE; 4 hours of remote support for programming, commissioning and troubleshooting; fee for 4 hour block of time for a single project (time cannot be saved if service takes less than 4 hours)	\$ 1,100
PRO-VLR-AS	10496-00	PRECONFIGURATION OF APPLICATION SERVER; fee per server; set up includes license activation, unit name, network configuration, time synchronization, user and group additions, addition of NVRs and cameras if purchased simultaneously	\$ 335
PRO-VLR-CAM	10496-20	PRECONFIGURATION OF NETWORK CAMERAS; fee per camera; includes setup of camera name, network configuration, video stream, time synchronization and labeling	\$ 35
PRO-VLR-FRS	10496-40	PRECONFIGURATION OF FAILOVER RECORDING SERVER; fee per server; set up includes NVR name, network configuration, time synchronization, storage database configuration	\$ 335
PRO-VLR-GW	10496-10	PRECONFIGURATION OF GATEWAY SERVER; fee per server; set up includes Gateway name, network configuration, time synchronization	\$ 335
PRO-VLR-KEYPAD	10496-30	PRECONFIGURATION OF KEYPAD; fee per keypad; set up includes network configuration and labeling	\$ 115
PRO-VLR-RAS	10496-15	PRECONFIGURATION OF REDUNDANT APPLICATION SERVER; fee per server; set up includes license activation, programming redundancy, unit name, network configuration, time synchronization, user and group additions	\$ 335
PRO-VLR-RS	10496-05	PRECONFIGURATION OF RECORDING SERVER; fee per server; set up includes NVR name, network configuration, time synchronization, storage database configuration	\$ 280
PRO-VLR-VMDC	10496-25	PRECONFIGURATION OF VMDC; fee per VMDC; set up includes unit name, network configuration, Nucleus association, time synchronization and labeling	\$ 225
PS-10PP-240	8495-28	NETWORK SWITCH; smart managed 10-channel with 4 gigabit PoE+ ports, 4 gigabit 802.3bt PoE++ ports, 1 gigabit non-PoE copper port and 1 gigabit SFP port; 240 W; desk mount (Netgear model GS110TUP)	\$ 686
PS-10PP-480	8495-29	NETWORK SWITCH; smart managed 10-channel with 8 gigabit 802.3bt PoE++ ports, 1 gigabit non-PoE copper port and 1 gigabit SFP port; 480 W; rack mount (Netgear model GS710TUP)	\$ 1,029
PS-24P-380	8495-27	NETWORK SWITCH; smart managed 24-channel gigabit PoE+ ports, 2 gigabit SFP ports, 380 W, rack mount (Netgear model GS724TPP)	\$ 754
S24WPS-1	7028-10	POWER SUPPLY; 24 VAC output, 2.0 amps	\$ 29
S28WPS-1	7030-10	POWER SUPPLY; 28 VAC output, 4 amps	\$ 57
S660-HAH	10234-00	HEATER ACCESSORY; for SN673V-C Cruiser	\$ 62
SN673V-C	10260-35	1080P PTZ IP DOME CAMERA; surface-mounted vandal-proof IP66, integral 1/2.8" CMOS day/night camera with 4.7-94 mm 20X zoom lens	\$ 1,650
SN683D-WIR	10308-30	3 MP PTZ IP DOME CAMERA; rugged vandal-proof IP66, integral 1/2.8" CMOS day/night camera with 4.6-165 mm (36X) zoom lens; IR illumination; wall or ceiling mounting options	\$ 3,820
SN693V	10260-40	1080P PTZ IP DOME CAMERA; surface-mounted vandal-proof IP66, integral 1/2.8" CMOS day/night camera with 5-117 mm 23X zoom lens and true WDR; IR illumination	\$ 1,650
SVFT-UCM-1	10476-15	CEILING MOUNT; indoor/outdoor; compatible with V2000D-PTZ/V682-PTZ	\$ 53
SVFT-UPM-2	10476-20	UNIVERSAL PARAPET MOUNT; indoor/outdoor	\$ 327
SVFT-UWM-1	10476-00	WALL MOUNT; large; indoor/outdoor; compatible with V2000D-PTZ/V682-PTZ and V2000D-PM	\$ 152

Prices Effective February 1, 2022

Page 60 of 84

Alpha Numeric

Model	Product Code	Description	MSRP
SVFT-WM-1	10476-05	WALL MOUNT; small; indoor/outdoor; compatible with V2000D-PTZ/V682-PTZ and V2000D-PM	\$ 87
TRAINER	10107-00	PROFESSIONAL TRAINER; customized training course; price per day. Course includes system design, installation, operation, troubleshooting and course materials. Includes travel time and expenses. Additional charges apply if equipment is required for training.	\$ 6,225
V1001-ADAPT	10488-25	ADAPTER PLATE; allows V1001-WM to be used with V-20B-A-4 pole mount adapter and V-24CMB-4 corner mounting bracket	\$ 50
V1001-PM	10488-15	PENDANT MOUNT; for use with V1000-1/V2000 series multi-sensor cameras	\$ 125
V1001-WM	10488-05	WALL MOUNT; for use with V1000-1/V2000 series multi-sensor cameras	\$ 125
V1100B-BOX	10498-55	JUNCTION BOX; for use with the V1100B-THM series thermal cameras	\$ 50
V1100B-PM	10498-50	POLE MOUNT; for use with the V1100B-THM series thermal cameras	\$ 40
V1100B-THM-15MM	10498-05	THERMAL BULLET CAMERA; 396x264 resolution; 8 to 14 um spectral range; 15 mm lens	\$ 4,550
V1100B-THM-25MM	10498-10	THERMAL BULLET CAMERA; 396x264 resolution; 8 to 14 um spectral range; 25 mm lens	\$ 5,300
V1100B-THM-35MM	10498-20	THERMAL BULLET CAMERA; 396x264 resolution; 8 to 14 um spectral range; 35 mm lens	\$ 5,900
V1100B-THM-50MM	10498-25	THERMAL BULLET CAMERA; 396x264 resolution; 8 to 14 um spectral range; 50 mm lens	\$ 6,500
V1110B-BKBD	10498-70	BLACKBODY CALIBRATION DEVICE FOR V1110B-THM-TEMP; device with thermal detection technology to maintain camera calibration accuracy in changing environments	\$ 5,870
V1110B-PM	10498-67	PENDANT/CEILING MOUNT FOR V1110B-THM-TEMP; for indoor and outdoor installation of the camera or blackbody	\$ 90
V1110B-THM-TEMP	10498-60	THERMAL BODY TEMPERATURE MEASUREMENT CAMERA; bi-spectral, 8 mm (thermal) and 2.7-12 mm (visible) lens; H.265/H.264; includes blackbody, one wall mount and one ceiling/pendant mount. NDAA compliant.	\$ 15,192
V1110B-TRP	10498-65	TRIPOD MOUNT FOR V1110B-THM-TEMP; for portable indoor installations	\$ 425
V1110B-WM	10498-66	WALL MOUNT FOR V1110B-THM-TEMP; for indoor and outdoor installation of the camera or blackbody	\$ 60
V1111-DSK	10498-93	DESK MOUNT MOUNT FOR V1111-THM-TB; allows tablet camera to be mounted on a desk; works with V1111-PM (included with tablet camera)	\$ 125
V1111-FLP	10498-96	FLOOR STAND WITH PENDANT MOUNT FOR V1111-THM-TB; allows tablet camera to be on a floor stand with a pendant mount configuration	\$ 275
V1111-FLW	10498-95	FLOOR STAND WITH WALL MOUNT FOR V1111-THM-TB; allows tablet camera to be on a floor stand with a wall mount configuration	\$ 275
V1111-THM-TB	10498-90	THERMAL BIOMETRIC KIOSK; can be used as a biometric door reader in an access control system; 7-inch display; dual lens; 1024x600 resolution; includes one each wall mount plate and pole mount	\$ 2,305
V12-50VF-P	10563-10	VARIFOCAL LENS; 1-1/8 in. format; 12-50 mm focal length; P-iris; f/1.4, 4K; CS-mount	\$ 625
V2000-360-ICD	10517-50	IN-CEILING MOUNTING KIT; allows the V2000-WIR-360 series to be installed in a drop ceiling	\$ 190
V2000B-BOX	10554-35	BACKBOX; for ease of cabling for the V2000B bullet camera and V2360W camera	\$ 44
V2000B-PLATE	10554-30	ADAPTER PLATE; allows the V2000B bullet camera to be mounted to a 4x4 electrical box	\$ 37
V2000D-ICD	10553-45	IN-CEILING MOUNTING KIT; allows the V2000D domes to be installed in a drop ceiling	\$ 144
V2000D-ICH	10553-50	IN-CEILING MOUNTING KIT; allows the V2000D domes to be installed in a hard ceiling	\$ 106
V2000D-MICRO-BOX	10555-35	BACKBOX; for ease of cabling for the V2000D micro dome	\$ 44
V2000D-MICRO-PLATE	10555-30	ADAPTER PLATE; allows the V2000D micro domes to be mounted to a 4x4 electrical box	\$ 37
V2000D-PLATE	10553-40	ADAPTER PLATE; allows the V2000D domes to be mounted to a 4x4 electrical box	\$ 37
V2000D-PM	10553-30	PENDANT MOUNT; for the V2000D, V2000D micro dome, V2100D and V2360W series of cameras; compatible with SVFT-WM-1 and SVFT-UWM-1 wall mounts	\$ 67
V2002B-W313MIR	10554-00	OUTDOOR VANDAL BULLET STARLIGHT CAMERA; 2 MP; true WDR; 3.1-10 mm motorized varifocal lens; IR; advanced analytics; NDAA/GSA/TAA compliant	\$ 481
V2002D-PTZ	10561-00	1080P (2 MP) PTZ DOME STARLIGHT CAMERA; vandal-proof IP66, integral 1/2.8" day/night camera with 4.5-135 mm 30X zoom lens; NDAA/GSA/TAA compliant	\$ 2,350
V2002D-W28IR	10555-00	OUTDOOR MICRO DOME STARLIGHT CAMERA; 2 MP; true WDR; 2.8 mm fixed lens; IR; advanced analytics; NDAA/GSA/TAA compliant	\$ 288

Alpha Numeric

Model	Product Code	Description	MSRP
V2002D-W313MIR	10553-00	OUTDOOR VANDAL DOME STARLIGHT CAMERA; 2 MP; true WDR; 3.1-10 mm motorized varifocal lens; IR; advanced analytics; NDAA/GSA/TAA compliant	\$ 481
V2005B-W313MIR	10554-10	OUTDOOR VANDAL BULLET STARLIGHT CAMERA; 5 MP; true WDR; 3.1-10 mm motorized varifocal lens; IR; advanced analytics; NDAA/GSA/TAA compliant	\$ 567
V2005D-W28IR	10555-05	OUTDOOR MICRO DOME STARLIGHT CAMERA; 5 MP; true WDR; 2.8 mm fixed lens; IR; advanced analytics; NDAA/GSA/TAA compliant	\$ 356
V2005D-W313MIR	10553-10	OUTDOOR VANDAL DOME STARLIGHT CAMERA; 5 MP; true WDR; 3.1-10 mm motorized varifocal lens; IR; advanced analytics; NDAA/GSA/TAA compliant	\$ 567
V2008B-W310MIR	10554-15	OUTDOOR VANDAL BULLET STARLIGHT CAMERA; 8 MP; true WDR; 3.6-10 mm motorized varifocal lens; IR; advanced analytics; NDAA/GSA/TAA compliant	\$ 683
V2008D-W310MIR	10553-15	OUTDOOR VANDAL DOME STARLIGHT CAMERA; 8 MP; true WDR; 3.6-10 mm motorized varifocal lens; IR; advanced analytics; NDAA/GSA/TAA compliant	\$ 683
V2008-W-NL	10556-00	BOX CAMERA; 8 MP; true WDR; CS/i-CS lens mount; advanced analytics; NDAA/GSA/TAA compliant	\$ 625
V2020-WIR-360	10517-20	MULTI-SENSOR STARLIGHT CAMERA; 20 MP; 360° coverage; four 5 MP image sensors; smart IR; four motorized 3.1-10 mm lenses; H.264/H.265; true WDR; provides remote positioning and presets; includes mounting cap; NDAA-compliant	\$ 2,875
V2032-WIR-360	10517-25	MULTI-SENSOR STARLIGHT CAMERA; 32 MP; 360° coverage; four 8 MP image sensors; smart IR; four motorized 3.6-10 mm lenses; H.264/H.265; true WDR; provides remote positioning and presets; includes mounting cap; NDAA-compliant	\$ 3,500
V-20B-A-4	10476-48	POLE MOUNT ADAPTER; for 4-10 in. diameter poles; painted aluminum construction, includes mounting straps; for pole mounting with a variety of Vicon mounting equipment	\$ 183
V2100B-BOX	10558-35	BACKBOX; for ease of cabling for the V2100B bullet and mini bullet cameras	\$ 44
V2100B-PLATE	10558-30	ADAPTER PLATE; allows the V2100B bullet and mini bullet cameras to be mounted to a 4x4 electrical box	\$ 37
V2100D-BOX	10557-35	BACKBOX; for ease of cabling for the V2100D dome	\$ 44
V2100D-ICD	10557-40	IN-CEILING MOUNTING KIT; allows the V2100D domes to be installed in a drop ceiling	\$ 144
V2100D-ICH	10557-45	IN-CEILING MOUNTING KIT; allows the V2100D domes to be installed in a hard ceiling	\$ 106
V2100D-PLATE	10557-30	ADAPTER PLATE; allows the V2100D domes to be mounted to a 4x4 electrical box	\$ 37
V2102B-W28IR	10558-00	OUTDOOR BULLET CAMERA; 2 MP; true WDR; 2.8 mm fixed lens; IR; NDAA/GSA/TAA compliant	\$ 279
V2102B-W313MIR	10558-05	OUTDOOR BULLET CAMERA; 2 MP; true WDR; 3.1-10 mm motorized varifocal lens; IR; NDAA/GSA/TAA compliant	\$ 375
V2102D-W313MIR	10557-00	OUTDOOR DOME CAMERA; 2 MP; true WDR; 3.1-10 mm motorized varifocal lens; IR; NDAA/GSA/TAA compliant	\$ 375
V2105B-W28IR	10558-20	OUTDOOR BULLET CAMERA; 5 MP; true WDR; 2.8 mm fixed lens; IR; NDAA/GSA/TAA compliant	\$ 346
V2105B-W313MIR	10558-25	OUTDOOR BULLET CAMERA; 5 MP; true WDR; 3.1-10 mm motorized varifocal lens; IR; NDAA/GSA/TAA compliant	\$ 442
V2105D-W313MIR	10557-10	OUTDOOR DOME CAMERA; 5 MP; true WDR; 3.1-10 mm motorized varifocal lens; IR; NDAA/GSA/TAA compliant	\$ 442
V2360W-12	10559-00	OUTDOOR PANORAMIC CAMERA; 12 MP; WDR; fisheye 1.5 mm fixed lens; IR; built-in microphone; NDAA/GSA/TAA compliant	\$ 825
V2360W-ICD	10559-45	IN-CEILING MOUNTING KIT; allows the V2360W-12 dome to be installed in a drop ceiling	\$ 144
V2360W-ICH	10559-50	IN-CEILING MOUNTING KIT; allows the V2360W-12 dome to be installed in a hard ceiling	\$ 106
V2360W-PLATE	10559-35	ADAPTER PLATE; allows the V2360W dome to be mounted to a 4x4 electrical box	\$ 37
V-24CMB-4	10476-49	OUTSIDE CORNER MOUNT BRACKET; for corner mounting with a variety of Vicon mounts	\$ 112
V2XXX-WDG	10555-55	WEDGE MOUNT; allows the V2000D micro dome and V2360W panoramic camera to be surface mounted on a tilt to maintain a full view	\$ 60
V2XXX-WDG-PLATE	10555-60	ADAPTER PLATE; allows the V2XXX-WDG to be mounted to a 4x4 electrical box	\$ 37
V4-13VF-P	10563-00	VARIFOCAL LENS; 1-1/8 in. format; 4-13 mm focal length; P-iris; f/1.5, 4K; CS-mount	\$ 625
V670-BOX	10492-50	BACKBOX; for ease of cabling; surface mount; for SN673V and SN693V Cruiser	\$ 66
V670-HCM150	10492-10	CORNER MOUNT ADAPTER; compatible with SN683D with the V670-HCM154/V670-HDB242E, SN673V and SN693V Cruiser/V672D/V672V-1/V672B with the V670-HCM155/V670-HDB243	\$ 34
V670-HCM151	10492-15	POLE MOUNT ADAPTER; compatible with V980B-BOX, SN683D with the V670-HCM154/V670-HDB242E, SN673V and SN693V Cruiser/V672D/V672V/V672B with the V670-HCM155/V670-HDB243	\$ 48

Alpha Numeric

Model	Product Code	Description	MSRP
V670-HCM154	10492-45	ADAPTER; allows pendant arm to be mounted on a corner or pole mount adapter; compatible with V670-HDB242-VS8 for use with SN673V and SN693V Cruiser and V670-HDB242E, V670-HCM150 and V670-HCM151 for use with SN680D	\$ 42
V670-HCM155	10492-40	ADAPTER; allows wall arm to be mounted on a corner or pole mount adapter; compatible with V670-HDB243/V670-HCM-150/V670-HCM-151 for use with SN693V Cruiser/V672D/V672V-1	\$ 59
V670-HCS254V	10492-06	IN-CEILING MOUNTING KIT; for V672V-1 vandal-proof domes	\$ 100
V670-HCS300	10236-05	IN-CEILING KIT; for mounting SN673V-C Cruiser vandal-proof dome into a ceiling	\$ 138
V670-HDA202-1	10492-21	1.5 IN. NPT PIPE MOUNT ADAPTER; converts dome for pendant mounting or for use with SVFT-WM-1/UWM-1; for V670V-1 domes and SN673V and SN693V Cruiser	\$ 90
V670-HDB241	10277-05	POLE/CEILING MOUNT; for SN680D	\$ 106
V670-HDB242E	10150-68	PENDANT ARM WALL MOUNT; works with V670-HCM154 for SN680D	\$ 119
V670-HDB242-VS8	10246-05	PENDANT ARM WALL MOUNT PREPACK; includes V670V-HDB242-1 wall mount and V670-HDA202-1 pipe mount adapter for mounting SN673V-C Cruiser vandal-proof dome in a pendant configuration from either a wall; compatible with V670-HCM154, which is compatible with the V670-HCM-150 and V670-HCM-151	\$ 203
V670-HDB243	10492-00	WALL MOUNT; for both indoor and outdoor dome installations; V672D/V672V-1 domes, SN673V and SN693V Cruiser, and is compatible with V670-HCM155 and then V670-HCM150 and V670-HCM151	\$ 94
V670-HT202VF	10492-25	HEATER; for V670D series outdoor camera domes. Extends unit's low range temperature to -20° F.	\$ 56
V670-HT202VK	10492-26	HEATER; for V670V-1 series outdoor camera domes. Extends unit's low range temperature to -20° F.	\$ 56
V670-PM	10492-65	PENDANT MOUNT; can be used with V670-BOX and V670-PMB-1; for SN673V/SN693V Cruiser and V8360W	\$ 160
V670-PMB-1	10492-56	PENDANT MOUNT BACKBOX; for ease of cabling; surface mount; can be used with V670-PM/V670-WM; for SN673V and SN693V Cruiser	\$ 66
V670-SPOT	10492-30	CONNECTOR; allows V670 series cameras to connect to a spot monitor for installation purposes	\$ 17
V670-TRIM	10492-35	TRIM RING; allows the V672 dome cameras to be installed on a 4x4 electrical box	\$ 17
V670-WM	10492-60	WALL MOUNT; for both indoor and outdoor dome installations; SN673V and SN693V Cruiser, and is compatible with V670-BOX and V670-PMB-1	\$ 160
V672B-W312MIR	10485-00	HD ANALOG (AHD/TVI/CVBS) OUTDOOR BULLET CAMERA; 2 MP; true WDR; 2.8-12 mm motorized varifocal autoiris lens; IR illuminators. NDAA compliant.	\$ 330
V672D-W312MIR	10484-00	HD ANALOG (AHD/TVI/CVBS) OUTDOOR DOME CAMERA; 2 MP; true WDR; 2.8-12 mm motorized varifocal autoiris lens; IR illuminators; plastic housing; can be mounted in-ceiling with use of integral flippers. NDAA compliant.	\$ 330
V672V-W312MIR-1	10493-10	HD ANALOG (AHD/TVI/CVBS) VANDAL-PROOF DOME CAMERA; 2 MP; true WDR; 2.8-12 mm motorized varifocal autoiris lens; IR illuminators; die-cast aluminum housing. NDAA compliant.	\$ 418
V672-W-NL	10491-05	HD ANALOG (AHD/TVI/CVBS) DAY/NIGHT BOX CAMERA; 2 MP; true WDR; no lens 12 VDC/24 VAC. NDAA compliant.	\$ 321
V682-PTZ	10501-10	OUTDOOR/PENDANT AHD PTZ DOME; AHD/HD-TVI; 2 MP, 20X optical zoom, 16X digital zoom, true WDR. NDAA compliant.	\$ 1,535
V920D-OSD	10176-90	OSD CONTROLLER; cable assembly connects to the camera service monitor port; used for making changes to camera ID and IP address from the On Screen Display	\$ 28
V922B-W551MIR-A1	10398-40	OUTDOOR FIXED NETWORK BULLET CAMERA; 2 MP; true WDR; 5-51 mm motorized varifocal lens; IR illuminators	\$ 1,200
V932EZ-BOX-2	10197-58	ELECTRICAL BOX; for ease of cabling; for V670V domes; compatible with V-24CMB-4 corner mount and V-20B-A-4 pole mount adapters	\$ 66
V-ARM-TR	10514-40	MOUNTING ARM; required interface for combined VTR sensor and the SN683D/SN688D PTZ dome	\$ 508
VAX-1D-1	10354-52	SINGLE DOOR CONTROLLER; without integrated PIR/REX; supports back to back readers; 2 relays with 1A limit; black enclosure	\$ 1,260
VAX-1D-REX-1	10354-42	SINGLE DOOR CONTROLLER; integrated PIR/REX; supports back to back readers; 2 relays with 1A limit; black enclosure	\$ 1,362
VAX-2D-1	10355-32	TWO DOOR CONTROLLER; without integrated PIR/REX; for doors with only one reader; 2 relays with 1A limit; black enclosure	\$ 1,491
VAX-2D-REX-1	10355-22	TWO DOOR CONTROLLER; integrated PIR/REX; for doors with only one reader; 2 relays with 1A limit; black enclosure	\$ 1,610
VAX-300R	10364-20	PROXIMITY READER; designed to be mounted to metal door and window frames (mullion); reads standard 125kHz Proximity cards; read range up to 4 in. (102 mm)	\$ 136
VAX-500R	10364-25	PROXIMITY READER; designed to be mounted to standard single-gang wall box; reads standard 125kHz Proximity cards; read range up to 4 in. (102 mm)	\$ 157

Alpha Numeric

Model	Product Code	Description	MSRP
VAX-600KP	10364-05	PROXIMITY READER; designed to be mounted to metal door and window frames (mullion); integrates both a proximity reader and keypad into a single unit; reads standard 125kHz Proximity cards; read range up to 4 in. (102 mm)	\$ 401
VAX-BK-BOX	10358-00	CONTROLLER BACKING PLATE; for mounting on concrete walls; metal construction with six conduit knockouts	\$ 74
VAX-BTC	10364-52	MOBILE ACCESS CREDENTIAL; card credential stored on iPhone or Android smartphone for communication with mobile-ready readers	\$ 10
VAX-CR-35L	10364-51	MOBILE-READY CONTACTLESS SMARTCARD READER; designed to be mounted to metal door and window frames (mullion); reads VAX-BTC mobile credentials up to 15 ft (4.6 m); Wiegand protocol. Supports MIFARE compliant smartcards; read range up to 1.5 in. (38 mm).*	\$ 359
VAX-CRD-MT	10365-15	PROXIMITY CARD; ISO style; multi-technology for dye sublimation imaging	\$ 7
VAX-CRD-SD	10365-00	PROXIMITY CARD; clamshell style; non-graphic	\$ 4
VAX-CSC-2	10370-06	MOBILE AND CONTACTLESS SMARTCARD CREDENTIALS; high-security clamshell style; MIFARE DESFire EV2 compliant	\$ 10
VAX-CSK-2	10370-03	MOBILE AND CONTACTLESS SMARTCARD CREDENTIALS; high-security key fob style; MIFARE DESFire EV2 compliant	\$ 11
VAX-CSM-2P	10370-01	MOBILE AND CONTACTLESS SMARTCARD CREDENTIALS; high-security ISO-style card; MIFARE DESFire EV2 compliant; 2K memory	\$ 10
VAX-CSM-2S	10370-02	MOBILE AND CONTACTLESS SMARTCARD CREDENTIALS; high-security ISO-style card with HiCo magnetic stripe; MIFARE DESFire EV2 compliant; 2K memory	\$ 11
VAX-CSR-6.4	10364-80	MOBILE-READY CONTACTLESS SMARTCARD READER; designed to be mounted to single gang box or flat surfaces; reads VAX-BTC mobile credentials up to 15 ft (4.6 m); Wiegand protocol; supports both a smartcard reader and keypad in a single unit. Supports MIFARE compliant smartcards; read range up to 2 in. (51 mm).*	\$ 651
VAX-D3R	10364-60	SMARTCARD READER; designed to be mounted to metal door and window frames (mullion); reads MIFARE DESFire EV1 and EV2 compliant smartcards; read range up to 1.5 in. (38 mm); Wiegand protocol*	\$ 397
VAX-D5R	10364-65	SMARTCARD READER; designed to be mounted to standard single-gang wall box; reads MIFARE DESFire EV1 and EV2 compliant smartcards; read range up to 3 in. (76 mm); Wiegand protocol*	\$ 433
VAX-D6.4R	10364-78	SMARTCARD READER; designed to be mounted to standard single-gang wall box or flat surfaces; optimized for MIFARE DESFire EV1 and EV2 compliant smartcards; read range up to 2 in. (51 mm); Wiegand protocol*; integrates both a smartcard reader and keypad in a single unit	\$ 715
VAX-DC1-1	10370-07	SMARTCARD; clamshell style; MIFARE compliant; 1 K-byte memory	\$ 5
VAX-DC4-1	10370-08	SMARTCARD; clamshell style; MIFARE compliant; 4 K-byte memory	\$ 7
VAX-DE2	10365-17	SMARTCARD; printable (dye sublimation); MIFARE DESFire EV2 compliant; 2 K-byte memory	\$ 12
VAX-DEMO	10394-00	DEMO ACCESS CONTROL KIT; includes VAX-SW40-1YR	\$ 2,150
VAX-DK1-3	10370-04	KEY FOB SMARTCARD; small tag designed to be carried on a key ring; MIFARE compliant; 1 K-byte memory	\$ 10
VAX-DK4-3	10370-05	KEY FOB SMARTCARD; small tag designed to be carried on a key ring; MIFARE compliant; 4 K-byte memory	\$ 14
VAX-ELV-STR-1	10357-02	ELEVATOR CONTROLLER; includes 8 floor module; complete in metal enclosure; 2 relays with 1A limit; add up to 7 expanders to control up to 64 floors	\$ 2,863
VAX-ENCL-ST-1	10357-21	EMPTY STEEL ENCLOSURE; for use with VAX controller and MDK expander boards	\$ 305
VAX-ENCL-W	10354-05	OPTIONAL WHITE ENCLOSURE; for door controllers	\$ 50
VAX-EXP-2D	10356-20	TWO-DOOR EXPANDER; used to expand 2, 4 and 6 multi-door kits	\$ 851
VAX-IO-EXP8PCB	10357-17	8 FLOOR/IO EXPANDER; no enclosure; use with VAX-ELV-STR-1 or VAX	\$ 753
VAX-IO-STR-2	10357-08	INPUT/OUTPUT MASTER CONTROLLER; 8 I/O module; complete in metal enclosure; 2 relays with 1A limit; add up to 7 expanders to control up to 64 I/Os	\$ 2,142
VAX-MDK-2	10356-00	TWO DOOR MULTI-DOOR CONTROLLER; includes 1 master controller board and 1 two-door board; mounted in steel vented and lockable enclosure	\$ 2,247
VAX-MDK-4	10356-05	FOUR DOOR MULTI-DOOR CONTROLLER; includes 1 master controller board and 2 two-door board; mounted in steel vented and lockable enclosure	\$ 3,108
VAX-MDK-6	10356-10	SIX DOOR MULTI-DOOR CONTROLLER; includes 1 master controller board and 3 two-door board; mounted in steel vented and lockable enclosure	\$ 3,966
VAX-MDK-8	10356-15	EIGHT DOOR MULTI-DOOR CONTROLLER; includes 1 master controller board and 4 two-door board; mounted in steel vented and lockable enclosure	\$ 4,827
VAX-MOD-24	10362-05	MODULE; converts lock power from 12 VDC 500mA to 24 VDC 250mA	\$ 49

Alpha Numeric

Model	Product Code	Description	MSRP
VAX-MOD-DRY	10362-00	MODULE; converts lock 12 VDC output to dry contact output	\$ 56
VAX-MOD-MEM	10362-10	EXPANSION MEMORY MODULE; required for anti-passback	\$ 151
VAX-PAR-10	10369-41	PARTITION EXPANDER; increase number of partitions by 10 (max. 1 per license)	\$ 450
VAX-PAR-20	10369-42	PARTITION EXPANDER; increase number of partitions by 20 (max. 1 per license)	\$ 900
VAX-PAR-5	10369-40	PARTITION EXPANDER; increase number of partitions by 5 (max. 1 per license)	\$ 200
VAX-PC-A	10353-20	VAX SERVER; preinstalled with Vicon Access Control Software; Windows 10; desktop PC. Requires software license.	\$ 2,300
VAX-PC-B-RK	10353-26	VAX SERVER; preinstalled with Vicon Access Control Software; Windows 10; rack-mount PC with brushed aluminum bezel. Requires software license.	\$ 3,100
VAX-PCR-35L	10364-74	MOBILE-READY CONTACTLESS PROXIMITY READER; designed to be mounted to metal door and window frames (mullions); reads VAX-BTC mobile credentials up to 15 ft (4.6 m); Wiegand protocol. Supports standard 125 KHz proximity cards; read range up to 4 in. (102 mm)*.	\$ 426
VAX-PCR-640L	10364-76	MOBILE-READY CONTACTLESS PROXIMITY READER; designed to be mounted to single gang box or flat surfaces; reads VAX-BTC mobile credentials up to 15 ft (4.6 m); Wiegand protocol. Supports standard 125 KHz proximity cards and keypad in a single unit; read range up to 4 in. (102 mm)*.	\$ 683
VAX-PRX-TAG	10365-10	PROXIMITY FOB; small tag designed to be carried on a key ring; supports HID 125 kHz	\$ 8
VAX-RUGGED-DEMO	10394-10	DEMO ACCESS CONTROL KIT; rugged case; includes VAX-SW40-1YR	\$ 3,200
VAX-SW120-1YR	10369-20	1 YEAR LICENSE (MID); supports up to 120 doors, 120 cameras, 20 partitions, unlimited elevator cabs, unlimited I/O, unmanaged doors, and LDAP support. Includes all updates and bug fixes during this time.	\$ 700
VAX-SW120-5YR	10369-21	5 YEAR LICENSE (MID); supports up to 120 doors, 120 cameras, 20 partitions, unlimited elevator cabs, unlimited I/O, unmanaged doors, and LDAP support. Includes all updates and bug fixes during this time.	\$ 2,800
VAX-SW240-1YR	10369-60	1 YEAR LICENSE (LARGE); supports up to 240 doors, 240 cameras, 40 partitions, unlimited elevator cabs, unlimited I/O, unmanaged doors, and LDAP support. Includes all updates and bug fixes during this time.	\$ 1,120
VAX-SW240-5YR	10369-61	5 YEAR LICENSE (LARGE); supports up to 240 doors, 240 cameras, 40 partitions, unlimited elevator cabs, unlimited I/O, unmanaged doors, and LDAP support. Includes all updates and bug fixes during this time.	\$ 4,420
VAX-SW40-1YR	10369-00	1 YEAR LICENSE (ESSENTIALS); supports up to 40 doors, 40 cameras, 1 partition, and unlimited I/O. No elevator cabs, no unmanaged doors, and no LDAP support. Includes all updates and bug fixes during this time.	\$ 140
VAX-SW40-5YR	10369-01	5 YEAR LICENSE (ESSENTIALS); supports up to 40 doors, 40 cameras, 1 partition, and unlimited I/O. No elevator cabs, no unmanaged doors, and no LDAP support. Includes all updates and bug fixes during this time.	\$ 560
VAX-SW80-1YR	10369-10	1 YEAR LICENSE (SMALL); supports up to 80 doors, 80 cameras, 5 partitions, unlimited elevator cabs, unlimited I/O, unmanaged doors, and LDAP support. Includes all updates and bug fixes during this time.	\$ 360
VAX-SW80-5YR	10369-11	5 YEAR LICENSE (SMALL); supports up to 80 doors, 80 cameras, 5 partitions, unlimited elevator cabs, unlimited I/O, unmanaged doors, and LDAP support. Includes all updates and bug fixes during this time.	\$ 1,400
VAX-SWU-1YR	10369-30	1 YEAR LICENSE (ENTERPRISE); supports unlimited doors, unlimited cameras,	\$ 2,625
VAX-SWU-5YR	10369-31	5 YEAR LICENSE (ENTERPRISE); supports unlimited doors, unlimited cameras,	\$ 10,500
VAX-TROVE-10DR	10356-37	TEN DOOR CONTROLLER; includes 2 master controller board, 5 two-door boards and a 12 VDC @10A power supply in an Altronix Trove2 steel lockable enclosure	\$ 9,279
VAX-TROVE-12DR	10356-38	TWELVE DOOR CONTROLLER; includes 2 master controller board, 6 two-door boards and a 12 VDC @10A power supply in an Altronix Trove2 steel lockable enclosure	\$ 10,140
VAX-TROVE-14DR	10356-39	FOURTEEN DOOR CONTROLLER; includes 2 master controller board, 7 two-door boards and a 12 VDC @10A power supply in an Altronix Trove2 steel lockable enclosure	\$ 10,997
VAX-TROVE-16DR	10356-35	SIXTEEN DOOR CONTROLLER; includes 2 master controller board, 8 two-door boards and a 12 VDC @10A power supply in an Altronix Trove2 steel lockable enclosure	\$ 11,858

Alpha Numeric

Model	Product Code	Description	MSRP
VAX-TROVE-2DR	10356-32	TWO DOOR CONTROLLER; includes 1 master controller board, 1 two-door boards and a 12 VDC @6A power supply in an Altronix Trove1 steel lockable enclosure	\$ 3,889
VAX-TROVE-2DR-RK	10356-63	TWO DOOR CONTROLLER; includes 1 master controller board, 1 two-door boards and a 12 VDC @6A power supply in an Altronix Trove1R rack enclosure	\$ 5,082
VAX-TROVE-32I/O	10356-40	32 I/O KIT; includes 1 master controller board, 4 input/output expansion boards and a 12 VDC @6A power supply in an Altronix Trove1 steel lockable enclosure	\$ 5,603
VAX-TROVE-4DR	10356-36	FOUR DOOR CONTROLLER; includes 1 master controller board, 2 two-door boards and a 12 VDC @6A power supply in an Altronix Trove1 steel lockable enclosure	\$ 4,750
VAX-TROVE-4DR-RK	10356-62	FOUR DOOR CONTROLLER; includes 1 master controller board, 2 two-door boards and a 12 VDC @6A power supply in an Altronix Trove1R rack enclosure	\$ 5,943
VAX-TROVE-6DR	10356-33	SIX DOOR CONTROLLER; includes 1 master controller board, 3 two-door boards and a 12 VDC @6A power supply in an Altronix Trove1 steel lockable enclosure	\$ 5,607
VAX-TROVE-6DR-RK	10356-61	SIX DOOR CONTROLLER; includes 1 master controller board, 3 two-door boards and a 12 VDC @6A power supply in an Altronix Trove1R rack enclosure	\$ 6,801
VAX-TROVE-8DR	10356-30	EIGHT DOOR CONTROLLER; includes 1 master controller board, 4 two-door boards and a 12 VDC @6A power supply in an Altronix Trove1 steel lockable enclosure	\$ 6,468
VAX-TROVE-8DR-RK	10356-60	EIGHT DOOR CONTROLLER; includes 1 master controller board, 4 two-door boards and a 12 VDC @6A power supply in an Altronix Trove1R rack enclosure	\$ 7,662
VC24PS-1	4297-00	POWER SUPPLY; converts 120 VAC to 24 VAC	\$ 19
VCAM-ADAPT	10499-15	ADAPTER; allows the camera to mount to a 4x4 electrical box; for V672B/V922B bullet cameras	\$ 37
VCAM-BOX	10499-00	BACKBOX; for ease of cabling; for V672B bullet cameras	\$ 66
V-CELL-HD-B	10145-07	HIGH-SECURITY INDOOR; HD 3 MP day/night color camera and 2.3 mm lens; WDR; IR illumination; a brushed stainless steel housing; open platform H.264, MPEG-4 and M-JPEG compression; true WDR. NDAA compliant.	\$ 1,395
V-CMK-TR	10514-43	CORNER MOUNTING KIT; for VTR/PTZ combination	\$ 157
VEAA-1U000D-N02	M00B36	APPLICATION SERVER; supports quad WUXGA monitor using onboard graphics. 1U rack. Intel Xeon E-22XX processor with 16 GB DDR4 RAM. Win 10 Enterprise IoT on 250 GB SSD. 550 W dual redundant power supply. Dual Gigabit network ports. Includes four complimentary PRO licenses for Vicon IP cameras and five year NBD Onsite KYHD warranty with UL/FCC/CE and other required certifications. NDAA compliant.	\$ 6,890
VEAA-SF000D-N01	M00B34	APPLICATION SERVER; supports dual 4K monitors using onboard graphics. Small form factor. Intel 10th Gen i7 processor with 16 GB DDR4 RAM. Win 10 Enterprise IoT on 250 GB SSD. 200 W power supply. Includes four complimentary PRO licenses for Vicon IP cameras and five year NBD Onsite KYHD warranty with UL/FCC/CE and other required certifications. NDAA compliant.	\$ 4,890
VECA-1U000D-N04	M00B32	CLIENT WORKSTATION; supports quad 4K monitors using nVidia Quadro graphics. 1U rack. Intel 9th Gen i7 processor with 16 GB DDR4 RAM. Windows 10 Enterprise IoT on 250 GB SSD. 550 W dual redundant power supply. Dual Gigabit network ports. Includes four complimentary PRO licenses for Vicon IP cameras and five year NBD Onsite KYHD warranty with UL/FCC/CE and other required certifications. NDAA compliant.	\$ 7,490
VECA-MC000D-N00	M00B13	CLIENT WORKSTATION; supports dual 4K monitors using onboard graphics. Micro form factor. Intel 10th Gen i3 processor with 8 GB DDR4 RAM. Windows 10 Enterprise IoT on 250 GB SSD. 200 W power supply. Includes four complimentary PRO licenses for Vicon IP cameras and five year NBD Onsite KYHD warranty with UL/FCC/CE and other required certifications. NDAA compliant.	\$ 3,390
VECA-MC000D-N01	M00B12	CLIENT WORKSTATION; supports dual 4K monitors using onboard graphics. Micro form factor. Intel 10th Gen i7 processor with 16 GB DDR4 RAM. Windows 10 Enterprise IoT on 250 GB SSD. 200 W power supply. Includes four complimentary PRO licenses for Vicon IP cameras and five year NBD Onsite KYHD warranty with UL/FCC/CE and other required certifications. NDAA compliant.	\$ 4,890
VECA-SF000D-N00	M00B09	CLIENT WORKSTATION; supports dual 4K monitors using onboard graphics. Small form factor. Intel 10th Gen i3 processor with 8 GB DDR4 RAM. Windows 10 Enterprise IoT on 250 GB SSD. 200 W power supply. Includes four complimentary PRO licenses for Vicon IP cameras and five year NBD Onsite KYHD warranty with UL/FCC/CE and other required certifications. NDAA compliant.	\$ 3,490

Alpha Numeric

Model	Product Code	Description	MSRP
VECA-SF000D-N01	M00B08	CLIENT WORKSTATION; supports dual 4K monitors using onboard graphics. Small form factor. Intel 10th Gen i7 processor with 16 GB DDR4 RAM. Windows 10 Enterprise IoT on 250 GB SSD. 200 W power supply. Includes four complimentary PRO licenses for Vicon IP cameras and five year NBD Onsite KYHD warranty with UL/FCC/CE and other required certifications. NDAA compliant.	\$ 4,690
VECA-SF000D-N04	M00B07	CLIENT WORKSTATION; supports quad 4K monitors using nVidia Quadro graphics. Small form factor. Intel 10th Gen i7 processor with 16 GB DDR4 RAM. Windows 10 Enterprise IoT on 250 GB SSD. 200 W power supply. Includes four complimentary PRO licenses for Vicon IP cameras and five year NBD Onsite KYHD warranty with UL/FCC/CE and other required certifications. NDAA compliant.	\$ 5,590
VERA-1U11TD-N03	M00A92	RECORDING SERVER; 12 TB gross storage (10.8 TB usable) on JBOD; supports 100 IP cameras at 200 Mbps and quad 4K monitors using nVidia Quadro graphics. 1U rack. Intel 9th Gen i3 processor with 8 GB DDR4 RAM. Windows 10 Enterprise IoT on 250 GB SSD. Dual Gigabit network ports. 550 W power supply. Includes eight complimentary PRO licenses for Vicon IP cameras and five year NBD Onsite KYHD warranty with UL/FCC/CE and other required certifications. NDAA compliant.	\$ 6,590
VERA-1U11TD-N05	M00A91	RECORDING SERVER; 12 TB gross storage (10.8 TB usable) on JBOD; supports 100 IP cameras at 200 Mbps and quad 4K monitors using nVidia Quadro graphics. 1U rack; . Intel Xeon E-22XX processor with 16 GB DDR4 RAM. Windows 10 Enterprise IoT on 250 GB SSD. Dual Gigabit network ports. 550 W dual redundant power supply. Includes eight complimentary PRO licenses for Vicon IP cameras and five year NBD Onsite KYHD warranty with UL/FCC/CE and other required certifications.	\$ 8,390
VERA-1U14TD-N03	M00A88	RECORDING SERVER; 16 TB gross storage (14.4 TB usable) on JBOD; supports 100 IP cameras at 200 Mbps and quad 4K monitors using nVidia Quadro graphics. 1U rack. Intel 9th Gen i3 processor with 8 GB DDR4 RAM. Windows 10 Enterprise IoT on 250 GB SSD. Dual Gigabit network ports. 550 W power supply. Includes eight complimentary PRO licenses for Vicon IP cameras and five year NBD Onsite KYHD warranty with UL/FCC/CE and other required certifications. NDAA compliant.	\$ 6,890
VERA-1U14TD-N05	M00A87	RECORDING SERVER; 16 TB gross storage (14.4 TB usable) on JBOD; supports 100 IP cameras at 200 Mbps and quad 4K monitors using nVidia Quadro graphics. 1U rack; . Intel Xeon E-22XX processor with 16 GB DDR4 RAM. Windows 10 Enterprise IoT on 250 GB SSD. Dual Gigabit network ports. 550 W dual redundant power supply. Includes eight complimentary PRO licenses for Vicon IP cameras and five year NBD Onsite KYHD warranty with UL/FCC/CE and other required certifications. NDAA compliant.	\$ 8,590
VERA-1U22TD-N03	M00A86	RECORDING SERVER; 24 TB gross storage (21.6 TB usable) on JBOD; supports 100 IP cameras at 200 Mbps and quad 4K monitors using nVidia Quadro graphics. 1U rack. Intel 9th Gen i3 processor with 8 GB DDR4 RAM. Windows 10 Enterprise IoT on 250 GB SSD. Dual Gigabit network ports. 550 W power supply. Includes eight complimentary PRO licenses for Vicon IP cameras and five year NBD Onsite KYHD warranty with UL/FCC/CE and other required certifications. NDAA compliant.	\$ 7,590
VERA-1U22TD-N05	M00A85	RECORDING SERVER; 24 TB gross storage (21.6 TB usable) on JBOD; supports 100 IP cameras at 200 Mbps and quad 4K monitors using nVidia Quadro graphics. 1U rack. Intel Xeon E-22XX processor with 16 GB DDR4 RAM. Windows 10 Enterprise IoT on 250 GB SSD. Dual Gigabit network ports. 550 W dual redundant power supply. Includes eight complimentary PRO licenses for Vicon IP cameras and five year NBD Onsite KYHD warranty with UL/FCC/CE and other required certifications. NDAA compliant.	\$ 9,290
VERA-1U22TF-N02	M00A84	RECORDING SERVER WITH RAID; 32 TB gross storage (21.6 TB usable) on RAID5; supports 200 IP cameras at 500 Mbps and one WUXGA monitor using onboard graphics. 1U rack. Intel Xeon E-22XX processor with 16 GB DDR4 RAM. Windows 10 Enterprise IoT on dual 250 GB SSD on RAID1. Dual Gigabit network ports. 350 W dual redundant power supply. Dedicated IPMI server management port using Dell's iDRAC. Includes eight complimentary PRO licenses for Vicon IP cameras and five year NBD Onsite KYHD warranty with UL/FCC/CE and other required certifications. NDAA compliant.	\$ 12,490
VERA-1U29TD-N03	M00A82	RECORDING SERVER; 32 TB gross storage (28.8 TB usable) on JBOD; supports 100 IP cameras at 200 Mbps and quad 4K monitors using nVidia Quadro graphics. 1U rack. Intel 9th Gen i3 processor with 8 GB DDR4 RAM. Windows 10 Enterprise IoT on 250 GB SSD. Dual Gigabit network ports. 550 W power supply. Includes eight complimentary PRO licenses for Vicon IP cameras and five year NBD Onsite KYHD warranty with UL/FCC/CE and other required certifications. NDAA compliant.	\$ 8,190

Alpha Numeric

Model	Product Code	Description	MSRP
VERA-1U29TD-N05	M00A81	RECORDING SERVER; 32 TB gross storage (28.8TB usable) on JBOD; supports 100 IP cameras at 200 Mbps and quad 4K monitors using nVidia Quadro graphics. 1U rack. Intel Xeon E-22XX processor with 16 GB DDR4 RAM. Windows 10 Enterprise IoT on 250 GB SSD. Dual Gigabit network ports. 550 W dual redundant power supply. Includes eight complimentary PRO licenses for Vicon IP cameras and five year NBD Onsite KYHD warranty with UL/FCC/CE and other required certifications. NDA compliant.	\$ 9,890
VERA-1U32TF-N02	M00A80	RECORDING SERVER WITH RAID; 48 TB gross storage (32.4 TB usable) on RAID5; supports 200 IP cameras at 500 Mbps and one WUXGA monitor using onboard graphics. 1U rack. Intel Xeon E-22XX processor with 16 GB DDR4 RAM. Windows 10 Enterprise IoT on dual 250 GB SSD on RAID1. Dual Gigabit network ports. 350 W dual redundant power supply. Dedicated IPMI server management port using Dell's iDRAC. Includes eight complimentary PRO licenses for Vicon IP cameras and five year NBD Onsite KYHD warranty with UL/FCC/CE and other required certifications. NDA compliant.	\$ 13,390
VERA-1U3T6D-N03	M00A78	RECORDING SERVER; 4 TB gross storage (3.6 TB usable) on JBOD; supports 100 IP cameras at 200 Mbps and quad 4K monitors using nVidia Quadro graphics. 1U rack. Intel 9th Gen i3 processor with 8 GB DDR4 RAM. Windows 10 Enterprise IoT on 250 GB SSD. Dual Gigabit network ports. 550 W power supply. Includes eight complimentary PRO licenses for Vicon IP cameras and five year NBD Onsite KYHD warranty with UL/FCC/CE and other required certifications. NDA compliant.	\$ 6,290
VERA-1U3T6D-N05	M00A77	RECORDING SERVER; 4 TB gross storage (3.6 TB usable) on JBOD; supports 100 IP cameras at 200 Mbps and quad 4K monitors using nVidia Quadro graphics. 1U rack. Intel Xeon E-22XX processor with 16 GB DDR4 RAM. Windows 10 Enterprise IoT on 250 GB SSD. Dual Gigabit network ports. 550 W dual redundant power supply. Includes eight complimentary PRO licenses for Vicon IP cameras and five year NBD Onsite KYHD warranty with UL/FCC/CE and other required certifications. NDA compliant.	\$ 8,090
VERA-1U43TF-N02	M00A76	RECORDING SERVER WITH RAID; 64 TB gross storage (43.2 TB usable) on RAID5; supports 200 IP cameras at 500 Mbps and one WUXGA monitor using onboard graphics. 1U rack. Intel Xeon E-22XX processor with 16 GB DDR4 RAM. Windows 10 Enterprise IoT on dual 250 GB SSD on RAID1. Dual Gigabit network ports. 350 W dual redundant power supply. Dedicated IPMI server management port using Dell's iDRAC. Includes eight complimentary PRO licenses for Vicon IP cameras and five year NBD Onsite KYHD warranty with UL/FCC/CE and other required certifications. NDA compliant.	\$ 14,390
VERA-1U7T2D-N03	M00A74	RECORDING SERVER; 8 TB gross storage (7.2 TB usable) on JBOD; supports 100 IP cameras at 200 Mbps and quad 4K monitors using nVidia Quadro graphics. 1U rack. Intel 9th Gen i3 processor with 8 GB DDR4 RAM. Windows 10 Enterprise IoT on 250 GB SSD. Dual Gigabit network ports. 550 W power supply. Includes eight complimentary PRO licenses for Vicon IP cameras and five year NBD Onsite KYHD warranty with UL/FCC/CE and other required certifications. NDA compliant.	\$ 6,490
VERA-1U7T2D-N05	M00A73	RECORDING SERVER; 8 TB gross storage (7.2 TB usable) on JBOD; supports 100 IP cameras at 200 Mbps and quad 4K monitors using nVidia Quadro graphics. 1U rack. Intel Xeon E-22XX processor with 16 GB DDR4 RAM. Windows 10 Enterprise IoT on 250 GB SSD. Dual Gigabit network ports. 550 W dual redundant power supply. Includes eight complimentary PRO licenses for Vicon IP cameras and five year NBD Onsite KYHD warranty with UL/FCC/CE and other required certifications. NDA compliant.	\$ 8,290
VERA-2D316S-N02	M00A66	RECORDING SERVER WITH RAID; supports 250 IP cameras at 800 Mbps and one WUXGA monitor using onboard graphics. 2U rack; 384 TB gross storage (316.8 TB usable) on RAID6. Intel Xeon 42XXR processor with 16 GB DDR4 RAM. Windows 10 Enterprise IoT on dual 250 GB SSD on RAID1. Quad network ports (dual Gigabit and dual 10 Gig SFP+). 1100 W dual redundant power supply. Dedicated IPMI server management port using Dell's iDRAC. Includes eight complimentary PRO licenses for Vicon IP cameras and five year NBD Onsite KYHD warranty with UL/FCC/CE and other required certifications.	\$ 58,890

Alpha Numeric

Model	Product Code	Description	MSRP
VERA-2H151S-N02	M00B75	RECORDING SERVER WITH RAID; 192 TB gross storage (151.2 TB usable) on RAID6; supports 200 IP cameras at 600 Mbps and one WUXGA monitor using onboard graphics. 2U rack. Intel Xeon 42XXR processor with 16 GB DDR4 RAM. Windows 10 Enterprise IoT on dual 250 GB SSD on RAID1. Dual Gigabit network ports. 1100 W dual redundant power supply. Dedicated IPMI server management port using Dell's iDRAC. Includes eight complimentary PRO licenses for Vicon IP cameras and five year NBD Onsite KYHD warranty with UL/FCC/CE and other required certifications. NDAA compliant.	\$ 35,590
VERA-2H172S-N02	M00B76	RECORDING SERVER WITH RAID; 224 TB gross storage (172.8 TB usable) on RAID6; supports 200 IP cameras at 600 Mbps and one WUXGA monitor using onboard graphics. 2U rack. Intel Xeon 42XXR processor with 16 GB DDR4 RAM. Windows 10 Enterprise IoT on dual 250 GB SSD on RAID1. Dual Gigabit network ports. 1100 W dual redundant power supply. Dedicated IPMI server management port using Dell's iDRAC. Includes eight complimentary PRO licenses for Vicon IP cameras and five year NBD Onsite KYHD warranty with UL/FCC/CE and other required certifications. NDAA compliant.	\$ 37,690
VERA-2H230S-N02	M00B78	RECORDING SERVER WITH RAID; 288TB gross storage (230.4 TB usable) on RAID6; supports 200 IP cameras at 600 Mbps and one WUXGA monitor using onboard graphics. 2U rack. Intel Xeon 42XXR processor with 16 GB DDR4 RAM. Windows 10 Enterprise IoT on dual 250 GB SSD on RAID1. Dual Gigabit network ports. 1100 W dual redundant power supply. Dedicated IPMI server management port using Dell's iDRAC. Includes eight complimentary PRO licenses for Vicon IP cameras and five year NBD Onsite KYHD warranty with UL/FCC/CE and other required certifications. NDAA compliant.	\$ 43,390
VERA-2U108S-N02	M00A62	RECORDING SERVER WITH RAID; 144 TB gross storage (108 TB usable) on RAID6; supports 200 IP cameras at 600 Mbps and one WUXGA monitor using onboard graphics. 2U rack. Intel Xeon 42XXR processor with 16 GB DDR4 RAM. Windows 10 Enterprise IoT on dual 250 GB SSD on RAID1. Dual Gigabit network ports. 750 W dual redundant power supply. Dedicated IPMI server management port using Dell's iDRAC. Includes eight complimentary PRO licenses for Vicon IP cameras and five year NBD Onsite KYHD warranty with UL/FCC/CE and other required certifications. NDAA compliant.	\$ 25,490
VERA-2U129S-N02	M00B72	RECORDING SERVER WITH RAID; 176 TB gross storage (129.6 TB usable) on RAID6; supports 200 IP cameras at 600 Mbps and one WUXGA monitor using onboard graphics. 2U rack. Intel Xeon 42XXR processor with 16 GB DDR4 RAM. Windows 10 Enterprise IoT on dual 250 GB SSD on RAID1. Dual Gigabit network ports. 750 W dual redundant power supply. Dedicated IPMI server management port using Dell's iDRAC. Includes eight complimentary PRO licenses for Vicon IP cameras and five year NBD Onsite KYHD warranty with UL/FCC/CE and other required certifications. NDAA compliant.	\$ 27,990
VERA-2U144S-N02	M00A60	RECORDING SERVER WITH RAID; 192 TB gross storage (144 TB usable) on RAID6; supports 200 IP cameras at 600 Mbps and one WUXGA monitor using onboard graphics. 2U rack. Intel Xeon 42XXR processor with 16 GB DDR4 RAM. Windows 10 Enterprise IoT on dual 250 GB SSD on RAID1. Dual Gigabit network ports. 750 W dual redundant power supply. Dedicated IPMI server management port using Dell's iDRAC. Includes eight complimentary PRO licenses for Vicon IP cameras and five year NBD Onsite KYHD warranty with UL/FCC/CE and other required certifications. NDAA compliant.	\$ 29,190
VERA-2U18TF-N02	M00A58	RECORDING SERVER WITH RAID; 24 TB gross storage (18 TB usable) on RAID5; supports 200 IP cameras at 600 Mbps and one WUXGA monitor using onboard graphics. 2U rack. Intel Xeon 42XXR processor with 16 GB DDR4 RAM. Windows 10 Enterprise IoT on dual 250 GB SSD on RAID1. Dual Gigabit network ports. 750 W dual redundant power supply. Dedicated IPMI server management port using Dell's iDRAC. Includes eight complimentary PRO licenses for Vicon IP cameras and five year NBD Onsite KYHD warranty with UL/FCC/CE and other required certifications. NDAA compliant.	\$ 16,490
VERA-2U36TF-N02	M00A56	RECORDING SERVER WITH RAID; 48 TB gross storage (36 TB usable) on RAID5; supports 200 IP cameras at 600 Mbps and one WUXGA monitor using onboard graphics. 2U rack. Intel Xeon 42XXR processor with 16 GB DDR4 RAM. Windows 10 Enterprise IoT on dual 250 GB SSD on RAID1. Dual Gigabit network ports. 750 W dual redundant power supply. Dedicated IPMI server management port using Dell's iDRAC. Includes eight complimentary PRO licenses for Vicon IP cameras and five year NBD Onsite KYHD warranty with UL/FCC/CE and other required certifications. NDAA compliant.	\$ 18,190

Alpha Numeric

Model	Product Code	Description	MSRP
VERA-2U54TF-N02	M00A54	RECORDING SERVER WITH RAID; 72 TB gross storage (54 TB usable) on RAID5; supports 200 IP cameras at 600 Mbps and one WUXGA monitor using onboard graphics. 2U rack. Intel Xeon 42XXR processor with 16 GB DDR4 RAM. Windows 10 Enterprise IoT on dual 250 GB SSD on RAID1. Dual Gigabit network ports. 750 W dual redundant power supply. Dedicated IPMI server management port using Dell's iDRAC. Includes eight complimentary PRO licenses for Vicon IP cameras and five year NBD Onsite KYHD warranty with UL/FCC/CE and other required certifications. NDAA compliant.	\$ 19,590
VERA-2U72TF-N02	M00A52	RECORDING SERVER WITH RAID; 96 TB gross storage (72 TB usable) on RAID5; supports 200 IP cameras at 600 Mbps and one WUXGA monitor using onboard graphics. 2U rack. Intel Xeon 42XXR processor with 16 GB DDR4 RAM. Windows 10 Enterprise IoT on dual 250 GB SSD on RAID1. Dual Gigabit network ports. 750 W dual redundant power supply. Dedicated IPMI server management port using Dell's iDRAC. Includes eight complimentary PRO licenses for Vicon IP cameras and five year NBD Onsite KYHD warranty with UL/FCC/CE and other required certifications. NDAA compliant.	\$ 21,290
VERA-2U86TF-N02	M00B70	RECORDING SERVER WITH RAID; 112 TB gross storage (86 TB usable) on RAID5; supports 200 IP cameras at 600 Mbps and one WUXGA monitor using onboard graphics. 2U rack. Intel Xeon 42XXR processor with 16 GB DDR4 RAM. Windows 10 Enterprise IoT on dual 250 GB SSD on RAID1. Dual Gigabit network ports. 750 W dual redundant power supply. Dedicated IPMI server management port using Dell's iDRAC. Includes eight complimentary PRO licenses for Vicon IP cameras and five year NBD Onsite KYHD warranty with UL/FCC/CE and other required certifications. NDAA compliant.	\$ 22,690
VERA-SF11TD-N00	M00A09	RECORDING SERVER; 12 TB gross storage (10.8 TB usable); supports 100 IP cameras at 200 Mbps and dual 4K monitors using onboard graphics. Small form factor. Intel 10th Gen i3 processor with 8 GB DDR4 RAM. Windows 10 Enterprise IoT on 250 GB SSD. Dual Gigabit network ports. 200 W power supply. Includes eight complimentary PRO licenses for Vicon IP cameras and five year NBD Onsite KYHD warranty with UL/FCC/CE and other required certifications. NDAA compliant.	\$ 4,390
VERA-SF11TD-N01	M00A08	RECORDING SERVER; 12 TB gross storage (10.8 TB usable); supports 100 IP cameras at 200 Mbps and dual 4K monitors using onboard graphics. Small form factor. Intel 10th Gen i7 processor with 16 GB DDR4 RAM. Windows 10 Enterprise IoT on 250 GB SSD. Dual Gigabit network ports. 200 W power supply. Includes eight complimentary PRO licenses for Vicon IP cameras and five year NBD Onsite KYHD warranty with UL/FCC/CE and other required certifications. NDAA compliant.	\$ 5,590
VERA-SF14TD-N00	M00A07	RECORDING SERVER; 16 TB gross storage (14.4 TB usable); supports 100 IP cameras at 200 Mbps and dual 4K monitors using onboard graphics. Small form factor. Intel 10th Gen i3 processor with 8 GB DDR4 RAM. Windows 10 Enterprise IoT on 250 GB SSD. Dual Gigabit network ports. 200 W power supply. Includes eight complimentary PRO licenses for Vicon IP cameras and five year NBD Onsite KYHD warranty with UL/FCC/CE and other required certifications. NDAA compliant.	\$ 4,690
VERA-SF14TD-N01	M00A06	RECORDING SERVER; 16 TB gross storage (14.4 TB usable); supports 100 IP cameras at 200 Mbps and dual 4K monitors using onboard graphics. Small form factor. Intel 10th Gen i7 processor with 16 GB DDR4 RAM. Windows 10 Enterprise IoT on 250 GB SSD. Dual Gigabit network ports. 200 W power supply. Includes eight complimentary PRO licenses for Vicon IP cameras and five year NBD Onsite KYHD warranty with UL/FCC/CE and other required certifications. NDAA compliant.	\$ 5,890
VERA-SF1T8D-N00	M00A05	RECORDING SERVER; 2 TB gross storage (1.8 TB usable); supports 100 IP cameras at 200 Mbps and dual 4K monitors using onboard graphics. Small form factor. Intel 10th Gen i3 processor with 8 GB DDR4 RAM. Windows 10 Enterprise IoT on 250 GB SSD. Dual Gigabit network ports. 200 W power supply. Includes eight complimentary PRO licenses for Vicon IP cameras and five year NBD Onsite KYHD warranty with UL/FCC/CE and other required certifications. NDAA compliant.	\$ 3,790
VERA-SF1T8D-N01	M00A04	RECORDING SERVER; 2 TB gross storage (1.8 TB usable); supports 100 IP cameras at 200 Mbps and dual 4K monitors using onboard graphics. Small form factor. Intel 10th Gen i7 processor with 16 GB DDR4 RAM. Windows 10 Enterprise IoT on 250 GB SSD. Dual Gigabit network ports. 200 W power supply. Includes eight complimentary PRO licenses for Vicon IP cameras and five year NBD Onsite KYHD warranty with UL/FCC/CE and other required certifications. NDAA compliant.	\$ 4,990

Alpha Numeric

Model	Product Code	Description	MSRP
VERA-SF3T6D-N00	M00A03	RECORDING SERVER; 4 TB gross storage (3.6 TB usable); supports 100 IP cameras at 200 Mbps and dual 4K monitors using onboard graphics. Small form factor. Intel 10th Gen i3 processor with 8 GB DDR4 RAM. Windows 10 Enterprise IoT on 250 GB SSD. Dual Gigabit network ports. 200 W power supply. Includes eight complimentary PRO licenses for Vicon IP cameras and five year NBD Onsite KYHD warranty with UL/FCC/CE and other required certifications. NDAA compliant.	\$ 3,890
VERA-SF3T6D-N01	M00A02	RECORDING SERVER; 4 TB gross storage (3.6 TB usable); supports 100 IP cameras at 200 Mbps and dual 4K monitors using onboard graphics. Small form factor. Intel 10th Gen i7 processor with 16 GB DDR4 RAM. Windows 10 Enterprise IoT on 250 GB SSD. Dual Gigabit network ports. 200 W power supply. Includes eight complimentary PRO licenses for Vicon IP cameras and five year NBD Onsite KYHD warranty with UL/FCC/CE and other required certifications. NDAA compliant.	\$ 5,190
VERA-SF7T2D-N00	M00A01	RECORDING SERVER; 8 TB gross storage (7.2 TB usable); supports 100 IP cameras at 200 Mbps and dual 4K monitors using onboard graphics. Small form factor. Intel 10th Gen i3 processor with 8 GB DDR4 RAM. Windows 10 Enterprise IoT on 250 GB SSD. Dual Gigabit network ports. 200 W power supply. Includes eight complimentary PRO licenses for Vicon IP cameras and five year NBD Onsite KYHD warranty with UL/FCC/CE and other required certifications. NDAA compliant.	\$ 4,090
VERA-SF7T2D-N01	M00A00	RECORDING SERVER; 8 TB gross storage (7.2 TB usable); supports 100 IP cameras at 200 Mbps and dual 4K monitors using onboard graphics. Small form factor. Intel 10th Gen i7 processor with 16 GB DDR4 RAM. Windows 10 Enterprise IoT on 250 GB SSD. Dual Gigabit network ports. 200 W power supply. Includes eight complimentary PRO licenses for Vicon IP cameras and five year NBD Onsite KYHD warranty with UL/FCC/CE and other required certifications. NDAA compliant.	\$ 5,390
V-GNB-TR	10514-41	GOOSENECK MOUNTING BRACKET; for VTR/PTZ combination	\$ 1,455
VLR-104TB-R5-A	10506-15	2U RECORDING SERVER; for Valerus. Preloaded with NVR software; includes internal RAID with 120 TB raw storage and 104 TB usable storage and redundant OS and power supply; 12-bay; RAID5; Xeon E3 processor and 16 GB RAM; rack-mount. Vicon certified hardware.	\$ 29,617
VLR-10TB-A	10450-32	RECORDING SERVER; for Valerus VMS system. Preloaded with software; 10 TB internal HDD storage; rack-mount. Vicon certified hardware with i7 processor and 16 GB RAM.	\$ 5,247
VLR-10TB-A-RK	10451-32	RECORDING SERVER; for Valerus VMS system. Preloaded with software; 10 TB internal HDD storage; rack-mount. Vicon certified hardware with i7 processor and 16 GB RAM.	\$ 6,064
VLR-11TB-R5-A	10452-75	1U RECORDING SERVER; for Valerus. Preloaded with NVR software; includes internal RAID with 16 TB raw storage and 11 TB usable storage and a redundant power supply; 4-bay; RAID5; rack-mount. Vicon certified hardware with i7 processor and 16 GB RAM.	\$ 9,201
VLR-125TB-R5-A	10506-20	2U RECORDING SERVER; for Valerus. Preloaded with NVR software; includes internal RAID with 144 TB raw storage and 125 TB usable storage and redundant OS and power supply; 12-bay; RAID5; Xeon E3 processor and 16 GB RAM; rack-mount. Vicon certified hardware.	\$ 34,796
VLR-12TB-A	10450-37	RECORDING SERVER; for Valerus VMS system. Preloaded with software; 12 TB internal HDD storage; tower case. Vicon certified hardware with i7 processor and 16 GB RAM.	\$ 5,487
VLR-12TB-A-RK	10451-37	RECORDING SERVER; for Valerus VMS system. Preloaded with software; 12 TB internal HDD storage; rack-mount. Vicon certified hardware with i7 processor and 16 GB RAM.	\$ 6,384
VLR-14TB-A	10450-42	RECORDING SERVER; for Valerus VMS system. Preloaded with software; 14 TB internal HDD storage; tower case. Vicon certified hardware with i7 processor and 16 GB RAM.	\$ 5,757
VLR-14TB-A-RK	10451-42	RECORDING SERVER; for Valerus VMS system. Preloaded with software; 14 TB internal HDD storage; rack-mount. Vicon certified hardware with i7 processor and 16 GB RAM.	\$ 6,627
VLR-16TB-A	10450-47	RECORDING SERVER; for Valerus VMS system. Preloaded with software; 16 TB internal HDD storage; tower case. Vicon certified hardware with i7 processor and 16 GB RAM.	\$ 6,031
VLR-16TB-A-RK	10451-47	RECORDING SERVER; for Valerus VMS system. Preloaded with software; 16 TB internal HDD storage; rack-mount. Vicon certified hardware with i7 processor and 16 GB RAM.	\$ 6,912
VLR-174TB-R5-A	10506-25	4U RECORDING SERVER; for Valerus. Preloaded with NVR software; includes internal RAID with 192 TB raw storage and 174 TB usable storage and redundant OS and power supply; 24-bay; RAID5; Xeon E3 processor and 16 GB RAM; rack-mount. Vicon certified hardware.	\$ 43,260
VLR-17TB-R5-A	10452-80	1U RECORDING SERVER; for Valerus. Preloaded with NVR software; includes internal RAID with 24 TB raw storage and 17 TB usable storage and a redundant power supply; 4-bay; RAID5; rack-mount. Vicon certified hardware with i7 processor and 16 GB RAM.	\$ 10,096

Alpha Numeric

Model	Product Code	Description	MSRP
VLR-1TB-A	10450-02	RECORDING SERVER; for Valerus VMS system. Preloaded with software; 1 TB internal HDD storage; also for use with external RAID; desktop case. Vicon certified hardware with i7 processor and 16 GB RAM.	\$ 3,407
VLR-1TB-A-RK	10451-02	RECORDING SERVER; for Valerus VMS system. Preloaded with software; 1 TB internal HDD storage; also for use with external RAID; rack-mount. Vicon certified hardware with i7 processor and 16 GB RAM.	\$ 4,095
VLR-20TB-A	10450-57	RECORDING SERVER; for Valerus VMS system. Preloaded with software; 20 TB internal HDD storage; tower case. Vicon certified hardware with i7 processor and 16 GB RAM.	\$ 6,783
VLR-20TB-A-RK	10451-57	RECORDING SERVER; for Valerus VMS system. Preloaded with software; 20 TB internal HDD storage; rack-mount. Vicon certified hardware with i7 processor and 16 GB RAM.	\$ 7,668
VLR-218TB-R5-A	10506-30	4U RECORDING SERVER; for Valerus. Preloaded with NVR software; includes internal RAID with 240 TB raw storage and 218 TB usable storage and redundant OS and power supply; 24-bay; RAID5; Xeon E3 processor and 16 GB RAM; rack-mount. Vicon certified hardware.	\$ 56,346
VLR-22TB-R5-A	10452-85	1U RECORDING SERVER; for Valerus. Preloaded with NVR software; includes internal RAID with 32 TB raw storage and 22 TB usable storage and a redundant power supply; 4-bay; RAID5; rack-mount. Vicon certified hardware with i7 processor and 16 GB RAM.	\$ 11,329
VLR-262TB-R5-A	10506-35	4U RECORDING SERVER; for Valerus. Preloaded with NVR software; includes internal RAID with 288 TB raw storage and 262 TB usable storage and redundant OS and power supply; 24-bay; RAID5; Xeon E3 processor and 16 GB RAM; rack-mount. Vicon certified hardware.	\$ 70,629
VLR-2TB-A	10450-07	RECORDING SERVER; for Valerus VMS system. Preloaded with software; 2 TB internal HDD storage; desktop case. Vicon certified hardware with i7 processor and 16 GB RAM.	\$ 3,491
VLR-2TB-A-RK	10451-07	RECORDING SERVER; for Valerus VMS system. Preloaded with software; 2 TB internal HDD storage; rack-mount. Vicon certified hardware with i7 processor and 16 GB RAM.	\$ 4,173
VLR-34TB-R5-A	10452-90	1U RECORDING SERVER; for Valerus. Preloaded with NVR software; includes internal RAID with 48 TB raw storage and 34 TB usable storage and redundant power supply; 4-bay; RAID5; rack-mount. Vicon certified hardware with i7 processor and 16 GB RAM.	\$ 15,047
VLR-485-DL	10497-00	4-PORT RS-485 DISTRIBUTION LINE (HUB); expands one RS-485 network into four (4), allowing for star configuration wiring	\$ 780
VLR-4TB-A	10450-17	RECORDING SERVER; for Valerus VMS system. Preloaded with software; 4 TB internal HDD storage; desktop case. Vicon certified hardware with i7 processor and 16 GB RAM.	\$ 4,116
VLR-4TB-A-RK	10451-17	RECORDING SERVER; for Valerus VMS system. Preloaded with software; 4 TB internal HDD storage; rack-mount. Vicon certified hardware with i7 processor and 16 GB RAM.	\$ 4,886
VLR-53TB-R5-A	10506-00	2U RECORDING SERVER; for Valerus. Preloaded with NVR software; includes internal RAID with 64 TB raw storage and 53 TB usable storage and redundant OS and power supply; 8-bay; RAID5; Xeon E3 processor and 16 GB RAM; rack-mount. Vicon certified hardware.	\$ 17,213
VLR-62TB-R5-A	10506-05	2U RECORDING SERVER; for Valerus. Preloaded with NVR software; includes internal RAID with 72 TB raw storage and 62 TB usable storage and redundant OS and power supply; 12-bay; RAID5; Xeon E3 processor and 16 GB RAM; rack-mount. Vicon certified hardware.	\$ 19,226
VLR-6TB-A	10450-22	RECORDING SERVER; for Valerus VMS system. Preloaded with software; 6 TB internal HDD storage; desktop case. Vicon certified hardware with i7 processor and 16 GB RAM.	\$ 4,365
VLR-6TB-A-RK	10451-22	RECORDING SERVER; for Valerus VMS system. Preloaded with software; 6 TB internal HDD storage; rack-mount. Vicon certified hardware with i7 processor and 16 GB RAM.	\$ 5,138
VLR-83TB-R5-A	10506-10	2U RECORDING SERVER; for Valerus. Preloaded with NVR software; includes internal RAID with 96 TB raw storage and 83 TB usable storage and redundant OS and power supply; 12-bay; RAID5; Xeon E3 processor and 16 GB RAM; rack-mount. Vicon certified hardware.	\$ 23,458
VLR-8TB-A	10450-27	RECORDING SERVER; for Valerus VMS system. Preloaded with software; 8 TB internal HDD storage; desktop case. Vicon certified hardware with i7 processor and 16 GB RAM.	\$ 4,748
VLR-8TB-A-RK	10451-27	RECORDING SERVER; for Valerus VMS system. Preloaded with software; 8 TB internal HDD storage; rack-mount. Vicon certified hardware with i7 processor and 16 GB RAM.	\$ 5,540
VLR-APPSRV-A	10453-05	APPLICATION SERVER; PC preloaded with Valerus software; includes Web Server; desktop case. Vicon certified hardware with i7 processor and 16 GB RAM.	\$ 3,230
VLR-APPSRV-A-RK	10453-15	APPLICATION SERVER; PC preloaded with Valerus software; includes Web Server; rack-mount. Vicon certified hardware with i7 processor and 16 GB RAM.	\$ 3,689
VLR-CLIENT-4-A	10454-07	VIEWING STATION; PC for viewing and operating Valerus VMS; 4 monitor output support; tower; supports up to 4K resolution; Vicon certified hardware with i7 processor and 16 GB RAM.	\$ 4,484

Alpha Numeric

Model	Product Code	Description	MSRP
VLR-CLIENT-4-A-RK	10454-17	VIEWING STATION; PC for viewing and operating Valerus VMS; 4 monitor output support; rack-mount; supports up to 4K resolution; Vicon certified hardware with i7 processor and 16 GB RAM.	\$ 5,236
VLR-CLIENT-A	10454-02	VIEWING STATION; PC for viewing and operating Valerus VMS; 2 monitor output support; desktop case; supports up to 4K resolution. Vicon certified hardware with i7 processor and 16 GB RAM.	\$ 3,407
VLR-CLIENT-A-RK	10454-12	VIEWING STATION; PC for viewing and operating Valerus VMS; 2 monitor output support; rack-mount; supports up to 4K resolution. Vicon certified hardware with i7 processor and 16 GB RAM.	\$ 3,754
VLR-CORE-ENT	10457-20	TIER UPGRADE FOR VALERUS SOFTWARE; from CORE to ENT; third party devices; when purchased with current UPP; per device	\$ 160
VLR-CORE-ENT-NP	10457-40	TIER UPGRADE FOR VALERUS SOFTWARE; from CORE to ENT; third party devices; when purchased without current UPP; per device	\$ 256
VLR-CORE-LIC	10455-00	VALERUS CORE LICENSE; single edge device new license for use with third party cameras/encoders including the VLR-ENC-16	\$ 95
VLR-CORE-LIC-ADD	10455-10	VALERUS CORE LICENSE ADD-ON; single edge device license to add-on to existing license; for use with third party cameras/encoders including the VLR-ENC-16	\$ 95
VLR-CORE-PRO	10457-00	TIER UPGRADE FOR VALERUS SOFTWARE; from CORE to PRO; third party devices; when purchased with current UPP; per device	\$ 121
VLR-CORE-PRO-NP	10457-05	TIER UPGRADE FOR VALERUS SOFTWARE; from CORE to PRO; third party devices; when purchased without current UPP; per device	\$ 194
VLR-CORE-UPP	10456-00	UPGRADE PROTECTION PLAN; for Valerus CORE tier; per device. Guarantee free upgrades for one year.	\$ 11
VLR-CORE-UPP-3	10456-01	UPGRADE PROTECTION PLAN; for Valerus CORE tier; per device. Guarantee free upgrades for three years.	\$ 25
VLR-CORE-UPP-3-ADD	10456-61	UPGRADE PROTECTION PLAN ADD-ON; add device to existing CORE tier UPP; 3 year; per device	Contact Vicon Sales
VLR-CORE-UPP-5	10456-02	UPGRADE PROTECTION PLAN; for Valerus CORE tier; per device. Guarantee free upgrades for five years.	\$ 38
VLR-CORE-UPP-5-ADD	10456-62	UPGRADE PROTECTION PLAN ADD-ON; add device to existing CORE tier UPP; 5 year; per device	Contact Vicon Sales
VLR-CORE-UPP-ADD	10456-60	UPGRADE PROTECTION PLAN ADD-ON; add device to existing CORE tier UPP; 1 year; per device	Contact Vicon Sales
VLR-CORE-VER	10456-20	VERSION UPGRADE FOR VALERUS SOFTWARE; to next version; CORE tier; per third party device	\$ 38
VLR-ENT-LIC	10455-07	VALERUS ENT LICENSE; single edge device new license for use with third party cameras/encoders including the VLR-ENC-16	\$ 255
VLR-ENT-LIC-ADD	10455-17	VALERUS ENT LICENSE ADD-ON; single edge device license to add-on to existing licenses; for use with third party cameras/encoders including the VLR-ENC-16	\$ 255
VLR-ENT-UPP	10456-80	UPGRADE PROTECTION PLAN; for Valerus ENT tier; per device. Guarantee free upgrades for one year.	\$ 34
VLR-ENT-UPP-3	10456-81	UPGRADE PROTECTION PLAN; for Valerus ENT tier; per device. Guarantee free upgrades for three years.	\$ 76
VLR-ENT-UPP-3-ADD	10456-84	UPGRADE PROTECTION PLAN ADD-ON; add device to existing ENT tier UPP; 3 years; per device	Contact Vicon Sales
VLR-ENT-UPP-5	10456-82	UPGRADE PROTECTION PLAN; for Valerus ENT tier; per device. Guarantee free upgrades for five years.	\$ 119
VLR-ENT-UPP-5-ADD	10456-85	UPGRADE PROTECTION PLAN ADD-ON; add device to existing ENT tier UPP; 5 years; per device	Contact Vicon Sales
VLR-ENT-UPP-ADD	10456-83	UPGRADE PROTECTION PLAN ADD-ON; add device to existing ENT tier UPP; 1 year; per device	Contact Vicon Sales
VLR-ENT-VER	10456-90	VERSION UPGRADE FOR VALERUS SOFTWARE; to next version; ENT tier; per third party device	\$ 102
VLR-MINI-6TBV1	10462-15	VALERUS MINI RECORDING SERVER; equipped with 6 TB HDD; can be used as all-in-one system server or recording server; up to 35 channels. Vicon certified hardware. Requires separate edge device connection license.	\$ 2,156
VLR-POE-12TB	10550-10	RECORDING SERVER FOR VALERUS VMS SYSTEM; includes 16-channel PoE switch. Preloaded with software; includes 16-channel CORE license for Vicon IP cameras. 12 TB internal HDD storage; Vicon certified hardware with i3-6100 processor, 16 GB RAM, 256G mSATA; Windows 10; rack-mount	\$ 5,494
VLR-POE-16TB	10550-15	RECORDING SERVER FOR VALERUS VMS SYSTEM; includes 16-channel PoE switch. Preloaded with software; includes 16-channel CORE license for Vicon IP cameras. 16 TB internal HDD storage; Vicon certified hardware with i3-6100 processor, 16 GB RAM, 256G mSATA; Windows 10; rack-mount	\$ 5,823

Alpha Numeric

Model	Product Code	Description	MSRP
VLR-POE-24TB	10550-25	RECORDING SERVER FOR VALERUS VMS SYSTEM; includes 16-channel PoE switch. Preloaded with software; includes 16-channel CORE license for Vicon IP cameras. 24 TB internal HDD storage; Vicon certified hardware with i3-6100 processor, 16 GB RAM, 256G mSATA; Windows 10; rack-mount	\$ 6,829
VLR-POE-4TB	10550-00	RECORDING SERVER FOR VALERUS VMS SYSTEM; includes 16-channel PoE switch. Preloaded with software; includes 16-channel CORE license for Vicon IP cameras. 4 TB internal HDD storage; Vicon certified hardware with i3-6100 processor, 16 GB RAM, 256G mSATA; Windows 10; rack-mount	\$ 4,739
VLR-POE-8TB	10550-05	RECORDING SERVER FOR VALERUS VMS SYSTEM; includes 16-channel PoE switch. Preloaded with software; includes 16-channel CORE license for Vicon IP cameras. 8 TB internal HDD storage; Vicon certified hardware with i3-6100 processor, 16 GB RAM, 256G mSATA; Windows 10; rack-mount	\$ 5,062
VLR-PRO-ENT	10457-30	TIER UPGRADE FOR VALERUS SOFTWARE; from PRO to ENT; third party devices; when purchased with current UPP; per device	\$ 90
VLR-PRO-ENT-NP	10457-50	TIER UPGRADE FOR VALERUS SOFTWARE; from PRO to ENT; third party devices; when purchased without current UPP; per device	\$ 144
VLR-PRO-LIC	10455-05	VALERUS PRO LICENSE; single edge device new license for use with third party cameras/encoders including the VLR-ENC-16	\$ 165
VLR-PRO-LIC-ADD	10455-15	VALERUS PRO LICENSE ADD-ON; single edge device license to add on to existing license; for use with third party cameras/encoders including the VLR-ENC-16	\$ 165
VLR-PRO-UPP	10456-05	UPGRADE PROTECTION PLAN; for Valerus PRO tier; per third party device. Guarantee free upgrades for one year.	\$ 22
VLR-PRO-UPP-3	10456-06	UPGRADE PROTECTION PLAN; for Valerus PRO tier; per device. Guarantee free upgrades for three years.	\$ 49
VLR-PRO-UPP-3-ADD	10456-71	UPGRADE PROTECTION PLAN ADD-ON; add device to existing PRO tier UPP; 3 year; per device	Contact Vicon Sales
VLR-PRO-UPP-5	10456-07	UPGRADE PROTECTION PLAN; for Valerus PRO tier; per device. Guarantee free upgrades for five years.	\$ 77
VLR-PRO-UPP-5-ADD	10456-72	UPGRADE PROTECTION PLAN ADD-ON; add device to existing PRO tier UPP; 5 year; per device	Contact Vicon Sales
VLR-PRO-UPP-ADD	10456-70	UPGRADE PROTECTION PLAN ADD-ON; add device to existing PRO tier UPP; 1 year; per device	Contact Vicon Sales
VLR-PRO-VER	10456-25	VERSION UPGRADE FOR VALERUS SOFTWARE; to next version; PRO tier; per third party device	\$ 66
VLR-REDSRV-LIC	10455-50	VALERUS LICENSE FOR REDUNDANT APPLICATION SERVER; for new Valerus system	\$ 500
VLR-REDSRV-LIC-ADD	10455-55	VALERUS UPGRADE LICENSE FOR REDUNDANT APPLICATION SERVER; for existing Valerus Systems; to provide activation key	\$ 500
VLR-SWH-INTV2.80	9101-68	VALERUS-SOFTWARE HOUSE INTEGRATION PACKAGE; version 2.80; to use Valerus min version 18R2 on a Software House C-CURE 9000 access control workstation	\$ 1,000
VLR-VCORE-ENT	10457-25	TIER UPGRADE FOR VALERUS SOFTWARE; from CORE to ENT; Vicon devices; when purchased with current UPP; per device	\$ 114
VLR-VCORE-ENT-NP	10457-45	TIER UPGRADE FOR VALERUS SOFTWARE; from CORE to ENT; Vicon devices; when purchased without current UPP; per device	\$ 182
VLR-VCORE-LIC	10455-20	VALERUS CORE LICENSE; single edge device new license for use with Vicon cameras and single-channel encoder	\$ 56
VLR-VCORE-LIC-ADD	10455-30	VALERUS CORE LICENSE ADD-ON; single edge device license add-on to existing license; for use with Vicon cameras and single-channel encoder	\$ 56
VLR-VCORE-PRO	10457-10	TIER UPGRADE FOR VALERUS SOFTWARE; from CORE to PRO; Vicon devices; when purchased with current UPP; per device	\$ 55
VLR-VCORE-PRO-NP	10457-15	TIER UPGRADE FOR VALERUS SOFTWARE; from CORE to PRO; Vicon devices; when purchased without current UPP; per device	\$ 88
VLR-VCORE-VER	10456-30	VERSION UPGRADE FOR VALERUS SOFTWARE; to next version; CORE tier; per Vicon device	\$ 22
VLR-VENT-LIC	10455-27	VALERUS ENT LICENSE; single edge device new license for use with Vicon cameras and single-channel encoder	\$ 170
VLR-VENT-LIC-ADD	10455-37	VALERUS ENT LICENSE ADD-ON; single edge device license to add on to existing licenses; for use with Vicon cameras and single-channel encoder	\$ 170
VLR-VENT-VER	10456-91	VERSION UPGRADE FOR VALERUS SOFTWARE; to next version; ENT tier; per Vicon device	\$ 68
VLR-VN-GW-A	10453-30	VALERUS-VICONNET GATEWAY SERVER; PC preloaded with Gateway and required ViconNet software; desktop case. Vicon certified hardware with i7 processor and 16 GB RAM. Requires separate Gateway license.	\$ 3,230
VLR-VN-GW-A-RK	10453-35	VALERUS-VICONNET GATEWAY SERVER; PC preloaded with Gateway and required ViconNet software; rack-mount. Vicon certified hardware with i7 processor and 16 GB RAM. Requires separate Gateway license.	\$ 3,689
VLR-VN-GW-LIC	10455-40	VALERUS-VICONNET GATEWAY LICENSE; bridge existing ViconNet system to a new Valerus system	\$ 5,000

Alpha Numeric

Model	Product Code	Description	MSRP
VLR-VN-GW-LIC-ADD	10455-45	UPGRADE VALERUS-VICONNET GATEWAY LICENSE; bridge existing ViconNet system to an existing Valerus system	\$ 5,000
VLR-VN-GW-UPP-1	10456-40	UPGRADE PROTECTION PLAN; for Valerus-ViconNet Gateway; 1 year; per device	\$ 175
VLR-VN-GW-UPP-3	10456-50	UPGRADE PROTECTION PLAN; for Valerus-ViconNet Gateway; 3 year; per device	\$ 500
VLR-VN-GW-UPP-5	10456-55	UPGRADE PROTECTION PLAN; for Valerus-ViconNet Gateway; 5 year; per device	\$ 675
VLR-VPRO-ENT	10457-35	TIER UPGRADE FOR VALERUS SOFTWARE; from PRO to ENT; Vicon devices; when purchased with current UPP; per device	\$ 59
VLR-VPRO-ENT-NP	10457-55	TIER UPGRADE FOR VALERUS SOFTWARE; from PRO to ENT; Vicon devices; when purchased without current UPP; per device	\$ 95
VLR-VPRO-LIC	10455-25	VALERUS PRO LICENSE; single edge device new license for use with Vicon cameras and single-channel encoder	\$ 111
VLR-VPRO-LIC-ADD	10455-35	VALERUS PRO LICENSE ADD-ON; single edge device license to add on to existing licenses; for use with Vicon cameras and single-channel encoder	\$ 111
VLR-VPRO-VER	10456-35	VERSION UPGRADE FOR VALERUS SOFTWARE; to next version; PRO tier; per Vicon device	\$ 44
VM-623LED-3	10495-12	23.8-INCH LED; 1080p HD resolution (1920 x 1080); 16:9/4:3 aspect ratio, CVBS (BNC) In/Out, HDMI, VGA input	\$ 900
VMDC-2V8-A	10474-10	VIRTUAL MATRIX DISPLAY CONTROLLER; 2 display outputs; supports up to 4K resolution; Windows 10; tower case	\$ 6,278
VMDC-2V8-B-RK	10474-45	VIRTUAL MATRIX DISPLAY CONTROLLER; 2 display outputs; supports up to 4K resolution; Windows 10; 3U rack mount	\$ 6,578
VMDC-4V8-A	10474-15	VIRTUAL MATRIX DISPLAY CONTROLLER; 4 display outputs; supports up to 4K resolution; Windows 10; tower case	\$ 6,744
VMDC-4V8-B-RK	10474-50	VIRTUAL MATRIX DISPLAY CONTROLLER; 4 display outputs; supports up to 4K resolution; Windows 10; 3U rack mount	\$ 7,100
VMDC-6V8-B	10474-40	VIRTUAL MATRIX DISPLAY CONTROLLER; 6 display outputs; supports up to 4K resolution; Windows 10; tower case	\$ 7,222
VMDC-6V8-B-RK	10474-55	VIRTUAL MATRIX DISPLAY CONTROLLER; 6 display outputs; supports up to 4K resolution; Windows 10; 3U rack mount	\$ 7,500
VMDC-SWV8	10388-00	VIRTUAL MATRIX DISPLAY CONTROLLER SOFTWARE; installation on 3rd party server	\$ 3,835
VN-CAM-LIC	9612-00	CONNECTION LICENSE; for non-ViconNet cameras to ViconNet system. One camera license.	\$ 600
VN-DECODER-2A	10153-10	VICONNET 2-CHANNEL DIGITAL VIDEO DECODER; for use with Virtual Matrix Display Controller; Windows 10	\$ 3,389
VN-KEYPAD	10395-00	KEYPAD; used to control ViconNet digital video management systems, including Virtual Matrix Display Controller (VMDC); desk-top design; connect and power via USB cable	\$ 1,575
VN-RMT-SWV8	10383-00	VICONNET WEB SERVICE AND MOBILE APPLICATION SOFTWARE; software package for PC being used as a standalone Web Service or with mobile application. Single server license.	\$ 1,056
VN-SHD-10T	9127-38	HARD DRIVE REPLACEMENT KIT; for Shadow, SATA, 10 TB	\$ 1,032
VN-SHD-12T	9127-39	HARD DRIVE REPLACEMENT KIT; for Shadow, SATA, 12 TB	\$ 1,175

Removed Products

Removed Products

Model	Product Code	Description	MSRP
PRO-VLR-ENC	10496-35	PRECONFIGURATION OF 16-CHANNEL ENCODER; fee per encoder; includes setup of encoder name, network configuration, video stream, time synchronization and labeling	\$ 125
V1008-WIR-180-1	10486-05	MULTI-SENSOR CAMERA; 8 MP; 180° coverage; four 2 MP image sensors; smart IR; four fixed 6.0 mm lenses; H.264/H.265; true WDR; with mounting cap	\$ 2,000
VERA-2D237S-N02	M00A68	RECORDING SERVER WITH RAID; supports 250 IP cameras at 800 Mbps and one WUXGA monitor using onboard graphics. 2U rack; 288 TB gross storage (237.6 TB usable) on RAID6. Intel Xeon 42XXR processor with 16 GB DDR4 RAM. Windows 10 Enterprise IoT on dual 250 GB SSD on RAID1. Quad network ports (dual Gigabit and dual 10 Gig SFP+). 1100 W dual redundant power supply. Dedicated IPMI server management port using Dell's iDRAC. Includes eight complimentary PRO licenses for Vicon IP cameras and five year NBD Onsite KYHD warranty with UL/FCC/CE and other required certifications.	\$ 50,890
VLR-ENC-16	10490-05	16-CHANNEL H.264 ENCODER; supports HD Analog (AHD), TVI, and up to 960H analog cameras; up to 480 fps (NTSC) or 240 fps (1080 AHD); includes racking ears	\$ 895
VAX-D6.2R	10364-72	SMARTCARD READER; designed to be mounted to metal door and window frames (mullion); optimized for MIFARE DESFire EV1 and EV2 compliant smartcards; read range up to 2 in. (51 mm); Wiegand protocol*; integrates both a smartcard reader and keypad in a single unit	\$ 920
VAX-CSR-6.2	10364-70	MOBILE-READY CONTACTLESS SMARTCARD READER; designed to be mounted to metal door and window frames (mullion); reads VAX-BTC mobile credentials up to 15 ft (4.6 m); Wiegand protocol; supports both a smartcard reader and keypad in a single unit. Supports MIFARE compliant smartcards; read range up to 2 in. (51 mm).	\$ 710

Removed Products

Removed Products

Model	Product Code	Description	MSRP
--------------	-------------------------	--------------------	-------------

Removed Products

Removed Products

Model	Product Code	Description	MSRP
--------------	---------------------	--------------------	-------------

Removed Products

Removed Products

Model	Product Code	Description	MSRP
--------------	-------------------------	--------------------	-------------

Removed Products

Removed Products

Model	Product Code	Description	MSRP
--------------	-------------------------	--------------------	-------------

New Products

New Products

Model	Product Code	Description	MSRP
V2032-WIR-360	10517-25	MULTI-SENSOR STARLIGHT CAMERA; 32 MP; 360° coverage; four 8 MP image sensors; smart IR; four motorized 3.6-10 mm lenses; H.264/H.265; true WDR; provides remote positioning and presets; includes mounting cap; NDAA-compliant	\$ 3,500
VAX-D6-4R	10364-78	SMARTCARD READER; designed to be mounted to standard single-gang wall box or flat surfaces; optimized for MIFARE DESFire EV1 and EV2 compliant smartcards; read range up to 2 in. (51 mm); Wiegand protocol*; integrates both a smartcard reader and keypad in a single unit	\$ 715
VAX-CSR-6.4	10364-80	MOBILE-READY CONTACTLESS SMARTCARD READER; designed to be mounted to single gang box or flat surfaces; reads VAX-BTC mobile credentials up to 15 ft (4.6 m); Wiegand protocol; supports both a smartcard reader and keypad in a single unit. Supports MIFARE compliant smartcards; read range up to 2 in. (51 mm).	\$ 651
VAX-PCR-35L	10364-74	MOBILE-READY CONTACTLESS PROXIMITY READER; designed to be mounted to metal door and window frames (mullions); reads VAX-BTC mobile credentials up to 15 ft (4.6 m); Wiegand protocol. Supports standard 125 KHz proximity cards; read range up to 4 in. (102 mm)*.	\$ 426
VAX-PCR-640L	10364-76	MOBILE-READY CONTACTLESS PROXIMITY READER; designed to be mounted to single gang box or flat surfaces; reads VAX-BTC mobile credentials up to 15 ft (4.6 m); Wiegand protocol. Supports standard 125 KHz proximity cards and keypad in a single unit; read range up to 4 in. (102 mm)*.	\$ 683
VAX-TROVE-2DR-RK	10356-63	TWO DOOR CONTROLLER; includes 1 master controller board, 1 two-door boards and a 12 VDC @6A power supply in an Altronix Trove1R rack enclosure	\$ 5,082
VAX-TROVE-4DR-RK	10356-62	FOUR DOOR CONTROLLER; includes 1 master controller board, 2 two-door boards and a 12 VDC @6A power supply in an Altronix Trove1R rack enclosure	\$ 5,943
VAX-TROVE-6DR-RK	10356-61	SIX DOOR CONTROLLER; includes 1 master controller board, 3 two-door boards and a 12 VDC @6A power supply in an Altronix Trove1R rack enclosure	\$ 6,801
VAX-TROVE-8DR-RK	10356-60	EIGHT DOOR CONTROLLER; includes 1 master controller board, 4 two-door boards and a 12 VDC @6A power supply in an Altronix Trove1R rack enclosure	\$ 7,662
VERA-1U11TD-N05	M00A91	RECORDING SERVER; 12 TB gross storage (10.8 TB usable) on JBOD; supports 100 IP cameras at 200 Mbps and quad 4K monitors using nVidia Quadro graphics. 1U rack; Intel Xeon E-22XX processor with 16 GB DDR4 RAM. Windows 10 Enterprise IoT on 250 GB SSD. Dual Gigabit network ports. 550 W dual redundant power supply. Includes eight complimentary PRO licenses for Vicon IP cameras and five year NBD Onsite KYHD warranty with UL/FCC/CE and other required certifications. NDAA compliant.	\$ 8,390
VERA-1U14TD-N05	M00A87	RECORDING SERVER; 16 TB gross storage (14.4 TB usable) on JBOD; supports 100 IP cameras at 200 Mbps and quad 4K monitors using nVidia Quadro graphics. 1U rack; Intel Xeon E-22XX processor with 16 GB DDR4 RAM. Windows 10 Enterprise IoT on 250 GB SSD. Dual Gigabit network ports. 550 W dual redundant power supply. Includes eight complimentary PRO licenses for Vicon IP cameras and five year NBD Onsite KYHD warranty with UL/FCC/CE and other required certifications. NDAA compliant.	\$ 8,590
VERA-2H151S-N02	M00B75	RECORDING SERVER WITH RAID; 192 TB gross storage (151.2 TB usable) on RAID6; supports 200 IP cameras at 600 Mbps and one WUXGA monitor using onboard graphics. 2U rack. Intel Xeon 42XXR processor with 16 GB DDR4 RAM. Windows 10 Enterprise IoT on dual 250 GB SSD on RAID1. Dual Gigabit network ports. 1100 W dual redundant power supply. Dedicated IPMI server management port using Dell's iDRAC. Includes eight complimentary PRO licenses for Vicon IP cameras and five year NBD Onsite KYHD warranty with UL/FCC/CE and other required certifications. NDAA compliant.	\$ 35,590
VERA-2H172S-N02	M00B76	RECORDING SERVER WITH RAID; 224 TB gross storage (172.8 TB usable) on RAID6; supports 200 IP cameras at 600 Mbps and one WUXGA monitor using onboard graphics. 2U rack. Intel Xeon 42XXR processor with 16 GB DDR4 RAM. Windows 10 Enterprise IoT on dual 250 GB SSD on RAID1. Dual Gigabit network ports. 1100 W dual redundant power supply. Dedicated IPMI server management port using Dell's iDRAC. Includes eight complimentary PRO licenses for Vicon IP cameras and five year NBD Onsite KYHD warranty with UL/FCC/CE and other required certifications. NDAA compliant.	\$ 37,690
VERA-2H230S-N02	M00B78	RECORDING SERVER WITH RAID; 288TB gross storage (230.4 TB usable) on RAID6; supports 200 IP cameras at 600 Mbps and one WUXGA monitor using onboard graphics. 2U rack. Intel Xeon 42XXR processor with 16 GB DDR4 RAM. Windows 10 Enterprise IoT on dual 250 GB SSD on RAID1. Dual Gigabit network ports. 1100 W dual redundant power supply. Dedicated IPMI server management port using Dell's iDRAC. Includes eight complimentary PRO licenses for Vicon IP cameras and five year NBD Onsite KYHD warranty with UL/FCC/CE and other required certifications. NDAA compliant.	\$ 43,390
VERA-2U129S-N02	M00B72	RECORDING SERVER WITH RAID; 176 TB gross storage (129.6 TB usable) on RAID6; supports 200 IP cameras at 600 Mbps and one WUXGA monitor using onboard graphics. 2U rack. Intel Xeon 42XXR processor with 16 GB DDR4 RAM. Windows 10 Enterprise IoT on dual 250 GB SSD on RAID1. Dual Gigabit network ports. 750 W dual redundant power supply. Dedicated IPMI server management port using Dell's iDRAC. Includes eight complimentary PRO licenses for Vicon IP cameras and five year NBD Onsite KYHD warranty with UL/FCC/CE and other required certifications. NDAA compliant.	\$ 27,990

New Products

New Products

Model	Product Code	Description	MSRP
VERA-2U86TF-N02	M00B70	RECORDING SERVER WITH RAID; 112 TB gross storage (86 TB usable) on RAID5; supports 200 IP cameras at 600 Mbps and one WUXGA monitor using onboard graphics. 2U rack. Intel Xeon 42XXR processor with 16 GB DDR4 RAM. Windows 10 Enterprise IoT on dual 250 GB SSD on RAID1. Dual Gigabit network ports. 750 W dual redundant power supply. Dedicated IPMI server management port using Dell's iDRAC. Includes eight complimentary PRO licenses for Vicon IP cameras and five year NBD Onsite KYHD warranty with UL/FCC/CE and other required certifications. NDAA compliant.	\$ 22,690
VPOE-INJ-60BT	10193-15	SINGLE-PORT POE GIGABIT INJECTOR; compatible with IEE802.3BT; 60 W output	\$ 305

New Products

New Products

Model	Product Code	Description	MSRP
--------------	-------------------------	--------------------	-------------

Price Changes

Price Changes

Model	Product Code	Description	New MSRP	Old MSRP
VAX-1D-1	10354-52	SINGLE DOOR CONTROLLER; without integrated PIR/REX; supports back to back readers; 2 relays with 1A limit; black enclosure	\$ 1,260	\$ 1,043
VAX-1D-REX-1	10354-42	SINGLE DOOR CONTROLLER; integrated PIR/REX; supports back to back readers; 2 relays with 1A limit; black enclosure	\$ 1,362	\$ 1,127
VAX-2D-1	10355-32	TWO DOOR CONTROLLER; without integrated PIR/REX; for doors with only one reader; 2 relays with 1A limit; black enclosure	\$ 1,491	\$ 1,260
VAX-2D-REX-1	10355-22	TWO DOOR CONTROLLER; integrated PIR/REX; for doors with only one reader; 2 relays with 1A limit; black enclosure	\$ 1,610	\$ 1,362
VAX-600KP	10364-05	PROXIMITY READER; designed to be mounted to metal door and window frames (mullion); integrates both a proximity reader and keypad into a single unit; reads standard 125kHz Proximity cards; read range up to 4 in. (102 mm)	\$ 401	\$ 416
VAX-BK-BOX	10358-00	CONTROLLER BACKING PLATE; for mounting on concrete walls; metal construction with six conduit knockouts	\$ 74	\$ 60
VAX-CR-35L	10364-51	MOBILE-READY CONTACTLESS SMARTCARD READER; designed to be mounted to metal door and window frames (mullion); reads VAX-BTC mobile credentials up to 15 ft (4.6 m); Wiegand protocol. Supports MIFARE compliant smartcards; read range up to 1.5 in. (38 mm).	\$ 359	\$ 427
VAX-D3R	10364-60	SMARTCARD READER; designed to be mounted to metal door and window frames (mullion); reads MIFARE DESFire EV1 and EV2 compliant smartcards; read range up to 1.5 in. (38 mm); Wiegand protocol	\$ 397	\$ 311
VAX-D5R	10364-65	SMARTCARD READER; designed to be mounted to standard single-gang wall box; reads MIFARE DESFire EV1 and EV2 compliant smartcards; read range up to 3 in. (76 mm); Wiegand protocol	\$ 433	\$ 350
VAX-DE2	10365-17	SMARTCARD; printable (dye sublimation); MIFARE DESFire EV2 compliant; 2 K-byte memory	\$ 12	\$ 11
VAX-DK1-3	10370-04	KEY FOB SMARTCARD; small tag designed to be carried on a key ring; MIFARE compliant; 1 K-byte memory	\$ 10	\$ 7
VAX-DK4-3	10370-05	KEY FOB SMARTCARD; small tag designed to be carried on a key ring; MIFARE compliant; 4 K-byte memory	\$ 14	\$ 11
VAX-ELV-STR-1	10357-02	ELEVATOR CONTROLLER; includes 8 floor module; complete in metal enclosure; 2 relays with 1A limit; add up to 7 expanders to control up to 64 floors	\$ 2,863	\$ 1,820
VAX-ENCL-ST-1	10357-21	EMPTY STEEL ENCLOSURE; for use with VAX controller and MDK expander boards	\$ 305	\$ 266
VAX-EXP-2D	10356-20	TWO-DOOR EXPANDER; used to expand 2, 4 and 6 multi-door kits	\$ 851	\$ 1,100
VAX-IO-EXP8PCB	10357-17	8 FLOOR/I/O EXPANDER; no enclosure; use with VAX-ELV-STR-1 or VAX-IO-STR-2	\$ 753	\$ 581
VAX-IO-STR-2	10357-08	INPUT/OUTPUT MASTER CONTROLLER; 8 I/O module; complete in metal enclosure; 2 relays with 1A limit; add up to 7 expanders to control up to 64 I/Os	\$ 2,142	\$ 1,820
VAX-MDK-2	10356-00	TWO DOOR MULTI-DOOR CONTROLLER; includes 1 master controller board and 1 two-door board; mounted in steel vented and lockable enclosure	\$ 2,247	\$ 1,299
VAX-MDK-4	10356-05	FOUR DOOR MULTI-DOOR CONTROLLER; includes 1 master controller board and 2 two-door board; mounted in steel vented and lockable enclosure	\$ 3,108	\$ 2,366