

<b>PACKAGE ARRANGEMENT (1)</b>		Discount to apply 25%
Product	Approx. Weight	List Price
DX225LC-7-US10	24,200.00 KG	189,022.91 USD
DX225LC-7 BASE MACHINE W/O BOOM, ARM AND BUCKET NO BOOM NO ARM INCLUDES BOOM CYLINDER 31.5" (800 mm) TRIPLE GROUSER SHOES 11,680 LBS (5.3 METRIC TON) COUNTERWEIGHT ONE WAY AUX FLOW		

<b>OPTIONAL EQUIPMENT - Factory Installed (16)</b>			Discount to apply 20%
Option	CODE	Description	List Price
TRACK SHOE	700	27.6" (700 MM) TRIPLE GROUSER SHOE	-960.00 USD
TRACK SHOE	900	35.4" (900 MM) TRIPLE GROUSER SHOE	1,731.22 USD
Water Separator	WIH	WATER SEPARATOR WITH HEATER	720.90 USD
BOOM FLOATING PIPING	BFL	BOOM FLOATING PIPING	3,188.72 USD
BREAKER FILTER	BRF	BREAKER FILTER	425.00 USD
ONE & TWO WAY PIPING	PE3	ONE & TWO WAY PILOT CONTROL WITH PEDAL	6,360.88 USD
STRAIGHT TRAVEL	STT	STRAIGHT TRAVEL	763.31 USD
RAIN SHIELD	RAI	CABIN RAIN SHIELD	283.06 USD
CAMERA	AVC	AVM (AROUND VIEW CAMERA) WITH MONITOR	4,250.00 USD
CABIN FRONT GUARD	FUL	UPPER AND LOWER FRONT WINDOW GUARD	1,187.37 USD
FOGS GUARD	FOG	FOG (FALLING OBJECT GUARD)	2,756.38 USD
ADDITIONAL WORK LAMP	6LE	6 ADDITIONAL LED WORKING LAMPS	862.50 USD
ADDITIONAL WORK LAMP	4LE	4 ADDITIONAL LED WORKING LAMPS	575.00 USD
ROTATING BEACON	ROB	ROTATING BEACON	466.46 USD
AIR COMPRESSOR	ACO	ELECTRICAL AIR COMPRESSOR	2,650.00 USD
FUEL FILLER PUMP	FIL	FUEL FILLER PUMP	406.04 USD

**Attachments - Dealer Installed**

Attachment	Description	Approx. Weight	List Price

## STANDARD EQUIPMENT FOR BASE MACHINE (7)

Item	Description
Engine	<p>"DL06-LEE17: Variable Geometry Turbo Charged Air to Air Intercooler            Electronically Controlled Common Rail Direct Injected            T4: Cooled Exhaust Gas Recirculation + Diesel Oxidation Catalyst + Selective Catalytic Reduction with Diesel Exhaust Fluid            173HP(SAE J1995) Gross Flywheel Horsepower @ 1800 rpm            162HP(SAE J1349) Net @ 1800 rpm            Displacement: 359cu.in., 6 Cylinder            Bore 100mm Diameter x 125mm Stroke            Torque: 593ft. lbs @ 1,400 rpm            High Idle 1900 <math>\frac{1}{4}</math> 50 rpm, Low Idle 800 <math>\frac{1}{4}</math> 50 rpm            Auto Idle System            Auto Shut Down            Equipped with the Fuel Pre-filter with Water Separator            Radiator Reserve Tank            Large Capacity Double Element Air Cleaner with Evacuate            Electronic Engine Speed Control            Engine Overheat and Low Oil Pressure Prevention System"</p>
Hydraulic	<p>"Pilot Operated Control Valves, (10) Spools            Main Pump: Tandem Variable Axial Piston Type, Flow: 2 x 56 gpm; Pressure Setting 4694 psi normal / 4978 psi boost            Pilot Circuit, Gear Type Pump; Flow: 7 gpm            Swing Motor, Axial Piston Type driving a 2-stage planetary gearbox to maximize torque            Swing Maximum Speed: 10.9 RPM            Fine Swing Control            Maximum Swing Torque 60,757 ft.lbs.            Spring Set, Hydraulic-released Brakes            Travel Motors: 2 x Axial Piston Type (High, Low, Auto)            Travel Speed (High/Low): 3.4 mph/1.9 mph            Maximum Tractive Force 60,715 ft.lbs. in low speed            In-Shoe Design, Oil Disc Parking Brake            One way/two way Auxiliary Hydraulics with 2-pump flow            Smart Hydraulic Logic to prioritize flow to hydraulic attachments like a molcher or a grinder            Working Mode for Tilt-Rotator"</p>
	<p>"Steel, All Weather Sound Suppressed ROPS Type            Fully Automatic Heater and Air Conditioner with Radian Energy Photo Sensor            12V and 24V Power Sockets            Door Locks            Front Windshield Panto Wiper with Washer            8" Multi-function Color LCD Touch Screen Monitor            Aerial, Side &amp; Rear View Camera with dedicated LCD display            Digital Bluetooth Audio Broadcasting MP3 Radio with Cell Phone integration            Audio Control Panel On/Off Switch, Control Volume, Channel Select            Switches:            Engine Speed Control Dial            Jog Switch for monitor display control            Auxiliary Mode Switch            Engine Emergency Stop Switch            Work Light Switch            Travel Speed Selector Switch            Breaker, Power-up, Shear Switch            Intelligent Floating Boom (optional)            Engine After Treatment System Switch            Wiper Control Panel            Glass Antenna"</p>

<p>Cab</p>	<p>Safety Lock Lever  Ergonomic Leatherlike Operator Seat:  Integrated Heater and Air Conditioner  Air Suspension with Seat Belt (2" Wide)  Adjustable bottom cushion  Lumbar Support Adjustment  Adjustable Headrest  Reclining, Height Adjustable  Adjustable Arm Rests  Sliding Control Console  Height Adjustable Panels  Skylight  Pull Up Type Front Window  Removable Lower Front Window with Storage Behind Seat  Sliding Side Windows  Front Window Air Defroster  Travel Pedals with Hand Levers  Emergency Exit Glass Breaking Tool  Fully insulated Lunch Box Compartment  Quick Coupler Switch  Joystick Lever with 3 Switches, Two Button and One Rotate  Front and Rear Cup Holders  Room Light  Serial Communication Port for Laptop PC Interface (DMS)  Viscous Cab Mounts  Sun Screens for Top Hatch, Front Windshield and Rear Window"</p>
<p>Electrical/Electronic Control System</p>	<p>"Advanced Mechatronics with Power Mode Control System to maximize machine efficiency and productivity  Power Mode Select Button (P+,P,S,E)  Work Mode Selector Button (Excavation, Lifting, Breaker and Shear)  Electronic Power Optimizing System  Cross Sensing Pump Control  Machine Status Display with Integrated Self Diagnostics System  Adjustable LCD Color Display  Auto Idle Control System plus One Touch Deceleration Button on Joystick  Engine Speed Control Dial  Power Boost Control Button on Joystick  Limp Home Mode Control Switch  Proximity Alarm Warning System  Proportional control for auxiliary hydraulics via roll switch on both joysticks  Adjustable Auxiliary Flow and Pressure up to 10 presets  Alternator: 24 V, 80 amp  Batteries: (2) 12 V, 150AmpH, 950CCA  Starter: 24 V x 6 KW  Engine Emergency Stop Switch  Panto Wiper to cover the entire front windshield window  LED Lights: Working Light (2) Machine, (2) Boom  Smart Ignition Switch Key for remote control of engine start/stop and fdoor lock/unlock  Electric Horn  Hour Meter"</p>
<p>Digital Clock</p>	<p>"Main Warning Lamp  Warning Symbol Indicator for:  Battery, Engine oil pressure, Coolant overheated, Engine, Stop engine, Low fuel level, Hydraulic oil temp, Fuel System, Air cleaner clogged, Machine lift overload, Quick Coupler, Regen request, Low DEF level, Problem in SCR, VBO angle sensor failure, VBO joystick pressure sensor failure, EPPR valve failure, AGS, clogged Fuel filter, Ultrasonic sensor, Engine RPM and starting restriction or TMS failure, Coolant level, Seat belt, No smart key, Failed to detect smart key, Low battery smart key, DEF pressure, Hydraulic return filter clogged, Regen prohibited, Regeneration active, Manual regen, GPS antenna failure, GSM antenna failure, Satelite antenna failure, Check machine, Stop engine</p>

<p>Display Monitor and Warnings</p>	<p>Alarm Buzzer for:            Engine Oil Pressure            Coolant Temperature</p> <p>Electronic Monitor for:            Engine Coolant Temperature Gauge            Fuel Gauge            Hydraulic Oil Temperature Gauge            DEF (AdBlue) Level</p> <p>Multi-function Touch Screen Display for:            Function Symbol Indicator (Power Boost, Auxiliary Hydraulic Pedal/Joystick Selector, Travel Speed, Work Light, Intelligent Floating Boom, ISO/BHL Pattern Control, Fine Swing</p> <p>Indicator Display (USB, Auto Shutdown, ACC, Auto Warm Up, Joystic One-touch, VBO Limp Home Mode, Engine Preheat, EPOS/ECU/EPOS-ECU, Reverse Fan On, Mirror Heater, Bluetooth)</p> <p>Favorite Button Indicator            Main Information Selector Button (Reset Trip, Trip Info, Soot Level, PM Service Info)            Main Information Indicator            Power Mode Selector Button Indicator (Power+, Power, Standard, Economy)            Power Mode Indicator            Auxiliary Hydraulics Selector Button (Unidirectional-Hammer or Bi-directional-Shear)            Audio Display            Auto Idle Indicator            Menu Selector Button"</p>
<p>Undercarriage</p>	<p>"Track Guards and Chains with Adjusters            Track Rollers: (2) Upper, (8) Lower Each Side            Triple Grouser Shoes, 49 Each Side"</p>
<p>Other</p>	<p>"Joystick Pattern Change Valve            Centralized Lube Points            Large Handrail            Steel Casted Lift Bracket integrated with Idler Linkage            Punched Metal Anti-slip Plates            Engine Restart Prevention System            Manuals, Parts and Operator's            Ultra-hard Wear-resistant Disc on both sides of bucket arm end            Vandalism Protection (All panels and fill points lockable)            GPS 3 Year Subscription"</p>