

PACKAGE ARRANGEMENT (1)		Discount to apply 23%
Product	Approx. Weight	List Price
DX62R-7-US20	6,153.00 KG	95,657.16 USD
<p>"The Tier 4 compliant DX62R-7 is configured with a 5' 3" (1.6 M) arm. NOTE: Attachment not included. Standard dozer blade and standard boom swing improves productivity. 15.7" (400 mm) Rubber Tracks are standard. 2-way Flow Auxiliary Hydraulics 5.7" Display Monitor QC Piping Thumb Ready Arm"</p> <p>REAR VIEW CAMERA option is only selectable upon selecting ADD. WORKING LAMP.</p>		

OPTIONAL EQUIPMENT - Factory Installed (4)			Discount to apply 20%
Option	CODE	Description	List Price
AUDIO EQUIPMENT	DAB	HANDSFREE & BLUETOOTH AUDIO	475.00 USD
ALARM	TRA	ALARM FOR TRAVEL	250.00 USD
ADDITIONAL WORK LAMP	LED	ADDITIONAL WORK LAMP	175.00 USD
ROTATING BEACON	ROB	ROTATING BEACON	325.00 USD

Attachments - Dealer Installed (11)			
Attachment	Description	Approx. Weight	List Price
DC05-48	48" PIN ON DITCHING BUCKET; 10.63 CU. FT. CAPACITY	1.00	3,111.72 USD
HD05-12	12" HEAVY DUTY PIN ON BUCKET; 1.45 CU. FT. CAPACITY	1.00	1,887.84 USD
HD05-18	18" HEAVY DUTY PIN ON BUCKET; 2.00 CU. FT. CAPACITY	1.00	2,095.63 USD
HD05-24	24" HEAVY DUTY PIN-ONBUCKET; 3.53 CU. FT. CAPACITY	1.00	2,671.03 USD
HD05-36	36" HEAVY DUTY PIN ON BUCKET; 8.69 CU. FT. CAPACITY	1.00	3,287.64 USD
HT-05DM	HYDRAULIC THUMB; 2 TINE; COMPATIBLE W/ MANUAL QUICKHITCH COUPLER/PIN ON BUCKETS	1.00	4,155.59 USD
HT-05QC	HYDRAULIC THUMB; 2 TINE; USED WITH HYDRAULIC QUICK COUPLER (PIN GRABBER)	1.00	4,137.98 USD
QC45-50H1G4-9136	HYDRAULIC QUICK COUPLER (PIN GRABBER); INCLUDES SOFT PINS, JUMPER HOSE ONLY	1.00	4,464.61 USD
QH-05	QUICKHITCH QUICK COUPLER; MANUAL	1.00	1,173.18 USD

QH05-12	12" GENERAL PURPOSE QUICKHITCH BUCKET; 1.96 CU. FT. CAPACITY	1.00	943.81 USD
QH05-18	18" GENERAL PURPOSE QUICKHITCH BUCKET; 3.43 CU. FT. CAPACITY	1.00	1,036.00 USD

STANDARD EQUIPMENT FOR BASE MACHINE	
Item	Description

PACKAGE ARRANGEMENT (1)		Discount to apply 23%
Product	Approx. Weight	List Price
DX62R-7-US30	6,153.00 KG	96,457.16 USD
<p>"The Tier 4 compliant DX62R-7 is configured with a 6' 3" (1.9 M) arm. NOTE: Attachment not included. Standard dozer blade and standard boom swing improves productivity. 15.7" (400 mm) Rubber Tracks are standard. 2-way Flow Auxiliary Hydraulics 5.7" Display Monitor Bluetooth Audio QC Piping Thumb Ready Arm"</p> <p>Also included in the 'deluxe' package: Rear View Camera, Additional Working Lamp (LED)</p> <p>REAR VIEW CAMERA option is only selectable upon selecting ADD. WORKING LAMP.</p>		

OPTIONAL EQUIPMENT - Factory Installed (2)			Discount to apply 20%
Option	CODE	Description	List Price
ALARM	TRA	ALARM FOR TRAVEL	250.00 USD
ROTATING BEACON	ROB	ROTATING BEACON	325.00 USD

Attachments - Dealer Installed (12)			
Attachment	Description	Approx. Weight	List Price
DC05-48	48" PIN ON DITCHING BUCKET; 10.63 CU. FT. CAPACITY	1.00	3,111.72 USD
HD05-12	12" HEAVY DUTY PIN ON BUCKET; 1.45 CU. FT. CAPACITY	1.00	1,887.84 USD
HD05-18	18" HEAVY DUTY PIN ON BUCKET; 2.00 CU. FT. CAPACITY	1.00	2,095.63 USD
HD05-24	24" HEAVY DUTY PIN-ONBUCKET; 3.53 CU. FT. CAPACITY	1.00	2,671.03 USD
HD05-36	36" HEAVY DUTY PIN ON BUCKET; 8.69 CU. FT. CAPACITY	1.00	3,287.64 USD
HT-05DM	HYDRAULIC THUMB; 2 TINE; COMPATIBLE W/ MANUAL QUICKHITCH COUPLER/PIN ON BUCKETS	1.00	4,155.59 USD
HT-05QC	HYDRAULIC THUMB; 2 TINE; USED WITH HYDRAULIC QUICK COUPLER (PIN GRABBER)	1.00	4,137.98 USD
QC45-50H1G4-9136	HYDRAULIC QUICK COUPLER (PIN GRABBER); INCLUDES SOFT PINS, JUMPER HOSE ONLY	1.00	4,464.61 USD
QH-05	QUICKHITCH QUICK COUPLER; MANUAL	1.00	1,173.18 USD
QH05-12	12" GENERAL PURPOSE QUICKHITCH BUCKET; 1.96 CU. FT. CAPACITY	1.00	943.81 USD

QH05-18	18" GENERAL PURPOSE QUICKHITCH BUCKET; 3.43 CU. FT. CAPACITY	1.00	1,036.00 USD
QH05-24	24" GENERAL PURPOSE QUICKHITCH BUCKET; 4.99 CU. FT. CAPACITY	1.00	1,146.92 USD

STANDARD EQUIPMENT FOR BASE MACHINE	
Item	Description

PACKAGE ARRANGEMENT (1)		Discount to apply 23%
Product	Approx. Weight	List Price
DX62R-7-US31	6,153.00 KG	106,031.56 USD
<p>"The Tier 4 compliant DX62R-7 is configured with a 6' 3" (1.9 M) arm. NOTE: Attachment not included. Standard dozer blade and standard boom swing improves productivity. 15.7" (400 mm) Steel Tracks are standard. 2-way Flow Auxiliary Hydraulics 5.7" Display Monitor Bluetooth Audio QC Piping Thumb Ready Arm"</p> <p>Also included in the 'deluxe' package: Rear View Camera, Additional Working Lamp (LED)</p> <p>REAR VIEW CAMERA option is only selectable upon selecting ADD. WORKING LAMP.</p>		

OPTIONAL EQUIPMENT - Factory Installed (3)			Discount to apply 20%
Option	CODE	Description	List Price
ROTATING PIPING	ROT	ROTATING PIPPING	1,100.00 USD
ALARM	TRA	ALARM FOR TRAVEL	250.00 USD
ROTATING BEACON	ROB	ROTATING BEACON	325.00 USD

Attachments - Dealer Installed (11)			
Attachment	Description	Approx. Weight	List Price
DC05-48	48" PIN ON DITCHING BUCKET; 10.63 CU. FT. CAPACITY	1.00	3,111.72 USD
HD05-12	12" HEAVY DUTY PIN ON BUCKET; 1.45 CU. FT. CAPCITY	1.00	1,887.84 USD
HD05-18	18" HEAVY DUTY PIN ON BUCKET; 2.00 CU. FT. CAPACITY	1.00	2,095.63 USD
HD05-24	24" HEAVY DUTY PIN-ONBUCKET; 3.53 CU. FT. CAPACITY	1.00	2,671.03 USD
HD05-36	36" HEAVY DUTY PIN ON BUCKET; 8.69 CU. FT. CAPACITY	1.00	3,287.64 USD
HT-05DM	HYDRAULIC THUMB; 2 TINE; COMPATIBLE W/ MANUAL QUICKHITCH COUPLER/PIN ON BUCKETS	1.00	4,155.59 USD
HT-05QC	HYDRAULIC THUMB; 2 TINE; USED WITH HYDRAULIC QUICK COUPLER (PIN GRABBER)	1.00	4,137.98 USD
QC45-50H1G4-9136	HYDRAULIC QUICK COUPLER (PIN GRABBER); INCLUDES SOFT PINS, JUMPER HOSE ONLY	1.00	4,464.61 USD
QH-05	QUICKHITCH QUICK COUPLER; MANUAL	1.00	1,173.18 USD

QH05-12	12" GENERAL PURPOSE QUICKHITCH BUCKET; 1.96 CU. FT. CAPACITY	1.00	943.81 USD
QH05-18	18" GENERAL PURPOSE QUICKHITCH BUCKET; 3.43 CU. FT. CAPACITY	1.00	1,036.00 USD

STANDARD EQUIPMENT FOR BASE MACHINE	
Item	Description