



2501 Griffin Ave - Selma - AL 36701 - USA - Phone 800-363-6096
Contract: 24-08-0421 North Carolina Sheriffs' Association
Bid: 24-08-0421 Heavy Equipment
Group: Mowers
Item Number: 2027 Flex-Wing Mowers

ITEM 2027 4115 OPTIONS SHEET

Shipping & handling is not included in the base price and will be calculated separately.
The "+/- to Base Price" below already includes the 30% Discount off of MSRP



4115 FLEX-WING ROTARY CUTTER

MODEL	4115	MODEL	4115
Transport Height*	7' 3"	Blade Overlap	6"
Transport Width**	8' 2"	Blade Tip Speed	16,286 fpm (540 rpm); 16,391 fpm (1000 rpm)
Cutting Width	15'	Wing Cutting Angles	22° Down to 45° Up
Axle Suspension	Center Isolator Bank & Isolators at Each Wheel	Center Hydraulic Lift	Standard
Cutting Height	1 ½" – 16"	Wing Hydraulic Lift	Standard
Cutting Capacity	4" Diameter	Axle Tube Pivots	Greaseable Bushings
Hitch	Self-Leveling Perma-Level® +	Axle Arm Pivots	Greaseable
Approx. Tongue Weight	2,00 lb.	Wing Adjustment	Greaseable Turnbuckles
Deck Thickness	7 Gauge	Wheels	See Wheel Selection
Side Bands	1/4" x 13 ½"	Minimum Tractor PTO HP	60
Gearbox Rating (HP)	250 hp† (Transfer) 225 hp† (Cutting)	Grass Baffles	Optional
Drivelines	Main: See Driveline Selection Wings: ASAE Category 4	Jack Stand	Standard
Driveline Protection	Multi-Plate Slip-Clutch	Safety Tow Chain	Standard
Blade Holders	7GA Round Pans With Hardened Hex Head Blade Bolts and Bushings	Safety Shielding	Single or Double Row Chains
Blades	1/2" x 4" Parallel Uplift		

10-Year Gearbox Limited Warranty | 6-Month Machine Limited Warranty (Contractors) | 1-Year Machine Limited Warranty (Consumers)

*Measured at maximum transport height.
**Measured at outside of wing skids.
†Gearbox rating based on field performance.

WARNING:	A deflector kit or chain shielding must be used for all non-agricultural purposes or in areas where thrown objects could be hazardous to people, animals, or property.
HOW TO ORDER:	To receive a complete cutter, you must order a basic unit and then select one item from each of Groups 2 - 6 in the ordering section. Additional equipment may be added to your order by making your selection from the options list.



2501 Griffin Ave - Selma - AL 36701 - USA - Phone 800-363-6096

ITEM 2027 BASE UNIT BUILD DETAILS	
4115R1	4115 15' Flex-Wing, 540 PTO, No Deck Rings
50083676	Perma-Level Hitch +
50081632	Cv Driveline, 540 PTO, 1-3/8-6, Asae Category 6
50083448	Dual Axle Arms (4 Tires), Half Spindles
50083447	Single Axle Arms (2 Tires), Half Spindles
294x6	Laminated Tire, 20" Set Of 6
50083455	Single Row Chains, Front And Rear
50083451	3 Hose Kit With Handles

Net Base Price \$ 26,422.90

4115 15' FLEX WING OPTIONS ADD/DEDUCT FROM NET BASE PRICE

Part No.s	4115 Optional Base Unit Selection		+/-
Add 4115RR1 Deduct 4115R1	Add 4115 4115 Flex-Wing Rotary Cutter, 540 PTO, Pan Blade Carriers, Deck Rings Deduct 4115R1 Flex-Wing Rotary Cutter, 540 PTO, Pan Blade Carriers (Must use 540 PTO Driveline Option as well)	Deduct	\$ (270.00)
Add 14115R1 Deduct 4115R1	Add 14115R1 4115 Flex-Wing Rotary Cutter, 1000 PTO, Pan Blade Carriers Deduct 4115R1 Flex-Wing Rotary Cutter, 540 PTO, Pan Blade Carriers (Must use 1,000 PTO Driveline Option as well)	Add	\$0.00
Add 14115RR1 Deduct 4115R1	Add 14115RR1 4115 Flex-Wing Rotary Cutter, 1000 PTO, Pan Blade Carriers, Deck Rings Deduct 4115R1 Flex-Wing Rotary Cutter, 540 PTO, Pan Blade Carriers (Must use 1,000 PTO Driveline Option as well)	Deduct	\$ (270.00)
4115 Optional Driveline Selection			
Add 50083778 Deduct 50081632	Add CV Driveline, 1,000 PTO, 1-3/8-21, ASAE Category 6 Deduct CV Driveline, 540 PTO, 1-3/8-6, ASAE Category 6	Add	\$0.00
Add 50074699 Deduct 50081632	Add CV Driveline, 1,000 PTO, 1-3/8-21, ASAE Category 6 Deduct CV Driveline, 540 PTO, 1-3/8-6, ASAE Category 6	Add	\$0.00
4115 Optional Center Axle Selection			
Add 50083449 Deduct 50083447	Add Center Walking Tandem Axle Arms (4 Tires), Half Spindles Deduct Center Dual Axle Arms (4 Tires), Half Spindles (Must change to correct number of tires depending on configuration)	Add	\$ 667.80
4115 Optional Wing Axle Selection			
Add 50083448 Deduct 50083447	Add Wing Dual Axle Arms (4 Tires), Half Spindles Deduct Wing Single Axle Arms (2 Tires), Half Spindles (Must change to correct number of tires depending on configuration)	Add	\$ 318.50
Add 50083449 Deduct 50083447	Add Wing Walking Tandem Axle Arms (4 Tires), Half Spindles Deduct Center Single Axle Arms (2 Tires), Half Spindles (Must change to correct number of tires depending on configuration)	Add	\$ 986.30
4115 Optional Wheel Selection			
Add 294x8 Deduct 294x6	Add 21" Laminated Tire Set of 8 Deduct 21" Laminated Tire Set of 6	Add	\$ 483.00
Add 50075401x6 Deduct 294x6	Add 25" Laminated Tire Set of 6 Deduct 21" Laminated Tire Set of 6	Add	\$ 315.00
Add 50075401x8 Deduct 294x6	Add 25" Laminated Tire Set of 8 Deduct 21" Laminated Tire Set of 6	Add	\$ 903.00
Add 50050727x6 Deduct 294x6	Add Used Aircraft Tire, 29x9x15 Set of 6 Deduct 21" Laminated Tire Set of 6	Add	\$ 189.00
Add 50050727x8 Deduct 294x6	Add Used Aircraft Tire, 29x9x15 Set of 8 Deduct 21" Laminated Tire Set of 6	Add	\$ 735.00
Add 50072403x6 Deduct 294x6	Add Used Aircraft Tire, 27.75 x 8.75"-24PR Set of 6 Deduct 21" Laminated Tire Set of 6	Add	\$ 336.00
Add 50072403x8 Deduct 294x6	Add Used Aircraft Tire, 27.75 x 8.75"-24PR Set of 8 Deduct 21" Laminated Tire Set of 6	Add	\$ 931.00
Add 50072403x6 Deduct 294x6	Add Used Aircraft Tire, 27.75 x 8.75"-24PR Set of 6 Deduct 21" Laminated Tire Set of 6	Add	\$ 336.00
Add 50072403x8 Deduct 294x6	Add Used Aircraft Tire, 27.75 x 8.75"-24PR Set of 8 Deduct 21" Laminated Tire Set of 6	Add	\$ 931.00
Add 50083457x6 Deduct 294x6	Add New Foam-Filled Tire, 25.5 x 8" x 14" Set of 6 Deduct 21" Laminated Tire Set of 6	Add	\$ 1,327.20
Add 50083457x8 Deduct 294x6	Add New Foam-Filled Tire, 25.5 x 8" x 14" Set of 8 Deduct 21" Laminated Tire Set of 6	Add	\$ 2,252.60



2501 Griffin Ave - Selma - AL 36701 - USA - Phone 800-363-6096

4115 Optional Hydraulic Hose Selection

<i>Add</i> 50083452	<i>Add</i> 2 Hoses With “T” (1 to Adjust cutter Height & 1 to raise or Lower Wings at the Same time)		
<i>Deduct</i> 50083451	<i>Deduct</i> 3 Hoses (1 to Adjust cutter Height & 2 to raise or Lower Wings Independently)	<i>Add</i>	\$0.00

4115 Optional Adders for 4115 Build

50083453	Grass and Crop Distribution Baffles	<i>Add</i>	\$ 70.00
----------	-------------------------------------	------------	----------



2501 Griffin Ave - Selma - AL 36701 - USA - Phone 800-363-6096

BUY DOWN FROM MODEL 4115 TO MODEL 1812 FLEX WING



1812 FLEX-WING ROTARY CUTTER

MODEL	1812	MODEL	1812
Transport Height*	5' 8"	Blade Holders	7ga Oval Pans
Transport Width**	6' 8"	Blades	1/2" x 3" Parallel Uplift
Overall Width	12' 8"	Blade Overlap	6"
Cutting Width	12'	Blade Tip Speed	14,464 fpm Center (540 rpm); 13,930 fpm Wings (540 rpm)
Length***	13' 3"	Wing Cutting Angles	22° Down to 45° Up
Axle Suspension	Cushioned Rubber Bumper on Each Center Axle Arm	Center Hydraulic Lift	Standard
Cutting Height	1 ½" - 14"	Wing Hydraulic Lift	Standard
Cutting Capacity	1 ½" Diameter	Axle Tube Pivots	Greaseable Bushings
Hitch	Cast Swivel Clevis	Wing Adjustment	Greaseable Turnbuckles
Approx. Tongue Weight	1,100 lb.	Wheels	See Wheel Selection
Deck Thickness	10 Gauge	Minimum Tractor PTO HP	50
Side Bands	1/4" x 11 ½"	Jack Stand	Standard
Gearbox Rating (HP)	160 [†] (Transfer) 65 [†] (Cutting)	Safety Tow Chain	Standard
Driveline	ASAE Category 4 (540 PTO)	Safety Shielding	Single or Double Row Chains
Driveline Protection	(3) Multi-Plate Slip Clutch		
10-Year Gearbox Limited Warranty and 1-Year Machine Limited Warranty			
NOT FOR COMMERCIAL APPLICATION			

*Measured at maximum transport height.

**Measured at outside of wing skids, folded.

***Measured from hitch pin to axle spindle at transport height.

[†]Gearbox rating based on field performance.

WARNING:

A deflector kit or chain shielding must be used for all non-agricultural purposes or in areas where thrown objects could be hazardous to people, animals, or property.

HOW TO ORDER:

To receive a complete cutter, you must order a basic unit and then select one item from each of Groups 2 - 5 in the ordering section. Additional equipment may be added to your order by making your selection from the options list.

Freight NOT included in list price

Part No.s

Buy Down to the standard 1812 build listed here instead of the 4115 base unit

Base 4115

Price \$ 26,422.90

Deduct \$ (8,740.20)

1812 STANDARD BUILD	
1812R1	1812 Series Flex-Wing Rotary Cutter, Oval Blade Holder, 540 PTO, No Deck Rings
50074514	Dual Axle Arms (4 Tires)
50072771	Dual Axle Arms (4 Tires)
294x8	Laminated Tire, 20" Set Of 8
50074512	Double Row Chains, Complete
50074762	Hydraulic Hose Kit To Raise Wings Independent Of Center Section (Requires Two Sets Of Tractor Outlets)

1812 Net Price \$ 17,682.70

START WITH THE STANDARD 1812 NET PRICE AND ADD/DEDUCT OPTIONS BELOW TO CUSTOMIZE

1812 Optional Center Axle Selection

Add 50074515 Add Wing Single Axle Arms (2 Tires) Deduct 50074514 Deduct Wing Dual Axle Arms (4 Tires) (Must change to correct number of tires depending on configuration).

Add \$ 1,152.20

1812 Optional Wing Axle Selection

Add 50072772 Add Wing Single Axle Arm (2 Tires) Deduct 50072771 Deduct Wing Dual Axle Arms (4 Tires) (Must change to correct number of tires depending on configuration).

Add \$ 1,487.50



2501 Griffin Ave - Selma - AL 36701 - USA - Phone 800-363-6096

1812 Optional Wheel Selection

<i>Add 294x4 Deduct</i>				
<i>294x8</i>	<i>Add 21" Laminated Tire Set of 5 Deduct 21" Laminated Tire Set of 5</i>	<i>Deduct</i>	\$	(966.00)
<i>Add 294x6 Deduct</i>				
<i>294x8</i>	<i>Add 21" Laminated Tire Set of 5 Deduct 21" Laminated Tire Set of 5</i>	<i>Deduct</i>	\$	(483.00)
<i>Add 50074504x4</i>				
<i>Deduct 294x8</i>	<i>Add Used Aircraft Tire, Pneumatic, 20.5x6.75-10 Set of 4 Deduct 21" Laminated Tire Set of 8</i>	<i>Deduct</i>	\$	(1,206.80)
<i>Add 50074504x6</i>				
<i>Deduct 294x8</i>	<i>Add Used Aircraft Tire, Pneumatic, 20.5x6.75-10 Set of 8 Deduct 21" Laminated Tire Set of 8</i>	<i>Deduct</i>	\$	(844.20)
<i>Add 50074504x8</i>				
<i>Deduct 294x8</i>	<i>Add Used Aircraft Tire, Pneumatic, 20.5x6.75-10 Set of 8 Deduct 21" Laminated Tire Set of 8</i>	<i>Deduct</i>	\$	(481.60)
<i>Add 50074505x4</i>				
<i>Deduct 294x8</i>	<i>Add Used Aircraft Tire, Foam Filled, 20.5x6.75-10 Set of 4 Deduct 21" Laminated Tire Set of 8</i>	<i>Deduct</i>	\$	(744.80)
<i>Add 50074505x6</i>				
<i>Deduct 294x8</i>	<i>Add Used Aircraft Tire, Foam Filled, 20.5x6.75-10 Set of 6 Deduct 21" Laminated Tire Set of 8</i>	<i>Deduct</i>	\$	(151.20)
<i>Add 50074505x8</i>				
<i>Deduct 294x8</i>	<i>Add Used Aircraft Tire, Foam Filled, 20.5x6.75-10 Set of 8 Deduct 21" Laminated Tire Set of 8</i>	<i>Add</i>	\$	442.40

1812 Optional Hydraulic Hose Selection

<i>Add 50082035</i>	<i>Add 2 HosesWith "T" (1 to Adjust cutter Height & 1 to raise or LowerWings at the Same time)</i>			
<i>Deduct 50082034</i>	<i>Deduct 3 Hoses (1 to Adjust cutter Height & 2 to raise or LowerWings Independently)</i>	<i>Add</i>	\$	30.10



2501 Griffin Ave - Selma - AL 36701 - USA - Phone 800-363-6096

BUY DOWN FROM MODEL 4115 TO MODEL 1815 FLEX WING



1815 FLEX-WING ROTARY CUTTER

MODEL	1815	MODEL	1815
Transport Height*	7'	Blades	1/2" x 4" Parallel Uplift
Transport Width**	7' 7"	Blade Overlap	6"
Cutting Width	15'	Blade Tip Speed	15,000 fpm (540 rpm); 15,600 fpm (1,000 rpm)
Length***	15' 2"	Wing Cutting Angles	22° Down to 45° Up
Axle Suspension	Cushioned Rubber on Center Axle	Center Hydraulic Lift	Standard
Cutting Height	1 1/2" - 14"	Wing Hydraulic Lift	Standard
Cutting Capacity	2 1/2" Diameter	Axle Tube Pivots	Greaseable Bushings
Hitch	See Hitch Selection	Wing Adjustment	Greaseable Turnbuckles
Approx. Tongue Weight	1,700 lb.	Wheels	See Wheel Selection
Deck Thickness	10 Gauge	Minimum Tractor PTO HP	60
Side Bands	1/4" x 12"	Grass Baffles	Optional
Gearbox Rating (HP)	160 hp† (Transfer) 130 hp† (Cutting)	Jack Stand	Standard
Drivelines	Main: See Driveline Selection Wings: ASAE Category 4	Safety Tow Chain	Standard
Driveline Protection	(3) Multi-Plate Slip Clutch	Safety Shielding	Single or Double Row Chains
Blade Holders	7ga Round Pans		
10-Year Gearbox Limited Warranty and 1-Year Machine Limited Warranty			
NOT FOR COMMERCIAL APPLICATION			

*Measured at maximum transport height.

**Measured at outside of wing skids, folded.

***Measured from hitch pin to axle spindle at transport height.

†Gearbox rating based on field performance.

WARNING:	A deflector kit or chain shielding must be used for all non-agricultural purposes or in areas where thrown objects could be hazardous to people, animals, or property.
HOW TO ORDER:	To receive a complete cutter, you must order a basic unit and then select one item from each of Groups 2 - 6 in the ordering section. Additional equipment may be added to your order by making your selection from the options list.

Freight NOT included in list price

Part No.s

Buy Down to the standard 1815 build listed here instead of the 4115 base unit

Base 4115

Price \$ 26,422.90

Deduct \$ (5,495.70)

1815 STANDARD BUILD	
1815R1	1815 Flex-Wing Series Rotary Cutter, Round Blade Holder, 540 PTO, No Deck Rings
50054505	Perma-Level Hitch
50069764	Cv Driveline, 540 PTO, 1-3/8-6, Asae Category 5
Standard	Center - Dual Axle Arms (4 Tires) (Standard)
50072771	Dual Axle Arms (4 Tires)
294x8	Laminated Tire, 20" Set Of 8
50073433	Double Row Chains, Front And Rear
50082034	Hose Kit, Independent Wing Control

1815 Net Price \$ 20,927.20



2501 Griffin Ave - Selma - AL 36701 - USA - Phone 800-363-6096

START WITH THE STANDARD 1815 NET PRICE AND ADD/DEDUCT OPTIONS BELOW TO CUSTOMIZE

1815 Optional Base Unit Selection		\$ +/-	
<i>Add</i> 1815RR1	<i>Add</i> 1815 15' Flex-Wing, Round Blade Holder, 540 PTO, With Deck Rings	<i>Deduct</i> 1815 15' Flex-Wing, Round Blade Holder, 540 PTO, No Deck Rings	
<i>Deduct</i> 1815R1		<i>Add</i>	\$ 534.10
<i>Add</i> 11815R1	<i>Add</i> 1815 15' Flex-Wing, Round Blade Holder, 1,000 PTO, No Deck Rings	<i>Deduct</i> 1815 15' Flex-Wing, Round Blade Holder, 540 PTO, No Deck Rings (Must use 1,000 PTO Driveline Option as well)	
<i>Deduct</i> 1815R1		<i>Add</i>	\$0.00
<i>Add</i> 11815RR1	<i>Add</i> 1815 15' Flex-Wing, Round Blade Holder, 1,000 PTO, With Deck Rings	<i>Deduct</i> 1815 15' Flex-Wing, Round Blade Holder, 540 PTO, No Deck Rings (Must use 1,000 PTO Driveline Option as well)	
<i>Deduct</i> 1815R1		<i>Add</i>	\$ 534.10
1815 Optional Driveline Selection			
<i>Add</i> 50069765	<i>Add</i> CV Driveline, 1000 PTO, 1-3/8-21, ASAE Category 5	<i>Deduct</i> CV Driveline, 540 PTO, 1-3/8-6, ASAE Category 6	
<i>Deduct</i> 50069764		<i>Deduct</i>	\$ (35.70)
1815 Optional Wing Axle Selection			
<i>Add</i> 50072772	<i>Add</i> Wing Single Axle Arm (2 Tires)	<i>Deduct</i> Wing Dual Axle Arms (4 Tires) (Must change to correct number of tires depending on configuration).	
<i>Deduct</i> 50072771		<i>Add</i>	\$ 1,487.50
1815 Optional Wheel Selection			
<i>Add</i> 294x4 <i>Deduct</i> 294x8	<i>Add</i> 21" Laminated Tire Set of 5	<i>Deduct</i> 21" Laminated Tire Set of 5	
<i>Add</i> 294x6 <i>Deduct</i> 294x8	<i>Add</i> 21" Laminated Tire Set of 5	<i>Deduct</i> 21" Laminated Tire Set of 5	
<i>Add</i> 50074504x4	<i>Add</i> Used Aircraft Tire, Pneumatic, 20.5x6.75-10 Set of 4	<i>Deduct</i> 21" Laminated Tire Set of 8	
<i>Deduct</i> 294x8		<i>Deduct</i>	\$ (1,206.80)
<i>Add</i> 50074504x6	<i>Add</i> Used Aircraft Tire, Pneumatic, 20.5x6.75-10 Set of 8	<i>Deduct</i> 21" Laminated Tire Set of 8	
<i>Deduct</i> 294x8		<i>Deduct</i>	\$ (844.20)
<i>Add</i> 50074504x8	<i>Add</i> Used Aircraft Tire, Pneumatic, 20.5x6.75-10 Set of 8	<i>Deduct</i> 21" Laminated Tire Set of 8	
<i>Deduct</i> 294x8		<i>Deduct</i>	\$ (481.60)
<i>Add</i> 50074505x4	<i>Add</i> Used Aircraft Tire, Foam Filled, 20.5x6.75-10 Set of 4	<i>Deduct</i> 21" Laminated Tire Set of 8	
<i>Deduct</i> 294x8		<i>Deduct</i>	\$ (744.80)
<i>Add</i> 50074505x6	<i>Add</i> Used Aircraft Tire, Foam Filled, 20.5x6.75-10 Set of 6	<i>Deduct</i> 21" Laminated Tire Set of 8	
<i>Deduct</i> 294x8		<i>Deduct</i>	\$ (151.20)
<i>Add</i> 50074505x8	<i>Add</i> Used Aircraft Tire, Foam Filled, 20.5x6.75-10 Set of 8	<i>Deduct</i> 21" Laminated Tire Set of 8	
<i>Deduct</i> 294x8		<i>Add</i>	\$ 442.40
1815 Optional Hydraulic Hose Selection			
<i>Add</i> 50082035	<i>Add</i> 2 Hoses With "T" (1 to Adjust cutter Height & 1 to raise or Lower Wings at the Same time)		
<i>Deduct</i> 50082034	<i>Deduct</i> 3 Hoses (1 to Adjust cutter Height & 2 to raise or Lower Wings Independently)	<i>Add</i>	\$0.00
1815 Optional Adders			
50073353	Grass Distribution Kit	<i>Add</i>	\$ 337.40
50077430	EZ-Mount Driveline Holder (Please contact Service Parts to Place order)	<i>Add</i>	\$ 104.30



2501 Griffin Ave - Selma - AL 36701 - USA - Phone 800-363-6096

BUY DOWN FROM MODEL 4115 TO MODEL 2215 FLEX WING



2215 FLEX-WING ROTARY CUTTER

MODEL	2215	MODEL	2215
Transport Height*	7' 3"	Blade Overlap	6"
Transport Width**	8' 2"	Blade Tip Speed	16,286 fpm (540 rpm); 16,000 fpm (1000 rpm)
Cutting Width	15'	Wing Cutting Angles	22° Down to 45° Up
Axle Suspension	Cushioned Springs at Each Wheel	Center Hydraulic Lift	Standard
Cutting Height	1 ½" - 14"	Wing Hydraulic Lift	Standard
Cutting Capacity	3 ½" Diameter	Axle Tube Pivots	Greaseable Bushings
Hitch	See Hitch Selection	Axle Arm Pivots	Greaseable
Approx. Tongue Weight	1,800 lb.	Wing Adjustment	Greaseable Turnbuckles
Deck Thickness	10 Gauge	Wheels	See Wheel Selection
Side Bands	1/4" x 13 ½"	Minimum Tractor PTO HP	60
Gearbox Rating (HP)	250 hp† (Transfer) 210 hp† (Cutting)	Grass Baffles	Optional
Drivelines	Main: See Driveline Selection Wings: ASAE Category 4	Jack Stand	Standard
Driveline Protection	(3) Multi-Plate Slip Clutch	Safety Tow Chain	Standard
Blade Holders	7ga Round Pans	Safety Shielding	Single or Double Row Chains
Blades	1/2" x 4" Parallel Uplift		

10-Year Gearbox Limited Warranty and 1-Year Machine Limited Warranty

*Measured at maximum transport height.

**Measured at outside of wing skids.

†Gearbox rating based on field performance.

WARNING:	A deflector kit or chain shielding must be used for all non-agricultural purposes or in areas where thrown objects could be hazardous to people, animals, or property.
HOW TO ORDER:	To receive a complete cutter, you must order a basic unit and then select one item from each of Groups 2 - 6 in the ordering section. Additional equipment may be added to your order by making your selection from the options list.

Freight NOT included in list price

Part No.s

Buy Down to the standard 2215 build listed here instead of the 4115 base unit

Base 4115

Price \$ 26,422.90

Deduct \$ (2,882.60)

2215 STANDARD BUILD	
12215R1	2215 Flex-Wing Series Rotary Cutter, Round Blade, Pan, 1000 PTO, No Deck Rings
50069764	Cv Driveline, 540 PTO, 1-3/8-6, Asae Category 5
50070267	Dual Axle Arms (4 Tires)
50070267	Dual Axle Arms (4 Tires)
294x8	Laminated Tire, 20" Set Of 8
50076836	Double Row Chains, Front And Rear
50082034	Hose Kit, Independent Wing Control

2215 Net Price \$ 23,540.30



2501 Griffin Ave - Selma - AL 36701 - USA - Phone 800-363-6096

START WITH THE STANDARD 2215 NET PRICE AND ADD/DEDUCT OPTIONS BELOW TO CUSTOMIZE

2215 Optional Base Unit Selection		\$ +/-	
Add 2215RR1	Add 2215 15' Flex-Wing, Round Blade Holder, 540 PTO, With Deck Rings		
Deduct 2215R1	Wing, Round Blade Holder, 540 PTO, No Deck Rings	Add	\$ 532.00
Add 12215R1	Add 2215 15' Flex-Wing, Round Blade Holder, 540 PTO, With Deck Rings		
Deduct 2215R1	Wing, Round Blade Holder, 1,000 PTO, No Deck Rings (Must use 1,000 PTO Driveline Option as well)	Add	\$0.00
Add 12215RR1	Add 2215 15' Flex-Wing, Round Blade Holder, 540 PTO, With Deck Rings		
Deduct 2215R1	Wing, Round Blade Holder, 1,000 PTO, With Deck Rings (Must use 1,000 PTO Driveline Option as well)	Add	\$ 532.00
2215 Optional Driveline Selection			
Add 50069765	Add CV Driveline, 1,000 PTO, 1-3/8-21, ASAE Category 5		
Deduct 50069764	ASAE Category 6	Deduct	\$ (35.70)
Add 50074699	Add CV Driveline, 1,000 PTO, 1-3/4-20, ASAE Category 6		
Deduct 50069764	ASAE Category 6	Add	\$0.00
2215 Optional Center Axle Selection			
Add 50076588	Add Center Tandem Walking Axle Arm (4 Tires)		
Deduct 50070267	Deduct Center Dual Axle Arms (4 Tires) (Must change to correct number of tires depending on configuration).	Add	\$ 546.00
2215 Optional Wing Axle Selection			
Add 50068188	Add Wing Single Axle Arm (2 Tires)		
Deduct 50070267	Deduct Wing Dual Axle Arms (4 Tires) (Must change to correct number of tires depending on configuration).	Deduct	\$ (256.20)
Add 50076588	Add Wing Tandem Walking Axle Arms (4 Tires)		
Deduct 50070267	Deduct Wing Dual Axle Arms (4 Tires) (Must change to correct number of tires depending on configuration).	Add	\$ 546.00
2215 Optional Wheel Selection			
Add 294x6 Deduct 294x8	Add 21" Laminated Tire Set of 6		
Add 50075401x6	Deduct 21" Laminated Tire Set of 8	Deduct	\$ (483.00)
Deduct 294x8	Add 25" Laminated Tire Set of 6		
Add 50075401x8	Deduct 21" Laminated Tire Set of 8	Deduct	\$ (168.00)
Deduct 294x8	Add 25" Laminated Tire Set of 8		
Add 50050727x6	Deduct 21" Laminated Tire Set of 8	Add	\$ 420.00
Deduct 294x8	Add Used Aircraft Tire, 29x9x15 Set of 6		
Add 50050727x8	Deduct 21" Laminated Tire Set of 8	Deduct	\$ (294.00)
Deduct 294x8	Add Used Aircraft Tire, 29x9x15 Set of 8		
Add 50072403x6	Deduct 21" Laminated Tire Set of 8	Add	\$ 252.00
Deduct 294x8	Add Used Aircraft Tire, 27.75x8.75-24PR Set of 6		
Add 50072403x8	Deduct 21" Laminated Tire Set of 8	Deduct	\$ (147.00)
Deduct 294x8	Add Used Aircraft Tire, 27.75x8.75-24PR Set of 8		
Add 50083457x6	Deduct 21" Laminated Tire Set of 8	Add	\$ 448.00
Deduct 294x8	Add New Foam-Filled Tire, 25.5 x 8" x 14" Set of 6		
Add 50083457x8	Deduct 21" Laminated Tire Set of 8	Add	\$ 844.20
Deduct 294x8	Add New Foam-Filled Tire, 25.5 x 8" x 14" Set of 8		
	Deduct 21" Laminated Tire Set of 8	Add	\$ 1,769.60
2215 Optional Enclosure Selection			
Add 50076835			
Deduct 50076836	Single Row Chains, Front & Rear	Deduct	\$ (321.30)
2215 Optional Hydraulic Hose Selection			
Add 50082035			
Deduct 50076836	3 Hoses (1 to Adjust cutter Height & 2 to raise or Lower Wings Independently)	Add	\$0.00
2215 Optional Adders			
50076825	Grass & Crop Distribution Baffles	Add	\$ 34.30
50077430	EZ-Mount Driveline Holder (Please contact Service Parts to Place order)	Add	\$ 630.00



2501 Griffin Ave - Selma - AL 36701 - USA - Phone 800-363-6096

BUY DOWN FROM MODEL 4115 TO MODEL 4110 FLEX WING

NEW
for
2023



4110 FLEX-WING ROTARY CUTTER

MODEL	4110	MODEL	4110
Transport Height*	7' 3"	Blade Holders	7GA Round Pans With Hardened Hex Head Blade Bolts and Bushings
Transport Width**	8' 2"	Blades	1/2" x 4" Parallel Uplift
Total Length	15' 3"	Blade Overlap	6"
Total Width	12'	Blade Tip Speed	16,286 fpm (540 rpm); 16,391 fpm (1000 rpm)
Cutting Width	10' 6"	Wing Cutting Angles	22° Down to 45° Up
Axle Suspension	Center Isolator Bank & Isolators at Each Wheel	Center Hydraulic Lift	Standard
Cutting Height	1 1/2" - 16"	Wing Hydraulic Lift	Standard
Cutting Capacity	4" Diameter	Axle Tube Pivots	Greaseable Bushings
Hitch	Self-Leveling Perma-Level® +	Wing Adjustment	Greaseable Turnbuckles
Approx. Tongue Weight	1,900 lb.	Wheels	See Wheel Selection
Deck Thickness	11 Gauge (Center Top) 7 Gauge (Center Bottom) 7 Gauge (Wings)	Minimum Tractor PTO HP	60
Side Bands	1/4" x 13 1/2"	Grass Baffles	Optional
Gearbox Rating (HP)	250 hp† (Transfer) 225 hp† (Cutting)	Jack Stand	Standard
Drivelines	Main: See Driveline Selection Wings: ASAE Category 4	Safety Tow Chain	Standard
Driveline Protection	Multi-Plate Slip-Clutch	Safety Shielding	Double Row Chains
10-Year Gearbox Limited Warranty 6-Month Machine Limited Warranty (Contractors) 1-Year Machine Limited Warranty (Consumers)			

*Measured at maximum transport height.

**Measured at outside of wing skids.

†Gearbox rating based on field performance.

WARNING:	A deflector kit or chain shielding must be used for all non-agricultural purposes or in areas where thrown objects could be hazardous to people, animals, or property.
HOW TO ORDER:	To receive a complete cutter, you must order a basic unit and then select one item from each of Groups 2 - 6 in the ordering section. Additional equipment may be added to your order by making your selection from the options list.

Part No.s Buy Down to the standard 4110 build listed here instead of the 4115 base unit

Base 4115

Price \$ 26,422.90

Deduct \$ (1,787.10)

4110 Net Price \$ 24,635.80

4110 STANDARD BUILD	
4110RR1	4110 10' Flex-Wing, 540 PTO, Deck Rings
50083676	Perma-Level Hitch +
50081632	Cv Driveline, 540 PTO, 1-3/8-6, Asae Category 6
50083448	Dual Axle Arms (4 Tires), Half Spindles
50083770	Single Axle Arms (1 Tire), Half Spindles
294x5	Laminated Tire, 20" Set Of 5



2501 Griffin Ave - Selma - AL 36701 - USA - Phone 800-363-6096

START WITH THE STANDARD 4110 NET PRICE AND ADD/DEDUCT OPTIONS BELOW TO CUSTOMIZE

4110 Optional Base Unit Selection		\$ +/-	
<i>Add</i> 14110RR1	<i>Add</i> 4110 Single-Wing Flex-Wing Rotary Cutter, 1000 PTO, Deck Rings, Double Row Chains		
<i>Deduct</i> 4110RR1	4110 Single-Wing Flex-Wing Rotary Cutter, 540 PTO, Deck Rings, Double Row Chains	<i>Add</i>	\$0.00
4110 Optional Hitch Selection			
<i>Add</i> 50083959			
<i>Deduct</i> 50083676	<i>Add</i> 2 5/16" Ball Hitch <i>Deduct</i> Perma-Level® Hitch	<i>Add</i>	\$0.00
4110 Optional Driveline Selection			
<i>Add</i> 50083778	<i>Add</i> CV Driveline, 1,000 PTO, 1-3/8-21, ASAE Category 6		
<i>Deduct</i> 50081632	<i>Deduct</i> CV Driveline, 540 PTO, 1-3/8-6, ASAE Category 6	<i>Add</i>	\$0.00
<i>Add</i> 50074699	<i>Add</i> CV Driveline, 1,000 PTO, 1-3/4-20, ASAE Category 6		
<i>Deduct</i> 50069764	<i>Deduct</i> CV Driveline, 540 PTO, 1-3/8-6, ASAE Category 6	<i>Add</i>	\$0.00
4110 Optional Center Axle Selection			
<i>Add</i> 50083448	<i>Add</i> Walking Tandem Axle Arms (4 Tires), Half Spindles		
<i>Deduct</i> 50083449	<i>Deduct</i> Dual Axle Arms (4 Tires), Half Spindles (Must change to correct number of tires depending on configuration).	<i>Add</i>	\$0.00
4110 Optional Wing Axle Selection			
<i>Add</i> 50083769	<i>Add</i> Dual Axle Arms (2 Tires), Half Spindles		
<i>Deduct</i> 50083770	<i>Deduct</i> Single Axle Arms (1 Tire), Half Spindles (Must change to correct number of tires depending on configuration).	<i>Add</i>	\$ 145.60
<i>Add</i> 50083768	<i>Add</i> Walking Tandem Axle Arms (2 Tires), Half Spindles		
<i>Deduct</i> 50083770	<i>Deduct</i> Wing Single Axle Arms (1 Tire), Half Spindles (Must change to correct number of tires depending on configuration).	<i>Add</i>	\$ 507.50
4110 Optional Wheel Selection			
<i>Add</i> 294x6 <i>Deduct</i> 294x5	<i>Add</i> 21" Laminated Tire Set of 6 <i>Deduct</i> 21" Laminated Tire Set of 5	<i>Add</i>	\$ 918.40
<i>Add</i> 50075401x5			
<i>Deduct</i> 294x5	<i>Add</i> 25" Laminated Tire Set of 5 <i>Deduct</i> 21" Laminated Tire Set of 5	<i>Add</i>	\$ 939.40
<i>Add</i> 50075401x6			
<i>Deduct</i> 294x5	<i>Add</i> 25" Laminated Tire Set of 6 <i>Deduct</i> 21" Laminated Tire Set of 5	<i>Add</i>	\$ 1,233.40
<i>Add</i> 50050727x5			
<i>Deduct</i> 294x5	<i>Add</i> Used Aircraft Tire, 29x9x15 Set of 5 <i>Deduct</i> 21" Laminated Tire Set of 5	<i>Deduct</i>	\$ 834.40
<i>Add</i> 50050727x6			
<i>Deduct</i> 294x5	<i>Add</i> Used Aircraft Tire, 29x9x15 Set of 6 <i>Deduct</i> 21" Laminated Tire Set of 5	<i>Add</i>	\$ 1,107.40
<i>Add</i> 50072403x5			
<i>Deduct</i> 294x5	<i>Add</i> Used Aircraft Tire, 27.75x8.75-24PR Set of 5 <i>Deduct</i> 21" Laminated Tire Set of 5	<i>Add</i>	\$ 956.90
<i>Add</i> 50072403x6			
<i>Deduct</i> 294x5	<i>Add</i> Used Aircraft Tire, 27.75x8.75-24PR Set of 6 <i>Deduct</i> 21" Laminated Tire Set of 5	<i>Add</i>	\$ 1,254.40
<i>Add</i> 50083457x5			
<i>Deduct</i> 294x5	<i>Add</i> New Foam-Filled Tire, 25.5 x 8" x 14" Set of 5 <i>Deduct</i> 21" Laminated Tire Set of 5	<i>Add</i>	\$ 1,782.90
<i>Add</i> 50083457x6			
<i>Deduct</i> 294x5	<i>Add</i> New Foam-Filled Tire, 25.5 x 8" x 14" Set of 6 <i>Deduct</i> 21" Laminated Tire Set of 5	<i>Add</i>	\$ 2,245.60
4110 Optional Adders			
50083454	Grass & Crop Distribution Baffles	<i>Add</i>	\$ 70.00



2501 Griffin Ave - Selma - AL 36701 - USA - Phone 800-363-6096

BUY UP FROM MODEL 4115 TO MODEL 2814 FLEX WING



2814 FLEX-WING ROTARY CUTTER

MODEL	2814	MODEL	2814
Transport Height*	9'	Blades	1/2" x 4" Parallel Uplift
Transport Width**	9'	Blade Overlap	6"
Cutting Width	14'	Blade Tip Speed	15,625 fpm (Center); 15,936 fpm (Wing)
Overall Width	14' 6"	Wing Cutting Angles	22° Down to 45° Up
Overall Length	17' 2"	Center Hydraulic Lift	Standard
Axle Suspension	Cushioned Springs at Each Axle Arm	Wing Hydraulic Lift	Standard
Cutting Height	1 1/2" - 14"	Axle Tube Pivots	Greaseable Bushings
Cutting Capacity	3" Diameter	Axle Arm Pivots	Greaseable
Hitch	See Hitch Selection	Wing Adjustment	Greaseable Turnbuckles
Approx. Tongue Weight	2,600 lb.	Wheels	See Wheel Selection
Deck Thickness	11 Gauge (Center Top) 10 Gauge (Center Bottom) 10 Gauge (Wings)	Minimum Tractor PTO HP	90
Side Bands	1/4" x 13 1/2"	Jack Stand	Standard
Gearbox Rating (HP)	250 hp† (Transfer) 225 hp† (Cutting)	Safety Tow Chain	Standard
Drivelines	Main: See Driveline Selection Wings: ASAE Category 5	Safety Shielding	Double Row Chains
Blade Holders	7ga Round Pans		

10-Year Gearbox Limited Warranty and 1-Year Machine Limited Warranty

*Measured at maximum transport height.

**Measured at outside of wing skids.

†Gearbox rating based on field performance.

WARNING: A deflector kit or chain shielding must be used for all non-agricultural purposes or in areas where thrown objects could be hazardous to people, animals, or property.

HOW TO ORDER: To receive a complete cutter, you must order a basic unit and then select one item from each of Groups 2 - 7 in the ordering section. Additional equipment may be added to your order by making your selection from the options list.

Freight NOT included in list price

Part No.s

Buy Up to the standard 2814 build listed here instead of the 4115 base unit

Base 4115

Price \$ 26,422.90

Add \$ 525.00

2814 STANDARD BUILD	
2814RR1	2814 Flex-Wing Series Rotary Cutter, Round Pan Blade Carrier, 540 PTO, With Deck Rings
50054505	Perma-Level Hitch
50069764	Cv Driveline, 540 PTO, 1-3/8-6, Asae Category 5
50074158	Dual Axle Arms (4 Tires), Half Spindles
50075163	Dual Axle Arms (2 Tires), Half Spindles
294x6	Laminated Tire, 20" Set Of 6

2814 Net Price \$ 26,947.90

START WITH THE STANDARD 2814 NET PRICE AND ADD/DEDUCT OPTIONS BELOW TO CUSTOMIZE

2814 Optional Base Unit Selection

\$ +/-

Add 12814RR1
Deduct 2814RR1

Add 2814 14' Single Flex-Wing, Pan Blade Carrier, 1000 PTO, With Deck Rings & Double Row Chains
Deduct 2814 14' Single Flex-Wing, Pan Blade Carrier, 540 PTO, With Deck Rings & Double Row Chains (Must use 1,000 PTO Driveline Option as well)

Add \$0.00

2814 Optional Hitch Selection

Add 50072803
Deduct 50054505

Add Ball Hitch with 2 5/16" Ball
Deduct Perma-Level® Hitch

Add \$0.00



2501 Griffin Ave - Selma - AL 36701 - USA - Phone 800-363-6096

2814 Optional Driveline Selection

<i>Add</i> 50082326	<i>Add</i> CV Driveline, 1,000 PTO, 1-3/8-21, ASAE Category 6	<i>Deduct</i> CV Driveline, 540 PTO, 1-3/8-6, ASAE Category 6	<i>Add</i>	\$0.00
<i>Deduct</i> 50069764				
<i>Add</i> 50074699	<i>Add</i> CV Driveline, 1,000 PTO, 1-3/4-20, ASAE Category 6	<i>Deduct</i> CV Driveline, 540 PTO, 1-3/8-6, ASAE Category 6	<i>Add</i>	\$0.00
<i>Deduct</i> 50069764				

2814 Optional Wing Axle Selection

<i>Add</i> 50075164	<i>Add</i> Wing Single Axle Arm (1 Tire) <i>Deduct</i> Wing Dual Axle Arms (4 Tires) (Must change to correct number of tires depending on configuration).	<i>Deduct</i>	\$	(106.40)
<i>Deduct</i> 50075163				

2814 Optional Wheel Selection

<i>Add</i> 294x5 <i>Deduct</i> 294x6	<i>Add</i> 21" Laminated Tire Set of 5 <i>Deduct</i> 21" Laminated Tire Set of 5	<i>Deduct</i>	\$	(241.50)
<i>Add</i> 50075401x5				
<i>Deduct</i> 294x6	<i>Add</i> 25" Laminated Tire Set of 5 <i>Deduct</i> 21" Laminated Tire Set of 6	<i>Add</i>	\$	21.00
<i>Add</i> 50075401x6				
<i>Deduct</i> 294x6	<i>Add</i> 25" Laminated Tire Set of 6 <i>Deduct</i> 21" Laminated Tire Set of 6	<i>Add</i>	\$	315.00
<i>Add</i> 50050727x5				
<i>Deduct</i> 294x6	<i>Add</i> Used Aircraft Tire, 29x9x15 Set of 5 <i>Deduct</i> 21" Laminated Tire Set of 6	<i>Deduct</i>	\$	(84.00)
<i>Add</i> 50050727x6				
<i>Deduct</i> 294x6	<i>Add</i> Used Aircraft Tire, 29x9x15 Set of 6 <i>Deduct</i> 21" Laminated Tire Set of 6	<i>Add</i>	\$	189.00
<i>Add</i> 50072403x5				
<i>Deduct</i> 294x6	<i>Add</i> Used Aircraft Tire, 27.75x8.75-24PR Set of 5 <i>Deduct</i> 21" Laminated Tire Set of 6	<i>Add</i>	\$	38.50
<i>Add</i> 50072403x6				
<i>Deduct</i> 294x6	<i>Add</i> Used Aircraft Tire, 27.75x8.75-24PR Set of 6 <i>Deduct</i> 21" Laminated Tire Set of 6	<i>Add</i>	\$	336.00
<i>Add</i> 50083457x5				
<i>Deduct</i> 294x6	<i>Add</i> New Foam-Filled Tire, 25.5 x 8" x 14" Set of 5 <i>Deduct</i> 21" Laminated Tire Set of 6	<i>Add</i>	\$	864.50
<i>Add</i> 50083457x6				
<i>Deduct</i> 294x6	<i>Add</i> New Foam-Filled Tire, 25.5 x 8" x 14" Set of 6 <i>Deduct</i> 21" Laminated Tire Set of 6	<i>Add</i>	\$	1,327.20

2814 Optional Adders

50077430	EZ-Mount Driveline Holder (Please contact Service Parts to Place order)	<i>Add</i>	\$	104.30
----------	---	------------	----	--------



2501 Griffin Ave - Selma - AL 36701 - USA - Phone 800-363-6096

BUY UP FROM MODEL 4115 TO MODEL 2820 FLEX WING



2820 FLEX-WING ROTARY CUTTER

MODEL	2820	MODEL	2820
Transport Height*	9'	Blades	1/2" x 4" Parallel Uplift
Transport Width**	9'	Blade Overlap	6"
Cutting Width	20'	Blade Tip Speed	15,625 fpm (Center); 15,936 fpm (Wing)
Overall Width	21'	Wing Cutting Angles	22° Down to 45° Up
Overall Length	17' 2"	Center Hydraulic Lift	Standard
Axle Suspension	Cushioned Springs at Each Axle Arm	Wing Hydraulic Lift	Standard
Cutting Height	1 1/2" - 14"	Axle Tube Pivots	Greaseable Bushings
Cutting Capacity	3" Diameter	Axle Arm Pivots	Greaseable
Hitch	See Hitch Selection	Wing Adjustment	Greaseable Turnbuckles
Approx. Tongue Weight	2,600 lb.	Wheels	See Wheel Selection
Deck Thickness	11 Gauge (Center Top) 10 Gauge (Center Bottom) 10 Gauge (Wings)	Minimum Tractor PTO HP	90
Side Bands	1/4" x 13 1/2"	Grass Baffles	Optional
Gearbox Rating (HP)	250 hp† (Transfer) 225 hp† (Cutting)	Jack Stand	Standard
Drivelines	Main: See Driveline Selection Wings: ASAE Category 5	Safety Tow Chain	Standard
Blade Holders	7ga Round Pans or Shredder Bar	Safety Shielding	Single or Double Row Chains

10-Year Gearbox Limited Warranty and 1-Year Machine Limited Warranty

*Measured at maximum transport height.

**Measured at outside of wing skids.

†Gearbox rating based on field performance.

WARNING:	A deflector kit or chain shielding must be used for all non-agricultural purposes or in areas where thrown objects could be hazardous to people, animals, or property.
HOW TO ORDER:	To receive a complete cutter, you must order a basic unit and then select one item from each of Groups 2 - 7 in the ordering section. Additional equipment may be added to your order by making your selection from the options list.

Freight NOT included in list price

Part No.s

Buy Up to the standard 2820 build listed here instead of the 4115 base unit

Base 4115

Price \$ 26,422.90

Add \$ 6,994.40

2820 STANDARD BUILD	
2820RR1	2820 Flex-Wing Series Rotary Cutter, Pan Blade Carrier, 540 PTO, With Deck Rings
50054505	Perma-Level Hitch
50069764	Cv Driveline, 540 PTO, 1-3/8-6, Asae Category 5
50074158	Dual Axle Arms (4 Tires), Half Spindles
50074159	Single Axle Arms (2 Tires), Half Spindles
294x6	Laminated Tire, 20" Set Of 6
50074152	Double Row Chains, Front And Rear

2820 Net Price \$ 33,417.30

START WITH THE STANDARD 2820 NET PRICE AND ADD/DEDUCT OPTIONS BELOW TO CUSTOMIZE

2820 Optional Base Unit Selection

\$ +/-

Add 12820RR1	Add 2820 20' Flex-Wing, Pan Blade Carrier, 1,000 PTO,With Deck Rings	Deduct 2820 20' Flex-Wing, Pan Blade Carrier, 540 PTO,With Deck Rings (Must use 1,000 PTO Driveline Option as well)	Add	\$0.00
Deduct 2820RR				
Add 128205R1	Add 2820 20' Flex-Wing, Bar Blade Carrier, 1,000 PTO,With Deck Rings	Deduct 2820 20' Flex-Wing, Pan Blade Carrier, 540 PTO,With Deck Rings (Must use 1,000 PTO Driveline Option as well)	Add	\$ 202.30
Deduct 2820RR				



2501 Griffin Ave - Selma - AL 36701 - USA - Phone 800-363-6096

2820 Optional Hitch Selection

Add 50072803				
Deduct 50054505	Add Ball Hitch with 2 5/16" Ball	Deduct Perma-Level® Hitch	Add	\$0.00

2820 Optional Driveline Selection

Add 50082326	Add CV Driveline, 1,000 PTO, 1-3/8-21, ASAE Category 6	Deduct CV Driveline, 540 PTO, 1-3/8-6, ASAE Category 6	Add	\$ -
Deduct 50069764				
Add 50074699	Add CV Driveline, 1,000 PTO, 1-3/4-20, ASAE Category 6	Deduct CV Driveline, 540 PTO, 1-3/8-6, ASAE Category 6	Add	\$ -
Deduct 50069764				

2820 Optional Center Axle Selection

Add 50076586	Add Center Tandem Walking Axle Arms (4 Tires)	Deduct Center Dual Axle Arms (4 Tires), Half Spindles. (Must change to correct number of tires depending on configuration).	Add	\$ 667.80
Deduct 50074158				

2820 Optional Wing Axle Selection

Add 50074158	Add Wing Dual Axle Arms (4 Tire), Half Spindles	Deduct Wing Single Axle Arms (2 Tires), Half Spindles. (Must change to correct number of tires depending on configuration).	Add	\$0.00
Deduct 50074159				
Add 50076586	Add Wing Tandem Walking Axle Arms (4 Tires)	Deduct Wing Single Axle Arms (2 Tires), Half Spindles. (Must change to correct number of tires depending on configuration).	Add	\$ 941.50
Deduct 50074159				

2820 Optional Wheel Selection

Add 294x6 Deduct 294x8	Add 21" Laminated Tire Set of 8	Deduct 21" Laminated Tire Set of 6	Add	\$0.00
Add 50075401x6				
Deduct 294x8	Add 25" Laminated Tire Set of 6	Deduct 21" Laminated Tire Set of 8	Add	\$ 315.00
Add 50075401x8				
Deduct 294x8	Add 25" Laminated Tire Set of 8	Deduct 21" Laminated Tire Set of 8	Add	\$ 903.00
Add 50050727x6				
Deduct 294x8	Add Used Aircraft Tire, 29x9x15 Set of 6	Deduct 21" Laminated Tire Set of 8	Add	\$ 189.00
Add 50050727x8				
Deduct 294x8	Add Used Aircraft Tire, 29x9x15 Set of 8	Deduct 21" Laminated Tire Set of 8	Add	\$ 735.00
Add 50072403x6				
Deduct 294x8	Add Used Aircraft Tire, 27.75x8.75-24PR Set of 6	Deduct 21" Laminated Tire Set of 8	Add	\$ 336.00
Add 50072403x8				
Deduct 294x8	Add Used Aircraft Tire, 27.75x8.75-24PR Set of 8	Deduct 21" Laminated Tire Set of 8	Add	\$ 931.00
Add 50083457x6				
Deduct 294x8	Add New Foam-Filled Tire, 25.5 x 8" x 14" Set of 6	Deduct 21" Laminated Tire Set of 8	Add	\$ 1,327.20
Add 50083457x8				
Deduct 294x8	Add New Foam-Filled Tire, 25.5 x 8" x 14" Set of 8	Deduct 21" Laminated Tire Set of 8	Add	\$ 2,252.60

2820 Optional Enclosure Selection

Add 50074153				
Deduct 50074152	Add Single Row Chains, Front & Rear	Deduct Double Row Chains, Front & Rear	Deduct	\$ (606.90)

2820 Optional Adders

50074156	Grass Distribution Baffles		Add	\$ 397.60
50077430	EZ-Mount Driveline Holder (Please contact Service Parts to Place order)		Add	\$ 104.30
	Shredder Kit for 2820 Flex-Wing Series Rotary Cutter, Model SR1 Adds second blade bar and (2) uplift blades to each cutting circle of SR1 model for finer shredding. NOTE: SR1 base unit includes a straight blade bar with (2) uplift blades and (2) flat blades per cutting circle.		Add	\$ 1,317.40
50074155				



2501 Griffin Ave - Selma - AL 36701 - USA - Phone 800-363-6096

BUY UP FROM MODEL 4115 TO MODEL 4815 FLEX WING



SEE WARRANTY SPECIFICATIONS BELOW



4815 FLEX-WING ROTARY CUTTER

MODEL	4815	MODEL	4815
Transport Height*	7' 3"	Blades	1/2" x 4" Parallel Uplift
Transport Width**	8' 2"	Blade Overlap	6"
Cutting Width	15'	Blade Tip Speed	16,286 fpm (540 rpm); 16,391 fpm (1000 rpm)
Axle Suspension	Cushioned Springs at Each Wheel	Wing Cutting Angles	22° Down to 45° Up
Cutting Height	1 1/2" - 14"	Center Hydraulic Lift	Standard
Cutting Capacity	4 1/2" Diameter	Wing Hydraulic Lift	Standard
Hitch	See Hitch Selection	Axle Tube Pivots	Greaseable Bushings
Approx. Tongue Weight	2,200 lb.	Axle Arm Pivots	Greaseable
Deck Thickness	11 Gauge (Center Top) 7 Gauge (Center Bottom) 7 Gauge (Wings)	Wing Adjustment	Greaseable Turnbuckles
Side Bands	1/4" x 13 1/2"	Wheels	See Wheel Selection
Gearbox Rating (HP)	250 hp† (Transfer) 225 hp† (Cutting)	Minimum Tractor PTO HP	70
Drivelines	Main: See Driveline Selection Wings: ASAE Category 5	Grass Baffles	Optional
Driveline Protection	(3) Multi-Plate Slip Clutch	Jack Stand	Standard
Blade Holders	3/4" Uplift	Safety Tow Chain	Standard
Blade Bolts	Hex Shaped	Safety Shielding	Double Row Chains
10-Year Gearbox Limited Warranty 1 1/2-Year Machine Limited Warranty (Contractors) 1 1/2-Year Machine Limited Warranty (Consumers)			

*Measured at maximum transport height.

**Measured at outside of wing skids.

†Gearbox rating based on field performance.

WARNING:	A deflector kit or chain shielding must be used for all non-agricultural purposes or in areas where thrown objects could be hazardous to people, animals, or property.
HOW TO ORDER:	To receive a complete cutter, you must order a basic unit and then select one item from each of Groups 2 - 7 in the ordering section. Additional equipment may be added to your order by making your selection from the options list.

Freight NOT included in list price

Part No.s	Buy up to the standard 4815 build listed here instead of the 4115 base unit	Base 4115	
		Price \$	26,422.90
		Add \$	4,629.10
4815 STANDARD BUILD		4815 Net Price \$	31,052.00
4815RR1	4815 Flex-Wing Series Rotary Cutter, Round Blade Holder, 540 PTO, With Deck Rings		
50054505	Perma-Level Hitch		
50069764	Cv Driveline, 540 PTO, 1-3/8-6, Asae Category 5		
50074158	Dual Axle Arms (4 Tires), Half Spindles		
50074159	Single Axle Arms (2 Tires), Half Spindles		
294x6	Laminated Tire, 20" Set Of 6		
50076494	Double Row Chains, Front And Rear		
50082034	Hose Kit, Independent Wing Control		



2501 Griffin Ave - Selma - AL 36701 - USA - Phone 800-363-6096

START WITH THE STANDARD 4815 NET PRICE AND ADD/DEDUCT OPTIONS BELOW TO CUSTOMIZE

4815 Optional Base Unit Selection		\$ +/-	
<i>Add</i> 14815RR1	<i>Add</i> 4815 15' Flex-Wing, Extreme-Duty Blade Holder, 1,000 PTO, With Deck Rings		
<i>Deduct</i> 4815RR1	<i>Deduct</i> 4815RR1 4815 15' Flex-Wing, Extreme-Duty Blade Holder, 540 PTO, With Deck Rings (Must use 1,000 PTO Driveline Option as well)	<i>Add</i>	\$0.00
4815 Optional Hitch Selection			
<i>Add</i> 50072803			
<i>Deduct</i> 50054505	<i>Add</i> Ball Hitch with 2 5/16" Ball <i>Deduct</i> Perma-Level® Hitch	<i>Add</i>	\$0.00
4815 Optional Driveline Selection			
<i>Add</i> 50082326	<i>Add</i> CV Driveline, 1,000 PTO, 1-3/8-21, ASAE Category 6 <i>Deduct</i> CV Driveline, 540 PTO, 1-3/8-6, ASAE Category 6	<i>Add</i>	\$0.00
<i>Deduct</i> 50069764			
<i>Add</i> 50074699	<i>Add</i> CV Driveline, 1,000 PTO, 1-3/4-20, ASAE Category 6 <i>Deduct</i> CV Driveline, 540 PTO, 1-3/8-6, ASAE Category 6	<i>Add</i>	\$0.00
<i>Deduct</i> 50069764			
4815 Optional Center Axle Selection			
<i>Add</i> 50076586	<i>Add</i> Center Tandem Walking Axle Arms (4 Tires) <i>Deduct</i> Center Dual Axle Arms (4 Tires), Half Spindles. (Must change to correct number of tires depending on configuration).	<i>Add</i>	\$ 667.80
<i>Deduct</i> 50074158			
4815 Optional Wing Axle Selection			
<i>Add</i> 50074158	<i>Add</i> Wing Dual Axle Arms (4 Tires), Half Spindles. <i>Deduct</i> Wing Single Axle Arms (2 Tires), Half Spindles (Must change to correct number of tires depending on configuration).	<i>Add</i>	\$ 273.70
<i>Deduct</i> 50074159			
<i>Add</i> 50076586	<i>Add</i> Wing Tandem Walking Axle Arms (4 Tires) <i>Deduct</i> Wing Single Axle Arms (2 Tires), Half Spindles (Must change to correct number of tires depending on configuration).	<i>Add</i>	\$ 941.50
<i>Deduct</i> 50074159			
4815 Optional Wheel Selection			
<i>Add</i> 294x6 <i>Deduct</i> 294x8	<i>Add</i> 21" Laminated Tire Set of 6 <i>Deduct</i> 21" Laminated Tire Set of 8	<i>Add</i>	\$0.00
<i>Add</i> 50075401x6			
<i>Deduct</i> 294x8	<i>Add</i> 25" Laminated Tire Set of 6 <i>Deduct</i> 21" Laminated Tire Set of 8	<i>Add</i>	\$ 315.00
<i>Add</i> 50075401x8			
<i>Deduct</i> 294x8	<i>Add</i> 25" Laminated Tire Set of 8 <i>Deduct</i> 21" Laminated Tire Set of 8	<i>Add</i>	\$ 903.00
<i>Add</i> 50050727x6			
<i>Deduct</i> 294x8	<i>Add</i> Used Aircraft Tire, 29x9x15 Set of 6 <i>Deduct</i> 21" Laminated Tire Set of 8	<i>Add</i>	\$ 189.00
<i>Add</i> 50050727x8			
<i>Deduct</i> 294x8	<i>Add</i> Used Aircraft Tire, 29x9x15 Set of 8 <i>Deduct</i> 21" Laminated Tire Set of 8	<i>Add</i>	\$ 735.00
<i>Add</i> 50072403x6			
<i>Deduct</i> 294x8	<i>Add</i> Used Aircraft Tire, 27.75x8.75-24PR Set of 6 <i>Deduct</i> 21" Laminated Tire Set of 8	<i>Add</i>	\$ 336.00
<i>Add</i> 50072403x8			
<i>Deduct</i> 294x8	<i>Add</i> Used Aircraft Tire, 27.75x8.75-24PR Set of 8 <i>Deduct</i> 21" Laminated Tire Set of 8	<i>Add</i>	\$ 931.00
<i>Add</i> 50083457x6			
<i>Deduct</i> 294x8	<i>Add</i> New Foam-Filled Tire, 25.5 x 8" x 14" Set of 6 <i>Deduct</i> 21" Laminated Tire Set of 8	<i>Add</i>	\$ 1,327.20
<i>Add</i> 50083457x8			
<i>Deduct</i> 294x8	<i>Add</i> New Foam-Filled Tire, 25.5 x 8" x 14" Set of 8 <i>Deduct</i> 21" Laminated Tire Set of 8	<i>Add</i>	\$ 2,252.60
4815 Optional Hydraulic Hose Selection			
<i>Add</i> 50082035	<i>Add</i> 2 Hoses With "T" (1 to Adjust cutter Height & 1 to raise or Lower Wings at the Same time)		
<i>Deduct</i> 50082034	<i>Deduct</i> 3 Hoses (1 to Adjust cutter Height & 2 to raise or Lower Wings Independently)	<i>Add</i>	\$0.00
4815 Optional Adders			
50069451	Grass and Crop Distribution Baffles	<i>Add</i>	\$ 484.40
50077430	EZ-Mount Driveline Holder (Please contact Service Parts to Place order)	<i>Add</i>	\$ 104.30