



2501 Griffin Ave - Selma - AL 36701 - USA - Phone 800-363-6096  
Contract: 24-08-0421 North Carolina Sheriffs' Association  
Bid: 24-08-0421 Heavy Equipment  
Group: Mowers  
Item Number: 2029 Multi-Spindle Mower

ITEM 2029 2107 OPTIONS SHEET

Shipping & handling is not included in the base price and will be calculated separately.  
The "+/- to Base Price" below already includes the 30% Discount off of MSRP



2107 MULTI-SPINDLE ROTARY CUTTER

MODEL	2107
Cutting Width	7' 2"
Transport Width	7' 6"
Overall Length	7' 4"
Cutting Height	1 1/2" - 11"
Cutting Capacity	2" Diameter
Hitch	Cat 1 & 2 Std & QH
Deck Thickness	10 gauge
Side Bands	7 gauge x 11 3/4"
Gearbox HP	140HP (Transfer)   65HP (Cutting)
Driveline	ASAE Category 3
Driveline Protection	2-Plate Slip-Clutch
Blade Holders	Oval Pan
Blades	1/2" x 4" Uplift
Blade Overlap	4"
Blade Tip Speed	Approx. 16,000 FPM
Wheel	15 1/2" Laminated
Minimum Tractor PTO HP	30 (w/ Adequate Front Ballasts)
Tractor PTO Speed	540 RPM
Height Adjustment	Manual Tailwheel Height Adjustment
Safety Shielding	Single Chains (Front)   Metal Band or Single Chains (Rear)
10-Year Gearbox Limited Warranty and 1-Year Machine Limited Warranty	

\*Gearbox rating based on field performance.

NOTICE:	PTO adapter must not be used in any application.
WARNING:	A deflector kit or chain shielding must be used for all non-agricultural purposes or in areas where thrown objects could be hazardous to people, animals, or property.
HOW TO ORDER:	To receive a complete cutter, you must order from each group listed for the model you have selected.

Freight NOT included in list price

ITEM 2029 BASE UNIT BUILD DETAILS	
2107R	2107 Multi-Spindle Rotary Cutter
50082483	Front Single Row Chains
50082486	Rear Single Row Chains

Net Base Price \$ 5,782.70

START WITH THE STANDARD 2107 NET PRICE AND ADD/DEDUCT OPTIONS BELOW TO CUSTOMIZE

2107 Optional Front Enclosure Selection

Add 50082484 Deduct				
50082483	Add Front Double Row Chains Deduct Front Single Row Chains	Add	\$	90.30

2107 Optional Rear Enclosure Selection

Add 50082487 Deduct				
50082486	Add Rear Double Row Chains Deduct Rear Single Row Chains	Add	\$	95.90
Add 50082489 Deduct				
50082486	Add Rear Metal Band Deduct Rear Single Row Chains	Deduct	\$	(98.70)

BUY UP FROM MODEL 2107 TO MODEL 2208 MULTI-SPINDLE



2208 MULTI-SPINDLE ROTARY CUTTER

MODEL	2208
Cutting Width	8' 3"
Transport Width	8' 10"
Overall Length	13' 4" (Pull)   8' 6" (Lift & Semi)   13' 4" (Pull)
Cutting Height	1 ½" – 13"
Tongue Weight	880 lb. (Pull)
Cutting Capacity	2" Diameter
Hitch	Cat. 1 or 2 Std & Quick Hitch   Self-Leveling Pull-Type
Deck Thickness	10 Gauge
Side Bands	11 ¾" x 7 Gauge
Gearbox Rating (HP)	140* (Transfer)   65* (Cutting)
Driveline	ASAE Category 4
Driveline Protection	2-Plate Slip-Clutch
Blade Holders	10ga Oval Pans
Blades	1/2" x 4" Uplift
Blade Overlap	4 ¾"
Blade Tip Speed	16,173 fpm
Wheels	15 ½" Laminated
Minimum Tractor PTO HP	35 (Pull)   45 (Lift)
Safety Shielding	Chains (Front)   Metal Band or Chains (Rear)
Safety Tow Chain	Standard (Pull)
10-Year Gearbox Limited Warranty and 1-Year Machine Limited Warranty	

\*Gearbox rating based on field performance.

NOTICE:	PTO adapter must not be used in any application.
WARNING:	A deflector kit or chain shielding must be used for all non-agricultural purposes or in areas where thrown objects could be hazardous to people, animals, or property.
HOW TO ORDER:	To receive a complete cutter, you must order from each group listed for the model you have selected.

Freight NOT included in list price

Part No.s	Buy Up to the standard 2208 Pull build listed here instead of the 2107 base unit	Base 2107 Price	\$	5,782.70
		Add	\$	4,683.00
		2208 Net Price	\$	10,465.70

2208 PULL STANDARD BUILD	
2208R	2208 Multi-Spindle Rotary Cutter
50081053	2208 Pull Bundle
50081013	Lift And Semi-Mount Hd Axle Arms (Pair) With 21” Laminated Tires
89045	Hydraulic Cylinder Bundle
50075423	Front Single Row Chains
50075425	Rear Single Row Chains

START WITH THE STANDARD 2208 PULL TYPE NET PRICE AND ADD/DEDUCT OPTIONS BELOW TO CUSTOMIZE

2208 Pull Type Optional Height Adjustment Selection

Add 1817 Deduct				
90492	Add Manual Ratchet Bundle Deduct Hydraulic Cylinder Bundle	Deduct	\$	(263.20)

2208 Pull Type Optional Front Enclosure Selection

Add 50075424 Deduct				
50075423	Add Front Double Row Chains Deduct Front Single Row Chains	Add	\$	197.40

2208 Pull Type Optional Rear Enclosure Selection

Add 50075426 Deduct				
50075425	Add Rear Double Row Chains Deduct Rear Single Row Chains	Add	\$	120.40
Add 50075503 Deduct				
50075425	Add Rear Metal Band Deduct Rear Single Row Chains	Deduct	\$	(130.90)

<b>Part No.s</b>	<b>Buy Up to the standard 2208 Lift build listed here instead of the 2107 base unit</b>	<i>Base 2107 Price</i>	\$	5,782.70
		<i>Add</i>	\$	1,677.90
		<b>2208 Net Price</b>	<b>\$</b>	<b>7,460.60</b>

2208 LIFT STANDARD BUILD	
2208R	2208 Multi-Spindle Rotary Cutter
50081054	2208 Lift Bundle
50075423	Front Single Row Chains
50075425	Rear Single Row Chains

START WITH THE STANDARD 2208 LIFT TYPE NET PRICE AND ADD/DEDUCT OPTIONS BELOW TO CUSTOMIZE

2208 Lift Type Optional Front Enclosure Selection

Add 50075424 Deduct				
50075423	<i>Add</i> Front Double Row Chains <i>Deduct</i> Front Single Row Chains	<i>Add</i>	\$	197.40

2208 Lift Type Optional Rear Enclosure Selection

Add 50075426 Deduct				
50075425	<i>Add</i> Rear Double Row Chains <i>Deduct</i> Rear Single Row Chains	<i>Add</i>	\$	120.40
Add 50075503 Deduct				
50075425	<i>Add</i> Rear Metal Band <i>Deduct</i> Rear Single Row Chains	<i>Deduct</i>	\$	(130.90)

<b>Part No.s</b>	<b>Buy Up to the standard 2208 Semi-Mount build listed here instead of the 2107 base unit</b>	<i>Base 2107 Price</i>	\$	5,782.70
		<i>Add</i>	\$	1,861.30
		<b>2208 Net Price</b>	<b>\$</b>	<b>7,644.00</b>

2208 SEMI-MOUNT STANDARD BUILD	
2208R	2208 Multi-Spindle Rotary Cutter
89045	Hydraulic Cylinder Bundle
50076024	Semi-Mount Bundle
50075423	Front Single Row Chains
50075425	Rear Single Row Chains

START WITH THE STANDARD 2208 SEMI-MOUNT TYPE NET PRICE AND ADD/DEDUCT OPTIONS BELOW TO CUSTOMIZE


2208 Semi-Mount Optional Front Enclosure Selection

Add 50075424 Deduct				
50075423	<i>Add</i> Front Double Row Chains <i>Deduct</i> Front Single Row Chains	<i>Add</i>	\$	197.40

2208 Semi-Mount Optional Rear Enclosure Selection

Add 50075426 Deduct				
50075425	<i>Add</i> Rear Double Row Chains <i>Deduct</i> Rear Single Row Chains	<i>Add</i>	\$	120.40
Add 50075503 Deduct				
50075425	<i>Add</i> Rear Metal Band <i>Deduct</i> Rear Double Row Chains	<i>Deduct</i>	\$	(130.90)

Buy Up FROM MODE 2107 TO MODEL 2310 MULTI-SPINDLE



2310 MULTI-SPINDLE ROTARY CUTTER

MODEL	2310
Cutting Width	9' 9"
Transport Width	10' 3"
Overall Length	12' 7" (Pull)
Cutting Height	1 ½" – 12"
Cutting Capacity	2" Diameter
Hitch	Cat. 2 or 3 Std & Quick Hitch   Self-Leveling Pull-Type
Deck Thickness	10 Gauge
Side Bands	11 ¾" x 7 Gauge
Driveline	ASAE Category 4
Driveline Protection	Slip Clutch
Gearbox Rating (HP)	140* (Transfer)   130* (Cutting)
Tractor PTO Speed	540
Minimum Tractor PTO HP	50 (Pull), 70 (Lift)
Blade Holders	10ga Round Pans
Blades	1/2" x 4" Uplift
Blade Tip Speed	15,828 fpm
Tires	Dual Laminated, Foam-Filled, or Pneumatic Aircraft
Safety Shielding	Front Single or Double Row Chains   Rear Metal Band or Single or Double Row Chains
Approximate Weight	2,280 lb
10-Year Gearbox Limited Warranty and 1-Year Machine Limited Warranty	

\*Gearbox rating based on field performance.

NOTICE:	PTO adapter must not be used in any application.
WARNING:	A deflector kit or chain shielding must be used for all non-agricultural purposes or in areas where thrown objects could be hazardous to people, animals, or property.
HOW TO ORDER:	To receive a complete cutter, you must order from each group listed for the model you have selected. Group 4 Wheel Selection for Pull-Type Units Only.

Freight NOT included in list price

Part No.s	Buy Up to the standard 2310 Pull build listed here instead of the 2107 base unit	Base 2107 Price	\$	5,782.70
		Add	\$	6,666.80
		2310 Net Price	\$	12,449.50

2310 PULL STANDARD BUILD	
2310R	2310 Base Unit, 540 Rpm
50080720	2310 Pull Bundle
89045	Hydraulic Cylinder Bundle
294x2	Laminated Tire, 20" Set Of 2
50080716	Front Single Row Chains
50081043	Rear Single Row Chains

START WITH THE STANDARD 2310 PULL TYPE NET PRICE AND ADD/DEDUCT OPTIONS BELOW TO CUSTOMIZE

2310 Pull Type Optional Height Adjustment Selection

Add 1817 Deduct 89045	Add Manual Ratchet Bundle Deduct Hydraulic Cylinder Bundle	Deduct	\$	(263.20)
-----------------------	------------------------------------------------------------	--------	----	----------

2310 Pull Type Optional Wheel Selection

Add 50050727x2				
Deduct 294x2	Add Used Aircraft Tire, 29x9x15 Set of 2 Deduct 21" Laminated Tire Set of 2	Add	\$	63.00
Add 50083457x2	Add New Foam-Filled Tire, 25.5 x 8" x 14" Set of 2 Deduct 21" Laminated Tire Set of 2	Add	\$	442.40
Deduct 294x2				

**2310 Pull Type Optional Front Enclosure Selection**

Add 50080717 Deduct				
50080716	Add Front Double Row Chains Deduct Front Single Row Chains	Add	\$	123.90

**2310 Pull Type Optional Rear Enclosure Selection**

Add 50081044 Deduct				
50081043	Add Rear Double Row Chains Deduct Rear Single Row Chains	Add	\$	110.60
Add 50081033 Deduct				
50081043	Add Rear Metal Band Deduct Rear Single Row Chains	Deduct	\$	(109.90)

<b>Part No.s</b>	Buy Up to the standard 2310 Lift build listed here instead of the 2107 base unit	Base 2107 Price	\$	5,782.70
		Add	\$	5,347.30
		<b>2310 Net Price</b>	<b>\$</b>	<b>11,130.00</b>

2310 LIFT STANDARD BUILD	
2310R	2310 Base Unit, 540 Rpm
50080721	2310 Lift Bundle
89045	Hydraulic Cylinder Bundle
50080716	Front Single Row Chains
50081043	Rear Single Row Chains

**START WITH THE STANDARD 2310 LIFT TYPE NET PRICE AND ADD/DEDUCT OPTIONS BELOW TO CUSTOMIZE**

**2310 Lift Type Optional Height Adjustment Selection**

Add 1817 Deduct				
90492	Add Manual Ratchet Bundle Deduct Hydraulic Cylinder Bundle	Deduct	\$	(263.20)

**2310 Lift Type Optional Front Enclosure Selection**

Add 50080717 Deduct				
50080716	Add Front Double Row Chains Deduct Front Single Row Chains	Add	\$	123.90

**2310 Lift Type Optional Rear Enclosure Selection**

Add 50081044 Deduct				
50081043	Add Rear Double Row Chains Deduct Rear Single Row Chains	Add	\$	110.60
Add 50081033 Deduct				
50081043	Add Rear Metal Band Deduct Rear Single Row Chains	Deduct	\$	(109.90)

<b>Part No.s</b>	Buy Up to the standard 2310 Semi-Mount build listed here instead of the 2107 base unit	Base 2107 Price	\$	5,782.70
		Add	\$	5,068.00
		<b>2310 Net Price</b>	<b>\$</b>	<b>10,850.70</b>

2310 SEMI-MOUNT STANDARD BUILD	
2310R	2310 Base Unit, 540 Rpm
50080722	2310 Semi-Mount Bundle
89045	Hydraulic Cylinder Bundle
50080716	Front Single Row Chains
50081043	Rear Single Row Chains

**START WITH THE STANDARD 2310 SEMI-MOUNT TYPE NET PRICE AND ADD/DEDUCT OPTIONS BELOW TO CUSTOMIZE**

**2310 Semi-Mount Optional Height Adjustment Selection**

Add 1817 Deduct				
89045	Add Manual Ratchet Bundle Deduct Hydraulic Cylinder Bundle	Deduct	\$	(263.20)

**2310 Semi-Mount Optional Front Enclosure Selection**

Add 50080717 Deduct				
50080716	Add Front Double Row Chains Deduct Front Single Row Chains	Add	\$	123.90

**2310 Semi-Mount Optional Rear Enclosure Selection**

Add 50081044 Deduct				
50081043	Add Rear Double Row Chains Deduct Rear Single Row Chains	Add	\$	110.60
Add 50081033 Deduct				
50081043	Add Rear Metal Band Deduct Rear Single Row Chains	Deduct	\$	(109.90)



3308-2 MULTI-SPINDLE ROTARY CUTTER

MODEL	3308-2
Cutting Width	8' 3"
Transport Width	8' 10"
Overall Length	8' 9" (Lift)
Axle Suspension	Heavy-Duty Axle with Rubber Cushions (Pull)
Cutting Height	1 ½" – 13"
Cutting Capacity	3" Diameter
Hitch	Cat. 1 or 2 Std and Quick Hitch   Self-Leveling Pull-Type
Deck Thickness	10 Gauge
Side Bands	11 ¾" x 1/4"
Gearbox Rating (HP)	140* (Transfer)   130* (Cutting)
Driveline	ASAE Category 4
Driveline Protection	4-Plate Slip Clutch
Blade Holders	7ga Round Pans
Blades	1/2" x 4" Uplift
Blade Overlap	5"
Blade Tip Speed	16,121 fpm
Wheels	See Wheel Selection
Minimum Tractor PTO HP	40 (Pull & Semi-Mount), 50 (Lift)
Safety Shielding	Front Single or Double Row Chains   Rear Metal Band or Single or Double Row Chains
Safety Tow Chain	Standard (Pull)
Approximate Weight	2050 lb.
10-Year Gearbox Limited Warranty and 1-Year Machine Limited Warranty	

\*Gearbox rating based on field performance.

NOTICE:	PTO adapter must not be used in any application.
WARNING:	A deflector kit or chain shielding must be used for all non-agricultural purposes or in areas where thrown objects could be hazardous to people, animals, or property.
HOW TO ORDER:	To receive a complete cutter, you must order from each group listed for the model you have selected.

Freight NOT included in list price

Part No.s	Buy Up to the standard 3308 Lift build listed here instead of the 2107 base unit	Base 2107 Price	\$	5,782.70
		Add	\$	3,984.40
		2107 Net Price	\$	9,767.10

3308 LIFT STANDARD BUILD	
3308R-2	3308R-2 Base Unit
50081004	3308R-2 Lift Bundle
50081013	Lift And Semi-Mount Hd Axle Arms (Pair) With 21” Laminated Tires
89045	Hydraulic Cylinder Bundle
50075423	Front Single Row Chains
50075425	Rear Single Row Chains

START WITH THE STANDARD 3308 LIFT TYPE NET PRICE AND ADD/DEDUCT OPTIONS BELOW TO CUSTOMIZE

3308 Lift Type Optional Height Adjustment Selection

Add 1817 Deduct				
90492	Add Manual Ratchet Bundle Deduct Hydraulic Cylinder Bundle	Deduct	\$	(263.20)

3308 Lift Type Optional Front Enclosure Selection

Add 50075424 Deduct				
50075423	Add Front Double Row Chains Deduct Front Single Row Chains	Add	\$	197.40

3308 Lift Type Optional Rear Enclosure Selection

Add 50075426 Deduct				
50075425	Add Rear Double Row Chains Deduct Rear Single Row Chains	Add	\$	120.40
Add 50075503 Deduct				
50075425	Add Rear Metal Band Deduct Rear Single Row Chains	Deduct	\$	(130.90)



<b>Part No.s</b>	<i>Buy Up to the standard 3308 Semi-Mount build listed here instead of the 2107 base unit</i>	<i>Base 2107 Price</i>	\$	5,782.70
		<i>Add</i>	\$	3,649.80
		<b>3308 Net Price</b>	\$	<b>9,432.50</b>

3308 SEMI-MOUNT STANDARD BUILD	
3308R-2	3308R-2 Base Unit
50081005	3308R-2 Semi-Mount Bundle
50081013	Lift And Semi-Mount Hd Axle Arms (Pair) With 21” Laminated Tires
89045	Hydraulic Cylinder Bundle
50075425	Rear Single Row Chains
50075423	Front Single Row Chains

**START WITH THE STANDARD 3308 SEMI-MOUNT TYPE NET PRICE AND ADD/DEDUCT OPTIONS BELOW TO CUSTOMIZE**

**3308 Semi-Mount Optional Height Adjustment Selection**

<i>Add 1817 Deduct</i>				
89045	<i>Add Manual Ratchet Bundle Deduct</i>	Hydraulic Cylinder Bundle	<i>Deduct</i>	\$ (291.20)

**3308 Semi-Mount Optional Front Enclosure Selection**

<i>Add 50075424 Deduct</i>				
50075423	<i>Add Front Double Row Chains Deduct</i>	Front Single Row Chains	<i>Deduct</i>	\$ 254.80

**3308 Semi-Mount Optional Rear Enclosure Selection**

<i>Add 50075426 Deduct</i>				
50075425	<i>Add Rear Double Row Chains Deduct</i>	Rear Single Row Chains	<i>Deduct</i>	\$ 63.00
<i>Add 50075503 Deduct</i>				
50075425	<i>Add Rear Metal Band Deduct</i>	Rear Double Row Chains	<i>Deduct</i>	\$ (188.30)

<b>Part No.s</b>	<i>Buy Up to the standard 3308 Pull build listed here instead of the 2107 base unit</i>	<i>Base 2107 Price</i>	\$	5,782.70
		<i>Add</i>	\$	5,301.80
		<b>3308 Net Price</b>	\$	<b>11,084.50</b>

3308 PULL STANDARD BUILD	
3308R-2	3308R-2 Base Unit
50081006	3308R-2 Pull Bundle
89045	Hydraulic Cylinder Bundle
294x2	Laminated Tire, 20" Set Of 2
50075423	Front Single Row Chains
50075425	Rear Single Row Chains

**START WITH THE STANDARD 3308 PULL TYPE NET PRICE AND ADD/DEDUCT OPTIONS BELOW TO CUSTOMIZE**

**3308 Pull Type Optional Height Adjustment Selection**

<i>Add 1817 Deduct</i>				
90492	<i>Add Manual Ratchet Bundle Deduct</i>	Hydraulic Cylinder Bundle	<i>Deduct</i>	\$ (263.20)

**3308 Pull Type Optional Wheel Selection**

<i>Add 50050727x2</i>				
<i>Deduct 294x2</i>	<i>Add Used Aircraft Tire, 29x9x15 Set of 2 Deduct</i>	21" Laminated Tire Set of 2	<i>Add</i>	\$ 63.00
<i>Add 50083457x2</i>	<i>Add New Foam-Filled Tire, 25.5 x 8" x 14" Set of 2 Deduct</i>	21" Laminated Tire Set of 2	<i>Add</i>	\$ 442.40
<i>Deduct 294x2</i>				

**3308 Pull Type Optional Front Enclosure Selection**


<i>Add 50075424 Deduct</i>				
50075423	<i>Add Front Double Row Chains Deduct</i>	Front Single Row Chains	<i>Add</i>	\$ 197.40

**3308 Pull Type Optional Rear Enclosure Selection**

<i>Add 50075426 Deduct</i>				
50075425	<i>Add Rear Double Row Chains Deduct</i>	Rear Single Row Chains	<i>Add</i>	\$ 120.40
<i>Add 50075503 Deduct</i>				
50075425	<i>Add Rear Metal Band Deduct</i>	Rear Single Row Chains	<i>Deduct</i>	\$ (130.90)



Buy Up FROM MODEL 2107 TO MODEL 3308SH MULTI-SPINDLE



3308SH-2 MULTI-SPINDLE ROTARY CUTTER

MODEL	3308SH-2
Cutting Width	8' 3"
Transport Width	8' 10"
Overall Length	9' 7" (Semi-Mount)
Axle Suspension	Heavy Duty Axle with Rubber Suspension
Cutting Height	1 ½" - 13"
Cutting Capacity	3" Diameter
Hitch	Cat. 1 or 2 (Semi-Mount Only With Variable Offset up to 13" to the Right of Tractor Center Line)
Deck Thickness	10 Gauge
Side Bands	11 ¾" x 1/4"
Gearbox Rating (HP)	140* (Transfer)   130* (Cutting)
Driveline	ASAE Category 4
Driveline Protection	4-Plate Slip Clutch
Blade Holders	7ga Round Pans
Blades	1/2" x 3 ½" Uplift
Blade Overlap	5"
Blade Tip Speed	16,121 fpm
Wheels	21" Laminated Tires
Minimum Tractor PTO HP	40
Safety Shielding	Front Single or Double Row Chains   Rear Metal Band or Single or Double Row Chains
10-Year Gearbox Limited Warranty and 1-Year Machine Limited Warranty	

\*Gearbox rating based on field performance.

NOTICE:	PTO adapter must not be used in any application.
WARNING:	A deflector kit or chain shielding must be used for all non-agricultural purposes or in areas where thrown objects could be hazardous to people, animals, or property.
HOW TO ORDER:	To receive a cutter, you must choose a Selection from Groups 1-4. The Base 3308SH-2 comes equipped with Swing Hitch Bundle including Driveline and HD Axle.

Freight NOT included in list price

Part No.s	Buy Up to the standard 3308SH build listed here instead of the 2107 base unit	Base 2107 Price	\$	5,782.70
		Add	\$	4,763.50

3308SH STANDARD BUILD	
3308SH-2	3308Sh-2 Multi-Spindle Rotary Cutter
89045	Hydraulic Cylinder Bundle
50075423	Front Single Row Chains
50075425	Rear Single Row Chains

3308SH Net Price \$ 10,546.20

START WITH THE STANDARD 3308SH NET PRICE AND ADD/DEDUCT OPTIONS BELOW TO CUSTOMIZE

3308SH Optional Height Adjustment Selection

Add 1817 Deduct				
90492	Add Manual Ratchet Bundle Deduct Hydraulic Cylinder Bundle	Deduct	\$	(196.00)
3308SH Optional Front Enclosure Selection				
Add 50075424 Deduct				
50075423	Add Front Double Row Chains Deduct Front Single Row Chains	Add	\$	197.40
3308SH Optional Rear Enclosure Selection				
Add 50075426 Deduct				
50075425	Add Rear Double Row Chains Deduct Rear Single Row Chains	Add	\$	120.40
Add 50075503 Deduct				
50075425	Add Rear Metal Band Deduct Rear Single Row Chains	Deduct	\$	(130.90)



3510 MULTI-SPINDLE ROTARY CUTTER

MODEL	3510
Cutting Width	10' 6"
Cutting Height	1 ½" – 13"
Cutting Capacity	3 ½" Diameter
Hitch	Cat. 2 or 3 Std and Quick Hitch   Self-Leveling Pull-Type
Deck Thickness	10 Gauge
Side Bands	1/4" x 10"
Driveline	ASAE Category 5
Driveline Protection	4-Plate Slip Clutch
Gearbox Rating (HP)	210* (Transfer)   210* (Cutting)
Tractor PTO Speed	540
Minimum Tractor PTO HP	60 (Pull), 75 (Lift)
Blade Holders	7ga Round Pans
Blades	1/2" x 4" Uplift
Blade Tip Speed	16,881 fpm
Wheels	See Wheel Selection
Safety Shielding	Front Single or Double Row Chains   Rear Metal Band or Single or Double Row Chains
Approximate Weight	2,900 lb.
10-Year Gearbox Limited Warranty and 1-Year Machine Limited Warranty	

\*Gearbox rating based on field performance.

NOTICE:	PTO adapter must not be used in any application.
WARNING:	A deflector kit or chain shielding must be used for all non-agricultural purposes or in areas where thrown objects could be hazardous to people, animals, or property.
HOW TO ORDER:	To receive a complete cutter, you must order from each group listed for the model you have selected.

Part No.s

Buy Up to the standard 3510 Lift build listed here instead of the 2107 base unit

Base 2107 Price	\$	5,782.70
Add	\$	7,868.00
3510 Net Price	\$	13,650.70

3510 LIFT STANDARD BUILD	
3510R	3510 Series Rotary Cutter, Round Blade Holder, 540 PTO
50076949	Hitch, Lift Bundle
76729	Lift And Semi-Mount Driveline, 1-3/8-6, 540 PTO
50081078	Lift And Semi-Mount Hd Axle And Caster Arms With 294 Tires
90492	Hydraulic Cylinder Bundle
50076736	Front Single Row Chains, 3510
50076939	Rear Single Row Chains, 3510

START WITH THE STANDARD 3510 LIFT TYPE NET PRICE AND ADD/DEDUCT OPTIONS BELOW TO CUSTOMIZE  
3510 Lift Type Optional Axle Selection

Add 50082188 Deduct 50081078	Add Lift and Semi-Mount HD Axle Arms (pair) with 20.5" Pneumatic Aircraft Tires Deduct Lift and Semi-Mount HD Axle Arms (pair) with 21" Laminated Tires	Deduct	\$	(91.00)
3510 Lift Type Optional Height Adjustment Selection				
Add 1817 Deduct 90492	Add Manual Ratchet Bundle Deduct Hydraulic Cylinder Bundle	Deduct	\$	(291.20)
3510 Lift Type Optional Front Enclosure Selection				
Add 50076927 Deduct 50076736	Add Front Double Row Chains Deduct Front Single Row Chains	Add	\$	313.60

3510 Lift Type Optional Rear Enclosure Selection

Add 50076947 Deduct				
50076939	Add Rear Double Row Chains Deduct Rear Single Row Chains	Add	\$	304.50
Add 50076729 Deduct				
50076939	Add Rear Metal Band Deduct Rear Double Row Chains	Deduct	\$	(438.90)

Part No.s	Buy Up to the standard 3510 Semi-Mount build listed here instead of the 2107 base unit	Base 2107 Price	\$	5,782.70
		Add	\$	7,254.10
		3510 Net Price	\$	13,036.80

3510 SEMI-MOUNT STANDARD BUILD	
3510R	3510 Series Rotary Cutter, Round Blade Holder, 540 PTO
50068324	Hitch Bundle, Semi-Mount
76729	Lift And Semi-Mount Driveline, 1-3/8-6, 540 PTO
50081078	Lift And Semi-Mount Hd Axle And Caster Arms With 294 Tires
90492	Hydraulic Cylinder Bundle
50076927	Front Double Row Chains, 3510
50076947	Rear Double Row Chains, 3510

START WITH THE STANDARD 3510 SEMI-MOUNT TYPE NET PRICE AND ADD/DEDUCT OPTIONS BELOW TO CUSTOMIZE

3510 Semi-Mount Optional Axle Selection

Add 50082188 Deduct	Add Lift and Semi-Mount HD Axle Arms (pair) with 20.5" Pneumatic Aircraft Tires			
50081078	Deduct Lift and Semi-Mount HD Axle Arms (pair) with 21" Laminated Tires	Deduct	\$	(91.00)

3510 Semi-Mount Optional Height Adjustment Selection

Add 1817 Deduct				
90492	Add Manual Ratchet Bundle Deduct Hydraulic Cylinder Bundle	Deduct	\$	(291.20)

3510 Semi-Mount Optional Front Enclosure Selection

Add 50076736 Deduct				
50076927	Add Front Single Row Chains Deduct Front Double Row Chains	Deduct	\$	(313.60)

3510 Semi-Mount Optional Rear Enclosure Selection

Add 50076939 Deduct				
50076947	Add Rear Single Row Chains Deduct Rear Double Row Chains	Deduct	\$	(304.50)
Add 50076729 Deduct				
50076947	Add Rear Metal Band Deduct Rear Double Row Chains	Deduct	\$	(743.40)

Part No.s	Buy Up to the standard 3510 Pull build listed here instead of the 2107 base unit	Base 2107 Price	\$	5,782.70
		Add	\$	9,219.00
		3510 Net Price	\$	15,001.70

3510 PULL STANDARD BUILD	
3510R	3510 Series Rotary Cutter, Round Blade Holder, 540 PTO
50036646	Hitch Bundle, Pull (540 PTO Only)
76625	Pull, Cv Driveline, 1-3/8-6, 540 PTO
50068236	Pull, Dual Wheel Axle Arms (Pair)
90492	Hydraulic Cylinder Bundle
294x2	Laminated Tire, 20" Set Of 2
50076927	Front Double Row Chains, 3510
50076947	Rear Double Row Chains, 3510

START WITH THE STANDARD 3510 PULL TYPE NET PRICE AND ADD/DEDUCT OPTIONS BELOW TO CUSTOMIZE

3510 Pull Type Optional Axle Selection

Add 50068235 Deduct				
50068236	Add Pull, SingleWheel Axle Arms (pair)	Deduct Pull, DualWheel Axle Arms (pair)	Deduct	\$ (287.00)

3510 Pull Type Optional Height Adjustment Selection

Add 1817 Deduct				
90492	Add Manual Ratchet Bundle	Deduct Hydraulic Cylinder Bundle	Deduct	\$ (291.20)

3510 Pull Type Optional Wheel Selection

Add 50075401x2				
Deduct 294x2	Add 25" Laminated Tire	Deduct 21" Laminated Tire	Add	\$ 105.00
Add 50050727x2				
Deduct 294x2	Add Used Aircraft Tire, 29x9x15	Deduct 21" Laminated Tire	Add	\$ 63.00
Add 50083457x2				
Deduct 294x2	Add New Foam-Filled Tire, 25.5 x 8" x 14"	Deduct 21" Laminated Tire	Add	\$ 442.40

3510 Pull Type Optional Front Enclosure Selection

Add 50076736 Deduct				
50076927	Add Front Single Row Chains	Deduct Front Double Row Chains	Deduct	\$ (313.60)

3510 Pull Type Optional Rear Enclosure Selection

Add 50076939 Deduct				
50076947	Add Rear Single Row Chains	Deduct Rear Double Row Chains	Deduct	\$ (304.50)
Add 50076729 Deduct				
50076947	Add Rear Metal Band	Deduct Rear Double Row Chains	Deduct	\$ (743.40)

Buy Up FROM MODEL 2107 TO MODEL 3514 MULTI-SPINDLE



3514 MULTI-SPINDLE ROTARY CUTTER

MODEL	3514
Cutting Width	14'
Transport Width	14' 8"
Overall Length	14' 7" (Pull)
Axle Suspension	Heavy-Duty Axle with Rubber Cushions
Cutting Height	1 ½" – 13"
Cutting Capacity	3 ½" Diameter
Hitch	Cat 2 and 3 Std and Quick Hitch & Self-Leveling Pull-Type
Deck Thickness	10 Gauge
Side Bands	1/4" x 10"
Gearbox Rating (HP)	210* (Transfer)   210* (Cutting)
Driveline	ASAE Category 5 (540 PTO), ASAE Category 4 (1000 PTO Pull)
Cross Shafts	ASAE Category 5 Rubber Element with Category 4 Shearpin
Driveline Protection	4-Plate Slip Clutch
Blade Holders	7ga Round Pans (540)   7ga Round Pans or Blade Bar (1000)
Blades	1/2" x 4" Uplift
Blade Overlap	3"
Blade Tip Speed	15,242 fpm (540/1000 rpm)
Wheels	See Wheel Selection
Minimum Tractor PTO HP	75 (Pull), 90 (Lift)
Safety Shielding	Front Rubber Belt or Single Row Chains   Rear Rubber Belt   Metal Band or Single Row Chains
Highway Light Kit	Standard
10-Year Gearbox Limited Warranty and 1-Year Machine Limited Warranty	

\*Gearbox rating based on field performance.

NOTICE:	PTO adapter must not be used in any application.
WARNING:	A deflector kit or chain shielding must be used for all non-agricultural purposes or in areas where thrown objects could be hazardous to people, animals, or property.
HOW TO ORDER:	To receive a complete cutter, you must order a basic unit and then select one item from each of Groups 1 - 8 in the ordering section. Additional equipment may be added to your order by making your selection from the options list.

Freight NOT included in list price

Part No.s	Buy Up to the standard 3514 Lift & Semi-Mount build listed here instead of the 2107 base unit	Base 2107 Price	\$	5,782.70
		Add	\$	10,712.80
		3514 Net Price	\$	16,495.50

3514 LIFT & SEMI-MOUNT STANDARD BUILD	
3514RS	3514 Series Rotary Cutter, Round Blade Holder, 540 PTO With Shear Bolt Cross Shafts
50076724	Hitch, Lift Bundle With #294 Tires
76729	Lift And Semi-Mount Driveline, 1-3/8-6, 540 PTO
90492	Hydraulic Cylinder Bundle
50076813	Front Single Row Chains, 3514,13514
50076819	Rear Single Row Chains, 3514,13514
50082034	Hose Kit, Independent Wing Control

START WITH THE STANDARD 3514 LIFT & SEMI-MOUNT NET PRICE AND ADD/DEDUCT OPTIONS BELOW TO CUSTOMIZE				
3514 Lift & Semi-Mount Optional Base Unit Selection				
Add 13514RS Deduct 3514RS	Add 13514 Base Unit, 1,000 PTO, Shear Bolt Cross-Shafts	Deduct 3514 Base Unit, 540 PTO, Shear Bolt Cross-Shafts (Must select a 1,000 PTO Driveline)	Add	\$0.00
Add 13514SS Deduct 3514RS	Add 13514 Base Unit, 1,000 PTO, Blade Bar for Shredder Kit, Shear Bolt Cross-Shafts	Deduct 3514 Base Unit, 540 PTO, Shear Bolt Cross-Shafts (Must select a 1,000 PTO Driveline)	Add	\$0.00

<b>3514 Lift &amp; Semi-Mount Optional Driveline Selection</b>			
<i>Add</i> 76730 <i>Deduct</i> 76729	<i>Add</i> Lift and Semi-Mount Driveline, 1-3/8-21, 1000 PTO <i>Deduct</i> Lift and Semi-Mount Driveline, 1-3/8-6, 540 PTO	<i>Deduct</i>	\$ (11.20)
<i>Add</i> 76731 <i>Deduct</i> 76729	<i>Add</i> Lift and Semi-Mount Driveline, 1-3/4-20, 1000 PTO <i>Deduct</i> Lift and Semi-Mount Driveline, 1-3/8-6, 540 PTO	<i>Add</i>	\$0.00
<b>3514 Lift &amp; Semi-Mount Optional Height Adjustment Selection</b>			
<i>Add</i> 1817 <i>Deduct</i> 90492	<i>Add</i> Manual Ratchet Bundle <i>Deduct</i> Hydraulic Cylinder Bundle	<i>Deduct</i>	\$ (291.20)
<b>3514 Lift &amp; Semi-Mount Optional Front Enclosure Selection</b>			
<i>Add</i> 50076807 <i>Deduct</i> 50076813	<i>Add</i> Front Rubber Belting <i>Deduct</i> Front Single Row Chains	<i>Deduct</i>	\$ (128.80)
<b>3514 Lift &amp; Semi-Mount Optional Rear Enclosure Selection</b>			
<i>Add</i> 50076818 <i>Deduct</i> 50076819	<i>Add</i> Rear Rubber Belting <i>Deduct</i> Front Single Row Chains	<i>Deduct</i>	\$ 415.10
<i>Add</i> 50076817 <i>Deduct</i> 50076819	<i>Add</i> Rear Metal Band <i>Deduct</i> Front Single Row Chains	<i>Deduct</i>	\$ 144.90
<b>3514 Lift &amp; Semi-Mount Optional Hydraulic Hose Selection</b>			
<i>Add</i> 50082035 <i>Deduct</i> 50082034	<i>Add</i> 2 Hoses With “T” (1 to Adjust cutter Height & 1 to raise or Lower Wings at the Same time) <i>Deduct</i> 3 Hoses (1 to Adjust cutter Height & 2 to raise or Lower Wings Independently)	<i>Add</i>	\$0.00
<b>3514 Lift &amp; Semi-Mount Optional Adders</b>			
90604	Shredder Kit for 39" and 40" Rows	<i>Add</i>	\$ 243.60
90607	Shredder Kit for 30" Rows	<i>Add</i>	\$ 243.60
50050192	Lift, Single Tailwheel Bundle with 21" Tire	<i>Add</i>	\$ 301.00

<b>Part No.s</b>	<i>Buy Up to the standard 3514 Pull Type build listed here instead of the 2107 base unit</i>	<i>Base 2107 Price</i>	\$ 5,782.70
		<i>Add</i>	\$ 11,132.80
		<b>3514 Net Price</b>	<b>\$ 16,915.50</b>

3514 PULL TYPE STANDARD BUILD	
3514RS	3514 Series Rotary Cutter, Round Blade Holder, 540 PTO With Shear Bolt Cross Shafts
50035727	Hitch, Pull Bundle
76625	Pull, Cv Driveline, 1-3/8-6, 540 PTO
50068370	Pull, Dual Wheel Axle Arms (Pair)
90492	Hydraulic Cylinder Bundle
294x2	Laminated Tire, 20" Set Of 2
50076813	Front Single Row Chains, 3514,13514
50076819	Rear Single Row Chains, 3514,13514

**START WITH THE STANDARD 3514 PULL TYPE NET PRICE AND ADD/DEDUCT OPTIONS BELOW TO CUSTOMIZE**

**3514 Pull Type Optional Base Unit Selection**

<i>Add</i> 13514RS <i>Deduct</i> 3514RS	<i>Add</i> 13514 Base Unit, 1,000 PTO, Shear Bolt Cross-Shafts (Must select a 1,000 PTO Driveline)	<i>Deduct</i> 3514 Base Unit, 540 PTO, Shear Bolt Cross-Shafts (Must select a 1,000 PTO Driveline)	<i>Add</i>	\$0.00
<i>Add</i> 13514SS <i>Deduct</i> 3514RS	<i>Add</i> 13514 Base Unit, 1,000 PTO, Blade Bar for Shredder Kit, Shear Bolt Cross-Shafts (Must select a 1,000 PTO Driveline)	<i>Deduct</i> 3514 Base Unit, 540 PTO, Shear Bolt Cross-Shafts (Must select a 1,000 PTO Driveline)	<i>Add</i>	\$0.00

**3514 Pull Type Optional Driveline Selection**

<i>Add</i> 76624 <i>Deduct</i> 76625	<i>Add</i> Pull, SingleWheel Axle Arms (pair)	<i>Deduct</i> Pull, DualWheel Axle Arms (pair)	<i>Deduct</i>	\$ (80.50)
--------------------------------------	-----------------------------------------------	------------------------------------------------	---------------	------------

**3514 Pull Type Optional Axle Selection**

<i>Add</i> 50068369 <i>Deduct</i> 50068370	<i>Add</i> Pull, SingleWheel Axle Arms (pair) (If 50068369 is selected, must choose 294 Tires)	<i>Deduct</i> 50068370 Pull, DualWheel Axle Arms (pair)	<i>Deduct</i>	\$ (256.20)
--------------------------------------------	------------------------------------------------------------------------------------------------	---------------------------------------------------------	---------------	-------------

**3514 Pull Type Optional Height Adjustment Selection**

<i>Add</i> 1817 <i>Deduct</i> 90492	<i>Add</i> Manual Ratchet Bundle	<i>Deduct</i> Hydraulic Cylinder Bundle	<i>Deduct</i>	\$ (291.20)
-------------------------------------	----------------------------------	-----------------------------------------	---------------	-------------

**3514 Pull Type Optional Front Enclosure Selection**

<i>Add</i> 50076807 <i>Deduct</i> 50076813	<i>Add</i> Front Rubber Belting	<i>Deduct</i> Front Single Row Chains	<i>Deduct</i>	\$ (128.80)
--------------------------------------------	---------------------------------	---------------------------------------	---------------	-------------

**3514 Pull Type Optional Rear Enclosure Selection**

<i>Add</i> 50076818 <i>Deduct</i> 50076819	<i>Add</i> Rear Rubber Belting	<i>Deduct</i> Front Single Row Chains	<i>Deduct</i>	\$ (601.30)
<i>Add</i> 50076817 <i>Deduct</i> 50076819	<i>Add</i> Rear Metal Band	<i>Deduct</i> Front Single Row Chains	<i>Deduct</i>	\$ (420.70)

**3514 Pull Type Optional Adders**

90604	Shredder Kit for 39" and 40" Rows	<i>Add</i>	\$	553.70
90607	Shredder Kit for 30" Rows	<i>Add</i>	\$	553.70
50068369	Pull, SingleWheel Axle Arms (pair) Must be used with 294 tire only	<i>Add</i>	\$	1,043.00



Buy Up FROM MODEL 2107 TO MODEL 14215 MULTI-SPINDLE



14215 MULTI-SPINDLE ROTARY CUTTER

MODEL	14215	MODEL	14215
Cutting Width	15'	Outboard Driveline	ASAE Category 5
Transport Width	15' 7"	Driveline Protection (Outboard)	Multi-Plate Slip-Clutch
Cutting Height	1 ½" - 16"	Blade Holders	7ga Round Pans
Cutting Capacity	3 ½" Diameter	Blades	1/4" x 4" Uplift
Minimum Tractor PTO HP	125	Blade Overlap	3"
Tractor PTO Speed	1,000 RPM	Blade Tip Speed	17,280 fpm (Center); 15,708 fpm (Outboard)
Hitch	Cat. 2 or 3 Std & QH	Axle Suspension	Spring-Loaded
Deck Thickness	7 Gauge	Wheels	21" Laminated
Side Bands	1/4" x 10"	Approximate Weight	3,700 lb.
Gearbox Rating (HP)	210* (Transfer)   210* (Cutting)	Safety Shielding	Front Rubber Belt; Rear Metal Band
Main Driveline	ASAE Category 5	Highway Light Kit	Standard
10-Year Gearbox Limited Warranty and 1-Year Machine Limited Warranty   10-Year Deck Rust-Thru Limited Warranty on Galvanized Decks			

\*Gearbox rating based on field performance.

NOTICE:	PTO adapter must not be used in any application.
WARNING:	A deflector kit or chain shielding must be used for all non-agricultural purposes or in areas where thrown objects could be hazardous to people, animals, or property.
HOW TO ORDER:	To receive a complete cutter, you must order a Basic Unit and a Group 2 Height Adjustment Selection. The 14215R-2 comes equipped with Lift-Type Hitch, Round Blade Pans, ASAE Cat 5 Drivelines with Slip-Clutches, Front Belting and Rear Metal Band.

ITEM 2028 OPTION SHEET

Part No.s	Buy Up to the standard 14215 build listed here instead of the 2107 base unit	Base 2107 Price	\$	5,782.70
		Add	\$	17,565.80
		Net Base Price	\$	23,348.50

STANDARD 14215 BASE UNIT BUILD DETAILS	
14215R-2	15' Multi-Spindle Lift Unit
90492	Hydraulic Cylinder Bundle

START WITH THE STANDARD 14215 NET PRICE AND ADD/DEDUCT OPTIONS BELOW TO CUSTOMIZE

14215 Optional Height Adjustment Selection

Add 1817 Deduct				
90492	Add Manual Ratchet Bundle Deduct Hydraulic Cylinder Bundle	Deduct	\$	(291.20)