



2501 Griffin Ave - Selma - AL 36701 - USA - Phone 800-363-6096  
 Contract: 24-08-0421 North Carolina Sheriffs' Association  
 Bid: 24-08-0421 Heavy Equipment  
 Group: Mowers  
 Item Number: 2030 Single Spindle Mower

**ITEM 2030 BH114 OPTIONS SHEET**

Shipping & handling is not included in the base price and will be calculated separately.  
 The "+/- to Base Price" below already includes the 30% Discount off of MSRP



**BH110 SERIES SINGLE-SPINDLE ROTARY CUTTERS**

MODEL	BH114	BH115	BH116
Cutting Width	44"	56"	68"
Cutting Height	1 1/2" - 11"		
Cutting Capacity	1" Diameter		
Hitch	Cat. 1 Std; Quick Hitch Optional		
Deck Thickness	12 Gauge		
Side Bands	"C" Channel, 10 Gauge x 8"		
Gearbox Rating (HP)	60*		
Driveline	ASAE Category 3		
Driveline Protection	Slip Clutch or Shearpin		
Blade Holder	Formed Pan		
Blades	1/2" x 3" Corner Uplift		
Blade Tip Speed	15,904 fpm	15,472 fpm	14,307 fpm
Wheels	14 1/2" Laminated		
Minimum Tractor PTO HP	15	20	25
Safety Shielding	Front Rubber Belt and Rear Metal Band Standard; Front Chains Optional		
<b>10-Year Gearbox Limited Warranty and 1-Year Machine Limited Warranty</b>			

\*Gearbox rating based on field performance.

**WARNING:** A deflector kit or chain shielding must be used for all non-agricultural purposes or in areas where thrown objects could be hazardous to people, animals, or property.

**HOW TO ORDER:** The BH110 Series Rotary Cutters are priced as a base unit including front belting and rear metal band. To receive a complete cutter, you must choose your base unit selection, including your choice of model color from the chart at the top of the next page, and indicate your choice of driveline from Group 2 Driveline Selection. *All units are sold in pairs. Each pair must be the same model and color.*

**BH114 STANDARD BASE UNIT BUILD DETAILS**

BH114-1R	BH114 Series Rotary Cutter, 4', Bush Hog Red
50075900	Driveline, Asae Category 3, With Slipclutch (All BH4, & BH5 Models)
50081169	Front Chain Bundle, BH114

**Net Base Price \$ 2,003.40**

**START WITH THE STANDARD BH114 NET PRICE AND ADD/DEDUCT OPTIONS BELOW TO CUSTOMIZE**

**BH114 Optional Driveline Selection**

Add 50075901 Deduct 50075900	Add Driveline, ASAE Category 3, with Shearpin Deduct Driveline, ASAE Category 3, with Slip-Clutch	Deduct	\$	(186.90)
Add 50081027	Add Quick Hitch Kit	Add	\$	43.40

**Part No.s Buy Up to the standard BH115 build listed here instead of the BH114 base unit**

Base BH114 Price \$ 2,003.40  
 Add \$ 209.30  
**Net BH115 Price \$ 2,212.70**

<b>BH115 STANDARD BUILD</b>	
BH115-1R	BH115 Series Rotary Cutter, 5', Bush Hog Red
50075900	Driveline, Asae Category 3, With Slipclutch (All BH4, & BH5 Models)
50081170	Front Chain Bundle, BH115

**START WITH THE STANDARD BH115 NET PRICE AND ADD/DEDUCT OPTIONS BELOW TO CUSTOMIZE**

**BH115 Optional Driveline Selection**

Add 50075919 Deduct Add Driveline, ASAE Category 3, with Shearpin Deduct Driveline, ASAE Category 3, with Slip-Clutch Deduct \$ (161.70)

**BH115 Optional Adders BH115**

Add 50081027 Add Quick Hitch Kit Add \$ 43.40

**Part No.s Buy Up to the standard BH116 build listed here instead of the BH114 base unit**

Base BH114 Price \$ 2,003.40  
 Add \$ 403.20  
**BH116 Net Price \$ 2,406.60**

<b>BH116 STANDARD BUILD</b>	
BH116-1R	BH116 Series Rotary Cutter, 6', Bush Hog Red
50076537	Driveline, Asae Category 3, With Slipclutch (BH6 Models)
50081433	Front Chain Bundle, BH116

**START WITH THE STANDARD BH115 NET PRICE AND ADD/DEDUCT OPTIONS BELOW TO CUSTOMIZE**

**BH116 Optional Driveline Selection**

Add 50075919 Deduct Add Driveline, ASAE Category 3, with Shearpin Deduct Driveline, ASAE Category 3, with Slip-Clutch Deduct \$ (161.70)

**BH116 Optional Adders**

Add 50081027 Add Quick Hitch Kit Add \$ 43.40

**BUY UP FROM MODEL BH114 TO MODEL BH210 SERIES SINGLE-SPINDLE**



**BH210-2 SERIES SINGLE-SPINDLE ROTARY CUTTERS**

MODEL	BH215-2	BH216-2	BH217-2
Cutting Width	60"	72"	84"
Cutting Height	1 1/2" - 12"		
Cutting Capacity	2" Diameter		
Hitch	Cat. 1 Std & QH Compatible; Cat. 2 Std Only with Optional Bushings		Cat. 1 or 2 Std and Quick Hitch
Deck Thickness	11 Gauge	10 Gauge	
Side Bands	11 1/2" x 11 Gauge	11 1/2" x 10 Gauge	11 3/4" x 10 Gauge
Driveline	ASAE Category 3		
Driveline Protection	Slip Clutch or Shearbolt		Slip Clutch Standard
Gearbox Rating (HP)	65*		130*
Tractor PTO Speed	540		
Minimum Tractor PTO HP	25	30	50
Blade Holder	Oval Pan		
Blades	1/2" x 4" Uplift		
Blade Tip Speed	14,335 fpm	14,963 fpm	
Wheels	15 1/2" Laminated		
Safety Shielding	Front: Rubber Belt or Single Row Chains   Rear: Metal Band or Single Row Chains		
Approximate Weight	650 lb.	750 lb.	1,035 lb.

**10-Year Gearbox Limited Warranty and 1-Year Machine Limited Warranty**

\*Gearbox rating based on field performance.

<b>NOTICE:</b>	PTO adapter must not be used in any application.
<b>WARNING:</b>	A deflector kit or chain shielding must be used for all non-agricultural purposes or in areas where thrown objects could be hazardous to people, animals, or property.
<b>HOW TO ORDER:</b>	To receive a complete cutter, you must order from each group listed for the model you have selected.

Freight NOT included in list price

<b>Part No.s</b>	<b>Buy Up to the standard BH215 build listed here instead of the BH114 base unit</b>	<i>Base BH114 Price</i> \$	2,003.40
		<i>Add</i> \$	743.40
		<b>BH215 Net Price</b> \$	<b>2,746.80</b>

<b>BH215 STANDARD BUILD</b>	
BH215-2R	BH215-2 Series Rotary Cutter, 5', Bush Hog Red
50053126	Comer Driveline Assy W/Clutch
50074734	Front Chains
50080237	Rear Chains

**START WITH THE STANDARD BH215 NET PRICE AND ADD/DEDUCT OPTIONS BELOW TO CUSTOMIZE**

**BH215 Optional PTO Selection**

<i>Add</i> 50053123 <i>Deduct</i> 50053126	<i>Add</i> ASAE Category 3 Shearbolt Driveline <i>Deduct</i> ASAE Category 3 Slip-Clutch Driveline	<i>Deduct</i>	\$	(164.50)
--	--	---------------	----	----------

**BH215 Optional Front Enclosure Selection**

<i>Add</i> 50071036 <i>Deduct</i> 50074734	<i>Add</i> Front Rubber Belt <i>Deduct</i> Front Single Row Chains	<i>Deduct</i>	\$	(72.10)
--	--	---------------	----	---------

**BH215 Optional Rear Enclosure Selection**

<i>Add</i> 50080236 <i>Deduct</i> 50080237	<i>Add</i> Rear Metal Band <i>Deduct</i> Rear Single Row Chains	<i>Deduct</i>	\$	(205.80)
--	---	---------------	----	----------

<b>Part No.s</b>	<b>Buy Up to the standard BH216 build listed here instead of the BH114 base unit</b>	<i>Base BH114 Price</i> \$	2,003.40
		<i>Add</i> \$	1,507.80
		<b>BH216 Net Price</b> \$	<b>3,511.20</b>

<b>BH216 STANDARD BUILD</b>	
BH216-2R	BH216-2 Series Rotary Cutter, 6', Bush Hog Red
50053125	Comer Driveline Assy W/Clutch
50074732	Front Chains
50080242	Rear Chains

**START WITH THE STANDARD BH216 NET PRICE AND ADD/DEDUCT OPTIONS BELOW TO CUSTOMIZE**

**BH216 Optional PTO Selection**

Add 50053131 Deduct Add ASAE Category 3 Shearbolt Driveline Deduct ASAE Category 3 Slip-Clutch  
 50053125 Driveline Deduct \$ (164.50)

**BH216 Optional Front Enclosure Selection**

Add 50070831 Deduct  
 50074732 Add Front Rubber Belt Deduct Front Single Row Chains Deduct \$ (113.40)

**BH216 Optional Rear Enclosure Selection**

Add 50080241 Deduct  
 50080242 Add Rear Metal Band Deduct Rear Single Row Chains Deduct \$ (263.20)

**Part No.s Buy Up to the standard BH217 build listed here instead of the BH114 base unit** Base BH114 Price \$ 2,003.40  
 Add \$ 3,178.70  
**BH217 Net Price \$ 5,182.10**

**BH217 STANDARD BUILD**

BH217-2R	BH217-2 Series Rotary Cutter, 7', Bush Hog Red
50074733	Front Chains
50080246	Rear Chains

**START WITH THE STANDARD BH217 NET PRICE AND ADD/DEDUCT OPTIONS BELOW TO CUSTOMIZE**

**BH217 Optional Front Enclosure Selection**

Add 50070944 Deduct  
 50074733 Add Front Rubber Belt Deduct Front Single Row Chains Deduct \$ (166.60)

**BH217 Optional Rear Enclosure Selection**

Add 50080245 Deduct  
 50080246 Add Rear Metal Band Deduct Rear Single Row Chains Deduct \$ (305.90)

**BUY UP FROM MODEL BH114 TO MODEL BH310 SERIES SINGLE-SPINDLE**



**BH310-2 SERIES SINGLE-SPINDLE ROTARY CUTTERS**

MODEL	BH315-2	BH316-2	BH317-2
Cutting Width	60"	72"	84"
Cutting Height	1 1/2" - 12"		
Cutting Capacity	3"		
Hitch	Cat. 1 or 2 Std & Quick Hitch		Cat. 2 or 3 Std & Quick Hitch
Deck Thickness (GA)	10		
Side Bands	11 1/2" x 1/4"		11 3/4" x 1/4"
Driveline	ASAE Category 4		
Driveline Protection	Slip Clutch		
Gearbox Rating (HP)	130*		
Tractor PTO Speed	540		
Minimum Tractor PTO HP	35	45	55
Blade Holder	Round Pan		
Blades	1/2" x 4" Uplift		
Blade Tip Speed	14,600 fpm	15,000 fpm	14,450 fpm
Wheels	15 1/2" Laminated		Single or Dual 15 1/2" Laminated
Safety Shielding	Front: Rubber Belt or Single or Double Row Chains   Rear: Metal Band or Single or Double Row Chains		
Approximate Weight	890 lb.	1,050 lb.	1,250 lb.
<b>10-Year Gearbox Limited Warranty and 1-Year Machine Limited Warranty</b>			

\*Gearbox rating based on field performance.

<b>NOTICE:</b>	PTO adapter must not be used in any application.
<b>WARNING:</b>	A deflector kit or chain shielding must be used for all non-agricultural purposes or in areas where thrown objects could be hazardous to people, animals, or property.
<b>HOW TO ORDER:</b>	To receive a complete cutter, you must order from each group listed for the model you have selected.

Freight NOT included in list price

**Part No.s Buy Up to the standard BH315 build listed here instead of the BH114 base unit**

<i>Base BH114 Price</i>	\$	2,003.40
<i>Add</i>	\$	1,847.30
<b>BH315 Net Price</b>	<b>\$</b>	<b>3,850.70</b>

BH315 STANDARD BUILD	
BH315-2R	BH315-2 Series Rotary Cutter, 5', Bush Hog Red
50074734	Front Chains
50080237	Rear Chains

**START WITH THE STANDARD BH315 NET PRICE AND ADD/DEDUCT OPTIONS BELOW TO CUSTOMIZE**

**BH315 Optional Front Enclosure Selection**

<i>Add</i> 50080400 <i>Deduct</i>				
50074734	<i>Add</i> Front Rubber Belt <i>Deduct</i> Front Single Row Chains	<i>Deduct</i>	\$	(72.10)
<i>Add</i> 50080485 <i>Deduct</i>				
50074734	<i>Add</i> Front Double Row Chains <i>Deduct</i> Front Single Row Chains	<i>Add</i>	\$	209.30

**BH315 Optional Rear Enclosure Selection**

<i>Add</i> 50080236 <i>Deduct</i>				
50080237	<i>Add</i> Rear Metal Band <i>Deduct</i> Rear Single Row Chains	<i>Deduct</i>	\$	(205.80)
<i>Add</i> 50080384 <i>Deduct</i>				
50080237	<i>Add</i> Rear Double Row Chains <i>Deduct</i> Rear Single Row Chains	<i>Deduct</i>	\$	81.90

**Part No.s Buy Up to the standard BH316 build listed here instead of the BH114 base unit**

Base BH114 Price \$ 2,003.40  
 Add \$ 2,663.50  
**BH316 Net Price \$ 4,666.90**

<b>BH316 STANDARD BUILD</b>	
BH316-2R	BH316-2 Series Rotary Cutter, 6', Bush Hog Red
50074732	Front Chains
50080242	Rear Chains

**START WITH THE STANDARD BH316 NET PRICE AND ADD/DEDUCT OPTIONS BELOW TO CUSTOMIZE**

**BH316 Optional Front Enclosure Selection**

Add 50080401 Deduct  
 50074732 Add Front Rubber Belt Deduct Front Single Row Chains Deduct \$ (113.40)  
 Add 50080486 Deduct  
 50074732 Add Front Double Row Chains Deduct Front Single Row Chains Add \$ 225.40

**BH316 Optional Rear Enclosure Selection**

Add 50080241 Deduct  
 50080242 Add Rear Metal Band Deduct Rear Single Row Chains Deduct \$ (263.20)  
 Add 50080385 Deduct  
 50080242 Add Rear Double Row Chains Deduct Rear Single Row Chains Add \$ 84.70

**Part No.s Buy Up to the standard BH317 build listed here instead of the BH114 base unit**

Base Bh114 Price \$ 2,003.40  
 Add \$ 4,134.90  
**BH317 Net Price \$ 6,138.30**

<b>BH317 STANDARD BUILD</b>	
BH317-2R	BH317-2 Series Rotary Cutter, 7', Bush Hog Red
50080397	Single Tailwheel Assembly
50074733	Front Chains
50080246	Rear Chains

**START WITH THE STANDARD BH317 NET PRICE AND ADD/DEDUCT OPTIONS BELOW TO CUSTOMIZE**

**BH317 Optional Tailwheel Selection**

Add 50080395 Deduct  
 50080397 Add Dual Tailwheel Assembly Deduct Single Tailwheel Assembly Add \$ 512.40

**BH317 Optional Front Enclosure Selection**

Add 50070944 Deduct  
 50074733 Add Front Rubber Belt Deduct Front Single Row Chains Deduct \$ (166.60)  
 Add 50080487 Deduct  
 50074733 Add Front Double Row Chains Deduct Front Single Row Chains Add \$ 246.40

**BH317 Optional Rear Enclosure Selection**

Add 50080245 Deduct  
 50080246 Add Rear Metal Band Deduct Rear Single Row Chains Deduct \$ (305.90)  
 Add 50080386 Deduct  
 50080246 Add Rear Double Row Chains Deduct Rear Single Row Chains Deduct \$ 61.60

**BUY UP FROM MODEL BH114 TO MODEL BH410 SERIES SINGLE-SPINDLE**



**BH410 SERIES SINGLE-SPINDLE ROTARY CUTTERS**

MODEL	BH416	BH417
Cutting Width	72"	84"
Cutting Height	1 1/2" - 12"	
Cutting Capacity	4"	
Hitch	Cat. 2 or 3 Std & QH	
Deck Thickness	7 Gauge	
Side Bands	13" x 1/4"	
Driveline	ASAE Category 5	ASAE Category 6
Driveline Protection	Slip Clutch	
Gearbox Rating (HP)	210*	
Tractor PTO Speed	540	
Minimum Tractor PTO HP	60	70
Blade Holder	Round Pan	
Blades	1/2" x 4" Uplift	
Blade Tip Speed (FPM)	13,997	14,488
Wheels	Single 21" Laminated	Dual 21" Laminated
Safety Shielding	Front: Single or Double Row Chains   Rear: Single or Double Row Chains	
Approximate Weight	1,300 lb.	2,000 lb.

**10-Year Gearbox Limited Warranty and 1-Year Machine Limited Warranty | 10-Year Deck Rust-Thru Limited Warranty on Galvanized Decks**

\*Gearbox rating based on field performance.

**WARNING:** A deflector kit or chain shielding must be used for all non-agricultural purposes or in areas where thrown objects could be hazardous to people, animals, or property.

**HOW TO ORDER:** To receive a complete cutter, you must order from each group listed for the model you have selected.

Part No.s

Freight NOT included in list price  
**Buy Up to the Standard BH416 Unit Listed Here Instead of the BH114 Base Unit**

Base BH114 Price \$ 2,003.40  
 Add \$ 4,836.30  
**BH416 Net Price \$ 6,839.70**

**BH416 STANDARD BUILD**

BH416-1R	BH416 Series Rotary Cutter, 6'
50080837	Single Row Front Chains
50080834	Single Row Rear Chains

**START WITH THE STANDARD BH416 NET PRICE AND ADD/DEDUCT OPTIONS BELOW TO CUSTOMIZE**

**BH416 Optional Base Unit Selection**

Add BH416-1Z  
 Deduct BH416-1R    Add BH416 Rotary Cutter, 6', Galvanized    Deduct BH416 Rotary Cutter, 6'    Add    \$    669.20

**BH416 Optional Front Enclosure Selection**

Add 50080836 Deduct  
 50080837    Add Front Double Row Chains    Deduct Front Single Row Chains    Add    \$    133.00

**BH416 Optional Rear Enclosure Selection**

Add 50080833 Deduct  
 50080834    Add Rear Single Row Chains    Deduct Rear Double Row Chains    Add    \$    153.30

**Part No.s Buy Up to the standard BH417 build listed here instead of the BH114 base unit**

Base BH114 Price \$ 2,003.40  
 Add \$ 7,059.50  
**BH417 Net Price \$ 9,062.90**

<b>BH417 STANDARD BUILD</b>	
BH417-1R	BH417 Series Rotary Cutter, 7'
64830	Hydraulic Cylinder Bundle
50080845	Single Row Front Chains
50080842	Single Row Rear Chains

**START WITH THE STANDARD BH417 NET PRICE AND ADD/DEDUCT OPTIONS BELOW TO CUSTOMIZE**

**BH417 Optional Base Unit Selection**

Add BH417-1Z  
 Deduct BH417-1R Add BH416 Rotary Cutter, 7', Galvanized Deduct BH416 Rotary Cutter, 7' Add \$ 1,049.30

**BH417 Optional Height Adjustment Selection**

Add 1817 Deduct  
 64830 Add Manual Ratchet Deduct Hydraulic Cylinder Bundle Deduct \$ (197.40)

**BH417 Optional Front Enclosure Selection**

Add 50080844 Deduct  
 50080845 Add Front Double Row Chains Deduct Front Single Row Chains Deduct \$ 154.70

**BH417 Optional Rear Enclosure Selection**

Add 50080841 Deduct  
 50080842 Add Rear Double Row Chains Deduct Rear Single Row Chains Deduct \$ 123.90



**BUY UP FROM MODEL BH114 TO MODEL BH510 SERIES SINGLE-SPINDLE**



**BH516 SINGLE-SPINDLE ROTARY CUTTER**

MODEL	BH516
Cutting Width	72"
Cutting Height	1 1/2" - 12"
Cutting Capacity	5"
Hitch	Cat. 2 or 3 Std & QH
Deck Thickness	7 Gauge
Side Bands	13" x 1/4"
Driveline	ASAE Category 6
Driveline Protection	Slip Clutch
Gearbox Rating (HP)	225*
Tractor PTO Speed	540
Minimum Tractor PTO HP	70
Blade Holder	Reinforced Round Pan
Blades	1/2" x 5" Uplift
Blade Tip Speed (FPM)	13,346
Wheels	Single 21" Laminated
Safety Shielding	Double Row Chains Standard
Approximate Weight	1,775 lb.

**10-Year Gearbox Limited Warranty and 1-Year Machine Limited Warranty | 10-Year Deck Rust-Thru Limited Warranty on Galvanized Decks**

\*Gearbox rating based on field performance.

**WARNING:** A deflector kit or chain shielding must be used for all non-agricultural purposes or in areas where thrown objects could be hazardous to people, animals, or property.

**HOW TO ORDER:** To receive a complete cutter, you must order from each group listed for the model you have selected. The BH516 comes equipped with lift-type hitch, driveline, and double row chains standard.

Freight NOT included in list price

<b>Part No.s</b>	<b>Buy Up to the standard BH516 build listed here instead of the BH114 base unit</b>	<i>Base BH114 Price</i> \$	2,003.40
		<i>Add</i> \$	5,978.70
		<b>BH516 Net Price</b> \$	<b>7,982.10</b>

BH516 STANDARD BUILD	
BH516-1R	BH516 Series Rotary Cutter, 6'

**START WITH THE STANDARD BH516 NET PRICE AND ADD/DEDUCT OPTIONS BELOW TO CUSTOMIZE**

**BH516 Optional Base Unit Selection**

<i>Add</i> BH516-1Z				
<i>Deduct</i> BH516-1R	<i>Add</i> BH516 Rotary Cutter, 6', Galvanized	<i>Deduct</i> BH516 Rotary Cutter, 6'	<i>Add</i>	\$ 778.40