

DATE:	February 24, 2023
SUBJECT:	NEW MODELS & OPTIONS
MODELS:	M30-4 AG, Bin Clamp + M30-4/M40-4 QUICK SHIP
TO:	All Manitou Vertical Masted Forklift Dealers

One Gehl Way West Bend, WI 53095 262-334-9461 (P)

Manitou is excited to announce three new Models to the Popular M-series Range. These new models will push the M-series range into new industry sectors and help you penetrate new markets

The all new M30-4 AG machine combines a purpose built package of machine, larger tires and optional bin clamp to be extremely efficient and easy to operate. The machine is featured with two mast options and an optional bin clamp that are all purpose-built by Manitou for gentle handling of bins and palletized materials on the orchard, market or farm. The M30-4 AG machine expands the M30 forklift line and shows Manitou's continued commitment to agriculture sector in North America.






NEW M30-4 AG Forklift

M30 AG FEATURES

- No glass to break and pollute the soil
- Two mast choices: 12' 1" and 14' 1"
- Stocked configurations for faster availability
- Reduced options for fast machine configuration
- Optimized hose routing for better vision

M30 AG SPECIFICATIONS

24" rough terrain front tire Optional bin clamp Max capacity: 6,063 lbs Ground clearance: 15.5" 74 HP (55kW) Deutz 3.6 Turbo Diesel with DPF - no DEF Manitou is also excited to announce the availability of the all new M30-4 and M40-4 QUICK SHIP - Rental Spec - machines. These machines are designed with the rental industry in mind. They have no windshield glass and few options so there's less that can be broken. Fewer options also means easier machine specking. The M30-4 and M40-4 QS machines show Manitou's commitment to the rental industry.



NEW M30-4 and M40-4 QUICK SHIP Rental Spec Forklifts

NEW QS FEATURES

- Forward mast tilting up to 42° for easy transport
- Two mast choices: 15' and 22'
- Stocked configurations for faster availability
- Reduced options for fast machine configuration
- Open cab without doors, glass and mirrors

NEW QS SPECIFICATIONS

M30-4 or M40-4 24" rough terrain front tire Max capacity: up to 8,179 lbs. Ground clearance: 15.5" (M30) and 16" (M40) 74 HP (55kW) Deutz 3.6 Turbo Diesel with DPF - no DEF

Pricing reflects suggested list prices in U.S. dollars.

Please ensure that all your sales personnel have a copy of this price list. Copies of the price list can be printed and/or downloaded and saved from the Manitou Dealer Portal for future reference. cc: Field and Internal Distribution

Enclosure

@MANITOU

VERTICAL MASTED FORKLIFTS & OPTIONS PRICE LIST

INDEX

	Page
ROUGH TERRAIN VERTICAL MASTED FORKLIFTS	
ABBREVIATIONS AND NOTATIONS	3
M-SERIES M30 STAGE 5	4 - 6
NEW M-SERIES M30 AGRI STAGE 5	7
NEW M-SERIES M30 QUICK SHIP STAGE 5	8
M-SERIES M40 STAGE 5	9 -11
NEW M-SERIES M40 QUICK SHIP STAGE 5	12
M-SERIES M50 STAGE 5	13 - 15
M-SERIES M70 STAGE 5	16 - 18

This replaces all previously published price lists.

EXAMITOU VERTICAL MASTED FORKLIFTS & OPTIONS PRICE LIST

ABBREVIATIONS AND NOTATIONS

FVD - Full Visibility Duplex Mast - 2-Stage, Large open visibility window, 2 Main Cylinder design – typically mounted behind rails. Limited free-lift. 0 ~ 6"

FVT - Full Visibility Triplex Mast, 3-Stage, 2 cylinder design, 2 Main rear cylinders, 1 Center cylinder for free-lift, Limited free-lift height (Varies by Mast)

FLT - Full Free Lift Triplex Mast - 3-Stage, 3 cylinder design, 2 Main rear cylinders, 1 Center cylinder for free-lift, Full free-lift capability

Fixed Mast - Mast is fixed on machine center and does not move right or left.

Side-Shift Mast - Mast can shift positions from machine center both right 3" (76.2mm) or left 3" (76.2mm) Overall 6" (152.4mm) NOTE: Side-Shift Masts used with Fork Positioners or other attachments requiring auxiliary hydraulics need ONLY order 3rd Function Hose Kits (4th Function Not Available)

Side-Shift Carriage - Carriage can shift left or right allowing for load positioning on Fixed Mast machines. 4" (100 mm) or left 4" (100 mm) Overall 8" (203 mm)

Fork Positioning Carriage - Forks can be hydraulically moved right or left for fork positioning for various load widths


Side-Shift & Fork Positioning Carriage - Combination side-shift and fork positioning carriages. (Fixed Masts Only)

ITA Forks - Mount using hook type connections to dual rails and remain fixed to the carriage matching carriage/mast angle.

Quick Ship - Mast and Carriages represented by BOLD RED TEXT are stock masts ready for immediate delivery.

SPECIFICATION DETAILS

- MFH = Maximum Fork Height Distance from ground to forks when mast in the full raised position Critical to achieve the desired height to put-away a load
- OHL = Overall Height Lowered Distance from ground to top of mast when fully lowered and vertical Critical for entering low clearance areas and doorways
- FL = Free Lift Distance the forks can be raised without the overall lowered height of the mast increasing Critical when working inside of a trailer or other low clearance areas







M SERIES - M30 Stage 5

Rough Terrain Vertical Masted Forklift 6,063 lbs. (3,000 kg) Capacity



STANDARD PACKAGE: M30-4 Open ROPS

L		
	51804732	Basic 4WD w/ 4-Speed Torque Converter Transmission, Differential Lock & Tilt Column
	51804767	Steer Tire-OTR 10.5-80-18 Rough Terrain Profile
	51804768	Drive Tire-OTR 16-70-20 Rough Terrain Profile
	51804760	Semi-Enclosed Cab
	51804763	High Back Vinyl Seat - Mechanical Suspension
	51804734	177" (4.5m) FVD Side Shifting Mast Distributor with levers in line - 4 hydraulic movements Hydraulic kit 3rd element for Full Visibility Duplex (FVD) 4500 mm mast without fast coupling, Fast coupling for 3rd hydraulic element for Full Visibility Duplex mast (FVD) Techn info : height mast 4.5 m
	51804746	69" (1750mm) Wide ITA Carriage - FVD/TLL
	51804740	Mast Tilting 6° Forward - 12° Backward
	Add Carriage A	Accessory & Forks to Complete

List Price: \$103,728

STANDARD EQUIPMENT

- FOPS certified protective canopy
- Adjustable steering column

ENGINE

- 74 HP Deutz TCD 2.9 Turbo Diesel Engine w/DPF
- Includes Preheat Air for Engine
- Dual Element Air Cleaner w/ Indicator & Pre-Cleaner

TRANSMISSION

- Mechanical gearbox with torque converter 4/4
- M30-2: Front axle differential lock
- M30-4: Front axle differential lock and control for 2 / 4 WD

HYDRAULICS

- 4th Hydraulic Functions (includes Hydraulic Valve)
- Valve: 3 double action + 1 single action section
- 3rd and 4th Hose Kits Included with Mast Selection

WHEELS/TIRES

- Overall Width: 6' 4" (1930 mm)
- Front: OTR 16-17-20 2WD & 4WD
- Rear: 2WD OTR N20-10.5/80-18 6T 4WD OTR P15-10.5/80-18 8T

OTHER

- Rubber Mounted Tilting Operator's Compartment
- Complete road lighting front & rear
- Front & rear wiper
- Front windscreen washer
- Front and Rear Tinted Windshields and Wipers
- Rearview Mirror LH
- Inner rear-view mirror
- Mechanical suspension vinyl seat
- Radio location without speakers and antenna
- Battery 12V 900A
- Tilt standard mast (forward / backward): 6° / 12°
- Full Instrumentation
- Lockable Engine Compartment
- Back Up Alarm
- Document Case
- Easy Link Module w/ Connectivity
- Block Heater

BRAKES

- Service brake: oil immersed multi-disc braking on front axles
- · Parking brake: oil immersed multi-disc mechanics on the front axle



M30 STAGE 5 OPTIONS - FACTORY INSTALLED

F.O.B. See (Quote Terms: per Current Terms & Disco	ounts	Schedu
Part No.	Description	Li	st Price
Base Unit (N	lust Select One)		
51804731	M30-2 - Stage 5 Basic 2WD w/ 4-Speed Torque Converter Transmission, Differential Lock and Tilt Column	\$	89,60
51804732	M30-4 - Stage 5 Basic 4WD w/ 4-Speed Torque Converter Transmission, Differential Lock and Tilt Column	\$	97,75
Steer Tire A	ssembly (Must Select One)		
51804771	OTR - N20 - 10.5/80-18 6T (Rough terrain profile) - (2WD ONLY) - STANDARD EQUIPMENT	No (Charge
51804767	OTR - P15 - 10.5/80-18 8T (Rough terrain profile) - (4WD ONLY) - STANDARD EQUIPMENT	No (Charge
	ssembly (Must Select One)		
	OTR - P70 - 16/70-20 8T (Rough terrain profile)- (2WD & 4WD) - STANDARD EQUIPMENT	No (Charge
	tion (Must Select One)		
	Semi-Enclosed Cab - No Doors, No Heat and No AC	-	Charge
51804761	Enclosed Cab - Heater / Defroster and Doors w/ Sliding Windows	\$	6,07
51804762	Enclosed Cab - Heater / Defroster, Air Conditioning and Doors w/ Sliding Windows & Roof Wiper	\$	9,67
	(NOTE: Extended Lead Time)	Ť	0,01
Seat (Must S			
	High Back Vinyl, Mechanical Suspension Seat		Charge
	High Back Cloth, Mechanical Suspension Seat (NOTE: Extended Lead-Time)	\$	45
	High Back Cloth Air Suspension Seat (NOTE: Extended Lead-Time)	\$	1,70
	Select One) - Selected Mast Includes required 3rd & 4th Hose Kits and Fast Couplers		
	MAST - 2-Stage Full Visibility Duplex Masts (FVD) + Class III ITA Carriage (Includes Mounting)		5.00
51804733	106.89" (2715mm) OHL, 146" (3.7m) MFH, 5.12" (130mm) FL (NOTE: Extended Lead-Time)	\$	5,08
51804734	124.21" (3155mm) OHL, 177" (4.5m) MFH, 5.12" (130mm) FL	\$	5,65
	MAST - 3-Stage Free Lift Triplex Masts (FLT) + Class III ITA Carriage (Includes mounting)		0.04
51804735	106.89" (2715mm) OHL, 197" (5.0m) MFH, 70.59" (1793mm) FFL (NOTE: Extended Lead-Time)	\$	8,21
51804736	134.06" (3405mm) OHL, 256" (6.5m) MFH, 97.76" (2483mm) FFL (NOTE: Extended Lead-Time)(INCLUDES Tilt Cylinder and the second seco	\$	12,46
IXED MAS	- 2-Stage Full Visibility Duplex Masts (FVD) + Class III ITA Carriage (Includes Mounting)		
51804737	106.89" (2715mm) OHL, 146" (3.7m) MFH, 5.12" (130mm) FL (NOTE: Extended Lead-Time)	No (Charge
IXED MAS	I - 3-Stage Free Lift Triplex Masts (FLT) + Class III ITA Carriage (Includes mounting)		
51804738	106.89" (2715mm) OHL, 197" (5.0m) MFH, 70.59" (1793mm) FFL (NOTE: Extended Lead-Time)	\$	3,25
51804739	134.06" (3405mm) OHL, 256" (6.5m) MFH, 97.76" (2483mm) FFL (NOTE: Extended Lead-Time)	¢	1 50
51604739	(INCLUDES Tilt Cylinder Anti-Cavitation Valve - 51800732)	\$	4,55
Carriage (M	ist Select One)		
	Carriage (Includes Mounting)		
51804745	58" (1470mm) Wide Standard ITA Carriage - FVD/TLL (NOTE: Extended Lead-Time)	No (Charge
51804746	69" (1750mm) Wide Standard ITA Carriage - FVD/TLL	\$	32
	79" (2000mm) Wide Standard ITA Carriage - FVD/TLL (NOTE: Extended Lead-Time)	\$	64
last Tilting	(Must Select One)		
SIDE SHIFT	MAST TILTING		
51804740	6° Forward - 12° Backward (for Full Visibility Duplex or Free Lift Triplex Masts Side Shift Masts ONLY	No (Charge
51804741	15° Forward - 12° Backward (for Full Visibility Duplex or Free Lift Triplex Masts Side Shift Masts ONLY	\$	1,03
	38° Forward - 10° Backward (for Full Visibility Duplex or Triplex Side Shift Masts ONLY) (REQUIRES Tilt		
51004740	Cylinder Anti-Cavitation Valve - 51800732) Note: Below 13'6" transportation height restriction on standard	¢	1.01
51804742	flatbed trailer for all masts except 256" (6.5m) and 264" (6.7m) MFH, which are below height limit with	\$	1,03
	Stepdeck or Double Drop trailer	1	
IXED MAS	TILTING		
51804743	6° Forward - 12° Backward (for Full Visibility Duplex or Free Lift Triplex FIXED Masts ONLY)	No (Charge
51804744	15° Forward - 12° Backward (for Full Visibility Duplex or Free Lift Triplex FIXED Masts ONLY)	\$	1,03



M30 STAGE 5 OPTIONS - FACTORY INSTALLED - Continued

Part No.	Description	Li	st Price
Transport M	ast Tilting Option		
51804909	FIXED MAST Transport Preparation - Increase Tilt Angle (45°Total) for Shipping ONLY (Required for all FIXED MASTS over 107" (2715mm) OHL (Not Required if 42° Forward - 10° Backward Mast Tilting is selected - 51802366)	\$	240
51804910	SIDE SHIFT MAST Transport Preparation - Increase Tilt Angle (45°Total) for Shipping ONLY (Required for all SIDE SHIFT MASTS over 107" (2715mm) OHL (Not Required if 42° Forward - 10° Backward Mast Tilting is selected - 51802366)	\$	240
Carriage Op			
Load Backre		1.	
	Load Backrest 58" (1470mm) Wide	\$	614
51804749	Load Backrest 69" (1750mm) Wide	\$	684
	Load Backrest 79" (2000mm) Wide	\$	846
	Side-Shift Carriages for 2-Stage Full Visibility Duplex Fixed Masts (FVD) or 3-Stage Free Lift Triplex Fixed Masts (_	
	Side-Shift FLT 58" (1470mm) Wide (INCLUDES Hydraulic Quick Fit Connection)	\$	2,212
	Side-Shift FLT 69" (1750mm) Wide (INCLUDES Hydraulic Quick Fit Connection)	\$	3,391
	Side-Shift FLT 79" (2000mm) Wide (INCLUDES Hydraulic Quick Fit Connection)	\$	3,658
	Side-Shift Fork Positioning Carriages for 2 or 3-Stage Fixed Masts Only (FVD/FLT)		40.000
	Side Shift Fork Positioning 72" (1829mm) (INCLUDES Hydraulic Quick Fit Connection)	\$	10,903
	Fork Positioning Carriages for 2 or 3-Stage Fixed or Side-Shift Masts (FVD/FLT)		40.000
	Fork Positioner 72" (1829mm) Wide with Hydraulic Quick Fit Connection (INCLUDES Hydraulic Quick Fit Connection)	\$	10,903
Forks (Must			
	ass III ITA Carriages	-	
	No Forks Selection		Charge
	Pallet Forks, ITA Class III, 48" Length (Pair) 1.75" x 5" / Rated 6,000 lbs.	\$	1,132
	Pallet Forks, ITA Class III, 60" Length (Pair) 1.75" x 5" / Rated 6,000 lbs.	\$	1,308
	d Factory Options		
Other Option		1.	
	Paint - Non-Standard Machine Single Color	\$	3,073
	ons <u>REQUIRE</u> 4-Digit RAL Paint Color Specification (NOTE: EXTENDED Lead Time)		
	e Ordered Prior to Production Run. Any Specialized Paints Will Have Additional Cost.)		
	Cold Weather Battery (Highly Recommended for Use at 32° F (0° C) to -2° F (-19° C))	\$	220
51804769	Wide Fenders - Front	\$	468
	Wide Fenders - Rear	\$	396
	Fuel Heater NOTE: Extended Lead Time	\$	969
	Front Working Lights - LED LH + RH	\$	316
	Rear Working Lights - LED LH + RH (OPEN ROPS+CAB with Heat Only Equipped Units Only)	\$	492
	Rear Working Lights - LED LH + RH (CAB with Heat & AC Equipped Units Only)	\$	435
51800716	Rearview Mirror RH	\$	124
51804928	Reflective Safety Decals for Rear and Sides of Machine	\$	325
51800715	Roof Wiper (Use only with Units NOT Equipped with Air Conditioning)	\$	512
51800668	Radio - Bluetooth (Only for machiens equipped with a CAB)	\$	236
52107523	Rotating Beacon	\$	257
52112248	Seat Belt 3"	\$	279
51800718	Sunvisors (Roof And Windscreen) Tilt Orlinder Anti Cavitation Valvo (INCLUDED on Mast Heights above 236 inches (5004mm) MEH	\$	176
51800732	Tilt Cylinder Anti-Cavitation Valve (INCLUDED on Mast Heights above 236 inches (5994mm) MFH or REQUIRED with 42° Forward - 15° Backward Mast Tilt Option)	\$	843
Contact		Cor	tact Sale
Sales	Data Plate - Dealer Installed Attachment - Click Here for Link to CAPACITY PLATE REQUEST FORM		Support
Support			upport





Package #1: M30-4 Open ROPS w/ 12' FVD Mast

 51805134
 M30-4 Agri 4WD w/ 4-Speed
 List Price
 \$99,000

 51805134
 Seat high back vinyl
 Open cab with no glass
 Full visability duplex side shift mast 145"(3.7m)

 Front fenders
 Add forks to complete



M-Series M 30-4 AGRI Stage 5

List Price

6,063 lbs. (3,000 kg) Capacity Effective February 13, 2023

	Package #2: Open ROPS w/ 14' FLT Mast		
51805135	M30-4 Agri 4WD w/ 4-Speed torque converter transmission Seat high back vinyl Open cab with no glass Free Lift Triplex side shift mast 4.3m/169" Front fenders	List Price	\$102,000
	Add forks to complete		

STANDARD EQUIPMENT

- FOPS certified protective canopy
- Adjustable steering column

ENGINE

- 74 HP Deutz TCD 2.9 Turbo Diesel Engine w/DPF
- Includes Preheat Air for Engine
- Dual Element Air Cleaner w/ Indicator & Pre-Cleaner

TRANSMISSION

- Mechanical gearbox with torque converter 4/4
- M30-4: Front axle differential lock and control for 2 / 4 WD

HYDRAULICS

- 4th Hydraulic Functions (includes Hydraulic Valve)
- Valve: 3 double action + 1 single action section

WHEELS/TIRES

- Front: 24" 15.5/80 R24 16PR Agricultural profile
- Rear OTR P15 10.5/80-18 8T Rough Terrain Profile I

OTHER

- · Mechanical suspension vinyl seat
- Battery 12V 900A
- Tilt standard mast (forward / backward): 15° / 12°
- Full Instrumentation
- Lockable Engine Compartment
- Back Up Alarm
- Easy Link Module w/ Connectivity
- Block Heater
- 58" Carriage
- 3' Seat belt orange

REQUIRED FACTORY FORK OPTIONS

51804825	No forks selection	No Charge
51804758	Pallet Forks, ITA Class III, 48" Length (Pair) 1.75" x 5" / Rated 6.000 lbs.	\$1,132
51804759	Pallet Forks, ITA Class III, 60" Length (Pair)	\$1,308

NON-REQUIRED FACTORY INSTALLED OPTIONS

Semi enclosed cab includes front, top, rear glass	\$1,068
Doors (requires semi enclosed cab)	\$3,472
Heater (requires semi enclosed cab and doors)	\$4,567
Left mirror	\$75
Right mirror	\$80
Inner rear view mirror	\$117
Sun visor	\$118
Radio bluetooth (only for machines w/ cab)	\$266
Roof wiper	\$258
Road lights	\$1,660
Work lights front (left and right) LED	\$385
Work lights rear (left and right) LED	\$492
Bin Clamp	\$6,913
Load Backrest 58" (1470mm) Wide	\$614
Cold weather fuel	\$286
Cold weather battery	\$95
	Doors (requires semi enclosed cab) Heater (requires semi enclosed cab and doors) Left mirror Right mirror Inner rear view mirror Sun visor Radio bluetooth (only for machines w/ cab) Roof wiper Road lights Work lights front (left and right) LED Work lights rear (left and right) LED Bin Clamp Load Backrest 58" (1470mm) Wide Cold weather fuel



607			

M-Series M 30-4 QUICK SHIP Stage 5 6,063 lbs. (3,000 kg) Capacity Effective February 13, 2023

List Price

\$105,500

List Price

	- C			
	Package #1: M30-4 Open ROPS w/ 15' FVD Mas	t		
51805136	M30-4 Quick Ship 4WD w/ 4-Speed torque converter transmission Seat high back vinyl Open cab with no glass Full visability duplex side shift mast 4.5m/177" Front fenders	List Price	\$99,500	51805137
	Add forks to complete			

STANDARD EQUIPMENT

- FOPS certified protective canopy
- Adjustable steering column

ENGINE

- 74 HP Deutz TCD 2.9 Turbo Diesel Engine w/DPF
- Includes Preheat Air for Engine
- Dual Element Air Cleaner w/ Indicator & Pre-Cleaner

TRANSMISSION

- Mechanical gearbox with torque converter 4/4
- M30-4: Front axle differential lock and control for 2 / 4 WD

HYDRAULICS

- 4th Hydraulic Functions (includes Hydraulic Valve)
- Valve: 3 double action + 1 single action section

WHEELS/TIRES

- Front: 24" 15.5/80 R24 16PR Agricultural profile
- Rear OTR P15 10.5/80-18 8T Rough Terrain Profile

OTHER

- Mechanical suspension vinyl seat
- Battery 12V 900A
- Tilt standard mast (forward / backward): 38° / 12°
- Full Instrumentation
- Lockable Engine Compartment
- Back Up Alarm
- Easy Link Module w/ Connectivity
- Block Heater
- Front and rear working lights
- Rotaing beacon
- 58" Carriage
- 3' Seat belt orange

REQUIRED FACTORY FORK OPTIONS

Front fenders

51804825	No forks selection	No Charge
51804758	Pallet Forks, ITA Class III, 48" Length (Pair)	\$1.132
	1.75" x 5" / Rated 6.000 lbs.	ψ1,102
51804759	Pallet Forks, ITA Class III, 60" Length (Pair)	\$1,308

Package #2: M30-4 Open ROPS w/ 22' FVT Mast M30-4 Quick Ship 4WD w/ 4-Speed torque

Full visability triplex side shift mast 6.7m/254"

NON-REQUIRED FACTORY INSTALLED OPTIONS

converter transmission Seat high back vinyl Open cab with no glass

Add forks to complete

51805158	Semi enclosed cab includes front, top, rear glass	\$1,068
51805159	Doors (requires semi enclosed cab)	\$3,472
51805160	Heater (requires semi enclosed cab and doors)	\$4,567
51805161	Left mirror	\$75
51805162	Right mirror	\$80
51805163	Inner rear view mirror	\$117
51805164	Sun Visor	\$118
51805165	Radio bluetooth (only for machines w/ cab)	\$266
51805166	Roof wiper	\$258
51805169	Cold weather fuel	\$286
51805170	Cold Weather Battery (Highly Recommended for	\$95
51805167	Road lights	\$1,660
51804748	Load Backrest 58" (1470mm) Wide	\$614

M SERIES - M40 Stage 5

Rough Terrain Vertical Masted Forklift 8,179 lbs. (3,710 kg) Capacity



RECOMMENDED PACKAGE: M40-4 Open ROPS

51804874	Basic 4WD w/ Tilt Column
51804826	Drive Tire - OTR - P20 - 18/22.5 8T (Rough Terrain profile - Overall width : 6' 9" (2068 mm)
51804827	Steer Tire - OTR - N20 - 12.5/80-18 6T (Rough Terrain profile - Overall width : 6' 9" (2066 mm)
51804760	Semi-Enclosed Cab
51804763	High Back Vinyl Seat - Mechanical Suspension
51804876	177" (4.5m) FVD Side Shifting Mast Distributor with levers in line - 4 hydraulic movements, Hydraulic kit 3rd element for Full Visibility Duplex (FVD) 4500 mm mast without fast coupling, Fast coupling for 3rd hydraulic element for Full Visibility Duplex mast (FVD) Techn info : height mast 4.5 m
51804895	66" (1670mm) Wide Standard ITA Carriage - FVD Masts Only
51804811	Mast Tilting 15° Forward - 15° Backward
Add Carriag	e, Forks or Other Options to Complete
NON-STO	CK MODEL: Extended lead time

List Price: \$113,155

STANDARD EQUIPMENT

- FOPS certified protective canopy
- Adjustable steering column

ENGINE

- 74 HP Deutz TCD 2.9 Turbo Diesel Engine w/DPF
- Includes Preheat Air for Engine
- Dual Element Air Cleaner w/ Indicator & Pre-Cleaner

TRANSMISSION

- Mechanical gearbox with torque converter 4/4
- M40-2: Front axle differential lock
- M40-4: control for 2 / 4 WD

HYDRAULICS

- 4th Hydraulic Functions (includes Hydraulic Valve)
- Valve: 3 double action + 1 single action section
- 3rd and 4th Hose Kits Included with Mast Selection

WHEELS/TIRES

- Overall Width: 6' 9" (2068 mm)
- Front: OTR 18-22.5 R4 -2WD & 4WD
- Rear: 2WD OTR-P25-12.5/80-18 8T or 4WD OTR-N20-12.5/80-18 6T Rough Terrain Profile

OTHER

- Rubber Mounted Tilting Operator's Compartment
- Complete road lighting front & rear
- Front & rear wiper w/ Front windshield washer
- Front and Rear Tinted Windows
- Inner rear-view mirror & Rearview Mirror LH
- Mechanical suspension vinyl seat
- Radio location without speakers and antenna
- Battery 12V 900A
- Tilt standard mast (forward / backward): 15° / 15°
- Full Instrumentation
- Lockable Engine Compartment
- Back Up Alarm
- Document Case
- · Easy Link Module w/ Connectivity
- Block Heater

BRAKES

- Service brake: oil immersed multi-disc braking on front axles
- Parking brake: oil immersed multi-disc mechanics on the front axle



M40 STAGE 5 OPTIONS - FACTORY INSTALLED

F.O.B. See C	luote Terms: per Current Terms & Disc	counts	Schedule
Part No.	Description	-	st Price
Base Unit (M	lust Select One) (NOTE: Extended Lead-Time)		
51804873	M40-2 - Stage 5 Basic 2WD w/ 4-Speed Torque Converter Transmission, Differential Lock and Tilt Column	\$	99,590
51804874	M40-4 - Stage 5 Basic 4WD w/ 4-Speed Torque Converter Transmission, Differential Lock and Tilt Column	\$	108,811
Drive Tire A	ssembly (Must Select One)		
51804826	OTR - P20 - 18/22.5 8T (2WD & 4WD) - Rough Terrain Profile - Overall width : 6' 9" (2068 mm)	No	Charge
51800707	MITAS - MPT06 - 18-22.5 16PR 445/65-22,5 - Agri Profile - Overall width : 6'10" (2080 mm)	\$	263
Steer Tire A	ssembly (Must Select One)		
51804828	OTR - P25 - 12.5/80-18 8T (2WD <u>ONLY</u>) - Rough Terrain profile - Overall width : 6' 9" (2066 mm)	No	Charge
51804827	OTR - N20 - 12.5/80-18 6T (4WD <u>ONLY</u>) - Rough Terrain Profile - Overall width : 6' 9" (2066 mm)	No	Charge
51800713	MICHELIN - 340/80R18 8T P25 XMCL (4WD ONLY) - Rough Terrain Profile - Overall width : 6' 9" (2066 mm)	\$	68
	ition (Must Select One)		
51804760	Semi-Enclosed Cab	No	Charge
51804761	Enclosed Cab - Heater / Defroster and Doors w/ Sliding Windows	\$	6,077
51804762	Enclosed Cab - Heater / Defroster, Air Conditioning and Doors w/ Sliding Windows & Roof Wiper	\$	9.677
51004702	(NOTE: Extended Lead Time)	Ψ	3,011
Seat (Must S			
	High Back Vinyl, Mechanical Suspension Seat		Charge
51804764	High Back Cloth, Mechanical Suspension Seat (NOTE: Extended Lead-Time)	\$	453
51804765	High Back Cloth Air Suspension Seat (NOTE: Extended Lead-Time)	\$	1,703
	Select One) - Selected Mast Includes required 3rd & 4th Hose Kits and Fast Couplers		
	MAST - 2-Stage Full Visibility Duplex Masts (FVD) + Class III Standard ITA Carriage (Includes Mounting)	-	
	114.57" (2910mm) OHL, 146" (3.7m) MFH, 0" FL (NOTE: Extended Lead-Time)	\$	3,585
	130.12" (3305mm) OHL, 177" (4.5m) MFH, 0" FL (NOTE: Extended Lead-Time)	\$	4,344
	MAST - 3-Stage Free Lift Triplex Masts (FLT) + Class III Standard ITA Carriage (Includes Mounting)		
	104.13" (2645mm) OHL, 185" (4.7m) MFH, 62.99" (1600mm) FFL (NOTE: Extended Lead-Time)	\$	9,307
	121.46" (3085mm) OHL, 236" (6.0m) MFH, 80.31" (2040mm) FFL - Includes 51800732 (NOTE: Extended Lead-Time)	\$	11,344
	- 2-Stage Full Visibility Duplex Masts (FVD) + Class III Standard ITA Carriage (Includes Mounting)		
	114.57" (2910mm) OHL, 146" (3.7m) MFH, 0" FL, (NOTE: Extended Lead-Time)		Charge
	104.13" (2645mm) OHL, 185" (4.7m) MFH, 0" FL, (NOTE: Extended Lead-Time)	\$	6,923
	ist Select One)		
	Carriage (Includes Mounting) for Full Visibility Duplex Masts (FVD) ONLY	-	
	66" (1670mm) Wide Standard ITA Carriage - Full Visibility Duplex Masts (FVD) ONLY		Charge
	79" (2000mm) Wide Standard ITA Carriage - Full Visibility Duplex Masts (FVD) ONLY	\$	324
	Carriage (Includes Mounting) for Free Lift Triplex Masts (FLT) ONLY	-	
	66" (1670mm) Wide Standard ITA Carriage - Free Lift Triplex Masts (FLT) ONLY	_	Charge
51804894	79" (2000mm) Wide Standard ITA Carriage - Free Lift Triplex Masts (FLT) ONLY	\$	324
	(Must Select One)		
SIDE SHIFT			
	15° Forward - 15° Backward	-	Charge
	10° Forward - 15° Backward (for Full Visibility Duplex or Free Lift Triplex Masts ONLY)	\$	884
	42° Forward - 10° Backward INCLUDES Tilt Cylinder Anti-Cavitation Valve - 51800732 and REQUIRES OTR Tires	\$	903
FIXED MAS			
<u>51804814</u>	15° Forward - 15° Backward (for Full Visibility Duplex or Free Lift Triplex Masts ONLY)	\$	938



Part No.	Description	L	ist Price
Transport M	ast Tilting Option		
	FIXED MAST Transport Preparation - Increase Tilt Angle (45°Total) for Shipping ONLY		
51804909	(Required for all FIXED MASTS over 107" (2715mm) OHL (Not Required if 42° Forward - 10° Backward Mast	\$	240
0.00.000	Tilting is selected - 51802366)	Ť	
	SIDE SHIFT MAST Transport Preparation - Increase Tilt Angle (45°Total) for Shipping ONLY		
51804910	(Required for all SIDE SHIFT MASTS over 107" (2715mm) OHL (Not Required if 42° Forward - 10°	\$	240
51004510	Backward Mast Tilting is selected - 51802366)	ψ	240
0			
Carriage Opt			
Load Backre	st		
51804819	Load Backrest 66" (1670mm) Wide	\$	684
51804820	Load Backrest 79" (2000mm) Wide	\$	774
Class III ITA	Side Shift Carriages for 2-Stage Full Visibility Duplex Fixed Masts (FVD) Only (Requires ONLY 3rd Hose Kit)		
	Side Shift FVD 66" (1670mm) Wide	\$	6,301
	Side Shift FVD 79" (2000mm) Wide	\$	6.772
	Side Shift Carriages for 3-Stage Free Lift Triplex Fixed Masts (FLT) Only (Requires ONLY 3rd Hose Kit)	Ψ	0,112
	Side Shift FLT 66" (1670mm) Wide (INCLUDES Hydraulic Quick Fit Connection)	\$	6.301
	Side Shift Fork Positioning Carriages for 2 or 3-Stage Fixed Masts Only (FVD/FVT/FLT) (Requires 3rd & 4th Hose Kits		0,301
Class III ITA		5)	
51804899	Side Shift Fork Positioner 72" (1829mm) Wide (INCLUDES Hydraulic Quick Fit Connection for Selected Mast	\$	10,903
	Type) (Includes a 72" Load Backrest)		
Class III ITA	Fork Positioning Carriages for 2 Fixed or Side-Shift Masts (FVD) (Requires ONLY 3rd Hose Kit)	\$	10,903
51804900	Fork Positioner 72" (1829mm) Wide (REQUIRES Hydraulic Quick Fit Connection for Selected Mast Type)	\$	10,903
	(Includes a 72" Load Backrest)	Ť	
Class III ITA	Fork Positioning Carriages 3-Stage Fixed or Side-Shift Masts (FLT) (Requires ONLY 3rd Hose Kit)	-	
51804933	Fork Positioner 72" (1829mm) Wide (<u>REQUIRES</u> Hydraulic Quick Fit Connection for Selected Mast Type)	\$	10,585
	(Includes a 72" Load Backrest)	Ψ	10,000
Forks (Must			
Forks For Cl	ass III ITA Carriages		
51804825	No Forks Selection	No	Charge
K396-1	Pallet Forks, ITA Class III, 48" Length (Pair) 2" x 6" / Rated 10,000 lbs.	\$	1,464
K396-3	Pallet Forks, ITA Class III, 60" Length (Pair) 2" x 6" / Rated 10,000 lbs.	\$	1,679
K396-5	Pallet Forks, ITA Class III, 72" Length (Pair) 2" x 6" / Rated 10,000 lbs.	\$	2,524
K396-6	Pallet Forks, ITA Class III, 84" Length (Pair) 2" x 6" / Rated 10,000 lbs.	\$	2,868
	Lumber Forks, ITA Class III, 48" Length (Pair) 1.5" x 8", Fully Tapered & Polished / Rated 10,000 lbs. (Note: If Fork		,
807731-2	Positioning Carriage 51801832 or 51801834 selected, must also select Lumber Fork Saddle Kit - 51802516)	\$	2,725
51804901	Lumber Fork Saddle Kit	\$	1,498
Other Option		Ψ	1,430
	Paint - Non-Standard Machine Single Color	\$	2,983
		ð	2,903
	ons REQUIRE 4-Digit RAL Paint Color Specification (NOTE: EXTENDED Lead Time)		
	e Ordered Prior to Production Run. Any Specialized Paints Will Have Additional Cost.)		
	Cold Weather Battery (Highly Recommended for Use at 32° F (0° C) to -2° F (-19° C))	\$	220
51804769	Wide Fenders - Front	\$	468
	Wide Fenders - Rear	\$	396
	Fuel Heater NOTE: Extended Lead Time	\$	969
52109408	Front Working Lights - LED LH + RH	\$	316
51804918	Rear Working Lights - LED LH + RH (OPEN ROPS+CAB with Heat Only Equipped Units Only)	\$	492
	Rear Working Lights - LED LH + RH (CAB with Heat & AC Equipped Units Only)	\$	435
51800716	Rearview Mirror RH	\$	124
	Reflective Safety Decals for Rear and Sides of Machine	\$	325
	Roof Wiper (Use only with Units NOT Equipped with Air Conditioning)	\$	512
51800668	Radio - Bluetooth (Only for machiens equipped with a CAB)	\$	236
52107523	Rotating Beacon	\$	25
52112248	Seat Belt 3"	\$	279
51800718	Sunvisors (Roof And Windscreen)	\$	176
51800732	Tilt Cylinder Anti-Cavitation Valve (INCLUDED on Mast Heights above 236 inches (5994mm) MFH	\$	843
Contact		Co	ntact Sale
Sales	Data Plate - Dealer Installed Attachment - Click Here for Link to CAPACITY PLATE REQUEST FORM		
Support			Support

M-Series

\$116,000

M 40-4 QUICK SHIPStage 5 8,179 lbs. (3,710 kg) Capacity Effective February 13, 2023

List Price



converter transmission Seat high back vinyl Open cab with no glass

Add forks to complete

Front fenders

51805139

Package #2: M40-4 Open ROPS w/22' FVT Mast M40-4 Quick Ship 4WD w/ 4-Speed torque

Full visability triplex side shift mast 6.7m/254"

		,	
	Package #1: M40-4 Open ROPS w/15' FVD Mas	t _	
51805138	M40-4 Quick Ship 4WD w/ 4-Speed torque converter transmission	List Price	\$110,000
	Seat high back vinyl		
	Open cab with no glass		
	Full visability duplex side shift mast 4.5m/177"		
	Front fenders		
	Add forks to complete		

STANDARD EQUIPMENT

- FOPS certified protective canopy
- Adjustable steering column

ENGINE

- 74 HP Deutz TCD 2.9 Turbo Diesel Engine w/DPF
- Includes Preheat Air for Engine
- Dual Element Air Cleaner w/ Indicator & Pre-Cleaner

TRANSMISSION

- Mechanical gearbox with torque converter 4/4
- M34-4: Front axle differential lock and control for 2 / 4 WD

HYDRAULICS

- 4th Hydraulic Functions (includes Hydraulic Valve)
- Valve: 3 double action + 1 single action section

WHEELS/TIRES

- Front: 24" 15.5/80 R24 16PR Agricultural profile
- Rear OTR P15 10.5/80-18 8T Rough Terrain Profile

OTHER

- Mechanical suspension vinyl seat
- Battery 12V 900A
- Tilt standard mast (forward / backward): 42° / 12°
- Full Instrumentation
- Lockable Engine Compartment
- Back Up AlarmEasy Link Module w/ Connectivity
- Block Heater
- Front and rear working lights
- Rotaing beacon
- 66" Carriage
- 3' Seat belt orange

REQUIRED FACTORY FORK OPTIONS List Price No forks selection 51804825 No Charge Pallet Forks, ITA Class III, 48" Length (Pair) 2" K396-1 \$1,464 x 6" / Rated 10.000 lbs. Pallet Forks, ITA Class III, 60" Length (Pair) 2" K396-3 \$1,679 x 6" / Rated 10,000 lbs. Pallet Forks, ITA Class III, 72" Length (Pair) 2" K396-5 \$2,524 x 6" / Rated 10,000 lbs. Pallet Forks, ITA Class III, 84" Length (Pair) 2" K396-6 \$2,868 Lumber Forks, ITA Class III, 48" Length (Pair) 1.5" x 8", Fully Tapered & Polished / Rated 807731-2 \$2.725 10,000 lbs. (Note: If Fork Positioning Carriage 51801832 or 51801834 selected, must also 51804901 Lumber Fork Saddle Kit \$1.498 NON-REQUIRED FACTORY INSTALLED OPTIONS 51805158 Semi enclosed cab includes front, top, rear glass \$1 068 51805159 Doors (requires semi enclosed cab) \$3,472 51805160 Heater (requires semi enclosed cab and doors) \$4,567 51805161 Left mirror \$75 51805162 Right mirror \$80



M SERIES - M50 STAGE 5

Rough Terrain Vertical Masted Forklift 11,023 lbs. (5,000 kg) Capacity



PACKAGE	#1: M50-4 Open ROPS	PACK
51804803	Basic 4WD w/ Tilt Column	518048
51804826	Drive Tire - OTR - P20 - 18/22.5 8T (Rough Terrain profile - Overall width : 6' 9" (2068 mm)	518048
51804827	Steer Tire - OTR - N20 - 12.5/80-18 6T (Rough Terrain profile - Overall width : 6' 9" (2066 mm)	518048
51804760	Semi-Enclosed Cab	518047
51804763	High Back Vinyl Seat - Mechanical Suspension	518047
51804805	177" (4.5m) FVD Side Shifting Mast Distributor with levers in line - 4 hydraulic movements, Hydraulic kit 3rd element for Full Visibility Duplex (FVD) 4500 mm mast without fast coupling, Fast coupling for 3rd hydraulic element for Full Visibility Duplex mast (FVD) Techn info : height mast 4.5 m	518048
51804815	66" (1670mm) Wide Standard ITA Carriage - 4WD, FVD Masts Only	518048
51804811	Mast Tilting 15° Forward - 15° Backward	518048
Add Carria	ge, Forks or Other Options to Complete	Add C
	List Price: \$120,441	

STANDARD EQUIPMENT

- FOPS certified protective canopy
- Adjustable steering column

ENGINE

- 74 HP Deutz TCD 2.9 Turbo Diesel Engine w/DPF
- Includes Preheat Air for Engine
- Dual Element Air Cleaner w/ Indicator & Pre-Cleaner

TRANSMISSION

- Mechanical gearbox with torque converter 4/4
- M50-2: Front axle differential lock
- M50-4: control for 2 / 4 WD

HYDRAULICS

- 4th Hydraulic Functions (includes Hydraulic Valve)
- Valve: 3 double action + 1 single action section
- 3rd and 4th Hose Kits Included with Mast Selection

WHEELS/TIRES

Overall width : 6' 9" (2068 mm)

- Front: OTR 18-22.5 R4 -2WD & 4WD
- Rear: 2WD OTR-P25-12.5/80-18 8T or 4WD OTR-N20-12.5/80-18 6T Rough Terrain Profile

51804803 Basic 4WD w/ Tilt Column

AGE #2: M50-4 Cab with Heat/Def.

51604603	Basic 400D W/ Tilt Column
51804826	Drive Tire - OTR - P20 - 18/22.5 8T (Rough Terrain profile - Overall width : 6' 9" (2068 mm)
51804827	Steer Tire - OTR - N20 - 12.5/80-18 6T (Rough Terrain profile - Overall width : 6' 9" (2066 mm)
51804761	Enclosed Cab - Heater / Defroster and Doors w/ Sliding Windows
51804763	High Back Vinyl Seat - Mechanical Suspension
51804806	185" (4.7m) FLT Side Shifting Mast Distributor with levers in line - 4 hydraulic movements, Hydraulic kit 3rd element for Free Lift Triplex (FLT) 4700 mm mast without fast coupling, Hydraulic kit 4th element for Free Lift Triplex (FLT) 4700 mm mast with fast coupling, Fast coupling for 3rd hydraulic element Hydraulic line 3 elements for FLT mast, Hydraulic line 4 elements for FLT mast, Techn info : height mast 4.7 m
51804817	66" (1670mm) Wide Standard ITA Carriage - 4WD, FLT Masts Only
51804811	Mast Tilting 15° Forward - 15° Backward
Add Carria	ge, Forks or Other Options to Complete

List Price: \$131,104

OTHER

- Rubber Mounted Tilting Operator's Compartment
- Complete road lighting front & rear
- Front & rear wiper w/ Front windshield washer
- Front and Rear Tinted Windows
- Inner rear-view mirror & Rearview Mirror LH
- Mechanical suspension vinyl seat
- Radio location without speakers and antenna
- Battery 12V 900A
- Tilt standard mast (forward / backward): 15° / 15°
- Full Instrumentation
- Lockable Engine Compartment
- Back Up Alarm
- Document Case
- Easy Link Module w/ Connectivity
- Block Heater

BRAKES

- Service brake: oil immersed multi-disc braking on front axles
- · Parking brake: oil immersed multi-disc mechanics on the front axle

M50 STAGE 5 OPTIONS - FACTORY INSTALLED

F.O.B. See C	Quote Terms: per Current Terms & Dis	counts	Schedule
Part No.	Description	List Price	
Base Unit (N	lust Select One)		
51804802	M50-2 - Basic 2WD w/ Differential Lock and Tilt Column	\$	107,644
51804803	M50-4 - Basic 4WD w/ Tilt Column	\$	115,968
Drive Tire A	ssembly (Must Select One)		
	OTR - P20 - 18/22.5 8T (2WD & 4WD) - Rough Terrain Profile - Overall width : 6' 9" (2068 mm)	No	Charge
51800707	MITAS - MPT06 - 18-22.5 16PR 445/65-22,5 - Agri Profile - Overall width : 6'10" (2080 mm)	\$	263
Steer Tire A	ssembly (Must Select One)		
51804828	OTR - P25 - 12.5/80-18 8T (2WD ONLY) - Rough Terrain profile - Overall width : 6' 9" (2066 mm)	No	Charge
51804827	OTR - N20 - 12.5/80-18 6T (4WD <u>ONLY</u>) - Rough Terrain Profile - Overall width : 6' 9" (2066 mm)	No	Charge
51800713	MICHELIN - 340/80R18 8T P25 XMCL (4WD ONLY) - Rough Terrain Profile - Overall width : 6' 9" (2066 mm)	\$	68
•	tion (Must Select One)		
	Semi-Enclosed Cab		Charge
51804761	Enclosed Cab - Heater / Defroster and Doors w/ Sliding Windows	\$	6,077
51804762	Enclosed Cab - Heater / Defroster, Air Conditioning and Doors w/ Sliding Windows & Roof Wiper	\$	9,677
	(NOTE: Extended Lead Time)	Ŧ	-,
Seat (Must S			0
	High Back Vinyl, Mechanical Suspension Seat		Charge
51804764	High Back Cloth, Mechanical Suspension Seat (NOTE: Extended Lead-Time)	\$	453
	High Back Cloth Air Suspension Seat (NOTE: Extended Lead-Time)	\$	1,703
	Select One) - Selected Mast Includes required 3rd & 4th Hose Kits and Fast Couplers MAST - 2-Stage Full Visibility Duplex Masts (FVD) + Class IV Standard ITA Carriage (Includes Mounting)		
		¢	2 650
	114.57" (2910mm) OHL, 146" (3.7m) MFH, 0" FL (NOTE: Extended Lead-Time) 130.12" (3305mm) OHL, 177" (4.5m) MFH, 0" FL- Includes 51800732	\$ \$	3,659 4,473
	MAST - 3-Stage Free Lift Triplex Masts (FLT) + Class IV Standard ITA Carriage (Includes Mounting)	φ	4,473
	104.13" (2645mm) OHL, 185" (4.7m) MFH, 62.99" (1600mm) FFL	\$	9.059
51804807	121.46" (3085mm) OHL, 105 (4.1m) MFH, 80.31" (2040mm) FFL - Includes 51800732 (NOTE: Extended Lead-Time)	\$	11,097
	- 2-Stage Full Visibility Duplex Masts (FVD) + Class IV Standard ITA Carriage (Includes Mounting)	Ψ	11,007
	114.57" (2910mm) OHL, 146" (3.7m) MFH, 0" FL	No	Charge
51804911	130.12" (3305mm) OHL, 177" (4.5m) MFH, 0" FL	\$	727
	- 3-Stage Free Lift Triplex Masts (FLT) + Class IV Standard ITA Carriage (Includes Mounting)	Ψ	121
	104.13" (2645mm) OHL, 185" (4.7m) MFH, 62.99" (1600mm) FFL	\$	6,676
	ist Select One)	Ψ	0,010
	Carriage (Includes Mounting) for Full Visibility Duplex Masts (FVD) ONLY		
	66" (1670mm) Wide Standard ITA Carriage - 2WD, Full Visibility Duplex Masts (FVD) ONLY	No	Charge
51804913	79" (2000mm) Wide Standard ITA Carriage - 2WD, Full Visibility Duplex Masts (FVD) ONLY	\$	324
51804815	66" (1670mm) Wide Standard ITA Carriage - 4WD, Full Visibility Duplex Masts (FVD) ONLY		Charge
	79" (2000mm) Wide Standard ITA Carriage - 4WD, Full Visibility Duplex Masts (FVD) ONLY	\$	324
	Carriage (Includes Mounting) for Free Lift Triplex Masts (FLT) ONLY	, v	V2 1
51804817	66" (1670mm) Wide Standard ITA Carriage - 2WD/4WD, Free Lift Triplex Masts (FLT) ONLY	No	Charge
51804818	79" (2000mm) Wide Standard ITA Carriage - 2WD/4WD, Free Lift Triplex Masts (FLT) ONLY	\$	324
	(Must Select One)	Ŧ	
SIDE SHIFT			
51804811	15° Forward - 15° Backward (for Full Visibility Duplex or Free Lift Triplex Masts ONLY)	No	Charge
51804810	10° Forward - 15° Backward (for Full Visibility Duplex or Free Lift Triplex Masts <u>ONLY</u>)	\$	884
51804812	42° Forward - 10° Backward INCLUDES Tilt Cylinder Anti-Cavitation Valve - 51800732 and REQUIRES OTR Tires)	\$	903
FIXED MAS	,		
51804814	15° Forward - 15° Backward (for Full Visibility Duplex or Free Lift Triplex Masts ONLY)	\$	938



M50 STAGE 5 OPTIONS - FACTORY INSTALLED - Continued

Part No.	Description	Li	st Price
Transport Ma	ast Tilting Option		
	FIXED MAST Transport Preparation - Increase Tilt Angle (45°Total) for Shipping ONLY		
51804909	(Required for all FIXED MASTS over 107" (2715mm) OHL (Not Required if 42° Forward - 10° Backward Mast	\$	240
	Tilting is selected - 51802366)		
	SIDE SHIFT MAST Transport Preparation - Increase Tilt Angle (45°Total) for Shipping ONLY		
51804910	(Required for all SIDE SHIFT MASTS over 107" (2715mm) OHL (Not Required if 42° Forward - 10°	\$	240
	Backward Mast Tilting is selected - 51802366)		
Carriage Opt			
Load Backre			
	Load Backrest 66" (1670mm) Wide	\$	684
	Load Backrest 79" (2000mm) Wide	\$	774
	Side-Shift Carriages for 2-Stage Full Visibility Duplex Fixed Masts (FVD) Only (Requires ONLY 3rd Hose Kit)	Ψ	
	Side-Shift Carriages for 3-Stage Free Lift Triplex Fixed Masts (FVD) Only (Requires ONLY 3rd Hose Kit)	-	
	Side-Shift FLT 66" (1670mm) Wide (INCLUDES Hydraulic Quick Fit Connection)	\$	6,301
		φ \$,
	Side-Shift FLT 79" (2000mm) Wide (INCLUDES Hydraulic Quick Fit Connection) Fork Positioning Carriages for 2 or 3-Stage Fixed or Side-Shift Masts (FVD/FLT) Only (Requires ONLY 3rd Hose Kit)	\$	6,772
GIdSS IV ITA	Fork Positioning Carriages for 2 of 3-Stage Fixed of Side-Sinit Masts (PU)/FLT) only (Requires OKL Fit Hose Kit) Fork Positioner 72" (1829mm) Wide (Includes a 72" Load Backrest) (INCLUDES Hydraulic Quick Fit	1	
51804824	Connection for Selected Mast Type)	\$	12,700
	Fork Positioner 72" (1829 mm) Wide for 4.7m and 6m masts (Includes a 72" Load Backrest) (INCLUDES a	_	
51805059	Hydraulic Quick Fit Connection for Selected Mast Type)	\$	14,445
Class IV ITA	Side-Shift Fork Positioning Carriages for 2-Stage Full Visibility Duplex Fixed Masts (FVD) Only		
	FVD Side-Shift Fork Positioner 72" (1828 mm) Wide (Includes a 72" Load Backrest)	\$	12,700
	Side-Shift Fork Positioning Carriages for 3-Stage Free Lift Triplex Fixed Masts (FLT) Only	ψ	12,700
	FLT Side-Shift Fork Positioner 72" (1828 mm) Wide (Includes a 72" Load Backrest)	\$	12,700
Fork Options		Ψ	12,700
	ass IV ITA Carriages		
	No Forks Selection	No	Charge
	Pallet Forks, ITA Class IV, 48" Length (Pair) 2" x 6" / Rated 11,023 lbs.	\$	-
	Pallet Forks, ITA Class IV, 40 Length (Pair) 2" x 6" / Rated 11,023 lbs.	э \$	1,570
			2,172
51804830	Pallet Forks, ITA Class IV, 72" Length (Pair) 2" x 6" / Rated 11,023 lbs. Pallet Forks, ITA Class IV, 84" Length (Pair) 2" x 6" / Rated 11,023 lbs.	\$ \$	2,451
51804831		Ъ	2,692
51802197	Lumber Forks, ITA Class IV, 48" Length (Pair) 1.5" x 10" / Rated 11,023 lbs. (Note: If Fork Positioning	\$	16,565
0.002.00	Carriage 51804824 or 51804823 selected, must also select Lumber Fork Saddle Kit - 51801127)	Ť	. 0,000
51802334	Lumber Fork Class IV Saddle Kit	\$	1,498
Other Optior	IS		
51800943	Paint - Non-Standard Machine Single Color	\$	3,073
	ons REQUIRE 4-Digit RAL Paint Color Specification (NOTE: EXTENDED Lead Time)		
	e Ordered Prior to Production Run. Any Specialized Paints Will Have Additional Cost.)		
51800961	Cold Weather Battery (Highly Recommended for Use at 32° F (0° C) to -2° F (-19° C))	\$	220
51804769	Wide Fenders - Front	\$	468
51804770	Wide Fenders - Rear	\$	396
51804927	Fuel Heater NOTE: Extended Lead Time	\$	969
52109408	Front Working Lights - LED LH + RH	\$	316
51804918	Rear Working Lights - LED LH + RH (OPEN ROPS+CAB with Heat Only Equipped Units Only)	\$	492
51804918	Rear Working Lights - LED LH + RH (CAB with Heat & AC Equipped Units Only)	φ \$	492
51804926	Rearview Mirror RH	э \$	
		,	124
51804928	Reflective Safety Decals for Rear and Sides of Machine	\$	325
51800715	Roof Wiper (Use only with Units NOT Equipped with Air Conditioning)	\$	512
51800668	Radio - Bluetooth (Only for machiens equipped with a CAB)	\$	236
52107523	Rotating Beacon	\$	257
52112248	Seat Belt 3"	\$	279
51800718	Sunvisors (Roof And Windscreen)	\$	176
51800732	Tilt Cylinder Anti-Cavitation Valve (INCLUDED on Mast Heights above 236 inches (5994mm) MFH or REQUIRED with 42° Forward - 15° Backward Mast Tilt Option)	\$	843
Contact		_	
Sales	Data Plate - Dealer Installed Attachment - Click Here for Link to CAPACITY PLATE REQUEST FORM		tact Sale
00.00		1 8	Support

©MANITOU

M SERIES - M70H Stage 5

Rough Terrain Vertical Masted Forklift 15,432 lbs. (7,000 kg) Capacity



STANDARD PACKAGE: M70-2

51805140	M70-2H - Hydrostatic 2WD w/ 2-Speed Hydrostatic Transmission and Differential Lock and Tilt Column
51802407	Drive Tire - Michelin 18-19,5 8T N20 XF
51802408	Steer Tire - Continental 265/70 R19,5 6T P30 HT3
52101827	Enclosed Cab - Heater / Defroster, Air Conditioning and Doors w/ Sliding Windows
52103975	Wide Fenders
51802362	177" FVD Mast w/79" Wide Carriage
51800728	Transport Preparation - Mast Removed for Shipping ONLY
51802367	Pallet Forks, ITA Class IV, 72" Length (Pair) 2.75" x 6"

List Price: \$140,811

STANDARD EQUIPMENT

FOPS certified protective canopy

ENGINE

• 74 HP Deutz TD 3.6 L4 w/DOC

TRANSMISSION

- Reversing shift: electro-hydraulic
- Number of speeds (forward / reverse): 2 / 2
- Front axle differential lock

HYDRAULICS

- 4th Hydraulic Functions (includes Hydraulic Valve)
- Valve: 3 double action + 1 single action section

WHEELS/TIRES

- Front: 18-19,5 8T N20 XF MICHELIN
- Rear: 265/70 R19,5 6T P30 HT3 CONTINENTAL

BRAKES

- Service brake: oil immersed multi-disc braking on front axle
- Parking brake: oil immersed multi-disc mechanical front axle

OTHER

- Rubber Mounted Tilting Operator's Compartment
- Complete road lighting front & rear
- Front & Rear working lights LH +RH
- Back up alarm
- Rearview Mirror Interior
- Rearview Mirror LH
- Mechanical suspension vinyl seat
- Front and Rear Tinted Windshields and Wipers with front washer
- Battery 12V 900A
- Tilt standard mast (forward / backward): 15° / 15°
- Full Instrumentation
- Lockable Engine Compartment
- Standard Fenders
- Document Case
- Radio location without speakers and antenna
- Load shock absorber
- Anticavitation valve on tilt cylinder
- Normal Weather Adaptation
- Air Intake Rain Cap
- Rotating Beacon
- Easy Link Module w/Connectivity
- Block Heater

M70 TIER IV OPTIONS - FACTORY INSTALLED

Part No.	Description	Li	st Price
	lust Select One)		
	M70-2H - Hydrostatic 2WD w/ 2-Speed Hydrostatic Transmission and Differential Lock and Tilt Column	\$	126,79
	ssembly (Must Select One)		
51802407	Michelin 18-19,5 8T N20 XF		Charge
52103969	Michelin 18-22,5 8T N20 XF	\$	92
	ssembly (Must Select One)		
	Continental 265/70 R19,5 6T P30 HT3	No	Charge
-	ation (Must Select One)		
51802406	Semi-Enclosed Cab	No	Charge
52101830	Enclosed Cab - Heater / Defroster and Doors w/Sliding Windows	\$	4,59
	Enclosed Cab - Heater / Defroster, Air Conditioning and Doors w/ Sliding Windows	\$	9,34
	s (Optional)		
	High Back Cloth Seat	\$	44
	High Back Cloth Air Suspension Seat	\$	1,68
Veather Ad	aptation Option (Optional)		
52101955	Cold Weather (Highly Recommended for Use at 32° F (0° C) to -2° F (-19° C)) - Includes Preheat Air for Engine	\$	1,59
	and Cold Weather Battery	Ψ	1,00
	ptions (Optional)		
	Cyclonic Pre-Filter	\$	1
	Self-Cleaning Pre-Filter	\$	1,02
	(Optional)		
52103971	Radio Ready - Speakers and Antenna Only	\$	1:
	tion (Optional)		
	Wide Fenders	\$	54
	Carriage (Must Select One)		
	F - 2-Stage Full Visibility Duplex Masts (FVD) + Class IV Standard ITA Carriage (Includes Mounting)		
51802358	132.20" (3360mm) OHL, 158" (4.0m) MFH, 0" FL, w/ 69" (1750mm) Wide Carriage		Charge
51802359	132.20" (3360mm) OHL, 158" (4.0m) MFH, 0" FL, w/ 79" (2000mm) Wide Carriage	\$	32
51802360	132.20" (3360mm) OHL, 158" (4.0m) MFH, 0" FL, w/ 95" (2400mm) Wide Carriage	\$	84
51805144	142.10" (3610mm) OHL, 177" (4.5m) MFH, 0" FL, w/ 69" (1750mm) Wide Carriage	\$	1,13
51802362	142.10" (3610mm) OHL, 177" (4.5m) MFH, 0" FL, w/ 79" (2000mm) Wide Carriage	\$	73
51802363	142.10" (3610mm) OHL, 177" (4.5m) MFH, 0" FL, w/ 95" (2400mm) Wide Carriage	\$	1,42
ransport N	ast Tilting Option		
51800728	Transport Preparation - Mast Removed for Shipping ONLY	\$	3′
arriage Op	tions		
oad Backr	est (LBR)		
52101713	Load Backrest 69" (1750mm) Wide	\$	75
52101714	Load Backrest 79" (2000mm) Wide	\$	88
52101715	Load Backrest 95" (2400mm) Wide	\$	1,1
	Side-Shift Carriages for 2-Stage Full Visibility Duplex Fixed Masts (FVD) Only (Requires ONLY 3rd Hose Kit)		
	Side Shift FVD 69" (1750mm) Wide	\$	10,0
	Side Shift FVD 79" (2000mm) Wide	\$	10,0
lass IV ITA	Side Shifting Fork Positioning Carriages for 2-Stage Fixed Full Visibility Masts (Requires 3rd & 4th Hose Kit)		
	Side Shifting Fork Positioner for 96" Wide with Load Backrest	\$	19,5
	Select One)		
· ·	lass IV ITA Carriages		
	No Forks Selection	No	Charge
51801344	Pallet Forks, ITA Class IV, 60" Length (Pair) 2.75" x 6" / Rated 15,432 lbs.	\$	3,0
	Pallet Forks, ITA Class IV, 72" Length (Pair) 2.75" x 6" / Rated 15,432 lbs.	\$	3,0
51802367			
51802367 51802368	Pallet Forks, ITA Class IV, 84" Length (Pair) 2.75" x 6" / Rated 15,432 lbs.	\$	3,6



M70 TIER IV OPTIONS - FACTORY INSTALLED - Continued

Part No.	Description	List I	List Price	
Options				
Hose Kit Opt	ions			
51801180	Hose Kit 3rd Function 142" (3.6m) FVD (for FVD Masts + ITA Standard Carriages ONLY)	\$	759	
51801186	Hose Kit 4th Function 142" (3.6m) FVD (for FVD Masts + ITA Standard Carriages ONLY)	\$	759	
51800875	Hose Kit 3rd Function 158" (4.0m) FVD (for FVD Masts + ITA Standard Carriages ONLY)	\$	819	
51800876	Hose Kit 4th Function 158" (4.0m) FVD (for FVD Masts + ITA Standard Carriages ONLY)	\$	819	
51801182	Hose Kit 3rd Function 177" (4.5m) FVD (for FVD Masts + ITA Standard Carriages ONLY)	\$	1,025	
51801188	Hose Kit 4th Function 177" (4.5m) FVD (for FVD Masts + ITA Standard Carriages ONLY)	\$	1,025	
Other Option	S			
807775	Tire Sealant (Drive and Steer Tires)	\$	635	
52103981	Rearview Mirror RH	\$	125	
51802460	Front Working Lights - LED LH + RH	\$	1,029	
51802461	Rear Working Lights - LED LH + RH	\$	1,029	
52103980	Roof Wiper (Not available for Units Equipped with Air Conditioning)	\$	522	
51802448	Roof Wiper (For Units Equipped with Air Conditioning <u>ONLY</u>)	\$	493	
51801413	Seat Belt 3"	\$	274	
51800718	Sunvisors (Roof And Windscreen)	\$	176	
Contact Sales Support	Data Plate - Dealer Installed Attachment - Click Here for Link to CAPACITY PLATE REQUEST FORM		ct Sales port	