



Track Loader

Price List



DATE: March 13, 2023

SUBJECT: Price Pages

TO: All Manitou Track Loader Dealers

One Gehl Way
West Bend, WI 53095
262-334-9461 (P)
262-334-6689 (F)

Attached are **replacement** pages for your Track Loader price list with an Effective Date of March 13, 2023. These pages replace all previously published lists. Please note that these pages reflect the following changes:

Introducing the newest additions to the Skid Loader family – 2100VT, 2300VT and 2750VT!!



2100VT Standard Equipment

- 2,100 lbs. (952 kg) @ 35% Tipping Capacity
- 3,000 lbs. (1,361 kg) @ 50% Tipping Capacity
- Yanmar Naturally Aspirated Diesel Engine
 - 69.3 Gross hp (51.7 kW) @ 2,500 rpm
 - EPA Tier IV / Euro Stage 5
 - Max torque - 178 ft. lbs. (241 Nm) @ 1,625 rpm
- DPF (Diesel Particulate Filter) Technology
- Bucket pin height - 121.0 in. (3,073 mm)
- Standard auxiliary hydraulic flow - 22.8 gpm (86.5 L/min)
- Vertical Style Lift Path
- IdealTrax™ Automatic Track Tensioning System



2300VT Standard Equipment

- 2,300 lbs. (1,043 kg) @ 35% Tipping Capacity
- 3,286 lbs. (1,491 kg) @ 50% Tipping Capacity
- Yanmar Turbo Diesel Engine
 - 72.0 Gross hp (53.7 kW) @ 2,500 rpm
 - EPA Tier IV / Euro Stage 5
 - Max torque - 217 ft. lbs. (294 Nm) @ 1,800 rpm
- DPF (Diesel Particulate Filter) Technology
- Bucket pin height - 121.0 in. (3,073 mm)
- Standard auxiliary hydraulic flow - 22.8 gpm (86.5 L/min)
- Vertical Style Lift Path
- IdealTrax™ Automatic Track Tensioning System



2750VT Standard Equipment

- 2,750 lbs. (1,247 kg) @ 35% Tipping Capacity
- 3,929 lbs. (1,782 kg) @ 50% Tipping Capacity
- Yanmar Turbo Diesel Engine
 - 72.0 Gross hp (53.7 kW) @ 2,500 rpm
 - EPA Tier IV / Euro Stage 5
 - Max torque - 217 ft. lbs. (294 Nm) @ 1,800 rpm
- DPF (Diesel Particulate Filter) Technology
- Bucket pin height - 129.5 in. (3,289 mm)
- Standard auxiliary hydraulic flow - 26.0 gpm (98.4 L/min)
- Vertical Style Lift Path
- IdealTrax™ Automatic Track Tensioning System

The following are general changes:

- Field installed kits are no longer available to order with machines
 - Field kits will ONLY be available through the Order Accessories section of the portal
 - Field kits will continue to be shown on the price pages
 - The Field Installed Options tab is no longer available when ordering a machine
 - The button (All Parts Catalog) to allow additional field kits and attachments to be added to a machine order for a product line is no longer available

Pricing reflects suggested list prices in U.S. dollars.

Please ensure that all sales personnel have a copy of this revised price list. Copies of the price list can be printed and/or downloaded and saved from the Manitou Dealer Portal for future reference.

cc: Field and Internal Distribution
Enclosure

Track Loaders

INDEX

<u>CURRENT PRODUCTION MODELS</u>	<u>Page</u>
1050RT	3
1350RT	7
1650RT	11
1850RT "SUBJECT TO AVAILABILITY"	17
2100VT NEW!	21
2150RT "SUBJECT TO AVAILABILITY"	24
2300VT NEW!	28
2550RT "SUBJECT TO AVAILABILITY"	31
2750VT NEW!	35
3200VT	38
 <u>DISCONTINUED MODELS - FIELD KITS ONLY</u>	
1750RT NXT3	43
2100RT NXT3	44
2500RT NXT3	45
 <u>ATTACHMENTS</u>	
Attachment Matrix	47
MG Attachments Information	54

CURRENT PRODUCTION MODELS

The models on the following pages are models currently in production.

*Please note that models listed in this section may have been discontinued.
These models will be indicated as Subject to Availability and may be
available in limited quantities.*

STANDARD EQUIPMENT

DRIVE TRAIN / CHASSIS

- Dynamic Braking - Hydrostatic
- Manual Controlled Hydrostatic Drive
- Mechanical Lift Cylinder Lock
- Multi-Tach™ Attachment System (Universal-Style)
- Parking / Emergency Brake - Automatic Apply / Release
- Radial Piston Drive Motor
- Radial Style Lift Path
- Removable Belly Plate and Access Cover
- Rexroth Drive Motors
- Single Speed Drive System

ELECTRICAL SYSTEM

- Back-Up Alarm
- Sealed Fuse Box and Fuses Easily Accessible in Rear of Machine
- Right Side, Eye Level Instrumentation Panel
 - Display includes Engine RPM, Coolant Temperature, Hourmeter, Battery Voltage, Engine Diagnostic Codes, Engine DPF Regen Status
 - Warning Indicators - Air Filter, Battery Voltage, Engine Coolant Temperature, Regen Status, Hydraulic Oil Filter, Pressure & Temperature, Preheat and Check Engine
- Easy Link Module
- Lights
 - Tail and Work (2 - Front and 2 - Rear)

ENGINE

- Yanmar Naturally Aspirated Diesel Engine
- DPF (Diesel Particulate Filter) Technology
- Dual Element Air Cleaner w/ Indicator
- Grid Heater Starter Assist - Automatic
- Vandalism Lock Provisions
 - Fuel and Engine Cover

HYDRAULICS SYSTEM

- 3-Spool Open Center Valve
- 5 Micron Filter - Spin-On Type
- Independent Hydraulic Reservoir w/ Cooler
- Front Auxiliary Hydraulics with 3/4-inch Flat-Faced Couplers

OPERATORS AREA

- Acoustical Sound Material and Deluxe Headliner
- Adjustable Seat Belt
- Controls - Choice of 2
- Deluxe High-Back, Cushion Seat
- Entry / Exit Grab Handles
- Foot and Hand Throttle
 - Hand Control Units Only
- Hydraloc™ System
 - Brakes and Interlock for Starter, Lift / Tilt Cylinders and Wheel Drives
- Operator Restraint Bar w/ Armrests
- ROPS / FOPS Level II
 - Rollback Guard w/ Integral Side Screens
- Windows
 - Top and Rear Emergency Exit

WARRANTY

- See Warranty Policy

EQUIPMENT SPECIFICATIONS FOR BASE UNIT

LOADER

- Rated Operating Capacity
 - 1,050 lbs. (476 kg) @ 35% Tipping Capacity
 - 1,500 lbs. (680 kg) @ 50% Tipping Capacity
- Breakout Force - Bucket - 2,975 lbs. (1,349 kg)
- Breakout Force - Lift - 3,043 lbs. (1,380 kg)
- SAE Tipping Load - 3,000 lbs. (1,361 kg)
- Ground Clearance - 7.5 in (191 mm)
- Pin Height - 109 in. (2,769 mm)
- ROPS Height - 71.5 in. (1,816 mm)

HYDRAULICS

- Auxiliary Hydraulics
 - Standard Flow Hydraulics - 14.5 gpm (55 L/min)
- Hydraulic Reservoir - 8 gal. (30.3 L)
- Hydraulic System - 10 gal. (37.9 L)
- System Pressure - 2,828 psi (195 bar)

DIESEL ENGINE

- Yanmar 3TNV88C-KMS
- 3 Cylinder, Naturally Aspirated
- 31.8 Net hp (23.7 kW) @ 2,800 rpm
 - 34.7 Gross hp (25.5 kW) @ 2,800 rpm
- Max Torque - 80.7 ft.-lbs. (109.4 Nm) @ 1,820 rpm
- Emissions Compliance (EPA / Euro)
 - Tier IV / Stage 3B
- Displacement - 100.2 cu. in. (1.64 L)
- Fuel Tank - 9.5 gal. (36 L)
- Oil Change Interval - 500 Hours

ELECTRICAL

- Alternator - 55 amp.
- Battery - 12 Volt, 800 CCA
- Starter - 2.3 kW

Manitou Track Loaders

1050RT

Package Configurations (*Configuration List Price does not include Track Price)

Standard - Hands Only (Must Select Tracks)		Standard - Joystick (Must Select Tracks)	
R50851110	Hands Only Control System - Manual Controls	R50841685	Joystick Control System w/ Hydraglide™ Ride Control System
R50851105	Deluxe High Back Suspension Seat	R50851105	Deluxe High Back Suspension Seat
R50851106	Seat Belt - 2 in. (50 mm)	R50851106	Seat Belt - 2 in. (50 mm)
R50851109	Hydraulic Self-Leveling - Lift Action (All Controls Except Joystick)	R50841689	Hydraulic Self-Leveling - Lift Action (Joystick Controls)
R50841442	Easy Link Module w/ 6 Years Connectivity	R50841442	Easy Link Module w/ 6 Years Connectivity
R50851136	Weight - Rear Counterweight	R50851136	Weight - Rear Counterweight
*List Price: \$ 50,331.00		*List Price: \$ 53,617.00	
Deluxe - Hands Only (Must Select Tracks)		Deluxe - Joystick (Must Select Tracks)	
R50851110	Hands Only Control System - Manual Controls	R50841685	Joystick Control System w/ Hydraglide™ Ride Control System
R50851105	Deluxe High Back Suspension Seat	R50851105	Deluxe High Back Suspension Seat
R50851106	Seat Belt - 2 in. (50 mm)	R50851106	Seat Belt - 2 in. (50 mm)
R50851109	Hydraulic Self-Leveling - Lift Action (All Controls Except Joystick)	R50841689	Hydraulic Self-Leveling - Lift Action (Joystick Controls)
R50841442	Easy Link Module w/ 6 Years Connectivity	R50841442	Easy Link Module w/ 6 Years Connectivity
R50851149	Cab Enclosure w/ Heat - Swing Out Door and Front Wiper	R50851149	Cab Enclosure w/ Heat - Swing Out Door and Front Wiper
R50850982	Engine Block (Frost Plug) Heater	R50850982	Engine Block (Frost Plug) Heater
R50851136	Weight - Rear Counterweight	R50851136	Weight - Rear Counterweight
*List Price: \$ 54,046.00		*List Price: \$ 57,332.00	

Part No	Part Description	List Price
Base Unit		
R50851255	1050RT - STANDARD BASE UNIT - U.S. AND CANADA ONLY	\$47,492.00
Required Factory Options		
Controls		
R50851111	Hand / Foot Control System - Manual Controls	\$0.00
R50851110	Hands Only Control System - Manual Controls Note: ONLY for Use on Tier IV / Stage 5 Models	\$0.00
R50841685	Joystick Control System w/ Hydraglide™ Ride Control System **Pilot Type Controls	\$3,286.00
Seat		
R50851105	Deluxe High Back Suspension Seat	\$324.00
R50851104	Standard High Back Cushion Seat	\$0.00
Seat Belt		
R50851106	Seat Belt - 2 in. (50 mm)	\$0.00
R50851107	Seat Belt - 3 in. (76 mm) Note: Where Required By State Law	\$110.00
Self-Leveling		
R50851109	Hydraulic Self-Leveling - Lift Action (All Controls Except Joystick)	\$406.00
R50841689	Hydraulic Self-Leveling - Lift Action (Joystick Controls)	\$406.00
R50851108	No Hydraulic Leveling - All Controls Except Joystick	\$0.00
R50841688	No Hydraulic Leveling - Joystick Controls	\$0.00

Manitou Track Loaders

1050RT

Part No	Part Description	List Price
Required Factory Options		
Connected Solutions		
R50841442	Easy Link Module w/ 6 Years Connectivity **for Use w/ Easy Manager System	\$1,543.00
R50841443	Easy Link Module w/ Access Control Keyboard and 6 Years Connectivity **for Use w/ Easy Manager System	\$2,064.00
Tracks		
R50851156	9.8 in. (250 mm) Block Tread **Ground Pressure - 4.8 psi (0.33 kg/cm2), Overall Width - 50.8 in. (1290 mm)	\$0.00
Non-Required Factory Options		
R50851149	Cab Enclosure w/ Heat - Swing Out Door and Front Wiper Note: Doors CANNOT Be Used w/ Backhoe Attachment Installed	\$3,479.00
R50851146	Door - Swing Out w/ Front Wiper Note: Doors CANNOT Be Used w/ Backhoe Attachment Installed	\$1,217.00
R50850982	Engine Block (Frost Plug) Heater **120 Volt, 400 Watt w/ 5 ft. (1.5 m) Power Cord **Highly Recommended for Use at 20° F (-6° C) and Colder Conditions	\$236.00
R50851139	Half-Glass, Non-Sliding Side Windows **for Additional Sound Reduction (Not for Use w/ Cab Enclosure)	\$219.00
R50851143	Heater Note: ONLY for Use on Tier IV / Stage 5 Models	\$1,096.00
R50851319	Lifting System - Four Point	\$184.00
R50851329	Mirror - Rear View **Can Install Two if Needed	\$51.00
R50851148	Open ROPS/FOPS w/ Side Windows and Heat Note: ONLY for Use on Tier IV / Stage 5 Models	\$1,914.00
R50851147	Open ROPS/FOPS w/ Swing Out Door, Side Windows and Front Wiper Note: Doors CANNOT Be Used w/ Backhoe Attachment Installed	\$2,033.00
R50850983	Painting - Non-Standard Paint Package - Painted One Requested Color Note: Paint Options REQUIRE 4-Digit RAL Paint Color Specification (Must Be Ordered Prior To Production Run. Any Specialized Non-Standard Paints Will Have Additional Cost.)	\$1,792.00
R50851138	Rear Wiper Note: Requires Front Door	\$573.00
R50851141	Sliding Side Windows	\$824.00
R50851136	Weight - Rear Counterweight **Increases Rated Operating Capacity by 125 lbs. (56 kg) and Adds 5.0 in. (127 mm) to Length	\$566.00
Field Installed Options		
R50851144	Door Kit - Impact Resistant **.5 in. (12 mm) Polycarbonate Material Note: Doors CANNOT Be Used with Backhoe Attachment Installed	\$1,010.00
R50851145	Door Kit - Swing Out w/ Front Wiper Note: Doors CANNOT Be Used with Backhoe Attachment Installed	\$1,159.00
R50850986	Engine Block (Frost Plug) Heater Kit **120 Volt, 400 Watt w/ 5 ft. (1.5 m) Power Cord **Highly Recommended for Use at 20° F (-6° C) and Colder Conditions	\$110.00
R50851142	Heater Kit Note: ONLY for Use on Tier IV / Stage 5 Models	\$1,424.00
R50851133	Hydraulic Self-Leveling Kit - Lift Action	\$494.00
R50851320	Lift Kit - Four Point Lift System	\$184.00
R50851132	Lift Kit - Single Point Lift System	\$506.00

Manitou Track Loaders

1050RT

Part No	Part Description	List Price
Field Installed Options		
R50851125	Mirror Kit - Rear View **Can Install Two if Needed	\$51.00
R50851128	Pre-Cleaner Kit - Centrifugal Type Note: ONLY for Use on Tier IV / Stage 5 Models	\$371.00
R50851137	Rear Wiper Kit	\$573.00
R50851140	Sliding Side Windows Kit	\$768.00
R50851130	Strobe Light Kit	\$220.00
R50851135	Weight Kit - Rear Counterweight **Increases Rated Operating Capacity by 125 lbs. (56 kg) and Adds 5.0 in. (127 mm) to Length	\$526.00

STANDARD EQUIPMENT

DRIVE TRAIN / CHASSIS

- Dual, Integral Cleanout Plates
- Dynamic Braking - Hydrostatic
- Front Chassis Cleanout
- IdealTrax™ - Automatic Track Tensioning System
- Manually Controlled Hydrostatic Drive
- Mechanical Lift Cylinder Lock
- Multi-Tach™ Attachment System (Universal-Style)
- Parking / Emergency Brake
- Radial Style Lift Path
- Single Speed Drive System

ELECTRICAL SYSTEM

- Back-Up Alarm
- Battery Disconnect
- Information Center with Multi-Function Color Display
 - Display includes Fuel Level, Real Time Fuel Consumption, Engine RPM, Coolant Temperature, Hourmeter, Battery Voltage, Engine Diagnostic Codes, Other Engine DPF Regen Status,
 - Warning Indicators - Air Filter, Battery Voltage, Engine Coolant Temperature, Regen Status, Hydraulic Oil Filter, Pressure & Temperature, Preheat, Check Engine
- Easy Link Module
- Lights (Halogen)
 - Tail and Work (2 - Front and 2 - Rear)

ENGINE

- Yanmar Naturally Aspirated Diesel Engine
- DPF (Diesel Particulate Filter) Technology
- Dual Element Air Cleaner w/ Indicator
- Engine Auto Shutdown System
- Glow Plug Heater Starter Assist - Automatic / Manual
- Remote Engine Oil Filter
- Swing-Out Cooler
- Vandalism Lock Provisions
 - Fuel and Engine Cover

HYDRAULICS SYSTEM

- 12 Micron Filter - Spin-On Type
- 3-Spool Open Center Valve
- Connect-Under Pressure Auxiliary Couplers
- Dual Lift / Tilt Cylinders w/ IHCP (Induction Hardened Chrome Plating) Cylinder Rods
- Hydraglide™ Ride Control
- Independent Hydraulic Reservoir w/ Cooler
- Proportionate Auxiliary Hydraulic Control

OPERATORS AREA

- Acoustical Sound Material and Deluxe Headliner
- Adjustable Seat Belt
- Controls - Joystick (Pilot Hydraulic Operated)
- Cup Holder / Storage Tray
- Deluxe High-Back, Cushion Seat
- Cab Mounted Entry / Exit Grab Handles
- Foot Throttle
- Hand Throttle
- Horn
- Hydraloc™ System
 - Brakes and Interlock for Starter, Lift / Tilt Cylinders and Wheel Drives
- Operator Restraint Bar
- ROPS / FOPS Level II
 - Rollback Guard w/ Integral Side Screens
- Windows
 - Top and Rear Emergency

WARRANTY

- See Warranty Policy

EQUIPMENT SPECIFICATIONS FOR BASE UNIT

LOADER

- Rated Operating Capacity
 - 1,350 lbs. (612 kg) @ 35% Tipping Capacity
 - 1,929 lbs. (875 kg) @ 50% Tipping Capacity
- SAE Tipping Capacity - 3,857 lbs. (1,750 kg)
- Breakout Force - Bucket - 3,500 lbs. (1,588 kg)
- Breakout Force - Lift - 3,730 lbs. (1,692 kg)
- Ground Clearance - 8.4 in. (213 mm)
- Pin Height - 110 in. (2,794 mm)
- ROPS Height - 76 in. (1,930 mm)

HYDRAULICS

- Auxiliary Hydraulics
 - Standard Flow Hydraulics - Lift Arm Mounted (Front, Left Side) w/ 3/4" (19 mm) Flat-Faced Couplers - 17 gpm (64 L/min)
- Hydraulic Reservoir - 9.2 gal. (34.8 L)
- Hydraulic System - 13.7 gal. (51.9 L)
- System Pressure - 3,000 psi (207 bar)

DIESEL ENGINE

- Yanmar 4TNV88C
- 4 Cylinder, Naturally Aspirated
- 46.0 Gross hp (34.3 kW) @ 2,800 rpm
- Max Torque - 107.8 ft. lbs. (146.2 Nm) @ 1,820 rpm
- Emissions Compliance (EPA / Euro)
 - Tier IV / Stage 5
- Displacement - 133.6 cu. in. (2.2 L)
- Fuel Tank - 15.7 gal. (59.4 L)
- Oil Change Interval - 250 Hours

ELECTRICAL

- Accessory Plug - 12 Volt
- Alternator - 100 amp.
- Battery - 12 Volt, 950 CCA
- Starter - 3.0 kW

Manitou Track Loaders

1350RT

Package Configurations (*Configuration List Price does not include Track Price)

Standard - Joystick (Must Select Tracks)		Deluxe - Joystick (Must Select Tracks)	
R50850893	Open ROPS/FOPS	R50851175	Cab Enclosure w/ Heat - Swing Out Door
R50850914	High Back Adjustable Seat	R50850916	High Back Air Ride Suspension Seat
R50851106	Seat Belt - 2 in. (50 mm)	R50851106	Seat Belt - 2 in. (50 mm)
R50851184	Multi-Tach® - Manual Quick-Attach System	R50851185	Power-A-Tach® - Hydraulic Actuated Powered Quick-Attach System
R50851187	Switchable Self-Leveling Hydraulic Lift Action - Selectable On / Off During Lift	R50851187	Switchable Self-Leveling Hydraulic Lift Action - Selectable On / Off During Lift
R50851167	Weight - Rear Counterweight	R50851167	Weight - Rear Counterweight
R50841438	Easy Link Module w/ 6 Years Connectivity	R50841438	Easy Link Module w/ 6 Years Connectivity
*List Price: \$ 59,217.00		R50850982	Engine Block (Frost Plug) Heater
		R50851400	Radio - Bluetooth
		*List Price: \$ 65,497.00	

Part No	Part Description	List Price
Base Unit		
R50851252	1350RT - STANDARD BASE UNIT - U.S. AND CANADA ONLY	\$56,622.00
Required Factory Options		
Operator Station		
R50851176	Cab Enclosure w/ Heat - Impact Resistant Door **.5 in. (12 mm) Polycarbonate Material Note: Doors CANNOT Be Used w/ Backhoe Attachment Installed	\$4,429.00
R50851175	Cab Enclosure w/ Heat - Swing Out Door Note: Doors CANNOT Be Used w/ Backhoe Attachment Installed	\$3,616.00
R50851178	Cab Enclosure w/ Heat and A/C - Impact Resistant Door **.5 in. (12 mm) Polycarbonate Material Note: Doors CANNOT Be Used w/ Backhoe Attachment Installed	\$5,796.00
R50851177	Cab Enclosure w/ Heat and A/C - Swing Out Door Note: Doors CANNOT Be Used w/ Backhoe Attachment Installed	\$5,019.00
R50850893	Open ROPS/FOPS	\$0.00
R50850897	Open ROPS/FOPS w/ Impact Resistant Door **.5 in. (12 mm) Polycarbonate Material Note: Doors CANNOT Be Used w/ Backhoe Attachment Installed	\$2,648.00
R50850894	Open ROPS/FOPS w/ Side Windows	\$802.00
R50851174	Open ROPS/FOPS w/ Side Windows and Heat	\$2,204.00
R50850895	Open ROPS/FOPS w/ Swing Out Door Note: Doors CANNOT Be Used w/ Backhoe Attachment Installed	\$1,524.00
R50850898	Open ROPS/FOPS w/ Swing Out Door and Side Windows Note: Doors CANNOT Be Used w/ Backhoe Attachment Installed	\$2,322.00
Seat		
R50850914	High Back Adjustable Seat	\$0.00
R50850916	High Back Air Ride Suspension Seat	\$531.00
R50850915	High Back Mechanical Suspension Seat	\$318.00
Seat Belt		
R50851106	Seat Belt - 2 in. (50 mm)	\$0.00
R50851107	Seat Belt - 3 in. (76 mm) Note: Where Required By State Law	\$110.00

Manitou Track Loaders

1350RT

Part No	Part Description	List Price
Required Factory Options		
Attachment System		
R50851184	Multi-Tach® - Manual Quick-Attach System	\$0.00
R50851185	Power-A-Tach® - Hydraulic Actuated Powered Quick-Attach System	\$1,246.00
Self-Leveling		
R50851186	No Hydraulic Leveling	\$0.00
R50851187	Switchable Self-Leveling Hydraulic Lift Action - Selectable On / Off During Lift	\$459.00
Counterweight		
R50851166	Standard - Bumper Only	\$0.00
R50851167	Weight - Rear Counterweight **Increases Rated Operating Capacity by 100 lbs. (45 kg) and Adds 1.5 in. (38 mm) to Length	\$593.00
Connected Solutions		
R50841438	Easy Link Module w/ 6 Years Connectivity **for Use w/ Easy Manager System	\$1,543.00
R50841439	Easy Link Module w/ Access Control Keyboard and 6 Years Connectivity **for Use w/ Easy Manager System	\$2,064.00
Tracks		
R50851336	11.8 in. (300 mm) Block Tread **Ground Pressure - 6.0 psi (0.41 kg/cm2), Overall Width - 57.0 in. (1448 mm)	\$0.00
Non-Required Factory Options		
R50851046	Camera - Rear **Includes 5 in. (127 mm) Display	\$1,516.00
R50850982	Engine Block (Frost Plug) Heater **120 Volt, 400 Watt w/ 5 ft. (1.5 m) Power Cord **Highly Recommended for Use at 20° F (-6° C) and Colder Conditions	\$236.00
R50850983	Painting - Non-Standard Paint Package - Painted One Requested Color Note: Paint Options REQUIRE 4-Digit RAL Paint Color Specification (Must Be Ordered Prior To Production Run. Any Specialized Non-Standard Paints Will Have Additional Cost.)	\$1,792.00
R50851411	Pre-Cleaner - Centrifugal Type Note: CANNOT Be Used w/ Air Conditioning OR Heater	\$408.00
R50851412	Pre-Cleaner - Centrifugal Type Note: CANNOT Be Used w/ Air Conditioning (Pre-Cleaner Included w/ Air Conditioning) Note: Can ONLY Be Used w/ Heater	\$469.00
R50851400	Radio - Bluetooth **Includes Auxiliary / USB Input and Bluetooth Capability	\$651.00
R50850955	Rotating Beacon	\$254.00
Field Installed Options		
R50851044	Camera Kit - Rear **Includes 5 in. (127 mm) Display	\$1,516.00
R50841617	Controls Kit for Heater and Door --1350RT: Serial No. 304524 and Up	\$478.00
R50850940	Controls Kit for Heater and Door --1350RT: Serial No. 304523 and Before	\$479.00
R50850935	Door Kit - Impact Resistant **5 in. (12 mm) Polycarbonate Material Note: Doors CANNOT Be Used with Backhoe Attachment Installed Note: May Require Heater / Wiper Control Kit if not already installed on machine Note: May Require Washer Bottle/Pump Kit if not already installed on machine	\$1,990.00

Manitou Track Loaders

1350RT

Part No	Part Description	List Price
Field Installed Options		
R50850934	Door Kit - Swing Out w/ Front Wiper Note: May Require Heater / Wiper Control Kit if not already installed on machine Note: May Require Washer Bottle/Pump Kit if not already installed on machine Note: Doors CANNOT Be Used with Backhoe Attachment Installed	\$1,276.00
R50850985	Dual Flasher Kit **Two (2) 4-Way Tower Mounted	\$236.00
R50850986	Engine Block (Frost Plug) Heater Kit **120 Volt, 400 Watt w/ 5 ft. (1.5 m) Power Cord **Highly Recommended for Use at 20° F (-6° C) and Colder Conditions	\$110.00
R50850939	Heater Kit **Includes Heater Components Only Note: May Require Heater / Wiper Control Kit if not already installed on machine	\$1,115.00
R50850987	Lift Kit - Four Point Lift System	\$100.00
R50850988	Lift Kit - Single Point Lift System	\$612.00
R50850951	Mirror Kit - Rear View **Can Install Two if Needed	\$60.00
R50851196	Power-A-Tach® Kit - Hydraulic Actuated Powered Quick-Attach System **Convert Manual Quick-Attach to Power Quick-Attach - Plate NOT Included	\$1,281.00
R50851405	Pre-Cleaner Kit - Centrifugal Type Note: CANNOT Be Used with Air Conditioning OR Heater	\$408.00
R50851406	Pre-Cleaner Kit - Centrifugal Type Note: CANNOT Be Used with Air Conditioning (Pre-Cleaner Included w/ Air Conditioning) Note: Can ONLY Be Used with Heater	\$469.00
R50851401	Radio Kit - Bluetooth **Includes Auxiliary / USB Input and Bluetooth Capability	\$599.00
R50850937	Rear Wiper Kit **Includes Rear Window and Wiper Components Only Note: May Require Heater / Wiper Control Kit if not already installed on machine Note: May Require Washer Bottle/Pump Kit if not already installed on machine	\$561.00
R50850947	Rotating Beacon Kit	\$220.00
R50850943	Sliding Side Windows Kit	\$740.00
R50841615	Washer Bottle Kit - Double Pump **for BOTH Front Door AND Rear Window Wiper (Both Installed) --1350RT: Serial No. 304524 and Up	\$114.00
R50850942	Washer Bottle Kit - Double Pump **for BOTH Front Door AND Rear Window Wiper (Both Installed) --1350RT: Serial No. 304523 and Before	\$114.00
R50841616	Washer Bottle Kit - Single Pump Note: for Front Door Only OR Rear Window Wiper Only (One or Other, Not Both) --1350RT: Serial No. 304524 and Up	\$114.00
R50850941	Washer Bottle Kit - Single Pump Note: for Front Door Only OR Rear Window Wiper Only (One or Other, Not Both) --1350RT: Serial No. 304523 and Before	\$114.00
R50851195	Weight Kit - Rear Counterweight **Increases Rated Operating Capacity by 100 lbs. (45 kg) and Adds 1.5 in. (38 mm) to Length	\$606.00

STANDARD EQUIPMENT

DRIVE TRAIN / CHASSIS

- Dual, Integral Cleanout Plates
- Dynamic Braking - Hydrostatic
- Front Chassis Cleanout
- IdealTrax™ - Automatic Track Tensioning System
- Manually Controlled Hydrostatic Drive
- Mechanical Lift Cylinder Lock
- Multi-Tach™ Attachment System (Universal-Style)
- Parking / Emergency Brake
- Radial Piston Drive Motors
- Radial Style Lift Path
- Track Idlers - Single Flange Front, Dual Flange Rear
- Triple Flange Rollers - Maintenance Free
- Two Speed Drive System
- Undercarriage - Solid Mount

ELECTRICAL SYSTEM

- Battery Disconnect
- Information Center with Multi-Function Color Display
 - Display includes Fuel Level, Real Time Fuel Consumption, Engine RPM, Coolant Temperature, Hourmeter, Battery Voltage, Engine Diagnostic Codes and Engine DPF Regen Status
 - Warning Indicators - Air Filter, Battery Voltage, Engine Coolant Temperature, Regen Status, Hydraulic Oil Filter, Pressure & Temperature, Preheat and Check Engine
- Easy Link Module
- Lights (Halogen) - Tail and Work (2 - Front and 2 - Rear)

ENGINE

- Yanmar Naturally Aspirated Diesel Engine
- DPF (Diesel Particulate Filter) Technology
- Dual Element Air Cleaner w/ Indicator
- Engine Auto Shutdown System
- Glow Plug Heater Starter Assist - Automatic / Manual
- Remote Engine Oil Filter
- Swing-Out Cooler
- Vandalism Lock Provisions (Fuel and Engine Cover)

HYDRAULICS SYSTEM

- 12 Micron Filter - Spin-On Type
- 3-Spool Open Center Valve
- Connect-Under Pressure Auxiliary Couplers
- Dual Lift / Tilt Cylinders w/ IHCP (Induction Hardened Chrome Plating) Cylinder Rods
- Independent Hydraulic Reservoir w/ Cooler
- Proportional Auxiliary Hydraulic Control

OPERATORS AREA

- Acoustical Sound Material and Deluxe Headliner
- Adjustable Seat Belt
- Controls - Choice of 3
- Cup Holder / Storage Tray
- Deluxe High-Back, Cushion Seat
- Entry / Exit Grab Handles
- Foot Throttle
 - Excludes Hand / Foot Controls
- Hand Throttle
- Horn
- Hydraloc™ System
 - Brakes and Interlock for Starter, Lift / Tilt Cylinders and Track Drives
- Operator Restraint Bar
- ROPS / FOPS Level II
 - Rollback Guard w/ Integral Side Screens
- Windows
 - Top and Rear Emergency

WARRANTY

- See Warranty Policy

EQUIPMENT SPECIFICATIONS FOR BASE UNIT

LOADER

- Rated Operating Capacity
 - 1,650 lbs. (748 kg) @ 35% Tipping Capacity
 - 2,357 lbs. (1,069 kg) @ 50% Tipping Capacity
- SAE Tipping Capacity - 4,715 lbs. (2,139 kg)
- Breakout Force - Bucket - 4,230 lbs. (1,919 kg)
- Breakout Force - Lift - 5,060 lbs. (2,295 kg)
- Ground Clearance - 7.25 in (184 mm)
- Pin Height - 119.6 in. (3,038 mm)
- ROPS Height - 77.5 in. (1,969 mm)

HYDRAULICS

- Auxiliary Hydraulics - Lift Arm Mounted
 - Standard Flow Hydraulics - (Front, Left Side) w/ 3/4" (19 mm) Flat-Faced Couplers - 18.9 gpm (71.4 L/min)
 - Optional High-Flow Hydraulics - (Front, Right Side) w/ 3/4" (19 mm) Flat-Faced Couplers - 30.1 gpm (114 L/min)
- Hydraulic Reservoir - 11 gal. (42 L)
- Hydraulic System - 15 gal. (57 L)
- System Pressure - 3,000 psi (207 bar)

DIESEL ENGINE

- Yanmar 4TNV98C
- 4 Cylinder, Naturally Aspirated
- 68.4 Net hp (51.0 kW) @ 2,500 rpm
 - 72.8 Gross hp (54.3 kW) @ 2,500 rpm
- Max Torque - 178.8 ft. lbs. (241.3 Nm) @ 1,625 rpm
- Emissions Compliance (EPA / Euro)
 - Tier IV / Stage 5
- Displacement - 202.6 cu. in. (3.3 L)
- Fuel Tank - 16.5 gal. (62.5 L)
- Oil Change Interval - 250 Hours

ELECTRICAL

- Accessory Plug - 12 Volt
- Alternator - 100 amp.
- Battery - 12 Volt, 950 CCA
- Starter - 3.0 kW

Manitou Track Loaders

1650RT

Package Configurations (*Configuration List Price does not include Track Price)

Standard - Joystick (Must Select Tracks)		Premium - Joystick (Must Select Tracks)	
R50850893	Open ROPS/FOPS	R50850903	Cab Enclosure w/ Heat and A/C - Swing Out Door
R50850924	Joystick Control System w/ Hydraglide™ Ride Control System	R50850924	Joystick Control System w/ Hydraglide™ Ride Control System
R50850915	High Back Mechanical Suspension Seat	R50850916	High Back Air Ride Suspension Seat
R50850917	Shoulder and Seat Belt - 2 in. (50 mm)	R50850917	Shoulder and Seat Belt - 2 in. (50 mm)
R50850860	Standard Auxiliary Hydraulic Flow w/ Standard Couplers and Proportional Control - Joystick Controls	R50850860	Standard Auxiliary Hydraulic Flow w/ Standard Couplers and Proportional Control - Joystick Controls
R50850919	Multi-Tach® - Manual Quick-Attach System	R50850921	Power-A-Tach® - Hydraulic Actuated Powered Quick-Attach System
R50850933	Switchable Self-Leveling Hydraulic Lift Action - Selectable On / Off During Lift (Joystick Controls)	R50850933	Switchable Self-Leveling Hydraulic Lift Action - Selectable On / Off During Lift (Joystick Controls)
R50850892	Weight - Rear Counterweight	R50850892	Weight - Rear Counterweight
R50850858	Wide Undercarriage	R50850858	Wide Undercarriage
R50841438	Easy Link Module w/ 6 Years Connectivity	R50841438	Easy Link Module w/ 6 Years Connectivity
R50850958	Back-Up Alarm - Joystick Controls	R50850958	Back-Up Alarm - Joystick Controls
*List Price: \$ 65,498.00		R50850982	Engine Block (Frost Plug) Heater
		R50851400	Radio - Bluetooth
		*List Price: \$ 72,899.00	

Part No	Part Description	List Price
Base Unit		
R50851257	1650RT - STANDARD BASE UNIT - U.S. AND CANADA ONLY	\$58,323.00
Required Factory Options		
Operator Station		
R50850902	Cab Enclosure w/ Heat - Impact Resistant Door **.5 in. (12 mm) Polycarbonate Material Note: Doors CANNOT Be Used w/ Backhoe Attachment Installed	\$4,196.00
R50850900	Cab Enclosure w/ Heat - Swing Out Door Note: Doors CANNOT Be Used w/ Backhoe Attachment Installed	\$3,771.00
R50850906	Cab Enclosure w/ Heat and A/C - Impact Resistant Door **.5 in. (12 mm) Polycarbonate Material Note: Doors CANNOT Be Used w/ Backhoe Attachment Installed	\$5,796.00
R50850903	Cab Enclosure w/ Heat and A/C - Swing Out Door Note: Doors CANNOT Be Used w/ Backhoe Attachment Installed	\$5,019.00
R50850893	Open ROPS/FOPS	\$0.00
R50850897	Open ROPS/FOPS w/ Impact Resistant Door **.5 in. (12 mm) Polycarbonate Material Note: Doors CANNOT Be Used w/ Backhoe Attachment Installed	\$2,648.00
R50850894	Open ROPS/FOPS w/ Side Windows	\$802.00
R50850899	Open ROPS/FOPS w/ Side Windows and Heat	\$2,252.00
R50850895	Open ROPS/FOPS w/ Swing Out Door Note: Doors CANNOT Be Used w/ Backhoe Attachment Installed	\$1,524.00
R50850898	Open ROPS/FOPS w/ Swing Out Door and Side Windows Note: Doors CANNOT Be Used w/ Backhoe Attachment Installed	\$2,322.00
Controls		
R50850923	Hand / Foot Control System **Servo Type Controls	\$0.00

Manitou Track Loaders

1650RT

Part No	Part Description	List Price
Required Factory Options		
Controls		
R50850926	Hand / Foot Control System **Servo Type Controls Note: for Use w/ High-Flow Auxiliary Hydraulics which is INCLUDED in the Drive System Selection	\$0.00
R50850922	Hands Only Control System **Servo Type Controls	\$0.00
R50850925	Hands Only Control System **Servo Type Controls Note: for Use w/ High-Flow Auxiliary Hydraulics which is INCLUDED in the Drive System Selection	\$0.00
R50850924	Joystick Control System w/ Hydraglide™ Ride Control System **Pilot Type Controls	\$3,185.00
R50850927	Joystick Control System w/ Hydraglide™ Ride Control System **Pilot Type Controls Note: for Use w/ High-Flow Auxiliary Hydraulics which is INCLUDED in the Drive System Selection	\$3,185.00
Seat		
R50850914	High Back Adjustable Seat	\$0.00
R50850916	High Back Air Ride Suspension Seat	\$531.00
R50850915	High Back Mechanical Suspension Seat	\$318.00
Seat Belt		
R50850917	Shoulder and Seat Belt - 2 in. (50 mm) Note: Required for Use w/ Two Speed	\$226.00
R50850918	Shoulder and Seat Belt - 3 in. (76 mm) Note: Required for Use w/ Two Speed or Where Required by State Law	\$264.00
Auxiliary Hydraulics		
R50850861	High-Flow Auxiliary Hydraulics w/ High-Flow Couplers - All Controls Except Joystick	\$2,623.00
R50850862	High-Flow Auxiliary Hydraulics w/ High-Flow Couplers - Joystick Controls	\$2,623.00
R50850859	Standard Auxiliary Hydraulic Flow w/ Standard Couplers and Proportional Control - All Controls Except Joystick	\$0.00
R50850860	Standard Auxiliary Hydraulic Flow w/ Standard Couplers and Proportional Control - Joystick Controls	\$0.00
Attachment System		
R50850919	Multi-Tach® - Manual Quick-Attach System	\$0.00
R50850920	Power-A-Tach® - Hydraulic Actuated Powered Quick-Attach System **for Servo Type Controls	\$1,282.00
R50850921	Power-A-Tach® - Hydraulic Actuated Powered Quick-Attach System **for Pilot Type Controls	\$1,282.00
Self-Leveling		
R50850930	No Hydraulic Leveling - All Controls Except Joystick	\$0.00
R50850932	No Hydraulic Leveling - Joystick Controls	\$0.00
R50850931	Switchable Self-Leveling Hydraulic Lift Action - Selectable On / Off During Lift (All Controls Except Joystick)	\$459.00
R50850933	Switchable Self-Leveling Hydraulic Lift Action - Selectable On / Off During Lift (Joystick Controls)	\$459.00
Ride Control System		
R50850929	Hydraglide™ Ride Control System	\$777.00
R50850928	No Ride Control	\$0.00
Counterweight		
R50850891	Standard - Bumper Only	\$0.00

Manitou Track Loaders

1650RT

Part No	Part Description	List Price
Required Factory Options		
Counterweight		
R50850892	Weight - Rear Counterweight **Increases Rated Operating Capacity by 100 lbs. (45 kg) and Adds 1.5 in. (38 mm) to Length	\$1,108.00
Connected Solutions		
R50841438	Easy Link Module w/ 6 Years Connectivity **for Use w/ Easy Manager System	\$1,543.00
R50841439	Easy Link Module w/ Access Control Keyboard and 6 Years Connectivity **for Use w/ Easy Manager System	\$2,064.00
Machine Width Configuration		
R50850857	Narrow Undercarriage Note: 66.0 in. (1676 mm) Width - for Use w/ 12.6 in. (320 mm) Tracks	\$0.00
R50850858	Wide Undercarriage Note: 68.0 in. (1727 mm) Width - for Use w/ 12.6 in. (320 mm) Tracks Note: 71.5 in. (1816 mm) Width - for Use w/ 15.75 in. (400 mm) Tracks	\$0.00
Tracks		
R50850865	12.6 in. (320 mm) Camoplast HXD Block Tread **Ground Pressure - 6.2 psi (0.42 kg/cm2)	\$0.00
R50850866	15.75 in. (400 mm) Camoplast SD 4-Season Tread **Ground Pressure - 5.0 psi (0.35 kg/cm2)	\$621.00
Non-Required Factory Options		
R50850957	Back-Up Alarm - Hand / Foot Controls	\$336.00
R50850956	Back-Up Alarm - Hands Only Controls	\$336.00
R50850958	Back-Up Alarm - Joystick Controls	\$336.00
R50851046	Camera - Rear **Includes 5 in. (127 mm) Display	\$1,516.00
R50850953	Electric Attachment Control - 14-Pin Harness / Handle	\$1,063.00
R50850982	Engine Block (Frost Plug) Heater **120 Volt, 400 Watt w/ 5 ft. (1.5 m) Power Cord **Highly Recommended for Use at 20° F (-6° C) and Colder Conditions	\$236.00
R50850983	Painting - Non-Standard Paint Package - Painted One Requested Color Note: Paint Options REQUIRE 4-Digit RAL Paint Color Specification (Must Be Ordered Prior To Production Run. Any Specialized Non-Standard Paints Will Have Additional Cost.)	\$1,792.00
R50851409	Pre-Cleaner - Centrifugal Type Note: CANNOT Be Used w/ Air Conditioning OR Heater	\$408.00
R50851410	Pre-Cleaner - Centrifugal Type Note: Can ONLY Be Used w/ Heater OR Air Conditioning	\$469.00
R50851400	Radio - Bluetooth **Includes Auxiliary / USB Input and Bluetooth Capability	\$651.00
R50850955	Rotating Beacon	\$254.00
Field Installed Options		
R50850960	Back-Up Alarm Kit - Hand / Foot Controls	\$336.00
R50850959	Back-Up Alarm Kit - Hands Only Controls	\$336.00
R50850961	Back-Up Alarm Kit - Joystick Controls	\$336.00
R50851044	Camera Kit - Rear **Includes 5 in. (127 mm) Display	\$1,516.00
R50841617	Controls Kit for Heater and Door --1650RT: Serial No. 209979 and Up	\$478.00

Manitou Track Loaders

1650RT

Part No	Part Description	List Price
Field Installed Options		
R50850940	Controls Kit for Heater and Door --1650RT: Serial No. 209978 and Before	\$479.00
R50850935	Door Kit - Impact Resistant **.5 in. (12 mm) Polycarbonate Material Note: Doors CANNOT Be Used with Backhoe Attachment Installed Note: May Require Heater / Wiper Control Kit if not already installed on machine Note: May Require Washer Bottle/Pump Kit if not already installed on machine	\$1,990.00
R50850934	Door Kit - Swing Out w/ Front Wiper Note: May Require Heater / Wiper Control Kit if not already installed on machine Note: May Require Washer Bottle/Pump Kit if not already installed on machine Note: Doors CANNOT Be Used with Backhoe Attachment Installed	\$1,276.00
R50850985	Dual Flasher Kit **Two (2) 4-Way Tower Mounted	\$236.00
R50851045	Dual-Hand Pattern Control Kit **Convert Joystick Control to Dual-Hand Pattern	\$898.00
R50850945	Electric Attachment Control Kit - 14-Pin Harness / Handle	\$1,028.00
R50850986	Engine Block (Frost Plug) Heater Kit **120 Volt, 400 Watt w/ 5 ft. (1.5 m) Power Cord **Highly Recommended for Use at 20° F (-6° C) and Colder Conditions	\$110.00
R50850939	Heater Kit **Includes Heater Components Only Note: May Require Heater / Wiper Control Kit if not already installed on machine	\$1,115.00
R50850987	Lift Kit - Four Point Lift System	\$100.00
R50850988	Lift Kit - Single Point Lift System	\$612.00
R50850951	Mirror Kit - Rear View **Can Install Two if Needed	\$60.00
R50850952	Orifice Kit - Joystick Controls **To Allow Slower Response on Joystick Drive Control	\$51.00
R50850949	Power-A-Tach® Kit - Hydraulic Actuated Powered Quick-Attach System **Convert Manual Quick-Attach to Power Quick-Attach - Plate NOT Included	\$1,282.00
R50851407	Pre-Cleaner Kit - Centrifugal Type Note: CANNOT Be Used with Air Conditioning OR Heater	\$408.00
R50851408	Pre-Cleaner Kit - Centrifugal Type Note: Can ONLY Be Used with Heater OR Air Conditioning	\$469.00
R50851401	Radio Kit - Bluetooth **Includes Auxiliary / USB Input and Bluetooth Capability	\$599.00
R50850937	Rear Wiper Kit **Includes Rear Window and Wiper Components Only Note: May Require Heater / Wiper Control Kit if not already installed on machine Note: May Require Washer Bottle/Pump Kit if not already installed on machine	\$561.00
R50850947	Rotating Beacon Kit	\$220.00
R50850943	Sliding Side Windows Kit	\$740.00
R50841615	Washer Bottle Kit - Double Pump **for BOTH Front Door AND Rear Window Wiper (Both Installed) --1650RT: Serial No. 209979 and Up	\$114.00
R50850942	Washer Bottle Kit - Double Pump **for BOTH Front Door AND Rear Window Wiper (Both Installed) --1650RT: Serial No. 209978 and Before	\$114.00
R50841616	Washer Bottle Kit - Single Pump Note: for Front Door Only OR Rear Window Wiper Only (One or Other, Not Both) --1650RT: Serial No. 209979 and Up	\$114.00

Manitou Track Loaders

1650RT

Part No	Part Description	List Price
Field Installed Options		
R50850941	Washer Bottle Kit - Single Pump Note: for Front Door Only OR Rear Window Wiper Only (One or Other, Not Both) --1650RT: Serial No. 209978 and Before	\$114.00
R50850950	Weight Kit - Rear Counterweight **Increases Rated Operating Capacity by 100 lbs. (45 kg) and Adds 1.5 in. (38 mm) to Length	\$621.00
R50851015	Work Light Kit (LED)	\$451.00

STANDARD EQUIPMENT

DRIVE TRAIN / CHASSIS

- Axial Piston Drive Motors w/ Planetary Reduction
- Direct Drive Tandem Hydrostatic Pump, Pilot Controlled
- Dynamic Braking - Hydrostatic
- IdealTrax™ - Automatic Track Tensioning System
- Mechanical Lift Cylinder Lock
- Multi-Tach™ Attachment System (Universal-Style)
- Parking / Emergency Brake - Automatic Apply / Release (SAHR)
- Radial Style Lift Path
- Two Speed Drive System

ELECTRICAL SYSTEM

- Information Center with Multi-Function Color Display
 - Display includes Fuel Level, Real Time Fuel Consumption, Engine RPM, Coolant Temperature, Hourmeter, Battery Voltage, Engine Diagnostic Codes and DPF Regen Status
 - Warning Indicators - High Speed, Hydraglide, Float, Preheat, Seat Belt, Battery Voltage, Air Filter, Hydraulic Filter Bypass, Hydraulic Temp, Check Engine, Engine Coolant Temp, Engine Oil Pressure
- Back-Up Alarm
- Battery Disconnect
- Central Power Distribution Module
- Central Sealed Fuse Location Easily Accessible in Rear of Machine
- Easy Link Module
- Lights (Halogen)
 - Tail and Work (2 - Front and 2 - Rear)

ENGINE

- Yanmar Naturally Aspirated Diesel Engine
- Combination Radiator & Hydraulic Oil Cooler
- DPF (Diesel Particulate Filter) Technology
- Dual Element Air Cleaner w/ Indicator plus Pre-Cleaner
- Engine Auto Alert System
- Glow Plug Starter Assist - Automatic / Manual
- Remote Oil Filter
- Vandalism Lock Provisions
 - Battery, Engine Cover, Fuel Cap, Hydraulic Tank, Rear Door and Toolbox

HYDRAULICS SYSTEM

- 5-Micron Filter - Spin-On Type
- Dual Lift / Tilt Cylinders
- Independent Hydraulic Reservoir w/ Cooler
- Lift Arm Float Feature
- Open Center Series - Pilot / Hydraulic Actuation Valve
- Proportional Auxiliary Hydraulics
 - Includes: Case Drain Line and Pressure Dump
- Self-Leveling Hydraulic Lift Action
- Hydraglide™ Ride Control

OPERATORS AREA

- Adjustable Controls (Seat Mounted)
- Cab Interior Light
- Cup Holder
- Deluxe High-Back Cushion Seat - Mechanical Suspension
- Entry / Exit Grab Handles
- Foot Well Tilts Forward for Maintenance / Service Access
- Hand and Foot Throttle
- Horn
- Hydraloc™ System
 - Brakes and Interlock for Starter, Lift, Tilt Cylinders and Track Drives
- Joystick (Pilot-Hydraulic Operated) "Hands Only"
- Lockable Manual Compartment
- Operator Restraint Bars w/ Adjustable Armrests
- ROPS / FOPS Level II
 - Rollback Guard w/ Integral Side Screens
- Seat Belt - 2 in. Retractable
- Windows
 - Top and Rear Emergency

WARRANTY

- See Warranty Policy

EQUIPMENT SPECIFICATIONS FOR BASE UNIT

LOADER

- Rated Operating Capacity
 - 1,850 lbs. (839 kg) @ 35% Tipping Capacity
 - 2,643 lbs. (1,199 kg) @ 50% Tipping Capacity
- SAE Tipping Capacity - 5,286 lbs. (2,398 kg)
- Breakout Force - Bucket - 5,354 lbs. (2,429 kg)
- Breakout Force - Lift - 5,016 lbs. (2,275 kg)
- Ground Clearance - 12.5 in (318 mm)
- Pin Height - 128 in. (3,251 mm)
- ROPS Height - 83.0 in. (2,103 mm)

HYDRAULICS

- Auxiliary Hydraulics w/ Pressure Release Valve
 - Standard Flow Hydraulics - Lift Arm Mounted (Upper, Left Side) w/ 1/2" Flat-Faced Couplers -18.5 gpm (70.0 L/min)
 - Optional High Flow Hydraulics - Lift Arm Mounted (Upper, Left Side) w/ 3/4" Flat-Faced Couplers - 34 gpm (128.8 L/min)
- Hydraulic Reservoir / System Total - 18.5 gal. (70.0 L)
- System Pressure - 3,500 psi (241 bar)

DIESEL ENGINE

- Yanmar 4TNV98C
- 68.4 Net hp (51.0 kW) @ 2,500 rpm
 - 69.9 Gross hp (52.1 kW) @ 2,500 rpm
- Max Torque - 178 ft.-lbs. (241 Nm) @ 1,625 rpm
- Emissions Compliance (EPA / Euro)
 - Tier IV / Stage 5
- Displacement - 203 cu. in. (3.3 L)
- Fuel Tank - 24 gal. (91 L)
- Oil Change Interval - 250 Hours

DRIVE TRAIN

- Track Width - 12.6 in. (320 mm)
- Track Ground Pressure - 6.3 psi (0.43 bar)

ELECTRICAL

- Alternator - 95 amp.
- Battery - 12 Volt, 850 CCA
- Starter - 3.0 kW

Manitou Track Loaders

1850RT

Package Configurations (*Configuration List Price does not include Track Price)

Standard (Must Select Tracks)		Premium (Must Select Tracks)	
R50841188	Open ROPS/FOPS	R50841141	Cab Enclosure w/ Heat and A/C - IdealAccess™ Fold-Up Door and Front Wiper
R50841065	Suspension Seat	R50841066	Deluxe Air Ride Suspension Seat
R50841155	Standard Auxiliary Hydraulic Flow w/ Standard Couplers and Proportional Control	R50841155	Standard Auxiliary Hydraulic Flow w/ Standard Couplers and Proportional Control
R50840812	Multi-Tach® - Manual Quick-Attach System	R50841068	Power-A-Tach® - Electric Actuated Powered Quick-Attach System
R50841078	Switchable Self-Leveling Hydraulic Lift Action - Selectable On / Off During Lift	R50841078	Switchable Self-Leveling Hydraulic Lift Action - Selectable On / Off During Lift
R809659	Weight - Rear Counterweight	R809659	Weight - Rear Counterweight
R50841440	Easy Link Module w/ 6 Years Connectivity	R50841440	Easy Link Module w/ 6 Years Connectivity
*List Price: \$ 70,649.00		R809486	Engine Block (Frost Plug) Heater
		R50841340	Radio - Bluetooth
		*List Price: \$ 80,908.00	

Part No	Part Description	List Price
Base Unit		
R50841222	1850RT - STANDARD BASE UNIT - U.S. AND CANADA ONLY **Subject to Availability** Note: Contact Customer Service for Availability	\$67,887.00
Required Factory Options		
Operator Station		
R50841141	Cab Enclosure w/ Heat and A/C - IdealAccess™ Fold-Up Door and Front Wiper Note: CANNOT Be Used w/ Interior Mounted Rear View Mirror	\$7,365.00
R50841143	Cab Enclosure w/ Heat and A/C - Impact Resistant Door and Front Wiper **.5 in. (12 mm) Polycarbonate Material Note: Doors CANNOT Be Used w/ Backhoe Attachment Installed	\$6,865.00
R50841142	Cab Enclosure w/ Heat and A/C - Swing Out Door and Front Wiper Note: Doors CANNOT Be Used w/ Backhoe Attachment Installed	\$6,252.00
R50841188	Open ROPS/FOPS	\$0.00
Seat		
R50841066	Deluxe Air Ride Suspension Seat	\$416.00
R50841065	Suspension Seat	\$0.00
Auxiliary Hydraulics		
R50841156	High-Flow Auxiliary Hydraulics w/ High-Flow Couplers	\$2,062.00
R50841155	Standard Auxiliary Hydraulic Flow w/ Standard Couplers and Proportional Control	\$0.00
Attachment System		
R50840812	Multi-Tach® - Manual Quick-Attach System	\$0.00
R50841068	Power-A-Tach® - Electric Actuated Powered Quick-Attach System	\$1,474.00
Self-Leveling		
R50841157	Standard Self-Leveling Hydraulic Lift Action - Always On During Lift	\$0.00
R50841078	Switchable Self-Leveling Hydraulic Lift Action - Selectable On / Off During Lift	\$209.00
Counterweight		
R50841257	Standard - Bumper Only	\$0.00
R809659	Weight - Rear Counterweight --1850RT: **Increases Rated Operating Capacity by 200 lbs. (91 kg) and Adds 0.7 in. (18 mm) to Length	\$1,010.00

Manitou Track Loaders

1850RT

Part No	Part Description	List Price
Required Factory Options		
Connected Solutions		
R50841440	Easy Link Module w/ 6 Years Connectivity **for Use w/ Easy Manager System	\$1,543.00
R50841441	Easy Link Module w/ Access Control Keyboard and 6 Years Connectivity **for Use w/ Easy Manager System	\$2,064.00
Tracks		
R50840598	12.6 in. (320 mm) Camoplast HXD Block Tread **Ground Pressure - 6.2 psi (0.42 kg/cm2), Overall Width - 64.4 in. (1636 mm)	\$0.00
R50840599	15.75 in. (400 mm) Camoplast SD 4-Season Tread **Ground Pressure - 5.0 psi (0.35 kg/cm2), Overall Width - 67.6 in. (1717 mm)	\$621.00
Non-Required Factory Options		
R50841038	Camera - Rear **Includes 5 in. (127 mm) Display	\$1,552.00
R50841067	Electric Attachment Control - 14-Pin Harness / Handle	\$1,222.00
R809486	Engine Block (Frost Plug) Heater **120 Volt, 400 Watt w/ 5 ft. (1.5 m) Power Cord **Highly Recommended for Use at 20° F (-6° C) and Colder Conditions	\$236.00
R50840251	Mirror - Rear View, Interior Mounted (Set of 2) Note: CANNOT Be Used w/ Fold-Up Door	\$117.00
R50840907	Mirror - Rear View, Lift Arm Mounted (Set of 2)	\$292.00
R50840037	Painting - Non-Standard Paint Package - Painted One Requested Color Note: Paint Options REQUIRE 4-Digit RAL Paint Color Specification (Must Be Ordered Prior To Production Run. Any Specialized Non-Standard Paints Will Have Additional Cost.)	\$2,054.00
R50841340	Radio - Bluetooth **Includes Auxiliary / USB Input and Bluetooth Capability	\$768.00
R50840002	Seat Belt - 3 in. (76 mm) Note: Where Required By State Law	\$166.00
R809654	Sliding Side Windows	\$811.00
Field Installed Options		
R50841039	Camera Kit - Rear **Includes 5 in. (127 mm) Display	\$1,552.00
R50841129	Door Kit - IdealAccess™ Fold-Up w/ Front Wiper Note: CANNOT Be Used w/ Interior Mounted Rear View Mirror	\$2,720.00
R50841128	Door Kit - Impact Resistant w/ Front Wiper **5 in. (12 mm) Polycarbonate Material Note: For Installation ONLY on Open ROPS / FOPS Units. Note: Doors CANNOT Be Used with Backhoe Attachment Installed	\$2,088.00
R50841127	Door Kit - Swing Out w/ Front Wiper Note: Doors CANNOT Be Used with Backhoe Attachment Installed	\$1,555.00
R50841525	Dual-Hand Pattern Control Kit **Convert to Dual-Hand Pattern	\$1,221.00
R50841137	Electric Attachment Control Kit - 14-Pin Harness / Handle	\$1,191.00
R809485	Engine Block (Frost Plug) Heater Kit **120 Volt, 400 Watt w/ 5 ft. (1.5 m) Power Cord **Highly Recommended for Use at 20° F (-6° C) and Colder Conditions	\$110.00
R50840250	Mirror Kit - Rear View, Interior Mounted (Set of 2) Note: CANNOT Be Used with Fold-Up Door	\$142.00
R50840908	Mirror Kit - Rear View, Lift Arm Mounted (Set of 2)	\$292.00
R50841235	Power-A-Tach® Kit - Electric Actuated Powered Quick-Attach Sytem **Convert Manual Quick-Attach to Power Quick-Attach - Plate NOT Included	\$1,325.00

Manitou Track Loaders

1850RT

Part No	Part Description	List Price
Field Installed Options		
R50841341	Radio Kit - Bluetooth **Includes Auxiliary / USB Input and Bluetooth Capability	\$686.00
R50840089	Rotating Beacon Kit	\$197.00
R50840061	Sliding Side Windows Kit	\$689.00
R50840064	Weight Kit - Rear Counterweight --1850RT: **Increases Rated Operating Capacity by 200 lbs. (91 kg) and Adds 0.7 in. (13 mm) to Length	\$1,359.00

STANDARD EQUIPMENT

DRIVE TRAIN / CHASSIS

- Dynamic Braking - Hydrostatic
- IdealTrax™ - Automatic Track Tensioning System
- Integral Cleanout Plates (3)
- Mechanical Lift Cylinder Lock
- Multi-Tach™ Attachment System (Universal-Style)
- Parking / Emergency Brake - Automatic Apply / Release (SAHR)
- Radial Piston Drive Motors
- Two Speed Drive System
- Vertical Style Lift Path

ELECTRICAL SYSTEM

- 7 in. (177.8 mm) Display (Camera Capable)
 - Displays Machine Operating Parameters, Diagnostic and Fault Codes, Maintenance Reminders and Includes Night Mode
- Back-Up Alarm
- Battery Disconnect
- Central Fuse Location Accessible from Operator Seat
- LED Backlit Colored Keypad w/ Navigation Dial
 - Includes Hand Throttle, Keyless Start and Passcode Keys
 - Centralized Location for all Standard Equipment Controls
- Lights (LED)
 - Tail and Work (2 - Front and 1 - Rear)

ENGINE

- Yanmar Naturally Aspirated Diesel Engine
- Block Heater (110 Volt)
- DPF (Diesel Particulate Filter) Technology
- Dual Element Air Cleaner w/ Indicator
- Engine Auto Shutdown System
- Flip-Up Cooler
- Vandalism Lock Provisions
 - Fuel and Engine Cover

HYDRAULICS SYSTEM

- 11 Micron Filter - Spin-On Type
- 3-Spool Open Center Valve
- Comfort Ride Control (CRC) Boom Suspension
- Connect-Under Pressure Auxiliary Couplers
- Dual Lift / Tilt Cylinders w/ IHCP (Induction Hardened Chrome Plating) Cylinder Rods
- Independent Hydraulic Reservoir w/ Cooler
- Lift Arm Float Function
- Lift Cylinder Cushioning
- Proportionate Auxiliary Hydraulic Control w/ Detent
 - Includes Case Drain
- Variable Speed Cooling Fan

OPERATORS AREA

- Adjustable Seat Belt - 2 in. (51 mm)
- Cup Holder
- Deluxe Vinyl Cushion Seat
- Dome Light w/ Courtesy Lighting
- Entry / Exit Grab Handles
- Foot Throttle / Deceleration Pedal
- Horn
- Hydraloc™ System
 - Brakes and Interlock for Starter, Lift / Tilt Cylinders and Wheel Drives
- Lockable Storage
- Operator Restraint Bar w/ Adjustable Armrests
- ROPS / FOPS Level I
- Seat Mounted Controls - Joystick, Adjustable
- Windows
 - Top and Rear Emergency

WARRANTY

- See Warranty Policy

EQUIPMENT SPECIFICATIONS FOR BASE UNIT

LOADER

- Rated Operating Capacity
 - 2,100 lbs. (952 kg) @ 35% Tipping Capacity
 - 3,000 lbs. (1,361 kg) @ 50% Tipping Capacity
- Breakout Force - Bucket - 5,766 lbs. (2,615 kg)
- Pin Height - 121.0 in. (3,073 mm)
- ROPS Height - 80.5 in. (2,045 mm)

HYDRAULICS

- Auxiliary Hydraulics
 - Standard Flow Hydraulics - Lift Arm Mounted (Front, Left Side) w/ 1/2" (13 mm) Flat-Faced Couplers - 22.8 gpm (86.5 L/min)
 - Optional Boost High-Flow Hydraulics - Lift Arm Mounted (Front, Left Side), Common Couplers w/ Standard Flow - 30.2 gpm (114.0 L/min)
- Hydraulic Reservoir - 6.0 gal. (22.7 L)
- System Pressure - 3,475 psi (239 bar) Standard Flow

DIESEL ENGINE

- Yanmar 4TNV98C
- 4 Cylinder, Naturally Aspirated
- 69.3 Gross hp (51.7 kW) @ 2,500 rpm
- Max Torque - 178 ft.-lbs. (241 Nm) @ 1,625 rpm
- Emissions Compliance (EPA / Euro)
 - Tier IV / Stage 5
- Displacement - 202.5 cu. in. (3.3 L)
- Fuel Tank - 38.0 gal. (143.8 L)
- Oil Change Interval - 500 Hours

DRIVE TRAIN

- Track Width - 12.6 in. (320 mm)
- Track Ground Pressure - 6.5 psi (0.45 bar)

ELECTRICAL

- Alternator - 100 amp.
- Battery - 12 Volt, 950 CCA
- Exterior 12 Volt Socket, Interior 12 Volt, USB Port
- Starter - 3.0 kW

Manitou Track Loaders

2100VT

Package Configurations (*Configuration List Price does not include Track Price)

Standard - Joystick (Must Select Tracks)	Premium - Joystick (Must Select Tracks)
R50841643TL Open ROPS/FOPS	R50841644TL Cab Enclosure w/ Heat and A/C
STD-DOOR-1 No Door	R50841888TL Door - IdealAccess™ Fold-Up w/ Front Wiper
R50841859TL High Back Mechanical Suspension Seat	R50841641TL High Back Air Suspension Seat - Vinyl
R50841893TL Seat Belt - 2 in. (50 mm)	R50841893TL Seat Belt - 2 in. (50 mm)
R50841646TL Standard Flow Auxiliary Hydraulic Circuit	R50841646TL Standard Flow Auxiliary Hydraulic Circuit
STD-QA-2 Multi-Tach™ - Manual Quick-Attach System	R50841632TL Power-A-Tach® - Hydraulic Actuated Powered Quick-Attach System
R50841891TL No Hydraulic Leveling	R50841638TL Switchable Self-Leveling Hydraulic Lift Action - Selectable On / Off During Lift
R50841892TL Weight - Rear Counterweight / Cast Bumper	R50841892TL Weight - Rear Counterweight / Cast Bumper
R50842005TL Easy Link Module w/ 6 Years Connectivity	R50842005TL Easy Link Module w/ 6 Years Connectivity
*List Price: \$ 72,215.00	*List Price: \$ 82,103.00

Part No	Part Description	List Price
Base Unit		
R50841867	2100VT - STANDARD BASE UNIT - U.S. AND CANADA ONLY	\$69,127.00
Required Factory Options		
Operator Station		
R50841644TL	Cab Enclosure w/ Heat and A/C Note: Door NOT Included	\$4,944.00
R50841643TL	Open ROPS/FOPS	\$0.00
Door		
R50841888TL	Door - IdealAccess™ Fold-Up w/ Front Wiper	\$3,090.00
R50841890TL	Door - Impact Resistant w/ Front Wiper **5 in. (12 mm) Polycarbonate Material Note: Doors CANNOT Be Used w/ Backhoe Attachment Installed	\$2,364.00
R50841889TL	Door - Swing Out w/ Front Wiper Note: Doors CANNOT Be Used w/ Backhoe Attachment Installed	\$2,060.00
STD-DOOR-1	No Door	\$0.00
Seat		
R50841860TL	Deluxe High Back Air Suspension Seat w/ Heat - Fabric	\$979.00
R50841640TL	High Back Adjustable Seat - Vinyl	\$0.00
R50841641TL	High Back Air Suspension Seat - Vinyl	\$721.00
R50841859TL	High Back Mechanical Suspension Seat	\$515.00
Seat Belt		
R50841893TL	Seat Belt - 2 in. (50 mm)	\$0.00
R50841894TL	Shoulder and Seat Belt - 2 in. (50 mm)	\$109.00
R50841895TL	Shoulder and Seat Belt - 3 in. (76 mm) Note: Where Required by State Law	\$155.00
Auxiliary Hydraulics		
R50841636TL	High-Flow Auxiliary Hydraulic Circuit **Utilizes Standard Flow Coupler and Increases Hydraulic Flow	\$2,266.00
R50841646TL	Standard Flow Auxiliary Hydraulic Circuit	\$0.00

Manitou Track Loaders

2100VT

Part No	Part Description	List Price
Required Factory Options		
Attachment System		
STD-QA-2	Multi-Tach™ - Manual Quick-Attach System	\$0.00
R50841632TL	Power-A-Tach® - Hydraulic Actuated Powered Quick-Attach System	\$1,030.00
Self-Leveling		
R50841891TL	No Hydraulic Leveling	\$0.00
R50841638TL	Switchable Self-Leveling Hydraulic Lift Action - Selectable On / Off During Lift	\$618.00
Counterweight		
R50841887TL	Standard - Bumper Only	\$0.00
R50841892TL	Weight - Rear Counterweight / Cast Bumper **Increases Rated Operating Capacity by 90 lbs. (40 kg) and Adds 2.39 in. (61 mm) to Length	\$1,030.00
Connected Solutions		
R50842005TL	Easy Link Module w/ 6 Years Connectivity **for Use w/ Easy Manager System	\$1,543.00
R50842009TL	Easy Link Module w/ Access Control Keyboard and 6 Years Connectivity **for Use w/ Easy Manager System	\$2,064.00
Tracks		
R50841905	12.6 in. (320 mm) Camoplast HXD Block Tread --2100VT: **Ground Pressure - 6.5 psi (0.45 bar), Overall Width - 65.9 in. (1674 mm)	\$0.00
R50841906	15.75 in. (400 mm) Camoplast HXD Block Tread --2100VT: **Ground Pressure - 5.3 psi (0.36 bar), Overall Width - 69.0 in. (1752 mm)	\$670.00
R50841907	15.75 in. (400 mm) Camoplast SD 4-Season Tread --2100VT: **Ground Pressure - 5.3 psi (0.36 bar), Overall Width - 69.0 in. (1752 mm)	\$412.00
Non-Required Factory Options		
R50841897TL	Camera - Rear **Includes 5 in. (127 mm) Display	\$423.00
R50841901TL	Electric Attachment Control - 14-Pin Harness / Handle	\$1,075.00
R50842014TL	Mirror - Rear View, Interior Mounted	\$150.00
R50841884TL	Pre-Cleaner - Centrifugal Type	\$206.00
R50841902TL	Radio - Bluetooth **Includes Auxiliary / USB Input and Bluetooth Capability	\$651.00
R50841970TL	Rear Wiper	\$409.00
R50841904TL	Reversing Fan	\$181.00
R50842052TL	Side Windows - Fixed (Polycarbonate)	\$900.00
R50841896TL	Side Windows - Fixed (Tempered Glass)	\$927.00
R50841885TL	Sound Reduction Package (To Reduce Noise to Operator Ear) **Suggest Additional Installation of One of the Side Window Options	\$232.00
R50841639TL	Weight - Rear Counterweight **Side Mounted --2100VT: **Increases Rated Operating Capacity by 100 lbs. (45 kg) Note: Can Be Used with Counterweight / Cast Bumper	\$710.00
R50841898TL	Work Lights (LED) - Side Mounted (Set of 2)	\$258.00

STANDARD EQUIPMENT

DRIVE TRAIN / CHASSIS

- Axial Piston Drive Motors w/ Planetary Reduction
- Direct Drive Tandem Hydrostatic Pump, Pilot Controlled
- Dynamic Braking - Hydrostatic
- IdealTrax™ - Automatic Track Tensioning System
- Mechanical Lift Cylinder Lock
- Multi-Tach™ Attachment System (Universal-Style)
- Parking / Emergency Brake - Automatic Apply / Release (SAHR)
- Radial Style Lift Path
- Two Speed Drive System

ELECTRICAL SYSTEM

- Backup Alarm
- Information Center with Multi-Function Color Display
 - Display includes Fuel Level, Real Time Fuel Consumption, Engine RPM, Coolant Temperature, Hourmeter, Battery Voltage, Engine Diagnostic Codes and DPF Regen Status
 - Warning Indicators – High Speed, Hydraglide, Float, Preheat, Seat Belt, Battery Voltage, Air Filter, Hydraulic Filter Bypass, Hydraulic Temp, Check Engine, Engine Coolant Temp, Engine Oil Pressure
- Battery Disconnect
- Central Power Distribution Module
- Central Sealed Fuse Location Easily Accessible in Rear of Machine
- Easy Link Module
- Lights (Halogen)
 - Tail and Work (2 - Front and 2 - Rear)

ENGINE

- Yanmar Turbo Diesel Engine
- Combination Radiator & Hydraulic Oil Cooler
- DPF (Diesel Particulate Filter) Technology
- Dual Element Air Cleaner w/ Indicator plus Pre-Cleaner
- Engine Auto Alert System
- Glow Plug Starter Assist - Automatic / Manual
- Remote Oil Filter
- Vandalism Lock Provisions
 - Battery, Engine Cover, Fuel Cap, Hydraulic Tank, Rear Door and Toolbox

HYDRAULICS SYSTEM

- 3-Micron Filter - Spin-On Type
- Dual Lift / Tilt Cylinders
- Independent Hydraulic Reservoir w/ Cooler
- Lift Arm Float Feature
- Open Center Series - Pilot / Hydraulic Actuation Valve
- Proportional Auxiliary Hydraulics
 - Includes: Case Drain Line and Pressure Dump
- Self-Leveling Hydraulic Lift Action
- Hydraglide™ Ride Control

OPERATORS AREA

- Cab Interior Light
- Adjustable Controls (Seat Mounted)
- Cup Holder
- Deluxe High-Back Cushion Seat - Mechanical Suspension
- Entry / Exit Grab Handles
- Foot Well Tilts Forward for Maintenance / Service Access
- Hand and Foot Throttle
- Horn
- Hydraloc™ System
 - Brakes and Interlock for Starter, Lift, Tilt Cylinders and Track Drives
- Joystick (Pilot-Hydraulic Operated) "Hands Only"
- Lockable Manual Compartment
- Operator Restraint Bars w/ Adjustable Armrests
- ROPS / FOPS Level II
 - Rollback Guard w/ Integral Side Screens
- Seat Belt - 2 in. Retractable
- Windows
 - Top and Rear Emergency

WARRANTY

- See Warranty Policy

EQUIPMENT SPECIFICATIONS FOR BASE UNIT

LOADER

- Rated Operating Capacity
 - 2,150 lbs. (975 kg) @ 35% Tipping Capacity
 - 3,071 lbs. (1,393 kg) @ 50% Tipping Capacity
- SAE Tipping Capacity - 6,142 lbs. (2,786 kg)
- Breakout Force - Bucket - 6,631 lbs. (3,008 kg)
- Breakout Force - Lift - 6,481 lbs. (2,940 kg)
- Ground Clearance - 12.7 in (323 mm)
- Pin Height - 128 in. (3,251 mm)
- ROPS Height - 83.1 in. (2,111 mm)

HYDRAULICS

- Auxiliary Hydraulics w/ Pressure Release Valve
 - Standard Flow Hydraulics - Lift Arm Mounted (Upper, Left Side) w/ 1/2" Flat-Faced Couplers - 21.8 gpm (82.5 L/min)
 - Optional High Flow Hydraulics - Lift Arm Mounted (Upper, Left Side) w/ 3/4" Flat-Faced Couplers - 35.9 gpm (135.8 L/min)
- Hydraulic Reservoir / System Total - 13.8 / 21.5 gal. (52.2 / 81.4 L)
- System Pressure - 3,000 psi (207 bar)

DIESEL ENGINE

- Yanmar 4TNV98CT
- 70.7 Net hp (52.7 kW) @ 2,500 rpm
 - 72.0 Gross hp (53.7 kW) @ 2,500 rpm
- Max Torque - 217 ft.-lbs. (294.2 Nm) @ 1,800 rpm
- Emissions Compliance (EPA / Euro)
 - Tier IV / Stage 5
- Displacement - 203 cu. in. (3.3 L)
- Fuel Tank - 24.0 gal. (90.8 L)
- Oil Change Interval - 250 Hours

DRIVE TRAIN

- Track Width - 17.7 in. (450 mm)
- Track Ground Pressure - 4.8 psi (0.33 kg/cm2)

ELECTRICAL

- Alternator - 95 amp.
- Battery - 12 Volt, 850 CCA
- Starter - 3.0 kW

Manitou Track Loaders

2150RT

Package Configurations (*Configuration List Price does not include Track Price)

Standard (Must Select Tracks)		Premium (Must Select Tracks)	
R50841188	Open ROPS/FOPS	R50841084	Cab Enclosure w/ Heat and A/C - IdealAccess™ Fold-Up Door and Front Wiper
R50841065	Suspension Seat	R50841066	Deluxe Air Ride Suspension Seat
R50841072	Standard Auxiliary Hydraulic Flow w/ Standard Couplers and Proportional Control	R50841072	Standard Auxiliary Hydraulic Flow w/ Standard Couplers and Proportional Control
R50840812	Multi-Tach® - Manual Quick-Attach System	R50841068	Power-A-Tach® - Electric Actuated Powered Quick-Attach System
R50841078	Switchable Self-Leveling Hydraulic Lift Action - Selectable On / Off During Lift	R50841078	Switchable Self-Leveling Hydraulic Lift Action - Selectable On / Off During Lift
R809659	Weight - Rear Counterweight	R809659	Weight - Rear Counterweight
R50841440	Easy Link Module w/ 6 Years Connectivity	R50841440	Easy Link Module w/ 6 Years Connectivity
*List Price: \$ 76,736.00		R809486	Engine Block (Frost Plug) Heater
		R50841340	Radio - Bluetooth
		*List Price: \$ 86,995.00	

Part No	Part Description	List Price
Base Unit		
R50841226	2150RT - STANDARD BASE UNIT - U.S. AND CANADA ONLY **Subject to Availability** Note: Contact Customer Service for Availability	\$73,974.00
Required Factory Options		
Operator Station		
R50841084	Cab Enclosure w/ Heat and A/C - IdealAccess™ Fold-Up Door and Front Wiper Note: CANNOT Be Used w/ Interior Mounted Rear View Mirror	\$7,365.00
R50841086	Cab Enclosure w/ Heat and A/C - Impact Resistant Door and Front Wiper **.5 in. (12 mm) Polycarbonate Material Note: Doors CANNOT Be Used w/ Backhoe Attachment Installed	\$6,865.00
R50841085	Cab Enclosure w/ Heat and A/C - Swing Out Door and Front Wiper Note: Doors CANNOT Be Used w/ Backhoe Attachment Installed	\$6,252.00
R50841188	Open ROPS/FOPS	\$0.00
Seat		
R50841066	Deluxe Air Ride Suspension Seat	\$416.00
R50841065	Suspension Seat	\$0.00
Auxiliary Hydraulics		
R50841070	High-Flow Auxiliary Hydraulics w/ High-Flow Couplers	\$1,927.00
R50841072	Standard Auxiliary Hydraulic Flow w/ Standard Couplers and Proportional Control	\$0.00
Attachment System		
R50840812	Multi-Tach® - Manual Quick-Attach System	\$0.00
R50841068	Power-A-Tach® - Electric Actuated Powered Quick-Attach System	\$1,474.00
Self-Leveling		
R50841157	Standard Self-Leveling Hydraulic Lift Action - Always On During Lift	\$0.00
R50841078	Switchable Self-Leveling Hydraulic Lift Action - Selectable On / Off During Lift	\$209.00
Counterweight		
R809660	Standard - Internal Counterweight	\$0.00
R809659	Weight - Rear Counterweight --2150RT: **Increases Rated Operating Capacity by 157 lbs. (71 kg) and Adds 5.1 in. (130 mm) to Length	\$1,010.00

Manitou Track Loaders

2150RT

Part No	Part Description	List Price
Required Factory Options		
Connected Solutions		
R50841440	Easy Link Module w/ 6 Years Connectivity **for Use w/ Easy Manager System	\$1,543.00
R50841441	Easy Link Module w/ Access Control Keyboard and 6 Years Connectivity **for Use w/ Easy Manager System	\$2,064.00
Tracks		
R50840959	17.7 in. (450 mm) Camoplast HXD Block Tread **Ground Pressure - 4.7 psi (0.32 kg/cm2), Overall Width - 69.5 in. (1765 mm)	\$0.00
R50840601	17.7 in. (450 mm) Camoplast SD 4-Season Tread **Ground Pressure - 4.7 psi (0.32 kg/cm2), Overall Width - 69.5 in. (1765 mm)	\$0.00
Non-Required Factory Options		
R50841038	Camera - Rear **Includes 5 in. (127 mm) Display	\$1,552.00
R50841067	Electric Attachment Control - 14-Pin Harness / Handle	\$1,222.00
R809486	Engine Block (Frost Plug) Heater **120 Volt, 400 Watt w/ 5 ft. (1.5 m) Power Cord **Highly Recommended for Use at 20° F (-6° C) and Colder Conditions	\$236.00
R50840251	Mirror - Rear View, Interior Mounted (Set of 2) Note: CANNOT Be Used w/ Fold-Up Door	\$117.00
R50840907	Mirror - Rear View, Lift Arm Mounted (Set of 2)	\$292.00
R50840037	Painting - Non-Standard Paint Package - Painted One Requested Color Note: Paint Options REQUIRE 4-Digit RAL Paint Color Specification (Must Be Ordered Prior To Production Run. Any Specialized Non-Standard Paints Will Have Additional Cost.)	\$2,054.00
R50841340	Radio - Bluetooth **Includes Auxiliary / USB Input and Bluetooth Capability	\$768.00
R50840002	Seat Belt - 3 in. (76 mm) Note: Where Required By State Law	\$166.00
R809654	Sliding Side Windows	\$811.00
Field Installed Options		
R50841039	Camera Kit - Rear **Includes 5 in. (127 mm) Display	\$1,552.00
R50841129	Door Kit - IdealAccess™ Fold-Up w/ Front Wiper Note: CANNOT Be Used w/ Interior Mounted Rear View Mirror	\$2,720.00
R50841128	Door Kit - Impact Resistant w/ Front Wiper **5 in. (12 mm) Polycarbonate Material Note: For Installation ONLY on Open ROPS / FOPS Units. Note: Doors CANNOT Be Used with Backhoe Attachment Installed	\$2,088.00
R50841127	Door Kit - Swing Out w/ Front Wiper Note: Doors CANNOT Be Used with Backhoe Attachment Installed	\$1,555.00
R50841258	Dual-Hand Pattern Control Kit **Convert Joystick Control to Dual-Hand Pattern	\$1,211.00
R50841137	Electric Attachment Control Kit - 14-Pin Harness / Handle	\$1,191.00
R809485	Engine Block (Frost Plug) Heater Kit **120 Volt, 400 Watt w/ 5 ft. (1.5 m) Power Cord **Highly Recommended for Use at 20° F (-6° C) and Colder Conditions	\$110.00
R50840250	Mirror Kit - Rear View, Interior Mounted (Set of 2) Note: CANNOT Be Used with Fold-Up Door	\$142.00
R50840908	Mirror Kit - Rear View, Lift Arm Mounted (Set of 2)	\$292.00
R50841235	Power-A-Tach® Kit - Electric Actuated Powered Quick-Attach Sytem **Convert Manual Quick-Attach to Power Quick-Attach - Plate NOT Included	\$1,325.00

Manitou Track Loaders

2150RT

Part No	Part Description	List Price
Field Installed Options		
R50841341	Radio Kit - Bluetooth **Includes Auxiliary / USB Input and Bluetooth Capability	\$686.00
R50840089	Rotating Beacon Kit	\$197.00
R50840061	Sliding Side Windows Kit	\$689.00
R50840064	Weight Kit - Rear Counterweight --2150RT: **Increases Rated Operating Capacity by 157 lbs. (71 kg) and Adds 5.1 in. (130 mm) to Length	\$1,359.00

STANDARD EQUIPMENT

DRIVE TRAIN / CHASSIS

- Dynamic Braking - Hydrostatic
- IdealTrax™ - Automatic Track Tensioning System
- Integral Cleanout Plates (3)
- Mechanical Lift Cylinder Lock
- Multi-Tach™ Attachment System (Universal-Style)
- Parking / Emergency Brake - Automatic Apply / Release (SAHR)
- Pilot Controlled Hydrostatic Drive
- Radial Piston Drive Motors
- Rear Counterweight / Bumper
- Two Speed Drive System
- Vertical Style Lift Path

ELECTRICAL SYSTEM

- 7 in. (177.8 mm) Display (Camera Capable)
 - Displays Machine Operating Parameters, Diagnostic and Fault Codes, Maintenance Reminders and Includes Night Mode
- Back-Up Alarm
- Battery Disconnect
- Central Fuse Location Accessible from Operator Seat
- LED Backlit Colored Keypad w/ Navigation Dial
 - Includes Hand Throttle, Keyless Start and Passcode Keys
 - Centralized Location for all Standard Equipment Controls
- Lights (LED)
 - Tail and Work (2 - Front and 1 - Rear)

ENGINE

- Yanmar Turbo Diesel Engine
- Block Heater (110 Volt)
- DPF (Diesel Particulate Filter) Technology
- Dual Element Air Cleaner w/ Indicator
- Engine Auto Shutdown System
- Flip-Up Cooler
- Vandalism Lock Provisions
 - Fuel and Engine Cover

HYDRAULICS SYSTEM

- 11 Micron Filter - Spin-On Type
- 3-Spool Open Center Valve
- Comfort Ride Control (CRC) Boom Suspension
- Connect-Under Pressure Auxiliary Couplers
- Dual Lift / Tilt Cylinders w/ IHCP (Induction Hardened Chrome Plating) Cylinder Rods
- Independent Hydraulic Reservoir w/ Cooler
- Lift Arm Float Function
- Lift Cylinder Cushioning
- Proportionate Auxiliary Hydraulic Control w/ Detent
 - Includes Case Drain
- Variable Speed Cooling Fan

OPERATORS AREA

- Adjustable Seat Belt - 2 in. (51 mm)
- Cup Holder
- Deluxe Vinyl Cushion Seat
- Dome Light w/ Courtesy Lighting
- Entry / Exit Grab Handles
- Foot Throttle / Deceleration Pedal
- Horn
- Hydraloc™ System
 - Brakes and Interlock for Starter, Lift / Tilt Cylinders and Wheel Drives
- Lockable Storage
- Operator Restraint Bar w/ Adjustable Armrests
- ROPS / FOPS Level I
- Seat Mounted Controls - Joystick, Adjustable
- Windows
 - Top and Rear Emergency

WARRANTY

- See Warranty Policy

EQUIPMENT SPECIFICATIONS FOR BASE UNIT

LOADER

- Rated Operating Capacity
 - 2,300 lbs. (1,043 kg) @ 35% Tipping Capacity
 - 3,286 lbs. (1,491 kg) @ 50% Tipping Capacity
- Breakout Force - Bucket - 5,605 lbs. (2,542 kg)
- Pin Height - 121.0 in. (3,073 mm)
- ROPS Height - 80.5 in. (2,045 mm)

HYDRAULICS

- Auxiliary Hydraulics w/ Pressure Release Valve
 - Standard Flow Hydraulics - Lift Arm Mounted (Front, Left Side) w/ 1/2" (13 mm) Flat-Faced Couplers - 22.8 gpm (86.5 L/min)
 - Optional Boost High-Flow Hydraulics - Lift Arm Mounted (Front, Left Side), Common Couplers w/ Standard Flow - 30.2 gpm (114.0 L/min)
- Hydraulic Reservoir - 6.0 gal. (22.7 L)
- System Pressure - 3,475 psi (239 bar) Standard Flow

DIESEL ENGINE

- Yanmar 4TNV98CT
- 4 Cylinder, Turbo
- 72.0 Gross hp (53.7 kW) @ 2,500 rpm
- Max Torque - 217 ft.-lbs. (294.0 Nm) @ 1,800 rpm
- Emissions Compliance (EPA / Euro)
 - Tier IV / Stage 5
- Displacement - 202.5 cu. in. (3.3 L)
- Fuel Tank - 38.0 gal. (143.8 L)
- Oil Change Interval - 500 Hours

DRIVE TRAIN

- Track Width - 12.6 in. (320 mm)
- Track Ground Pressure - 6.6 psi (0.45 bar)

ELECTRICAL

- Alternator - 100 amp.
- Battery - 12 Volt, 950 CCA
- Exterior 12 Volt Socket, Interior 12 Volt, USB Port
- Starter - 3.0 kW

Manitou Track Loaders

2300VT

Package Configurations (*Configuration List Price does not include Track Price)

Standard - Joystick (Must Select Tracks)	Premium - Joystick (Must Select Tracks)
R50841643TL Open ROPS/FOPS	R50841644TL Cab Enclosure w/ Heat and A/C
STD-DOOR-1 No Door	R50841888TL Door - IdealAccess™ Fold-Up w/ Front Wiper
R50841859TL High Back Mechanical Suspension Seat	R50841641TL High Back Air Suspension Seat - Vinyl
R50841893TL Seat Belt - 2 in. (50 mm)	R50841893TL Seat Belt - 2 in. (50 mm)
R50841646TL Standard Flow Auxiliary Hydraulic Circuit	R50841646TL Standard Flow Auxiliary Hydraulic Circuit
STD-QA-2 Multi-Tach™ - Manual Quick-Attach System	R50841632TL Power-A-Tach® - Hydraulic Actuated Powered Quick-Attach System
R50841891TL No Hydraulic Leveling	R50841638TL Switchable Self-Leveling Hydraulic Lift Action - Selectable On / Off During Lift
R50842005TL Easy Link Module w/ 6 Years Connectivity	R50842005TL Easy Link Module w/ 6 Years Connectivity
*List Price: \$ 76,650.00	*List Price: \$ 86,538.00

Part No	Part Description	List Price
Base Unit		
R50841870	2300VT - STANDARD BASE UNIT - U.S. AND CANADA ONLY	\$74,592.00
Required Factory Options		
Operator Station		
R50841644TL	Cab Enclosure w/ Heat and A/C Note: Door NOT Included	\$4,944.00
R50841643TL	Open ROPS/FOPS	\$0.00
Door		
R50841888TL	Door - IdealAccess™ Fold-Up w/ Front Wiper	\$3,090.00
R50841890TL	Door - Impact Resistant w/ Front Wiper **.5 in. (12 mm) Polycarbonate Material Note: Doors CANNOT Be Used w/ Backhoe Attachment Installed	\$2,364.00
R50841889TL	Door - Swing Out w/ Front Wiper Note: Doors CANNOT Be Used w/ Backhoe Attachment Installed	\$2,060.00
STD-DOOR-1	No Door	\$0.00
Seat		
R50841860TL	Deluxe High Back Air Suspension Seat w/ Heat - Fabric	\$979.00
R50841640TL	High Back Adjustable Seat - Vinyl	\$0.00
R50841641TL	High Back Air Suspension Seat - Vinyl	\$721.00
R50841859TL	High Back Mechanical Suspension Seat	\$515.00
Seat Belt		
R50841893TL	Seat Belt - 2 in. (50 mm)	\$0.00
R50841894TL	Shoulder and Seat Belt - 2 in. (50 mm)	\$109.00
R50841895TL	Shoulder and Seat Belt - 3 in. (76 mm) Note: Where Required by State Law	\$155.00
Auxiliary Hydraulics		
R50841636TL	High-Flow Auxiliary Hydraulic Circuit **Utilizes Standard Flow Coupler and Increases Hydraulic Flow	\$2,266.00
R50841646TL	Standard Flow Auxiliary Hydraulic Circuit	\$0.00
Attachment System		
STD-QA-2	Multi-Tach™ - Manual Quick-Attach System	\$0.00

Manitou Track Loaders

2300VT

Part No	Part Description	List Price
Required Factory Options		
Attachment System		
R50841632TL	Power-A-Tach® - Hydraulic Actuated Powered Quick-Attach System	\$1,030.00
Self-Leveling		
R50841891TL	No Hydraulic Leveling	\$0.00
R50841638TL	Switchable Self-Leveling Hydraulic Lift Action - Selectable On / Off During Lift	\$618.00
Connected Solutions		
R50842005TL	Easy Link Module w/ 6 Years Connectivity **for Use w/ Easy Manager System	\$1,543.00
R50842009TL	Easy Link Module w/ Access Control Keyboard and 6 Years Connectivity **for Use w/ Easy Manager System	\$2,064.00
Tracks		
R50841905	12.6 in. (320 mm) Camoplast HXD Block Tread --2300VT: **Ground Pressure - 6.6 psi (0.45 bar), Overall Width - 65.9 in. (1674 mm)	\$0.00
R50841906	15.75 in. (400 mm) Camoplast HXD Block Tread --2300VT: **Ground Pressure - 5.4 psi (0.36 bar), Overall Width - 69.0 in. (1752 mm)	\$670.00
R50841907	15.75 in. (400 mm) Camoplast SD 4-Season Tread --2300VT: **Ground Pressure - 5.4 psi (0.36 bar), Overall Width - 69.0 in. (1752 mm)	\$412.00
Non-Required Factory Options		
R50841897TL	Camera - Rear **Includes 5 in. (127 mm) Display	\$423.00
R50841901TL	Electric Attachment Control - 14-Pin Harness / Handle	\$1,075.00
R50842014TL	Mirror - Rear View, Interior Mounted	\$150.00
R50841884TL	Pre-Cleaner - Centrifugal Type	\$206.00
R50841902TL	Radio - Bluetooth **Includes Auxiliary / USB Input and Bluetooth Capability	\$651.00
R50841970TL	Rear Wiper	\$409.00
R50841904TL	Reversing Fan	\$181.00
R50842052TL	Side Windows - Fixed (Polycarbonate)	\$900.00
R50841896TL	Side Windows - Fixed (Tempered Glass)	\$927.00
R50841885TL	Sound Reduction Package (To Reduce Noise to Operator Ear) **Suggest Additional Installation of One of the Side Window Options	\$232.00
R50841639TL	Weight - Rear Counterweight **Side Mounted --2300VT: **Increases Rated Operating Capacity by 100 lbs. (45 kg) Note: Can Be Used with Counterweight / Cast Bumper	\$710.00
R50841898TL	Work Lights (LED) - Side Mounted (Set of 2)	\$258.00

STANDARD EQUIPMENT

DRIVE TRAIN / CHASSIS

- Axial Piston Drive Motors w/ Planetary Reduction
- Direct Drive Tandem Hydrostatic Pumps, High-Gain Servo Controlled
- Dynamic Braking - Hydrostatic
- IdealTrax™ Automatic Track Tensioning System
- Mechanical Lift Cylinder Lock
- Multi-Tach™ Attachment System (Universal-Style)
- Parking / Emergency Brake - Automatic Apply / Release (SAHR)
- Pilot-Controlled Hydrostatic Drive
- Radial Style Lift Path
- Rear Counterweight / Bumper
- Two Speed Drive System

ELECTRICAL SYSTEM

- Backup Alarm
- Information Center with Multi-Function Color Display
 - Display includes Fuel Level, Engine RPM, Coolant Temperature, Hour meter, Battery Voltage, Engine Diagnostic Codes, Transmission Diagnostic codes, Controller Fault Codes, Engine Load and Engine Oil Pressure
 - Indicators - Battery Voltage, Coolant Temperature, Engine Air Filter Restriction, Engine Oil Pressure, High Speed Travel, Hydraulic Filter Bypass, Hydraulic Oil Temperature, Pre-Heat, Self-Level, Lift Arm Float, Hydraglide, Parking Brake, Engine Error and Seat Bar
- Battery Disconnect
- Central Power Distribution Module
- Central Sealed Fuse Location Easily Accessible in Rear of Machine
- Easy Link Module
- Lights (Halogen) - Tail and Work (2 - Front and 2 - Rear)

ENGINE

- Deutz Turbo Diesel Engine
- Chassis-Mounted D.O.C. w/ Stainless Steel Flex Coupler
- Combination Radiator & Hydraulic Oil Cooler
- Dual Element Air Cleaner w/ Indicator plus Pre-Cleaner
- Engine Auto Alert System
- Glow Plug Starter Assist - Automatic / Manual
- Vandalism Lock Provisions
 - Battery, Engine Cover, Fuel Cap, Hydraulic Tank, Rear Door & Toolbox

HYDRAULICS SYSTEM

- 5-Micron Filter - Spin-On Type
- Dual Lift / Tilt Cylinders
- Hydraglide™ Ride Control
- Independent Hydraulic Reservoir w/ Cooler
- Lift Arm Float Feature
- Open Center Series - Pilot / Hydraulic Actuation Valve
- Proportional Auxiliary Control
 - Includes: Case Drain Line and Pressure Dump
- Self-Leveling Hydraulic Lift Action

OPERATORS AREA

- Cab Interior Light
- Controls (Seat Mounted)
- Cup Holder
- Deluxe High-Back Cushion Seat - Mechanical Suspension
- Entry / Exit Grab Handles
- Foot Well Tilts Forward for Maintenance / Service Access
- Hand and Foot Throttle
- Horn and
- Hydraloc™ System
 - Brakes and Interlock for Starter, Lift, Tilt Cylinders and Track Drives
- Joystick (Pilot-Hydraulic Operated) "Hands Only"
- Lockable Manual Compartment
- Operator Restraint Bars w/ Adjustable Armrests
- ROPS / FOPS Level II
 - Rollback Guard w/ Integral Side Screens
- Seat Belt - 2 in. Retractable
- Windows
 - Top and Rear Emergency

WARRANTY

- See Warranty Policy

EQUIPMENT SPECIFICATIONS FOR BASE UNIT

LOADER

- Rated Operating Capacity
 - 2,550 lbs. (1,157 kg) @ 35% Tipping Capacity
 - 3,643 lbs. (1,652 kg) @ 50% Tipping Capacity
- SAE Tipping Capacity - 7,286 lbs. (3,305 kg)
- Breakout Force - Bucket - 8,384 lbs. (3,803 kg)
- Breakout Force - Lift - 7,437 lbs. (3,373 kg)
- Ground Clearance - 12.3 in (313 mm)
- Pin Height -128 in. (3,251 mm)
- ROPS Height - 83.1 in. (2111 mm)

HYDRAULICS

- Auxiliary Hydraulics w/ Pressure Release Valve
 - Standard Flow Hydraulics - Lift Arm Mounted (Upper, Left Side) w/ 1/2" Flat-Faced Couplers - 29.1 gpm (110.0 L/min)
 - Optional High Flow Hydraulics - Lift Arm Mounted (Upper, Left Side) w/ 3/4" Flat-Faced Couplers - 37.7 gpm (142.7 L/min)
- Hydraulic Reservoir / System Total - 13.8 / 21.5 gal. (52.2 / 81.4 L)
- System Pressure - 3,000 psi (207 bar)

DIESEL ENGINE

- Deutz TD 3.6
- 70.7 Net hp (52.7 kW) @ 2,300 rpm
 - 74.3 Gross hp (55.4 kW) @ 2,300 rpm
- Max Torque - 243 ft.-lbs. (330.3 Nm) @ 1,600 rpm
- Emissions Compliance (EPA / Euro)
 - Tier IV / Stage 3B
- Displacement - 221 cu. in. (3.6 L)
- Fuel Tank - 32.0 gal. (121 L)
- Oil Change Interval - 250 Hours

DRIVE TRAIN

- Track Width - 17.7 in. (450 mm)
- Track Ground Pressure - 5.3 psi (0.37 kg/cm2)

ELECTRICAL

- Alternator - 95 amp.
- Battery - 12 Volt, 950 CCA
- Starter - 3.2 kW

Manitou Track Loaders

2550RT

Package Configurations (*Configuration List Price does not include Track Price)

Premium (Must Select Tracks)		Premium Plus (Must Select Tracks)	
R50841178	Cab Enclosure w/ Heat and A/C - IdealAccess™ Fold-Up Door and Front Wiper	R50841178	Cab Enclosure w/ Heat and A/C - IdealAccess™ Fold-Up Door and Front Wiper
R50841066	Deluxe Air Ride Suspension Seat	R50841066	Deluxe Air Ride Suspension Seat
R50841181	Standard Flow Auxiliary Hydraulic Circuit	R50841182	High-Flow Auxiliary Hydraulic Circuit
R50841068	Power-A-Tach® - Electric Actuated Powered Quick-Attach System	R50841068	Power-A-Tach® - Electric Actuated Powered Quick-Attach System
R50841078	Switchable Self-Leveling Hydraulic Lift Action - Selectable On / Off During Lift	R50841078	Switchable Self-Leveling Hydraulic Lift Action - Selectable On / Off During Lift
R50841440	Easy Link Module w/ 6 Years Connectivity	R50841440	Easy Link Module w/ 6 Years Connectivity
R50840221	Engine Oil Pan Heater	R50841067	Electric Attachment Control - 14-Pin Harness / Handle
R50841340	Radio - Bluetooth	R50840221	Engine Oil Pan Heater
R50840193	Weight - Rear Counterweight	R50841340	Radio - Bluetooth
*List Price: \$ 97,039.00		R50840193	Weight - Rear Counterweight
		*List Price: \$ 100,379.00	

Part No	Part Description	List Price
Base Unit		
R50841230	2550RT - STANDARD BASE UNIT - U.S. AND CANADA ONLY **Subject to Availability** Note: Contact Customer Service for Availability	\$83,668.00
Required Factory Options		
Operator Station		
R50841178	Cab Enclosure w/ Heat and A/C - IdealAccess™ Fold-Up Door and Front Wiper Note: CANNOT Be Used w/ Interior Mounted Rear View Mirror	\$7,365.00
R50841180	Cab Enclosure w/ Heat and A/C - Impact Resistant Door and Front Wiper **.5 in. (12 mm) Polycarbonate Material Note: Doors CANNOT Be Used w/ Backhoe Attachment Installed	\$6,865.00
R50841179	Cab Enclosure w/ Heat and A/C - Swing Out Door and Front Wiper Note: Doors CANNOT Be Used w/ Backhoe Attachment Installed	\$6,278.00
R50841215	Open ROPS/FOPS	\$0.00
Seat		
R50841066	Deluxe Air Ride Suspension Seat	\$416.00
R50841065	Suspension Seat	\$0.00
Auxiliary Hydraulics		
R50841182	High-Flow Auxiliary Hydraulic Circuit	\$2,118.00
R50841181	Standard Flow Auxiliary Hydraulic Circuit	\$0.00
Attachment System		
R50840812	Multi-Tach® - Manual Quick-Attach System	\$0.00
R50841068	Power-A-Tach® - Electric Actuated Powered Quick-Attach System	\$1,474.00
Self-Leveling		
R50841157	Standard Self-Leveling Hydraulic Lift Action - Always On During Lift	\$0.00
R50841078	Switchable Self-Leveling Hydraulic Lift Action - Selectable On / Off During Lift	\$209.00
Connected Solutions		
R50841440	Easy Link Module w/ 6 Years Connectivity **for Use w/ Easy Manager System	\$1,543.00

Manitou Track Loaders

2550RT

Part No	Part Description	List Price
Required Factory Options		
Connected Solutions		
R50841441	Easy Link Module w/ Access Control Keyboard and 6 Years Connectivity **for Use w/ Easy Manager System	\$2,064.00
Tracks		
R50840958	17.7 in. (450 mm) Camoplast HXD Block Tread **Ground Pressure - 4.7 psi (0.32 kg/cm2), Overall Width - 69.5 in. (1765 mm)	\$0.00
R50840603	17.7 in. (450 mm) Camoplast SD 4-Season Tread **Ground Pressure - 5.3 psi (0.37 kg/cm2), Overall Width - 69.5 in. (1765 mm)	\$0.00
Non-Required Factory Options		
R50841038	Camera - Rear **Includes 5 in. (127 mm) Display	\$1,552.00
R50841067	Electric Attachment Control - 14-Pin Harness / Handle	\$1,222.00
R50840221	Engine Oil Pan Heater **120 Volt, 250 Watt w/ Power Cord **Highly Recommended for Use at 20° F (-6° C) and Colder Conditions	\$161.00
R50840251	Mirror - Rear View, Interior Mounted (Set of 2) Note: CANNOT Be Used w/ Fold-Up Door	\$117.00
R50840907	Mirror - Rear View, Lift Arm Mounted (Set of 2)	\$292.00
R50840037	Painting - Non-Standard Paint Package - Painted One Requested Color Note: Paint Options REQUIRE 4-Digit RAL Paint Color Specification (Must Be Ordered Prior To Production Run. Any Specialized Non-Standard Paints Will Have Additional Cost.)	\$2,054.00
R50841340	Radio - Bluetooth **Includes Auxiliary / USB Input and Bluetooth Capability	\$768.00
R50840002	Seat Belt - 3 in. (76 mm) Note: Where Required By State Law	\$166.00
R809654	Sliding Side Windows	\$811.00
R50840193	Weight - Rear Counterweight **Side Mounted **Increases Rated Operating Capacity by 273 lbs. (123 kg)	\$1,435.00
Field Installed Options		
R50841039	Camera Kit - Rear **Includes 5 in. (127 mm) Display	\$1,552.00
R50841129	Door Kit - IdealAccess™ Fold-Up w/ Front Wiper Note: CANNOT Be Used w/ Interior Mounted Rear View Mirror	\$2,720.00
R50841128	Door Kit - Impact Resistant w/ Front Wiper **.5 in. (12 mm) Polycarbonate Material Note: For Installation ONLY on Open ROPS / FOPS Units. Note: Doors CANNOT Be Used with Backhoe Attachment Installed	\$2,088.00
R50841127	Door Kit - Swing Out w/ Front Wiper Note: Doors CANNOT Be Used with Backhoe Attachment Installed	\$1,555.00
R50841258	Dual-Hand Pattern Control Kit **Convert Joystick Control to Dual-Hand Pattern	\$1,211.00
R50841137	Electric Attachment Control Kit - 14-Pin Harness / Handle	\$1,191.00
R50840246	Engine Oil Pan Heater Kit **120 Volt, 250 Watt w/ Power Cord **Highly Recommended for Use at 20° F (-6° C) and Colder Conditions	\$161.00
R50840250	Mirror Kit - Rear View, Interior Mounted (Set of 2) Note: CANNOT Be Used with Fold-Up Door	\$142.00
R50840908	Mirror Kit - Rear View, Lift Arm Mounted (Set of 2)	\$292.00

Manitou Track Loaders

2550RT

Part No	Part Description	List Price
Field Installed Options		
R50841235	Power-A-Tach® Kit - Electric Actuated Powered Quick-Attach Sytem **Convert Manual Quick-Attach to Power Quick-Attach - Plate NOT Included	\$1,325.00
R50841341	Radio Kit - Bluetooth **Includes Auxiliary / USB Input and Bluetooth Capability	\$686.00
R50840089	Rotating Beacon Kit	\$197.00
R50840061	Sliding Side Windows Kit	\$689.00
R50840247	Weight Kit - Rear Counterweight **Side Mounted **Increases Rated Operating Capacity by 273 lbs. (123 kg)	\$1,407.00

STANDARD EQUIPMENT

DRIVE TRAIN / CHASSIS

- Dynamic Braking - Hydrostatic
- IdealTrax™ Automatic Track Tensioning System
- Integral Cleanout Plates (3)
- Mechanical Lift Cylinder Lock
- Multi-Tach™ Attachment System (Universal-Style)
- Parking / Emergency Brake - Automatic Apply / Release (SAHR)
- Pilot-Controlled Hydrostatic Drive
- Radial Piston Drive Motors
- Rear Counterweight / Bumper
- Two Speed Drive System
- Vertical Style Lift Path

ELECTRICAL SYSTEM

- 7 in. (177.8 mm) Display (Camera Capable)
 - Displays Machine Operating Parameters, Diagnostic and Fault Codes, Maintenance Reminders and Includes Night Mode
- Back-Up Alarm
- Battery Disconnect
- Central Fuse Location Accessible from Operator Seat
- LED Backlit Colored Keypad w/ Navigation Dial
 - Includes Hand Throttle, Keyless Start and Passcode Keys
 - Centralized Location for all Standard Equipment Controls
- Lights (LED)
 - Tail and Work (2 - Front and 1 - Rear)

ENGINE

- Yanmar Turbo Diesel Engine
- Block Heater (110 Volt)
- DPF (Diesel Particulate Filter) Technology
- Dual Element Air Cleaner w/ Indicator
- Engine Auto Shutdown System
- Flip-Up Cooler
- Vandalism Lock Provisions
 - Fuel and Engine Cover

HYDRAULICS SYSTEM

- 11 Micron Filter - Spin-On Type
- 3-Spool Open Center Valve
- Comfort Ride Control (CRC) Boom Suspension
- Connect-Under Pressure Auxiliary Couplers
- Dual Lift / Tilt Cylinders w/ IHCP (Induction Hardened Chrome Plating) Cylinder Rods
- Independent Hydraulic Reservoir w/ Cooler
- Lift Arm Float Function
- Lift Cylinder Cushioning
- Proportionate Auxiliary Hydraulic Control w/ Detent
 - Includes Case Drain
- Variable Speed Cooling Fan

OPERATORS AREA

- Adjustable Seat Belt - 2 in. (51 mm)
- Cup Holder
- Deluxe Vinyl Cushion Seat
- Dome Light w/ Courtesy Lighting
- Entry / Exit Grab Handles
- Foot Throttle / Deceleration Pedal
- Horn
- Hydraloc™ System
 - Brakes and Interlock for Starter, Lift / Tilt Cylinders and Wheel Drives
- Lockable Storage
- Operator Restraint Bar w/ Adjustable Armrests
- ROPS / FOPS Level I
- Seat Mounted Controls - Joystick, Adjustable
- Windows
 - Top and Rear Emergency

WARRANTY

- See Warranty Policy

EQUIPMENT SPECIFICATIONS FOR BASE UNIT

LOADER

- Rated Operating Capacity
 - 2,750 lbs. (1,247 kg) @ 35% Tipping Capacity
 - 3,929 lbs. (1,782 kg) @ 50% Tipping Capacity
- Breakout Force - Bucket - 6,690 lbs. (3,035 kg)
- Pin Height - 129.5 in. (3,289 mm)
- ROPS Height - 81.5 in. (2,082 mm)

HYDRAULICS

- Auxiliary Hydraulics w/ Pressure Release Valve
 - Standard Flow Hydraulics - Lift Arm Mounted (Front, Left Side) w/ 1/2" (13 mm) Flat-Faced Couplers - 26.0 gpm (98.4 L/min)
 - Optional Boost High-Flow Hydraulics - Lift Arm Mounted (Front, Left Side), Common Couplers w/ Standard Flow - 33.3 gpm (126.0 L/min)
- Hydraulic Reservoir - 6.0 gal. (22.7 L)
- System Pressure - 3,475 psi (239 bar) Standard Flow

DIESEL ENGINE

- Yanmar 4TNV98CT
- 4 Cylinder, Turbo
- 72.0 Gross hp (53.7 kW) @ 2,500 rpm
- Max Torque - 217 ft. lbs. (294.0 Nm) @ 1,800 rpm
- Emissions Compliance (EPA / Euro)
 - Tier IV / Stage 5
- Displacement - 202.5 cu. in. (3.3 L)
- Fuel Tank - 38.0 gal. (143.8 L)
- Oil Change Interval - 500 Hours

DRIVE TRAIN

- Track Width - 15.7 in. (400 mm)
- Track Ground Pressure - 5.0 psi (0.34 bar)

ELECTRICAL

- Alternator - 100 amp.
- Battery - 12 Volt, 950 CCA
- Exterior 12 Volt Socket, Interior 12 Volt, USB Port
- Starter - 3.0 kW

Manitou Track Loaders

2750VT

Package Configurations (*Configuration List Price does not include Track Price)

Standard - Joystick (Must Select Tracks)	Premium - Joystick (Must Select Tracks)
R50841643TL Open ROPS/FOPS	R50841644TL Cab Enclosure w/ Heat and A/C
STD-DOOR-1 No Door	R50841888TL Door - IdealAccess™ Fold-Up w/ Front Wiper
R50841859TL High Back Mechanical Suspension Seat	R50841641TL High Back Air Suspension Seat - Vinyl
R50841893TL Seat Belt - 2 in. (50 mm)	R50841893TL Seat Belt - 2 in. (50 mm)
R50841786TL Standard Flow Auxiliary Hydraulic Circuit	R50841786TL Standard Flow Auxiliary Hydraulic Circuit
STD-QA-2 Multi-Tach™ - Manual Quick-Attach System	R50841785TL Power-A-Tach® - Hydraulic Actuated Powered Quick-Attach System
R50841891TL No Hydraulic Leveling	R50841788TL Switchable Self-Leveling Hydraulic Lift Action - Selectable On / Off During Lift
R50842005TL Easy Link Module w/ 6 Years Connectivity	R50842005TL Easy Link Module w/ 6 Years Connectivity
*List Price: \$ 85,258.00	*List Price: \$ 95,146.00

Part No	Part Description	List Price
Base Unit		
R50841876	2750VT - STANDARD BASE UNIT - U.S. AND CANADA ONLY	\$83,200.00
Required Factory Options		
Operator Station		
R50841644TL	Cab Enclosure w/ Heat and A/C Note: Door NOT Included	\$4,944.00
R50841643TL	Open ROPS/FOPS	\$0.00
Door		
R50841888TL	Door - IdealAccess™ Fold-Up w/ Front Wiper	\$3,090.00
R50841890TL	Door - Impact Resistant w/ Front Wiper **.5 in. (12 mm) Polycarbonate Material Note: Doors CANNOT Be Used w/ Backhoe Attachment Installed	\$2,364.00
R50841889TL	Door - Swing Out w/ Front Wiper Note: Doors CANNOT Be Used w/ Backhoe Attachment Installed	\$2,060.00
STD-DOOR-1	No Door	\$0.00
Seat		
R50841860TL	Deluxe High Back Air Suspension Seat w/ Heat - Fabric	\$979.00
R50841640TL	High Back Adjustable Seat - Vinyl	\$0.00
R50841641TL	High Back Air Suspension Seat - Vinyl	\$721.00
R50841859TL	High Back Mechanical Suspension Seat	\$515.00
Seat Belt		
R50841893TL	Seat Belt - 2 in. (50 mm)	\$0.00
R50841894TL	Shoulder and Seat Belt - 2 in. (50 mm)	\$109.00
R50841895TL	Shoulder and Seat Belt - 3 in. (76 mm) Note: Where Required by State Law	\$155.00
Auxiliary Hydraulics		
R50841787TL	High-Flow Auxiliary Hydraulic Circuit	\$2,266.00
R50841786TL	Standard Flow Auxiliary Hydraulic Circuit	\$0.00
Attachment System		
STD-QA-2	Multi-Tach™ - Manual Quick-Attach System	\$0.00

Manitou Track Loaders

2750VT

Part No	Part Description	List Price
Required Factory Options		
Attachment System		
R50841785TL	Power-A-Tach® - Hydraulic Actuated Powered Quick-Attach System	\$1,030.00
Self-Leveling		
R50841891TL	No Hydraulic Leveling	\$0.00
R50841788TL	Switchable Self-Leveling Hydraulic Lift Action - Selectable On / Off During Lift	\$618.00
Connected Solutions		
R50842005TL	Easy Link Module w/ 6 Years Connectivity **for Use w/ Easy Manager System	\$1,543.00
R50842009TL	Easy Link Module w/ Access Control Keyboard and 6 Years Connectivity **for Use w/ Easy Manager System	\$2,064.00
Tracks		
R50841908	15.75 in. (400 mm) Camoplast SD 4-Season Tread **Ground Pressure - 5.0 psi (0.34 bar), Overall Width - 71.0 in. (1803 mm)	\$0.00
R50840959TL	17.7 in. (450 mm) Camoplast HXD Block Tread **Ground Pressure - 4.5 psi (0.31 bar), Overall Width - 73.0 in. (1854 mm)	\$0.00
R50840601TL	17.7 in. (450 mm) Camoplast SD 4-Season Tread **Ground Pressure - 4.5 psi (0.31 bar), Overall Width - 73.0 in. (1854 mm)	\$0.00
Non-Required Factory Options		
R50841897TL	Camera - Rear **Includes 5 in. (127 mm) Display	\$423.00
R50841901TL	Electric Attachment Control - 14-Pin Harness / Handle	\$1,075.00
R50842014TL	Mirror - Rear View, Interior Mounted	\$150.00
R50841884TL	Pre-Cleaner - Centrifugal Type	\$206.00
R50841902TL	Radio - Bluetooth **Includes Auxiliary / USB Input and Bluetooth Capability	\$651.00
R50841970TL	Rear Wiper	\$409.00
R50841904TL	Reversing Fan	\$181.00
R50842052TL	Side Windows - Fixed (Polycarbonate)	\$900.00
R50841896TL	Side Windows - Fixed (Tempered Glass)	\$927.00
R50841886TL	Sound Reduction Package (To Reduce Noise to Operator Ear) **Suggest Additional Installation of One of the Side Window Options	\$232.00
R50841639TL	Weight - Rear Counterweight **Side Mounted --2750VT: **Increases Rated Operating Capacity by 120 lbs. (54 kg) Note: Can Be Used with Counterweight / Cast Bumper	\$710.00
R50841898TL	Work Lights (LED) - Side Mounted (Set of 2)	\$258.00

STANDARD EQUIPMENT

DRIVE TRAIN / CHASSIS

- Axial Piston Drive Motors w/ Planetary Reduction
- Direct Drive Servo Controlled Hydrostatic Pump
- Dynamic Braking - Hydrostatic
- IdealTrax™ Automatic Track Tensioning System
- Mechanical Lift Cylinder Lock
- Multi-Tach™ Attachment System (Universal-Style)
- Parking / Emergency Brake - Automatic Apply / Release (SAHR)
- Pilot Controlled Hydrostatic Drive
- Two Speed Drive System
- Vertical Style Lift Path

ELECTRICAL SYSTEM

- Backup Alarm
- Multi-Function Display Screen - Right Side, Joystick Level Instrumentation
 - Display includes Fuel Level, DEF Level, Engine Load, Engine RPM, Coolant Temperature, Hourmeter, Battery Voltage, Engine Diagnostic Codes and Other
 - Warning Indicators - Air Filter, Battery Voltage, Engine Coolant Temperature, Regen Status, Hydraulic Oil Filter, Pressure & Temperature, Preheat, Check Engine
- Easy Link Module
- Fuses Easily Accessible in Rear of Machine
- Lights (Halogen)
 - Tail and Work (2 - Front and 2 - Rear)

ENGINE

- Deutz Turbo Diesel Engine
- Chassis-Mounted D.O.C. and S.C.R. w/ Stainless Steel Flex Coupler
- Combination Radiator & Hydraulic Oil Cooler
- Dual Element Air Cleaner w/ Indicator plus Pre-Cleaner
- Engine Auto Alert System
- Glow Plug Starter Assist - Automatic / Manual
- Vandalism Lock Provisions
 - Battery, Engine Cover, Fuel Cap, Hydraulic Tank, Rear Door

HYDRAULICS SYSTEM

- 3-Micron Filter - Spin-On Type
- Dual Lift / Tilt Cylinders
- Independent Hydraulic Reservoir w/ Cooler
- Lift Arm Float Feature
- Open Center Series – Pilot Actuation Valve
- Proportional Auxiliary Control
- Self-Leveling Hydraulic Lift Action

OPERATORS AREA

- Cab Interior Light
- Controls (Seat Mounted)
- Cup Holder
- Deluxe High-Back Cushion Seat - Mechanical Suspension
- Entry / Exit Grab Handles
- Foot Well Tilts Forward for Maintenance / Service Access
- Hand and Foot Throttle
- Horn
- Hydraloc™ System
 - Brakes and Interlock for Starter, Lift, Tilt Cylinders and Track Drives
- Joystick (Pilot Operated) "Hands Only" w/ Hydraglide™ Ride Control
- Lockable Manual Compartment
- Operator Restraint Bars w/ Adjustable Armrests
- ROPS / FOPS Level II
 - Rollback Guard w/ Integral Side Screens
- Seat Belt - 2 in. Retractable
- Windows
 - Top and Rear Emergency

WARRANTY

- See Warranty Policy

EQUIPMENT SPECIFICATIONS FOR BASE UNIT

LOADER

- Rated Operating Capacity - 3,200 lbs. (1,452 kg) @ 35% Tipping Capacity
- Rated Operating Capacity - 4,571 lbs. (2,074 kg) @ 50% Tipping Capacity
- SAE Tipping Capacity - 9,143 lbs. (4,148 kg)
- Breakout Force - Bucket - 9,901 lbs. (4,492 kg)
- Breakout Force - Lift - 7,491 lbs. (3,078 kg)
- Ground Clearance - 12.4 in (315 mm)
- Pin Height - 129.2 in. (3,251 mm)
- ROPS Height - 82.9 in. (2,106 mm)

HYDRAULICS

- Auxiliary Hydraulics w/ Pressure Release Valve
 - Standard Flow Hydraulics - Lift Arm Mounted (Upper, Left Side) w/ 1/2" Flat-Faced Couplers - 29.0 gpm (110.0 L/min)
 - Optional High Flow Hydraulics - Lift Arm Mounted (Upper, Left Side) w/ 3/4" Flat-Faced Couplers - 37.7 gpm (142.7 L/min)
- Hydraulic Reservoir / System Total - 7.8 / 16.5 gal. (52.2 / 62.5 L)
- System Pressure - 3,500 psi (242 bar)

DIESEL ENGINE

- Deutz TCD 3.6L
- 108 Net hp (80.8 kW) @ 2,300 rpm
 - 114 Gross hp (85.0 kW) @ 2,300 rpm
- Max Torque - 339 ft.-lbs. (460 Nm) @ 1,600 rpm
- Emissions Compliance (EPA / Euro)
 - Tier IV / Stage 3B
- Displacement - 221 cu. in. (3.6 L)
- Fuel Tank - 32.5 gal. (123 L)
- DEF Tank - 2.7 gal. (10 L)
- Oil Change Interval - 250 Hours

DRIVE TRAIN

- Track Width - 17.7 in. (450 mm)
- Track Ground Pressure - 5.3 psi (0.37 kg/cm2)

ELECTRICAL

- Alternator - 95 amp.
- Dual Batteries - 12 Volt, 950 CCA
- Starter - 4.0 kW

Manitou Track Loaders

3200VT

Package Configurations (*Configuration List Price does not include Track Price)

Premium (Must Select Tracks)		Premium Plus (Must Select Tracks)	
R50840942	Cab Enclosure w/ Heat and A/C - IdealAccess™ Fold-Up Door and Front Wiper	R50840942	Cab Enclosure w/ Heat and A/C - IdealAccess™ Fold-Up Door and Front Wiper
R50841066	Deluxe Air Ride Suspension Seat	R50841066	Deluxe Air Ride Suspension Seat
R50840934	Standard Flow Auxiliary Hydraulic Circuit	R50840935	High-Flow Auxiliary Hydraulic Circuit
R50840932	Power-A-Tach® - Electric Actuated Powered Quick-Attach System	R50840932	Power-A-Tach® - Electric Actuated Powered Quick-Attach System
R50840940	Switchable Self-Leveling Hydraulic Lift Action - Selectable On / Off During Lift	R50840940	Switchable Self-Leveling Hydraulic Lift Action - Selectable On / Off During Lift
R50841440	Easy Link Module w/ 6 Years Connectivity	R50841440	Easy Link Module w/ 6 Years Connectivity
R50840221	Engine Oil Pan Heater	R50841054	Electric Attachment Control - 14-Pin Harness / Handle
R50841340	Radio - Bluetooth	R50840221	Engine Oil Pan Heater
R50840988	Weight - Rear Counterweight	R50841340	Radio - Bluetooth
*List Price: \$ 108,916.00		R50840988	Weight - Rear Counterweight
		*List Price: \$ 112,124.00	

Part No	Part Description	List Price
Base Unit		
R50841232	3200VT - STANDARD BASE UNIT - U.S. AND CANADA ONLY	\$95,652.00
Required Factory Options		
Operator Station		
R50840999	Cab Enclosure w/ Heat - IdealAccess™ Fold-Up Door and Front Wiper Note: CANNOT Be Used w/ Interior Mounted Rear View Mirror	\$5,448.00
R50840998	Cab Enclosure w/ Heat - Impact Resistant Door and Front Wiper **.5 in. (12 mm) Polycarbonate Material Note: Doors CANNOT Be Used w/ Backhoe Attachment Installed	\$4,539.00
R50840997	Cab Enclosure w/ Heat - Swing Out Door and Front Wiper Note: Doors CANNOT Be Used w/ Backhoe Attachment Installed	\$3,925.00
R50840942	Cab Enclosure w/ Heat and A/C - IdealAccess™ Fold-Up Door and Front Wiper Note: CANNOT Be Used w/ Interior Mounted Rear View Mirror	\$7,365.00
R50841000	Cab Enclosure w/ Heat and A/C - Impact Resistant Door and Front Wiper **.5 in. (12 mm) Polycarbonate Material Note: Doors CANNOT Be Used w/ Backhoe Attachment Installed	\$6,865.00
R50840985	Cab Enclosure w/ Heat and A/C - Swing Out Door and Front Wiper Note: Doors CANNOT Be Used w/ Backhoe Attachment Installed	\$6,172.00
R50840941	Open ROPS/FOPS	\$0.00
Seat		
R50841066	Deluxe Air Ride Suspension Seat	\$416.00
R50841065	Suspension Seat	\$0.00
Auxiliary Hydraulics		
R50840935	High-Flow Auxiliary Hydraulic Circuit	\$2,116.00
R50840934	Standard Flow Auxiliary Hydraulic Circuit	\$0.00
Attachment System		
R50840933	Multi-Tach® - Manual Quick-Attach System	\$0.00
R50840932	Power-A-Tach® - Electric Actuated Powered Quick-Attach System	\$1,474.00
Self-Leveling		
R50840939	Standard Self-Leveling Hydraulic Lift Action - Always On During Lift	\$0.00

Manitou Track Loaders

3200VT

Part No	Part Description	List Price
Required Factory Options		
Self-Leveling		
R50840940	Switchable Self-Leveling Hydraulic Lift Action - Selectable On / Off During Lift	\$208.00
Connected Solutions		
R50841440	Easy Link Module w/ 6 Years Connectivity **for Use w/ Easy Manager System	\$1,543.00
R50841441	Easy Link Module w/ Access Control Keyboard and 6 Years Connectivity **for Use w/ Easy Manager System	\$2,064.00
Tracks		
R50840958	17.7 in. (450 mm) Camoplast HXD Block Tread **Ground Pressure - 4.7 psi (0.32 kg/cm2), Overall Width - 69.5 in. (1765 mm)	\$0.00
R50840603	17.7 in. (450 mm) Camoplast SD 4-Season Tread **Ground Pressure - 5.3 psi (0.37 kg/cm2), Overall Width - 69.5 in. (1765 mm)	\$0.00
Non-Required Factory Options		
R50841038	Camera - Rear **Includes 5 in. (127 mm) Display	\$1,552.00
R50841013	Door - IdealAccess™ Fold-Up w/ Front Wiper Note: CANNOT Be Used w/ Interior Mounted Rear View Mirror	\$2,189.00
R50841012	Door - Impact Resistant w/ Front Wiper **5 in. (12 mm) Polycarbonate Material Note: Doors CANNOT Be Used w/ Backhoe Attachment Installed	\$2,324.00
R50841011	Door - Swing Out w/ Front Wiper Note: Doors CANNOT Be Used w/ Backhoe Attachment Installed	\$1,518.00
R50841054	Electric Attachment Control - 14-Pin Harness / Handle	\$1,092.00
R50840221	Engine Oil Pan Heater **120 Volt, 250 Watt w/ Power Cord **Highly Recommended for Use at 20° F (-6° C) and Colder Conditions	\$161.00
R50840251	Mirror - Rear View, Interior Mounted (Set of 2) Note: CANNOT Be Used w/ Fold-Up Door	\$117.00
R50841297	Mirror - Rear View, Lift Arm Mounted (Set of 2)	\$196.00
R50840037	Painting - Non-Standard Paint Package - Painted One Requested Color Note: Paint Options REQUIRE 4-Digit RAL Paint Color Specification (Must Be Ordered Prior To Production Run. Any Specialized Non-Standard Paints Will Have Additional Cost.)	\$2,054.00
R50841340	Radio - Bluetooth **Includes Auxiliary / USB Input and Bluetooth Capability	\$768.00
R50840002	Seat Belt - 3 in. (76 mm) Note: Where Required By State Law	\$166.00
R809654	Sliding Side Windows	\$811.00
R50841704	Sound Reduction Package (To Reduce Noise to Operator Ear)	\$389.00
R50840988	Weight - Rear Counterweight **Side Mounted **Increases Rated Operating Capacity by 200 lbs. (91 kg)	\$1,329.00
Field Installed Options		
R50841039	Camera Kit - Rear **Includes 5 in. (127 mm) Display	\$1,552.00
R50841129	Door Kit - IdealAccess™ Fold-Up w/ Front Wiper Note: CANNOT Be Used w/ Interior Mounted Rear View Mirror	\$2,720.00
R50841128	Door Kit - Impact Resistant w/ Front Wiper **5 in. (12 mm) Polycarbonate Material Note: For Installation ONLY on Open ROPS / FOPS Units. Note: Doors CANNOT Be Used with Backhoe Attachment Installed	\$2,088.00

Manitou Track Loaders

3200VT

Part No	Part Description	List Price
Field Installed Options		
R50841127	Door Kit - Swing Out w/ Front Wiper Note: Doors CANNOT Be Used with Backhoe Attachment Installed	\$1,555.00
R50841162	Dual-Hand Pattern Control Kit **Convert Joystick Control to Dual-Hand Pattern --3200VT: Serial No. 57104 and Before	\$1,379.00
R50841055	Electric Attachment Control Kit - 14-Pin Harness / Handle --3200VT: Serial No. 57106 and Before	\$1,092.00
R50841732	Electric Attachment Control Kit - 14-Pin Harness / Handle --3200VT: Serial No. 57107 and Up	\$1,092.00
R50840246	Engine Oil Pan Heater Kit **120 Volt, 250 Watt w/ Power Cord **Highly Recommended for Use at 20° F (-6° C) and Colder Conditions	\$161.00
R50840250	Mirror Kit - Rear View, Interior Mounted (Set of 2) Note: CANNOT Be Used with Fold-Up Door	\$142.00
R50841007	Power-A-Tach® Kit - Electric Actuated Powered Quick-Attach Sytem **Convert Manual Quick-Attach to Power Quick-Attach - Plate NOT Included	\$1,327.00
R50841341	Radio Kit - Bluetooth **Includes Auxiliary / USB Input and Bluetooth Capability	\$686.00
R50840089	Rotating Beacon Kit	\$197.00
R50840061	Sliding Side Windows Kit	\$689.00
R50841005	Weight Kit - Rear Counterweight **Side Mounted **Increases Rated Operating Capacity by 200 lbs. (91 kg)	\$1,301.00

DISCONTINUED MODELS

The models on the following pages are no longer in production but field kits and attachments remain available to order.

Manitou Track Loaders

1750RT NXT3

Part No	Part Description	List Price
Field Installed Options		
R50841039	Camera Kit - Rear **Includes 5 in. (127 mm) Display	\$1,552.00
R50841300	Door Kit - IdealAccess™ Fold-Up w/ Front Wiper Note: CANNOT Be Used w/ Interior Mounted Rear View Mirror	\$2,736.00
R50840060	Door Kit - Impact Resistant w/ Front Wiper **.5 in. (12 mm) Polycarbonate Material Note: For Installation ONLY on Open ROPS / FOPS Units. For Units with Cab Enclosures, Order Part #50301965 Thru the Parts Department. Note: Doors CANNOT Be Used with Backhoe Attachment Installed	\$2,088.00
R50840059	Door Kit - Swing Out w/ Front Wiper Note: Doors CANNOT Be Used with Backhoe Attachment Installed	\$1,333.00
R50840097	Electric Attachment Control Kit - 14-Pin Harness / Handle	\$1,857.00
R809485	Engine Block (Frost Plug) Heater Kit **120 Volt, 400 Watt w/ 5 ft. (1.5 m) Power Cord **Highly Recommended for Use at 20° F (-6° C) and Colder Conditions	\$110.00
R50840268	Heater / Defroster Kit	\$2,516.00
R50840250	Mirror Kit - Rear View, Interior Mounted (Set of 2) Note: CANNOT Be Used with Fold-Up Door	\$142.00
R50840908	Mirror Kit - Rear View, Lift Arm Mounted (Set of 2)	\$292.00
R50840809	Power-A-Tach® Kit - Electric Actuated Powered Quick-Attach Sytem **Convert Manual Quick-Attach to Power Quick-Attach - Plate NOT Included	\$1,327.00
R50840062	Radio System Kit - AM-FM-WB (Built-in Type System)	\$535.00
R50840089	Rotating Beacon Kit	\$197.00
R50840061	Sliding Side Windows Kit	\$689.00
R50840065	Weight Kit - Rear Counterweight **Increases Rated Operating Capacity by 105 lbs. (47 kg) and Adds 4.0 in. (107 mm) to Length	\$1,001.00

Manitou Track Loaders

2100RT NXT3

Part No	Part Description	List Price
Field Installed Options		
R50841039	Camera Kit - Rear **Includes 5 in. (127 mm) Display	\$1,552.00
R50841300	Door Kit - IdealAccess™ Fold-Up w/ Front Wiper Note: CANNOT Be Used w/ Interior Mounted Rear View Mirror	\$2,736.00
R50840060	Door Kit - Impact Resistant w/ Front Wiper **.5 in. (12 mm) Polycarbonate Material Note: For Installation ONLY on Open ROPS / FOPS Units. For Units with Cab Enclosures, Order Part #50301965 Thru the Parts Department. Note: Doors CANNOT Be Used with Backhoe Attachment Installed	\$2,088.00
R50840059	Door Kit - Swing Out w/ Front Wiper Note: Doors CANNOT Be Used with Backhoe Attachment Installed	\$1,333.00
R50840097	Electric Attachment Control Kit - 14-Pin Harness / Handle	\$1,857.00
R809485	Engine Block (Frost Plug) Heater Kit **120 Volt, 400 Watt w/ 5 ft. (1.5 m) Power Cord **Highly Recommended for Use at 20° F (-6° C) and Colder Conditions	\$110.00
R50840268	Heater / Defroster Kit	\$2,516.00
R50840250	Mirror Kit - Rear View, Interior Mounted (Set of 2) Note: CANNOT Be Used with Fold-Up Door	\$142.00
R50840908	Mirror Kit - Rear View, Lift Arm Mounted (Set of 2)	\$292.00
R50840809	Power-A-Tach® Kit - Electric Actuated Powered Quick-Attach Sytem **Convert Manual Quick-Attach to Power Quick-Attach - Plate NOT Included	\$1,327.00
R50840062	Radio System Kit - AM-FM-WB (Built-in Type System)	\$535.00
R50840089	Rotating Beacon Kit	\$197.00
R50840061	Sliding Side Windows Kit	\$689.00
R50840064	Weight Kit - Rear Counterweight	\$1,359.00

Manitou Track Loaders

2500RT NXT3

Part No	Part Description	List Price
Field Installed Options		
R50841039	Camera Kit - Rear **Includes 5 in. (127 mm) Display	\$1,552.00
R50841300	Door Kit - IdealAccess™ Fold-Up w/ Front Wiper Note: CANNOT Be Used w/ Interior Mounted Rear View Mirror	\$2,736.00
R50840060	Door Kit - Impact Resistant w/ Front Wiper **.5 in. (12 mm) Polycarbonate Material Note: For Installation ONLY on Open ROPS / FOPS Units. For Units with Cab Enclosures, Order Part #50301965 Thru the Parts Department. Note: Doors CANNOT Be Used with Backhoe Attachment Installed	\$2,088.00
R50840059	Door Kit - Swing Out w/ Front Wiper Note: Doors CANNOT Be Used with Backhoe Attachment Installed	\$1,333.00
R50840097	Electric Attachment Control Kit - 14-Pin Harness / Handle	\$1,857.00
R50840246	Engine Oil Pan Heater Kit **120 Volt, 250 Watt w/ Power Cord **Highly Recommended for Use at 20° F (-6° C) and Colder Conditions	\$161.00
R50840268	Heater / Defroster Kit	\$2,516.00
R50840250	Mirror Kit - Rear View, Interior Mounted (Set of 2) Note: CANNOT Be Used with Fold-Up Door	\$142.00
R50840908	Mirror Kit - Rear View, Lift Arm Mounted (Set of 2)	\$292.00
R50840809	Power-A-Tach® Kit - Electric Actuated Powered Quick-Attach Sytem **Convert Manual Quick-Attach to Power Quick-Attach - Plate NOT Included	\$1,327.00
R50840176	Pre-Cleaner Kit - Centrifugal Type	\$164.00
R50840062	Radio System Kit - AM-FM-WB (Built-in Type System)	\$535.00
R50840089	Rotating Beacon Kit	\$197.00
R50840061	Sliding Side Windows Kit	\$689.00
R50840247	Weight Kit - Rear Counterweight **Side Mounted **Increases Rated Operating Capacity by 273 lbs. (123 kg)	\$1,407.00

TRACK LOADER ATTACHMENTS

Attachments vary by model. Please refer to the Attachment Matrix for attachment availability by model as well as dimensional information and pricing.

NOTICE:

Attachments are approved for use on Manitou Track Loaders when properly mounted, appropriate for the rated operating capacity and auxiliary hydraulic flow of the machine, if applicable, and used in accordance with the Operator's Manual.

Manitou Equipment America, LLC is not responsible for the consequences if a machine is used for a non-approved attachment.



Track Loader Attachments

Part No	Description	List Price	Width (in)	Height (in)	Depth (in)	Capacity (cu ft)	Number of Teeth	Length (in)	1050RT	1350RT	1650RT	1750RT NXT3	1850RT	2100RT NXT3	2100VT	2150RT	2300VT	2500RT NXT3	2550RT	2750VT	3200VT
Augers																					
R50841498	Auger Bit - 12 in. (304 mm), Hex	\$528.00						12					X		X			X		X	
R50841499	Auger Bit - 12 in. (304 mm), Hex	\$528.00						12	X	X	X				X		X			X	
R50841486	Auger Bit - 12 in. (304 mm), Round	\$515.00						12					X		X			X		X	
R50841487	Auger Bit - 12 in. (304 mm), Round	\$515.00						12	X	X	X				X		X			X	
R50841501	Auger Bit - 18 in. (457 mm), Hex	\$771.00						18					X		X			X		X	
R50841502	Auger Bit - 18 in. (457 mm), Hex	\$771.00						18	X	X	X				X		X			X	
R50841489	Auger Bit - 18 in. (457 mm), Round	\$771.00						18					X		X			X		X	
R50841490	Auger Bit - 18 in. (457 mm), Round	\$771.00						18	X	X	X				X		X			X	
R50841504	Auger Bit - 24 in. (609 mm), Hex	\$885.00						24					X		X			X		X	
R50841505	Auger Bit - 24 in. (609 mm), Hex	\$885.00						24	X	X	X				X		X			X	
R50841492	Auger Bit - 24 in. (609 mm), Round	\$885.00						24					X		X			X		X	
R50841493	Auger Bit - 24 in. (609 mm), Round	\$885.00						24	X	X	X				X		X			X	
R50841495	Auger Bit - 9 in. (228 mm), Hex	\$487.00						9					X		X			X		X	
R50841496	Auger Bit - 9 in. (228 mm), Hex	\$487.00						9	X	X	X				X		X			X	
R50841483	Auger Bit - 9 in. (228 mm), Round	\$487.00						9					X		X			X		X	
R50841484	Auger Bit - 9 in. (228 mm), Round	\$487.00						9	X	X	X				X		X			X	
R50841474	Auger Drive - Chain, Model 1650CL (Hex) **Includes Skid Steer Mount, Top Link, Hoses and Flat-Faced Couplers	\$2,550.00											X			X					
R50841475	Auger Drive - Chain, Model 1650CL (Hex) **Includes Skid Steer Mount, Top Link, Hoses and Flat-Faced Couplers	\$2,550.00							X	X	X				X		X				
R50841471	Auger Drive - Chain, Model 1650CL (Round) **Includes Skid Steer Mount, Top Link, Hoses and Flat-Faced Couplers	\$2,550.00											X			X					
R50841472	Auger Drive - Chain, Model 1650CL (Round) **Includes Skid Steer Mount, Top Link, Hoses and Flat-Faced Couplers	\$2,550.00							X	X	X				X		X				



Track Loader Attachments

Part No	Description	List Price	Width (in)	Height (in)	Depth (in)	Capacity (cu ft)	Number of Teeth	Length (in)	1050RT	1350RT	1650RT	1750RT NXT3	1850RT	2100RT NXT3	2100VT	2150RT	2300VT	2500RT NXT3	2550RT	2750VT	3200VT
Augers																					
R50841480	Auger Drive - Planetary, Model PA210 (Hex) **Includes Skid Steer Mount, Top Link, Hoses and Flat-Faced Couplers	\$3,679.00											X		X			X		X	
R50841481	Auger Drive - Planetary, Model PA210 (Hex) **Includes Skid Steer Mount, Top Link, Hoses and Flat-Faced Couplers	\$3,679.00								X	X			X		X			X		
R50841477	Auger Drive - Planetary, Model PA210 (Round) **Includes Skid Steer Mount, Top Link, Hoses and Flat-Faced Couplers	\$3,679.00										X			X						X
R50841478	Auger Drive - Planetary, Model PA210 (Round) **Includes Skid Steer Mount, Top Link, Hoses and Flat-Faced Couplers	\$3,679.00								X	X			X		X			X		
R50841510	Auger Extension - 24 in. (609 mm), Hex	\$215.00						24				X		X				X		X	
R50841511	Auger Extension - 24 in. (609 mm), Hex	\$215.00						24	X	X	X			X		X			X		
R50841507	Auger Extension - 24 in. (609 mm), Round	\$169.00						24				X			X			X		X	
R50841508	Auger Extension - 24 in. (609 mm), Round	\$169.00						24	X	X	X			X		X			X		
Buckets																					
R50851154	Dirt / Construction Bucket - 54 in. (1371 mm) Wide, 9.8 cu. ft. (0.28 cu. m.)	\$1,325.00	54	20	32	9.8			X												
R50851443	Dirt / Construction Bucket - 60 in. (1524 mm) Wide, 11.0 cu. ft. (0.31 cu. m.)	\$1,425.00	60	20	32	11.0				X											
R50851444	Light Material Bucket - 60 in. (1524 mm) Wide, 16.9 cu. ft. (0.47 cu. m.)	\$1,550.00	60	24	39	16.9				X											
R50850966	Dirt / Construction Bucket - 66 in. (1676 mm) Wide, 15.1 cu. ft. (0.42 cu. m.)	\$1,525.00	66	21	36	15.1				X	X			X							
R50840854	Dirt / Construction Bucket - 66 in. (1676 mm) Wide, 15.1 cu. ft. (0.43 cu. m.)	\$1,312.00	66	21	36	15.1						X	X								
R50840813	HD Dirt / Construction Bucket - 66 in. (1676 mm) Wide, 14.4 cu. ft. (0.40 cu. m.)	\$1,186.00	66	21	36	14.4						X	X								
R50841714	HD Dirt / Construction Bucket - 66 in. (1676 mm) Wide, 15.0 cu. ft. (0.42 cu. m.) **for Use w/ R50841738 Cutting Edge	\$1,857.00	66	21	35	15.0						X	X								



Track Loader Attachments

Part No	Description	List Price	Width (in)	Height (in)	Depth (in)	Capacity (cu ft)	Number of Teeth	Length (in)	1050RT	1350RT	1650RT	1750RT NXT3	1850RT	2100RT NXT3	2100VT	2150RT	2300VT	2500RT NXT3	2550RT	2750VT	3200VT
Buckets																					
R50841715	HD Dirt / Construction Bucket - 66 in. (1676 mm) Wide, 15.0 cu. ft. (0.42 cu. m.) **for Use w/ R50841739 Cutting Edge	\$1,857.00	66	21	35	15.0					X				X						
R50840853	HD Dirt / Construction Bucket w/ Cast Teeth - 66 in. (1676 mm) Wide, 15.0 cu. ft. (0.42 cu. m.)	\$2,899.00	66	21	35	15.0	7					X	X								
R50850990	HD Dirt / Construction Bucket w/ Cast Teeth - 66 in. (1676 mm) Wide, 15.0 cu. ft. (0.42 cu. m.)	\$2,838.00	66	21	35	15.0	7				X				X						
R50840855	Light Material Bucket - 66 in. (1676 mm) Wide, 19.0 cu. ft. (0.53 cu. m.)	\$1,456.00	66	24	40	19.0						X	X								
R50850967	Light Material Bucket - 66 in. (1676 mm) Wide, 19.0 cu. ft. (0.53 cu. m.)	\$1,650.00	66	24	40	19.0				X	X				X						
R50840857	Dirt / Construction Bucket - 70 in. (1778 mm) Wide, 16.1 cu. ft. (0.45 cu. m.)	\$1,536.00	70	21	36	16.1						X	X								
R50850968	Dirt / Construction Bucket - 70 in. (1778 mm) Wide, 16.1 cu. ft. (0.45 cu. m.)	\$1,625.00	70	21	36	16.1					X				X						
R50840814	HD Dirt / Construction Bucket - 70 in. (1778 mm) Wide, 15.3 cu. ft. (0.43 cu. m.)	\$1,864.00	70	21	36	15.3						X	X								
R50850970	HD Dirt / Construction Bucket - 70 in. (1778 mm) Wide, 15.3 cu. ft. (0.43 cu. m.)	\$1,864.00	70	21	36	15.3					X				X						
R50840012	Light Material Bucket - 70 in. (1778 mm) Wide, 20.3 cu. ft. (0.57 cu. m.)	\$1,666.00	70	24	40	20.3						X	X								
R50850969	Light Material Bucket - 70 in. (1778 mm) Wide, 20.3 cu. ft. (0.57 cu. m.)	\$1,750.00	70	24	40	20.3					X				X						
R50841717	HD Dirt / Construction Bucket - 72 in. (1828 mm) Wide, 17.0 cu. ft. (0.48 cu. m.) **for Use w/ R50841741 Cutting Edge	\$2,077.00	72	21	35	17.0						X	X	X		X		X	X		X
R50841718	HD Dirt / Construction Bucket - 72 in. (1828 mm) Wide, 17.0 cu. ft. (0.48 cu. m.) **for Use w/ R50841740TL Cutting Edge	\$2,077.00	72	21	35	17.0									X		X			X	
R50840856	HD Dirt / Construction Bucket w/ Cast Teeth - 72 in. (1828 mm) Wide, 17.0 cu. ft. (0.48 cu. m.)	\$2,974.00	72	21	35	17.0	8					X	X								



Track Loader Attachments

Part No	Description	List Price	Width (in)	Height (in)	Depth (in)	Capacity (cu ft)	Number of Teeth	Length (in)	1050RT	1350RT	1650RT	1750RT NXT3	1850RT	2100RT NXT3	2100VT	2150RT	2300VT	2500RT NXT3	2550RT	2750VT	3200VT
Buckets																					
R50850991	HD Dirt / Construction Bucket w/ Cast Teeth - 72 in. (1828 mm) Wide, 17.0 cu. ft. (0.48 cu. m.)	\$2,912.00	72	21	35	17.0	8				X				X						
R50840815	Dirt / Construction Bucket - 74 in. (1879 mm) Wide, 16.2 cu. ft. (0.45 cu. m.)	\$1,771.00	74	21	36	16.2								X		X					
R50850971	Dirt / Construction Bucket - 74 in. (1879 mm) Wide, 16.2 cu. ft. (0.45 cu. m.)	\$1,771.00	74	21	36	16.2					X					X					
R50840816	HD Dirt / Construction Bucket - 74 in. (1879 mm) Wide, 16.1 cu. ft. (0.45 cu. m.)	\$1,709.00	74	21	36	16.1								X		X		X	X		X
R50850972	HD Dirt / Construction Bucket - 74 in. (1879 mm) Wide, 16.1 cu. ft. (0.45 cu. m.)	\$1,709.00	74	21	36	16.1					X				X		X			X	
R50850973	Light Material Bucket - 74 in. (1879 mm) Wide, 27.2 cu. ft. (.77 cu. m.)	\$1,850.00	74	26	42	27.2					X				X		X				
R50840011	Light Material Bucket - 74 in. (1879 mm) Wide, 27.2 cu. ft. (0.77 cu. m.)	\$1,798.00	74	26	42	27.2								X		X		X	X		X
R50841720	HD Dirt / Construction Bucket - 78 in. (1981 mm) Wide, 18.5 cu. ft. (0.52 cu. m.) **for Use w/ R50841742 Cutting Edge	\$2,163.00	78	21	35	18.5								X		X		X	X		X
R50841721	HD Dirt / Construction Bucket - 78 in. (1981 mm) Wide, 18.5 cu. ft. (0.52 cu. m.) **for Use w/ 50841811TL Cutting Edge	\$2,163.00	78	21	35	18.5									X		X			X	
R50840861	HD Dirt / Construction Bucket w/ Cast Teeth - 78 in. (1981 mm) Wide, 18.5 cu. ft. (0.52 cu. m.)	\$3,155.00	78	21	35	18.5	9							X		X					
R50840817	Dirt / Construction Bucket - 84 in. (2133 mm) Wide, 18.5 cu. ft. (0.52 cu. m.)	\$2,134.00	84	21	36	18.5												X	X		X
R50840818	HD Dirt / Construction Bucket - 84 in. (2133 mm) Wide, 18.4 cu. ft. (0.52 cu. m.)	\$2,287.00	84	21	36	18.4												X	X		X
R50841723	HD Dirt / Construction Bucket - 84 in. (2133 mm) Wide, 20.0 cu. ft. (0.57 cu. m.) **for Use w/ R50841744 Cutting Edge	\$2,257.00	84	21	35	20.0												X	X		X
R50841724	HD Dirt / Construction Bucket - 84 in. (2133 mm) Wide, 20.0 cu. ft. (0.57 cu. m.) **for Use w/ R50841743TL Cutting Edge	\$2,257.00	84	21	35	20.0														X	



Track Loader Attachments

Part No	Description	List Price	Width (in)	Height (in)	Depth (in)	Capacity (cu ft)	Number of Teeth	Length (in)	1050RT	1350RT	1650RT	1750RT NXT3	1850RT	2100RT NXT3	2100VT	2150RT	2300VT	2500RT NXT3	2550RT	2750VT	3200VT
Buckets																					
R50841052	HD Dirt / Construction Bucket - 84 in. (2133 mm) Wide, 23.2 cu. ft. (0.65 cu. m.)	\$2,351.00	84	23	40	23.2												X	X		X
R50841216	HD Dirt / Construction Bucket - 84 in. (2133 mm) Wide, 26.0 cu. ft. (0.74 cu. m.)	\$2,176.00	84	24	38	26.0												X			X
R50840859	HD Dirt / Construction Bucket w/ Cast Teeth - 84 in. (2133 mm) Wide, 20.0 cu. ft. (0.57 cu. m.)	\$3,266.00	84	21	35	20.0	9											X	X		X
R50840860	HD Dirt / Construction Bucket w/ Cast Teeth - 90 in. (2286 mm) Wide, 21.4 cu. ft. (0.60 cu. m.)	\$3,439.00	90	21	35	21.4	10											X	X		X
Cutting Edges																					
R50851155	Cutting Edge, Bolt-on 54 in. (1371 mm)	\$291.00	54						X												
R50851445	Cutting Edge, Bolt-on 60 in. (1524 mm)	\$343.00	60							X											
R50840344	Cutting Edge, Bolt-on 66 in. (1676 mm)	\$433.00	66									X	X								
R50850992	Cutting Edge, Bolt-on 66 in. (1676 mm)	\$433.00	66							X	X			X							
R50841738	Cutting Edge, Bolt-on 68 in. (1727 mm) **for Use w/ R50841714 Bucket	\$375.00	68									X	X								
R50841739	Cutting Edge, Bolt-on 68 in. (1727 mm) **for Use w/ R50841715 Bucket	\$375.00	68								X				X						
R50840346	Cutting Edge, Bolt-on 70 in. (1778 mm)	\$432.00	70									X	X								
R50850993	Cutting Edge, Bolt-on 70 in. (1778 mm)	\$432.00	70								X				X						
R50840610	Cutting Edge, Bolt-on 72 in. (1828 mm)	\$457.00	72									X	X								
R50840345	Cutting Edge, Bolt-on 74 in. (1879 mm)	\$474.00	74											X		X		X	X		X
R50841740TL	Cutting Edge, Bolt-on 74 in. (1879 mm) **for Use w/ R50841718 Bucket	\$416.00	74												X		X			X	
R50841741	Cutting Edge, Bolt-on 74 in. (1879 mm) **for Use w/ R50841717 Bucket	\$416.00	74									X	X	X		X		X	X		X
R50850994	Cutting Edge, Bolt-on 74 in. (1879 mm)	\$474.00	74								X				X		X			X	
R50841742	Cutting Edge, Bolt-on 80 in. (2032 mm) **for Use w/ R50841720 Bucket	\$467.00	80											X		X		X	X		X
R50841811TL	Cutting Edge, Bolt-on 80 in. (2032 mm) **for Use w/ R50841721 Bucket	\$494.00	80												X		X			X	



Track Loader Attachments

Part No	Description	List Price	Width (in)	Height (in)	Depth (in)	Capacity (cu ft)	Number of Teeth	Length (in)	1050RT	1350RT	1650RT	1750RT NXT3	1850RT	2100RT NXT3	2100VT	2150RT	2300VT	2500RT NXT3	2550RT	2750VT	3200VT
Cutting Edges																					
R50840238	Cutting Edge, Bolt-on 84 in. (2133 mm)	\$454.00	84															X	X		X
R50841743TL	Cutting Edge, Bolt-on 86 in. (2184 mm) **for Use w/ R50841724 Bucket	\$467.00	86																	X	
R50841744	Cutting Edge, Bolt-on 86 in. (2184 mm) **for Use w/ R50841723 Bucket	\$494.00	86															X	X		X
Carriages																					
R50840294	Carriage, Walk-Thru - 45.5 in. (1156 mm) Wide Note: Forks Not Included	\$881.00	46									X	X	X		X		X	X		X
R50850995	Carriage, Walk-Thru - 45.5 in. (1156 mm) Wide Note: Forks Not Included	\$861.00	46						X	X	X				X		X			X	
Forks																					
R50840348	Pallet Fork (Single Fork) - ITA Style, 1.5 in. x 4 in. x 42 in. (38 mm x 101 mm x 1066 mm) Note: Two Required Per Carriage	\$351.00	4		2			42				X	X	X		X		X	X		X
R50850996	Pallet Fork (Single Fork) - ITA Style, 1.5 in. x 4 in. x 42 in. (38 mm x 101 mm x 1066 mm) Note: Two Required Per Carriage	\$351.00	4		2			42	X	X	X				X		X			X	
R50840347	Pallet Fork (Single Fork) - ITA Style, 1.5 in. x 4 in. x 48 in. (38 mm x 101 mm x 1219 mm) Note: Two Required Per Carriage	\$376.00	4		2			48				X	X	X		X		X	X		X
R50850997	Pallet Fork (Single Fork) - ITA Style, 1.5 in. x 4 in. x 48 in. (38 mm x 101 mm x 1219 mm) Note: Two Required Per Carriage	\$376.00	4		2			48	X	X	X				X		X			X	
Other																					
R50841513	Broom, Hopper - 60 in. (1524 mm)	\$6,964.00	60						X	X	X										
R50841515	Broom, Hopper - 72 in. (1828 mm)	\$7,427.00	72									X			X			X		X	
R50841516	Broom, Hopper - 72 in. (1828 mm)	\$7,427.00	72								X				X		X			X	
R50841827	Grapple, Brush Root (Standard Duty) - 66 in. (1676 mm) Wide	\$4,301.00	66									X			X			X			
R50841828	Grapple, Brush Root (Standard Duty) - 66 in. (1676 mm) Wide	\$4,301.00	66								X				X		X			X	
R50841830	Grapple, Brush Root (Standard Duty) - 72 in. (1828 mm) Wide	\$4,486.00	72									X			X			X		X	



Track Loader Attachments

Part No	Description	List Price	Width (in)	Height (in)	Depth (in)	Capacity (cu ft)	Number of Teeth	Length (in)	1050RT	1350RT	1650RT	1750RT NXT3	1850RT	2100RT NXT3	2100VT	2150RT	2300VT	2500RT NXT3	2550RT	2750VT	3200VT
Other																					
R50841833	Hitch Adapter	\$541.00											X		X			X			X
R50841834	Hitch Adapter	\$541.00							X	X	X				X		X			X	

ATTACHMENTS

*****Note: In 2021, EDGE® Attachments was rebranded as Manitou Group Attachments*****

For information on additional attachments (availability, pricing and ordering) contact our Manitou Group Attachments Customer Service group.

By Phone	By Fax	Electronically
262-387-1210	262-387-1247	Email: attachmentinfo@manitou-group.com
866-232-8224		Website: attachments.manitou-group.com

NOTICE:

Attachments sold through Manitou Group Attachments are approved for use on Manitou Track Loaders when properly mounted, appropriate for the rated operating capacity and auxiliary hydraulic flow of the machine and used in accordance with the Operator's Manual.

Manitou Equipment America, LLC is not responsible for the consequences if a machine is used for a non-approved attachment.

Pictured below are some commonly used attachments for purchase through Manitou Group Attachments.

Dozer Blades**Graders****Grapple Buckets****Power Rakes****Mowers**