

Skid Loader Price List





Sales Bulletin

DATE: March 13, 2023

SUBJECT: Price Pages

TO: All Manitou Skid Loader Dealers

One Gehl Way West Bend, WI 53095

> 262-334-9461 (P) 262-334-6689 (F)

Attached are <u>replacement</u> pages for your Skid Loader price list with an <u>Effective Date</u> of March 13, 2023. These pages replace all previously published lists. Please note that these pages reflect the following changes:

Introducing the newest additions to the Skid Loader family - 2100V, 2300V and 2750V!!



2100V Standard Equipment

- 2,100 lbs. (952 kg) @ 50% Tipping Capacity
- Yanmar Naturally Aspirated Diesel Engine
 - o 69.3 Gross hp (51.7 kW) @ 2,500 rpm
 - EPA Tier IV / Euro Stage 5
 - Max torque 178 ft. lbs. (241 Nm) @ 1,625 rpm
- DPF (Diesel Particulate Filter) Technology
- Bucket pin height 120.5 in. (3,061 mm)
- Standard auxiliary hydraulic flow 22.8 gpm (86.5 L/min)
- Vertical Style Lift Path



2300V Standard Equipment

- 2,300 lbs. (1,043 kg) @ 50% Tipping Capacity
- Yanmar Turbo Diesel Engine
 - o 72.0 Gross hp (53.7 kW) @ 2,500 rpm
 - EPA Tier IV / Euro Stage 5
 - Max torque 217 ft. lbs. (294 Nm) @ 1,800 rpm
- DPF (Diesel Particulate Filter) Technology
- Bucket pin height 121.5 in. (3,086 mm)
- Standard auxiliary hydraulic flow 22.8 gpm (86.5 L/min)
- Vertical Style Lift Path



2750V Standard Equipment

- 2,750 lbs. (1,247 kg) @ 50% Tipping Capacity
- Yanmar Turbo Diesel Engine
 - o 72.0 Gross hp (53.7 kW) @ 2,500 rpm
 - EPA Tier IV / Euro Stage 5
 - Max torque 217 ft. lbs. (294 Nm) @ 1,800 rpm
- DPF (Diesel Particulate Filter) Technology
- Bucket pin height 129.0 in. (3,277 mm)
- Standard auxiliary hydraulic flow 26.0 gpm (98.4 L/min)
- Vertical Style Lift Path

The following are general changes:

- Field installed kits are no longer available to order with machines
 - o Field kits will ONLY be available through the Order Accessories section of the portal
 - o Field kits will continue to be shown on the price pages
 - o The Field Installed Options tab is no longer available when ordering a machine
 - The button (All Parts Catalog) to allow additional field kits and attachments to be added to a machine order for a product line is no longer available

Pricing reflects suggested list prices in U.S. dollars.

Please ensure that all sales personnel have a copy of this revised price list. Copies of the price list can be printed and/or downloaded and saved from the Manitou Dealer Portal for future reference.

cc: Field and Internal Distribution Enclosure



Skid Loaders

INDEX

TIRE INFORMATION	PAGE
Current Tires	2
Replacement Tire Comparison	- 4
CURRENT PRODUCTION MODELS	
1050R	6
1650R	
1900R "SUBJECT TO AVAILABILITY"	
2100V NEW!	
2200R "SUBJECT TO AVAILABILITY"	
2300V NEW!	
2600R "SUBJECT TO AVAILABILITY"	
2750V NEW!	
3300V NXT2	
DISCONTINUED MODELS - FIELD KITS ONLY	
1350R	56
1500R	**
1500R NXT2	
4200V	62
ATTACHMENTS	
Attachment Matrix	64
MG Attachments Information.	

MANITOU HANDLING YOUR WORLD

Tire Information - Current

State Stat	111011	1101111	auon	, Oui	Olit										
Solid Flex		10.00 x 16.5				12.00 x 16.5			14.00 x 17.5						
Non-															
Pearwanter 10-Phy			40.00 40.5	40.00 40.5	40.00 40.5		40.00 40.5	40.00 40.5		44.00 47.5	44.00 47.5	07 40 5	07 40 5	07 0 5 45	7.00 45.0
Column Heavy Duty Duty Cherron Heavy Duty Heavy Duty Heavy Duty Duty Cherron Heavy Duty															
Part No. R0940444 R0941568 R0981353 R0981355 R0940457															
Wheels Reversible - Some wheels are reversible (left to right) to change loader width; Loaders shipped with wheel in narrow "N" position	Part No.					,			,						
1958R Yes			<u> </u>		<u> </u>				<u> </u>	<u> </u>			K30031301	K30041303	K30041304
1530R NTZ		rsible - Some		reversible (I	ent to right) t	o change loa	aer wiatn; L	oaders snipp	Jea with whe	ei in narrow	in position		Vaa	Ma	No
1650R		Voo	res	Voo	Voo							No	res	NO	NO
1900R							No	No				NO			
2100V Yes Yes Yes Yes Yes No No No No No No No N						V	-	-							
2200R															
2300V Yes Yes Yes No No No No No No No N		Yes		Yes	Yes					N.	N.				
2600R		V		V	V				NO	NO	NO				
No		Yes		Yes	Yes					N.	N.				
No															
Tosor S2.4 S3.7 S3.4 N/A						No	No	No							
1050R									No	No	No				
1350R NXT2 53.0 53.7 53.4		"IN"		ī	ı			T						10.0	4= 4
1650R			52.4										51.9	48.2	47.4
1990R 62.5 64.2 63.9 64.9 N/A												51.7			
2100V 63.0 63.9 63.6 N/A															
2200R 63.0 63.9 63.6 83.9 83.6 83.0 83.0 83.0 83.0 83.0 83.0 83.0 83.0 83.0 83.0 83.0 83.0 83.0 83.0 83.0 83.0 83.0 83.0 83.0 83.0 83.0 83.0 83.0 83.0 83.0 83.0 83.0 83.0 83.0 83.0 83.0 83.0 83.0 83.0 83.0 83.0 83.0 83.0 83.0 83.0 83.0 83.0 83.0 83.0 83.0 83.0 83.0 83.0 83.0 83.0 83.0 83.0 83.0 83.0 83.0 83.0 83.0 83.0 83.0 83.0 83.0 83.0 83.0 83.0 83.0 83.0 83.0 83.0 83.0 83.0 83.0 83.0 83.0 83.0 83.0 83.0 83.0 83.0 83.0 83.0 83.0 83.0 83.0 83.0 83.0 83.0 83.0 83.0 83.0 83.0 83.0 83.0 83.0 83.0 83.0 83.0 83.0 83.0 83.0 83.0 83.0 83.0 83.0 83.0 83.0 83.0 83.0 83.0 83.0 83.0 83.0 83.0 83.0 83.0 83.0 83.0 83.0 83.0 83.0 83.0 83.0 83.0 83.0 83.0 83.0 83.0 83.0 83.0 83.0 83.0 83.0 83.0 83.0 83.0 83.0 83.0 83.0 83.0 83.0 83.0 83.0 83.0 83.0 83.0 83.0 83.0 83.0 83.0 83.0 83.0 83.0 83.0 83.0 83.0 83.0 83.0 83.0 83.0 83.0 83.0 83.0 83.0 83.0 83.0 83.0 83.0 83.0 83.0 83.0 83.0 83.0 83.0 83.0 83.0 83.0 83.0 83.0 83.0 83.0 83.0 83.0 83.0 83.0 83.0 83.0 83.0 83.0 83.0 83.0 83.0 83.0 83.0 83.0 83.0 83.0 83.0 83.0 83.0 83.0 83.0 83.0 83.0 83.0 83.0 83.0 83.0 83.0 83.0 83.0 83.0 83.0 83.0 83.0 83.0 83.0 83.0 83.0 83.0 83.0 83.0 83.0 83.0 83.0 83.0 83.0 83.0 83.0 83.0 83.0 83.0 83.0 83.0 83.0 83.0 83.0 83.0 83.0 83.0 83.0 83.0 83.0 83.0 83.0 83.0 83.0 83.0 83.0 83.0 83.0 83.0 83.0 83.0 83.0 83.0 83.0 83.0 83.0 83.0 83.0 83.0 83.0 83.0 83.0 83.0 83.0 83.0 83.0 83.0 83.0 83.0 83.0 83.0 83.0 83.0 83.0 83.0 83.0 83.0 83.0 83.0 83.0 83.0 83.0 83.0 83.0 83.0															
2300V 63.0 63.9 63.6 N/A		63.0		63.9	63.6										
Company									N/A	N/A	N/A				
N/A		63.0		63.9	63.6										
N/A															
N/A															
Content						N/A	N/A	N/A							
1050R									N/A	N/A	N/A				
1350R NXT2		"OUT"													
1650R 65.0 65.3 65.0 65.3 65.0 65.4 64.5 1900R 66.5 67.3 67.0 69.0 67.4 66.5 2100V 67.0 67.0 67.1 66.8 69.0 67.4 66.5 71.5 71.6 70.5 2200R 69.0 67.4 66.5 71.5 71.6 70.5 2200R 69.0 67.4 66.5 71.5 71.6 70.5 2700V NXT2 67.0 67.0 67.2 66.3 67.0 71.5 71.6 70.5 2750V 67.0 67.2 66.3 67.0 67.2 66.3 67.0 71.5 71.6 70.5 2750V 67.0 67.2 66.3 67.0 71.5 71.6 70.5 2750V 71.5 71.6 70.5 71.5 71.6 70.5 71.5 71.6 70.5 71.5 71.6 70.5 71.5 71.6 70.5 71.5 71.6 70.5 71.5 71.6 70.5 71.5 71.6 70.5 71.5 71.6 70.5 71.5 71.6 70.5 71.5 71.6 70.5 71.5 71.6 70.5 71.5 71.6 70.5 71.5 71.6 70.5 71.5 71.6 70.5 71.5 71.6 70.5 71.5 71.6 70.5 71.5 71.6 70.5 71.5 71.6 70.5 71.5 71.6 70.5 71.5 71.6 70.5 71.5 71.6 70.5 71.5 71.6 70.5 71.5 71.6 70.5 71.5 71.6 70.5 71.5 71.6 70.5 71.5 71.6 70.5 71.5 71.6 70.5 71.5 71.6 70.5 71.5 71.6 70.5 71.5 71.6 70.5 71.5 71.6 70.5 71.5 71.6 70.5 71.5 71.6 70.5 71.5 71.6 70.5 71.5 71.6 70.5 71.5 71.6 70.5 71.5 71.6 70.5 71.5 71.6 70.5 71.5 71.6 70.5 71.5 71.6 70.5 71.5 71.6 70.5 71.5 71.6 70.5 71.5 71.6 70.5 71.5 71.6 70.5 71.5 71.6 70.5 71.5 71.6 70.5 71.5 71.6 70.5 71.5 71.6 70.5 71.5 71.6 70.5 71.5 71.6 70.5 71.5 71.6 70.5 71.5 71.6 70.5 71.5 71.6 70.5 71.5 71.6 70.5 71.5 71.6 70.5 71.5 71.6 70.5 71.5 71.6 70.5 71.5 71.6 70.5 71.5 71.6 70.5 71.5 71.6 70.5 71.5 71.6 70.5 71.5 71.6 70.5 71.5 71.6 70.5 71.5 71.6 70.5 71.5 71.6 70.5 71.5 71.6 70.5 71.5 71.6 70.5 71.5 71.6 70.5 71.5 71.6 70.5 71.5 71.6 70.5 71.5 71.6 70.5 71.5 71.6 70.5 71.5 71.6 70.5 71.5 71.6 70.5 71.5 71.6 70.5 71.5 71.6 70.5 71.5 71.6 70.5 71.5 71.6 70.5 71.5 71.6 70.5 71.5 71.6 70.5 71.5 71.6 70.5 71.5 71.6 70.5 71.5 71.6 70.5 71.5 71.6 70.5 71.5 71.6 70.5 71.5 71.6 70.5 71.5 71.6 70.5 71.5 71.6 70.5 71.5 71.6 70.5 71.5 71.6 70.5 71.5 71.6 70.5 71.5 71.6 70.5 71.5 71.6 70.5 71.5 71.6 70.5 71.5 71.6 70.5 71.5 71.6 70.5 71.5 71.6 70.5 71.5 71.6 70.5 71.5 71.6 70.5 71.5 71.6 70.5 71.5 71.6 70.5 71.5 71.6 70.5 71.5 71.6 70.5 71.5 71.6 70.5 71.5 71.6 70.5 71.5 71.6 70.5 71.5 71.6 70.5 71.5 71.6 70.5 71.5 71.6 70.5 71.5 71.5 71.6 70.5 71.5 71.6 70.5 71			58.3										56.8	N/A	N/A
1900R 66.5 67.3 67.0 69.0 67.4 66.5 2100V 67.0 67.0 67.1 66.8 69.0 67.2 66.3 2200R 2200R 67.0 67.1 66.8 69.0 67.4 66.5 71.5 71.6 70.5 2300V 67.0 67.1 66.8 67.0 67.2 66.3 67.0 67.2 66.3 67.0 67.4 66.5 71.5 71.6 70.5 70.5 70.5 70.5 70.5 70.5 70.5 70.5				56.9	56.6							N/A			
2100V															
2200R 2300V 67.0 67.1 66.8 67.0 67.2 66.3 67.2 66.3 71.5 71.6 70.5 70.5 70.5 70.5 70.5 70.5 70.5 70.5 70.5 70.5 70.5 70.5 70.5 70.5 70.5 70.5 70.5 70.5 70.5 70.5 70.5 70.5 70.5 70.5 70.5 70.5 70.5 70.5 70.5 70.5 70.5 70.5 70.5 70.5 70.5 70.5 70.5 70.5 70.5 70.5 70.5 70.5 70.5 70.5 70.5 70.5 70.5 70.5 70.5 70.5 70.5 70.5 70.5 70.5 70.5 70.5 70.5 70.5 70.5 70.5 70.5 70.5 70.5 70.5 70.5 70.5 70.5 70.5 70.5 70.5 70.5 70.5 70.5 70.5 70.5 70.5 70.5 70.5 70.5 70.5 70.5 70.5 70.5 70.5 70.5 70.5 70.5 70.5 70.5 70.5 70.5 70.5 70.5 70.5 70.5 70.5 70.5 70.5 70.5 70.5 70.5 70.5 70.5 70.5 70.5 70.5 70.5 70.5 70.5 70.5 70.5 70.5 70.5 70.5 70.5 70.5 70.5 70.5 70.5 70.5 70.5 70.5 70.5 70.5 70.5 70.5 70.5 70.5 70.5 70.5 70.5 70.5 70.5 70.5 70.5 70.5 70.5 70.5 70.5 70.5 70.5 70.5 70.5 70.5 70.5 70.5 70.5 70.5 70.5 70.5 70.5 70.5 70.5 70.5 70.5 70.5 70.5 70.5 70.5 70.5 70.5 70.5 70.5 70.5 70.5 70.5 70.5 70.5 70.5 70.5 70.5 70.5 70.5 70.5 70.5 70.5 70.5 70.5 70.5 70.5 70.5 70.5 70.5 70.5 70.5 70.5 70.5 70.5 70.5 70.5 70.5 70.5 70.5 70.5 70.5 70.5 70.5 70.5 70.5 70.5 70.5 70.5 70.5 70.5 70.5 70.5 70.5 70.5 70.5 70.5 70.5 70.5 70.5 70.5 70.5 70.5 70.5 70.5 70.5 70.5 70.5 70.5 70.5 70.5 70.5 70.5 70.5 70.5 70.5 70.5 70.5 70.5 70.5 70.5 70.5 70.5 70.5 70.5 70.5 70.5 70.5 70.5 70.5 70.5 70.5 70.5 70.5 70.5 70.5 70.5 70.5 70.5 70.5 70.5 70.5 70.5 70.5 70.5 70.5 70.5 70.5 70.5 70.5 70.5 70.5 70.5 70.5 70.5 70.5 70.5 70.5 70.5 70.5 70.5 70.5 70.5 70.5 70.5 70.5 70.5		66.5		67.3	67.0	69.0	67.4	66.5							
2300V 67.0 67.1 66.8 67.0 67.2 66.3	2100V	67.0		67.1	66.8	69.0	67.2	66.3							
2600R 69.0 67.4 66.5 71.5 71.6 70.5	2200R					69.0	67.4	66.5	71.5	71.6	70.5				
2700V NXT2	2300V	67.0		67.1	66.8	67.0	67.2	66.3							
1050R	2600R					69.0	67.4	66.5	71.5	71.6	70.5				
1050R	2700V NXT2					67.0	67.4	66.5	71.5	71.6	70.5				
Company	2750V					67.0	67.2	66.3	67.0	71.5	70.5				
1050R	3300V NXT2								71.5	71.6	70.5				
1350R NXT2	Low Heel Bud	cket Require	d												
1650R			No										No	No	No
1900R	1350R NXT2	No		No	No							No			
2100V	1650R	No		No	No		Yes	Yes							
2200R		No		No	No	Yes	Yes	Yes							
2300V No No No No No No No No Service Yes Yes 2700V NXT2 No No No No Yes Yes Yes Yes		No		No	No										
2600R No No No Yes Yes Yes 2700V NXT2 No No No Yes Yes Yes	2200R					No	No	No	Yes	Yes	Yes				
2700V NXT2 No No No Yes Yes Yes	2300V	No		No	No	No	No	No							
	2600R					No	No	No	Yes	Yes	Yes				
2750V No	2700V NXT2					No	No	No	Yes	Yes	Yes				
	2750V					No	No	No	No	No	No				
3300V NXT2 Yes Yes Yes	3300V NXT2								Yes	Yes	Yes				

Tire Information - Current



Part No.	R50840484	R50841568	R50851353	R50851355	R50840485	R50851357	R50851359	R50840487	R50840471	R50840478	R50841566		R50841565	R50841564
Track Use Ap	proved - Ple	ase note that	t use of track	ks will void v	arranty if no	t approved								
1050R		No										No	No	No
1350R NXT2	Yes		Yes	Yes							No			
1650R	Yes		Yes	Yes		No	No							
1900R	Yes		Yes	Yes	No	No	No							
2100V	No		Yes	Yes	No	No	No							
2200R					Yes	Yes	Yes	No	No	No				
2300V	No		Yes	Yes	No	No	No							
2600R					Yes	Yes	Yes	No	No	No				
2700V NXT2					Yes	Yes	Yes	No	No	No				
2750V					No	Yes	Yes	No	No	No				
3300V NXT2								No	No	No				



Replacement Tire Comparison



170	piace	IIIGIIL I		IIIPalis	OH										HANDLING YOUR W
	Obsoleted	Superseded	Obsoleted	Superseded	Obsoleted	Superseded	Obsoleted	Superseded	Obsoleted	Superseded	Obsoleted	Superseded	Obsoleted	Superseded	
					10.00 x 16.5 8-				12.00 x 16.5 10-	12.00 x 16.5 12-					
	10.00 x 16.5	10.00 x 16.5	10.00 x 16.5	10.00 x 16.5	Ply / Flotation	10.00 x 16.5	12.00 x 16.5	12.00 x 16.5		Ply / Heavy Duty	12.00 x 16.5	12.00 x 16.5	27 x 10.5 x	27 x 10.5 x	Effective August 19,
	10-Ply /	10-Ply /	8-Ply /	10-Ply /	w/ Narrow	10-Ply /	10-Ply /	12-Ply /	w/ QuikGel Tire	w/ QuikGel Tire	14-Ply /	12-Ply /	15 8-Ply /	15 8-Ply /	2019, the Obsoleted tire
	Severe Duty	Severe Duty	Flotation	Heavy Duty	Offset Rim	Heavy Duty	Flotation	Heavy Duty	Liner Installed	Liner Installed	Severe Duty	Severe Duty	Flotation	Heavy Duty	
	R50840495		R50840493	R50851353	R50840473	R50851353	R50840490	R50851357	R50840492	R50851361	R50840491	R50851359	R50840476	R50851367	assemblies listed on
	rsible - Some	wheels are reve	ersible (left to ri	ght) to change I	oader width; Load	ders shipped wi	ith wheel in narr	ow "IN" positio	n						this page were
1050R													Yes	Yes	Superceded by new tire
1350R	Yes	Yes			Yes	Yes									assemblies.
1500R	Yes	Yes			Yes	Yes									
1650R	Yes	Yes	Yes	Yes	Yes	Yes	Yes	No			Yes	No			These shownes were
1900R	Yes	Yes	Yes	Yes	Yes	Yes	Yes	No	No	No	Yes	No			These changes may
2200R							Yes	No	No	No	Yes	No			have affected any of the
2600R							Yes	No	No	No	Yes	No			following:
2700V NXT2	III III						Yes	No	No	No	Yes	No			Ply Rating, Reversible
Loader Width	I IN"												E2.0	E4.0	Wheels, "In" Width or
1050R	E / 1	53.4			E2.2	E2 7							52.0	51.9	"Out" Width
1350R 1500R	54.1 62.5	61.9			52.3 60.8	53.7 62.2									Out Width
1650R	62.5	61.9	62.8	62.2	61.0	62.2	63.8	65.4			62.9	64.5			
1900R	64.5	63.9	64.8	64.2	62.8	64.2	65.8	67.4	69.5	67.4	64.9	66.5			The information shown
2200R	04.3	03.9	04.0	04.2	02.0	04.2	65.8	67.4	69.5	67.4	64.9	66.5			here is for comparison
2600R							65.8	67.4	69.5	67.4	64.9	66.5			of the new tire
2700V NXT2							65.8	67.4	69.0	67.4	64.9	66.5			assembly to the old tire
Loader Width	"OUT"						00.0	٠.١٥	03.0	4.10	04.3	00.0			
1050R													57.0	56.8	assembly - please see
1350R	55.9	56.6			57.5	56.9							07.10	00.0	the previous page (Tire
1500R	64.3	65.0			65.9	65.3									Information - Current)
1650R	64.3	65.0	64.6	65.3	66.0	65.3	67.9	65.4			67.0	64.5			which shows all
1900R	66.3	67.0	66.6	67.3	67.9	67.3	69.9	67.4	69.5	67.4	69.0	66.5			currently offered tire
2200R							69.9	67.4	69.5	67.4	69.0	66.5			assemblies.
2600R							69.9	67.4	69.5	67.4	69.0	66.5			assemblies.
2700V NXT2							69.9	67.4	69.0	67.4	69.0	66.5			
Low Heel Bu	cket Required														
1050R													No	No	1
1350R	No	No			No	No									
1500R	No	No			No	No									1
1650R	No	No	No	No	No	No	Yes	Yes			Yes	Yes			4
1900R	No	No	No	No	No	No	Yes	Yes	Yes	Yes	Yes	Yes			4
2200R							No	No	No	No	No	No			1
2600R							No	No	No	No	No	No			4
2700V NXT2							No	No	No	No	No	No			
	proved - Plea	ise note that us	e of tracks will v	old warranty if	not approved						_		Mi	NI.	1
1050R	Vaa	Vec			Voc	Vac							No	No	1
1350R 1500R	Yes Yes	Yes Yes			Yes	Yes									
1650R	Yes No	Yes No	Voc	Voc	Yes Yes	Yes Yes	No	No			No	No			1
1900R	No No	No No	Yes Yes	Yes Yes	Yes	Yes	No No	No No	No	No	No No	No No			
2200R	INU	INU	res	168	res	168	Yes	Yes	Yes	Yes	No	No			
2600R							Yes	Yes	Yes	Yes	No	No			
2700V NXT2							Yes	Yes	Yes	Yes	No	No			
-1001 11/1/12		ı		ı			100	100	100	100	140	110		1	

CURRENT PRODUCTION MODELS

The models on the following pages are models currently in production.

Please note that models listed in this section may have been discontinued.

These models will be indicated as Subject to Availability and may be available in limited quantities.



STANDARD EQUIPMENT

DRIVE TRAIN / CHASSIS

- #80 K Pre-Stressed Chains in Oil Bath
- Dual, Integral Cleanout Plates
- Dynamic Braking Hydrostatic
- Front Chassis Cleanout
- Geroller Drive Motors
- Manual Controlled Hydrostatic Drive
- Mechanical Lift Cylinder Lock
- Multi-Tach™ Attachment System (Universal-Style)
- Parking / Emergency Brake Automatic Apply / Release
- Radial Style Lift Path
- Single Speed Drive System
- Zero Maintenance Axles w/ 6-Bolt Rims

ELECTRICAL SYSTEM

- Sealed Fuse Box and Fuses Easily Accessible in Rear of Machine
- Right Side, Eye Level Instrumentation Panel
 - Display includes Engine RPM, Coolant Temperature, Hourmeter, Battery Voltage, Engine Diagnostic Codes and Other
 - Engine DPF Regen Status
 - Warning Indicators Air Filter, Battery Voltage, Engine Coolant Temperature, Regen Status, Hydraulic Oil Filter, Pressure & Temperature, Preheat and Check Engine
- Easy Link Module
- Lights
 - Tail and Work (2 Front and 2 Rear)

ENGINE

- Yanmar Naturally Aspirated Diesel Engine
- DPF (Diesel Particulate Filter) Technology
- Dual Element Air Cleaner w/ Indicator
- Grid Heater Starter Assist Automatic
- Vandalism Lock Provisions
 - Fuel and Engine Cover

HYDRAULICS SYSTEM

- 3-Spool Open Center Valve
- 4 Micron Filter Spin-On Type
- Dual Lift / Tilt Cylinders w/ Nitrosteel™ Black Cylinder Rods
- Independent Hydraulic Reservoir w/ Cooler

OPERATORS AREA

- Acoustical Sound Material and Deluxe Headliner
- Adjustable Seat Belt
- Controls Choice of 2
- Deluxe High-Back, Cushion Seat
- Entry / Exit Grab Handles
- Foot and Hand Throttle
 - Hand Control Units Only
- Hydraloc™ System
 - Brakes and Interlock for Starter, Lift / Tilt Cylinders and Wheel Drives
- Operator Restraint Bar w/ Armrests
- ROPS / FOPS Level II
 - Rollback Guard w/ Integral Side Screens
- Windows
 - Top and Rear Emergency Exit

WARRANTY

See Warranty Policy

EQUIPMENT SPECIFICATIONS FOR BASE UNIT

LOADER (w/ 8.50 x 15 Tires)

- Rated Operating Capacity 1,050 lbs. (476 kg)
- Pin Height 108.1 in. (2,746 mm)
- ROPS Height 70.3 in. (1,786 mm)
- SAE Tipping Load 2,100 lbs. (953 kg)
- Wheelbase 34.5 in. (876 mm)

HYDRAULICS

- Auxiliary Hydraulics
 - Lift Arm Mounted (Upper, Left Side) w/ 3/4" (19 mm) Flat-Faced Couplers - 14.5 gpm (55 L/min)
- Hydraulic Reservoir 8 gal. (30.3 L)
- System Pressure 2,750 psi (190 bar)

DIESEL ENGINE

- Yanmar 3TNV88
- 3 Cylinder, Naturally Aspirated
- 33.1 Net hp (24.7 kW) @ 2,800 rpm
- 34.7 Gross hp (25.5 kW) @ 2,800 rpm
- Max Torque 80 ft.-lbs. (108 Nm) @ 1,680 rpm
- Emissions Compliance (EPA / Euro)
 - Tier IV / Stage 3B
- Displacement 100 cu. in. (1.64 L)
- Fuel Tank 10.4 gal. (39.4 L)
- Oil Change Interval 500 Hours

ELECTRICAL

- Alternator 40 amp.
- Battery 12 Volt, 675 CCA
- Starter 2.0 kW

Manitou Skid Loaders 1050R

Package Configurations (*Configuration List Price does not include Tire Price)

Standard - Ha	ands Only (Must Select Tires)	Deluxe - Hands Only (Must Select Tires)			
R50850845 R810254 R810288 R50850844 R50841433 R810700	Hands Only Control System - Manual Controls Standard High Back Cushion Seat Seat Belt - 2 in. (50 mm) Hydraulic Self-Leveling - Lift Action Easy Link Module w/ 6 Years Connectivity Back-Up Alarm - Hands Only Controls Electric Disconnect Switch	R50850845 R810255 R810288 R50850844 R50841433 R810700	Hands Only Control System - Manual Controls Deluxe High Back Suspension Seat Seat Belt - 2 in. (50 mm) Hydraulic Self-Leveling - Lift Action Easy Link Module w/ 6 Years Connectivity Back-Up Alarm - Hands Only Controls		
R50850863 R810696 R622105 R810741	Fenders Horn - Hands Only Control Weight - Rear Counterweight	R50850854 R50850863 R810696	Cab Enclosure w/ Heat - Swing Out Door and Front Wiper Electric Disconnect Switch Fenders Horn - Hands Only Control		
*List Price:	\$ 39,905.00	R810741	Weight - Rear Counterweight \$ 43,708.00		

Part No	Part Description	List Price
Base Unit	·	
R50851263	1050R - STANDARD BASE UNIT - U.S. AND CANADA ONLY	\$36,766.00
Required Factory	Options	
Controls		
R50850890	Hand / Foot Control System - Manual Controls	\$0.00
R50850845	Hands Only Control System - Manual Controls Note: ONLY for Use on Tier IV / Stage 5 Models	\$0.00
Seat		
R810255	Deluxe High Back Suspension Seat	\$324.00
R810254	Standard High Back Cushion Seat	\$0.00
Seat Belt		
R810288	Seat Belt - 2 in. (50 mm)	\$0.00
R810290	Seat Belt - 3 in. (76 mm) Note: Where Required By State Law	\$110.00
Self-Leveling		
R50850844	Hydraulic Self-Leveling - Lift Action	\$406.00
R50850843	No Hydraulic Leveling	\$0.00
Connected Solut	ions	·
R50841433	Easy Link Module w/ 6 Years Connectivity **for Use w/ Easy Manager System	\$1,543.00
R50841434	Easy Link Module w/ Access Control Keyboard and 6 Years Connectivity **for Use w/ Easy Manager System	\$2,064.00
Tire Options		
R50841568	10.00 x 16.5 10-Ply / Heavy Duty	\$1,680.00
R50851367	27 x 10.5 x 15 8-Ply / Heavy Duty Note: Extended Lead Time	\$1,568.00
R50841565	27 x 8.5 x 15 8-Ply / Heavy Duty	\$1,383.00
R50841564	7.00 x 15 6-Ply / Chevron Note: Extended Lead Time	\$1,216.00

Part No	Part Description	List Price
Required Factory	Options	
Tire Options		
R806631	Less Wheels / Tires (Unit Shipped Without Mounted Wheels / Tires)	\$662.00
Non-Required Fac	tory Options	
R810701	Back-Up Alarm - Hand / Foot Controls	\$223.00
R810700	Back-Up Alarm - Hands Only Controls	\$223.00
R50850854	Cab Enclosure w/ Heat - Swing Out Door and Front Wiper Note: Doors CANNOT Be Used w/ Backhoe Attachment Installed	\$3,479.00
R50850847	Door - Swing Out w/ Front Wiper Note: Doors CANNOT Be Used w/ Backhoe Attachment Installed	\$1,217.00
R50850863	Electric Disconnect Switch	\$91.00
R806136	Engine Block (Frost Plug) Heater **120 Volt, 400 Watt w/ 5 ft. (1.5 m) Power Cord **Highly Recommended for Use at 20° F (-6° C) and Colder Conditions	\$236.00
R810696	Fenders	\$124.00
R632655	Half-Glass, Non-Sliding Side Windows **for Additional Sound Reduction (Not for Use w/ Cab Enclosure)	\$219.00
R50850852	Heater Note: ONLY for Use on Tier IV / Stage 5 Models	\$1,096.00
R636105	Horn - Hand / Foot Controls	\$186.00
R622105	Horn - Hands Only Control	\$186.00
R50850980	Open ROPS/FOPS w/ Side Windows and Heat Note: ONLY for Use on Tier IV / Stage 5 Models	\$1,914.00
R50850976	Open ROPS/FOPS w/ Swing Out Door, Side Windows and Front Wiper Note: Doors CANNOT Be Used w/ Backhoe Attachment Installed	\$2,033.00
R803453	Painting - Non-Standard Paint Package - Painted One Requested Color Note: Paint Options REQUIRE 4-Digit RAL Paint Color Specification (Must Be Ordered Prior To Production Run. Any Specialized Non-Standard Paints Will Have Additional Cost.)	\$1,520.00
R811658	Rear Wiper Note: Requires Front Door	\$573.00
R808255	Sliding Side Windows	\$824.00
R810741	Weight - Rear Counterweight **Increases Rated Operating Capacity by 125 lbs. (56 kg) and Adds 5.0 in. (127 mm) to Length	\$566.00
Field Installed Opt	ions	
R810740	Back-Up Alarm Kit	\$187.00
R50850848	Door Kit - Impact Resistant **.5 in. (12 mm) Polycarbonate Material (Wiper Not Included) Note: Doors CANNOT Be Used with Backhoe Attachment Installed	\$1,010.00
R50850849	Door Kit - Swing Out w/ Front Wiper Note: Doors CANNOT Be Used with Backhoe Attachment Installed	\$1,159.00
R50850846	Electric Disconnect Switch Kit	\$91.00
R805855	Engine Block (Frost Plug) Heater Kit **120 Volt, 400 Watt w/ 5 ft. (1.5 m) Power Cord **Highly Recommended for Use at 20° F (-6° C) and Colder Conditions	\$110.00
R50850851	Heater Kit Note: ONLY for Use on Tier IV / Stage 5 Models	\$1,424.00
R808274	Horn Kit	\$185.00
R50850853	Hydraulic Self-Leveling Kit - Lift Action	\$494.00

Part No	Part Description	List Price
Field Installed Op	tions	
R810834	Lift Kit - Single Point Lift System	\$506.00
R806894	Mirror Kit - Rear View **Can Install Two if Needed	\$51.00
R50850850	Pre-Cleaner Kit - Centrifugal Type Note: ONLY for Use on Tier IV / Stage 5 Models	\$371.00
R810946	Radio Kit - Universal Mounting **Includes Base Radio, Speakers, Wiring and Hardware	\$575.00
R811659	Rear Wiper Kit	\$573.00
R810423	Seat Replacement (Standard)	\$345.00
R810422	Seat Replacement (Suspension)	\$568.00
R808266	Sliding Side Windows Kit	\$768.00
R50841559	Spare Tire on Rim (Silver Rim) - 10.00 x 16.5 10-Ply / Heavy Duty	\$424.00
R50851366	Spare Tire on Rim (Silver Rim) - 27 x 10.50 x 15 8-Ply / Heavy Duty Note: Extended Lead Time	\$404.00
R50841556	Spare Tire on Rim (Silver Rim) - 27 x 8.50 x 15 8-Ply / Heavy Duty	\$361.00
R50841555	Spare Tire on Rim (Silver Rim) - 7.00 x 15 6-Ply / Chevron Note: Extended Lead Time	\$306.00
R808279	Strobe Light Kit	\$220.00
R808383	Weight Kit - Rear Counterweight **Increases Rated Operating Capacity by 125 lbs. (56 kg) and Adds 5.0 in. (127 mm) to Length	\$526.00



STANDARD EQUIPMENT

DRIVE TRAIN / CHASSIS

- #80 E Pre-Stressed Chains in Oil Bath
- Dual, Integral Cleanout Plates
- Dynamic Braking Hydrostatic
- Front Chassis Cleanout
- Manually Controlled Hydrostatic Drive
- Mechanical Lift Cylinder Lock
- Multi-Tach™ Attachment System (Universal-Style)
- Parking / Emergency Brake
- Radial Piston Drive Motors
- Radial Style Lift Path
- Single Speed Drive System
- Zero Maintenance Axles w/ 8-Bolt Rims

ELECTRICAL SYSTEM

- Battery Disconnect
- Information Center with Multi-Function Color Display
 - Display includes Fuel Level, Real Time Fuel Consumption, Engine RPM, Coolant Temperature, Hourmeter, Battery Voltage, Engine Diagnostic Codes, Other Engine DPF Regen Status,
 - Warning Indicators Air Filter, Battery Voltage, Engine Coolant Temperature, Regen Status, Hydraulic Oil Filter, Pressure & Temperature, Preheat, Check Engine
- Easy Link Module
- Lights (Halogen)
 - Tail and Work (2 Front and 2 Rear)

ENGINE

- Yanmar Naturally Aspirated Diesel Engine
- DPF (Diesel Particulate Filter) Technology
- Dual Element Air Cleaner w/ Indicator
- Engine Auto Shutdown System
- Glow Plug Heater Starter Assist Automatic / Manual
- Remote Engine Oil Filter
- Swing-Out Cooler
- Vandalism Lock Provisions
 - Fuel and Engine Cover

HYDRAULICS SYSTEM

- 12 Micron Filter Spin-On Type
- 3-Spool Open Center Valve
- Connect-Under Pressure Auxiliary Couplers
- Dual Lift / Tilt Cylinders w/ IHCP (Induction Hardened Chrome Plating) Cylinder Rods
- Independent Hydraulic Reservoir w/ Cooler
- Proportionate Auxiliary Hydraulic Control

OPERATORS AREA

- Acoustical Sound Material and Deluxe Headliner
- Adjustable Seat Belt
- Controls Choice of 3
- Cup Holder / Storage Tray
- Deluxe High-Back, Cushion Seat
- Cab Mounted Entry / Exit Grab Handles
- Foot Throttle
 - Excludes Hand / Foot Controls
- Hand Throttle
- Horn
- Hydraloc™ System
 - Brakes and Interlock for Starter, Lift / Tilt Cylinders and Wheel Drives
- Operator Restraint Bar
- ROPS / FOPS Level II
 - Rollback Guard w/ Integral Side Screens
- Windows
 - Top and Rear Emergency

WARRANTY

See Warranty Policy

EQUIPMENT SPECIFICATIONS FOR BASE UNIT

LOADER (w/ 10.00 x 16.5 Tires)

- Rated Operating Capacity 1,350 lbs. (613 kg)
- Breakout Force 2,964 lbs. (1,345 kg)
- Pin Height 110 in. (2,794 mm)
- ROPS Height 76 in. (1,930 mm)
- SAE Tipping Load 2,700 lbs. (1,225 kg)
- Wheelbase 37.6 in. (955 mm)

HYDRAULICS

- Auxiliary Hydraulics
 - Standard Flow Hydraulics Lift Arm Mounted (Front, Left Side)
 w/ 3/4" (19 mm) Flat-Faced Couplers 17 gpm (64 L/min)
- Hydraulic Reservoir 10 gal. (38 L)
- Hydraulic System 14 gal. (53 L)
- System Pressure 3,000 psi (207 bar)

DIESEL ENGINE

- Yanmar 4TNV88C
- 4 Cylinder, Naturally Aspirated
- 44.5 Net hp (33.2 kW) @ 2,800 rpm
 - 46.0 Gross hp (34.3 kW) @ 2,800 rpm
- Max Torque 107.8 ft. lbs. (146.2 Nm) @ 1,820 rpm
- Emissions Compliance (EPA / Euro)
 - Tier IV / Stage 5
- Displacement 133.6 cu. in. (2.2 L)
- Fuel Tank 16.5 gal. (62.5 L)
- Oil Change Interval 250 Hours

ELECTRICAL

- Accessory Plug 12 Volt
- Alternator 100 amp.
- Battery 12 Volt, 950 CCA
- Starter 3.0 kW

Package Configurations (*Configuration List Price does not include Tire Price)

Easy Link Module w/ 6 Years Connectivity

Engine Block (Frost Plug) Heater

Back-Up Alarm

Radio - Bluetooth

*List Price: \$ 52,788.00

R50841435

R50840565

R50851089

R806136

Standard - Ha	and / Foot (Must Select Tires)	Standard - Jo	ystick (Must Select Tires)
R50840320	Open ROPS/FOPS	D50040000	Open ROPS/FOPS
R50851251	Hand / Foot Control System - Manual Controls	R50840320	<u>'</u>
R50850264	High Back Adjustable Seat	R50851448	Joystick Control System w/ Hydraglide™ Ride Control System
R810288	Seat Belt - 2 in. (50 mm)	R50850264	High Back Adjustable Seat
R50851244	Multi-Tach® - Manual Quick-Attach System	R810288	Seat Belt - 2 in. (50 mm)
R50851248	Switchable Self-Leveling Hydraulic Lift Action - Selectable On / Off During Lift (All Controls Except Joystick)	R50851244 R50851453	Multi-Tach® - Manual Quick-Attach System Switchable Self-Leveling Hydraulic Lift Action - Selectable On / Off
R50840343	Weight - Rear Counterweight	DE0040242	During Lift (Joystick Controls) Weight - Rear Counterweight
R50841435	Easy Link Module w/ 6 Years Connectivity	R50840343	Easy Link Module w/ 6 Years Connectivity
R50840565	Back-Up Alarm	R50841435	· · · · · · · · · · · · · · · · · · ·
*List Price:	\$ 46,471.00	R50840565	Back-Up Alarm
	,	*List Price:	\$ 47,037.00
Deluxe - Han	d / Foot (Must Select Tires)	Deluxe - Joys	stick (Must Select Tires)
R50840321	Cab Enclosure w/ Heat - Swing Out Door		
R50851251	Hand / Foot Control System - Manual Controls	R50840321	Cab Enclosure w/ Heat - Swing Out Door
R50850193	High Back Air Ride Suspension Seat	R50851448	Joystick Control System w/ Hydraglide™ Ride Control System
R810288	Seat Belt - 2 in. (50 mm)	R50850193	High Back Air Ride Suspension Seat
R50851246	Power-A-Tach® - Hydraulic Actuated Powered Quick-Attach	R810288	Seat Belt - 2 in. (50 mm)
R50851248	System Switchable Self-Leveling Hydraulic Lift Action - Selectable On / Off During Lift (All Controls Except Joystick)	R50851246	Power-A-Tach® - Hydraulic Actuated Powered Quick-Attach System
R50840343	Weight - Rear Counterweight	R50851453	Switchable Self-Leveling Hydraulic Lift Action - Selectable On / Of During Lift (Joystick Controls)

*List Price: \$ 53,354.00

R50840343

R50841435

R50840565

R50851089

R806136

Weight - Rear Counterweight

Engine Block (Frost Plug) Heater

Back-Up Alarm

Radio - Bluetooth

Easy Link Module w/ 6 Years Connectivity

Part No	Part Description	List Price
Base Unit		
R50851382	1350R NXT2 - STANDARD BASE UNIT - U.S. AND CANADA ONLY	\$43,540.00
Required Factory	Options	
Operator Station		
R50850601	Cab Enclosure w/ Heat - Impact Resistant Door **.5 in. (12 mm) Polycarbonate Material Note: Doors CANNOT Be Used w/ Backhoe Attachment Installed	\$4,429.00
R50840321	Cab Enclosure w/ Heat - Swing Out Door Note: Doors CANNOT Be Used w/ Backhoe Attachment Installed	\$3,616.00
R50850781	Cab Enclosure w/ Heat and A/C - Impact Resistant Door **.5 in. (12 mm) Polycarbonate Material Note: Doors CANNOT Be Used w/ Backhoe Attachment Installed	\$5,796.00
R50850756	Cab Enclosure w/ Heat and A/C - Swing Out Door Note: Doors CANNOT Be Used w/ Backhoe Attachment Installed	\$5,019.00
R50840320	Open ROPS/FOPS	\$0.00
R50850600	Open ROPS/FOPS w/ Impact Resistant Door **.5 in. (12 mm) Polycarbonate Material Note: Doors CANNOT Be Used w/ Backhoe Attachment Installed	\$2,648.00

1350R NXT2

Part No	Part Description	List Price
Required Factor	· · · · · · · · · · · · · · · · · · ·	List Filte
Operator Statio	<u> </u>	
R50840571	Open ROPS/FOPS w/ Side Windows	\$802.00
R50840372	Open ROPS/FOPS w/ Side Windows and Heat	\$2,204.00
R50840373	Open ROPS/FOPS w/ Swing Out Door Note: Doors CANNOT Be Used w/ Backhoe Attachment Installed	\$1,524.00
R50850730	Open ROPS/FOPS w/ Swing Out Door and Side Windows Note: Doors CANNOT Be Used w/ Backhoe Attachment Installed	\$2,322.00
Controls		
R50851251	Hand / Foot Control System - Manual Controls **Servo Type Controls Note: ONLY for Use on Interim Tier IV / Stage 3A Models	\$0.00
R50851249	Hands Only Control System - Manual Controls **Servo Type Controls	\$0.00
R50851448	Joystick Control System w/ Hydraglide™ Ride Control System **Pilot Type Controls	\$561.00
Seat		
R50850264	High Back Adjustable Seat	\$0.00
R50850193	High Back Air Ride Suspension Seat	\$531.00
R50850192	High Back Mechanical Suspension Seat	\$318.00
Seat Belt		
R810288	Seat Belt - 2 in. (50 mm)	\$0.00
R810290	Seat Belt - 3 in. (76 mm) Note: Where Required By State Law	\$110.00
Attachment Sys	stem	
R50851244	Multi-Tach® - Manual Quick-Attach System	\$0.00
R50851246	Power-A-Tach® - Hydraulic Actuated Powered Quick-Attach System	\$1,283.00
Self-Leveling		
R50851247	No Hydraulic Leveling - All Controls Except Joystick	\$0.00
R50851452	No Hydraulic Leveling - Joystick Controls	\$0.00
R50851248	Switchable Self-Leveling Hydraulic Lift Action - Selectable On / Off During Lift (All Controls Except Joystick)	\$459.00
R50851453	Switchable Self-Leveling Hydraulic Lift Action - Selectable On / Off During Lift (Joystick Controls)	\$464.00
Counterweight		
R50840351	Standard - Bumper Only	\$0.00
R50840343	Weight - Rear Counterweight **Increases Rated Operating Capacity by 150 lbs. (68 kg) and Adds 1.5 in. (38 mm) to Length	\$593.00
Connected Solu	utions	
R50841435	Easy Link Module w/ 6 Years Connectivity **for Use w/ Easy Manager System	\$1,543.00
R50841436	Easy Link Module w/ Access Control Keyboard and 6 Years Connectivity **for Use w/ Easy Manager System	\$2,064.00
Tire Options		
R50840484	10.00 x 16.5 (31x6x10) Solid Flex Non-Pneumatic (Black Rims)	\$5,014.00
R50851353	10.00 x 16.5 10-Ply / Heavy Duty	\$1,841.00
R50851355	10.00 x 16.5 10-Ply / Severe Duty	\$2,444.00

1350R NXT2

Part No	Part Description	List Price
Required Factory	Options	
Tire Options		
R50841566	27 x 10.5 x 15 8-Ply / Heavy Duty Note: Extended Lead Time	\$1,568.00
R806631	Less Wheels / Tires (Unit Shipped Without Mounted Wheels / Tires)	\$662.00
Non-Required Fac	tory Options	
R50840565	Back-Up Alarm	\$336.00
R50851446	Brake Release	\$642.00
R50850828	Camera - Rear **Includes 5 in. (127 mm) Display	\$1,516.00
R806136	Engine Block (Frost Plug) Heater **120 Volt, 400 Watt w/ 5 ft. (1.5 m) Power Cord **Highly Recommended for Use at 20° F (-6° C) and Colder Conditions	\$236.00
R803453	Painting - Non-Standard Paint Package - Painted One Requested Color Note: Paint Options REQUIRE 4-Digit RAL Paint Color Specification (Must Be Ordered Prior To Production Run. Any Specialized Non-Standard Paints Will Have Additional Cost.)	\$1,520.00
R50851370	Pre-Cleaner - Centrifugal Type Note: CANNOT Be Used w/ Air Conditioning (Pre-Cleaner Included w/ Air Conditioning) Note: Can ONLY Be Used w/ Heater	\$469.00
R50851371	Pre-Cleaner - Centrifugal Type Note: CANNOT Be Used w/ Air Conditioning OR Heater	\$408.00
R50851089	Radio - Bluetooth **Includes Auxiliary / USB Input and Bluetooth Capability	\$651.00
R50840455	Rotating Beacon	\$254.00
R50841580	Sound Reduction Package (To Reduce Noise to Operator Ear)	\$494.00
Field Installed Opt	tions	
R50840566	Back-Up Alarm Kit	\$337.00
R50850829	Camera Kit - Rear **Includes 5 in. (127 mm) Display	\$1,516.00
R50840386	Controls Kit for Heater and Door1350R NXT2: Serial No. 202528 and Before	\$479.00
R50841610	Controls Kit for Heater and Door1350R NXT2: Serial No. 202529 and Up	\$478.00
R50850602	Door Kit - Impact Resistant **.5 in. (12 mm) Polycarbonate Material Note: Doors CANNOT Be Used with Backhoe Attachment Installed Note: May Require Heater / Wiper Control Kit if not already installed on machine Note: May Require Washer Bottle/Pump Kit if not already installed on machine	\$1,990.00
R50850528	Door Kit - Swing Out w/ Front Wiper Note: May Require Heater / Wiper Control Kit if not already installed on machine Note: May Require Washer Bottle/Pump Kit if not already installed on machine Note: Doors CANNOT Be Used with Backhoe Attachment Installed	\$1,276.00
R50840586	Dual Flasher Kit **Two (2) 4-Way Tower Mounted	\$236.00
R805855	Engine Block (Frost Plug) Heater Kit **120 Volt, 400 Watt w/ 5 ft. (1.5 m) Power Cord **Highly Recommended for Use at 20° F (-6° C) and Colder Conditions	\$110.00
R50850755	Heater Kit **Includes Heater Components Only Note: May Require Heater / Wiper Control Kit if not already installed on machine	\$1,401.00
R50840403	Lift Kit - Four Point Lift System	\$100.00

1350R NXT2

Part No	Part Description	List Price
Field Installed Op	tions	·
R50840402	Lift Kit - Single Point Lift System	\$612.00
R811488	Mirror Kit - Rear View **Can Install Two if Needed	\$60.00
R50850538	Power-A-Tach® Kit - Hydraulic Actuated Powered Quick-Attach System **Convert Manual Quick-Attach to Power Quick-Attach - Plate NOT Included	\$1,462.00
R50851398	Pre-Cleaner Kit - Centrifugal Type Note: CANNOT Be Used with Air Conditioning OR Heater	\$408.00
R50851403	Pre-Cleaner Kit - Centrifugal Type Note: CANNOT Be Used with Air Conditioning (Pre-Cleaner Included w/ Air Conditioning) Note: Can ONLY Be Used with Heater	\$469.00
R50851088	Radio Kit - Bluetooth **Includes Auxiliary / USB Input and Bluetooth Capability	\$599.00
R50850779	Rear Wiper Kit **Includes Rear Window and Wiper Components Only Note: May Require Heater / Wiper Control Kit if not already installed on machine Note: May Require Washer Bottle/Pump Kit if not already installed on machine	\$561.00
R50840384	Rotating Beacon Kit	\$220.00
R50850534	Sliding Side Windows Kit	\$740.00
R810869	Spare Tire on Rim (Black Rim) - 10.00 x 16.5 (31x6x10) Solid Flex Non-Pneumatic - Left	\$1,265.00
R810870	Spare Tire on Rim (Black Rim) - 10.00 x 16.5 (31x6x10) Solid Flex Non-Pneumatic - Right	\$1,265.00
R50851352	Spare Tire on Rim (Silver Rim) - 10.00 x 16.5 10-Ply / Heavy Duty	\$455.00
R50851354	Spare Tire on Rim (Silver Rim) - 10.00 x 16.5 10-Ply / Severe Duty	\$618.00
R50841557	Spare Tire on Rim (Silver Rim) - 27 x 10.5 8-Ply / Heavy Duty Note: Extended Lead Time	\$403.00
R50841609	Washer Bottle Kit - Double Pump **for BOTH Front Door AND Rear Window Wiper (Both Installed)1350R NXT2: Serial No. 202529 and Up	\$114.00
R50850604	Washer Bottle Kit - Double Pump **for BOTH Front Door AND Rear Window Wiper (Both Installed)1350R NXT2: Serial No. 202528 and Before	\$114.00
R50841608	Washer Bottle Kit - Single Pump Note: for Front Door Only OR Rear Window Wiper Only (One or Other, Not Both)1350R NXT2: Serial No. 202529 and Up	\$114.00
R50850603	Washer Bottle Kit - Single Pump Note: for Front Door Only OR Rear Window Wiper Only (One or Other, Not Both)1350R NXT2: Serial No. 202528 and Before	\$114.00
R50840388	Weight Kit - Rear Counterweight **Increases Rated Operating Capacity by 150 lbs. (68 kg) and Adds 1.5 in. (38 mm) to Length	\$606.00
R50850977	Work Light Kit (LED)	\$451.00



STANDARD EQUIPMENT

DRIVE TRAIN / CHASSIS

- #80 E Pre-Stressed Chains in Oil Bath
- Dual, Integral Cleanout Plates
- Dynamic Braking Hydrostatic
- Front Chassis Cleanout
- Manually Controlled Hydrostatic Drive
- Mechanical Lift Cylinder Lock
- Multi-Tach™ Attachment System (Universal-Style)
- Parking / Emergency Brake
- Radial Piston Drive Motors
- Radial Style Lift Path
- Single Speed Drive System
 - Two Speed Drive System Optional
- Zero Maintenance Axles w/ 8-Bolt Rims

ELECTRICAL SYSTEM

- Battery Disconnect
- Information Center with Multi-Function Color Display
 - Display includes Fuel Level, Real Time Fuel Consumption, Engine RPM, Coolant Temperature, Hourmeter, Battery Voltage, Engine Diagnostic Codes, Other Engine DPF Regen Status,
 - Warning Indicators Air Filter, Battery Voltage, Engine Coolant Temperature, Regen Status, Hydraulic Oil Filter, Pressure & Temperature, Preheat, Check Engine
- Easy Link Module
- Lights (Halogen)
 - Tail and Work (2 Front and 2 Rear)

ENGINE

- Yanmar Naturally Aspirated Diesel Engine
- DPF (Diesel Particulate Filter) Technology
- Dual Element Air Cleaner w/ Indicator
- Engine Auto Shutdown System
- Glow Plug Heater Starter Assist Automatic / Manual
- Remote Engine Oil Filter
- Swing-Out Cooler
- Vandalism Lock Provisions
 - Fuel and Engine Cover

HYDRAULICS SYSTEM

- 12 Micron Filter Spin-On Type
- 3-Spool Open Center Valve
- Connect-Under Pressure Auxiliary Couplers
- Dual Lift / Tilt Cylinders w/ IHCP (Induction Hardened Chrome Plating) Cylinder Rods
- Independent Hydraulic Reservoir w/ Cooler
- Proportionate Auxiliary Hydraulic Control

OPERATORS AREA

- Acoustical Sound Material and Deluxe Headliner
- Adjustable Seat Belt
- Controls Choice of 3
- Cup Holder / Storage Tray
- Deluxe High-Back, Cushion Seat
- Entry / Exit Grab Handles
- Foot Throttle
 - Excludes Hand / Foot Controls
- Hand Throttle
- Horn
- Hydraloc™ System
 - Brakes and Interlock for Starter, Lift / Tilt Cylinders and Wheel Drives
- Operator Restraint Bar
- ROPS / FOPS Level II
 - Rollback Guard w/ Integral Side Screens
- Windows
 - Top and Rear Emergency

WARRANTY

See Warranty Policy

EQUIPMENT SPECIFICATIONS FOR BASE UNIT

LOADER (w/ 10.00 x 16.5 Tires)

- Rated Operating Capacity 1,650 lbs. (748 kg)
- Breakout Force 4,591 lbs. (2,081 kg)
- Pin Height 119 in. (3,023 mm)
- ROPS Height 76.7 in. (1,948 mm)
- SAE Tipping Load 3,275 lbs. (1,361 kg)
- Wheelbase 38.9 in. (988 mm)

HYDRAULICS

- Auxiliary Hydraulics Lift Arm Mounted
 - Standard Flow Hydraulics (Front, Left Side) w/ 3/4" (19 mm) Flat-Faced Couplers 18.9 gpm (71.4 L/min)
 - Optional High-Flow Hydraulics (Front, Right Side) w/ 3/4" (19 mm) Flat-Faced Couplers 30.1 gpm (114 L/min)
- Hydraulic Reservoir 11 gal. (42 L)
- Hydraulic System 15 gal. (57 L)
- System Pressure 3,000 psi (207 bar)

DIESEL ENGINE

- Yanmar 4TNV98C
- 4 Cylinder, Naturally Aspirated
- 68.4 Net hp (51.0 kW) @ 2,500 rpm
 - 69.3 Gross hp (54.3 kW) @ 2,500 rpm
- Max Torque 178.8 ft. lbs. (241.3 Nm) @ 1,625 rpm
- Emissions Compliance (EPA / Euro)
 - Tier IV / Stage 5
- Displacement 202.6 cu. in. (3.3 L)
- Fuel Tank 16.5 gal. (62.5 L)
- Oil Change Interval 250 Hours

ELECTRICAL

- Accessory Plug 12 Volt
- Alternator 100 amp.
- Battery 12 Volt, 950 CCA
- Starter 3.0 kW

Manitou Skid Loaders 1650R

Package Configurations (*Configuration List Price does not include Tire Price)

Standard - Hand / Foot (Must Select Tires)		Standard - Joystick (Must Select Tires)	
R50840320	Open ROPS/FOPS	DE0040220	Open ROPS/FOPS
R50840303	Hand / Foot Control System	R50840320	'
R50840305	Single Speed Drive System - All Controls Except Joystick	R50840304	Joystick Control System w/ Hydraglide™ Ride Control System
R50850264	High Back Adjustable Seat	R50840307	Single Speed Drive System - Joystick Controls
R810288	Seat Belt - 2 in. (50 mm)	R50850264	High Back Adjustable Seat
		R810288	Seat Belt - 2 in. (50 mm)
R50850801	Multi-Tach® - Manual Quick-Attach System	R50850801	Multi-Tach® - Manual Quick-Attach System
R50840314	Switchable Self-Leveling Hydraulic Lift Action - Selectable On / Off During Lift (All Controls Except Joystick)	R50840316	Switchable Self-Leveling Hydraulic Lift Action - Selectable On / Off
R50840322	Weight - Rear Counterweight	D50040000	During Lift (Joystick Controls)
R50840311	No Ride Control	R50840322	Weight - Rear Counterweight
R50841435	Easy Link Module w/ 6 Years Connectivity	R50841435	Easy Link Module w/ 6 Years Connectivity
	Back-Up Alarm	R50840565	Back-Up Alarm
R50840565 Back-Up Alarm		*List Price:	\$ 53,439.00
*List Price:	\$ 50,435.00		7,

Deluxe - Han	d / Foot (Must Select Tires)	Deluxe - Joys	stick (Must Select Tires)
R50840568	Cab Enclosure w/ Heat - Swing Out Door	R50840568	Cab Enclosure w/ Heat - Swing Out Door
R50840303	Hand / Foot Control System	R50840304	Joystick Control System w/ Hydraglide™ Ride Control System
R50840306	Two Speed Drive System - All Controls Except Joystick	R50840308	Two Speed Drive System - Joystick Controls
R50850193	High Back Air Ride Suspension Seat	R50850193	High Back Air Ride Suspension Seat
R810289	Shoulder and Seat Belt - 2 in. (50 mm)	R810289	Shoulder and Seat Belt - 2 in. (50 mm)
R50850803	Power-A-Tach® - Hydraulic Actuated Powered Quick-Attach System	R50850825	Power-A-Tach® - Hydraulic Actuated Powered Quick-Attach System
R50840314	Switchable Self-Leveling Hydraulic Lift Action - Selectable On / Off During Lift (All Controls Except Joystick)	R50840316	Switchable Self-Leveling Hydraulic Lift Action - Selectable On / Off During Lift (Joystick Controls)
R50840322	Weight - Rear Counterweight	R50840322	Weight - Rear Counterweight
R50840311	No Ride Control	R50841435	Easy Link Module w/ 6 Years Connectivity
R50841435	Easy Link Module w/ 6 Years Connectivity	R50840565	Back-Up Alarm
R50840565	Back-Up Alarm	R806136	Engine Block (Frost Plug) Heater
R806136	Engine Block (Frost Plug) Heater	R50851089	Radio - Bluetooth
R50851089	Radio - Bluetooth	*List Price:	\$ 62,702.00
*I ist Price	\$ 59 698 00		

Part No	Part Description	List Price
Base Unit		
R50851272	1650R - STANDARD BASE UNIT - U.S. AND CANADA ONLY	\$46,989.00
Required Factory	Options	
Operator Station		
R50850780	Cab Enclosure w/ Heat - Impact Resistant Door **.5 in. (12 mm) Polycarbonate Material Note: Doors CANNOT Be Used w/ Backhoe Attachment Installed	\$4,196.00
R50840568	Cab Enclosure w/ Heat - Swing Out Door Note: Doors CANNOT Be Used w/ Backhoe Attachment Installed	\$3,771.00
R50850783	Cab Enclosure w/ Heat and A/C - Impact Resistant Door **.5 in. (12 mm) Polycarbonate Material Note: Doors CANNOT Be Used w/ Backhoe Attachment Installed	\$5,796.00
R50850760	Cab Enclosure w/ Heat and A/C - Swing Out Door Note: Doors CANNOT Be Used w/ Backhoe Attachment Installed	\$5,019.00
R50840320	Open ROPS/FOPS	\$0.00

	Part Description	List Price
Part No	Part Description	LIST Price
Required Factory Operator Station	Options	
R50850600	Open ROPS/FOPS w/ Impact Resistant Door **.5 in. (12 mm) Polycarbonate Material Note: Doors CANNOT Be Used w/ Backhoe Attachment Installed	\$2,648.00
R50840571	Open ROPS/FOPS w/ Side Windows	\$802.00
R50840567	Open ROPS/FOPS w/ Side Windows and Heat	\$2,252.00
R50840373	Open ROPS/FOPS w/ Swing Out Door Note: Doors CANNOT Be Used w/ Backhoe Attachment Installed	\$1,524.00
R50850730	Open ROPS/FOPS w/ Swing Out Door and Side Windows Note: Doors CANNOT Be Used w/ Backhoe Attachment Installed	\$2,322.00
Controls		·
R50840303	Hand / Foot Control System **Servo Type Controls	\$0.00
R50850793	Hand / Foot Control System **Servo Type Controls Note: for Use w/ High-Flow Auxiliary Hydraulics which is INCLUDED in the Drive System Selection	\$2,290.00
R50840302	Hands Only Control System **Servo Type Controls	\$0.00
R50850792	Hands Only Control System **Servo Type Controls Note: for Use w/ High-Flow Auxiliary Hydraulics which is INCLUDED in the Drive System Selection	\$2,290.00
R50840304	Joystick Control System w/ Hydraglide™ Ride Control System **Pilot Type Controls	\$3,004.00
R50850794	Joystick Control System w/ Hydraglide™ Ride Control System **Pilot Type Controls Note: for Use w/ High-Flow Auxiliary Hydraulics which is INCLUDED in the Drive System Selection	\$5,334.00
Drive System		
R50840305	Single Speed Drive System - All Controls Except Joystick	\$0.00
R50840307	Single Speed Drive System - Joystick Controls	\$0.00
R50850820	Single Speed Drive System w/ High-Flow Auxiliary Hydraulic Circuit - All Controls Except Joystick	\$0.00
R50850822	Single Speed Drive System w/ High-Flow Auxiliary Hydraulic Circuit - Joystick Controls	\$0.00
R50840306	Two Speed Drive System - All Controls Except Joystick Note: Requires Shoulder and Seat Belt Option	\$2,566.00
R50840308	Two Speed Drive System - Joystick Controls Note: Requires Shoulder and Seat Belt Option	\$2,566.00
R50850821	Two Speed Drive System w/ High-Flow Auxiliary Hydraulic Circuit - All Controls Except Joystick Note: Requires Shoulder and Seat Belt Option	\$2,566.00
R50850823	Two Speed Drive System w/ High-Flow Auxiliary Hydraulic Circuit - Joystick Controls Note: Requires Shoulder and Seat Belt Option	\$2,566.00
Seat		
R50850264	High Back Adjustable Seat	\$0.00
R50850193	High Back Air Ride Suspension Seat	\$531.00
R50850192	High Back Mechanical Suspension Seat	\$318.00
Seat Belt		
R810288	Seat Belt - 2 in. (50 mm)	\$0.00
R810290	Seat Belt - 3 in. (76 mm) Note: Where Required By State Law	\$110.00

ivial litou U		10301
Part No	Part Description	List Price
Required Factory	Options	
Seat Belt		
R810289	Shoulder and Seat Belt - 2 in. (50 mm) Note: Required for Use w/ Two Speed	\$226.00
R810291	Shoulder and Seat Belt - 3 in. (76 mm) Note: Required for Use w/ Two Speed or Where Required by State Law	\$264.00
Attachment Syste	em	
R50850801	Multi-Tach® - Manual Quick-Attach System	\$0.00
R50850803	Power-A-Tach® - Hydraulic Actuated Powered Quick-Attach System **for Servo Type Controls	\$1,282.00
R50850825	Power-A-Tach® - Hydraulic Actuated Powered Quick-Attach System **for Pilot Type Controls	\$1,282.00
Self-Leveling		
R50840313	No Hydraulic Leveling - All Controls Except Joystick	\$0.00
R50840315	No Hydraulic Leveling - Joystick Controls	\$0.00
R50840314	Switchable Self-Leveling Hydraulic Lift Action - Selectable On / Off During Lift (All Controls Except Joystick)	\$459.00
R50840316	Switchable Self-Leveling Hydraulic Lift Action - Selectable On / Off During Lift (Joystick Controls)	\$459.00
Ride Control Syst	tem	
R50840312	Hydraglide™ Ride Control System	\$777.00
R50840311	No Ride Control	\$0.00
Counterweight		
R50840350	Standard - Bumper Only	\$0.00
R50840322	Weight - Rear Counterweight **Increases Rated Operating Capacity by 150 lbs. (68 kg) and Adds 1.5 in. (38 mm) to Length	\$1,108.00
Connected Soluti	ons	
R50841435	Easy Link Module w/ 6 Years Connectivity **for Use w/ Easy Manager System	\$1,543.00
R50841436	Easy Link Module w/ Access Control Keyboard and 6 Years Connectivity **for Use w/ Easy Manager System	\$2,064.00
Tire Options		
R50840484	10.00 x 16.5 (31x6x10) Solid Flex Non-Pneumatic (Black Rims)	\$5,014.00
R50851353	10.00 x 16.5 10-Ply / Heavy Duty	\$1,841.00
R50851355	10.00 x 16.5 10-Ply / Severe Duty	\$2,444.00
R50851357	12.00 x 16.5 12-Ply / Heavy Duty	\$2,387.00
R50851359	12.00 x 16.5 12-Ply / Severe Duty	\$2,940.00
R806631	Less Wheels / Tires (Unit Shipped Without Mounted Wheels / Tires)	\$662.00
Non-Required Fac	etory Options	
R50840565	Back-Up Alarm	\$336.00
R50840462	Brake Release	\$643.00
R50840464	Brake Release (Single Speed) All Controls Except Joystick	\$643.00
R50840465	Brake Release (Two Speed) All Controls Except Joystick	\$643.00
R50840466	Brake Release (Two Speed) Joystick Controls	\$643.00
R50850828	Camera - Rear **Includes 5 in. (127 mm) Display	\$1,516.00
R50850828		

Part No	Part Description	List Price
Non-Required Fact	tory Options	
R50840460	Electric Attachment Control - 14-Pin Harness / Handle	\$1,063.00
R806136	Engine Block (Frost Plug) Heater **120 Volt, 400 Watt w/ 5 ft. (1.5 m) Power Cord **Highly Recommended for Use at 20° F (-6° C) and Colder Conditions	\$236.00
R803454	Painting - Non-Standard Paint Package - Painted One Requested Color Note: Paint Options REQUIRE 4-Digit RAL Paint Color Specification (Must Be Ordered Prior To Production Run. Any Specialized Non-Standard Paints Will Have Additional Cost.)	\$1,792.00
R50851374	Pre-Cleaner - Centrifugal Type Note: Can ONLY Be Used w/ Heater OR Air Conditioning	\$469.00
R50851375	Pre-Cleaner - Centrifugal Type Note: CANNOT Be Used w/ Air Conditioning OR Heater	\$408.00
R50851089	Radio - Bluetooth **Includes Auxiliary / USB Input and Bluetooth Capability	\$651.00
R50840455	Rotating Beacon	\$254.00
Field Installed Opt	ions	
R50840566	Back-Up Alarm Kit	\$337.00
R50840385	Battery Disconnect Kit	\$100.00
R50850829	Camera Kit - Rear **Includes 5 in. (127 mm) Display	\$1,516.00
R50840386	Controls Kit for Heater and Door1650R: Serial No. 200155 and Before	\$479.00
R50841610	Controls Kit for Heater and Door1650R: Serial No. 200156 and Up	\$478.00
R50850602	Door Kit - Impact Resistant **.5 in. (12 mm) Polycarbonate Material Note: Doors CANNOT Be Used with Backhoe Attachment Installed Note: May Require Heater / Wiper Control Kit if not already installed on machine Note: May Require Washer Bottle/Pump Kit if not already installed on machine	\$1,990.00
R50850528	Door Kit - Swing Out w/ Front Wiper Note: May Require Heater / Wiper Control Kit if not already installed on machine Note: May Require Washer Bottle/Pump Kit if not already installed on machine Note: Doors CANNOT Be Used with Backhoe Attachment Installed	\$1,276.00
R50840586	Dual Flasher Kit **Two (2) 4-Way Tower Mounted	\$236.00
R50850868	Dual-Hand Pattern Control Kit **Convert Joystick Control to Dual-Hand Pattern	\$898.00
R50840459	Electric Attachment Control Kit - 14-Pin Harness / Handle	\$1,028.00
R805855	Engine Block (Frost Plug) Heater Kit **120 Volt, 400 Watt w/ 5 ft. (1.5 m) Power Cord **Highly Recommended for Use at 20° F (-6° C) and Colder Conditions	\$110.00
R50850785	Fender Kit - Wide	\$609.00
R50850755	Heater Kit **Includes Heater Components Only Note: May Require Heater / Wiper Control Kit if not already installed on machine	\$1,401.00
R50840403	Lift Kit - Four Point Lift System	\$100.00
R50840402	Lift Kit - Single Point Lift System	\$612.00
R811488	Mirror Kit - Rear View **Can Install Two if Needed	\$60.00
R50850831	Power-A-Tach® Kit - Hydraulic Actuated Powered Quick-Attach System **Convert Manual Quick-Attach to Power Quick-Attach - Plate NOT Included	\$1,282.00

Part No	Part Description	List Price
Field Installed Opt	ions	·
R50851399	Pre-Cleaner Kit - Centrifugal Type Note: CANNOT Be Used with Air Conditioning OR Heater	\$408.00
R50851404	Pre-Cleaner Kit - Centrifugal Type Note: Can ONLY Be Used with Heater OR Air Conditioning	\$469.00
R50851088	Radio Kit - Bluetooth **Includes Auxiliary / USB Input and Bluetooth Capability	\$599.00
R50850779	Rear Wiper Kit **Includes Rear Window and Wiper Components Only Note: May Require Heater / Wiper Control Kit if not already installed on machine Note: May Require Washer Bottle/Pump Kit if not already installed on machine	\$561.00
R50840384	Rotating Beacon Kit	\$220.00
R50850534	Sliding Side Windows Kit	\$740.00
R810869	Spare Tire on Rim (Black Rim) - 10.00 x 16.5 (31x6x10) Solid Flex Non-Pneumatic - Left	\$1,265.00
R810870	Spare Tire on Rim (Black Rim) - 10.00 x 16.5 (31x6x10) Solid Flex Non-Pneumatic - Right	\$1,265.00
R50851352	Spare Tire on Rim (Silver Rim) - 10.00 x 16.5 10-Ply / Heavy Duty	\$455.00
R50851354	Spare Tire on Rim (Silver Rim) - 10.00 x 16.5 10-Ply / Severe Duty	\$618.00
R50851356	Spare Tire on Rim (Silver Rim) - 12.00 x 16.5 12-Ply / Heavy Duty	\$624.00
R50851358	Spare Tire on Rim (Silver Rim) - 12.00 x 16.5 12-Ply / Severe Duty	\$747.00
R50841609	Washer Bottle Kit - Double Pump **for BOTH Front Door AND Rear Window Wiper (Both Installed)1650R: Serial No. 200156 and Up	\$114.00
R50850604	Washer Bottle Kit - Double Pump **for BOTH Front Door AND Rear Window Wiper (Both Installed)1650R: Serial No. 200155 and Before	\$114.00
R50841608	Washer Bottle Kit - Single Pump Note: for Front Door Only OR Rear Window Wiper Only (One or Other, Not Both)1650R: Serial No. 200156 and Up	\$114.00
R50850603	Washer Bottle Kit - Single Pump Note: for Front Door Only OR Rear Window Wiper Only (One or Other, Not Both)1650R: Serial No. 200155 and Before	\$114.00
R50840383	Weight Kit - Rear Counterweight **Increases Rated Operating Capacity by 150 lbs. (68 kg) and Adds 1.5 in. (38 mm) to Length	\$621.00
R50850977	Work Light Kit (LED)	\$451.00



STANDARD EQUIPMENT

DRIVE TRAIN / CHASSIS

- #80 E Pre-Stressed Chains in Oil Bath
- Dual, Integral Cleanout Plates
- Dynamic Braking Hydrostatic
- Front Chassis Cleanout
- Mechanical Lift Cylinder Lock
- Multi-Tach™ Attachment System (Universal-Style
- Parking / Emergency Brake
- Pilot Controlled Hydrostatic Drive
- Radial Piston Drive Motors
- Radial Style Lift Path
- Single Speed Drive System
 - Two Speed Drive System Optional
- Zero Maintenance Axles w/ 8-Bolt Rims

ELECTRICAL SYSTEM

- **Battery Disconnect**
- Instrument Panel w/ Multi-Function Read-Out
 - Right Side Engine Coolant, Engine Error Codes, Engine Oi Pressure, Fuel Level, Hourmeter and Tachometer
 - Left Side Warning Indicators Air Filter, Battery Charge, Engine Coolant Temperature, Hydraulic Oil Pressure, Hydraulic Oil Temperature, Preheat and Seat Belt
- Easy Link Module
- Lights (Halogen)
 - Tail and Work (2 Front and 2 Rear)

ENGINE

- Yanmar Naturally Aspirated Diesel Engine
- DPF (Diesel Particula to Filter) Technology
- Dual Element Air Cleaner w/ Indicator
- Engine Auto Shutdown System
- Glow Plug Heater Starter Assist Automatic / Manual
- Remote Engine Oil Filter and Drain
- Vandalism Lock Provisions
 - Fuel and Engine Cover

HYDRAULICS SYSTEM

- 12 Micron Futer Spin-On Type
- 3-Spool Open Center Valve
- Connect-Under Pressure Auxiliary Couplers
- Dual Lift / Tilt Cylinders w/ IHCP (Induction Hardened Chrome Plating) Cylinder Rods
- Independent Hydraulic Reservoir w/ Cooler
- Proportionate Auxiliary Hydraulic Control

OPERATORS AREA

- Acoustical Sound Material and Deluxe Headliner
- Adjustable Control Pods
- Adjustable Seat Belt
- Controls Choice of 2
- Deluxe High-Back, Cushion Seat
 - Entry / Exit Grab Handles
 - Foot Throttle
 - Joystick Control Units Only
- Hand Throttle
- Horn
- Hydraloc™ System
 - Brakes and Interlock for Starter, Lift / Tilt Cylinders and Wheel Drives
- Operator Restraint Bar w/ Adjustable Armrests
 - ROPS FORS Level II
 - Rollback Guard w/ Integral Side Screens
- Windows
 - Top and Rear Emergency

WARRANTY

See Warranty Policy

EQUIPMENT SPECIFICATIONS FOR BASE UNIT

LOADER (w/ 10.00 x 16.5 Tires)

- Rated Operating Capacity 1,900 lbs. (862 kg)
- Breakout Force 4,050 lbs. (1,837 kg)
- Pin Height 120.5 in. (3,061 mm)
- ROPS Height 80 in. (2,032 mm)
- SAE Tipping Load 3,800 lbs. (1,724 kg)
- Wheelbase 42 in. (1,067 mm)

HYDRAULICS

- **Auxiliary Hydraulics**
 - Standard Flow Hydraulics Lift Arm Mounted (Front, Left Side) w/ 3/4" (19 mm) Flat-Faced Couplers - 18.5 gpm (70 L/min)
 - Optional High-Flow Hydraulics Lift Arm Mounted (Front, Right Side) w/ 3/4" (19 mm) Flat-Faced Couplers - 31.5 gpm (119.2 L/min)
- Hydraulic Reservoir 8 gal. (30.3 L)
- System Pressure 3,000 psi (207 bar)

DIESEL ENGINE

- Yanmar 4TNV98C
- 4 Cylinder, Naturally Aspirated
- 68.4 Net hp (51.0 kW) @ 2,500 rpm
 - 69.3 Gross hp (51.7 kW) @ 2,500 rpm
- Max Torque 178 ft. lbs. (241 Nm) @ 1,625 rpm
- Emissions Compliance (EPA / Euro)
 - Tier IV / Stage 5
- Displacement 202.6 cu. in. (3.3 L)
- Fuel Tank 16.5 gal. (62.5 L)
- Oil Change Interval 250 Hours

ELECTRICAL

- Accessory Plug 12 Volt
- Alternator 95 amp.
- Battery 12 Volt, 950 CCA
- Starter 3.0 kW

US-CA

Manitou Skid Loaders 1900R

Package Configurations (*Configuration List Price does not include Tire Price)

Standard - Jo	ystick (Must Select Tires)	Premium - Jo	ystick (Must Select Tires)
R50850194	Open ROPS/FOPS	R50840502	Cab Enclosure w/ Heat and A/C - Swing Out Door and Front Wiper
R50850216	Joystick Control System w/ Selectable On / Off Self-Leveling Hydraulic Lift Action	R50850216	Joystick Control System w/ Selectable On / Off Self-Leveling
R50850199	Single Speed Drive System w/ Hydraglide™ Ride Control System		Hydraulic Lift Action
R50850264	High Back Adjustable Seat	R50850200	Two Speed Drive System w/ Hydraglide™ Ride Control System
	Seat Belt - 2 in. (50 mm)	R50850193	High Back Air Ride Suspension Seat
R810288		R810289	Shoulder and Seat Belt - 2 in. (50 mm)
R50850206	Standard Flow Auxiliary Hydraulic Circuit - All Controls Except Dual-Hand	R50850206	Standard Flow Auxiliary Hydraulic Circuit - All Controls Except Dual-Hand
R50850201	Multi-Tach® - Manual Quick-Attach System	D50050000	
R50841435	Easy Link Module w/ 6 Years Connectivity	R50850203	Power-A-Tach® - Hydraulic Actuated Powered Quick-Attach System
R811491	Back-Up Alarm	R50841435	Easy Link Module w/ 6 Years Connectivity
R50841911	Weight - Rear Counterweight	R811491	Back-Up Alarm
*List Price:	\$ 52,863.00	R806136	Engine Block (Frost Plug) Heater
		R50851091	Radio - Bluetooth
		R50841911	Weight - Rear Counterweight
		*List Price:	\$ 65,904.00

Part No	Part Description	List Price
Base Unit		·
R50851276	1900R - STANDARD BASE UNIT - U.S. AND CANADA ONLY **Subject to Availability** Note: Contact Customer Service for Availability	\$48,815.00
Required Factory	Options	
Operator Station		
R50840502	Cab Enclosure w/ Heat and A/C - Swing Out Door and Front Wiper Note: Doors CANNOT Be Used w/ Backhoe Attachment Installed	\$7,296.00
R50850194	Open ROPS/FOPS	\$0.00
R50850196	Open ROPS/FOPS w/ Heater	\$2,148.00
Controls		
R50850485	Dual-Hand Control System - No Self-Leveling **Pilot Type Controls	\$0.00
R50850484	Dual-Hand Control System w/ Selectable On / Off Self-Leveling Hydraulic Lift Action **Pilot Type Controls	\$473.00
R50850217	Joystick Control System - No Self-Leveling **Pilot Type Controls	\$0.00
R50850216	Joystick Control System w/ Selectable On / Off Self-Leveling Hydraulic Lift Action **Pilot Type Controls	\$473.00
Drive System		
R50850199	Single Speed Drive System w/ Hydraglide™ Ride Control System	\$800.00
R50850200	Two Speed Drive System w/ Hydraglide™ Ride Control System Note: Requires Shoulder and Seat Belt Option	\$3,328.00
Seat		
R50850264	High Back Adjustable Seat	\$0.00
R50850193	High Back Air Ride Suspension Seat	\$531.00
R50850192	High Back Mechanical Suspension Seat	\$318.00

iviai illuu C	DNIU LUAUGIS	IBUUR
Part No	Part Description	List Price
Required Factory	Options	
Seat Belt		
R810288	Seat Belt - 2 in. (50 mm)	\$0.00
R810290	Seat Belt - 3 in. (76 mm) Note: Where Required By State Law	\$110.00
R810289	Shoulder and Seat Belt - 2 in. (50 mm) Note: Required for Use w/ Two Speed	\$226.00
R810291	Shoulder and Seat Belt - 3 in. (76 mm) Note: Required for Use w/ Two Speed or Where Required by State Law	\$264.00
Auxiliary Hydrau	ılics	
R50850210	High-Flow Auxiliary Hydraulic Circuit - All Controls Except Dual-Hand	\$2,290.00
R50850483	High-Flow Auxiliary Hydraulic Circuit - Dual-Hand Controls	\$2,290.00
R50850206	Standard Flow Auxiliary Hydraulic Circuit - All Controls Except Dual-Hand	\$0.00
R50850481	Standard Flow Auxiliary Hydraulic Circuit - Dual-Hand Controls	\$0.00
Attachment Syst	tem	
R50850201	Multi-Tach® - Manual Quick-Attach System	\$0.00
R50850203	Power-A-Tach® - Hydraulic Actuated Powered Quick-Attach System	\$1,573.00
Connected Solu	tions	
R50841435	Easy Link Module w/ 6 Years Connectivity **for Use w/ Easy Manager System	\$1,543.00
R50841437	Easy Link Module w/ Access Control Keyboard and 6 Years Connectivity **for Use w/ Easy Manager System	\$2,064.00
Tire Options		
R50840484	10.00 x 16.5 (31x6x10) Solid Flex Non-Pneumatic (Black Rims)	\$5,014.00
R50851353	10.00 x 16.5 10-Ply / Heavy Duty	\$1,841.00
R50851355	10.00 x 16.5 10-Ply / Severe Duty	\$2,444.00
R50840485	12.00 x 16.5 (33x6x11) Solid Flex Non-Pneumatic (Black Rims)	\$5,818.00
R50851357	12.00 x 16.5 12-Ply / Heavy Duty	\$2,387.00
R50851359	12.00 x 16.5 12-Ply / Severe Duty	\$2,940.00
R806631	Less Wheels / Tires (Unit Shipped Without Mounted Wheels / Tires)	\$662.00
Non-Required Fa	ctory Options	
R811491	Back-Up Alarm	\$314.00
R50850581	Brake Release	\$682.00
R50850826	Camera - Rear **Includes 5 in. (127 mm) Display	\$1,516.00
R50851017	Control / Proportional for High-Flow - Pilot Type Controls Note: CANNOT Be Used w/ Electric Attachment Control - 14-Pin	\$678.00
R50850839	Door - Impact Resistant w/ Front Wiper **.5 in. (12 mm) Polycarbonate Material Note: Doors CANNOT Be Used w/ Backhoe Attachment Installed	\$2,145.00
R50850283	Door - Swing Out w/ Front Wiper Note: Doors CANNOT Be Used w/ Backhoe Attachment Installed	\$1,572.00
R50850391	Electric Attachment Control - 14-Pin Harness / Handle Note: CANNOT Be Used w/ Proportional Controls	\$1,071.00

- Marintou C	Tid Loadolo	100011
Part No	Part Description	List Price
Non-Required Fac	tory Options	
R806136	Engine Block (Frost Plug) Heater **120 Volt, 400 Watt w/ 5 ft. (1.5 m) Power Cord **Highly Recommended for Use at 20° F (-6° C) and Colder Conditions	\$236.00
R50850557	Lifting System - Four Point	\$184.00
R50850355	Painting - Non-Standard Paint Package - Painted One Requested Color Note: Paint Options REQUIRE 4-Digit RAL Paint Color Specification (Must Be Ordered Prior To Production Run. Any Specialized Non-Standard Paints Will Have Additional Cost.)	\$1,685.00
R50851091	Radio - Bluetooth **Includes Auxiliary / USB Input and Bluetooth Capability	\$651.00
R50850390	Rear Wiper	\$562.00
R50850370	Rotating Beacon	\$439.00
R811492	Sliding Side Windows	\$970.00
R50850384	Sound Reduction Package (To Reduce Noise to Operator Ear) **Suggest Additional Installation of Sliding Side Windows	\$400.00
R50841911	Weight - Rear Counterweight1900R: **Increases Rated Operating Capacity by 210 lbs. (95 kg) and Adds 2.25 in. (57 mm) to Length	\$918.00
Field Installed Opt	tions	
R50851351	Anti-Chatter Kit	\$675.00
R811486	Back-Up Alarm Kit	\$183.00
R50850827	Camera Kit - Rear **Includes 5 in. (127 mm) Display	\$1,516.00
R50851016	Control Kit / Proportional for High-Flow - Pilot Type Controls	\$704.00
R50850833	Door Kit - Impact Resistant w/ Front Wiper **.5 in. (12 mm) Polycarbonate Material Note: Doors CANNOT Be Used with Backhoe Attachment Installed	\$2,145.00
R50850284	Door Kit - Swing Out w/ Front Wiper Note: Doors CANNOT Be Used with Backhoe Attachment Installed	\$1,490.00
R50850341	Dual Flasher Kit **Two (2) 4-Way Tower Mounted	\$361.00
R50850562	Dual-Hand Pattern Control Kit **Convert Joystick Control to Dual-Hand Pattern	\$898.00
R50850349	Electric Attachment Control Kit - 14-Pin Harness / Handle	\$1,003.00
R805855	Engine Block (Frost Plug) Heater Kit **120 Volt, 400 Watt w/ 5 ft. (1.5 m) Power Cord **Highly Recommended for Use at 20° F (-6° C) and Colder Conditions	\$110.00
R50850834	Fender Kit - Wide	\$654.00
R50850396	Heater Kit	\$1,860.00
R50850558	Lift Kit - Four Point Lift System	\$114.00
R50850457	Lift Kit - Single Point Lift System	\$836.00
R811488	Mirror Kit - Rear View **Can Install Two if Needed	\$60.00
R811432	Orifice Kit - Joystick Controls **To Allow Slower Response on Joystick Drive Control	\$51.00
R50850373	Power-A-Tach® Kit - Hydraulic Actuated Powered Quick-Attach System **Convert Manual Quick-Attach to Power Quick-Attach - Plate NOT Included	\$1,466.00
R50850342	Pre-Cleaner Kit - Centrifugal Type Note: ONLY for Use on Interim Tier IV Models	\$328.00
_		

Part No	Part Description	List Price
Field Installed Op	tions	·
R50851090	Radio Kit - Bluetooth **Includes Auxiliary / USB Input and Bluetooth Capability	\$599.00
R50850357	Rear Wiper Kit	\$562.00
R811496	Rotating Beacon Kit	\$439.00
R811487	Sliding Side Windows Kit	\$880.00
R810869	Spare Tire on Rim (Black Rim) - 10.00 x 16.5 (31x6x10) Solid Flex Non-Pneumatic - Left	\$1,265.00
R810870	Spare Tire on Rim (Black Rim) - 10.00 x 16.5 (31x6x10) Solid Flex Non-Pneumatic - Right	\$1,265.00
R810871	Spare Tire on Rim (Black Rim) - 12.00 x 16.5 (33x6x11) Solid Flex Non-Pneumatic - Left	\$1,462.00
R810872	Spare Tire on Rim (Black Rim) - 12.00 x 16.5 (33x6x11) Solid Flex Non-Pneumatic - Right	\$1,462.00
R50851352	Spare Tire on Rim (Silver Rim) - 10.00 x 16.5 10-Ply / Heavy Duty	\$455.00
R50851354	Spare Tire on Rim (Silver Rim) - 10.00 x 16.5 10-Ply / Severe Duty	\$618.00
R50851356	Spare Tire on Rim (Silver Rim) - 12.00 x 16.5 12-Ply / Heavy Duty	\$624.00
R50851358	Spare Tire on Rim (Silver Rim) - 12.00 x 16.5 12-Ply / Severe Duty	\$747.00
R50850001	Weight Kit - Rear Counterweight1900R: **Increases Rated Operating Capacity by 210 lbs. (95 kg) and Adds 2.25 in. (57 mm) to Length	\$918.00
R50850977	Work Light Kit (LED)	\$451.00



STANDARD EQUIPMENT

DRIVE TRAIN / CHASSIS

- #80 E Pre-Stressed Chains in Oil Bath
- Dynamic Braking Hydrostatic
- Integral Cleanout Plates (3)
- Mechanical Lift Cylinder Lock
- Multi-Tach™ Attachment System (Universal-Style)
- Parking / Emergency Brake Automatic Apply / Release (SAHR)
- Pilot Controlled Hydrostatic Drive
- Radial Piston Drive Motors
- Single Speed Drive System
 - Two Speed Drive System Optional
- Vertical Style Lift Path
- Zero Maintenance Axles w/ 8-Bolt Rims

ELECTRICAL SYSTEM

- 7 in. (177.8 mm) Display (Camera Capable)
 - Displays Machine Operating Parameters, Diagnostic and Fault Codes, Maintenance Reminders and Includes Night Mode
- Back-Up Alarm
- Battery Disconnect
- Central Fuse Location Accessible from Operator Seat
- LED Backlit Colored Keypad w/ Navigation Dial
 - Includes Hand Throttle, Keyless Start and Passcode Keys
 - Centralized Location for all Standard Equipment Controls
- Lights (LED)
 - Tail and Work (2 Front and 1 Rear)

ENGINE

- Yanmar Naturally Aspirated Diesel Engine
- Block Heater (110 Volt)
- DPF (Diesel Particulate Filter) Technology
- Dual Element Air Cleaner w/ Indicator
- Engine Auto Shutdown System
- Flip-Up Cooler
- Vandalism Lock Provisions
 - Fuel and Engine Cover

HYDRAULICS SYSTEM

- 11 Micron Filter Spin-On Type
- 3-Spool Open Center Valve
- Comfort Ride Control (CRC) Boom Suspension
- Connect-Under Pressure Auxiliary Couplers
- Dual Lift / Tilt Cylinders w/ IHCP (Induction Hardened Chrome Plating) Cylinder Rods
- Independent Hydraulic Reservoir w/ Cooler
- Lift Arm Float Function
- Lift Cylinder Cushioning
- Proportionate Auxiliary Hydraulic Control w/ Detent
 - Includes Case Drain
- Variable Speed Cooling Fan

OPERATORS AREA

- Adjustable Seat Belt 2 in. (51 mm)
- Cup Holder
- Deluxe Vinyl Cushion Seat
- Dome Light w/ Courtesy Lighting
- Entry / Exit Grab Handles
- Foot Throttle / Deceleration Pedal
- Horn
- Hydraloc™ System
 - Brakes and Interlock for Starter, Lift / Tilt Cylinders and Wheel Drives
- Lockable Storage
- Operator Restraint Bar w/ Adjustable Armrests
- ROPS / FOPS Level I
- Seat Mounted Controls Joystick, Adjustable
- Windows
 - Top and Rear Emergency

WARRANTY

See Warranty Policy

EQUIPMENT SPECIFICATIONS FOR BASE UNIT

LOADER

- Rated Operating Capacity
 - 2,100 lbs. (952 kg) @ 50% Tipping Capacity
- Breakout Force Bucket 5,766 lbs. (2,615 kg)
- Pin Height 120.5 in. (3,061 mm)
- ROPS Height 80.0 in. (2,032 mm)
- Wheelbase 43.0 in. (1,092 mm)

HYDRAULICS

- Auxiliary Hydraulics
 - Standard Flow Hydraulics Lift Arm Mounted (Front, Left Side)
 w/ 1/2" (13 mm) Flat-Faced Couplers 22.8 gpm (86.5 L/min)
 - Optional Boost High-Flow Hydraulics Lift Arm Mounted (Front, Left Side), Common Couplers w/ Standard Flow - 30.2 gpm (114.0 L/min)
- Hydraulic Reservoir 6.0 gal. (22.7 L)
- System Pressure 3,475 psi (239 bar) Standard Flow

DIESEL ENGINE

- Yanmar 4TNV98C
- 4 Cylinder, Naturally Aspirated
- 69.3 Gross hp (51.7 kW) @ 2,500 rpm
- Max Torque 178 ft. lbs. (241 Nm) @ 1,625 rpm
- Emissions Compliance (EPA / Euro)
 - Tier IV / Stage 5
- Displacement 202.5 cu. in. (3.3 L)
- Fuel Tank 28.0 gal. (106.0 L)
- Oil Change Interval 500 Hours

DRIVE TRAIN

• Tires - 10.00 x 16.5 10-Ply / Heavy Duty

ELECTRICAL

- Alternator 100 amp.
- Battery 12 Volt, 950 CCA
- Exterior 12 Volt Socket, Interior 12 Volt, USB Port
- Starter 3.0 kW

Manitou Skid Loaders 2100V

Package Configurations (*Configuration List Price does not include Tire Price)

Standard - Joystick (Must Select Tires)		Premium - Joystick (Must Select Tires)	
R50841643	Open ROPS/FOPS	R50841644	Cab Enclosure w/ Heat and A/C
STD-DOOR-1 R50841634	No Door Single Speed Drive System	R50841888	Door - IdealAccess™ Fold-Up w/ Front Wiper
R50841859	High Back Mechanical Suspension Seat	R50841633	Two Speed Drive System
R50841893	Seat Belt - 2 in. (50 mm)	R50841641 R50841893	High Back Air Suspension Seat - Vinyl Seat Belt - 2 in. (50 mm)
R50841646	Standard Flow Auxiliary Hydraulic Circuit	R50841646	Standard Flow Auxiliary Hydraulic Circuit
STD-QA-2 R50841891	Multi-Tach™ - Manual Quick-Attach System No Hydraulic Leveling	R50841632	Power-A-Tach® - Hydraulic Actuated Powered Quick-Attach System
R50841892	Weight - Rear Counterweight / Cast Bumper	R50841638	Switchable Self-Leveling Hydraulic Lift Action - Selectable On / Off
R50842005	Easy Link Module w/ 6 Years Connectivity	R50841892	During Lift Weight - Rear Counterweight / Cast Bumper
*List Price:	\$ 55,918.00	R50842005	Easy Link Module w/ 6 Years Connectivity
		*List Price:	\$ 68,793.00

Part No	Part Description	List Price
Base Unit	·	·
R50841861	2100V - STANDARD BASE UNIT - U.S. AND CANADA ONLY	\$52,830.00
Required Factory	Options	
Operator Station		
R50841644	Cab Enclosure w/ Heat and A/C Note: Door NOT Included	\$4,944.00
R50841643	Open ROPS/FOPS	\$0.00
Door		
R50841888	Door - IdealAccess™ Fold-Up w/ Front Wiper	\$3,090.00
R50841890	Door - Impact Resistant w/ Front Wiper **.5 in. (12 mm) Polycarbonate Material Note: Doors CANNOT Be Used w/ Backhoe Attachment Installed	\$2,364.00
R50841889	Door - Swing Out w/ Front Wiper Note: Doors CANNOT Be Used w/ Backhoe Attachment Installed	\$2,060.00
STD-DOOR-1	No Door	\$0.00
Drive System		
R50841634	Single Speed Drive System	\$0.00
R50841633	Two Speed Drive System	\$2,987.00
Seat		
R50841860	Deluxe High Back Air Suspension Seat w/ Heat - Fabric	\$979.00
R50841640	High Back Adjustable Seat - Vinyl	\$0.00
R50841641	High Back Air Suspension Seat - Vinyl	\$721.00
R50841859	High Back Mechanical Suspension Seat	\$515.00
Seat Belt		
R50841893	Seat Belt - 2 in. (50 mm)	\$0.00
R50841894	Shoulder and Seat Belt - 2 in. (50 mm)	\$109.00
R50841895	Shoulder and Seat Belt - 3 in. (76 mm) Note: Where Required by State Law	\$155.00

2100V

Part No	Part Description	List Price
Required Factory	y Options	·
Auxiliary Hydra	ulics	
R50841636	High-Flow Auxiliary Hydraulic Circuit **Utilizes Standard Flow Coupler and Increases Hydraulic Flow	\$2,266.00
R50841646	Standard Flow Auxiliary Hydraulic Circuit	\$0.00
Attachment Sys	stem	·
STD-QA-2	Multi-Tach™ - Manual Quick-Attach System	\$0.00
R50841632	Power-A-Tach® - Hydraulic Actuated Powered Quick-Attach System	\$1,030.00
Self-Leveling		
R50841891	No Hydraulic Leveling	\$0.00
R50841638	Switchable Self-Leveling Hydraulic Lift Action - Selectable On / Off During Lift	\$618.00
Counterweight		
R50841887	Standard - Bumper Only	\$0.00
R50841892	Weight - Rear Counterweight / Cast Bumper **Increases Rated Operating Capacity by 130 lbs. (58 kg) and Adds 2.39 in. (61 mm) to Length	\$1,030.00
Connected Solu	utions	
R50842005	Easy Link Module w/ 6 Years Connectivity **for Use w/ Easy Manager System	\$1,543.00
R50842009	Easy Link Module w/ Access Control Keyboard and 6 Years Connectivity **for Use w/ Easy Manager System	\$2,064.00
Tire Options		·
R50840484	10.00 x 16.5 (31x6x10) Solid Flex Non-Pneumatic (Black Rims)	\$5,014.00
R50851353	10.00 x 16.5 10-Ply / Heavy Duty	\$1,841.00
R50851355	10.00 x 16.5 10-Ply / Severe Duty	\$2,444.00
R50840485	12.00 x 16.5 (33x6x11) Solid Flex Non-Pneumatic (Black Rims)	\$5,818.00
R50851357	12.00 x 16.5 12-Ply / Heavy Duty	\$2,387.00
R50851359	12.00 x 16.5 12-Ply / Severe Duty	\$2,940.00
R806631	Less Wheels / Tires (Unit Shipped Without Mounted Wheels / Tires)	\$662.00
Non-Required Fa	actory Options	·
R50842056	Brake Release - Single Speed	\$612.00
R50842057	Brake Release - Two Speed	\$612.00
R50841897	Camera - Rear **Includes 5 in. (127 mm) Display	\$423.00
R50841901	Electric Attachment Control - 14-Pin Harness / Handle	\$1,075.00
R50842014	Mirror - Rear View, Interior Mounted	\$150.00
R50841884	Pre-Cleaner - Centrifugal Type	\$206.00
R50841902	Radio - Bluetooth **Includes Auxiliary / USB Input and Bluetooth Capability	\$651.00
R50841970	Rear Wiper	\$409.00
R50841904	Reversing Fan	\$181.00
R50842052	Side Windows - Fixed (Polycarbonate)	\$900.00
R50841896	Side Windows - Fixed (Tempered Glass)	\$927.00
R50841885	Sound Reduction Package (To Reduce Noise to Operator Ear) **Suggest Additional Installation of One of the Side Window Options	\$232.00

2100V

Part No	Part Description	List Price
Non-Required Factory Options		
R50841639	Weight - Rear Counterweight **Side Mounted2100V: **Increases Rated Operating Capacity by 150 lbs. (68 kg) Note: Can Be Used with Counterweight / Cast Bumper	\$710.00
R50841898	Work Lights (LED) - Side Mounted (Set of 2)	\$258.00



STANDARD EQUIPMENT

DRIVE TRAIN / CHASSIS

- #80 E Pre-Stressed Chains in Oil Bath
- Dual, Integral Cleanout Plates
- Dynamic Braking Hydrostatic
- Front Chassis Cleanout
- Mechanical Lift Cylinder Lock
- Multi-Tach™ Attachment System (Universal-Style
- Parking / Emergency Brake
- Pilot Controlled Hydrostatic Drive
- Radial Piston Drive Motors
- Radial Style Lift Path
- Rear Bumper
- Single Speed Drive System
 - Two Speed Drive System Optional
- Zero Maintenance Axles w/ 8-Bolt Rims

ELECTRICAL SYSTEM

- **Battery Disconnect**
- Instrument Panel w/ Multi-Function Read-Out
 - Right Side Engine Coolant, Engine Error Codes, Engine Oil Pressure, Fuel Level, Hourmeter and Tachometer
 - Left Side Warning Indicators Air Filter, Battery Charge, Engine Coolant Temperature, Hydraulic Oil Pressure, Hydraulic Oil Temperature, Preheat and Seat Belt
- Easy Link Module
- Lights (Halogen)
 - Tail and Work (2 Front and 2 Rear)

ENGINE

- Yanmar Turbo Diese Engine
- DPF (Diesel Particulate Filter) Technology
- Dual Element Air Cleaner w/ Indicator
- Engine Auto Shutdown System
- Glow Plug Heater Starter Assist Automatic / Manual
- Remote Engine Oil Filter and Drain
- Vandalism Lock Provisions
 - Fuel and Engine Cover

HYDRAULICS SYSTEM

- 12 Micron Futer Spin-On Type
- 3-Spool Open Center Valve
- Connect-Under Pressure Auxiliary Couplers
- Dual Lift / Tilt Cylinders w/ IHCP (Induction Hardened Chrome Plating) Cylinder Rods
- Independent Hydraulic Reservoir w/ Cooler
- Proportionate Auxiliary Hydraulic Control

OPERATORS AREA

- Acoustical Sound Material and Deluxe Headliner
- Adjustable Control Pods
- Adjustable Seat Belt
- Controls Choice of 2
- Deluxe High-Back, Cushion Seat
 - Entry / Exit Grab Handles
 - Foot Throttle
 - Joystick Control Units Only
- Hand Throttle
- Horn
- Hydraloc™ System
 - Brakes and Interlock for Starter, Lift / Tilt Cylinders and Wheel Drives
- Operator Restraint Bar w/ Adjustable Armrests
 - ROPS FORS Level II
 - Rollback Guard w/ Integral Side Screens
- Windows
 - Top and Rear Emergency

WARRANTY

See Warranty Policy

EQUIPMENT SPECIFICATIONS FOR BASE UNIT

LOADER (w/ 12.00 x 16.5 Tires)

- Rated Operating Capacity 2,200 lbs. (998 kg)
- Breakout Force 5,600 lbs. (2,540 kg)
- Pin Height 123 in. (3,124 mm)
- ROPS Height 81 in. (2,057 mm)
- SAE Tipping Load 4,400 lbs. (1,996 kg)
- Wheelbase 43 in. (1,092 mm)

HYDRAULICS

- **Auxiliary Hydraulics**
 - Standard Flow Hydraulics Lift Arm Mounted (Front, Left Side) w/ 3/4" (19 mm) Flat-Faced Couplers - 23.5 gpm (89 L/min)
 - Optional High-Flow Hydraulics Lift Arm Mounted (Front, Right Side) w/ 3/4" (19 mm) Flat-Faced Couplers - 35 gpm (132.5 L/min)
- Hydraulic Reservoir 8 gal. (30.3 L)
- System Pressure 3,200 psi (220.6 bar) Standard Flow

DIESEL ENGINE

- Yanmar 4TNV98CT
- 4 Cylinder, Turbo
- 70.7 Net hp (52.7 kW) @ 2,500 rpm
 - 72.0 Gross hp (53.7 kW) @ 2,500 rpm
- Max Torque 217 ft. lbs. (294.0 Nm) @ 1,625 rpm
- Emissions Compliance (EPA / Euro)
 - Tier IV / Stage 5
- Displacement 202.6 cu. in. (3.3 L)
- Fuel Tank 18 gal. (68.1 L)
- Oil Change Interval 250 Hours

ELECTRICAL

- Accessory Plug 12 Volt
- Alternator 95 amp.
- Battery 12 Volt, 950 CCA
- Starter 3.0 kW

Manitou Skid Loaders 2200R

Package Configurations (*Configuration List Price does not include Tire Price)

Standard - Jo	ystick (Must Select Tires)	Premium - Jo	ystick (Must Select Tires)
R50850194	Open ROPS/FOPS	R50840502	Cab Enclosure w/ Heat and A/C - Swing Out Door and Front Wiper
R50850246	Joystick Control System w/ Selectable On / Off Self-Leveling Hydraulic Lift Action	R50850246	Joystick Control System w/ Selectable On / Off Self-Leveling
R50850228	Single Speed Drive System w/ Hydraglide™ Ride Control System		Hydraulic Lift Action
R50850264	High Back Adjustable Seat	R50850232	Two Speed Drive System w/ Hydraglide™ Ride Control System
R810288	Seat Belt - 2 in. (50 mm)	R50850193	High Back Air Ride Suspension Seat
		R810289	Shoulder and Seat Belt - 2 in. (50 mm)
R50850236	Standard Flow Auxiliary Hydraulic Circuit - All Controls Except Dual-Hand	R50850236	Standard Flow Auxiliary Hydraulic Circuit - All Controls Except Dual-Hand
R50850233	Multi-Tach® - Manual Quick-Attach System	DECOROOF	
R50850000	Weight - Rear Counterweight	R50850235	Power-A-Tach® - Hydraulic Actuated Powered Quick-Attach System
R50841435	Easy Link Module w/ 6 Years Connectivity	R50850000	Weight - Rear Counterweight
R811491	Back-Up Alarm	R50841435	Easy Link Module w/ 6 Years Connectivity
*List Price:	\$ 54,992.00	R811491	Back-Up Alarm
		R806136	Engine Block (Frost Plug) Heater
		R50851091	Radio - Bluetooth
		*List Price:	\$ 68,033.00

Part No	Part Description	List Price
Base Unit		·
R50851281	2200R - STANDARD BASE UNIT - U.S. AND CANADA ONLY **Subject to Availability** Note: Contact Customer Service for Availability	\$50,944.00
Required Factory	Options	
Operator Station		
R50840502	Cab Enclosure w/ Heat and A/C - Swing Out Door and Front Wiper Note: Doors CANNOT Be Used w/ Backhoe Attachment Installed	\$7,296.00
R50850194	Open ROPS/FOPS	\$0.00
R50850196	Open ROPS/FOPS w/ Heater	\$2,148.00
Controls		·
R50850490	Dual-Hand Control System - No Self-Leveling **Pilot Type Controls	\$0.00
R50850489	Dual-Hand Control System w/ Selectable On / Off Self-Leveling Hydraulic Lift Action **Pilot Type Controls	\$473.00
R50850247	Joystick Control System - No Self-Leveling **Pilot Type Controls	\$0.00
R50850246	Joystick Control System w/ Selectable On / Off Self-Leveling Hydraulic Lift Action **Pilot Type Controls	\$473.00
Drive System		
R50850228	Single Speed Drive System w/ Hydraglide™ Ride Control System	\$800.00
R50850232	Two Speed Drive System w/ Hydraglide™ Ride Control System Note: Requires Shoulder and Seat Belt Option	\$3,328.00
Seat		
R50850264	High Back Adjustable Seat	\$0.00
R50850193	High Back Air Ride Suspension Seat	\$531.00
R50850192	High Back Mechanical Suspension Seat	\$318.00

Part No	Part Description	List Price
Required Factor	· ·	
Seat Belt		
R810288	Seat Belt - 2 in. (50 mm)	\$0.00
R810290	Seat Belt - 3 in. (76 mm) Note: Where Required By State Law	\$110.00
R810289	Shoulder and Seat Belt - 2 in. (50 mm) Note: Required for Use w/ Two Speed	\$226.00
R810291	Shoulder and Seat Belt - 3 in. (76 mm) Note: Required for Use w/ Two Speed or Where Required by State Law	\$264.00
Auxiliary Hydra	ulics	
R50850240	High-Flow Auxiliary Hydraulic Circuit - All Controls Except Dual-Hand	\$2,395.00
R50850488	High-Flow Auxiliary Hydraulic Circuit - Dual-Hand Controls	\$2,395.00
R50850236	Standard Flow Auxiliary Hydraulic Circuit - All Controls Except Dual-Hand	\$0.00
R50850486	Standard Flow Auxiliary Hydraulic Circuit - Dual-Hand Controls	\$0.00
Attachment Sys	stem	
R50850233	Multi-Tach® - Manual Quick-Attach System	\$0.00
R50850235	Power-A-Tach® - Hydraulic Actuated Powered Quick-Attach System	\$1,573.00
Counterweight		
R50850265	Standard - Internal Counterweight	\$0.00
R50850000	Weight - Rear Counterweight2200R: **Increases Rated Operating Capacity by 170 lbs. (77 kg) and Adds 2.25 in. (57 mm) to Length	\$918.00
Connected Solu	utions	
R50841435	Easy Link Module w/ 6 Years Connectivity **for Use w/ Easy Manager System	\$1,543.00
R50841437	Easy Link Module w/ Access Control Keyboard and 6 Years Connectivity **for Use w/ Easy Manager System	\$2,064.00
Tire Options		
R50840485	12.00 x 16.5 (33x6x11) Solid Flex Non-Pneumatic (Black Rims)	\$5,818.00
R50851357	12.00 x 16.5 12-Ply / Heavy Duty	\$2,387.00
R50851359	12.00 x 16.5 12-Ply / Severe Duty	\$2,940.00
R50840487	14.00 x 17.5 (36x7x11) Solid Flex Non-Pneumatic (Black Rims)	\$7,173.00
R50840471	14.00 x 17.5 14-Ply / Heavy Duty	\$3,894.00
R50840478	14.00 x 17.5 14-Ply / Severe Duty Note: Extended Lead Time	\$4,606.00
R806631	Less Wheels / Tires (Unit Shipped Without Mounted Wheels / Tires)	\$662.00
Non-Required F	actory Options	·
R811491	Back-Up Alarm	\$314.00
R50850581	Brake Release	\$682.00
R50850826	Camera - Rear **Includes 5 in. (127 mm) Display	\$1,516.00
R50851017	Control / Proportional for High-Flow - Pilot Type Controls Note: CANNOT Be Used w/ Electric Attachment Control - 14-Pin	\$678.00
R50850838	Door - Impact Resistant w/ Front Wiper **.5 in. (12 mm) Polycarbonate Material Note: Doors CANNOT Be Used w/ Backhoe Attachment Installed	\$2,145.00

Part No	Part Description	List Price
Non-Required Fac	tory Options	
R50850283	Door - Swing Out w/ Front Wiper Note: Doors CANNOT Be Used w/ Backhoe Attachment Installed	\$1,572.00
R50850573	Electric Attachment Control - 14-Pin Harness / Handle Note: CANNOT Be Used w/ Proportional Controls	\$1,075.00
R806136	Engine Block (Frost Plug) Heater **120 Volt, 400 Watt w/ 5 ft. (1.5 m) Power Cord **Highly Recommended for Use at 20° F (-6° C) and Colder Conditions	\$236.00
R50850369	Lifting System - Four Point	\$184.00
R50850355	Painting - Non-Standard Paint Package - Painted One Requested Color Note: Paint Options REQUIRE 4-Digit RAL Paint Color Specification (Must Be Ordered Prior To Production Run. Any Specialized Non-Standard Paints Will Have Additional Cost.)	\$1,685.00
R50851091	Radio - Bluetooth **Includes Auxiliary / USB Input and Bluetooth Capability	\$651.00
R50850390	Rear Wiper	\$562.00
R50850370	Rotating Beacon	\$439.00
R811492	Sliding Side Windows	\$970.00
R50850385	Sound Reduction Package (To Reduce Noise to Operator Ear) **Suggest Additional Installation of Sliding Side Windows	\$400.00
Field Installed Opt	ions	
R50851351	Anti-Chatter Kit	\$675.00
R811486	Back-Up Alarm Kit	\$183.00
R50850827	Camera Kit - Rear **Includes 5 in. (127 mm) Display	\$1,516.00
R50851016	Control Kit / Proportional for High-Flow - Pilot Type Controls	\$704.00
R50850832	Door Kit - Impact Resistant w/ Front Wiper **.5 in. (12 mm) Polycarbonate Material Note: Doors CANNOT Be Used with Backhoe Attachment Installed	\$2,145.00
R50850284	Door Kit - Swing Out w/ Front Wiper Note: Doors CANNOT Be Used with Backhoe Attachment Installed	\$1,490.00
R50850341	Dual Flasher Kit **Two (2) 4-Way Tower Mounted	\$361.00
R50850563	Dual-Hand Pattern Control Kit **Convert Joystick Control to Dual-Hand Pattern	\$898.00
R50850574	Electric Attachment Control Kit - 14-Pin Harness / Handle	\$1,003.00
R805855	Engine Block (Frost Plug) Heater Kit **120 Volt, 400 Watt w/ 5 ft. (1.5 m) Power Cord **Highly Recommended for Use at 20° F (-6° C) and Colder Conditions	\$110.00
R50850835	Fender Kit - Wide	\$654.00
R50850396	Heater Kit	\$1,860.00
R50850328	Lift Kit - Four Point Lift System	\$151.00
R50850457	Lift Kit - Single Point Lift System	\$836.00
R811488	Mirror Kit - Rear View **Can Install Two if Needed	\$60.00
R811432	Orifice Kit - Joystick Controls **To Allow Slower Response on Joystick Drive Control	\$51.00
R50850375	Power-A-Tach® Kit - Hydraulic Actuated Powered Quick-Attach System **Convert Manual Quick-Attach to Power Quick-Attach - Plate NOT Included	\$1,466.00

Part No	Part Description	List Price
Field Installed Opt	tions	·
R50851090	Radio Kit - Bluetooth **Includes Auxiliary / USB Input and Bluetooth Capability	\$599.00
R50850357	Rear Wiper Kit	\$562.00
R811496	Rotating Beacon Kit	\$439.00
R811487	Sliding Side Windows Kit	\$880.00
R810871	Spare Tire on Rim (Black Rim) - 12.00 x 16.5 (33x6x11) Solid Flex Non-Pneumatic - Left	\$1,462.00
R810872	Spare Tire on Rim (Black Rim) - 12.00 x 16.5 (33x6x11) Solid Flex Non-Pneumatic - Right	\$1,462.00
R810949	Spare Tire on Rim (Black Rim) - 14.00 x 17.5 (36x7x11) Solid Flex Non-Pneumatic - Left	\$1,801.00
R810950	Spare Tire on Rim (Black Rim) - 14.00 x 17.5 (36x7x11) Solid Flex Non-Pneumatic - Right	\$1,801.00
R50851356	Spare Tire on Rim (Silver Rim) - 12.00 x 16.5 12-Ply / Heavy Duty	\$624.00
R50851358	Spare Tire on Rim (Silver Rim) - 12.00 x 16.5 12-Ply / Severe Duty	\$747.00
R50851217	Spare Tire on Rim (Silver Rim) - 14.00 x 17.5 14-Ply / Heavy Duty	\$964.00
R50851219	Spare Tire on Rim (Silver Rim) - 14.00 x 17.5 14-Ply / Severe Duty Note: Extended Lead Time	\$1,163.00
R50850624	Sub-Zero Crankcase Kit	\$356.00
R50850001	Weight Kit - Rear Counterweight2200R: **Increases Rated Operating Capacity by 170 lbs. (77 kg) and Adds 2.25 in. (57 mm) to Length	\$918.00
R50850977	Work Light Kit (LED)	\$451.00



STANDARD EQUIPMENT

DRIVE TRAIN / CHASSIS

- #80 E Pre-Stressed Chains in Oil Bath
- Dynamic Braking Hydrostatic
- Integral Cleanout Plates (3)
- Mechanical Lift Cylinder Lock
- Multi-Tach™ Attachment System (Universal-Style)
- Parking / Emergency Brake Automatic Apply / Release (SAHR)
- Pilot Controlled Hydrostatic Drive
- Radial Piston Drive Motors
- Rear Counterweight / Bumper
- Single Speed Drive System
 - Two Speed Drive System Optional
- Vertical Style Lift Path
- Zero Maintenance Axles w/ 8-Bolt Rims

ELECTRICAL SYSTEM

- 7 in. (177.8 mm) Display (Camera Capable)
 - Displays Machine Operating Parameters, Diagnostic and Fault Codes, Maintenance Reminders and Includes Night Mode
- Back-Up Alarm
- Battery Disconnect
- Central Fuse Location Accessible from Operator Seat
- LED Backlit Colored Keypad w/ Navigation Dial
 - Includes Hand Throttle, Keyless Start and Passcode Keys
 - Centralized Location for all Standard Equipment Controls
- Lights (LED)
- Tail and Work (2 Front and 1 Rear)

ENGINE

- Yanmar Turbo Diesel Engine
- Block Heater (110 Volt)
- DPF (Diesel Particulate Filter) Technology
- Dual Element Air Cleaner w/ Indicator
- Engine Auto Shutdown System
- Flip-Up Cooler
- Vandalism Lock Provisions
 - Fuel and Engine Cover

HYDRAULICS SYSTEM

- 11 Micron Filter Spin-On Type
- 3-Spool Open Center Valve
- Comfort Ride Control (CRC) Boom Suspension
- Connect-Under Pressure Auxiliary Couplers
- Dual Lift / Tilt Cylinders w/ IHCP (Induction Hardened Chrome Plating) Cylinder Rods
- Independent Hydraulic Reservoir w/ Cooler
- Lift Arm Float Function
- Lift Cylinder Cushioning
- Proportionate Auxiliary Hydraulic Control w/ Detent
 - Includes Case Drain
- Variable Speed Cooling Fan

OPERATORS AREA

- Adjustable Seat Belt 2 in. (51 mm)
- Cup Holder
- Deluxe Vinyl Cushion Seat
- Dome Light w/ Courtesy Lighting
- Entry / Exit Grab Handles
- Foot Throttle / Deceleration Pedal
- Horn
- Hydraloc™ System
 - Brakes and Interlock for Starter, Lift / Tilt Cylinders and Wheel Drives
- Lockable Storage
- Operator Restraint Bar w/ Adjustable Armrests
- ROPS / FOPS Level I
- Seat Mounted Controls Joystick, Adjustable
- Windows
 - Top and Rear Emergency

WARRANTY

See Warranty Policy

EQUIPMENT SPECIFICATIONS FOR BASE UNIT

LOADER

- Rated Operating Capacity
 - 2,300 lbs. (1,043 kg) @ 50% Tipping Capacity
- Breakout Force Bucket 5,605 lbs. (2,542 kg)
- Pin Height 121.5 in. (3,086 mm)
- ROPS Height 81.0 in. (2,058 mm)
- Wheelbase 43.0 in. (1,092 mm)

HYDRAULICS

- Auxiliary Hydraulics
 - Standard Flow Hydraulics Lift Arm Mounted (Front, Left Side)
 w/ 1/2" (13 mm) Flat-Faced Couplers 22.8 gpm (86.5 L/min)
 - Optional Boost High-Flow Hydraulics Lift Arm Mounted (Front, Left Side), Common Couplers w/ Standard Flow - 30.2 gpm (114.0 L/min)
- Hydraulic Reservoir 6.0 gal. (22.7 L)
- System Pressure 3,475 psi (239 bar) Standard Flow

DIESEL ENGINE

- Yanmar 4TNV98CT
- 4 Cylinder, Turbo
- 72.0 Gross hp (53.7 kW) @ 2,500 rpm
- Max Torque 217 ft. lbs. (294.0 Nm) @ 1,800 rpm
- Emissions Compliance (EPA / Euro)
 - Tier IV / Stage 5
- Displacement 202.5 cu. in. (3.3 L)
- Fuel Tank 28.0 gal. (106.0 L)
- Oil Change Interval 500 Hours

DRIVE TRAIN

Tires - 12.00x 16.5 12-Ply / Heavy Duty

ELECTRICAL

- Alternator 100 amp.
- Battery 12 Volt, 950 CCA
- Exterior 12 Volt Socket, Interior 12 Volt, USB Port
- Starter 3.0 kW

Manitou Skid Loaders 2300V

Package Configurations (*Configuration List Price does not include Tire Price)

Standard - Joystick (Must Select Tires)		Premium - Joystick (Must Select Tires)	
R50841643 STD-DOOR-1 R50841634 R50841859 R50841893 R50841646	Open ROPS/FOPS No Door Single Speed Drive System High Back Mechanical Suspension Seat Seat Belt - 2 in. (50 mm) Standard Flow Auxiliary Hydraulic Circuit	R50841644 R50841888 R50841633 R50841641 R50841893	Cab Enclosure w/ Heat and A/C Door - IdealAccess™ Fold-Up w/ Front Wiper Two Speed Drive System High Back Air Suspension Seat - Vinyl Seat Belt - 2 in. (50 mm) Standard Flow Auxiliary Hydraulic Circuit
R50841891 R50842005	Multi-Tach™ - Manual Quick-Attach System No Hydraulic Leveling Easy Link Module w/ 6 Years Connectivity \$ 56,918,00	R50841632 R50841638	Power-A-Tach® - Hydraulic Actuated Powered Quick-Attach System Switchable Self-Leveling Hydraulic Lift Action - Selectable On / Off During Lift
LIST PIICE.	φ 30, 3 10.00	R50842005 *List Price:	Easy Link Module w/ 6 Years Connectivity \$ 69,793.00

Part No	Part Description	List Price
Base Unit		·
R50841864	2300V - STANDARD BASE UNIT - U.S. AND CANADA ONLY	\$54,860.00
Required Factory	Options	
Operator Station		
R50841644	Cab Enclosure w/ Heat and A/C Note: Door NOT Included	\$4,944.00
R50841643	Open ROPS/FOPS	\$0.00
Door		
R50841888	Door - IdealAccess™ Fold-Up w/ Front Wiper	\$3,090.00
R50841890	Door - Impact Resistant w/ Front Wiper **.5 in. (12 mm) Polycarbonate Material Note: Doors CANNOT Be Used w/ Backhoe Attachment Installed	\$2,364.00
R50841889	Door - Swing Out w/ Front Wiper Note: Doors CANNOT Be Used w/ Backhoe Attachment Installed	\$2,060.00
STD-DOOR-1	No Door	\$0.00
Drive System		
R50841634	Single Speed Drive System	\$0.00
R50841633	Two Speed Drive System	\$2,987.00
Seat		
R50841860	Deluxe High Back Air Suspension Seat w/ Heat - Fabric	\$979.00
R50841640	High Back Adjustable Seat - Vinyl	\$0.00
R50841641	High Back Air Suspension Seat - Vinyl	\$721.00
R50841859	High Back Mechanical Suspension Seat	\$515.00
Seat Belt		
R50841893	Seat Belt - 2 in. (50 mm)	\$0.00
R50841894	Shoulder and Seat Belt - 2 in. (50 mm)	\$109.00
R50841895	Shoulder and Seat Belt - 3 in. (76 mm) Note: Where Required by State Law	\$155.00

2300V

Part No	Part Description	List Price
Required Factor	ry Options	·
Auxiliary Hydra	aulics	
R50841636	High-Flow Auxiliary Hydraulic Circuit **Utilizes Standard Flow Coupler and Increases Hydraulic Flow	\$2,266.00
R50841646	Standard Flow Auxiliary Hydraulic Circuit	\$0.00
Attachment Sys	stem	
STD-QA-2	Multi-Tach™ - Manual Quick-Attach System	\$0.00
R50841632	Power-A-Tach® - Hydraulic Actuated Powered Quick-Attach System	\$1,030.00
Self-Leveling		
R50841891	No Hydraulic Leveling	\$0.00
R50841638	Switchable Self-Leveling Hydraulic Lift Action - Selectable On / Off During Lift	\$618.00
Connected Sol	utions	·
R50842005	Easy Link Module w/ 6 Years Connectivity **for Use w/ Easy Manager System	\$1,543.00
R50842009	Easy Link Module w/ Access Control Keyboard and 6 Years Connectivity **for Use w/ Easy Manager System	\$2,064.00
Tire Options		
R50840484	10.00 x 16.5 (31x6x10) Solid Flex Non-Pneumatic (Black Rims)	\$5,014.00
R50851353	10.00 x 16.5 10-Ply / Heavy Duty	\$1,841.00
R50851355	10.00 x 16.5 10-Ply / Severe Duty	\$2,444.00
R50840485	12.00 x 16.5 (33x6x11) Solid Flex Non-Pneumatic (Black Rims)	\$5,818.00
R50851357	12.00 x 16.5 12-Ply / Heavy Duty	\$2,387.00
R50851359	12.00 x 16.5 12-Ply / Severe Duty	\$2,940.00
R806631	Less Wheels / Tires (Unit Shipped Without Mounted Wheels / Tires)	\$662.00
Non-Required F	actory Options	
R50842056	Brake Release - Single Speed	\$612.00
R50842057	Brake Release - Two Speed	\$612.00
R50841897	Camera - Rear **Includes 5 in. (127 mm) Display	\$423.00
R50841901	Electric Attachment Control - 14-Pin Harness / Handle	\$1,075.00
R50842014	Mirror - Rear View, Interior Mounted	\$150.00
R50841884	Pre-Cleaner - Centrifugal Type	\$206.00
R50841902	Radio - Bluetooth **Includes Auxiliary / USB Input and Bluetooth Capability	\$651.00
R50841970	Rear Wiper	\$409.00
R50841904	Reversing Fan	\$181.00
R50842052	Side Windows - Fixed (Polycarbonate)	\$900.00
R50841896	Side Windows - Fixed (Tempered Glass)	\$927.00
R50841885	Sound Reduction Package (To Reduce Noise to Operator Ear) **Suggest Additional Installation of One of the Side Window Options	\$232.00
R50841639	Weight - Rear Counterweight **Side Mounted2300V: **Increases Rated Operating Capacity by 150 lbs. (68 kg) Note: Can Be Used with Counterweight / Cast Bumper	\$710.00
R50841898	Work Lights (LED) - Side Mounted (Set of 2)	\$258.00



STANDARD EQUIPMENT

DRIVE TRAIN / CHASSIS

- #80 E Pre-Stressed Chains in Oil Bath
- Dual, Integral Cleanout Plates
- Dynamic Braking Hydrostatic
- Front Chassis Cleanout
- Mechanical Lift Cylinder Lock
- Multi-Tach™ Attachment System (Universal-Style)
- Parking / Emergency Brake
- Pilot Controlled Hydrostatic Drive
- Radial Piston Drive Motors
- Radial Style Lift Path
- Rear Bumper
- Single Speed Drive System
 - Two Speed Drive System Optional
- Zero Maintenance Axles w/ 8-Bolt Rims

ELECTRICAL SYSTEM

- Battery Disconnect
- Instrument Panel w/ Multi-Function Read-Out
 - Right Side Engine Coolant, Engine Error Codes, Engine Oil
 Pressure, Fuel Level, Hourmeter and Tachometer
 - Left Side Warning Indicators Air Filter, Battery Charge, Engine Coolant Temperature, Hydraulic Oil Pressure, Hydraulic Oil Temperature, Preheat and Seat Belt
- Easy Link Module
- Lights (Halogen)
 - Tail and Work (2 Front and 2 Rear)

ENGINE

- Yanmar Turbo Diese Engine
- DPF (Diesel Particulate Filter) Technology
- Dual Element Air Cleaner w/ Indicator
- Engine Auto Shutdown System
- Glow Plug Heater Starter Assist Automatic / Manual
- Remote Engine Oil Filter and Drain
- Vandalism Lock Provisions
 - Fuel & Engine Cover

HYDRAULICS SYSTEM

- 12 Micron Futer Spin-On Type
- 3-Spool Open Center Valve
- Connect-Under Pressure Auxiliary Couplers
- Dual Lift / Tift Cylinders w/ IHCP (Induction Hardened Chrome Plating) Cylinder Rods
- Independent Hydraulic Reservoir w/ Cooler
- Proportionate Auxiliary Hydraulic Control

OPERATORS AREA

- Acoustical Sound Material and Deluxe Headliner
- Adjustable Control Pods
- Adjustable Seat Belt
- Controls Choice of 2
- Deluxe High-Back, Cushion Seat
 - Entry / Exit Grab Handles
 - Foot Throttle
 - Joystick Control Units Only
- Hand Throttle
- Horn
- Hydraloc™ System
 - Brakes and Injerlock for Starter, Lift / Tilt Cylinders and Wheel Drives
- Operator Restraint Bar w/ Adjustable Armrests
 - ROPS FORS Level II
 - Rollback Guard w/ Integral Side Screens
- Windows
 - Top and Rear Emergency

WARRANTY

See Warranty Policy

EQUIPMENT SPECIFICATIONS FOR BASE UNIT

LOADER (w/ 12.00 x 16.5 HD Tires)

- Rated Operating Capacity 2,600 lbs. (1,179 kg)
- Breakout Force 5,640 lbs. (2,540 kg)
- Pin Height 123 in. (3,124 mm)
- ROPS Height 81 in. (2,057 mm)
- SAE Tipping Load 5,200 lbs. (2,359 kg)
- Wheelbase 49.5 in. (1,257 mm)

HYDRAULICS

- Auxiliary Hydraulics
 - Standard Flow Hydraulics Lift Arm Mounted (Front, Left Side)
 w/ 3/4" (19 mm) Flat-Faced Couplers 23.5 gpm (89 L/min)
 - Optional High-Flow Hydraulics Lift Arm Mounted (Front, Right Side) w/ 3/4" (19 mm) Flat-Faced Couplers - 35 gpm (132.5 L/min)
- Hydraulic Reservoir 8 gal. (30.3 L)
- System Pressure 3,300 psi (227.5 bar) Standard Flow

DIESEL ENGINE

- Yanmar 4TNV98CT
- 4 Cylinder, Turbo
- 70.7 Net hp (52.7 kW) @ 2,500 rpm
 - 72.0 Gross hp (53.7 kW) @ 2,500 rpm
- Max Torque 217 ft. lbs. (294.0 Nm) @ 1,625 rpm
- Emissions Compliance (EPA / Euro)
 - Tier IV / Stage 5
- Displacement 202.6 cu. in. (3.3 L)
- Fuel Tank 21.5 gal. (81.4 L)
- Oil Change Interval 250 Hours

ELECTRICAL

- Accessory Plug 12 Volt
- Alternator 95 amp.
- Battery 12 Volt, 950 CCA
- Starter 3.0 kW

Manitou Skid Loaders 2600R

Package Configurations (*Configuration List Price does not include Tire Price)

Premium - Jo	ystick (Must Select Tires)	Premium Plus	s - Joystick (Must Select Tires)
R50840503	Cab Enclosure w/ Heat and A/C - Swing Out Door and Front Wiper	R50840503	Cab Enclosure w/ Heat and A/C - Swing Out Door and Front Wiper
R50850262	Joystick Control System w/ Selectable On / Off Self-Leveling Hydraulic Lift Action	R50850262	Joystick Control System w/ Selectable On / Off Self-Leveling
R50850232	Two Speed Drive System w/ Hydraglide™ Ride Control System	DE0050000	Hydraulic Lift Action Two Speed Drive System w/ Hydraglide™ Ride Control System
R50850193	High Back Air Ride Suspension Seat	R50850232	. , , , , , , , , , , , , , , , , , , ,
R810289	Shoulder and Seat Belt - 2 in. (50 mm)	R50850193	High Back Air Ride Suspension Seat
R50850252	Standard Flow Auxiliary Hydraulic Circuit - All Controls Except	R810289	Shoulder and Seat Belt - 2 in. (50 mm)
K30030232	Dual-Hand	R50850256	High-Flow Auxiliary Hydraulic Circuit - All Controls Except Dual- Hand
R50850282	Power-A-Tach® - Hydraulic Actuated Powered Quick-Attach System	R50850282	Power-A-Tach® - Hydraulic Actuated Powered Quick-Attach System
R50850000	Weight - Rear Counterweight	DE0050000	Weight - Rear Counterweight
R50841435	Easy Link Module w/ 6 Years Connectivity	R50850000	-
R811491	Back-Up Alarm	R50841435	Easy Link Module w/ 6 Years Connectivity
R806136	Engine Block (Frost Plug) Heater	R811491	Back-Up Alarm
		R50850573	Electric Attachment Control - 14-Pin Harness / Handle
R50851091	Radio - Bluetooth	R806136	Engine Block (Frost Plug) Heater
*List Price:	\$ 73,178.00	R50851091	Radio - Bluetooth
		*List Price:	\$ 76,649.00

Part No	Part Description	List Price
Base Unit		·
R50851285	2600R - STANDARD BASE UNIT - U.S. AND CANADA ONLY **Subject to Availability** Note: Contact Customer Service for Availability	\$56,089.00
Required Factory	Options	
Operator Station		
R50840503	Cab Enclosure w/ Heat and A/C - Swing Out Door and Front Wiper Note: Doors CANNOT Be Used w/ Backhoe Attachment Installed	\$7,296.00
R50850194	Open ROPS/FOPS	\$0.00
R50850231	Open ROPS/FOPS w/ Heater	\$2,148.00
Controls		
R50850495	Dual-Hand Control System - No Self-Leveling **Pilot Type Controls	\$0.00
R50850494	Dual-Hand Control System w/ Selectable On / Off Self-Leveling Hydraulic Lift Action **Pilot Type Controls	\$473.00
R50850263	Joystick Control System - No Self-Leveling **Pilot Type Controls	\$0.00
R50850262	Joystick Control System w/ Selectable On / Off Self-Leveling Hydraulic Lift Action **Pilot Type Controls	\$473.00
Drive System		
R50850228	Single Speed Drive System w/ Hydraglide™ Ride Control System	\$800.00
R50850232	Two Speed Drive System w/ Hydraglide™ Ride Control System Note: Requires Shoulder and Seat Belt Option	\$3,328.00
Seat		
R50850264	High Back Adjustable Seat	\$0.00
R50850193	High Back Air Ride Suspension Seat	\$531.00
R50850192	High Back Mechanical Suspension Seat	\$318.00

Part No	Part Description	List Price
Required Factory	· ·	
Seat Belt		
R810288	Seat Belt - 2 in. (50 mm)	\$0.00
R810290	Seat Belt - 3 in. (76 mm) Note: Where Required By State Law	\$110.00
R810289	Shoulder and Seat Belt - 2 in. (50 mm) Note: Required for Use w/ Two Speed	\$226.00
R810291	Shoulder and Seat Belt - 3 in. (76 mm) Note: Required for Use w/ Two Speed or Where Required by State Law	\$264.00
Auxiliary Hydraul	lics	
R50850256	High-Flow Auxiliary Hydraulic Circuit - All Controls Except Dual-Hand	\$2,396.00
R50850493	High-Flow Auxiliary Hydraulic Circuit - Dual-Hand Controls	\$2,395.00
R50850252	Standard Flow Auxiliary Hydraulic Circuit - All Controls Except Dual-Hand	\$0.00
R50850491	Standard Flow Auxiliary Hydraulic Circuit - Dual-Hand Controls	\$0.00
Attachment Syste	em	
R50850233	Multi-Tach® - Manual Quick-Attach System	\$0.00
R50850282	Power-A-Tach® - Hydraulic Actuated Powered Quick-Attach System	\$1,573.00
Counterweight		
R50850265	Standard - Internal Counterweight	\$0.00
R50850000	Weight - Rear Counterweight2600R: **Increases Rated Operating Capacity by 180 lbs. (82 kg) and Adds 2.25 in. (57 mm) to Length	\$918.00
Connected Soluti	ions	
R50841435	Easy Link Module w/ 6 Years Connectivity **for Use w/ Easy Manager System	\$1,543.00
R50841437	Easy Link Module w/ Access Control Keyboard and 6 Years Connectivity **for Use w/ Easy Manager System	\$2,064.00
Tire Options		
R50840485	12.00 x 16.5 (33x6x11) Solid Flex Non-Pneumatic (Black Rims)	\$5,818.00
R50851357	12.00 x 16.5 12-Ply / Heavy Duty	\$2,387.00
R50851359	12.00 x 16.5 12-Ply / Severe Duty	\$2,940.00
R50840487	14.00 x 17.5 (36x7x11) Solid Flex Non-Pneumatic (Black Rims)	\$7,173.00
R50840471	14.00 x 17.5 14-Ply / Heavy Duty	\$3,894.00
R50840478	14.00 x 17.5 14-Ply / Severe Duty Note: Extended Lead Time	\$4,606.00
R806631	Less Wheels / Tires (Unit Shipped Without Mounted Wheels / Tires)	\$662.00
Non-Required Fac	ctory Options	·
R811491	Back-Up Alarm	\$314.00
R50850581	Brake Release	\$682.00
R50850826	Camera - Rear **Includes 5 in. (127 mm) Display	\$1,516.00
R50851017	Control / Proportional for High-Flow - Pilot Type Controls Note: CANNOT Be Used w/ Electric Attachment Control - 14-Pin	\$678.00
R50850838	Door - Impact Resistant w/ Front Wiper **.5 in. (12 mm) Polycarbonate Material Note: Doors CANNOT Be Used w/ Backhoe Attachment Installed	\$2,145.00

IVIGITIOG O	NIU LUQUUIS	20001
Part No	Part Description	List Price
Non-Required Fact	tory Options	
R50850283	Door - Swing Out w/ Front Wiper Note: Doors CANNOT Be Used w/ Backhoe Attachment Installed	\$1,572.00
R50850573	Electric Attachment Control - 14-Pin Harness / Handle Note: CANNOT Be Used w/ Proportional Controls	\$1,075.00
R806136	Engine Block (Frost Plug) Heater **120 Volt, 400 Watt w/ 5 ft. (1.5 m) Power Cord **Highly Recommended for Use at 20° F (-6° C) and Colder Conditions	\$236.00
R50850369	Lifting System - Four Point	\$184.00
R50850355	Painting - Non-Standard Paint Package - Painted One Requested Color Note: Paint Options REQUIRE 4-Digit RAL Paint Color Specification (Must Be Ordered Prior To Production Run. Any Specialized Non-Standard Paints Will Have Additional Cost.)	\$1,685.00
R50851091	Radio - Bluetooth **Includes Auxiliary / USB Input and Bluetooth Capability	\$651.00
R50850390	Rear Wiper	\$562.00
R50850370	Rotating Beacon	\$439.00
R811492	Sliding Side Windows	\$970.00
R50850386	Sound Reduction Package (To Reduce Noise to Operator Ear) **Suggest Additional Installation of Sliding Side Windows	\$400.00
Field Installed Opti	ions	
R50851351	Anti-Chatter Kit	\$675.00
R811486	Back-Up Alarm Kit	\$183.00
R50850827	Camera Kit - Rear **Includes 5 in. (127 mm) Display	\$1,516.00
R50851016	Control Kit / Proportional for High-Flow - Pilot Type Controls	\$704.00
R50850832	Door Kit - Impact Resistant w/ Front Wiper **.5 in. (12 mm) Polycarbonate Material Note: Doors CANNOT Be Used with Backhoe Attachment Installed	\$2,145.00
R50850284	Door Kit - Swing Out w/ Front Wiper Note: Doors CANNOT Be Used with Backhoe Attachment Installed	\$1,490.00
R50850341	Dual Flasher Kit **Two (2) 4-Way Tower Mounted	\$361.00
R50850559	Dual-Hand Pattern Control Kit **Convert Joystick Control to Dual-Hand Pattern	\$1,034.00
R50850574	Electric Attachment Control Kit - 14-Pin Harness / Handle	\$1,003.00
R805855	Engine Block (Frost Plug) Heater Kit **120 Volt, 400 Watt w/ 5 ft. (1.5 m) Power Cord **Highly Recommended for Use at 20° F (-6° C) and Colder Conditions	\$110.00
R50850836	Fender Kit - Wide	\$654.00
R50850395	Heater Kit	\$1,860.00
R50850328	Lift Kit - Four Point Lift System	\$151.00
R50850457	Lift Kit - Single Point Lift System	\$836.00
R811488	Mirror Kit - Rear View **Can Install Two if Needed	\$60.00
R811432	Orifice Kit - Joystick Controls **To Allow Slower Response on Joystick Drive Control	\$51.00
R50850375	Power-A-Tach® Kit - Hydraulic Actuated Powered Quick-Attach System **Convert Manual Quick-Attach to Power Quick-Attach - Plate NOT Included	\$1,466.00

Part No	Part Description	List Price
Field Installed Op	tions	·
R50851090	Radio Kit - Bluetooth **Includes Auxiliary / USB Input and Bluetooth Capability	\$599.00
R50850357	Rear Wiper Kit	\$562.00
R811496	Rotating Beacon Kit	\$439.00
R811487	Sliding Side Windows Kit	\$880.00
R810871	Spare Tire on Rim (Black Rim) - 12.00 x 16.5 (33x6x11) Solid Flex Non-Pneumatic - Left	\$1,462.00
R810872	Spare Tire on Rim (Black Rim) - 12.00 x 16.5 (33x6x11) Solid Flex Non-Pneumatic - Right	\$1,462.00
R810949	Spare Tire on Rim (Black Rim) - 14.00 x 17.5 (36x7x11) Solid Flex Non-Pneumatic - Left	\$1,801.00
R810950	Spare Tire on Rim (Black Rim) - 14.00 x 17.5 (36x7x11) Solid Flex Non-Pneumatic - Right	\$1,801.00
R50851356	Spare Tire on Rim (Silver Rim) - 12.00 x 16.5 12-Ply / Heavy Duty	\$624.00
R50851358	Spare Tire on Rim (Silver Rim) - 12.00 x 16.5 12-Ply / Severe Duty	\$747.00
R50851217	Spare Tire on Rim (Silver Rim) - 14.00 x 17.5 14-Ply / Heavy Duty	\$964.00
R50851219	Spare Tire on Rim (Silver Rim) - 14.00 x 17.5 14-Ply / Severe Duty Note: Extended Lead Time	\$1,163.00
R50850624	Sub-Zero Crankcase Kit	\$356.00
R50850001	Weight Kit - Rear Counterweight2600R: **Increases Rated Operating Capacity by 180 lbs. (82 kg) and Adds 2.25 in. (57 mm) to Length	\$918.00
R50850977	Work Light Kit (LED)	\$451.00



STANDARD EQUIPMENT

DRIVE TRAIN / CHASSIS

- #100 F Pre-Stressed Chains in Oil Bath
- Dual, Integral Cleanout Plates
- Dynamic Braking Hydrostatic
- Front Chassis Cleanout
- Mechanical Lift Cylinder Lock
- Multi-Tach™ Attachment System (Universal-Style)
- Parking / Emergency Brake Automatic Apply
- Radial Piston Drive Motors
- Servo Controlled Hydrostatic Drive
- Single Speed Drive System
 - Two Speed Drive System Ortional
- Vertical Style Lift Path
- Zero Maintenance Axles w/ 8-Bolt Rims

ELECTRICAL SYSTEM

- Circuit Breakers in Instrumentation Panel
- Dual Side, Upper Level Instrumentation Panels
 - Gauges Engine Coolant Temperature, Fuel and Hour Meter
 - Indicators Air Filter, Battery Charge, Engine Malfunction Shutdown, Engine Coolant Temperature, Engine Oil Pressure, Hydraulic Oil Filter, Hydraulic Oil Temperature, Preheat and Seat Belt
- Easy Link Module
- Lights (Halogen)
 - Tail and Work (2 Front and 2 Rear)

ENGINE

- Yanmar Turbo Diesel Engine
- Chassis-Mounted Muff'er w/ Stainless Steel Flex Couple
- Dual Element Air Cleaner w/ Indicator
- Engine Auto Alert System
- Manifold Heater Starter Assist Automatic
- Remote Engine Oil Filter
- Vandalism Lock Provisions
 - Fuel and Engine Cover

HYDRAULICS SYSTEM

- 12 Micron Futer Spin-On Type
- 3-Spool Open Center Valve
- Dual Lift / Tilt Cylinders w/ IHCP (Induction Hardened Chrome Plating)
- Hydraglide™ Ride Control
- Independent Hydraulic Reservoir w/ Cooler

OPERATORS AREA

- Acoustical Sound Material and Deluxe Headliner
- Adjustable Seat Belt
- Controls Choice of 2
- Deluxe High Back, Cushion Seat
- Entry / Exit Grab Handles
 - Foot and Hand Throttle
 - Hand Control Units Only
 - Horn
- Hydraloc™ System
 - Brakes and Interlock for Starter, Lift / Filt Cylinders and Wheel Drives
- Operator Restraint Bar w/ Armrests Adjustable
- ROPS / FOPS Level II
 - Rollback Guard w/ Integral Side Screens
- **VVindov/s**
 - Top and Rear Emergency

WARRANTY

See Warranty Policy

EQUIPMENT SPECIFICATIONS FOR BASE UNIT

LOADER (w/ 12.00 x 16.5 Tires)

- Rated Operating Capacity 2,700 lbs. (1,225 kg)
- Breakout Force 5,795 lbs. (2,629 kg)
- Pin Height 130.3 in. (3,310 mm)
- ROPS Height 81 in. (2,057 mm)
- SAE Tipping Load 5,400 lbs. (2449 kg)
- Wheelbase 49.5 in. (1,257 mm)

HYDRAULICS

- **Auxiliary Hydraulics**
 - Standard Flow Hydraulics Lift Arm Mounted (Front, Left Side) w/ 3/4" (19 mm) Flat-Faced Couplers - 23.5 gpm (89.0 L/min)
 - Optional High-Flow Hydraulics Lift Arm Mounted (Front, Right Side) w/ 3/4" (19 mm) Flat-Faced Couplers - 35.0 gpm (132.5 L/min)
- Hydraulic Reservoir 10.5 gal. (40 L)
- System Pressure 3,300 psi (228 bar)

DIESEL ENGINE

- Yanmar 4TNV98CT
- 4 Cylinder, Turbo
- 70.7 Net hp (52.7 kW) @ 2,500 rpm
 - 72.0 Gross hp (53.7 kW) @ 2,500 rpm
- Max Torque 217 ft. lbs. (294.2 Nm) @ 1,650 rpm
- Emissions Compliance (EPA / Euro)
 - Tier IV / Stage 5
- Displacement 202.5 cu. in. (3.3 L)
- Fuel Tank 24.5 gal. (92.7 L)
- Oil Change Interval 250 Hours

ELECTRICAL

- Accessory Plug 12 Volt
- Alternator 95 amp.
- Battery 12 Volt, 950 CCA
- Starter 3.0 kW

Effective Date: 03.13.2023

Package Configurations (*Configuration List Price does not include Tire Price)

Premium - Jo	ystick (Must Select Tires)	Premium Plu	s - Joystick (Must Select Tires)
R50840520	Cab Enclosure w/ Heat and A/C - Swing Out Door and Front Wiper	R50840520	Cab Enclosure w/ Heat and A/C - Swing Out Door and Front Wiper
R50850424	Joystick Control System w/ Selectable On / Off Self-Leveling Hydraulic Lift Action	R50850424	Joystick Control System w/ Selectable On / Off Self-Leveling
R50850414	Two Speed Drive System w/ Hydraglide™ Ride Control System	DE00E0444	Hydraulic Lift Action Two Speed Drive System w/ Hydraglide™ Ride Control System
R50850193	High Back Air Ride Suspension Seat	R50850414	. , , , , , , , , , , , , , , , , , , ,
R810289	Shoulder and Seat Belt - 2 in. (50 mm)	R50850193	High Back Air Ride Suspension Seat
R50850416	Standard Flow Auxiliary Hydraulic Circuit - All Controls Except	R810289	Shoulder and Seat Belt - 2 in. (50 mm)
K30030410	Dual-Hand R50850418 High-Flow Auxiliary Hydr	High-Flow Auxiliary Hydraulic Circuit - All Controls Except Dual- Hand	
R50850415	Power-A-Tach® - Hydraulic Actuated Powered Quick-Attach System	R50850415	Power-A-Tach® - Hydraulic Actuated Powered Quick-Attach System
R50841435	Easy Link Module w/ 6 Years Connectivity	DE004442E	Easy Link Module w/ 6 Years Connectivity
R811491	Back-Up Alarm	R50841435	· · · · · · · · · · · · · · · · · · ·
R806136	Engine Block (Frost Plug) Heater	R811491	Back-Up Alarm
	Radio - Bluetooth	R50850573	Electric Attachment Control - 14-Pin Harness / Handle
R50851091		R806136	Engine Block (Frost Plug) Heater
R50841911	Weight - Rear Counterweight	R50851091	Radio - Bluetooth
*List Price:	\$ 74,956.00	R50841911	Weight - Rear Counterweight
		*List Price:	\$ 78,426.00

Part No	Part Description	List Price
Base Unit		·
R50851289	2700V NXT2 - STANDARD BASE UNIT - U.S. AND CANADA ONLY **Subject to Availability** Note: Contact Customer Service for Availability	\$57,867.00
Required Factory	Options	
Operator Station		
R50840520	Cab Enclosure w/ Heat and A/C - Swing Out Door and Front Wiper Note: Doors CANNOT Be Used w/ Backhoe Attachment Installed	\$7,296.00
R50850565	Open ROPS/FOPS	\$0.00
R50850432	Open ROPS/FOPS w/ Heater	\$2,148.00
Controls		
R50850549	Dual-Hand Control System - No Self-Leveling **Pilot Type Controls	\$0.00
R50850550	Dual-Hand Control System w/ Selectable On / Off Self-Leveling Hydraulic Lift Action **Pilot Type Controls	\$473.00
R50850425	Joystick Control System - No Self-Leveling **Pilot Type Controls	\$0.00
R50850424	Joystick Control System w/ Selectable On / Off Self-Leveling Hydraulic Lift Action **Pilot Type Controls	\$473.00
Drive System		
R50850413	Single Speed Drive System w/ Hydraglide™ Ride Control System	\$800.00
R50850414	Two Speed Drive System w/ Hydraglide ™ Ride Control System Note: Requires Shoulder and Seat Belt Option	\$3,328.00
Seat		
R50850264	High Back Adjustable Seat	\$0.00
R50850193	High Back Air Ride Suspension Seat	\$531.00
R50850192	High Back Mechanical Suspension Seat	\$318.00

Part No	Part Description	List Price
Required Factory	Options	
Seat Belt		
R810288	Seat Belt - 2 in. (50 mm)	\$0.00
R810290	Seat Belt - 3 in. (76 mm) Note: Where Required By State Law	\$110.00
R810289	Shoulder and Seat Belt - 2 in. (50 mm) Note: Required for Use w/ Two Speed	\$226.00
R810291	Shoulder and Seat Belt - 3 in. (76 mm) Note: Required for Use w/ Two Speed or Where Required by State Law	\$264.00
Auxiliary Hydrau	ılics	
R50850418	High-Flow Auxiliary Hydraulic Circuit - All Controls Except Dual-Hand	\$2,395.00
R50850548	High-Flow Auxiliary Hydraulic Circuit - Dual-Hand Controls	\$2,395.00
R50850416	Standard Flow Auxiliary Hydraulic Circuit - All Controls Except Dual-Hand	\$0.00
R50850547	Standard Flow Auxiliary Hydraulic Circuit - Dual-Hand Controls	\$0.00
Attachment Syst	tem	
R811449	Multi-Tach® - Manual Quick-Attach System	\$0.00
R50850415	Power-A-Tach® - Hydraulic Actuated Powered Quick-Attach System	\$1,573.00
Connected Solut	tions	
R50841435	Easy Link Module w/ 6 Years Connectivity **for Use w/ Easy Manager System	\$1,543.00
R50841437	Easy Link Module w/ Access Control Keyboard and 6 Years Connectivity **for Use w/ Easy Manager System	\$2,064.00
Tire Options		
R50840485	12.00 x 16.5 (33x6x11) Solid Flex Non-Pneumatic (Black Rims)	\$5,818.00
R50851357	12.00 x 16.5 12-Ply / Heavy Duty	\$2,387.00
R50851359	12.00 x 16.5 12-Ply / Severe Duty	\$2,940.00
R50840487	14.00 x 17.5 (36x7x11) Solid Flex Non-Pneumatic (Black Rims)	\$7,173.00
R50840471	14.00 x 17.5 14-Ply / Heavy Duty	\$3,894.00
R50840478	14.00 x 17.5 14-Ply / Severe Duty Note: Extended Lead Time	\$4,606.00
R806631	Less Wheels / Tires (Unit Shipped Without Mounted Wheels / Tires)	\$662.00
Non-Required Fa	ctory Options	
R811491	Back-Up Alarm	\$314.00
R50850581	Brake Release	\$682.00
R50850826	Camera - Rear **Includes 5 in. (127 mm) Display	\$1,516.00
R50851017	Control / Proportional for High-Flow - Pilot Type Controls Note: CANNOT Be Used w/ Electric Attachment Control - 14-Pin	\$678.00
R50850840	Door - Impact Resistant w/ Front Wiper **.5 in. (12 mm) Polycarbonate Material Note: Doors CANNOT Be Used w/ Backhoe Attachment Installed	\$2,145.00
R50850462	Door - Swing Out w/ Front Wiper Note: Doors CANNOT Be Used w/ Backhoe Attachment Installed	\$1,572.00
R50850573	Electric Attachment Control - 14-Pin Harness / Handle Note: CANNOT Be Used w/ Proportional Controls	\$1,075.00

Part No	Part Description	List Price
Non-Required Fact	ory Options	
R806136	Engine Block (Frost Plug) Heater **120 Volt, 400 Watt w/ 5 ft. (1.5 m) Power Cord **Highly Recommended for Use at 20° F (-6° C) and Colder Conditions	\$236.00
R50850471	Lifting System - Four Point	\$184.00
R811508	Painting - Non-Standard Paint Package - Painted One Requested Color Note: Paint Options REQUIRE 4-Digit RAL Paint Color Specification (Must Be Ordered Prior To Production Run. Any Specialized Non-Standard Paints Will Have Additional Cost.)	\$1,685.00
R50851091	Radio - Bluetooth **Includes Auxiliary / USB Input and Bluetooth Capability	\$651.00
R50850473	Rear Wiper	\$562.00
R50850370	Rotating Beacon	\$439.00
R811492	Sliding Side Windows	\$970.00
R50841911	Weight - Rear Counterweight	\$918.00
Field Installed Opti	ons	
R50851351	Anti-Chatter Kit	\$675.00
R811486	Back-Up Alarm Kit	\$183.00
R50850827	Camera Kit - Rear **Includes 5 in. (127 mm) Display	\$1,516.00
R50851016	Control Kit / Proportional for High-Flow - Pilot Type Controls	\$704.00
R806431	Coupler Kit - 0.75 in. (19 mm) Flat-Faced - Set of Two	\$123.00
R50850837	Door Kit - Impact Resistant w/ Front Wiper **.5 in. (12 mm) Polycarbonate Material Note: Doors CANNOT Be Used with Backhoe Attachment Installed	\$2,145.00
R50850465	Door Kit - Swing Out w/ Front Wiper Note: Doors CANNOT Be Used with Backhoe Attachment Installed	\$1,490.00
R50850560	Dual-Hand Pattern Control Kit **Convert Joystick Control to Dual-Hand Pattern	\$1,034.00
R50850574	Electric Attachment Control Kit - 14-Pin Harness / Handle	\$1,003.00
R805855	Engine Block (Frost Plug) Heater Kit **120 Volt, 400 Watt w/ 5 ft. (1.5 m) Power Cord **Highly Recommended for Use at 20° F (-6° C) and Colder Conditions	\$110.00
R50850469	Flasher Kit **Two (2) Front Mounted and Two (2) Rear Mounted	\$348.00
R50850466	Heater Kit	\$1,860.00
R811497	Lift Kit - Four Point Lift System	\$170.00
R50850048	Lift Kit - Single Point Lift System	\$753.00
R811488	Mirror Kit - Rear View **Can Install Two if Needed	\$60.00
R811432	Orifice Kit - Joystick Controls **To Allow Slower Response on Joystick Drive Control	\$51.00
R50850775	Power-A-Tach® Kit - Hydraulic Actuated Powered Quick-Attach System **Convert Manual Quick-Attach to Power Quick-Attach - Plate NOT Included	\$1,462.00
R50851090	Radio Kit - Bluetooth **Includes Auxiliary / USB Input and Bluetooth Capability	\$599.00
R50850474	Rear Wiper Kit	\$562.00
R811496	Rotating Beacon Kit	\$439.00
R811487	Sliding Side Windows Kit	\$880.00

Part No	Part Description	List Price
Field Installed Opt	tions	
R810871	Spare Tire on Rim (Black Rim) - 12.00 x 16.5 (33x6x11) Solid Flex Non-Pneumatic - Left	\$1,462.00
R810872	Spare Tire on Rim (Black Rim) - 12.00 x 16.5 (33x6x11) Solid Flex Non-Pneumatic - Right	\$1,462.00
R810949	Spare Tire on Rim (Black Rim) - 14.00 x 17.5 (36x7x11) Solid Flex Non-Pneumatic - Left	\$1,801.00
R810950	Spare Tire on Rim (Black Rim) - 14.00 x 17.5 (36x7x11) Solid Flex Non-Pneumatic - Right	\$1,801.00
R50851356	Spare Tire on Rim (Silver Rim) - 12.00 x 16.5 12-Ply / Heavy Duty	\$624.00
R50851358	Spare Tire on Rim (Silver Rim) - 12.00 x 16.5 12-Ply / Severe Duty	\$747.00
R50851217	Spare Tire on Rim (Silver Rim) - 14.00 x 17.5 14-Ply / Heavy Duty	\$964.00
R50851219	Spare Tire on Rim (Silver Rim) - 14.00 x 17.5 14-Ply / Severe Duty Note: Extended Lead Time	\$1,163.00
R50850624	Sub-Zero Crankcase Kit	\$356.00
R50850001	Weight Kit - Rear Counterweight	\$918.00
R50850977	Work Light Kit (LED)	\$451.00



STANDARD EQUIPMENT

DRIVE TRAIN / CHASSIS

- #100 E Pre-Stressed Chains in Oil Bath
- Dynamic Braking Hydrostatic
- Integral Cleanout Plates (3)
- Mechanical Lift Cylinder Lock
- Multi-Tach™ Attachment System (Universal-Style)
- Parking / Emergency Brake Automatic Apply / Release (SAHR)
- Pilot Controlled Hydrostatic Drive
- Radial Piston Drive Motors
- Rear Counterweight / Bumper
- Two Speed Drive System
- Vertical Style Lift Path
- Zero Maintenance Axles w/ 8-Bolt Rims

ELECTRICAL SYSTEM

- 7 in. (177.8 mm) Display (Camera Capable)
 - Displays Machine Operating Parameters, Diagnostic and Fault Codes, Maintenance Reminders and Includes Night Mode
- Back-Up Alarm
- **Battery Disconnect**
- Central Fuse Location Accessible from Operator Seat
- LED Backlit Colored Keypad w/ Navigation Dial
 - Includes Hand Throttle, Keyless Start and Passcode Keys
 - Centralized Location for all Standard Equipment Controls
- - Tail and Work (2 Front and 1 Rear)

ENGINE

- Yanmar Turbo Diesel Engine
- Block Heater (110 Volt)
- DPF (Diesel Particulate Filter) Technology
- Dual Element Air Cleaner w/ Indicator
- Engine Auto Shutdown System
- Flip-Up Cooler
- Vandalism Lock Provisions
 - Fuel and Engine Cover

HYDRAULICS SYSTEM

- 11 Micron Filter Spin-On Type
- 3-Spool Open Center Valve
- Comfort Ride Control (CRC) Boom Suspension
- Connect-Under Pressure Auxiliary Couplers
- Dual Lift / Tilt Cylinders w/ IHCP (Induction Hardened Chrome Plating) Cylinder Rods
- Independent Hydraulic Reservoir w/ Cooler
- Lift Arm Float Function
- Lift Cylinder Cushioning
- Proportionate Auxiliary Hydraulic Control w/ Detent
 - Includes Case Drain
- Variable Speed Cooling Fan

OPERATORS AREA

- Adjustable Seat Belt 2 in. (51 mm)
- Cup Holder
- Deluxe Vinyl Cushion Seat
- Dome Light w/ Courtesy Lighting
- Entry / Exit Grab Handles
- Foot Throttle / Deceleration Pedal
- Horn
- Hydraloc™ System
 - Brakes and Interlock for Starter, Lift / Tilt Cylinders and Wheel
- Lockable Storage
- Operator Restraint Bar w/ Adjustable Armrests
- ROPS / FOPS Level I
- Seat Mounted Controls Joystick, Adjustable
- Windows
 - Top and Rear Emergency

WARRANTY

See Warranty Policy

EQUIPMENT SPECIFICATIONS FOR BASE UNIT

LOADER

- Rated Operating Capacity
 - 2,750 lbs. (1,247 kg) @ 50% Tipping Capacity
- Breakout Force Bucket 6,761 lbs. (3,067 kg)
- Pin Height 129.0 in. (3,277 mm)
- ROPS Height 81.0 in. (2,058 mm)
- Wheelbase 48.0 in. (1,219 mm)

HYDRAULICS

- **Auxiliary Hydraulics**
 - Standard Flow Hydraulics Lift Arm Mounted (Front, Left Side) w/ 1/2" (13 mm) Flat-Faced Couplers - 26.0 gpm (98.4 L/min)
 - Optional Boost High-Flow Hydraulics Lift Arm Mounted (Front, Left Side), Common Couplers w/ Standard Flow - 33.3 gpm (126.0 L/min)
- Hydraulic Reservoir 6.0 gal. (22.7 L)
- System Pressure 3,475 psi (239 bar) Standard Flow

DIESEL ENGINE

- Yanmar 4TNV98CT
- 4 Cylinder, Turbo
- 72.0 Gross hp (53.7 kW) @ 2,500 rpm
- Max Torque 217 ft. lbs. (294.0 Nm) @ 1,800 rpm
- Emissions Compliance (EPA / Euro)
 - Tier IV / Stage 5
- Displacement 202.5 cu. in. (3.3 L)
- Fuel Tank 28.0 gal. (106.0 L)
- Oil Change Interval 500 Hours

DRIVE TRAIN

Tires - 10.00 x 16.5 10-Ply / Heavy Duty

ELECTRICAL

- Alternator 100 amp.
- Battery 12 Volt, 950 CCA
- Exterior 12 Volt Socket, Interior 12 Volt, USB Port
- Starter 3.0 kW

Package Configurations (*Configuration List Price does not include Tire Price)

Standard - Joystick (Must Select Tires)		Premium - Joystick (Must Select Tires)	
R50841643	Open ROPS/FOPS	R50841644	Cab Enclosure w/ Heat and A/C
STD-DOOR-1	No Door High Back Mechanical Suspension Seat	R50841888	Door - IdealAccess™ Fold-Up w/ Front Wiper
R50841859 R50841893	Seat Belt - 2 in. (50 mm)	R50841641	High Back Air Suspension Seat - Vinyl
R50841786	Standard Flow Auxiliary Hydraulic Circuit	R50841893	Seat Belt - 2 in. (50 mm) Standard Flow Auxiliary Hydraulic Circuit
STD-QA-2	Multi-Tach™ - Manual Quick-Attach System	R50841786 R50841785	Power-A-Tach® - Hydraulic Actuated Powered Quick-Attach
R50841891	No Hydraulic Leveling		System
R50842005 *List Price:	Easy Link Module w/ 6 Years Connectivity \$ 65.398.00	R50841788	Switchable Self-Leveling Hydraulic Lift Action - Selectable On / Off During Lift
LIST FIICE.	ψ 00,030.00	R50842005	Easy Link Module w/ 6 Years Connectivity
		*List Price:	\$ 75.286.00

Part No	Part Description	List Price
Base Unit		
R50841873	2750V - STANDARD BASE UNIT - U.S. AND CANADA ONLY	\$63,340.00
Required Factory	Options	
Operator Station		
R50841644	Cab Enclosure w/ Heat and A/C Note: Door NOT Included	\$4,944.00
R50841643	Open ROPS/FOPS	\$0.00
Door		
R50841888	Door - IdealAccess™ Fold-Up w/ Front Wiper	\$3,090.00
R50841890	Door - Impact Resistant w/ Front Wiper **.5 in. (12 mm) Polycarbonate Material Note: Doors CANNOT Be Used w/ Backhoe Attachment Installed	\$2,364.00
R50841889	Door - Swing Out w/ Front Wiper Note: Doors CANNOT Be Used w/ Backhoe Attachment Installed	\$2,060.00
STD-DOOR-1	No Door	\$0.00
Seat		
R50841860	Deluxe High Back Air Suspension Seat w/ Heat - Fabric	\$979.00
R50841640	High Back Adjustable Seat - Vinyl	\$0.00
R50841641	High Back Air Suspension Seat - Vinyl	\$721.00
R50841859	High Back Mechanical Suspension Seat	\$515.00
Seat Belt		
R50841893	Seat Belt - 2 in. (50 mm)	\$0.00
R50841894	Shoulder and Seat Belt - 2 in. (50 mm)	\$109.00
R50841895	Shoulder and Seat Belt - 3 in. (76 mm) Note: Where Required by State Law	\$155.00
Auxiliary Hydrau	lics	
R50841787	High-Flow Auxiliary Hydraulic Circuit	\$2,266.00
R50841786	Standard Flow Auxiliary Hydraulic Circuit	\$0.00
Attachment Syst	em	
STD-QA-2	Multi-Tach™ - Manual Quick-Attach System	\$0.00

2750V

Marillou C	DNIU LUAUGIS	2/300
Part No	Part Description	List Price
Required Factory	Options	
Attachment Syst	em	
R50841785	Power-A-Tach® - Hydraulic Actuated Powered Quick-Attach System	\$1,030.00
Self-Leveling		
R50841891	No Hydraulic Leveling	\$0.00
R50841788	Switchable Self-Leveling Hydraulic Lift Action - Selectable On / Off During Lift	\$618.00
Connected Solut	tions	
R50842005	Easy Link Module w/ 6 Years Connectivity **for Use w/ Easy Manager System	\$1,543.00
R50842009	Easy Link Module w/ Access Control Keyboard and 6 Years Connectivity **for Use w/ Easy Manager System	\$2,064.00
Tire Options		
R50840485	12.00 x 16.5 (33x6x11) Solid Flex Non-Pneumatic (Black Rims)	\$5,818.00
R50851357	12.00 x 16.5 12-Ply / Heavy Duty	\$2,387.00
R50851359	12.00 x 16.5 12-Ply / Severe Duty	\$2,940.00
R50840487	14.00 x 17.5 (36x7x11) Solid Flex Non-Pneumatic (Black Rims)	\$7,173.00
R50840471	14.00 x 17.5 14-Ply / Heavy Duty	\$3,894.00
R50840478	14.00 x 17.5 14-Ply / Severe Duty Note: Extended Lead Time	\$4,606.00
R806631	Less Wheels / Tires (Unit Shipped Without Mounted Wheels / Tires)	\$662.00
Non-Required Fa	ctory Options	
R50842058	Brake Release	\$612.00
R50841897	Camera - Rear **Includes 5 in. (127 mm) Display	\$423.00
R50841901	Electric Attachment Control - 14-Pin Harness / Handle	\$1,075.00
R50842014	Mirror - Rear View, Interior Mounted	\$150.00
R50841884	Pre-Cleaner - Centrifugal Type	\$206.00
R50841902	Radio - Bluetooth **Includes Auxiliary / USB Input and Bluetooth Capability	\$651.00
R50841970	Rear Wiper	\$409.00
R50841904	Reversing Fan	\$181.00
R50842052	Side Windows - Fixed (Polycarbonate)	\$900.00
R50841896	Side Windows - Fixed (Tempered Glass)	\$927.00
R50841886	Sound Reduction Package (To Reduce Noise to Operator Ear) **Suggest Additional Installation of One of the Side Window Options	\$232.00
R50841639	Weight - Rear Counterweight **Side Mounted2750V: **Increases Rated Operating Capacity by 175 lbs. (79 kg) Note: Can Be Used with Counterweight / Cast Bumper	\$710.00
R50841898	Work Lights (LED) - Side Mounted (Set of 2)	\$258.00



STANDARD EQUIPMENT

DRIVE TRAIN / CHASSIS

- #100 E Pre-Stressed Chains in Oil Bath
- Dual, Integral Cleanout Plates
- Dynamic Braking Hydrostatic
- Front Chassis Cleanout
- Mechanical Lift Cylinder Lock
- Multi-Tach™ Attachment System (Universal-Style)
- Parking / Emergency Brake Automatic Apply / Release
- Radial Piston Drive Motors
- Rear Counterweight / Bumper
- Servo Controlled Hydrostatic Drive
- Two Speed Drive System
- Vertical Style Lift Path
- Zero Maintenance Axles w/ 8-Bolt Rims

ELECTRICAL SYSTEM

- Circuit Breakers in Instrumentation Panel
- Dual Side, Upper Level Instrumentation Panels
 - Gauges Engine Coolant Temperature, Fuel and Hour Meter
 - Indicators Air Filter, Battery Charge, Engine Malfunction Shutdown, Engine Coolant, Temperature, Engine Oil Pressure, Hydraulic Oil Filter, Hydraulic Oil Temperature, Pre-Heat and Seat Belt
- Easy Link Module
- Lights (Halogen)
 - Tail and Work (2 Front and 2 Rear)

ENGINE

- Yanmar Turbo Diesel Engine
- Chassis-Mounted Muffler with Stainless Steel Flex Coupler
- Dual Element Air Cleaner w/ Indicator
- Engine Auto Alert System
- Manifold Heater Starter Assist Automatic
- Vandalism Lock Provisions
 - Fuel and Engine Cover

HYDRAULICS SYSTEM

- 12 Micron Filter Spin-On Type
- 3-Spool Open Center Valve
- Dual Lift / Tilt Cylinders w/ IHCP (Induction Hardened Chrome Plating)
- Hydraglide™ Ride Control
- Independent Hydraulic Reservoir w/ Cooler

OPERATORS AREA

- Acoustical Sound Material and Deluxe Headliner
- Adjustable Seat Belt
- Controls Choice of 2
- Deluxe High Back, Cushion Seat
- Entry / Exit Grab Handles
- Foot and Hand Throttle
 - Hand Control Units Only
- Horr
- Hydraloc™ System
 - Brakes and Interlock for Starter, Lift, Tilt Cylinders and Wheel Drives
- Operator Restraint Bar w/ Armrests Adjustable
- ROPS / FOPS Level II
 - Rollback Guard w/ Integral Side Screens
- Windows
 - Top and Rear Emergency

WARRANTY

See Warranty Policy

EQUIPMENT SPECIFICATIONS FOR BASE UNIT

LOADER (w/ 14.00 x 17.5 Tires)

- Rated Operating Capacity 3,300 lbs. (1,497 kg)
- Breakout Force 5,850 lbs. (2,654 kg)
- Pin Height 131.2 in. (3,332 mm)
- ROPS Height 82 in. (2,083 mm)
- SAE Tipping Load 6,700 lbs. (3,039 kg)
- Wheelbase 49.5 in. (1,257 mm)

HYDRAULICS

- Auxiliary Hydraulics
 - Standard Flow Hydraulics Lift Arm Mounted (Front, Left Side)
 w/ 3/4" (19 mm) Flat-Faced Couplers 23.5 gpm (89.0 L/min)
 - Optional High-Flow Hydraulics Lift Arm Mounted (Front, Right Side) w/ 3/4" (19 mm) Flat-Faced Couplers - 35.0 gpm (132.5 L/min)
- Hydraulic Reservoir 10.5 gal. (40 L)
- System Pressure 3,450 psi (237.8 bar)

DIESEL ENGINE

- Yanmar 4TNV98CT
- 4 Cylinder, Turbo
- 70.7 Net hp (52.7 kW) @ 2,500 rpm
 - 72.0 Gross hp (53.7 kW) @ 2,500 rpm
- Max Torque 217 ft. lbs. (294.2 Nm) @ 1,650 rpm
- Emissions Compliance (EPA / Euro)
 - Tier IV / Stage 5
- Displacement 202.5 cu. in. (3.3 L)
- Fuel Tank 24.5 gal. (92.7 L)
- Oil Change Interval 250 Hours

ELECTRICAL

- Accessory Plug 12 Volt
- Alternator 95 amp.
- Battery 12 Volt, 950 CCA
- Starter 3.0 kW

Package Configurations (*Configuration List Price does not include Tire Price)

Premium - Jo	ystick (Must Select Tires)	Premium Plus	s - Joystick (Must Select Tires)
R50840520	Cab Enclosure w/ Heat and A/C - Swing Out Door and Front Wiper	R50840520	Cab Enclosure w/ Heat and A/C - Swing Out Door and Front Wiper
R50840528	Joystick Control System w/ Selectable On / Off Self-Leveling Hydraulic Lift Action	R50840528	Joystick Control System w/ Selectable On / Off Self-Leveling
R50850193	High Back Air Ride Suspension Seat	DE0050400	Hydraulic Lift Action
R810289	Shoulder and Seat Belt - 2 in. (50 mm)	R50850193	High Back Air Ride Suspension Seat
	Standard Flow Auxiliary Hydraulic Circuit - All Controls Except	R810289	Shoulder and Seat Belt - 2 in. (50 mm)
R50850416	Dual-Hand	R50850418	High-Flow Auxiliary Hydraulic Circuit - All Controls Except Dual- Hand
R50850415	Power-A-Tach® - Hydraulic Actuated Powered Quick-Attach System	R50850415	Power-A-Tach® - Hydraulic Actuated Powered Quick-Attach
R50841435	Easy Link Module w/ 6 Years Connectivity	D50044405	System Facultink Madula vv/ 6 Vacca Connectivity
R811491	Back-Up Alarm	R50841435	Easy Link Module w/ 6 Years Connectivity
	Engine Block (Frost Plug) Heater	R811491	Back-Up Alarm
R806136		R50850573	Electric Attachment Control - 14-Pin Harness / Handle
R50851091	Radio - Bluetooth	R806136	Engine Block (Frost Plug) Heater
*List Price:	\$ 75,991.00		
	*,	R50851091	Radio - Bluetooth
		*List Price:	\$ 79,461.00

Part No	Part Description	List Price
Base Unit		·
R50851293	3300V NXT2 - STANDARD BASE UNIT - U.S. AND CANADA ONLY	\$63,148.00
Required Factory	Options	
Operator Station		
R50840520	Cab Enclosure w/ Heat and A/C - Swing Out Door and Front Wiper Note: Doors CANNOT Be Used w/ Backhoe Attachment Installed	\$7,296.00
R50850565	Open ROPS/FOPS	\$0.00
R50850432	Open ROPS/FOPS w/ Heater	\$2,148.00
Controls		
R50840531	Dual-Hand Control System - No Self-Leveling **Pilot Type Controls	\$0.00
R50840530	Dual-Hand Control System w/ Selectable On / Off Self-Leveling Hydraulic Lift Action **Pilot Type Controls	\$473.00
R50840529	Joystick Control System - No Self-Leveling **Pilot Type Controls	\$0.00
R50840528	Joystick Control System w/ Selectable On / Off Self-Leveling Hydraulic Lift Action **Pilot Type Controls	\$473.00
Seat		
R50850264	High Back Adjustable Seat	\$0.00
R50850193	High Back Air Ride Suspension Seat	\$531.00
R50850192	High Back Mechanical Suspension Seat	\$318.00
Seat Belt		
R810289	Shoulder and Seat Belt - 2 in. (50 mm) Note: Required for Use w/ Two Speed	\$226.00
R810291	Shoulder and Seat Belt - 3 in. (76 mm) Note: Required for Use w/ Two Speed or Where Required by State Law	\$264.00
Auxiliary Hydraul	ics	
R50850418	High-Flow Auxiliary Hydraulic Circuit - All Controls Except Dual-Hand	\$2,395.00

Part No	Part Description	List Price
Required Factory (Dptions Control of the Control of th	
Auxiliary Hydrauli	cs	
R50850548	High-Flow Auxiliary Hydraulic Circuit - Dual-Hand Controls	\$2,395.00
R50850416	Standard Flow Auxiliary Hydraulic Circuit - All Controls Except Dual-Hand	\$0.00
R50850547	Standard Flow Auxiliary Hydraulic Circuit - Dual-Hand Controls	\$0.00
Attachment System	m	
R811449	Multi-Tach® - Manual Quick-Attach System	\$0.00
R50850415	Power-A-Tach® - Hydraulic Actuated Powered Quick-Attach System	\$1,573.00
Connected Solution	ons	_
R50841435	Easy Link Module w/ 6 Years Connectivity **for Use w/ Easy Manager System	\$1,543.00
R50841437	Easy Link Module w/ Access Control Keyboard and 6 Years Connectivity **for Use w/ Easy Manager System	\$2,064.00
Tire Options		
R50840487	14.00 x 17.5 (36x7x11) Solid Flex Non-Pneumatic (Black Rims)	\$7,173.00
R50840471	14.00 x 17.5 14-Ply / Heavy Duty	\$3,894.00
R50840478	14.00 x 17.5 14-Ply / Severe Duty Note: Extended Lead Time	\$4,606.00
R806631	Less Wheels / Tires (Unit Shipped Without Mounted Wheels / Tires)	\$662.00
Non-Required Fact	tory Options	
R811491	Back-Up Alarm	\$314.00
R50850581	Brake Release	\$682.00
R50850826	Camera - Rear **Includes 5 in. (127 mm) Display	\$1,516.00
R50851017	Control / Proportional for High-Flow - Pilot Type Controls Note: CANNOT Be Used w/ Electric Attachment Control - 14-Pin	\$678.00
R50850840	Door - Impact Resistant w/ Front Wiper **.5 in. (12 mm) Polycarbonate Material Note: Doors CANNOT Be Used w/ Backhoe Attachment Installed	\$2,145.00
R50850462	Door - Swing Out w/ Front Wiper Note: Doors CANNOT Be Used w/ Backhoe Attachment Installed	\$1,572.00
R50850573	Electric Attachment Control - 14-Pin Harness / Handle Note: CANNOT Be Used w/ Proportional Controls	\$1,075.00
R806136	Engine Block (Frost Plug) Heater **120 Volt, 400 Watt w/ 5 ft. (1.5 m) Power Cord **Highly Recommended for Use at 20° F (-6° C) and Colder Conditions	\$236.00
R50850471	Lifting System - Four Point	\$184.00
R811508	Painting - Non-Standard Paint Package - Painted One Requested Color Note: Paint Options REQUIRE 4-Digit RAL Paint Color Specification (Must Be Ordered Prior To Production Run. Any Specialized Non-Standard Paints Will Have Additional Cost.)	\$1,685.00
R50851091	Radio - Bluetooth **Includes Auxiliary / USB Input and Bluetooth Capability	\$651.00
R50850473	Rear Wiper	\$562.00
R50850370	Rotating Beacon	\$439.00
R811492	Sliding Side Windows	\$970.00
Field Installed Opti	ions	
R50851351	Anti-Chatter Kit	\$675.00

Part No	Part Description	List Price
Field Installed Opt	tions	·
R811486	Back-Up Alarm Kit	\$183.00
R50850827	Camera Kit - Rear **Includes 5 in. (127 mm) Display	\$1,516.00
R50851016	Control Kit / Proportional for High-Flow - Pilot Type Controls	\$704.00
R806431	Coupler Kit - 0.75 in. (19 mm) Flat-Faced - Set of Two	\$123.00
R50850837	Door Kit - Impact Resistant w/ Front Wiper **.5 in. (12 mm) Polycarbonate Material Note: Doors CANNOT Be Used with Backhoe Attachment Installed	\$2,145.00
R50850465	Door Kit - Swing Out w/ Front Wiper Note: Doors CANNOT Be Used with Backhoe Attachment Installed	\$1,490.00
R50850561	Dual-Hand Pattern Control Kit **Convert Joystick Control to Dual-Hand Pattern	\$1,034.00
R50850574	Electric Attachment Control Kit - 14-Pin Harness / Handle	\$1,003.00
R805855	Engine Block (Frost Plug) Heater Kit **120 Volt, 400 Watt w/ 5 ft. (1.5 m) Power Cord **Highly Recommended for Use at 20° F (-6° C) and Colder Conditions	\$110.00
R50850469	Flasher Kit **Two (2) Front Mounted and Two (2) Rear Mounted	\$348.00
R50850466	Heater Kit	\$1,860.00
R811497	Lift Kit - Four Point Lift System	\$170.00
R50850048	Lift Kit - Single Point Lift System	\$753.00
R811488	Mirror Kit - Rear View **Can Install Two if Needed	\$60.00
R811432	Orifice Kit - Joystick Controls **To Allow Slower Response on Joystick Drive Control	\$51.00
R50850775	Power-A-Tach® Kit - Hydraulic Actuated Powered Quick-Attach System **Convert Manual Quick-Attach to Power Quick-Attach - Plate NOT Included	\$1,462.00
R50851090	Radio Kit - Bluetooth **Includes Auxiliary / USB Input and Bluetooth Capability	\$599.00
R50850474	Rear Wiper Kit	\$562.00
R811496	Rotating Beacon Kit	\$439.00
R811487	Sliding Side Windows Kit	\$880.00
R810949	Spare Tire on Rim (Black Rim) - 14.00 x 17.5 (36x7x11) Solid Flex Non-Pneumatic - Left	\$1,801.00
R810950	Spare Tire on Rim (Black Rim) - 14.00 x 17.5 (36x7x11) Solid Flex Non-Pneumatic - Right	\$1,801.00
R50851217	Spare Tire on Rim (Silver Rim) - 14.00 x 17.5 14-Ply / Heavy Duty	\$964.00
R50851219	Spare Tire on Rim (Silver Rim) - 14.00 x 17.5 14-Ply / Severe Duty Note: Extended Lead Time	\$1,163.00
R50850624	Sub-Zero Crankcase Kit	\$356.00
R50850977	Work Light Kit (LED)	\$451.00

DISCONTINUED MODELS

The models on the following pages are <u>no longer in production</u> but field kits and attachments remain available to order.

Part No	Part Description	List Price
Field Installed Opt	ions	
R50840566	Back-Up Alarm Kit	\$337.00
R50840389	Battery Disconnect Kit	\$100.00
R50850829	Camera Kit - Rear **Includes 5 in. (127 mm) Display	\$1,516.00
R50840386	Controls Kit for Heater and Door	\$479.00
R50850602	Door Kit - Impact Resistant **.5 in. (12 mm) Polycarbonate Material Note: Doors CANNOT Be Used with Backhoe Attachment Installed Note: May Require Heater / Wiper Control Kit if not already installed on machine Note: May Require Washer Bottle/Pump Kit if not already installed on machine	\$1,990.00
R50850528	Door Kit - Swing Out w/ Front Wiper Note: May Require Heater / Wiper Control Kit if not already installed on machine Note: May Require Washer Bottle/Pump Kit if not already installed on machine Note: Doors CANNOT Be Used with Backhoe Attachment Installed	\$1,276.00
R50840586	Dual Flasher Kit **Two (2) 4-Way Tower Mounted	\$236.00
R805855	Engine Block (Frost Plug) Heater Kit **120 Volt, 400 Watt w/ 5 ft. (1.5 m) Power Cord **Highly Recommended for Use at 20° F (-6° C) and Colder Conditions	\$110.00
R50850786	Fender Kit - Wide	\$609.00
R50850755	Heater Kit **Includes Heater Components Only Note: May Require Heater / Wiper Control Kit if not already installed on machine	\$1,401.00
R50840403	Lift Kit - Four Point Lift System	\$100.00
R50840402	Lift Kit - Single Point Lift System	\$612.00
R811488	Mirror Kit - Rear View **Can Install Two if Needed	\$60.00
R50850538	Power-A-Tach® Kit - Hydraulic Actuated Powered Quick-Attach System **Convert Manual Quick-Attach to Power Quick-Attach - Plate NOT Included	\$1,462.00
R50851398	Pre-Cleaner Kit - Centrifugal Type Note: CANNOT Be Used with Air Conditioning OR Heater	\$408.00
R50851403	Pre-Cleaner Kit - Centrifugal Type Note: CANNOT Be Used with Air Conditioning (Pre-Cleaner Included w/ Air Conditioning) Note: Can ONLY Be Used with Heater	\$469.00
R50851088	Radio Kit - Bluetooth **Includes Auxiliary / USB Input and Bluetooth Capability	\$599.00
R50850779	Rear Wiper Kit **Includes Rear Window and Wiper Components Only Note: May Require Heater / Wiper Control Kit if not already installed on machine Note: May Require Washer Bottle/Pump Kit if not already installed on machine	\$561.00
R50840384	Rotating Beacon Kit	\$220.00
R50850534	Sliding Side Windows Kit	\$740.00
R810869	Spare Tire on Rim (Black Rim) - 10.00 x 16.5 (31x6x10) Solid Flex Non-Pneumatic - Left	\$1,265.00
R810870	Spare Tire on Rim (Black Rim) - 10.00 x 16.5 (31x6x10) Solid Flex Non-Pneumatic - Right	\$1,265.00
R50851352	Spare Tire on Rim (Silver Rim) - 10.00 x 16.5 10-Ply / Heavy Duty	\$455.00
R50851354	Spare Tire on Rim (Silver Rim) - 10.00 x 16.5 10-Ply / Severe Duty	\$618.00
R50841557	Spare Tire on Rim (Silver Rim) - 27 x 10.5 8-Ply / Heavy Duty Note: Extended Lead Time	\$403.00

Part No	Part Description	List Price
Field Installed Optio	ns	
R50850604	Washer Bottle Kit - Double Pump **for BOTH Front Door AND Rear Window Wiper (Both Installed)	\$114.00
R50850603	Washer Bottle Kit - Single Pump Note: for Front Door Only OR Rear Window Wiper Only (One or Other, Not Both)	\$114.00
R50840388	Weight Kit - Rear Counterweight **Increases Rated Operating Capacity by 150 lbs. (68 kg) and Adds 1.5 in. (38 mm) to Length	\$606.00
R50850977	Work Light Kit (LED)	\$451.00

Part No	Part Description	List Price
Field Installed Op	tions	_
R50840566	Back-Up Alarm Kit	\$337.00
R50840385	Battery Disconnect Kit	\$100.00
R50850829	Camera Kit - Rear **Includes 5 in. (127 mm) Display	\$1,516.00
R50840386	Controls Kit for Heater and Door	\$479.00
R50850602	Door Kit - Impact Resistant **.5 in. (12 mm) Polycarbonate Material Note: Doors CANNOT Be Used with Backhoe Attachment Installed Note: May Require Heater / Wiper Control Kit if not already installed on machine Note: May Require Washer Bottle/Pump Kit if not already installed on machine	\$1,990.00
R50850528	Door Kit - Swing Out w/ Front Wiper Note: May Require Heater / Wiper Control Kit if not already installed on machine Note: May Require Washer Bottle/Pump Kit if not already installed on machine Note: Doors CANNOT Be Used with Backhoe Attachment Installed	\$1,276.00
R50840586	Dual Flasher Kit **Two (2) 4-Way Tower Mounted	\$236.00
R50840459	Electric Attachment Control Kit - 14-Pin Harness / Handle	\$1,028.00
R805855	Engine Block (Frost Plug) Heater Kit **120 Volt, 400 Watt w/ 5 ft. (1.5 m) Power Cord **Highly Recommended for Use at 20° F (-6° C) and Colder Conditions	\$110.00
R50850785	Fender Kit - Wide	\$609.00
R50850755	Heater Kit **Includes Heater Components Only Note: May Require Heater / Wiper Control Kit if not already installed on machine	\$1,401.00
R50840403	Lift Kit - Four Point Lift System	\$100.00
R50840402	Lift Kit - Single Point Lift System	\$612.00
R811488	Mirror Kit - Rear View **Can Install Two if Needed	\$60.00
R50850536	Power-A-Tach® Kit - Hydraulic Actuated Powered Quick-Attach System **Convert Manual Quick-Attach to Power Quick-Attach - Plate NOT Included	\$1,462.00
R50851397	Pre-Cleaner Kit - Centrifugal Type Note: CANNOT Be Used with Air Conditioning OR Heater	\$408.00
R50851402	Pre-Cleaner Kit - Centrifugal Type Note: CANNOT Be Used with Air Conditioning (Pre-Cleaner Included w/ Air Conditioning) Note: Can ONLY Be Used with Heater	\$469.00
R50851088	Radio Kit - Bluetooth **Includes Auxiliary / USB Input and Bluetooth Capability	\$599.00
R50850779	Rear Wiper Kit **Includes Rear Window and Wiper Components Only Note: May Require Heater / Wiper Control Kit if not already installed on machine Note: May Require Washer Bottle/Pump Kit if not already installed on machine	\$561.00
R50840384	Rotating Beacon Kit	\$220.00
R50850534	Sliding Side Windows Kit	\$740.00
R810869	Spare Tire on Rim (Black Rim) - 10.00 x 16.5 (31x6x10) Solid Flex Non-Pneumatic - Left	\$1,265.00
R810870	Spare Tire on Rim (Black Rim) - 10.00 x 16.5 (31x6x10) Solid Flex Non-Pneumatic - Right	\$1,265.00
R50851352	Spare Tire on Rim (Silver Rim) - 10.00 x 16.5 10-Ply / Heavy Duty	\$455.00
R50851354	Spare Tire on Rim (Silver Rim) - 10.00 x 16.5 10-Ply / Severe Duty	\$618.00
R50841557	Spare Tire on Rim (Silver Rim) - 27 x 10.5 8-Ply / Heavy Duty Note: Extended Lead Time	\$403.00

Part No	Part No Part Description									
Field Installed Op	tions									
R50850604	Washer Bottle Kit - Double Pump **for BOTH Front Door AND Rear Window Wiper (Both Installed)	\$114.00								
R50850603	Washer Bottle Kit - Single Pump Note: for Front Door Only OR Rear Window Wiper Only (One or Other, Not Both)	\$114.00								
R50840383	Weight Kit - Rear Counterweight **Increases Rated Operating Capacity by 150 lbs. (68 kg) and Adds 1.5 in. (38 mm) to Length	\$621.00								
R50850977	Work Light Kit (LED)	\$451.00								

1500R NXT2

Part No Part Description								
Field Installed Opt	tions	·						
R50840566	Back-Up Alarm Kit	\$337.00						
R50850829	Camera Kit - Rear **Includes 5 in. (127 mm) Display	\$1,516.00						
R50840386	Controls Kit for Heater and Door1500R NXT2: Serial No. 203716 and Before	\$479.00						
R50841610	Controls Kit for Heater and Door1500R NXT2: Serial No. 203717 and Up							
R50850602	Door Kit - Impact Resistant **.5 in. (12 mm) Polycarbonate Material **Note: Doors CANNOT Be Used with Backhoe Attachment Installed Note: May Require Heater / Wiper Control Kit if not already installed on machine Note: May Require Washer Bottle/Pump Kit if not already installed on machine							
R50850528	Door Kit - Swing Out w/ Front Wiper Note: May Require Heater / Wiper Control Kit if not already installed on machine Note: May Require Washer Bottle/Pump Kit if not already installed on machine Note: Doors CANNOT Be Used with Backhoe Attachment Installed	\$1,276.00						
R50840586	Dual Flasher Kit **Two (2) 4-Way Tower Mounted	\$236.00						
R50840459	Electric Attachment Control Kit - 14-Pin Harness / Handle	\$1,028.00						
R805855	Engine Block (Frost Plug) Heater Kit **120 Volt, 400 Watt w/ 5 ft. (1.5 m) Power Cord **Highly Recommended for Use at 20° F (-6° C) and Colder Conditions	\$110.00						
R50850785	Fender Kit - Wide	\$609.00						
R50850755	Heater Kit **Includes Heater Components Only Note: May Require Heater / Wiper Control Kit if not already installed on machine	\$1,401.00						
R50840403	Lift Kit - Four Point Lift System	\$100.00						
R50840402	Lift Kit - Single Point Lift System	\$612.00						
R811488	Mirror Kit - Rear View **Can Install Two if Needed	\$60.00						
R50850536	Power-A-Tach® Kit - Hydraulic Actuated Powered Quick-Attach System **Convert Manual Quick-Attach to Power Quick-Attach - Plate NOT Included	\$1,462.00						
R50851397	Pre-Cleaner Kit - Centrifugal Type Note: CANNOT Be Used with Air Conditioning OR Heater	\$408.00						
R50851402	Pre-Cleaner Kit - Centrifugal Type Note: CANNOT Be Used with Air Conditioning (Pre-Cleaner Included w/ Air Conditioning) Note: Can ONLY Be Used with Heater	\$469.00						
R50851088	Radio Kit - Bluetooth **Includes Auxiliary / USB Input and Bluetooth Capability	\$599.00						
R50850779	Rear Wiper Kit **Includes Rear Window and Wiper Components Only Note: May Require Heater / Wiper Control Kit if not already installed on machine Note: May Require Washer Bottle/Pump Kit if not already installed on machine	\$561.00						
R50840384	Rotating Beacon Kit	\$220.00						
R50850534	Sliding Side Windows Kit	\$740.00						
R810869	Spare Tire on Rim (Black Rim) - 10.00 x 16.5 (31x6x10) Solid Flex Non-Pneumatic - Left	\$1,265.00						
R810870	Spare Tire on Rim (Black Rim) - 10.00 x 16.5 (31x6x10) Solid Flex Non-Pneumatic - Right	\$1,265.00						
R50851352	Spare Tire on Rim (Silver Rim) - 10.00 x 16.5 10-Ply / Heavy Duty	\$455.00						
R50851354	Spare Tire on Rim (Silver Rim) - 10.00 x 16.5 10-Ply / Severe Duty	\$618.00						

1500R NXT2

Part No	List Price	
Field Installed Opt	tions	
R50841557	Spare Tire on Rim (Silver Rim) - 27 x 10.5 8-Ply / Heavy Duty Note: Extended Lead Time	\$403.00
R50841609	Washer Bottle Kit - Double Pump **for BOTH Front Door AND Rear Window Wiper (Both Installed)1500R NXT2: Serial No. 203717 and Up	\$114.00
R50850604	Washer Bottle Kit - Double Pump **for BOTH Front Door AND Rear Window Wiper (Both Installed)1500R NXT2: Serial No. 203716 and Before	\$114.00
R50841608	Washer Bottle Kit - Single Pump Note: for Front Door Only OR Rear Window Wiper Only (One or Other, Not Both)1500R NXT2: Serial No. 203717 and Up	\$114.00
R50850603	Washer Bottle Kit - Single Pump Note: for Front Door Only OR Rear Window Wiper Only (One or Other, Not Both)1500R NXT2: Serial No. 203716 and Before	\$114.00
R50840383	Weight Kit - Rear Counterweight **Increases Rated Operating Capacity by 150 lbs. (68 kg) and Adds 1.5 in. (38 mm) to Length	\$621.00
R50850977	Work Light Kit (LED)	\$451.00

4200V

Part No	Part Description	List Price						
Field Installed Op	tions							
R50850640	Brake Release Kit	\$787.00						
R50851115	**Includes 5 in. (127 mm) Display							
R50851071	Door Kit - Impact Resistant w/ Front Wiper **.5 in. (12 mm) Polycarbonate Material Note: Doors CANNOT Be Used with Backhoe Attachment Installed							
R50851065	Door Kit - Swing Out w/ Front Wiper Note: Doors CANNOT Be Used with Backhoe Attachment Installed	\$2,215.00						
R50851066	Flasher Kit **Two (2) Front Mounted and Two (2) Rear Mounted	\$482.00						
R50851069	Heater Kit	\$2,029.00						
R50851073	Lift Kit - Four Point Lift System	\$411.00						
R50850749	Lift Kit - Single Point Lift System	\$1,135.00						
R811488	Mirror Kit - Rear View **Can Install Two if Needed	\$60.00						
R50851075	Rotating Beacon Kit	\$439.00						
R810949	Spare Tire on Rim (Black Rim) - 14.00 x 17.5 (36x7x11) Solid Flex Non-Pneumatic - Left	\$1,801.00						
R810950	Spare Tire on Rim (Black Rim) - 14.00 x 17.5 (36x7x11) Solid Flex Non-Pneumatic - Right	\$1,801.00						
R50851217	Spare Tire on Rim (Silver Rim) - 14.00 x 17.5 14-Ply / Heavy Duty	\$964.00						
R50851219	Spare Tire on Rim (Silver Rim) - 14.00 x 17.5 14-Ply / Severe Duty Note: Extended Lead Time							
R50851116	Work Light Kit (LED)	\$451.00						

SKID LOADER ATTACHMENTS

Attachments vary by model. Please refer to the Attachment Matrix for attachment availability by model as well as dimensional information and pricing.

NOTICE:

Attachments are approved for use on Manitou Skid Loaders when properly mounted, appropriate for the rated operating capacity and auxiliary hydraulic flow of the machine, if applicable, and used in accordance with the Operator's Manual.

Manitou Equipment America, LLC is not responsible for the consequences if a machine is used for a non-approved attachment.



ONIU LUC									_	_					_			
Part No	Description	List Price	Width (in)	Height (in)	Depth (in)	Capacity (cu ft)	Length (in)	1050R	1350R	1500K	1650K	2100V	2200R	2300V	2600R	2700V	2750V	3300V 4200V
Augers R50841497	Augus Dit 12 in (204 mm) Hay	\$528.00					12	٧	1	1,	(X	V	V	Χ	χ	V	v ·	хх
R50841485	Auger Bit - 12 in. (304 mm), Hex Auger Bit - 12 in. (304 mm), Round	\$525.00					12	\perp	+	_	\	_	_	_	χ	_		^
R50841500	Auger Bit - 12 in. (304 min), Round Auger Bit - 18 in. (457 mm), Hex	\$771.00					18	ш	+	-		-	^ Х		\vdash	\rightarrow	-	^
R50841488	Auger Bit - 18 in. (457 mm), Round	\$771.00	-				18	ш	+	-	\	-	-	—	${} \mapsto$	X	-	$\frac{^{\wedge}}{^{\times}}$
R50841503	Auger Bit - 24 in. (609 mm), Hex	\$885.00					24	\sqcup	+	_	\	╄	ــــ		ш	^ X	_	^
R50841491	Auger Bit - 24 in. (609 mm), Round	\$885.00					24	\perp	+	+	_	X	┞	-	\vdash	-+	-	X X
R50841494	Auger Bit - 9 in. (228 mm), Hex	\$487.00						X	+	_	(X	-	-		X	\rightarrow	_	X X
R50841482	Auger Bit - 9 in. (228 mm), Round	\$487.00						X	+	_	(x	_	_		ш	_		X X
R50841473	Auger Drive - Chain, Model 1650CL (Hex) **Includes Skid Steer Mount, Top Link, Hoses and Flat-Faced Couplers	\$2,550.00						Х		Ť		T	T		H	寸	x >	+
R50841470	Auger Drive - Chain, Model 1650CL (Round) **Includes Skid Steer Mount, Top Link, Hoses and Flat-Faced Couplers	\$2,550.00						Х)	(X	х	Х	х	х	Х	x :	x
R50841479	Auger Drive - Planetary, Model PA210 (Hex) **Includes Skid Steer Mount, Top Link, Hoses and Flat-Faced Couplers	\$3,679.00)	(x	х	х	Х	х	Х	x ?	x x
R50841476	Auger Drive - Planetary, Model PA210 (Round) **Includes Skid Steer Mount, Top Link, Hoses and Flat-Faced Couplers	\$3,679.00)	(x	Х	Х	Х	Х	Х	x Z	хх
R50841509	Auger Extension - 24 in. (609 mm), Hex	\$215.00					24)	(X	Х	Х	Х	Х	Х	X 2	хх
R50841506	Auger Extension - 24 in. (609 mm), Round	\$169.00					24)	(X	Х	Х	Х	Х	Х	X	хх
Buckets																		
R810782	Dirt / Construction Bucket - 48 in. (1219 mm) Wide, 9.8 cu. ft. (0.28 cu. m.) **Bolt-On Cutting Edge Not Available - Order Thru Parts	\$1,047.00	48	19	32	9.8		Х	Х									
R810912	Dirt / Construction Bucket - 54 in. (1371 mm) Wide, 9.8 cu. ft. (0.28 cu. m.)	\$1,325.00	54	20	32	9.8		Х	Х									
R811650	Light Material Bucket - 54 in. (1371 mm) Wide, 15.0 cu. ft. (0.42 cu. m.)	\$1,450.00	54	24	39	15.0		Х	х									

Oldia Lot									_			_	_		_		$\overline{}$	_
Part No	Description	List Price	Width (in)	Height (in)	Depth (in)	Capacity (cu ft)	Length (in)	1050R	1350R	1500R	165UK 1900P	2100V	2200R	2300V	2600R	2700V	2/JOUV 22/JUV	4200V
Buckets									щ	Ę		H			щ	Ę	4	
R810913	Dirt / Construction Bucket - 60 in. (1524 mm) Wide, 11.0 cu. ft. (0.31 cu. m.)	\$1,425.00	60	20	32	11.0		Х	х									
R811651	Light Material Bucket - 60 in. (1524 mm) Wide, 16.9 cu. ft. (0.47 cu. m.)	\$1,550.00	60	24	39	16.9		Х	х									
R810914	Dirt / Construction Bucket - 61.5 in. (1562 mm) Wide, 11.3 cu. ft. (0.31 cu. m.)	\$1,450.00	62	20	32	11.3		Х	Х									
R810934	Dirt / Construction Bucket w/ Solid Spillguard - 61.5 in. (1562 mm) Wide, 14.1 cu. ft. (0.39 cu. m.)	\$1,600.00	62	24	32	14.1		Х	Х									
R810915	Dirt / Construction Bucket - 66 in. (1676 mm) Wide, 15.1 cu. ft. (0.42 cu. m.)	\$1,525.00	66	21	36	15.1		Х	Х	x >	< x	X						
R50841713	HD Dirt / Construction Bucket - 66 in. (1676 mm) Wide, 15.0 cu. ft. (0.42 cu. m.) **for Use w/ R50841737 Cutting Edge	\$1,857.00	66	21	35	15.0				,	< x	X						
R811652	Light Material Bucket - 66 in. (1676 mm) Wide, 19.0 cu. ft. (0.53 cu. m.)	\$1,650.00	66	24	40	19.0			X .	x >	< X	X						
R810875	Dirt / Construction Bucket - Low Heel (2 in. (50 mm) Lower) - 68 in. (1727 mm) Wide, 15.7 cu. ft. (0.44 cu. m.)	\$1,854.00	68	21	34	15.7				x	< X	x	Х	Х	х	x x	⟨ x	
R810916	Dirt / Construction Bucket - 70 in. (1778 mm) Wide, 16.1 cu. ft. (0.45 cu. m.)	\$1,625.00	70	21	36	16.1				x >	< x	X	х	Х	Х	x X	⟨ x	
R810936	Dirt / Construction Bucket w/ Solid Spillguard - 70 in. (1778 mm) Wide, 20.9 cu. ft. (0.59 cu. m.)	\$1,700.00	70	26	38	20.9				x >	< x	X	х	Х	х	x x	< x	
R810927	Light Material Bucket - 70 in. (1778 mm) Wide, 20.3 cu. ft. (0.57 cu. m.)	\$1,750.00	70	24	40	20.3				x >	< x	X	х	Х	х	x >	⟨ x	
R810923	X Long Dirt / Construction Bucket - 70 in. (1778 mm) Wide, 19.4 cu. ft. (0.54 cu. m.)	\$1,725.00	70	21	42	19.4				x)	< x	X	х	Х	х	X X	⟨ x	
R50841716	HD Dirt / Construction Bucket - 72 in. (1828 mm) Wide, 17.0 cu. ft. (0.48 cu. m.) **for Use w/ R50841740 Cutting Edge	\$2,077.00	72	21	35	17.0)	< x	X	Х	х	х	х	<	
R810917	Dirt / Construction Bucket - 74 in. (1879 mm) Wide, 19.2 cu. ft. (0.54 cu. m.)	\$1,775.00	74	22	36	19.2					Х	X	Х	Х	Х	X X	⟨ X	

ONIG LO											1				_		- 1	$\overline{}$	
Part No Buckets	Description	List Price	Width (in)	Height (in)	Depth (in)	Capacity (cu ft)	Length (in)	1050R	1350R	1500K	1900R	2100V	2200R	2300V	2600R	2700V	2750V	3300V	4200V
		* 4 . 0 . 0 . 0 . 0 . 0 . 0 . 0 . 0 . 0 .		0.4	0.4	4=0			4	Ħ								4	
R810876	Dirt / Construction Bucket - Low Heel (2 in. (50 mm) Lower) - 74 in. (1879 mm) Wide, 17.3 cu. ft. (0.48 cu. m.) Note: CANNOT Be Used w/ 12.00 x 16.5 Tires	\$1,996.00	74	21	34	17.3							Х	Х	Х	Х	х	х	
R50850580	Dirt / Construction Bucket w/ Solid Spillguard - 74 in. (1879 mm) Wide, 24.2 cu. ft. (0.69 cu. m.)	\$1,994.00	74	28	39	24.2												Х	
R810921	HD Dirt / Construction Bucket - 74 in. (1879 mm) Wide, 22.8 cu. ft. (0.64 cu. m.)	\$2,195.00	74	23	44	22.8							Х	Х	Х	Х	Х	Х	
R811649	Light Material Bucket - 74 in. (1879 mm) Wide, 27.2 cu. ft. (.77 cu. m.)	\$1,850.00	74	26	42	27.2							Х	Х	Х	Х	Х	Х	
R810924	X Long Dirt / Construction Bucket - 74 in. (1879 mm) Wide, 20.6 cu. ft. (0.58 cu. m.)	\$1,865.00	74	21	42	20.6					Х	х	Х	Х	Х	Х	Х	Х	
R50841719	HD Dirt / Construction Bucket - 78 in. (1981 mm) Wide, 18.5 cu. ft. (0.52 cu. m.)	\$2,163.00	78	21	35	18.5							х	Х	х	Х	х	Х	
R810877	Dirt / Construction Bucket - Low Heel (2 in. (50 mm) Lower) - 80 in. (2032 mm) Wide, 18.8 cu. ft. (0.53 cu. m.) Note: CANNOT Be Used w/ 12.00 x 16.5 Tires	\$2,317.00	80	21	34	18.8							Х	Х	Х	Х	х	х	
R810918	Dirt / Construction Bucket - 84 in. (2133 mm) Wide, 23.6 cu. ft. (0.66 cu. m.) Note: Bolt-On Cutting Edge Included Note: Use of This Bucket w/ 14 x 17.5 Tires Will Have a Higher Heel Clearance (Approximately 2.8 in. (72 mm))	\$2,650.00	84	23	41	23.6										х	Х	X	Х
R810919	Dirt / Construction Bucket - 84 in. (2133 mm) Wide, 27.0 cu. ft. (0.76 cu. m.) Note: Bolt-On Cutting Edge Included Note: Use of This Bucket w/ 14 x 17.5 Tires Will Have a Higher Heel Clearance (Approximately 2.8 in. (72 mm))	\$2,950.00	84	24	45	27.0										х	х	Х	X
R50841722	HD Dirt / Construction Bucket - 84 in. (2133 mm) Wide, 20.0 cu. ft. (0.57 cu. m.) **for Use w/ R50841743 Cutting Edge	\$2,257.00	84	21	35	20.0										х	х	Х	X
R810922	HD Dirt / Construction Bucket - 84 in. (2133 mm) Wide, 27.0 cu. ft. (0.76 cu. m.) Note: Bolt-On Cutting Edge Included Note: Use of This Bucket w/ 14 x 17.5 Tires Will Have a Higher Heel Clearance (Approximately 2.8 in. (72 mm))	\$2,825.00	84	25	45	27.0										х	Х	Х	X

SKIU LUZ	ader Attachments																_	_	
Part No	Description	List Price	Width (in)	Height (in)	Depth (in)	Capacity (cu ft)	Length (in)	1050R	1350R	1500R	1650R	1900R	2100V	2200R	2300V	2600R	2700V	7,000	3300V 4200V
Buckets		Φ0.550.00	0.4	00	4.4	00.0													F
R810925	X Long Dirt / Construction Bucket - 84 in. (2133 mm) Wide, 23.3 cu. ft. (0.65 cu. m.) Note: Bolt-On Cutting Edge Included Note: Use of This Bucket w/ 14 x 17.5 Tires Will Have a Higher Heel Clearance (Approximately 2.8 in. (72 mm))	\$2,550.00		22	44									Х	Х	х	x >	()	< x
R810920	Dirt / Construction Bucket - 90 in. (2286 mm) Wide, 29.0 cu. ft. (0.82 cu. m.) Note: Bolt-On Cutting Edge Included	\$3,050.00	90	24	45	29.0													х
R810929	Light Material Bucket - 90 in. (2286 mm) Wide, 37.0 cu. ft. (1.04 cu. m.)	\$2,950.00	90	28	49	37.0											x >		⟨ x
R810582	HD Dirt / Construction Bucket - 92 in. (2336 mm) Wide, 21.0 cu. ft. (0.59 cu. m.) **Bolt-On Cutting Edge Not Available - Order Thru Parts	\$3,169.00	92	21	37	21.0													х
R810583	HD Bulk Materials Bucket - 97 in. (2463 mm) Wide, 59.0 cu. ft. (1.67 cu. m.)	\$4,144.00	97	41	47	59.0											x >	()	⟨ x
Cutting Edge	5																		
R810937	Cutting Edge, Bolt-on 54 in. (1371 mm)	\$291.00	54					Χ	Χ										
R810938	Cutting Edge, Bolt-on 60 in. (1524 mm)	\$343.00	60					Χ	Χ										
R810939	Cutting Edge, Bolt-on 61.5 in. (1562 mm)	\$349.00	62					Х	Χ										
R810940	Cutting Edge, Bolt-on 66 in. (1676 mm)	\$433.00	66					Χ	Х	Χ	Χ	Χ	Х						
R50841737	Cutting Edge, Bolt-on 68 in. (1727 mm) **for Use w/ R50841713 Bucket	\$375.00	68								Х	х	х						
R810878	Cutting Edge, Bolt-on 68 in. (1727 mm)	\$436.00	68							Χ	Χ	Χ	Х	Χ	Х	Х	X >	()	(
R808627	Cutting Edge, Bolt-on 70 in. (1778 mm)	\$432.00	70							Χ	Χ	Х	Х	Χ	Х	Х	X >	()	(
R50841740	Cutting Edge, Bolt-on 74 in. (1879 mm) **for Use w/ R50841716 Bucket	\$416.00	74								Х	Х	х	Х	Х	Х	X >	(
R808628	Cutting Edge, Bolt-on 74 in. (1879 mm) Note: CANNOT Be Used w/ 74 in. (1879 mm) Dirt / Construction Low Heel Bucket	\$474.00	74									Х	Х	Х	Х	х	X >	()	(
R810618	Cutting Edge, Bolt-on 74 in. (1879 mm) Note: Can ONLY Be Used w/ 74 in. (1879 mm) Dirt / Construction Low Heel Bucket	\$474.00	74											Х	Х	x	x x		\ \

ONIG LO	auci Allaciiiiciilo											_		_				
Part No	Description	List Price	Width (in)	Height (in)	Depth (in)	Capacity (cu ft)	Length (in)	1050R	1350R	1500R	1650R	1900R	2Juuv John R	2300V	2600R	2700V	2750V	3300V 4200V
Cutting Edges																		
R50841811	Cutting Edge, Bolt-on 80 in. (2032 mm) **for Use w/ R50841719 Bucket	\$467.00	80										X	Х	Х	х	x .	х
R50841743	Cutting Edge, Bolt-on 86 in. (2184 mm) **for Use w/ R50841722 Bucket	\$494.00	86													Х	X	x x
R811634	Cutting Edge, Bolt-on 90 in. (2286 mm)	\$492.00	90								Т	Т	Τ	П		Х	Х	хх
R810621	Cutting Edge, Bolt-on 97 in. (2463 mm)	\$684.00	97					П	T	T		Т	Τ	Т		Х	Х	ХХ
Carriages																		
R810024	Carriage, Standard (ITA Style) - 44 in. (1117 mm) Wide	\$1,293.00	44					Χ	Х	Х	X)	x >	⟨ x	Х	Х	Х	X	ХХ
Forks																		
R804091	Pallet Fork (Single Fork) - ITA Style, 1.5 in. x 4 in. x 42 in. (38 mm x 101 mm x 1066 mm) Note: Two Required Per Carriage	\$351.00	4		2		42	х	Х	х	x x	x >	$\langle x $	х	х	х	X .	x x
R803701	Pallet Fork (Single Fork) - ITA Style, 1.5 in. x 4 in. x 48 in. (38 mm x 101 mm x 1219 mm) Note: Two Required Per Carriage	\$376.00	4		2		48	х	Х	х	x x	x >	$\langle x \rangle$	х	х	×	x !	x x
Other																		
R50841512	Broom, Hopper - 60 in. (1524 mm)	\$6,964.00	60							T	Χ	Τ	Τ					
R50841514	Broom, Hopper - 72 in. (1828 mm)	\$7,427.00	72					П	T	7	χ)	x >	⟨ X	Х	Х	Х	Х	Х
R50841826	Grapple, Brush Root (Standard Duty) - 66 in. (1676 mm) Wide	\$4,301.00	66						1	1	χ)	x >	⟨ x	X	Х	Х	Х	\top
R50841829	Grapple, Brush Root (Standard Duty) - 72 in. (1828 mm) Wide	\$4,486.00	72])	х	⟨ x	X	Х	Х	X I	Х
R50841832	Hitch Adapter	\$541.00						Х		J	X X	X >	ΚX	X	Х	Х	Х	хх



ATTACHMENTS

**Note: In 2021, EDGE® Attachments was rebranded as Manitou Group

Attachments**

For information on additional attachments (availability, pricing and ordering) contact our Manitou Group Attachments Customer Service group.

By Phone	By Fax	Electronically
262-387-1210	262-387-1247	Email: attachmentinfo@manitou-group.com
866-232-8224		Website: attachments.manitou-group.com

NOTICE:

Attachments sold through Manitou Group Attachments are approved for use on Manitou Skid Loaders when properly mounted, appropriate for the rated operating capacity and auxiliary hydraulic flow of the machine and used in accordance with the Operator's Manual.

Manitou Equipment America, LLC is not responsible for the consequences if a machine is used for a non-approved attachment.

Pictured below are some commonly used attachments for purchase through Manitou Group Attachments.

Augers



Brooms



Cold Planers



Grapple Buckets



Hitch Adapters

