



# Articulated Loader

# Price List



**U.S. Production**

**DATE:** March 13, 2023  
**SUBJECT:** Price Pages  
**TO:** All Manitou Articulated Loader Dealers

One Gehl Way  
West Bend, WI 53095  
262-334-9461 (P)  
262-334-6689 (F)

Attached are **replacement** pages for your Articulated Loader price list with an Effective Date of March 13, 2023. These pages replace all previously published lists. Please note that these pages reflect the following:

***We are happy to reintroduce the MLA5-60 H-Z to the Articulated Loader family!***



#### **MLA5-60 H-Z Standard Equipment**

- 4,830 lbs. (2,190 kg) Straight tipping load
- Deutz Turbo Diesel Engine
  - 60.0 Gross hp (45.5 kW)
  - EPA Tier IV / Euro Stage 5
  - Max torque - 243.5 ft. lbs. (330 Nm)
- Bucket pin height of 124.5 in. (3,161 mm)
- Standard auxiliary hydraulic flow - 15.4 gpm (58.3 L/min)

#### **The following are general changes:**

- Field installed kits are no longer available to order with machines
  - Field kits will ONLY be available through the Order Accessories section of the portal
  - Field kits will continue to be shown on the price pages
  - The Field Installed Options tab is no longer available when ordering a machine
  - The button (All Parts Catalog) to allow additional field kits and attachments to be added to a machine order for a product line is no longer available

#### **The following stock numbers have been removed:**

- **MLA6-65 H-Z Articulated Loader**
  - Engine Block (Frost Plug) Heater Kit (R50840794)
  - Side Gates Kit (R50840805)
- **MLA7-75 H-Z Articulated Loader**
  - Side Gates Kit (R50840805)
- **MLA-T 516-75 H Articulated Loader**
  - Side Gates Kit (R50840805)

***Pricing reflects suggested list prices in U.S. dollars.***

Please ensure that all your sales personnel have a copy of this revised price list. Copies of the price list can be printed and/or downloaded and saved from the Manitou Dealer Portal for future reference.

cc: Field and Internal Distribution  
Enclosure



# Articulated Loaders

## INDEX

	<u>Page</u>
<b><u>CURRENT PRODUCTION MODELS</u></b>	
MLA 5-60 H-Z.....	3
MLA 6-65 H-Z.....	7
MLA 7-75 H-Z.....	11
MLA-T 516-75 H.....	15
<b><u>ATTACHMENTS</u></b>	
Attachment Matrix.....	20
MG Attachments Information.....	22

# ***CURRENT PRODUCTION MODELS***

*The models on the following pages are models currently in production.*

*Please note that models listed in this section may have been discontinued.  
These models will be indicated as Subject to Availability and may be  
available in limited quantities.*

### STANDARD EQUIPMENT

#### DRIVE TRAIN / CHASSIS

- Automotive Style Hydrostatic Drive, 2-Speed w/ Anti-Stall System
  - 3-Speed Drive System - Optional
- Fenders
- Front / Rear Tie Downs
- Heavy-Duty Axles - 100% Differential Lock (Hydraulically Activated)
- Power-A-Tach® - Skid Steer Loader Style
- Steering / Frame Transport Lock (Conforms to SAEJ276)
- Tapered Z-Bar Loader Linkage
  - Includes: Limited Self-Leveling and Mechanical Return-to-Dig

#### ELECTRICAL SYSTEM

- Multi-Function Digital Display
  - Displays Coolant Temp, Engine RPM, Fuel Level, Hour Meter and Volt Meter
  - Indicators - Engine Cooling Temperature, Engine Oil Pressure, Engine Pre-Heat, Forward / Reverse Direction, Low Speed, High Speed and Parking Brake
- Centralized Fuse Bank
- Lift / Tilt Electronic Lock-out Switch
- Master Electrical Disconnect Switch
- Reverse and Brake Tail Lights

#### ENGINE

- Deutz Turbo Charged Diesel Engine
- DPF (Diesel Particulate Filter) Technology
- Dual Element Air Cleaner w/ Indicator
- Glow Plug Heater Starter Assist
- Lockable Engine Cover
- Lockable Fuel Cap
- Radiator / Hydraulic Cooler - Side By Side

#### HYDRAULICS SYSTEM

- 3-Spool Open Center Valve
- 10 Micron In-Tank Filter
- Bucket Float
- Lift Arm Float
- Proportional Front Auxiliary Hydraulics w/ Flat-Faced Couplers
  - Includes Pressure Dump Switch
- Clutch Cooling Fan

#### OPERATORS AREA

- Adjustable Arm Rest w/ Built-in 12-Volt Charging Socket
- Adjustable Mechanical Suspension Seat
- Adjustable Seat Belt 2 in. (50 mm)
- Braking / Inching Pedal
- Deluxe Tilttable Steering Column
- Electronic Hand Throttle
- Horn
- Multi-Function Joystick
  - Includes: Auxiliary Hydraulics w/ Detent, Differential Lock (100%), Forward / Reverse, High / Low and Lift / Tilt
- Operator Presence Seat Switch
- Removable Rubber Floor Mat
- Rollover Protection
  - 4-Post Canopy - ROPS / FOPS Level I
  - Cab - ROPS / FOPS Level I - Optional
- Side Mirrors

#### WARRANTY

- See Warranty Policy

### EQUIPMENT SPECIFICATIONS FOR BASE UNIT

#### LOADER (w/ Bucket - Canopy w/ 15.0/55 - 17 Tires)

- Straight Tipping Load - 4,830 lbs. (2,190 kg)
- Full Turn Tipping Load - 3,734 lbs. (1,693 kg)
- Bucket Breakout Force - 9,733 lbs. (4,414 kg)
- Pin Height - 124.5 in. (3,161 mm)
- ROPS Height - 91.1 in. (2,313 mm)
- Wheelbase - 68.7 in. (1,744 mm)
- Turning Angle - 45°

#### HYDRAULICS

- Reservoir Capacity - 11.9 gal. (45.0 L)
- Auxiliary Hydraulics
  - Standard Flow Hydraulics - 15.4 gpm (58.3 L/min)
  - Optional High-Flow Hydraulics - 19.1 gpm (72.3 L/min)
  - System Pressure - 3,045 psi (210 bar)
- Drive Hydraulics - 27.1 gpm (102.6 L/min)
  - System Pressure - 6,092 psi (420 bar)

#### DIESEL ENGINE

- Deutz TD 2.2 L3
- 3 Cylinder, Turbo Charged
- 60.0 Gross hp (45.5 kW)
- Emissions Compliance (EPA / Euro)
  - Tier IV / Stage 5
- Max Torque - 147 ft.-lbs. (200 Nm) @ 1,600 rpm
- Fuel Tank - 21.8 gal. (82.5 L)
- Oil Change Interval - 250 hours
- Travel Speed - 5.5 / 12.4 mph (8.9 / 20.0 km/hr)
  - Optional - 17.6 mph (28.3 km/hr)

#### ELECTRICAL

- Alternator - 95 amps
- Battery - 12 Volt, 850 CCA
- Starter - 2.6 kW
- Work Lights
  - 2 Front and 2 Rear - Halogen (750 Lumen) - Optional
  - 2 Front and 2 Rear - LED (1400 Lumen) - Optional

**\*\*NOTE: Base Loader is with No Bucket – Bucket is Ordered Separately\*\***

## Manitou Articulated Loaders

## MLA 5-60 H-Z

Part No	Part Description	List Price
<b>Base Unit</b>		
R50841361	MLA 5-60 H-Z - STANDARD BASE UNIT (Less Bucket) - U.S. AND CANADA ONLY	\$71,760.00
<b>Required Factory Options</b>		
<b>Operator Station</b>		
R50841625	4-Post Open Canopy ROPS	\$0.00
R50841626	Cab Enclosure w/ Heat **Includes Door and Windows	\$6,869.00
R50841627	Cab Enclosure w/ Heat and A/C **Includes Door and Windows <b>**Please check lead time with your Sales Support Specialist**</b>	\$9,542.00
<b>Drive System</b>		
R50841375	Three Speed Drive System w/ Hydraglide™ Ride Control System	\$1,455.00
R50841378	Three Speed Drive System w/ Speed Control and Hydraglide™ Ride Control System	\$1,763.00
R50841373	Two Speed Drive System	\$0.00
R50841374	Two Speed Drive System w/ Hydraglide™ Ride Control System	\$725.00
R50841376	Two Speed Drive System w/ Speed Control	\$314.00
R50841377	Two Speed Drive System w/ Speed Control and Hydraglide™ Ride Control System	\$1,035.00
<b>Seat</b>		
R50841368	Air Ride Suspension Seat w/ Vinyl Cushions	\$314.00
R50841367	Mechanical Suspension Seat w/ Vinyl Cushions	\$0.00
<b>Auxiliary Hydraulics</b>		
R50841388	High-Flow Auxiliary Hydraulic Circuit w/ Drain Line **Includes Standard Flow Circuit	\$2,424.00
R50841389	High-Flow Auxiliary Hydraulic Circuit w/ Drain Line and Auxiliary Hydraulic Circuit for Rear Attachment Control	\$3,393.00
R50841385	Standard Flow Auxiliary Hydraulic Circuit	\$0.00
R50841390	Standard Flow Auxiliary Hydraulic Circuit w/ Drain Line	\$366.00
R50841387	Standard Flow Auxiliary Hydraulic Circuit w/ Drain Line and Auxiliary Hydraulic Circuit for Rear Attachment Control	\$1,335.00
R50841386	Standard Flow Auxiliary Hydraulic Circuit w/ Second Auxiliary Hydraulic Circuit for Front Attachment Control with Drain Line	\$1,335.00
<b>Attachment System</b>		
R50841371	4-Point Quick-Attach System	\$0.00
R50841372	Euro Style Quick-Attach System	\$0.00
R50841370	Power-A-Tach® - Hydraulic Powered Quick-Attach System **Universal Skid Steer Style	\$0.00
<b>Lights</b>		
R50841393	Work Lights (Halogen) <b>Note:</b> CANNOT Be Used w/ Cab Enclosure w/ A/C	\$152.00
R50841395	Work Lights (Halogen) w/ Road Lights **Includes Work Lights, Hi-Low Headlights, Hazards and Directionals <b>Note:</b> CANNOT Be Used w/ Cab Enclosure w/ A/C	\$729.00
R50841394	Work Lights (LED)	\$699.00
R50841396	Work Lights (LED) w/ Road Lights **Includes Work Lights, Hi-Low Headlights, Hazards and Directionals	\$1,396.00
<b>Radio</b>		
R50841541	No Radio <b>Note:</b> Cab Enclosure Only	\$0.00

## Manitou Articulated Loaders

## MLA 5-60 H-Z

Part No	Part Description	List Price
<b>Required Factory Options</b>		
<b>Radio</b>		
R50841534	Radio - Universal Mounting **Includes Base Radio, Speakers, Wiring and Hardware <b>Note:</b> Cab Enclosure Only	\$662.00
<b>Connected Solutions</b>		
R50841696	Easy Link Module w/ 6 Years Connectivity **for Use w/ Easy Manager System **Easy Link Module Connects to the Integrated Machine Control Keypad	\$1,543.00
<b>Tire Options</b>		
R50841403	12 x 16.5 - SL Profile (R-4) **Includes Fenders	\$2,538.00
R50841411	15.0 / 55 - 17 - AS Profile (R-1) **Includes Fenders <b>Note:</b> CANNOT Be Used w/ Cab Enclosure and Counterweight	\$3,608.00
R50841413	33 x 15.5-16.5 - SL Profile (R-4) **Includes Fenders	\$3,464.00
R50841679	33 x 15.5-16.5 - Turf Profile (R-3) **Includes Fenders	\$6,366.00
R50841412	425/55 R17 MPT 122 (R-1) **Includes Fenders	\$4,375.00
<b>Non-Required Factory Options</b>		
R50841531	Auxiliary Electrical Front Attachment Control (25 amp / 3-Pin)	\$324.00
R50841532	Auxiliary Electrical Rear Attachment Control (25 amp / 3-Pin)	\$305.00
R50841530	Back-Up Alarm	\$119.00
R50841655	Engine Oil Pan Heater **120 Volt, 250 Watt **Highly Recommended for Use at 20° F (-6° C) and Colder Conditions <b>Note:</b> Power Cord NOT Included	\$182.00
R50841694	Painting - Non-Standard Paint Package - Painted One Requested Color <b>Note:</b> Paint Options REQUIRE 4-Digit RAL Paint Color Specification (Must Be Ordered Prior To Production Run. Any Specialized Non-Standard Paints Will Have Additional Cost.)	\$1,940.00
R50841536	Rear Attachment Mount - 2 in. (50 mm) Square Receiver	\$133.00
R50841535	Rear Attachment Mount - Clevis / Drawbar Style	\$133.00
R50841540	Rear Electric Plug - 7-Pin **Includes Back-Up Alarm	\$547.00
R50841538	Rotating Beacon <b>Note:</b> CANNOT Be Used w/ Cab Enclosure w/ A/C	\$163.00
R50841650	Rotating Beacon <b>Note:</b> Cab Enclosure w/ A/C Only	\$163.00
R50841778	Seat Belt - 3 in. (76 mm) <b>Note:</b> Where Required By State Law	\$246.00
R50841539	Strobe Light <b>Note:</b> CANNOT Be Used w/ Cab Enclosure w/ A/C	\$200.00
R50841651	Strobe Light <b>Note:</b> Cab Enclosure w/ A/C Only	\$188.00
R50841533	Toolbox, Lockable	\$215.00
R50841537	Weight - Rear Counterweight **Increases Rated Operating Capacity by Approximately 200 lbs. (90 kg)	\$1,221.00

## Manitou Articulated Loaders

## MLA 5-60 H-Z

Part No	Part Description	List Price
<b>Field Installed Options</b>		
R50841660	Auxiliary Electrical Front Attachment Control Kit (25 amp / 3-Pin)	\$240.00
R50841661	Auxiliary Electrical Rear Attachment Control Kit (25 amp / 3-Pin)	\$211.00
R50841654	Back-Up Alarm Kit	\$97.00
R50841777	Drain Line Kit	\$176.00
R50841656	Engine Oil Pan Heater Kit **120 Volt **Highly Recommended for Use at 20° F (-6° C) and Colder Conditions	\$187.00
R50841528	Fender Kit - Narrow	\$748.00
R50841529	Fender Kit - Wide	\$784.00
R50841666	Radio Kit - Universal Mounting **Includes Base Radio, Speakers, Wiring and Hardware <b>Note:</b> Cab Enclosure Only	\$630.00
R50841664	Rear Attachment Mount Kit - 2 in. (50 mm) Square Receiver	\$127.00
R50841665	Rear Attachment Mount Kit - Clevis / Drawbar Style	\$127.00
R50841670	Rear Electric Plug Kit - 7-Pin **Includes Back-Up Alarm	\$351.00
R50841657	Road Light Kit - Homologation **Includes Hi-Low Headlights, Hazards and Directionals	\$838.00
R50841669	Rotating Beacon Kit <b>Note:</b> CANNOT Be Used w/ Cab Enclosure w/ A/C	\$118.00
R50841667	Side Gates Kit <b>Note:</b> CANNOT Be Used with Cabs	\$576.00
R50841196	Spare Tire on Rim - 12 x 16.5 SL (R-4)	\$527.00
R50841193	Spare Tire on Rim - 15.0/55 - 17 AS (R-1)	\$743.00
R50841194	Spare Tire on Rim - 33 x 15.5-16.5 SL (R-4)	\$697.00
R50841677	Spare Tire on Rim - 33 x 15.5-16.5 Turf (R-3)	\$1,486.00
R50841189	Spare Tire on Rim - 425/55 R17 MPT 122 (R-1)	\$923.00
R50841668	Strobe Light Kit <b>Note:</b> CANNOT Be Use w/ Cab Enclosure w/ A/C	\$175.00
R50841662	Toolbox Kit (Lockable)	\$208.00
R50841663	Weight Kit - Rear Counterweight **Increases Rated Operating Capacity by Approximately 200 lbs. (90 kg)	\$1,194.00
R50841693	Wheel Chock Kit	\$185.00
R50841658	Work Light Kit (Halogen)	\$153.00
R50841659	Work Light Kit (LED)	\$538.00

## STANDARD EQUIPMENT

### DRIVE TRAIN / CHASSIS

- Automotive Style Hydrostatic Drive, 2-Speed w/ Anti-Stall System
  - 3-Speed Drive System - Optional
- Front / Rear Tie Downs
- Heavy-Duty Axles - 100% Differential Lock (Hydraulically Activated)
- Power-A-Tach® - Skid Steer Loader Style
- Steering / Frame Transport Lock (Conforms to SAEJ276)
- Tapered Z-Bar Loader Linkage
  - Includes: Limited Self-Leveling and Mechanical Return-to-Dig

### ELECTRICAL SYSTEM

- Multi-Function Digital Display
  - Displays Coolant Temp, Engine RPM, Fuel Level, Hour Meter and Volt Meter
  - Indicators - Alternator, Engine Cooling Temperature, Engine Oil Pressure, Engine Pre-Heat, Forward / Reverse Direction, Hydraulic Oil Temperature, Low Speed, High Speed and Parking Brake
- Centralized Fuse Bank
- Easy Link Module
- Emergency Lift Arm Lower Switch
- Lift / Tilt Electronic Lock-out Switch
- Master Electrical Disconnect Switch
- Reverse and Brake Tail Lights

### ENGINE

- Yanmar Turbo Charged Diesel Engine
- DPF (Diesel Particulate Filter) Technology
- Dual Element Air Cleaner w/ Indicator
- Glow Plug Heater Starter Assist
- Lockable Engine Cover
- Lockable Fuel Cap
- Radiator / Hydraulic Cooler - Side By Side

### HYDRAULICS SYSTEM

- 3-Spool Open Center Valve
- 10 Micron In-Tank Filter
- Bucket Float
- Lift Arm Float
- Proportional Front Auxiliary Hydraulics w/ Flat-Faced Couplers
  - Includes: Case Drain Line and Pressure Dump Switch
- Variable Speed Cooling Fan (Reversible)

### OPERATORS AREA

- Adjustable Arm Rest w/ Built-in 12-Volt Charging Socket
- Adjustable Mechanical Suspension Seat - 7-Way
- Adjustable Seat Belt 2 in. (50 mm)
- Braking / Inching Pedal
- Deluxe, Extending Tilttable Steering Column
- Electronic Hand Throttle
- Horn
- Multi-Function Joystick
  - Includes: Auxiliary Hydraulics w/ Detent, Differential Lock (100%), Forward / Reverse, High / Low and Lift / Tilt
- Operator Presence Seat Switch
- Removable Rubber Floor Mat
- Rollover Protection
  - 4-Post Canopy - ROPS / FOPS Level I
  - Cab - ROPS / FOPS Level I - Optional
- Side Mirrors

### WARRANTY

- See Warranty Policy

## EQUIPMENT SPECIFICATIONS FOR BASE UNIT

### LOADER (w/ Bucket - Canopy w/ 405/70-20 Tires)

- Straight Tipping Load - 6,409 lbs. (2,907 kg)
- Full Turn Tipping Load - 4,917 lbs. (2,230 kg)
- Bucket Breakout Force - 12,661 lbs. (5,743 kg)
- Pin Height - 130.5 in. (3,315 mm)
- ROPS Height - 97.1 in. (2,467 mm)
- Wheelbase - 79.0 in. (2,007 mm)
- Turning Angle - 45°

### HYDRAULICS

- Reservoir Capacity - 19.5 gal. (73.8 L)
- Auxiliary Hydraulics
  - Standard Flow Hydraulics - 18.4 gpm (69.7 L/min)
  - Optional High-Flow Hydraulics - 26.0 gpm (98.4 L/min)
  - System Pressure - 2,900 psi (200 bar)
- Drive Hydraulics - 34.6 gpm (131.0 L/min)
  - System Pressure - 6,092 psi (420 bar)

### DIESEL ENGINE

- Yanmar 4TNV98CT
- 4 Cylinder, Turbo Charged
- 64.4 Gross hp (48 kW) @ 2,300 rpm
- Emissions Compliance (EPA / Euro)
  - Tier IV / Stage 5
- Max Torque - 217 ft.-lbs. (294 Nm) @ 1,625 rpm
- Fuel Tank - 25 gal. (95.0 L)
- Oil Change Interval - 250 hours
- Travel Speed - 7 / 12.4 mph (11 / 20.0 km/hr)
  - Optional - 19 mph (30 kph)

### ELECTRICAL

- Alternator - 100 amps
- Battery - 12 Volt, 950 CCA
- Starter - 3.0 kW
- Work Lights
  - 2 Front and 2 Rear - Halogen (750 Lumen) - Optional
  - 2 Front and 2 Rear - LED (1800 Lumen) - Optional

**\*\*NOTE: Base Loader is with No Bucket – Bucket is Ordered Separately\*\***

## Manitou Articulated Loaders

## MLA 6-65 H-Z

Part No	Part Description	List Price
<b>Base Unit</b>		
R50841247	MLA 6-65 H-Z - STANDARD BASE UNIT (Less Bucket) - U.S. AND CANADA ONLY	\$87,419.00
<b>Required Factory Options</b>		
<b>Operator Station</b>		
R50841322	4-Post Open Canopy ROPS	\$0.00
R50841323	4-Post Open Canopy ROPS w/ Glass **Includes Front and Rear Glass and Front and Rear Wipers	\$2,122.00
R50841324	Cab Enclosure w/ Heat **Includes Door and Windows	\$6,974.00
R50841325	Cab Enclosure w/ Heat and A/C **Includes Door and Windows	\$9,638.00
<b>Drive System</b>		
R50841455	Three Speed Drive System w/ Hydraglide™ Ride Control System	\$1,455.00
R50841454	Three Speed Drive System w/ Speed Control and Hydraglide™ Ride Control System	\$1,763.00
R50840723	Two Speed Drive System	\$0.00
R50841459	Two Speed Drive System w/ Hydraglide™ Ride Control System	\$725.00
R50840725	Two Speed Drive System w/ Speed Control	\$314.00
R50841458	Two Speed Drive System w/ Speed Control and Hydraglide™ Ride Control System	\$1,035.00
<b>Seat</b>		
R50840707	Air Ride Suspension Seat w/ Vinyl Cushions	\$314.00
R50840833	Deluxe Air Ride Suspension Seat	\$604.00
R50840706	Mechanical Suspension Seat w/ Vinyl Cushions	\$0.00
<b>Auxiliary Hydraulics</b>		
R50840956	High-Flow Auxiliary Hydraulic Circuit **Includes Standard Flow Circuit	\$2,787.00
R50840957	High-Flow Auxiliary Hydraulic Circuit w/ Auxiliary Hydraulic Circuit for Rear Attachment Control	\$3,650.00
R50840953	Standard Flow Auxiliary Hydraulic Circuit	\$0.00
R50840955	Standard Flow Auxiliary Hydraulic Circuit w/ Auxiliary Hydraulic Circuit for Rear Attachment Control	\$871.00
R50840954	Standard Flow Auxiliary Hydraulic Circuit w/ Second Auxiliary Hydraulic Circuit for Front Attachment Control	\$981.00
<b>Attachment System</b>		
R50840836	4-Point Quick-Attach System	\$0.00
R50840837	Euro Style Quick-Attach System	\$0.00
R50840722	Power-A-Tach® - Hydraulic Powered Quick-Attach System **Universal Skid Steer Style	\$0.00
<b>Lights</b>		
R50840748	No Lights	\$0.00
R50840734	Work Lights (Halogen)	\$152.00
R50840737	Work Lights (Halogen) w/ Road Lights **Includes Work Lights, Hi-Low Headlights, Hazards and Directionals	\$655.00
R50840735	Work Lights (LED)	\$699.00
R50840747	Work Lights (LED) w/ Road Lights **Includes Work Lights, Hi-Low Headlights, Hazards and Directionals	\$1,184.00

## Manitou Articulated Loaders

## MLA 6-65 H-Z

Part No	Part Description	List Price
<b>Required Factory Options</b>		
<b>Connected Solutions</b>		
R50841432	Easy Link Module w/ 6 Years Connectivity **for Use w/ Easy Manager System	\$1,543.00
<b>Tire Options</b>		
R50840708	405/70-20 14-Ply Ag / Industrial Hybrid Universal Tread <b>Note:</b> Selection of This Option Will Automatically Select the Narrow Fender Option and Will Display in the Summary	\$5,319.00
R50840710	405/70R20 EM-01 Non-Directional Industrial Tread <b>Note:</b> Selection of This Option Will Automatically Select the Narrow Fender Option and Will Display in the Summary	\$6,247.00
R50840712	500/45-20 TR12 High Flotation Ag Style <b>Note:</b> Selection of This Option Will Automatically Select the Wide Fender Option and Will Display in the Summary	\$5,808.00
R50840838	Less Wheels / Tires (Unit Shipped Without Mounted Wheels / Tires)	\$808.00
<b>Non-Required Factory Options</b>		
R50840772	Auxiliary Electrical Front Attachment Control (25 amp / 3-Pin)	\$243.00
R50840773	Auxiliary Electrical Rear Attachment Control (25 amp / 3-Pin)	\$305.00
R50840768	Back-Up Alarm	\$119.00
R50840771	Electric Attachment Control - 14-Pin Harness / Switches	\$613.00
R50840765	Engine Block (Frost Plug) Heater **120 Volt, 400 Watt w/ 5 ft. (1.5 m) Power Cord **Highly Recommended for Use at 20° F (-6° C) and Colder Conditions	\$101.00
R50841050	Fenders - Narrow	\$0.00
R50841051	Fenders - Wide	\$0.00
R50840962	Painting - Non-Standard Paint Package - Painted One Requested Color <b>Note:</b> Paint Options REQUIRE 4-Digit RAL Paint Color Specification (Must Be Ordered Prior To Production Run. Any Specialized Non-Standard Paints Will Have Additional Cost.)	\$2,057.00
R50840767	Radio - Universal Mounting **Includes Base Radio, Speakers, Wiring and Hardware <b>Note:</b> Cab Enclosure Only	\$473.00
R50840779	Rear Attachment Mount - 2 in. (50 mm) Square Receiver	\$133.00
R50840778	Rear Attachment Mount - Clevis / Drawbar Style	\$133.00
R50840819	Rear Electric Plug - 7-Pin	\$260.00
R50840789	Rotating Beacon <b>Note:</b> Cab Enclosure Only	\$163.00
R50840790	Rotating Beacon <b>Note:</b> 4-Post Only	\$163.00
R50840766	Seat Belt - 3 in. (76 mm) <b>Note:</b> Where Required By State Law	\$110.00
R50840788	Side Gates <b>Note:</b> CANNOT Be Used w/ Cab Enclosure or 4-Post Canopy w/ Glass	\$849.00
R50840783	Sound Suppression	\$362.00
R50840777	Strobe Light	\$188.00
R50840926	Toolbox, Lockable	\$215.00
R50840729	Weight - Rear Counterweight	\$1,033.00
<b>Field Installed Options</b>		
R50840800	Auxiliary Electrical Front Attachment Control Kit (25 amp / 3-Pin)	\$163.00
R50840801	Auxiliary Electrical Rear Attachment Control Kit (25 amp / 3-Pin)	\$244.00
R50840791	Back-Up Alarm Kit	\$102.00

## Manitou Articulated Loaders

## MLA 6-65 H-Z

Part No	Part Description	List Price
<b>Field Installed Options</b>		
R50840802	Electric Attachment Control Kit - 14-Pin Harness / Switches	\$565.00
R50840850	Fender Kit - Narrow	\$982.00
R50840849	Fender Kit - Wide	\$1,009.00
R50840804	Radio Kit - Universal Mounting **Includes Base Radio, Speakers, Wiring and Hardware	\$427.00
R50840863	Rear Attachment Mount Kit - 2 in. (50 mm) Square Receiver	\$112.00
R50840862	Rear Attachment Mount Kit - Clevis / Drawbar Style	\$112.00
R50840852	Rear Electric Plug Kit - 7-Pin	\$204.00
R50840798	Road Light Kit - Homologation **Includes Hi-Low Headlights, Hazards and Directionals	\$851.00
R50840807	Rotating Beacon Kit	\$153.00
R50840851	Seat Belt Replacement - 3 in. (76 mm) <b>Note:</b> Where Required By State Law	\$111.00
R50840792	Second Auxiliary Hydraulic Circuit Kit for Front Attachment Control <b>Note:</b> CANNOT Be Used with High-Flow Auxiliary Hydraulic Circuit <b>Note:</b> CANNOT Be Used with Rear Auxiliary Hydraulic Circuit	\$1,178.00
R50840844	Sound Suppression Kit	\$362.00
R50840709	Spare Tire on Rim - 405/70-20 14-Ply Ag / Industrial Hybrid Universal Tread	\$1,221.00
R50840711	Spare Tire on Rim - 405/70R20 EM-01 Non-Directional Industrial Tread	\$1,380.00
R50840713	Spare Tire on Rim - 500/45-20 TR12 High Flotation Ag Style	\$1,327.00
R50840984	Step Kit **Provides an Additional Step for a Lower, Easier Entrance	\$208.00
R50840806	Strobe Light Kit	\$175.00
R50840963	Tie Down Kit	\$113.00
R50840927	Toolbox Kit (Lockable)	\$215.00
R50840845	Weight Kit - Rear Counterweight	\$1,033.00
R50840903	Wheel Chock Kit	\$185.00
R50840847	Work Light Kit (Halogen)	\$136.00
R50840846	Work Light Kit (LED)	\$660.00

## STANDARD EQUIPMENT

### DRIVE TRAIN / CHASSIS

- Automotive Style Hydrostatic Drive, 2-Speed w/ Anti-Stall System
  - 3-Speed Drive System - Optional
- Front / Rear Tie Downs
- Heavy-Duty Axles - 100% Differential Lock (Hydraulically Activated)
- Power-A-Tach® - Skid Steer Loader Style
- Steering / Frame Transport Lock (conforms to SAEJ276)
- Tapered Z-Bar Loader Linkage
  - Includes: Limited Self-Leveling and Mechanical Return-to-Dig

### ELECTRICAL SYSTEM

- Multi-Function Digital Display
  - Displays Coolant Temp, Engine RPM, Fuel Level, Hour Meter and Volt Meter
  - Indicators - Alternator, Engine Cooling Temperature, Engine Oil Pressure, Engine Pre-Heat, Forward / Reverse Direction, Hydraulic Oil Temperature, Low Speed, High Speed and Parking Brake
- Centralized Fuse Bank
- Easy Link Module
- Emergency Lift Arm Lower Switch
- Lift / Tilt Electronic Lock-out Switch
- Master Electrical Disconnect Switch
- Reverse and Brake Tail Lights

### ENGINE

- Deutz Turbo Charged Diesel Engine
- DOC (Diesel Oxidation Catalyst)
- Dual Element Air Cleaner w/ Indicator
- Glow Plug Heater Starter Assist - Automatic / Manual
- Lockable Engine Cover
- Lockable Fuel Cap
- Radiator / Hydraulic Cooler - Side By Side

### HYDRAULICS SYSTEM

- 3-Spool Open Center Valve
- 10 Micron In-Tank Filter
- Bucket Float
- Lift Arm Float
- Proportional Front Auxiliary Hydraulics w/ Flat-Faced Couplers
  - Includes: Case Drain Line and Pressure Dump Switch
- Variable Speed Cooling Fan (Reversible)

### OPERATORS AREA

- Adjustable Arm Rest w/ Built-in 12-Volt Charging Socket
- Adjustable Mechanical Suspension Seat - 7-Way
- Adjustable Seat Belt 2 in. (50 mm)
- Braking / Inching Pedal
- Deluxe, Extending Tilttable Steering Column
- Electronic Hand Throttle
- Horn
- Multi-Function Joystick
  - Includes: Auxiliary Hydraulics w/ Detent, Differential Lock (100%), Forward / Reverse, High / Low and Lift / Tilt
- Operator Presence Seat Switch
- Removable Rubber Floor Mat
- Rollover Protection
  - 4-Post Canopy - ROPS / FOPS Level I
  - Cab - ROPS / FOPS Level I - Optional
- Side Mirrors

### WARRANTY

- See Warranty Policy

## EQUIPMENT SPECIFICATIONS FOR BASE UNIT

### LOADER (w/ Bucket - Canopy w/ 405/70-20 Tires)

- Straight Tipping Load - 7,446 lbs. (3,378 kg)
- Full Turn Tipping Load - 5,778 lbs. (2,621 kg)
- Bucket Breakout Force - 13,020 lbs. (5,906 kg)
- Pin Height - 136.8 in. (3,474 mm)
- ROPS Height - 97.5 in. (2,476 mm)
- Wheelbase - 81.2 in. (2,063 mm)
- Turning Angle - 45°

### HYDRAULICS

- Reservoir Capacity - 19.5 gal. (73.8 L)
- Auxiliary Hydraulics
  - Standard Flow Hydraulics - 18.4 gpm (69.7 L/min)
  - Optional High-Flow Hydraulics - 30.6 gpm (115.8 L/min)
  - System Pressure - 2,900 psi (200 bar)
- Drive Hydraulics - 39.3 gpm (148.8 L/min)
  - System Pressure - 5,511 psi (380 bar)

### DIESEL ENGINE

- Deutz TD3.6 L4
- 4 Cylinder, Turbo Charged
- 74.3 Gross hp (55.4 kW) @ 2,300 rpm
- Emissions Compliance (EPA / Euro)
  - Tier IV / Stage 5
- Max Torque - 243.5 ft.-lbs. (330 Nm) @ 1,500 rpm
- Fuel Tank - 27 gal. (102.0 L)
- Oil Change Interval - 250 hours
- Travel Speed - 5 / 12.4 mph (8 / 20.0 km/hr)
  - Optional - 19 mph (30 km/hr)

### ELECTRICAL

- Alternator - 95 amps
- Battery - 12 Volt, 950 CCA
- Starter - 3.2 kW
- Work Lights
  - 2 Front and 2 Rear - Halogen (750 Lumen) - Optional
  - 2 Front and 2 Rear - LED (1800 Lumen) - Optional

**\*\*NOTE: Base Loader is with No Bucket – Bucket is Ordered Separately\*\***

## Manitou Articulated Loaders

## MLA 7-75 H-Z

Part No	Part Description	List Price
<b>Base Unit</b>		
R50841249	MLA 7-75 H-Z - STANDARD BASE UNIT (Less Bucket) - U.S. AND CANADA ONLY	\$97,094.00
<b>Required Factory Options</b>		
<b>Operator Station</b>		
R50841326	4-Post Open Canopy ROPS	\$0.00
R50841327	4-Post Open Canopy ROPS w/ Glass **Includes Front and Rear Glass and Front and Rear Wipers	\$2,122.00
R50841328	Cab Enclosure w/ Heat **Includes Door and Windows	\$6,974.00
R50841329	Cab Enclosure w/ Heat and A/C **Includes Door and Windows	\$9,638.00
<b>Drive System</b>		
R50841455	Three Speed Drive System w/ Hydraglide™ Ride Control System	\$1,455.00
R50841454	Three Speed Drive System w/ Speed Control and Hydraglide™ Ride Control System	\$1,763.00
R50840723	Two Speed Drive System	\$0.00
R50841459	Two Speed Drive System w/ Hydraglide™ Ride Control System	\$725.00
R50840725	Two Speed Drive System w/ Speed Control	\$314.00
R50841458	Two Speed Drive System w/ Speed Control and Hydraglide™ Ride Control System	\$1,035.00
<b>Seat</b>		
R50840707	Air Ride Suspension Seat w/ Vinyl Cushions	\$314.00
R50840833	Deluxe Air Ride Suspension Seat	\$604.00
R50840706	Mechanical Suspension Seat w/ Vinyl Cushions	\$0.00
<b>Auxiliary Hydraulics</b>		
R50840951	High-Flow Auxiliary Hydraulic Circuit **Includes Standard Flow Circuit	\$2,787.00
R50840952	High-Flow Auxiliary Hydraulic Circuit w/ Auxiliary Hydraulic Circuit for Rear Attachment Control	\$3,650.00
R50840948	Standard Flow Auxiliary Hydraulic Circuit	\$0.00
R50840950	Standard Flow Auxiliary Hydraulic Circuit w/ Auxiliary Hydraulic Circuit for Rear Attachment Control	\$871.00
R50840949	Standard Flow Auxiliary Hydraulic Circuit w/ Second Auxiliary Hydraulic Circuit for Front Attachment Control	\$981.00
<b>Attachment System</b>		
R50840836	4-Point Quick-Attach System	\$0.00
R50840837	Euro Style Quick-Attach System	\$0.00
R50840722	Power-A-Tach® - Hydraulic Powered Quick-Attach System **Universal Skid Steer Style	\$0.00
<b>Lights</b>		
R50840748	No Lights	\$0.00
R50840734	Work Lights (Halogen)	\$152.00
R50840737	Work Lights (Halogen) w/ Road Lights **Includes Work Lights, Hi-Low Headlights, Hazards and Directionals	\$655.00
R50840735	Work Lights (LED)	\$699.00
R50840747	Work Lights (LED) w/ Road Lights **Includes Work Lights, Hi-Low Headlights, Hazards and Directionals	\$1,184.00

## Manitou Articulated Loaders

## MLA 7-75 H-Z

Part No	Part Description	List Price
<b>Required Factory Options</b>		
<b>Connected Solutions</b>		
R50841432	Easy Link Module w/ 6 Years Connectivity **for Use w/ Easy Manager System	\$1,543.00
<b>Tire Options</b>		
R50840714	405/70-20 (16/70-20) 145 G Ag / Industrial Hybrid Universal Tread <b>Note:</b> Selection of This Option Will Automatically Select the Narrow Fender Option and Will Display in the Summary	\$5,319.00
R50840716	405/70R20 (16/70R20) 143 B Non-Directional Industrial Tread <b>Note:</b> Selection of This Option Will Automatically Select the Narrow Fender Option and Will Display in the Summary	\$6,315.00
R50840718	500/45-20 160 A8 High Flotation Ag Style <b>Note:</b> Selection of This Option Will Automatically Select the Wide Fender Option and Will Display in the Summary	\$5,808.00
R50840720	600/40-22.5 High Flotation Ag Style <b>Note:</b> Selection of This Option Will Automatically Select the Wide Fender Option and Will Display in the Summary	\$8,228.00
R50840839	Less Wheels / Tires (Unit Shipped Without Mounted Wheels / Tires)	\$808.00
<b>Non-Required Factory Options</b>		
R50840772	Auxiliary Electrical Front Attachment Control (25 amp / 3-Pin)	\$243.00
R50840773	Auxiliary Electrical Rear Attachment Control (25 amp / 3-Pin)	\$305.00
R50840768	Back-Up Alarm	\$119.00
R50840771	Electric Attachment Control - 14-Pin Harness / Switches	\$613.00
R50840780	Engine Block (Frost Plug) Heater **120 Volt, 400 Watt w/ 5 ft. (1.5 m) Power Cord **Highly Recommended for Use at 20° F (-6° C) and Colder Conditions	\$187.00
R50841050	Fenders - Narrow	\$0.00
R50841051	Fenders - Wide	\$0.00
R50840962	Painting - Non-Standard Paint Package - Painted One Requested Color <b>Note:</b> Paint Options REQUIRE 4-Digit RAL Paint Color Specification (Must Be Ordered Prior To Production Run. Any Specialized Non-Standard Paints Will Have Additional Cost.)	\$2,057.00
R50840767	Radio - Universal Mounting **Includes Base Radio, Speakers, Wiring and Hardware <b>Note:</b> Cab Enclosure Only	\$473.00
R50840779	Rear Attachment Mount - 2 in. (50 mm) Square Receiver	\$133.00
R50840778	Rear Attachment Mount - Clevis / Drawbar Style	\$133.00
R50840819	Rear Electric Plug - 7-Pin	\$260.00
R50840789	Rotating Beacon <b>Note:</b> Cab Enclosure Only	\$163.00
R50840790	Rotating Beacon <b>Note:</b> 4-Post Only	\$163.00
R50840766	Seat Belt - 3 in. (76 mm) <b>Note:</b> Where Required By State Law	\$110.00
R50840788	Side Gates <b>Note:</b> CANNOT Be Used w/ Cab Enclosure or 4-Post Canopy w/ Glass	\$849.00
R50840783	Sound Suppression	\$362.00
R50840777	Strobe Light	\$188.00
R50840926	Toolbox, Lockable	\$215.00
<b>Field Installed Options</b>		
R50840800	Auxiliary Electrical Front Attachment Control Kit (25 amp / 3-Pin)	\$163.00
R50840801	Auxiliary Electrical Rear Attachment Control Kit (25 amp / 3-Pin)	\$244.00

## Manitou Articulated Loaders

## MLA 7-75 H-Z

Part No	Part Description	List Price
<b>Field Installed Options</b>		
R50840791	Back-Up Alarm Kit	\$102.00
R50840802	Electric Attachment Control Kit - 14-Pin Harness / Switches	\$565.00
R50840795	Engine Block (Frost Plug) Heater Kit **120 Volt, 400 Watt w/ 5 ft. (1.5 m) Power Cord **Highly Recommended for Use at 20° F (-6° C) and Colder Conditions	\$187.00
R50840850	Fender Kit - Narrow	\$982.00
R50840849	Fender Kit - Wide	\$1,009.00
R50840804	Radio Kit - Universal Mounting **Includes Base Radio, Speakers, Wiring and Hardware	\$427.00
R50840863	Rear Attachment Mount Kit - 2 in. (50 mm) Square Receiver	\$112.00
R50840862	Rear Attachment Mount Kit - Clevis / Drawbar Style	\$112.00
R50840852	Rear Electric Plug Kit - 7-Pin	\$204.00
R50840798	Road Light Kit - Homologation **Includes Hi-Low Headlights, Hazards and Directionals	\$851.00
R50840807	Rotating Beacon Kit	\$153.00
R50840851	Seat Belt Replacement - 3 in. (76 mm) <b>Note:</b> Where Required By State Law	\$111.00
R50840793	Second Auxiliary Hydraulic Circuit Kit for Front Attachment Control <b>Note:</b> CANNOT Be Used with High-Flow Auxiliary Hydraulic Circuit <b>Note:</b> CANNOT Be Used with Rear Auxiliary Hydraulic Circuit	\$1,178.00
R50840844	Sound Suppression Kit	\$362.00
R50840715	Spare Tire on Rim - 405/70-20 (16/70-20) 145 G Ag / Industrial Hybrid Universal Tread	\$1,221.00
R50840717	Spare Tire on Rim - 405/70R20 (16/70R20) 143 B Non-Directional Industrial Tread	\$1,380.00
R50840719	Spare Tire on Rim - 500/45-20 160 A8 High Flotation Ag Style	\$1,327.00
R50840721	Spare Tire on Rim - 600/40 - 22.5 High Flotation Ag Style	\$1,910.00
R50840984	Step Kit **Provides an Additional Step for a Lower, Easier Entrance	\$208.00
R50840806	Strobe Light Kit	\$175.00
R50840963	Tie Down Kit	\$113.00
R50840927	Toolbox Kit (Lockable)	\$215.00
R50840903	Wheel Chock Kit	\$185.00
R50840847	Work Light Kit (Halogen)	\$136.00
R50840846	Work Light Kit (LED)	\$660.00

### STANDARD EQUIPMENT

#### DRIVE TRAIN / CHASSIS

- Automotive Style Hydrostatic Drive, 2-Speed w/ Anti-Stall System
  - 3-Speed Drive System - Optional
- Front / Rear Tie Downs
- Heavy-Duty Axles - 100% Differential Lock (Hydraulically Activated)
- Power-A-Tach® - Skid Steer Loader Style
- Steering / Frame Transport Lock (conforms to SAEJ276)
- Telescopic Boom - Double U-Shaped

#### ELECTRICAL SYSTEM

- Multi-Function Digital Display
  - Displays Coolant Temp, Engine RPM, Fuel Level, Hour Meter and Volt Meter
  - Indicators - Alternator, Engine Cooling Temperature, Engine Oil Pressure, Engine Pre-Heat, Forward / Reverse Direction, Hydraulic Oil Temperature, Low Speed, High Speed and Parking Brake
- Centralized Fuse Bank
- Easy Link Module
- Lift / Tilt Electronic Lock-out Switch
- Master Electrical Disconnect Switch
- Reverse and Brake Tail Lights

#### ENGINE

- Deutz Turbo Charged Diesel Engine
- DOC (Diesel Oxidation Catalyst)
- Dual Element Air Cleaner w/ Indicator
- Glow Plug Heater Starter Assist – Automatic / Manual
- Lockable Engine Cover
- Lockable Fuel Cap
- Radiator / Hydraulic Cooler - Side By Side

#### HYDRAULICS SYSTEM

- 3-Spool Open Center Valve
- 10 Micron In-Tank Filter
- Lift Arm Float
- Proportional Front Auxiliary Hydraulics w/ Flat-Faced Couplers
  - Includes: Case Drain Line and Pressure Dump Switch
- Variable Speed Cooling Fan (Reversible)

#### OPERATORS AREA

- Adjustable Arm Rest w/ Built-in 12-Volt Charging Socket
- Adjustable Mechanical Suspension Seat - 7-Way
- Adjustable Seat Belt 2 in. (50 mm)
- Braking / Inching Pedal
- Deluxe, Extending & Tilttable Steering Column
- Electronic Hand Throttle
- Horn
- Multi-Function Joystick
  - Includes: Auxiliary Hydraulics w/ Detent, Differential Lock (100%), Forward / Reverse, Boom In / Out, High / Low and Lift / Tilt
- Operator Presence Seat Switch
- Removable Rubber Floor Mat
- Rollover Protection
  - 4-Post Canopy - ROPS / FOPS Level I
  - Cab - ROPS / FOPS Level I - Optional
- Side Mirrors

#### WARRANTY

- See Warranty Policy

### EQUIPMENT SPECIFICATIONS FOR BASE UNIT

#### LOADER (w/ Bucket - Canopy w/ 405/70-20 Tires)

- Straight Tipping Load
  - Retracted - 7,539 lbs. (3,420 kg)
  - Extended - 3,854 lbs. (1,748 kg)
- Full Turn Tipping Load
  - Retracted - 5,312 lbs. (2,409 kg)
  - Extended - 2,643 lbs. (1,199 kg)
- Bucket Breakout Force - 10,052 lbs. (4,559 kg)
- Pin Height
  - Retracted – 154.0 in. (3,911 mm)
  - Extended - 198.0 in. (5,027 mm)
- ROPS Height - 97.5 in. (2,476 mm)
- Wheelbase - 87.8 in. (2,230 mm)
- Turning Angle - 40°

#### HYDRAULICS

- Reservoir Capacity - 19.5 gal. (73.8 L)
- Auxiliary Hydraulics
  - Standard Flow Hydraulics - 18.4 gpm (69.7 L/min)
  - Optional High-Flow Hydraulics - 30.6 gpm (115.8 L/min)
  - System Pressure - 2,900 psi (200 bar)
- Drive Hydraulics - 39.3 gpm (148.8 L/min)
  - System Pressure - 5,511 psi (380 bar)

#### DIESEL ENGINE

- Deutz TD3.6 L4
- 4 Cylinder, Turbo Charged
- 74.3 Gross hp (55.4 kW) @ 2,300 rpm
- Emissions Compliance (EPA / Euro)
  - Tier IV / Stage 3B
- Max Torque - 243.5 ft.-lbs. (330 Nm) @ 1,500 rpm
- Fuel Tank - 31.7 gal. (120.0 L)
- Oil Change Interval - 250 hours
- Travel Speed - 5 / 12.4 mph (8 / 20.0 km/hr)
  - Optional - 19 mph (30 km/hr)

#### ELECTRICAL

- Alternator - 95 amps
- Battery - 12 Volt, 950 CCA
- Starter - 3.2 kW
- Work Lights
  - 2 Front and 2 Rear - Halogen (750 Lumen) - Optional
  - 2 Front and 2 Rear - LED (1800 Lumen) - Optional
  - 2 Boom Mounted - Optional

**\*\*NOTE: Base Loader is with No Bucket – Bucket is Ordered Separately\*\***

## Manitou Articulated Loaders

## MLA-T 516-75 H

Part No	Part Description	List Price
<b>Base Unit</b>		
R50841250	MLA-T 516-75 H - STANDARD BASE UNIT (Less Bucket) - U.S. AND CANADA ONLY	\$107,306.00
<b>Required Factory Options</b>		
<b>Operator Station</b>		
R50841330	4-Post Open Canopy ROPS	\$0.00
R50841331	4-Post Open Canopy ROPS w/ Glass **Includes Front and Rear Glass and Front and Rear Wipers	\$2,122.00
R50841332	Cab Enclosure w/ Heat **Includes Door and Windows	\$6,974.00
R50841333	Cab Enclosure w/ Heat and A/C **Includes Door and Windows	\$9,638.00
<b>Drive System</b>		
R50841448	Three Speed Drive System w/ Hydraglide™ Ride Control System	\$1,693.00
R50841446	Three Speed Drive System w/ Speed Control and Hydraglide™ Ride Control System	\$2,053.00
R50841026	Two Speed Drive System	\$0.00
R50841447	Two Speed Drive System w/ Hydraglide™ Ride Control System	\$1,009.00
R50841029	Two Speed Drive System w/ Speed Control	\$365.00
R50841449	Two Speed Drive System w/ Speed Control and Hydraglide™ Ride Control System	\$1,205.00
<b>Seat</b>		
R50840707	Air Ride Suspension Seat w/ Vinyl Cushions	\$314.00
R50840833	Deluxe Air Ride Suspension Seat	\$604.00
R50840706	Mechanical Suspension Seat w/ Vinyl Cushions	\$0.00
<b>Auxiliary Hydraulics</b>		
R50841444	High-Flow Auxiliary Hydraulic Circuit **Includes Standard Flow Circuit	\$3,296.00
R50840924	Standard Flow Auxiliary Hydraulic Circuit	\$0.00
<b>Attachment System</b>		
R50840913	4-Point Quick-Attach System	\$0.00
R50840914	Euro Style Quick-Attach System	\$0.00
R50841468	Manitou TS Quick-Attach System	\$1,227.00
R50840912	Power-A-Tach® - Hydraulic Powered Quick-Attach System **Universal Skid Steer Style	\$0.00
<b>Lights</b>		
R50840965	Work Lights (Halogen)	\$267.00
R50840967	Work Lights (Halogen) w/ Road Lights **Includes Work Lights, Hi-Low Headlights, Hazards and Directionals	\$862.00
R50840966	Work Lights (LED)	\$1,210.00
R50840968	Work Lights (LED) w/ Road Lights **Includes Work Lights, Hi-Low Headlights, Hazards and Directionals	\$1,808.00
<b>Connected Solutions</b>		
R50841432	Easy Link Module w/ 6 Years Connectivity **for Use w/ Easy Manager System	\$1,543.00
<b>Tire Options</b>		
R50840714	405/70-20 (16/70-20) 145 G Ag / Industrial Hybrid Universal Tread <b>Note:</b> Selection of This Option Will Automatically Select the Narrow Fender Option and Will Display in the Summary	\$5,319.00

## Manitou Articulated Loaders

## MLA-T 516-75 H

Part No	Part Description	List Price
<b>Required Factory Options</b>		
<b>Tire Options</b>		
R50840716	405/70R20 (16/70R20) 143 B Non-Directional Industrial Tread <b>Note:</b> Selection of This Option Will Automatically Select the Narrow Fender Option and Will Display in the Summary	\$6,315.00
R50840718	500/45-20 160 A8 High Flotation Ag Style <b>Note:</b> Selection of This Option Will Automatically Select the Wide Fender Option and Will Display in the Summary	\$5,808.00
R50840720	600/40-22.5 High Flotation Ag Style <b>Note:</b> Selection of This Option Will Automatically Select the Wide Fender Option and Will Display in the Summary	\$8,228.00
R50840839	Less Wheels / Tires (Unit Shipped Without Mounted Wheels / Tires)	\$808.00
<b>Non-Required Factory Options</b>		
R50840978	Auxiliary Electrical Front Attachment Control (25 amp / 3-Pin)	\$529.00
R50840773	Auxiliary Electrical Rear Attachment Control (25 amp / 3-Pin)	\$305.00
R50840768	Back-Up Alarm	\$119.00
R50840979	Electric Attachment Control - 14-Pin Harness / Switches	\$698.00
R50840780	Engine Block (Frost Plug) Heater **120 Volt, 400 Watt w/ 5 ft. (1.5 m) Power Cord **Highly Recommended for Use at 20° F (-6° C) and Colder Conditions	\$187.00
R50841050	Fenders - Narrow	\$0.00
R50841051	Fenders - Wide	\$0.00
R50840962	Painting - Non-Standard Paint Package - Painted One Requested Color <b>Note:</b> Paint Options REQUIRE 4-Digit RAL Paint Color Specification (Must Be Ordered Prior To Production Run. Any Specialized Non-Standard Paints Will Have Additional Cost.)	\$2,057.00
R50840767	Radio - Universal Mounting **Includes Base Radio, Speakers, Wiring and Hardware <b>Note:</b> Cab Enclosure Only	\$473.00
R50840779	Rear Attachment Mount - 2 in. (50 mm) Square Receiver	\$133.00
R50840778	Rear Attachment Mount - Clevis / Drawbar Style	\$133.00
R50840819	Rear Electric Plug - 7-Pin	\$260.00
R50840789	Rotating Beacon <b>Note:</b> Cab Enclosure Only	\$163.00
R50840790	Rotating Beacon <b>Note:</b> 4-Post Only	\$163.00
R50840766	Seat Belt - 3 in. (76 mm) <b>Note:</b> Where Required By State Law	\$110.00
R50840788	Side Gates <b>Note:</b> CANNOT Be Used w/ Cab Enclosure or 4-Post Canopy w/ Glass	\$849.00
R50840783	Sound Suppression	\$362.00
R50840777	Strobe Light	\$188.00
R50840926	Toolbox, Lockable	\$215.00
<b>Field Installed Options</b>		
R50840801	Auxiliary Electrical Rear Attachment Control Kit (25 amp / 3-Pin)	\$244.00
R50840791	Back-Up Alarm Kit	\$102.00
R50840795	Engine Block (Frost Plug) Heater Kit **120 Volt, 400 Watt w/ 5 ft. (1.5 m) Power Cord **Highly Recommended for Use at 20° F (-6° C) and Colder Conditions	\$187.00
R50840850	Fender Kit - Narrow	\$982.00
R50840849	Fender Kit - Wide	\$1,009.00

## Manitou Articulated Loaders

## MLA-T 516-75 H

Part No	Part Description	List Price
<b>Field Installed Options</b>		
R50840804	Radio Kit - Universal Mounting **Includes Base Radio, Speakers, Wiring and Hardware	\$427.00
R50840863	Rear Attachment Mount Kit - 2 in. (50 mm) Square Receiver	\$112.00
R50840862	Rear Attachment Mount Kit - Clevis / Drawbar Style	\$112.00
R50840852	Rear Electric Plug Kit - 7-Pin	\$204.00
R50840798	Road Light Kit - Homologation **Includes Hi-Low Headlights, Hazards and Directionals	\$851.00
R50840807	Rotating Beacon Kit	\$153.00
R50840851	Seat Belt Replacement - 3 in. (76 mm) <b>Note:</b> Where Required By State Law	\$111.00
R50840844	Sound Suppression Kit	\$362.00
R50840715	Spare Tire on Rim - 405/70-20 (16/70-20) 145 G Ag / Industrial Hybrid Universal Tread	\$1,221.00
R50840717	Spare Tire on Rim - 405/70R20 (16/70R20) 143 B Non-Directional Industrial Tread	\$1,380.00
R50840719	Spare Tire on Rim - 500/45-20 160 A8 High Flotation Ag Style	\$1,327.00
R50840721	Spare Tire on Rim - 600/40 - 22.5 High Flotation Ag Style	\$1,910.00
R50840984	Step Kit **Provides an Additional Step for a Lower, Easier Entrance	\$208.00
R50840806	Strobe Light Kit	\$175.00
R50840963	Tie Down Kit	\$113.00
R50840927	Toolbox Kit (Lockable)	\$215.00
R50840903	Wheel Chock Kit	\$185.00
R50840847	Work Light Kit (Halogen)	\$136.00
R50840846	Work Light Kit (LED)	\$660.00

## ARTICULATED LOADER ATTACHMENTS

Attachments vary by model. Please refer to the Attachment Matrix for attachment availability by model as well as dimensional information and pricing.

### NOTICE:

Attachments are approved for use on Manitou Articulated Loaders when properly mounted, appropriate for the rated operating capacity and auxiliary hydraulic flow of the machine, if applicable, and used in accordance with the Operator's Manual.

Manitou Equipment America, LLC is not responsible for the consequences if a machine is used for a non-approved attachment.





# Articulated Loader Attachments

Part No	Description	List Price	Width (in)	Height (in)	Depth (in)	Capacity (cu yd)	Capacity (cu ft)	Length (in)	MLA 5-60 H-Z	MLA 6-65 H-Z	MLA 7-75 H-Z	MLA-T 516-75 H
<b>Buckets</b>												
R50841805	Light Material Bucket - 54 in. (1371 mm) Wide, 17.6 cu. ft. (0.49 cu. m.) **for Use w/ R50841823 Cutting Edge	\$1,555.00	54	28	36		17.6		X			
R809554	Utility Bucket - 54 in. (1371 mm) Wide, 16.3 cu. ft. (0.46 cu. m.)	\$1,555.00	54	28	32		16.3		X			
R50841806	Light Material Bucket - 60 in. (1524 mm) Wide, 23.3 cu. ft. (0.65 cu. m.) **for Use w/ R50841824 Cutting Edge	\$1,729.00	60	30	39		23.3		X			
R809556	Utility Bucket - 60 in. (1524 mm) Wide, 23.8 cu. ft. (0.67 cu. m.)	\$1,862.00	60	31	36		23.8		X			
R809565	Light Material Bucket - 66 in. (1676 mm) Wide, 27.0 cu. ft. (0.76 cu. m.)	\$2,185.00	66	29	41		27.0		X			
R50841807	Light Material Bucket - 68 in. (1727 mm) Wide, 27.0 cu. ft. (0.76 cu. m.) **for Use w/ R50841825 Cutting Edge	\$2,185.00	68	30	39		27.0		X			
R50840870	Dirt / Construction Bucket - 66 in. (1676 mm) Wide, 0.75 cu. yd. (0.57 cu. m.)	\$2,003.00	66	28	36	0.8				X		
R50840871	Dirt / Construction Bucket - 74 in. (1879 mm) Wide, 1.0 cu. yd. (0.76 cu. m.)	\$2,216.00	74	31	38	1.0				X	X	X
R50840869	Dirt / Construction Bucket - 84 in. (2133 mm) Wide, 1.0 cu. yd. (0.76 cu. m.)	\$2,444.00	84	28	36	1.0				X	X	X
R50840874	Light Material Bucket - 84 in. (2133 mm) Wide, 1.67 cu. yd. (1.27 cu. m.)	\$3,065.00	84	34	48	1.7				X	X	X
R50840872	Utility Bucket - 84 in. (2133 mm) Wide, 1.5 cu. yd. (1.14 cu. m.)	\$3,147.00	84	34	44	1.5				X	X	X
R50840873	Utility Bucket - 90 in. (2286 mm) Wide, 2.0 cu. yd. (1.52 cu. m.)	\$3,247.00	90	37	49	2.0					X	X
<b>Cutting Edges</b>												
R50841823	Cutting Edge, Bolt-on 54 in. (1371 mm) **for Use w/ R50841805 Bucket	 \$140.00	54						X			
R50841824	Cutting Edge, Bolt-on 60 in. (1524 mm) **for Use w/ R50841806 Bucket	 \$160.00	60						X			
R50841825	Cutting Edge, Bolt-on 68 in. (1727 mm) **for Use w/ R50841807 Bucket	 \$201.00	68						X			
R809596	Cutting Edge, Bolt-on 54 in. (1371 mm)	\$277.00	54						X			



# Articulated Loader Attachments

Part No	Description	List Price	Width (in)	Height (in)	Depth (in)	Capacity (cu yd)	Capacity (cu ft)	Length (in)	MLA 5-60 H-Z	MLA 6-65 H-Z	MLA 7-75 H-Z	MLA-T 516-75 H
<b>Cutting Edges</b>												
R809597	Cutting Edge, Bolt-on 60 in. (1524 mm)	\$330.00	60						X			
R50840878	Cutting Edge, Bolt-on 66 in. (1676 mm)	\$433.00	66							X		
R809598	Cutting Edge, Bolt-on 66 in. (1676 mm)	\$415.00	66						X			
R50840879	Cutting Edge, Bolt-on 74 in. (1879 mm)	\$474.00	74							X	X	X
R50840880	Cutting Edge, Bolt-on 84 in. (2133 mm)	\$469.00	84							X	X	X
R50840881	Cutting Edge, Bolt-on 90 in. (2286 mm)	\$492.00	90							X	X	X
<b>Carriages</b>												
R50840900	Carriage, Open Center - 45 in. (1143 mm) Wide	\$885.00	45						X	X	X	X
<b>Forks</b>												
R50840901	Pallet Fork (Single Fork) - ITA Style, 1.5 in. x 4 in. x 42 in. (38 mm x 101 mm x 1066 mm) <b>Note:</b> Two Required Per Carriage	\$351.00	4		2			42	X	X	X	X
R50840902	Pallet Fork (Single Fork) - ITA Style, 1.5 in. x 4 in. x 48 in. (38 mm x 101 mm x 1219 mm) <b>Note:</b> Two Required Per Carriage	\$376.00	4		2			48	X	X	X	X

## ATTACHMENTS

**\*\*Note: In 2021, EDGE® Attachments was rebranded as Manitou Group Attachments\*\***

For information on additional attachments (availability, pricing and ordering) contact our Manitou Group Attachments Customer Service group.

By Phone	By Fax	Electronically
262-387-1210	262-387-1247	Email: <a href="mailto:attachmentinfo@manitou-group.com">attachmentinfo@manitou-group.com</a>
866-232-8224		Website: <a href="http://attachments.manitou-group.com">attachments.manitou-group.com</a>

### NOTICE:

Attachments sold through Manitou Group Attachments are approved for use on Manitou Articulated Loaders when properly mounted, appropriate for the rated operating capacity and auxiliary hydraulic flow of the machine and used in accordance with the Operator's Manual.

Manitou Equipment America, LLC is not responsible for the consequences if a machine is used for a non-approved attachment.

Pictured below are some commonly used attachments for purchase through Manitou Group Attachments.

**Augers**



**Brooms**



**Grapple Buckets**



**Power Rakes**



**Mowers**

