

DATE: January 16, 2023
SUBJECT: Price Pages
MODELS: All MLT Series Telescopic Handler Models
TO: All Manitou MLT Series Telescopic Handler Dealers

One Gehl Way
West Bend, WI 53095

262-334-9461 (P)
262-334-6689 (F)

Attached are **replacement** pages for your MLT Series Telescopic Handler price list with an Effective Date of January 16, 2023. These pages replace all previously published lists.

This price list reflects a 3% increase on base units, options and attachments as was previously communicated.

NEW for 2023 -

MLT 961 Environmental



This model has additional options for machine use in waste, recycling and scrap applications.

Pricing reflects suggested list prices in U.S. dollars.

Please ensure that all your sales personnel have a copy of this revised price list. Copies of the price list can be printed and/or downloaded and saved from the Manitou Dealer Portal for future reference.



AGRICULTURE/MULTI-PURPOSE TELESCOPIC HANDLERS & OPTIONS PRICE LIST

INDEX

	<u>Page</u>
ULM 415 AG	2
MLT 420 TIER IV	3
MLT 625 STAGE 5 / TIER IV	4
MLT 630 STAGE 5 / TIER IV - UPDATE	5
MLT 733 STAGE 5 / TIER IV - UPDATE	6
MLT 737 130 HP STAGE 5 / TIER IV	7
MLT 841-145 141 HP	8
MLT 961-160 L STAGE 5 / Tier IV	9
MLT 961-160 Environmental - NEW	10
MLT 1041-145 L 141 HP	11
MLA-T 533-145 143 HP TIER IV	12
 ATTACHMENTS SUMMARY	
AGRICULTURE ATTACHMENTS	13-15
MULTI-PURPOSE ATTACHMENTS	16
SKID STEER ATTACHMENTS	17

This replaces all previously published price lists.



MANITOU
Compact Series
ULM 415 AG Tier IV
 Effective January 16, 2023

ENCLOSED CAB PACKAGE and A/C

51805084	Basic 4WD Unit and A/C, Heat, Defrost Auxiliary Hydraulic Control Sun Screen - Windshield and Roof Fixed Front Axle
List Price	\$88,540

Standard Features

DRIVETRAIN / CHASSIS

- 35 HP Yanmar Diesel Engine Tier IV
- 2 Speed Hydrostatic Transmission
- 3 Mode Hydraulic Steering
- Trelleburg TH400 11R16 Tires
- Two Front Fenders
- Engine Block Heater
- Tow Hitch - rotating
- Auto Reversing Engine Fan

BOOM

- 2-Section Telescopic Boom
- Universal Skid Steer Quick Attach System w/ Hyd Locking
- Boom Brush

ELECTRICAL SYSTEM

- Battery Disconnect
- Lights - Work Front, Rear and Boom
- Road Light Package
- LED Beacon
- Easy Link Module
with connectivity

OPERATORS AREA

- Cloth Suspension Seat
- JSM® Joystick Controls
- Front, Rear and Roof Wipers
- Backup Alarm
- Horn
- Tilt and Telescopic Steering Column

Factory Installed Options

		List Price
51805071	Return to Tank - Skid Steer QA	\$1,363
51805074	Windshield Protector - Front Window	\$1,050
51805076	Rear Electric Plug	\$358
51805069	Stop & Start	\$714
51805079	Locking Fuel Cap	\$65

Note : ** items are long lead time options

Common Attachments Skid Steer QA

		List Price
51805038	ITA Type CRG - Class II with forks	\$5,291
51805037	Bucket - General Purpose	\$2,161

NOTE: No Work Platform use for this Model

Key Specifications

2,650 lbs. (1,200 kg) Capacity	4' 11" (1.49 m) Machine Width	11' 11" (3.63 m) Length
14 ft. 1 in. (4.3 m) Lift Height	6' 4" (1.9 m) Machine Height	6,393 lbs. (2900 kg) Weight
	16 gpm (62 l/min) maximum aux hyd flow	

F.O.B. Baltimore, MD

Terms: per Current Terms & Discounts Schedule



MANITOU **MLT Series** **MLT 420 Tier IV**

Effective January 16, 2023

Standard Package	
51804450	Standard 4 WD Unit Hand Throttle Speed Limit Control Multi-Function Hydraulics Limited Continuous Aux. Hyd. Flow
List Price \$102,899	

Standard Features

DRIVETRAIN / CHASSIS

- 57 HP Kubota Diesel Engine
- 2 Speed Hydrostatic Transmission
- 3 Mode Hydraulic Steering
- Auto-Cleaning Reversing Cooling Fan
- Engine Block Heater
- Heavy Duty Battery
- 12 -16.5 12 PR Tires
- Tow Pin

BOOM

- 2-Section Telescopic Boom
- Hydraulic Operated Attachment Locking System
- Easy Connect System
- Boom Wipers
- Boom Tip Auxiliary Hydraulic Lines
- Manitou Quick Attach

ELECTRICAL SYSTEM

- Battery Disconnect
- LED Lights - Work Front, Rear, Boom
- Rotating Beacon
- Rear Electrical Plug
- Easy Link Module
with connectivity

OPERATORS AREA

- Fully Enclosed Cab with Heater/ Defroster
- Cab Wipers - Front, Rear and Roof
- Air Conditioning
- Sun Screen - Windshield, Roof
- USB Bluetooth Radio
- Backup Alarm
- Deluxe Suspension Seat
- JSM® Joystick Controls
- Horn
- Tilt & Telescope Steering Column

Factory Installed Options

		List Price
51804512	Return Line to the Tank	\$ 1,545
51804511	Windshield Protector - Front Window	\$ 1,130
51804513	Cold Weather Package - T32 Hyd Fluid	\$ 878

** Note - Extended Lead Time Item below **

51804693	Factory Install Hyd Locking Skid QA	\$ 3,239
----------	-------------------------------------	----------

Common Attachments - also in Attachment section

		List Price
51802044	ITA Class II CRG - 40 in.	\$ 2,040
51800620	ITA Pallet Forks Class II 47" in (pair)	\$ 1,723
51801647	4 in 1 Bucket	\$ 11,168
51802517	Ag Bucket 2.0 cu. Yd.	\$ 4,637
51800499	Grapple Bucket - 1.35 cu. Yd.	\$ 8,750

Carriages, Buckets, and other Attachments are on the Attachment Page

Key Specifications

4,400 lbs. (2,000 kg) Capacity	4' 11" (1.49m) Machine Width	11' 11" (3.64m) Length
14 ft. 3 in. (4.35 m) Lift Height	6' 6" (1.97m) Machine Height	9,237 lbs. (4190kg) Weight
20 gpm (77 l/min) Max. Hydraulic Flow		

F.O.B. Baltimore, MD

Terms: per Current Terms & Discounts Schedule



MLT Series MLT 625 Stage 5 / Tier IV

Effective January 16, 2023

Standard Package	
51804223	BASIC 4 WD Unit List Price \$120,766

CRC Package	
51804224	ELITE 4 WD Unit Comfort Ride Control (CRC) Hand Throttle Speed Limit Control Multi-Function Hydraulics Limited Continuous Aux. Hyd. Flow List Price \$124,902

Standard Features

DRIVETRAIN / CHASSIS

- 74 HP Kubota Turbo Diesel Engine
- 2 Forward / 2 Reverse Hydrostatic Transmission
- 3 Mode Hydraulic Steering
- Auto-Cleaning Reversing Cooling Fan
- Engine Block Heater
- Heavy Duty Battery
- Tow Hitch

BOOM

- 2-Section Telescopic Boom
- Hydraulic Operated Attachment Locking System
- Easy Connect System
- Boom Wipers
- Boom Tip Auxiliary Hydraulic Lines

ELECTRICAL SYSTEM

- Battery Disconnect
- Lights - Complete Road Light Package
- Lights - Work Front, Rear, Boom
- Rotating Beacon
- Rear Electrical Plug
- Easy Link Module
with connectivity

OPERATORS AREA

- Fully Enclosed Cab with Heater/ Defroster
- Cab Wipers - Front, Rear and Roof
- Air Conditioning
- Sun Screen - Windshield, Roof
- AM / FM Radio with MP3
- Backup Alarm
- Deluxe Suspension Seat
- JSM® Joystick Controls
- Horn
- Tilt & Telescope Steering Column

REQUIRED Factory Tire Options

		List Price
51804703	Tires - 300 / 75 R18	\$0
51802447	Tires - 400 / 55 R17.5	\$ 3,256

NON-REQUIRED Factory Installed Options

51800492	Return Line to the Tank	\$ 2,403
51802499	Hand Throttle Control (for Basic Unit Only)	\$ 1,351
51804345	Windshield Protector - Front Window	\$ 1,130
51801583	Cold Weather Package - T32 Hyd Fluid	\$ 878

Common Attachments - also in Attachment section

		List Price
51802044	ITA Class II CRG - 40 in.	\$ 2,040
51800620	ITA Pallet Forks Class II 47" in (pair)	\$ 1,723
51801647	4 in 1 Bucket	\$ 11,168
51802517	Ag Bucket 2.0 cu. Yd.	\$ 4,637
51800499	Grapple Bucket - 1.35 cu. Yd.	\$ 8,750

Carriages, Buckets, and other Attachments are on the Attachment Page

Key Specifications

5,500 lbs. (2,495 kg) Capacity	5' 11" (1.81m) Machine Width	12' 9" (3.89m) Length
19 ft. 3 in. (5.87 m) Lift Height	6' 4" (1.92m) Machine Height	10,850 lbs. (4921kg) Weight
22.7 gpm (86 l/min) Max. Hydraulic Flow		

F.O.B. Baltimore, MD

Terms: per Current Terms & Discounts Schedule



MLT Series

MLT 630 Tier IV

Effective January 16, 2023

New AG

Standard Package

51804673	MLT 630-115 CP V	List Price \$137,941
	Active Comfort Ride Control (CRC)	
	Hand Throttle	
	Limited Continuous Aux. Hyd. Flow	

Standard Features

DRIVETRAIN / CHASSIS

- 116 HP Deutz Turbo Diesel Engine Tier IV
- 2 Forward / 2 Reverse Hydrostatic Transmission
- 3 Mode Hydraulic Steering
- Auto-Cleaning Reversing Cooling Fan
- Engine Block Heater
- Tow Hitch

BOOM

- 2-Section Telescopic Boom
- Hydraulic Operated Attachment Locking System
- Easy Connect System
- Boom Wipers
- Boom Tip Auxiliary Hydraulic System

ELECTRICAL SYSTEM

- Battery Disconnect
- Lights - Complete Road Light Package
- Lights - LED Work Front, Rear, Boom
- Rotating Beacon
- Rear Electrical Plug
- Easy Link Module with connectivity

OPERATORS AREA

- Fully Enclosed Cab with Heater/ Defroster
- Cab Wipers - Front, Rear and Roof
- Air Conditioning
- AM / FM Radio with Bluetooth
- Backup Alarm
- Deluxe Suspension Seat
- JSM® Joystick Controls
- Horn
- Vision Display

REQUIRED Factory Tire Options

51804704	Tires - 500 / 45 - 20	List Price \$0
51804437	Tires - 400 / 70 R20	\$ 4,444

NON-REQUIRED Factory Installed Options

51804072	Return Line to the Tank	\$ 2,403
----------	-------------------------	----------

** Note - Extended Lead Time Item below **

51804695	Video System - side and rear cameras	\$ 744
51804921	Dual Aux with locking QA	\$ 2,605

Common Attachments - also in Attachment section

		List Price
51802047	ITA Class III CRG - 50 in.	\$ 3,374
51800622	ITA Pallet Forks Class III 47" in (pair)	\$ 1,723
51804164	Ag Bucket 2.2 cu. Yd.	\$ 4,347
51800521	Grapple Bucket - 1.8 cu. Yd.	\$ 9,932
51801449	Bale Spike w/ Backrest	\$ 5,526
51804126	Shear Grab 1.7 cu. Yd.	\$ 11,291

Carriages, Buckets, and other Attachments are on the Attachment Page

Key Specifications

6,600 lbs. (3,000 kg) Capacity	6' 9" (2.06m) Machine Width	15' 1" (4.85m) Length
19 ft. 8 in. (6.0 m) Lift Height	7' (2.14m) Machine Height	14,903 lbs. (6760 kg) Weight
27.5 gpm (104 l/min) Max. Hydraulic Flow		

F.O.B. Baltimore, MD

Terms: per Current Terms & Discounts Schedule



newAG



MLT Series

MLT 733 Tier IV

Effective January 16, 2023

Standard Package		
51804674	MLT 733-115 4 WD Unit	List Price \$150,694
	Active Comfort Ride Control (CRC)	
	Limited Continuous Aux. Hyd. Flow	
	Load Sensing Hydraulic System	

Standard Features

DRIVETRAIN / CHASSIS

- 115 HP Deutz Turbo Diesel Engine
- 4 Forward / 4 Reverse Power Shuttle Transmission
- 3 Mode Hydraulic Steering
- Auto-Cleaning Reversing Cooling Fan
- Engine Block Heater
- Heavy Duty Battery
- 460 / 70 R24 Tires
- Tow Hitch

BOOM

- 2-Section Telescopic Boom
- Hydraulic Operated Attachment Locking System
- Easy Connect System
- Boom Wipers
- Boom Tip Auxiliary Hydraulic System

ELECTRICAL SYSTEM

- Battery Disconnect
- Lights - Complete Road Light Package
- Lights - LED Work Front, Rear, Boom
- Rotating Beacon
- Rear Electrical Plug
- Easy Link Module
with connectivity

OPERATORS AREA

- Fully Enclosed Cab with Heater/ Defroster
- Cab Wipers - Front, Rear and Roof
- Air Conditioning
- AM / FM Radio with Bluetooth
- Backup Alarm
- Deluxe Suspension Seat
- JSM® Joystick Controls
- Horn
- Harmony Display

Factory Installed Options

List Price

51803427	Return Line to the	\$	2,162
51804068	Windshield Protector - Front Window	\$	1,806
51804324	Dual Hydraulic Auxiliary Lines	\$	3,965

Common Attachments - also in Attachment section

List Price

51802047	ITA Class III CRG - 50 in.	\$	3,374
51800622	ITA Pallet Forks Class III 47" in (pair)	\$	1,723
51804123	Ag Bucket 2.6 cu. Yd.	\$	4,645
51800521	Grapple Bucket - 1.8 cu. Yd.	\$	9,932
51801449	Bale Spike w/ Backrest	\$	5,526

Carriages, Buckets, and other Attachments are on the Attachment Page

Key Specifications		
7,200 lbs. (3,300 kg) Capacity	7' 10" (2.39m) Machine Width	15' 1" (4.85m) Length
22 ft. 7 in. (6.9 m) Lift Height	7' 9" (2.38m) Machine Height	15,465 lbs. (7015 kg) Weight
39.6 gpm (150 l/min) Max. Hydraulic Flow		

F.O.B. Baltimore, MD

Terms: per Current Terms & Discounts Schedule



new AG



MLT Series

MLT 737 Tier IV

Effective January 16, 2023

Standard Package		
51804638	MLT 737-130 ST V S1	List Price \$172,806
	Hand Throttle	
	Active CRC Boom Suspension	
	Regenerative Hydraulics	
	Intelligent Hydraulics	
	Continuous Flow	
	Semi-Auto Wheel Alignment	

Standard Features

DRIVETRAIN / CHASSIS

- 129 HP Deutz Turbo Diesel Engine Tier IV
- 6 Forward / 3 Reverse Powershift Transmission
- 3 Mode Hydraulic Steering
- Auto-Cleaning Reversing Cooling Fan
- Engine Block Heater
- Heavy Duty Battery
- Tow Hitch

BOOM

- 2-Section Telescopic Boom
- Hydraulic Operated Attachment Locking System
- Easy Connect System
- Boom Wipers
- Boom Tip Auxiliary Hydraulic System

ELECTRICAL SYSTEM

- Battery Disconnect
- Lights - Complete Road Light Package
- Lights - LED Work Front, Rear, Boom
- Rotating Beacon
- Rear Electrical Plug
- Easy Link Module with connectivity

OPERATORS AREA

- Fully Enclosed Cab with Heater/ Defroster
- Cab Wipers - Front, Side, Rear and Roof
- Air Conditioning
- Sun Screen - Windshield, Roof
- AM / FM Radio with Bluetooth
- Backup Alarm
- Deluxe Suspension Seat
- JSM® Joystick Controls
- Horn
- Vision Display

REQUIRED Factory Tire Options

		List Price
51804705	Tires - 460 / 70 R24	\$0
51804104	Tires - 500 / 70 R24 Bibload	\$ 5,167
51804975	Tires - 500 / 70 R24 Vredestien Endurion	\$ 4,216

NON-REQUIRED Factory Installed Options

51803427	Return Line to the Tank	\$ 2,162
51803429	12 V to Boom Tip	\$ 929
51804323	Dual Hydraulic Auxiliary Lines	\$ 3,965
51804068	Windshield Protector - Front Window	\$ 1,806

Common Attachments - also in Attachment section

		List Price
51800623	ITA Class III CRG - 49.5 in.	\$ 2,556
51800622	ITA Pallet Forks Class III 47" in (pair)	\$ 1,723
51802343	Ag Bucket 3.25 cu. Yd.	\$ 4,650
51800521	Grapple Bucket - 1.8 cu. Yd.	\$ 9,932
51801449	Bale Spike w/ Backrest	\$ 5,526
51802329	Shear Grab 2.4 cu. Yd.	\$ 12,998

Carriages, Buckets, and other Attachments are on the Attachment Page

Key Specifications

8,100 lbs. (3,700 kg) Capacity	7' 10" (2.39m) Machine Width	16' 3" (4.97m) Length
22 ft. 7 in. (6.9 m) Lift Height	7' 9" (2.38m) Machine Height	16,182 lbs. (7340kg) Weight
39.6 gpm (150 l/min) Max. Hydraulic Flow		

F.O.B. Baltimore, MD

Terms: per Current Terms & Discounts Schedule

NEW AG



MLT Series

MLT 841-145 PS S1 Tier IV

Effective January 16, 2023



Standard Package		
51804591	MLT 841-145 S1	List Price \$182,460
Active CRC Boom Suspension Regenerative Hydraulics Intelligent Hydraulics Hand Throttle Limited Continuous Auxiliary Hydraulics		

Platinum Package		
51804592	MLT 841-145 S1	List Price \$195,226
Standard Package plus: Active Air Suspension Seat HighView Camera Comfort Steering System (CSS) ECO stop Automatic Greasing System (AGS)		

Standard Features

DRIVETRAIN / CHASSIS

- 141 HP Yanmar Turbo Diesel Engine Tier IV
- 5 Speed Powershift Transmission
- 3 Mode Hydraulic Steering
- Auto-Cleaning Reversing Cooling Fan
- Engine Block Heater
- Heavy Duty Battery
- Tow Hitch

BOOM

- 2-Section Telescopic Boom
- Hydraulic Operated Attachment Locking System
- Easy Connect System
- Boom Wipers
- Boom Tip Auxiliary Hydraulic System

ELECTRICAL SYSTEM

- Battery Disconnect
- Lights - Complete Road Light Package
- Lights - Work Front, Rear, Boom
- Rotating Beacon
- Rear Electrical Plug
- Easy Link Module with connectivity

OPERATORS AREA

- Fully Enclosed Cab with Heater/ Defroster
- Cab Wipers - Front, Rear and Roof
- Air Conditioning
- Sun Screen - Windshield, Roof
- AM / FM Radio with MP3
- Backup Alarm
- Deluxe Suspension Seat
- JSM® Joystick Controls
- Horn

REQUIRED Factory Tire Options

		List Price
51804706	Tires - 460 / 70 R24	\$0
51805089	Tires - 460 / 70 R24 Trelleburg	\$0
51804604	Tires - 500 / 70 R24 Bibload	\$ 3,497
51804973	Tires - 500 / 70 R24 Vredestein Endurion	\$ 3,446

NON-REQUIRED Factory Installed Options

51804597	Return Line to the Tank	\$ 2,210
51801129	Cold Weather T32 Hydraulic Fluid	\$ 972
51804603	Windshield Guard	\$ 1,325
51804606	Turbo II Pre-Cleaner	\$ 1,041
51804599	Dual Hydraulic Auxiliary Lines	\$ 4,278

** Note - Extended Lead Time Item below **

51804675	Video System - side and rear	\$ 1,418
51804605	Rear Hydraulic - Double Acting	\$ 1,300
51804676	Standard video and HighView Video	\$ 2,596

Common Attachments - also in Attachment section

	List Price
51800623	ITA Class III CRG - 49.5 in. \$ 2,556
51800622	ITA Pallet Forks Class III 47" in (pair) \$ 1,723
51802344	Ag Bucket 3.9 cu. Yd. \$ 5,523
51800521	Grapple Bucket - 1.8 cu. Yd. \$ 9,932
51801449	Bale Spike w/ Backrest \$ 5,526
51802329	Shear Grab 2.4 cu. Yd. \$ 12,998

Carriages, Buckets, and other Attachments are on the Attachment Page

Key Specifications

9,038 lbs. (4,100 kg) Capacity	7' 10" (2.39 m) Machine Width	17' 9" (5.41 m) Length
24 ft. 11 in. (7.59 m) Lift Height	7' 11" (2.41 m) Machine Height	20,194 lbs. (9160 kg) Weight
52.8 gpm (200 l/min) Max. Hydraulic Flow	26.4 gpm (100 l/min) Max. Hyd. Aux. Line Flow	

F.O.B. Baltimore, MD

Terms: per Current Terms & Discounts Schedule

MANITOU

MLT Series

MLT 961-160 L STAGE 5 / Tier IV

Effective January 16, 2023



Standard Package		
51804799	MLT 961-160 L	List Price \$229,476
	Hand Throttle	
	Intelligent Hydraulics	
	Limited Continuous Auxiliary Hydraulics	
	Active Comfort Ride Control CRC Boom Suspension	

Standard Features

DRIVETRAIN / CHASSIS

- 156 HP Yanmar Turbo Diesel Engine Tier IV / Stage 5
- CVT Hydrostatic Transmission
- 3 Mode Hydraulic Steering
- Auto-Cleaning Reversing Cooling Fan
- Engine Block Heater
- Heavy Duty Battery
- Tow Hitch
- Frame Leveling (+/- 7 Degrees)
- ECO Stop

BOOM

- 2-Section Telescopic Boom
- Hydraulic Operated Attachment Locking System
- Easy Connect System
- Boom Wipers
- Boom Tip Auxiliary Hydraulic System

ELECTRICAL SYSTEM

- Battery Disconnect
- Lights - Complete Road Light Package
- Lights - LED Work Front, Rear, Boom
- Rotating Beacon
- Rear Electrical Plug
- Easy Link Module with connectivity

OPERATORS AREA

- Fully Enclosed Cab with Heater/ Defroster
- Cab Wipers - Front, Rear and Roof
- Air Conditioning
- Sun Screen - Windshield, Roof
- AM / FM Radio with Bluetooth
- Backup Alarm
- Deluxe Suspension Seat
- JSM® Joystick Controls
- Horn
- Comfort Steering System

REQUIRED Factory Tire Options

	List Price
51804834 Tires - 460 / 70 R24	\$0
51804835 Tires - 500 / 70 R24 Bibload	\$ 3,497

NON-REQUIRED Factory Installed Options

	List Price
51804184 Return Line to the Tank	\$ 2,403
51804972 Dual Hydraulic Auxiliary Lines	\$ 5,511
51804183 12 V to Boom Tip	\$ 2,517
51801654 Cold Weather T32 Hydraulic Fluid	\$ 1,475
51804969 Windshield Guard	\$ 1,224

** Note - Extended Lead Time Item below **

51804378 Rear Hydraulic - Double Acting	\$ 2,166
51804971 Video Package (rear and side)	\$ 2,506
51804970 Automatic Greasing System (AGS)	\$ 7,394

Attachments listed for the MLT 960 may be used on the MLT 961

Common Attachments - also in Attachment section

	List Price
51801440 ITA Class IV CRG - 48 in.	\$ 5,868
51801490 ITA Pallet Forks Class IV 48" in (pair)	\$ 4,248
51801580 Light Material Bucket 5.25 cu. Yd.	\$ 11,882
51801451 Grapple Bucket - 3.4 cu. Yd.	\$ 18,011
51801449 Bale Spike w/ Backrest	\$ 5,526
51802329 Shear Grab 2.4 cu. Yd.	\$ 12,998

Carriages, Buckets, and other Attachments are on the Attachment Page

Key Specifications

13,200 lbs. (6,000 kg) Capacity	8' 2" (2.48 m) Machine Width	20' (6.1 m) Length
29 ft. 6 in. (9.0 m) Lift Height	8' 4" (2.54 m) Machine Height	26,015 lbs. (11800 kg) Weight
52.8 gpm (200 l/min) Max. Hydraulic Flow		

F.O.B. Baltimore, MD

Terms: per Current Terms & Discounts Schedule



Environmental Services

MLT 961-160 L STAGE 5 / Tier IV

Effective January 16, 2023

Standard Package		
51804799	MLT 961-160 L	\$229,476
	Hand Throttle	
	Intelligent Hydraulics	
	Limited Continuous Auxiliary Hydraulics	
	Active Comfort Ride Control CRC Boom Suspension	

Standard Features

DRIVETRAIN / CHASSIS

- 156 HP Yanmar Turbo Diesel Engine Tier IV / Stage 5
- CVT Hydrostatic Transmission
- 3 Mode Hydraulic Steering
- Auto-Cleaning Reversing Cooling Fan
- Engine Block Heater
- Heavy Duty Battery
- Tow Hitch
- Frame Leveling (+/- 7 Degrees)
- ECO Stop

BOOM

- 2-Section Telescopic Boom
- Hydraulic Operated Attachment Locking System
- Easy Connect System
- Boom Wipers
- Boom Tip Auxiliary Hydraulic System

ELECTRICAL SYSTEM

- Battery Disconnect
- Lights - Complete Road Light Package
- Lights - LED Work Front, Rear, Boom
- Rotating Beacon
- Rear Electrical Plug
- Easy Link Module with connectivity

OPERATORS AREA

- Fully Enclosed Cab with Heater/ Defroster
- Cab Wipers - Front, Rear and Roof
- Air Conditioning
- Sun Screen - Windshield, Roof
- AM / FM Radio with Bluetooth
- Backup Alarm
- Deluxe Suspension Seat
- JSM® Joystick Controls
- Horn
- Comfort Steering System

REQUIRED Factory Tire Options

		List Price
51804834	Tires - 460 / 70 R24	\$0
51804835	Tires - 500 / 70 R24 Bibload	\$ 3,497
51804959	Tires - 14.00 R24 Solid	\$ 19,690

NON-REQUIRED Factory Installed Options

		List Price
51804184	Return Line to the Tank	\$ 2,403
51804185	Dual Hydraulic Auxiliary Lines	\$ 6,135
51804183	12 V to Boom Tip	\$ 2,517
51801654	Cold Weather T32 Hydraulic Fluid	\$ 1,475
51804292	Windshield Guard	\$ 1,228

** Note - Extended Lead Time Item below **

51804960	Environmental Package	\$ 23,472
	- Activated Carbon Pressurized Cab	
	- Seat Belt Alarm	
	- Protection for Road Lt, Work Lt, Aux Lines	
51804378	Rear Hydraulic - Double Acting	\$ 2,166
51804182	Video Package	\$ 2,634
51804637	Automatic Greasing System (AGS)	\$ 7,403
51805194	Vision Display	\$ 560

Common Attachments -

		List Price
51804961	Environmental Grab Bucket 98 in Wide	\$ 10,590
51804962	Environmental Bucket	\$ 9,174
51801442	ITA Class IV CRG - 78 in.	\$ 7,207
51804963	Bale Clamp Bolzoni BA-65W-12C	\$ 64,258

Note : need 51801442 to mount this attachment and Dual Aux Hyd required for this.

Carriages, Buckets, and other Attachments are on the Attachment Page

Blue Highlights are recommended Environmental machine options

Key Specifications

13,200 lbs. (6,000 kg) Capacity	8' 2" (2.48 m) Machine Width	20' (6.1 m) Length
29 ft. 6 in. (9.0 m) Lift Height	8' 4" (2.54 m) Machine Height	26,015 lbs. (11800 kg) Weight
52.8 gpm (200 l/min) Max. Hydraulic Flow		

F.O.B. Baltimore, MD

Terms: per Current Terms & Discounts Schedule



MANITOU
MLT Series
MLT 1041-145 PS+ L S1 Tier IV
 Effective January 16, 2023

Standard Package	
51804593	MLT 1041-145 PS+ L List Price \$188,459 Active CRC Boom Suspension Regenerative Hydraulics Intelligent Hydraulics Limited Continuous Auxiliary Hydraulics Hand Throttle Frame Leveling System

Platinum Package	
51804594	MLT 1041-145 PS+ L List Price \$201,224 Standard Package plus: Active Air Suspension Seat HighView Camera Comfort Steering System (CSS) ECO stop Automatic Greasing System (AGS)

Standard Features

DRIVETRAIN / CHASSIS

- 141 HP Yanmar Turbo Diesel Engine Tier IV
- 5 Speed Powershift Transmission
- 3 Mode Hydraulic Steering
- Auto-Cleaning Reversing Cooling Fan
- Engine Block Heater
- Heavy Duty Battery
- Tow Hitch
- Frame Leveling (+/- 7 Degrees)

BOOM

- 3-Section Telescopic Boom
- Hydraulic Operated Attachment Locking System
- Easy Connect System
- Boom Wipers
- Boom Tip Auxiliary Hydraulic System

ELECTRICAL SYSTEM

- Battery Disconnect
- Lights - Complete Road Light Package
- Lights - Work Front, Rear, Boom
- Rotating Beacon
- Rear Electrical Plug
- Easy Link Module with connectivity

OPERATORS AREA

- Fully Enclosed Cab with Heater/ Defroster
- Cab Wipers - Front, Rear and Roof
- Air Conditioning
- Sun Screen - Windshield, Roof
- AM / FM Radio with MP3
- Backup Alarm
- Deluxe Suspension Seat
- JSM® Joystick Controls
- Horn
- Vision Display

REQUIRED Factory Tire Options

	List Price
51804706 Tires - 460 / 70 R24	\$0
51805089 Tires - 460 / 70 R24 Trelleburg	\$0
51804604 Tires - 500 / 70 R24 Bibload	\$ 3,497
51804973 Tires - 500 / 70 R24 Vredestien Endurion	\$ 3,446

NON-REQUIRED Factory Installed Options

51804600 Return Line to the Tank	\$ 2,336
51804602 Dual Hydraulic Auxiliary Lines	\$ 4,278
51801129 Cold Weather T32 Hydraulic Fluid	\$ 972
51804603 Windshield Guard	\$ 1,325
51804606 Turbo II Pre-Cleaner	\$ 1,041

**** Note - Extended Lead Time Item below ****

51804605 Rear Hydraulic - Double Acting	\$ 1,300
51804675 Video System - side and rear	\$ 1,418
51804676 Standard video and HighView Video	\$ 2,596

Common Attachments - also in Attachment section

	List Price
51800623 ITA Class III CRG - 49.5 in.	\$ 2,556
51800622 ITA Pallet Forks Class III 47" in (pair)	\$ 1,723
51802344 Ag Bucket 3.9 cu. Yd.	\$ 5,523
51800521 Grapple Bucket - 1.8 cu. Yd.	\$ 9,932
51801449 Bale Spike w/ Backrest	\$ 5,526
51802329 Shear Grab 2.4 cu. Yd.	\$ 12,998

Carriages, Buckets, and other Attachments are on the Attachment Page

Key Specifications	
9,038 lbs. (4,100 kg) Capacity	7' 10" (2.39m) Machine Width
31 ft. 8 in. (9.65 m) Lift Height	17' 1" (5.21 m) Length
52.8 gpm (200 l/min) Max. Hydraulic Flow	7' 11" (2.41 m) Machine Height
	21,363 lbs. (9690 kg) Weight
	26.4 gpm (100 l/min) Max. Hyd. Aux. Line Flow

F.O.B. Baltimore, MD

Terms: per Current Terms & Discounts Schedule



MLA Series

MLA-T 533-145 Tier IV

Effective January 16, 2023

Standard Package		
51804585	MLA-T 533-145	List Price \$179,577
	Active Comfort Ride Control CRC Boom Suspension	
	Intelligent Hydraulics	
	Regenerative Hydraulics	
	Limited Continuous Auxiliary Hydraulics	
	Hand Throttle	
	HD Battery	

Standard Features

DRIVETRAIN / CHASSIS

- 143 HP Deutz Turbo Diesel Engine Tier IV
- CVT Hydrostatic Transmission
- Limited Slip Differentials - Front Axle
- Engine Block Heater
- Heavy Duty Battery
- 460 / 70 R24 Tires
- Tow Hitch

BOOM

- 2-Section Telescopic Lift Arm
- Hydraulic Operated Attachment Locking System
- Easy Connect System
- Telescopic Section Wipers
- Lift Arm Auxiliary Hydraulic System

ELECTRICAL SYSTEM

- Lights - LED Work Front, Rear, Boom, Lateral
- Easy Link Module
- Rear Electrical Plug
- Easy Link Module with connectivity

OPERATORS AREA

- Fully Enclosed Cab with Heater/ Defroster
- Cab Wipers - Front & Rear
- Automatic Air Conditioning
- Sun Screen - Windshield, Roof
- AM / FM Radio with Bluetooth
- Backup Alarm
- Deluxe Air Cloth Suspension Seat
- JSM® Joystick Controls
- Horn

Factory Installed Options

		List Price
51804127	Return Line to the Tank	\$ 1,320
51805118	Dual Hydraulic Auxiliary Lines	\$ 6,135

** Note - Extended Lead Time Item below **

51804128	Rear Hydraulic - Double Acting	\$ 1,197
51804130	Tires - 500 / 70 R24 Bibload (in lieu of Standard)	\$ 2,866

Common Attachments - also in Attachment section

		List Price
51802047	ITA Class IV CRG - 50 in. w/Backrest	\$ 3,374
51800622	ITA Pallet Forks Class IV 48" in (pair)	\$ 1,723
51804123	AG Bucket 2.6 cu. Yard	\$ 4,645
51800520	Grapple Bucket - 2.2 cu. Yd.	\$ 9,266
51801449	Bale Spike w/ Backrest	\$ 5,526

Carriages, Buckets, and other Attachments are on the Attachment Page

Key Specifications		
7,050 lbs. (3,200 kg) Capacity @ 24" L.C.	7' 6" (2.29 m) Machine Width	18' 9" (5.72 m) Length
17 ft. 1 in. (5.2 m) Lift Height	8' 10" (2.7 m) Machine Height	18,585 lbs. (8430 kg) Weight
26 gpm (100 l/min) Maximum Auxiliary Flow	3900 psi (270 bar) Max. Auxiliary Pressure	

F.O.B. Baltimore, MD

Terms: per Current Terms & Discounts Schedule



AGRICULTURE ATTACHMENTS

F.O.B. See Quote

Part No.	Description	Approx. Wt. (lbs.)	Approx. Wt. (kg.)	List Price	MLT 420	MLT 625	MLT 630	MLT 733	MLT 737	MLT 841	MLT 961	MLT 1041	MLA 533
Carriages													
Carriages (Standard), ITA Style													
NOTE: 806899 replaced with 51804110													
51800623	ITA Class III Carriage (Includes Load Backrest) - 49.5 in. (1260 mm) Wide / Rated 10,000 lbs. (4,535 kg)	227	103	\$ 2,556					X	X		X	
51801440	ITA Class IV Carriage (No Load Backrest) - 48 in. (1219 mm) Wide / Rated 13,000 lbs. (6,000 kg)	699	317	\$ 5,868							X		
51801441	ITA Class IV Carriage (No Load Backrest) - 68 in. (1750 mm) Wide / Rated 13,000 lbs. (6,000 kg)	926	420	\$ 6,092							X		
51801442	ITA Class IV Carriage (No Load Backrest) - 78 in. (2000 mm) Wide / Rated 13,000 lbs. (6,000 kg)	1,076	488	\$ 7,207							X		
51802044	ITA Class II Carriage (Includes Load Backrest) - 40 in. (1020 mm) Wide / Rated 5,500 lbs. (2,494 kg)	231	105	\$ 2,040	X	X							
51802049	ITA Class II Carriage (Includes Load Backrest) - 50 in. (1270 mm) Wide / Rated 5,500 lbs. (2,494 kg)	260	118	\$ 2,628	X	X							
51804110	ITA Class II Carriage (Includes Load Backrest) - 60 in. (1524 mm) Wide / Rated 5,500 lbs. (2,494 kg)			\$ 4,060	X	X							
51802047	ITA Class III Carriage (Includes Load Backrest) - 50 in. (1270 mm) Wide / Rated 7,700 lbs. (3,492 kg)	287	130	\$ 3,374			X	X					X
51802043	ITA Class III Carriage (Includes Load Backrest) - 58 in. (1470 mm) Wide / Rated 7,700 lbs. (3,492 kg)	348	158	\$ 3,201			X	X					
51802046	ITA Class III Carriage (Includes Load Backrest) - 66 in. (1670 mm) Wide / Rated 8,800 lbs. (3,991 kg)	683	310	\$ 3,490					X	X			
51804053	ITA Class III Carriage (Includes Load Backrest) - 78 in. (2000 mm) Wide / Rated 10,000 lbs. (4,535 kg)	650	295	\$ 3,552						X		X	
Carriages (Side Shifting), ITA Style													
51802045	ITA Class II Carriage, Side Shifting - 40 in. (1020 mm) Wide w/ 48 in. (1219 mm) High Load Backrest	375	170	\$ 4,171	X	X							
51802048	ITA Class III Carriage, Side Shifting - 49.5 in. (1260 mm) Wide w/ 48 in. (1219 mm) High Load Backrest	463	210	\$ 5,738					X				X
51801443	ITA Class IV Carriage, Side Shifting - 68 in. (1750 mm) Wide w/ 48 in. (1219 mm) High Load Backrest	1,570	712	\$ 14,588							X		
51801444	ITA Class IV Carriage, Side Shifting - 78 in. (2000 mm) Wide w/ 48 in. (1219 mm) High Load Backrest	1,852	840	\$ 15,182							X		
Load Backrests													
51800185	Load Backrest - 48 in. (1219 mm) - for 48 in. (1219 mm) ITA Class III Carriage	95	43	\$ 1,140						X		X	
51801816	Load Backrest - 49.5 in. (1260 mm) - for 49.5 in. (1260 mm) ITA Class III Carriage	101	46	\$ 1,035					X	X		X	
L372S1	Load Backrest - 72 in. (1828 mm) - for 72 in. (1828 mm) ITA Class III Carriage	110	50	\$ 683						X		X	
51801712	Load Backrest - 68 in. (1750 mm) - for 68 in. (1750 mm) ITA Class IV Carriage			\$ 1,144							X		
51801713	Load Backrest - 78 in. (2000 mm) - for 78 in. (2000 mm) ITA Class IV Carriage	77	35	\$ 1,285							X		
Fork Positioners													
Fork Positioners (Carriage Included)													
51801358	ITA Class II Carriage, Hydraulic Fork Positioner - 42.5 in. (1079 mm) Wide / Rated 5,500 lbs.	773	351	STA		X							
51802504	ITA Class III Carriage, Hydraulic Fork Positioner - 72 in. (1828 mm) Wide w/ 48 in. (1219 mm) Load Backrest (CANNOT Be Used with Side Shifter)	1,423	645	STA								X	
Fork Positioners (for Use with Class III Carriages ONLY - Carriage NOT Included)													
806940	ITA Class III Fork Positioner - 50.5 in. (1282 mm) Non-Side Shifting Hydraulic w/ 48 in. (1219 mm) Load Backrest (CANNOT Be Used with Side Shifter)	310	141	STA					X	X		X	
Forks													
Forks for ITA Carriages													
51800061	Brick / Block Forks, ITA Class III, 48" (1219 mm) Length (Pair) 2" x 2" (50 x 50 mm) Maximum Capacity of 1,500 lbs. (680 kg) per Fork (REQUIRES 3 Sets)	165	75	\$ 1,975					X	X		X	
51800620	Pallet Forks, ITA Class II, 47" (1200 mm) Length (Pair) 1.5" x 5 in. (38 x 127 mm) / Rated 5,500 lbs. (2,494 kg)	335	152	\$ 1,723	X	X							
51800622	Pallet Forks, ITA Class III, 47 in. (1200 mm) Length (Pair) 1.75 in. x 5 in. (45 x 125 mm) / Rated 10,000 lbs. (4,535 kg)	344	156	\$ 1,723			X	X		X		X	X



AGRICULTURE ATTACHMENTS - Continued

Part No.	Description	Approx. Wt. (lbs.)	Approx. Wt. (kg.)	List Price	MLT 420	MLT 625	MLT 630	MLT 733	MLT 737	MLT 841	MLT 961	MLT 1041	MLA 533
Forks - continued													
Forks for ITA Carriages													
51800097	Pallet Forks, ITA Class III, 48" (1219 mm) Length (Pair) 2" x 6" (50 x 152 mm) / Rated 10,000 lbs. (4,535 kg)	440	200	\$ 1,663					X	X		X	
51800098	Pallet Forks, ITA Class III, 60" (1524 mm) Length (Pair) 2" x 6" (50 x 152 mm) / Rated 10,000 lbs. (4,535 kg)	506	230	\$ 1,904					X	X		X	
51800099	Pallet Forks, ITA Class III, 72" (1828 mm) Length (Pair) 2" x 6" (50 x 152 mm) / Rated 10,000 lbs. (4,535 kg)	588	267	\$ 2,860						X		X	
51800100	Pallet Forks, ITA Class III, 96" (2438 mm) Length (Pair) 2" x 6" (50 x 152 mm) / Rated 10,000 lbs. (4,535 kg)	750	340	\$ 3,992						X		X	
51801490	Pallet Forks, ITA Class IV, 48" (1219 mm) Length (Pair) 2" x 6" (50 x 152 mm) / Rated 13,000 lbs. (6,000 kg)	364	165	\$ 4,248							X		
Buckets (For use with loose material with specific gravity less than 1)													
51801647	4 in 1 Bucket, Includes 5 teeth, 0.9 cu. yd. (0.7 cu m), 76 in. (1930 mm) Wide	1,411	640	\$ 11,168	X	X							
51801767	4 in 1 Bucket, Includes 7 teeth, 1.2 cu. yd. (0.9 cu m), 96 in. (2450 mm) Wide	1,687	765	\$ 11,985				X	X	X			
51802517	Agriculture Bucket (CBA), 2.0 cu yd. (1.5 cu m) , 80.5 in. (2050 mm) Wide	1,085	492	\$ 4,637	X	X							
51804164	Agriculture Bucket (CBA), 2.2 cu yd. (1.7 cu m) , 83 in. (2100 mm) Wide	1,151	522	\$ 4,347			X						
51804123	Agriculture Bucket (CBA), 2.6 cu yd. (2.0 cu m) , 96 in. (2450 mm) Wide	1,338	607	\$ 4,645			X	X					X
51802343	Agriculture Bucket (CBA), 3.25 cu yd. (2.4 cu m) , 96 in. (2438 mm) Wide w/ Bolt-On Cutting Edge	1,545	701	\$ 4,650				X	X				
51802344	Agriculture Bucket (CBA), 3.9 cu yd. (3.0 cu m) , 98 in. (2489 mm) Wide w/ Bolt-On Cutting Edge	1,706	774	\$ 5,523						X		X	
51801580	Light Material Bucket, 5.25 cu. yd. (4.0 cu m), 96 in. (2438 mm) Wide w/ Bolt-On Cutting Edge	2,315	1,050	\$ 11,882							X		
51803409	Construction Bucket, 1.2 cu. yd. (0.89 cu m), 96 in. (2450 mm) Wide w/ 8 teeth	862	391	\$ 3,385				X	X	X			
51804046	Sugar Beet Bucket (BSB), 3.25 Cu. Yd. (2.5 cu. m) 96 in. (2450 mm) wide with .78 in. (20 mm) bar construction.	1,146	520	\$ 9,822					X	X		X	
806496	Cutting Edge (Bolt-On) for 96 in. (2438 mm) Scrap Grapple Bucket	93	42	\$ 586						X			
51800499	Grapple Bucket (CBG DA FO), 1.35 cu. yd. (1.03 cu m), 72.75 in. (1847 mm) Wide w/ Forged Grapple Tines	1,448	657	\$ 8,750	X	X							
51800521	Grapple Bucket (CBG FO), 1.8 cu. yd. (1.37 cu m), 96 in. (2438 mm) Wide w/ Forged Grapple Tines	1,720	780	\$ 9,932			X	X	X	X		X	X
51800498	Grapple Bucket (CBG DA MS), 1.25 cu. yd. (0.96 cu m), 72.75 in. (1847 mm) Wide w/ Welded Grapple Tines	1,411	640	\$ 8,264	X	X							
51800520	Grapple Bucket (CBG MS), 1.67 cu. yd. (1.27 cu m), 96 in. (2438 mm) Wide w/ Welded Grapple Tines	1,720	780	\$ 9,266			X	X	X	X		X	X
51802492	Grapple Bucket (CBG FO), 2.2 cu. yd. (1.7 cu m), 96 in. (2438 mm) Wide w/ Forged Grapple Tines	1,918	870	\$ 11,500				X		X			
51801655	Grapple Bucket (CBG MS), 2.6 cu. yd. (2.0 cu m) 96 in. (2438 mm) Wide w/ Welded Grapple Tines	2,745	1,245	\$ 14,143						X		X	
51804273	Grapple Bucket (CBG), 2.9 cu. yd. (2.2 cu m) 98 in. (2480 mm) Wide w/ Welded 5 Tooth Grapple Tines - Environmental Waste Type	2,976	1,350	\$ 14,778							X		
51801451	Grapple Bucket (CBG MS), 3.4 cu. yd. (2.6 cu m) 96 in. (2438 mm) Wide w/ Welded Grapple Tines	2,992	1,357	\$ 18,011							X		
Buckets (For use with loose material with specific gravity less than 1)													
801907	Light Material Bucket, 1 cu. yd. (0.7 cu m) , 73 in. (1854 mm) Wide w/ Bolt-On Cutting Edge	825	374	\$ 4,060	X	X							
51802509	Light Material Bucket, 1.25 cu. yd. (0.9 cu m) , 96" (2438 mm) Wide w/ Bolt-On Cutting Edge	855	388	\$ 4,436					X	X		X	
51802515	Light Material Bucket, 2.5 cu. yd. (1.9 cu m), 96 in. (2438 mm) Wide w/ Bolt-On Cutting Edge	1,380	626	\$ 5,648					X	X	X	X	
51801795	Light Material Bucket, 3.25 cu. yd. (2.4 cu m), 96" (2438 mm) Wide w/ Bolt-On Cutting Edge	1,723	782	\$ 6,426						X	X	X	
51800165	Light Material Bucket, 4.0 cu. yd. (3.0 cu m), 96 in. (2438 mm) Wide	2,040	925	\$ 9,616							X		
802193	Cutting Edge (Bolt-On) for 51800165 4.0 cu yd. (3.0 cu m) Light Material Bucket (below)										X		
	Order from Parts (1) 801903, (16) 801908, (16) K34992	155	70	\$ -							X		
Buckets (For use with loose material with specific gravity less than 1) - Continued													
51804124	Rehandling Bucket (CBR), 1.2 cu. yd. (0.9 cu m), 88.5 in. (2250 mm) Wide	809	367	\$ 2,854			X						
51801768	Rehandling Bucket (CBR), 1.3 cu. yd. (1.0 cu m), 96 in. (2400 mm) Wide	897	407	\$ 4,941				X	X				X
51801450	Rehandling Bucket (CBR), 1.3 cu. yd. (0.9 cu m), 96 in. (2400 mm) Wide	1,528	693	\$ 15,277							X		



AGRICULTURE ATTACHMENTS - Continued

Part No.	Description	Approx. Wt. (lbs.)	Approx. Wt. (kg.)	List Price	MLT 420	MLT 625	MLT 630	MLT 733	MLT 737	MLT 841	MLT 961	MLT 1041	MLA 533
Other Attachments													
51804125	Grapple w/ Manure Forks (FMG), 2.35 cu. yd. (1.8 cu m), 82.7 in. (2100 mm) Wide (REQUIRES Auxiliary Hydraulics)	1,036	470	\$ 7,903			X						
51800522	Grapple w/ Manure Forks (FFGR), 2.0 cu. yd. (1.52 cu m), 94.5 in. (2400 mm) Wide (REQUIRES Auxiliary Hydraulics)	1,336	606	\$ 14,898				X	X	X		X	
51801446	Grapple w/ Manure Forks (FMG), 2.6 cu. yd. (2.0 cu m), 94.5 in. (2400 mm) Wide (REQUIRES Auxiliary Hydraulics)	1,512	686	\$ 14,427				X	X	X	X	X	
51801058	Bale Carriage w/ High Backrest and 4 Tines on Bottom (For Double Square Bales)	940	426	\$ 3,744		X	X	X	X	X	X	X	
51802352	Large Square Bale Clamp (CLBS), Max. Capacity 4,630 lbs. (2,100 kg) For Square and Round Bales; Hydraulic Side Clamps w/ Seven Tines on Each Side and Three Long Lower Tines Dimensions - 118 in. (2,997 mm) Tall; 71 in. (1,803 mm) Wide	1,720	780	\$ 11,548						X		X	
51800523	Bale Handler (PBG 2X2), Max. Capacity 1,764 lbs. (800 kg), Non-Synchronized Clamps with 2 Spears per Side (REQUIRES Auxiliary Hydraulics) For Round Bales (Max. Diameter 63" (1.6 m)) or Square Bales	348	158	\$ 4,260	X	X	X	X	X	X		X	
807126	Bale Handler (PBG 2X4), Max. Capacity 2,205 lbs. (1,000 kg), Synchronized Clamps with 4 Spears per Side (REQUIRES Auxiliary Hydraulics) For Round Bales (Max. Diameter 70" (1.8 m)) or Square Bales	578	262	\$ 5,117	X	X	X	X	X	X	X	X	X
51801447	Bale Handler (P2BG 2 x 4) Max. Capacity 3,300 lbs. (1,500 kg), Synchronized Clamps w/ 4 Spears per Side (REQUIRES Auxiliary Hydraulics) For Round Bales (Max. Diameter 70 in. (1.8 m)) or Square Bales	661	300	\$ 6,388			X	X	X	X	X	X	X
51800524	Bale Handler - Wrapped (PBE), Max. Capacity 2,205 lbs. (1,000 kg), Unsynchronized Clamps (REQUIRES Auxiliary Hydraulics) For Wrapped Round Bales (Min. Diameter 39" (1.0 m) to Max. Diameter 67" (1.7 m))	534	242	\$ 4,898	X	X	X	X	X	X	X	X	X
51801448	Bale Handler - Wrapped (MBC 2 x 3), Max. Capacity 1,763 lbs. (800 kg), Switchable from Bale Clamp with Tines to Wrapped Bale Clamp For Round Bales (Max. Diameter 70 in. (1.8 m))	816	370	\$ 5,745		X	X	X	X	X	X	X	X
51804976	Bale Handler - Wrapped (Square Bales) Max. Capacity 2,200 lbs. (1000 kg) REQUIRES Auxiliary Hydraulics Max opening width 82 inch (2090 mm Min Open width 29 inch (740 mm))	1,065	483	\$ 7,565		X	X	X	X	X	X	X	X
51801449	Bale Spike w/ Backrest FB 1900/1700, Capacity 3,740 lbs. (1,700 kg)	496	225	\$ 5,526		X	X	X	X	X	X	X	X
51802346	Big Bag Handler (4 Loading Points) - 5,291 lbs. (2,400 kg) Capacity (to Lift Bags from Top Loops)	410	186	\$ 4,016	X	X	X	X	X	X	X	X	X
804595	JCB Adapter Coupler	610	277	\$ 3,019					X	X		X	X
51804256	John Deere Adapter Coupler (For JD telescopic handlers only)	262	119	\$ 2,681		X			X	X		X	
51804126	Shear Grab, 1.7 cu. yd. (1.35 cu m) Capacity, 71 in. (1800 mm) Wide	1,651	749	\$ 11,291			X						
51802329	Shear Grab, 2.4 cu. yd. (1.8 cu m) Capacity, 96 in. (2400 mm) Wide	2,064	936	\$ 12,998					X	X	X	X	
51802402	Silage Facer - Drum Type, 96 in. (2438 mm) Wide	1,010	458	\$ 16,426					X	X	X	X	
51802403	Silage Facer - Drum Type (w/ Hydraulic Drive Motors), 120 in. (3048 mm) Wide	1,370	621	\$ 26,932					X	X	X	X	
51801089	Silage Facer / Bunker Buster II, 96 in. (2438 mm) Wide	1,130	513	\$ 8,232					X	X	X	X	
51802345	Silage Facer Bucket (CRS), 111 in. (2830 mm) Wide, 2.8 cu. yd. (2.12 cu m) Capacity	2,226	1,010	\$ 15,761						X		X	
51802375	Sweeper (SCC) w/ Galvanized Bucket, 81 in. (2050 mm) Wide, 7.0 cu. ft. (0.19 cu m) Capacity (Includes Synthetic Brush - 20.5 in (520 mm) Diameter	1,250	567	\$ 10,639	X	X							
51802410	Sweeper (SCC) w/ Galvanized Bucket, 102 in. (2600 mm) Wide, 8.8 cu. ft. (0.25 cu m) Capacity (Includes Synthetic Brush - 20.5 in (520 mm) Diameter	1,720	780	\$ 12,400				X	X	X		X	X
51804047	High Pressure Cleaner (VHPC 600), fork mounted, Requires auxiliary hydraulics and return to tank. Pressure adjustable from 145 to 2,900 psi (10 to 200 bar), Capacity is 158 gallon (600 l) and includes 130 ft (40 m) hose reel.	529	240	\$ 10,463		X			X	X		X	
51803396	Universal Skid Steer Interface with Manual Engagement	315	143	\$ 2,361		X							



MULTI-PURPOSE ATTACHMENTS

F.O.B. See Quote

Part No.	Description	Approx. Wt. (lbs.)	Approx. Wt. (kg.)	List Price	MLT 420	MLT 625	MLT 630	MLT 733	MLT 737	MLT 841	MLT 961	MLT 1041
Carriages												
Carriages, Shaft Style												
51800495	Shaft Type Carriage - 41 in. (1041 mm) Wide w/ 1.75 in. x 5 in. x 47 in. (45 x 125 x 1200 mm) Forks / Rated 5,500 lbs. (2,494 kg)	628	285	\$ 3,999	X	X						
51800519	Shaft Type Carriage - 41 in. (1041 mm) Wide w/ 1.75 in. x 5 in. x 47 in. (45 x 125 x 1200 mm) Forks / Rated 7,700 lbs. (3,492 kg)	661	300	\$ 3,999			X	X				
51800543	Shaft Type Carriage - 41 in. (1041 mm) Wide w/ 2 in. x 5 in. x 47 in. (50 x 125 x 1200 mm) Forks / Rated 10,000 lbs. (4,535 kg)	858	389	\$ 3,800					X			X
51804641	Shaft Type Carriage - 48 in. (1219 mm) Wide w/ 2 in. (50 mm) Pin and 48 in. (1219 mm) Load Backrest / Rated 10,000 lbs. (4,535 kg)	546	248	\$ 3,530					X	X		X
51801761	Shaft Type Carriage - 55 in. (1400 mm) Wide w/ 1.75 in. x 5 in. x 47 in. (45 x 125 x 1200 mm) Forks / Rated 7,700 lbs. (3,492 kg)	717	325	\$ 3,450	X	X	X	X				
51801445	Shaft Type Carriage - 56 in. (1430 mm) Wide w/ 2.75 in. (70 mm) Pin / Rated 13,000 lbs. (6,000 kg)	1,246	565	\$ 4,487							X	
51804642	Shaft Type Carriage - 60 in. (1524 mm) Wide w/ 2 in. (50 mm) Pin and 48 in. (1219 mm) Load Backrest / Rated 10,000 lbs. (4,535 kg)	650	295	\$ 3,680					X	X		X
51804643	Shaft Type Carriage - 72 in. (1828 mm) Wide w/ 2 in. (50 mm) Pin and 48 in. (1219 mm) Load Backrest / Rated 10,000 lbs. (4,535 kg)	700	318	\$ 3,908						X		X
51801889	Shaft Type Rotating Carriage (+/- 10°) - 48 in. (1219 mm) Wide w/ 2.375" x 7.875" x 47 in. (60 x 200 x 1200 mm) Forks and 48 in. (1219 mm) Load Backrest / Rated 13,227 lbs. (6,000 kg)			\$ 19,648							X	
51801808	Shaft Type Rotating Carriage (+/- 10°) - 50 in. (1270 mm) Wide w/ 2 in. (50 mm) Pin and 48 in. (1219 mm) Load Backrest / Rated 8,000 lbs. (3,628 kg)	974	442	\$ 6,805		X						
Forks												
Forks for Shaft Type Carriages												
422246	Brick / Block Forks, Shaft Type, 48" (1219 mm) Length (Pair) 2" x 2" (50 x 50 mm) Maximum Capacity of 1,500 lbs. (680 kg) per Fork (REQUIRES 2 Sets)	165	75	\$ 1,634	X	X						
51800059	Brick / Block Forks, Shaft Type, 48" (1219 mm) Length (Pair) 2" x 2" (50 x 50 mm) Maximum Capacity of 1,500 lbs. (680 kg) per Fork (REQUIRES 3 Sets)	165	75	\$ 1,896				X	X	X		X
K388-3	Pallet Forks, Shaft Type, 42" (1066 mm) Length (Pair) 1.75" x 4" (44 x 101 mm) / Rated 5,500 lbs. (2,494 kg)	285	129	\$ 1,534	X	X						
K388-4	Pallet Forks, Shaft Type, 48" (1219 mm) Length (Pair) 1.75" x 4" (44 x 101 mm) / Rated 5,500 lbs. (2,494 kg)	295	134	\$ 1,549	X	X						
51800056	Pallet Forks, Shaft Type, 48" (1219 mm) Length (Pair) 2.25 in. x 4" (57 x 101 mm) / Rated 10,000 lbs. (4,535 kg)	340	154	\$ 2,254				X	X	X		X
51801491	Pallet Forks, Shaft Type, 48" (1219 mm) Length (Pair) 2.25 in. x 8" (57 x 203 mm) / Rated 13,000 lbs. (6,000 kg)	366	166	\$ 5,453							X	
51800057	Pallet Forks, Shaft Type, 60" (1524 mm) Length (Pair) 2.25" x 4" (57 x 101 mm) / Rated 10,000 lbs. (4,535 kg)	390	177	\$ 2,603				X	X	X		X
51801684	Pallet Forks, Shaft Type, 60" (1524 mm) Length (Pair) 2.375" x 7.875" (60 x 200 mm) / Rated 10,000 lbs. (4,535 kg)	735	333	\$ 6,080							X	
51800058	Pallet Forks, Shaft Type, 72" (1828 mm) Length (Pair) 2.25" x 4" (57 x 101 mm) / Rated 10,000 lbs. (4,535 kg)	440	200	\$ 4,211				X		X		X
51801685	Pallet Forks, Shaft Type, 72" (1828 mm) Length (Pair) 2.375" x 7.875" (60 x 200 mm) / Rated 10,000 lbs. (4,535 kg)			\$ 6,880							X	
51801686	Pallet Forks, Shaft Type, 96" (2440 mm) Length (Pair) 2.375" x 7.875" (60 x 200 mm) / Rated 10,000 lbs. (4,535 kg)			\$ 8,457							X	
Other Attachments												
51801753	Tire Handler TH33 (REQUIRES Return Line to Tank and Predisposition) - Open Range 23.6 in. - 82.7 in. (600 mm - 2100 mm) and Lifting Capacity of 4,409 lbs. (2,000 kg)	2,557	1,160	\$ 65,475						X		X



Skid Steer Quick Attach ATTACHMENTS

F.O.B. See Quote

Part No.	Description	Approx. Wt. (lbs.)	Approx. Wt. (kg.)	List Price	ULM 415	MLT 420
Carriages						
Carriages, ITA Style						
51805038	ITA Class II Carriage (no Load Backrest) - 42 in. (1100 mm) Wide w/ 1.4 in. x 3 in. x 42 in. (35 x 75 x 1100 mm) Forks Rated 3,300 lbs. (1,500 kg)	148	67	\$ 5,291	X	
51804658	ITA Class II Carriage (Includes Load Backrest) - 46 in. (1160 mm) Wide / Rated 4,400 lbs. (2,000 kg)	148	67	\$ 1,951		X
Forks						
Forks for ITA Carriages						
51804659	Pallet Forks, ITA Class II, 47 in. (1200 mm) Length (Pair) 1.75 in. x 5 in. (45 x 125 mm) / Rated 4,400 lbs. (2,000 kg)	194	88	\$ 967		X
Buckets (For use with loose material with specific gravity less than 1)						
51804648	Bucket - Medium Duty Snow Type - 72" (1828 mm) wide	680	308	\$ 2,771		X
51804649	Bucket - Light Material 66" wide (1676 mm) 24 cubic feet (.68 cubic m)	535	243	\$ 2,271		X
51805037	Bucket - General Purpose 59" wide (1500 mm) 13.5 cu ft (.4 cu m)	355	161	\$ 2,161	X	
51804650	Bucket - Dirt Bucket with Teeth - 60" Wide (1524 mm)	510	231	\$ 2,406		X
51804651	Bucket - Dirt Bucket with Teeth - 66" Wide (1676 mm)	545	247	\$ 2,543		X
51804646	Bucket - Skeleton Rock - 60" (1524 mm)	540	245	\$ 2,165		X
51804647	Bucket - Skeleton Rock - 66" (1676 mm)	585	265	\$ 2,216		X
51805050	Bucket - Root Grapple - 66" (1676 mm)	775	352	\$ 3,748		X
51804656	Grapple Bucket - Skeleton Rock - 60" (1524 mm)	940	426	\$ 6,862		X
51804657	Grapple Bucket - Skeleton Rock - 66" (1676 mm)	990	449	\$ 6,926		X
Other						
51804644	Bale Spear, Single Round, (1) 42" tine with (2) 12" tines, 2,200 lbs Capacity	129	59	\$ 732	X	X
51804645	Bale Spear, Square Bale, 60" wide (3) 42" Tines, 4,000 lbs. Capacity	190	86	\$ 947		X