

					Sales / Quo	te						
Order Date	4/10/2	2022		d Delivery						PO #		
Name	4/10/	1				Ship to	Address	ustom	er PO #			
Address							Add	ress	1			
City, State, Zip							City, State, Zip		XXX			
CONTRACTOR OF THE PERSON NAMED IN	Quantity				escription		-	de	-	Unit Price		Extended Cost
New	0	M450s-1600 - STANDARD PRICING					6600	0810	\$	39,743.62	\$	-
		-	ulic Carriers		averall width 74 Single / 4000		-		-		\$	-
				2513lb / 14	overall width 74.8inch / 1900mr	n	-		+		\$	-
				gpm (100 l/n							\$	-
			one side, wid	dth 68mm						**	\$	-
		Hydraulic		- UD to to	Parada a della Parada	placement 41419970			-		\$	
		Rotor	XIOTH 115CC	m HD - nyar	aulic motor variable displacemen	IT	4141	9970	+		\$	
			0 28xBCS0	3			4138	0080	+		\$	-
		Belt Ratio	0								\$	-
		Polybelt ra	atio 1.27				4141	4150			\$	-
		Skids Standard					400.00.0	00.00.00	-		\$	-
		Push Bar					480.06.0	00.00.00	-		\$	-
		Fix					4138	3714			\$	
		Bolted Lie									\$	-
		_		inter blades - top			4141				\$	-
-		-		unter blades - down			4141	8912	-		\$	*
-		Splash Go Chain	uard				4138	3702	-		\$	
		Chain					4130	3702	-		P	
		OPTIONS									\$	-
		Rotor									\$	
	0		0 40xUPTS	04			4141	2473	-		\$	
	0	Belt Ratio					4141	4151	-		\$	
-		Polybelt ratio 0.79 Retrofit Hydraulic Flap						4101			\$	-
	0	With count					4139	0304	\$	2,076.78	\$	-
		Retrofit Electronic Flap									\$	-
	0	Electronic	***************************************		4132	4613	\$	1,511.52	\$	-		
		Requires	retrofit hydra		-		-		\$	-		
	0	Takeuchi TL12V2 - Plug and Mulch Kit Contains suitable couplings, pre-adjusted hydraulic motor, possible instructions for assembling						7679	\$	581.50	\$	-
											\$	-
											\$	-
					-		-	-	\$			
	0	Freight						Subtotal	\$	-	\$	-
									and a	that shares an		e for the purchase pri
Trade In Equipm	ent Burchages	horby hargain	se colle and co	nuove unit Col	ler the below described Trade-In Equ	inment	as follows		es and t	dier diaiges air	u setu	e for the purchase pri
					terests except to the extend shown b		1. Total Cash Price				\$	-
									er Alowances		\$	-
Description				Allowance			3. Unpaid Cash Payment				\$	
Trade Allowa				\$		-	4. Sales Tax	(0%	\$	•
				\$		-	5. DOC fees	or Charge	es		\$	-
							6. Total Other Fees				\$	-
Attachment Discount			0%	\$	-		7. Cash Due on Delivery				\$	
Other Discount			\$ -			In the event Buyer fails to pay any portion of the amount identified						
Cash Down Payment with Order				\$		above, Buyer shall be responsible, and must reimburse Seller, for any						
Other				\$		-	costs (including litigation costs and attorney's fees) incurred by Seller collecting the outstanding balance. Any past due amounts owing unde					
	Total			\$		this Bill of Sale shall accrue interest at 1½ % per month until the entire balance is paid in full.						
Order Ta	ken By					Purchase	aser Name					
Seller Signature			Purchaser Si									



The second second second				1= 1	Sales / Quote								
Order Date	4/10	/2023		d Delivery Date			C	uston	ner PO#				
Name		T		otc .		Ship t	o Address	Т					
Address						Address							
City, Sta	ate, Zip					City,	City, State, Zip						
lew/Used	Quantity		Description						Unit Price	E	xtended Cost		
New	0	M450s-19	M450s-1900 - STANDARD PRICING					\$	43,303.81	\$			
			ulic Carrier							\$			
					n - overall width 86.6 inch / 2200mm					\$			
	+			e 2668lb / 1						\$			
	-		ne side, wi	gpm (100 l/r	nin)			-		\$			
	 	Hydraulic		ulii ooliiiii		_		-		\$			
				m HD - hvd	raulic motor variable displacement	414	114202	-		\$			
	1	Rotor		11)	deno illotto Pariable displacement	1	717202	-		\$			
		D450 1900	36xBCS0	3		857.03	857.03.00.70.00			Is			
		Belt Ratio)							\$			
		Polybelt ra	tio 1.27 for	115ccm mo	tor	414	41414150			\$			
		Skids											
	-	Standard				480.06	480.06.00.00.00						
	-	Push Bar				-				\$			
	-	Fix Polted Lin	1000			480.07	7.00.00.00	-		\$			
	+	Bolted Line		nter blades	ton	141	112002			\$			
	 			nter blades			113982	-		\$			
		Splash Gu		Diades		412	10004	-		\$			
		Chain				480.09	0.00.02.00	-		\$			
	1									-			
		OPTIONS								\$			
		Hydraulic	Drive							\$			
		Bosch Rex	croth 170cc	Occm HD - hydraulic motor variable displacement			13588	\$	2,254.79	\$			
		Rotor								\$			
	0	D450 1900		is04			12451			\$			
	-	Belt Ratio								\$			
	0			115ccm mc			14151	_		\$	-		
	0			170ccm mo			14152	_		\$			
	0			170ccm mo	tor	414	14153	_		\$	-		
	0		Retrofit Hydraulic Flap Nith counter blades					\$	2,278.52	\$	-		
	-	Retrofit El		lan		410	24582	φ	2,210.52	\$			
	0	Electronic		шр		413	24613	\$	1,511.52	\$			
		_		ulic flap (41	324582)			-	.,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,	\$			
	0		ydraulic Pu	ish Bar						\$	-		
			draulic cyli			414	31288	\$	2,364.76	\$			
			1389786 is	needed						\$	-		
										\$			
	0	Takeuchi TL12V2 - Plug and Mulch Kit					57679	\$	581.50	\$			
			Contains suitable couplings, pre-adjusted hydraulic motor, possible instructions for assembling							\$			
										\$			
	-	-			Tue laba			A		\$			
	0				Freight	A.H I	-4 Cbl-b-1	\$	-	\$	-		
							Attachment Subtotal				-		
						I agree to pay all taxes and other charges and settle for the purchase							
					er the below described Trade-In Equipment		price as follows:						
and certifies it	t to be free and c	ear of liens, enc	umbrances, a	and security in	terests except to the extend shown below.		1. Total Cash Price			\$	-		
							2. Discounts and other Alowances			\$	_		
	Description			Allowance			Cash Payme	ent		\$			
Trade Allowance:		\$			-		4. Sales Tax		0%				
			\$ -				5. DOC fees or Charges			\$	-		
	returniza (martina)					6. Total O	ther Fees			\$	-		
Attachment Discount		1	0%	0% \$ -			7. Cash Due on Delivery \$						
		970				In the event Buyer falls to pay any portion of the amount identified							
Other Discount				\$		ahove							
	Cash Down Payment with Order			\$			above, Buyer shall be responsible, and must reimburse Seller, for any costs (including litigation costs and attorney's fees) incurred by Seller						
Cash Down F	Other				-	collecti	collecting the outstanding balance. Any pa				ounts owing und		
	AND DESCRIPTION OF THE PARTY OF			\$		this Bill	this Bill of Sale shall accrue interest at 1½ %						
Cash Down F	Total			,			balance is paid in full.						
Cash Down F	Total			4		balance	is paid in full	١.					
Cash Down F Other		I		1	Purch		is paid in full	l. 					
Cash Down F Other	Tota l Faken By				Purch	balance naser Name	is paid in full	l.					



4/10/2 Zip uantity 0	023 M450s-2200 - STAN For Hydraulic Carrie	IDARD PRI	Description CING	City,	o Address ddress State, Zip	ustom	er PO#				
Zip u antity	M450s-2200 - STAN For Hydraulic Carrie Working width 86.6ir Weight basic machir Volume flow from 26 Polybelt, one side, w	IDARD PRI		City,	o Address ddress		er PO#				
uantity	For Hydraulic Carrie Working width 86.6ir Weight basic machir Volume flow from 26 Polybelt, one side, w	IDARD PRI		City,	ddress	XXX					
uantity	For Hydraulic Carrie Working width 86.6ir Weight basic machir Volume flow from 26 Polybelt, one side, w	IDARD PRI		City,		XXX					
uantity	For Hydraulic Carrie Working width 86.6ir Weight basic machir Volume flow from 26 Polybelt, one side, w	IDARD PRI		THE R. P. LEWIS CO., LANSING, MICH.	State, Lip						
AND DESCRIPTION OF THE PERSON NAMED IN COLUMN	For Hydraulic Carrie Working width 86.6ir Weight basic machir Volume flow from 26 Polybelt, one side, w	IDARD PRI			Code		Unit Price Extended Cost				
	For Hydraulic Carrie Working width 86.6ir Weight basic machir Volume flow from 26 Polybelt, one side, w	rs		THE REAL PROPERTY AND PERSONS ASSESSMENT	66000767		The second secon	THE RESERVE OF THE PERSON NAMED IN	-		
	Working width 86.6ir Weight basic machin Volume flow from 26 Polybelt, one side, w			00	000767	\$	46,864.01				
	Weight basic machin Volume flow from 26 Polybelt, one side, w	1011/220011	m - Total width 98.4inch / 2500mm	-		-		\$	-		
	Volume flow from 26 Polybelt, one side, w			_		-		\$	-		
	Polybelt, one side, w					-		\$			
				_		-		\$			
	Illy diadile Dilve			_		\$					
	Bosch Rexroth 115c	41:	394277			\$	-				
	Rotor		41391474			\$	-				
		0 2200 44xBCS03						\$	-		
	Belt Ratio					\$	-				
	Polybelt ratio 1.27 fo	r 115ccm m	otor	413	41390604 480.06.00.00.00			\$	-		
	Skids								-		
	Standard			480.00				\$	-		
	Push Bar	-	200700	-		\$	-				
	Fix Bolted Liners			413	389786	-		\$	-		
		44	120000			\$	-				
						-			-		
		414	123004	-			-				
	Chain	415	889797								
		CHI									
	OPTIONS					\$	-				
	Hydraulic Drive						-				
0	Bosch Rexroth 170ce	cm HD - hyd	fraulic motor variable displacement	413	91831	S	2.254.79		-		
	Rotor					\$	-				
0	D450 2200 56xUPTS	414	12474			\$	-				
	Belt Ratio							\$	-		
		414	14151			\$	-				
						\$	-				
Retrofit Hydraulic			otor	413	91920			\$	-		
								\$	-		
Retrofit Electr 0 Electronic contr Requires retrofi Retrofit Hydra 0 Includes hydrau				413	91786	\$	2,432.80				
									-		
		equires retrofit hydraulic flap (41391786) etrofit Hydraulic Push Bar cludes hydraulic cylinders					1,511.52		~		
									-		
							2 364 76		-		
							2,304.10		-		
0	Takeuchi TL12V2 - P	ch Kit	412	57679	\$	581.50		-			
Conta								\$	-		
								\$	-		
								\$	-		
0			Freight			\$	-	\$	-		
				Attachme	nt Subtotal			\$	-		
				I agree		e purchase					
t - Purchases h	orhy hargains solls and c	nnuous unit S	aller the helow described Trade. In Equipment								
				1. Total C	1. Total Cash Price			Ś	-		
								THE RESERVE TO SHARE THE PARTY OF THE PARTY			
Description	2	Allowance						AND DESCRIPTION OF THE PERSON NAMED IN			
	II					The second secon					
e:							0%				
	\$ -										
				6. Total O	ther Fees			\$	-		
Attachment Discount		0% \$ -			7. Cash Due on Delivery \$ -						
Other Discount		\$	The state of the s	In the event Buyer fails to pay any portion of the amount identified							
ent with Orde	\$ -										
	A Mary Million and Mary Commission of the Commis	-	costs (including litigation costs and attorney's fees) incurred by Seller								
Total		\$ -					nterest at 1½ %	per month uni	til the entire		
				parance is paid in ruii.							
n By			Purcha	iser Name							
- (1						-					
i	0 0 0 0 0 0 0 0 0 t-Purchases he free and clea	Bolted liners with cou- Splash Guard Chain OPTIONS Hydraulic Drive 0 Bosch Rexroth 170cc Rotor 0 D450 2200 56xUPTS Belt Ratio 0 Polybelt ratio 0.79 for 0 Polybelt ratio 0.79 for Retrofit Hydraulic F 0 With counter blades Retrofit Electronic F 0 Electronic control Requires retrofit hydraulic cyl Push bar 41389786 is 0 Takeuchi TL12V2 - P Contains suitable cou- instructions for asset 0 t-Purchases herby bargains, sells and ce free and clear of liens, encumbrances, Description e: Scount 0% t-ent with Order	Bolted liners with counter blades Splash Guard Chain OPTIONS Hydraulic Drive 0 Bosch Rexroth 170ccm HD - hydraulic Drive 0 D450 2200 56xUPTS04 Belt Ratio 0 Polybelt ratio 0.79 for 115ccm m 0 Polybelt ratio 0.79 for 170ccm m 0 Polybelt ratio 0.79 for 170ccm m Retrofit Hydraulic Flap 0 With counter blades Retrofit Electronic Flap 0 Electronic control Requires retrofit hydraulic flap (4 Retrofit Hydraulic Push Bar 0 Includes hydraulic cylinders Push bar 41389786 is needed 0 Takeuchi TL12V2 - Plug and Mul Contains suitable couplings, pre- instructions for assembling 0 t-Purchases herby bargains, sells and conveys unit Self free and clear of liens, encumbrances, and security in the self free and clear of liens, encumbrances, and security in the self free and clear of liens, encumbrances, and security in the self free and clear of liens, encumbrances, and security in the self free and clear of liens, encumbrances, and security in the self free and clear of liens, encumbrances, and security in the self free and clear of liens, encumbrances, and security in the self free and clear of liens, encumbrances, and security in the self free and clear of liens, encumbrances, and security in the self free and clear of liens, encumbrances, and security in the self free and clear of liens, encumbrances, and security in the self free and clear of liens, encumbrances, and security in the self free and clear of liens, encumbrances, and security in the self free and clear of liens, encumbrances, and security in the self free and clear of liens, encumbrances, and security in the self free and clear of liens, encumbrances, and security in the self free and clear of liens, encumbrances, and security in the self free and clear of liens, encumbrances, and security in the self free and clear of liens, encumbrances, and security in the self free and clear of liens, encumbrances, and self free an	Chain OPTIONS Hydraulic Drive 0 Bosch Rexroth 170ccm HD - hydraulic motor variable displacement Rotor 0 D450 2200 56xUPTS04 Belt Ratio 0 Polybelt ratio 0.79 for 115ccm motor 0 Polybelt ratio 0.79 for 170ccm motor Retrofit Hydraulic Flap 0 With counter blades Retrofit Electronic Flap 0 Electronic control Requires retrofit hydraulic flap (41391786) Retrofit Hydraulic Push Bar 0 Includes hydraulic cylinders Push bar 41389786 is needed 0 Takeuchi TL12V2 - Plug and Mulch Kit Contains suitable couplings, pre-adjusted hydraulic motor, possible instructions for assembling 0 Freight t-Purchases herby bargains, sells and conveys unit Seller the below described Trade-In Equipment e free and clear of liens, encumbrances, and security interests except to the extend shown below. Description Allowance e: \$ Scount 0% \$ t \$ Total \$ Total \$ Total \$ Total \$ Purchase	Bolted liners with counter blades - down Splash Guard Chain OPTIONS Hydraulic Drive Description Bosch Rexroth 170ccm HD - hydraulic motor variable displacement Rotor Description Polybelt ratio 0.79 for 115ccm motor Polybelt ratio 0.79 for 115ccm motor Polybelt ratio 0.79 for 170ccm motor Polybelt ratio 0.79 for 170ccm motor Polybelt ratio 0.79 for 170ccm motor Retrofit Hydraulic Flap With counter blades Retrofit Electronic Flap Electronic control Requires retrofit hydraulic flap (41391786) Retrofit Hydraulic Push Bar Includes hydraulic cylinders Push bar 41389786 is needed Trakeuchi TL.12V2 - Plug and Mulch Kit Contains suitable couplings, pre-adjusted hydraulic motor, possible instructions for assembling Freight Attachme t - Purchases herby bargains, sells and conveys unit Seller the below described Trade-in Equipment instructions for assembling Freight Attachme Lagree price as the second the extend shown below. Total C Discourt O% \$ - 7. Cash Dr. Scount Dr. Scount O% \$ - 7. Cash Dr. Scount Dr. Scount Dr. Scount Dr. Sc	Bolted liners with counter blades - down Splash Guard Chain OPTIONS Hydraulic Drive 0 Bosch Revroth 170ccm HD - hydraulic motor variable displacement Rotor 0 D450 2200 56xUPTS04 Belt Ratio 0 Polybelt ratio 0.79 for 115ccm motor 1 41414151 0 Polybelt ratio 0.79 for 170ccm motor 4 14141452 0 Polybelt ratio 0.79 for 170ccm motor 4 14391920 Retrofit Hydraulic Flap 0 With counter blades Retrofit Electronic Flap 0 Electronic control Requires retrofit hydraulic flap (41391786) Retrofit Hydraulic Push Bar 0 Includes hydraulic cylinders Push bar 4139786 is needed 0 Takeuchi TL12V2 - Plug and Mulch Kit Contains suitable couplings, pre-adjusted hydraulic motor, possible instructions for assembling 0 Freight Attachment Subtotal I agree to pay all tax price as follows: 1. Total Cash Price 2. Discounts and othe S. DOC fees or Charge 6. Total Other Fees Total \$ - Total \$	Bolted liners with counter blades - down Splash Guard Chain OPTIONS Hydraulic Drive 0 Bosch Rexroth 170ccm HD - hydraulic motor variable displacement Rotor 0 D450 2200 56xUPTS04 Belt Ratio 0 Polybelt ratio 0.79 for 175ccm motor 1 Polybelt ratio 1.27 for 170ccm motor 2 Polybelt ratio 1.27 for 170ccm motor 3 Polybelt ratio 1.27 for 170ccm motor 4 H1414151 4 H1414152 4 Polybelt ratio 1.27 for 170ccm motor 4 H1414152 4 H1414152 5 Polybelt ratio 1.27 for 170ccm motor 4 H1414152 6 Polybelt ratio 1.27 for 170ccm motor 4 H1414152 6 Polybelt ratio 1.27 for 170ccm motor 4 H1414152 6 Polybelt ratio 1.27 for 170ccm motor 4 H1414152 6 Polybelt ratio 1.27 for 170ccm motor 4 H1414152 6 Polybelt ratio 1.27 for 170ccm motor 4 H1414152 6 Polybelt ratio 1.27 for 170ccm motor 4 H1414152 6 Polybelt ratio 1.27 for 170ccm motor 4 H1414152 6 Polybelt ratio 1.27 for 170ccm motor 4 H1414151 6 Polybelt ratio 1.27 for 170ccm motor 4 H1414152 6 Polybelt ratio 1.27 for 170ccm motor 4 H1414151 6 Polybelt ratio 1.27 for 170ccm motor 4 H1414151 6 Polybelt ratio 1.27 for 170ccm motor 4 H1414151 6 Polybelt ratio 1.27 for 170ccm motor 4 H1414152 6 Polybelt ratio 1.27 for 170ccm motor 4 H1414151 6 Polybelt ratio 1.27 for 170ccm motor 4 H1414151 6 Polybelt ratio 1.27 for 170ccm motor 4 H1414151 6 Polybelt ratio 1.27 for 170ccm motor 4 H1414151 6 Polybelt ratio 1.27 for 170ccm motor 4 H1414151 6 Polybelt ratio 1.27 for 170ccm motor 4 H1414151 6 Polybelt ratio 1.27 for 170ccm motor 4 H1414151 6 Polybelt ratio 1.27 for 170ccm motor 4 H1414151 6 Polybelt ratio 1.27 for 170ccm motor 4 H1414151 6 Polybelt ratio 1.27 for 170ccm motor 4 H1414151 6 Polybelt ratio 1.27 for 170ccm motor 4 H1414151 6 Polybelt ratio 1.27 for 170ccm motor 4 H1414151 6 Polybelt ratio 1.27 for 170ccm motor 4 H1414151 6 Polybelt ratio 1.27 for 170ccm motor 4 H1414151 6 Polybelt ratio 1.27 for 170ccm motor 4 H1414151 6 Polybelt ratio 1.27 for 170ccm motor 4 H1414151 6 Polybelt ratio 1.27 for 170ccm motor	Solted liners with counter blades - down 41429664	Bolted liners with counter blades - down		