

Prepared For :
Kaylyn Mitman
NC SHERIFFS ASSOCIATION
PO BOX 20049
RALEIGH, NC 27619
UNITED STATES
Phone : 919-459-6471

Prepared by:
Todd Lenhart
PIEDMONT TRUCK CENTER, INC.
412 SOUTH REGIONAL ROAD
GREENSBORO, NC 27409
Phone :3366682401

A proposal for
NC SHERIFFS ASSOCIATION

Prepared by
PIEDMONT TRUCK CENTER, INC.

Todd Lenhart

April 19, 2023

Western Star 47X



Components shown may not reflect all spec'd options and are not to scale

SPECIFICATION PROPOSAL

Description
Price Level
WST 47X/49X PRL-27X (EFF:MY24 ORDERS)
Data Version
SPECPRO21 DATA RELEASE VER 038
Vehicle Configuration
WESTERN STAR 47X
2024 MODEL YEAR SPECIFIED
SET FORWARD AXLE - TRUCK
STRAIGHT TRUCK PROVISION, NON-TOWING
LH PRIMARY STEERING LOCATION
General Service
TRUCK CONFIGURATION
DOMICILED, USA (EXCLUDING CALIFORNIA AND CARB OPT-IN STATES)
PICKUP AND DELIVERY/SHORT HAUL SERVICE
GOVERNMENT BUSINESS SEGMENT
GENERAL FREIGHT COMMODITY
TERRAIN/DUTY: 100% (ALL) OF THE TIME, IN TRANSIT, IS SPENT ON PAVED ROADS
MAXIMUM 8% EXPECTED GRADE
SMOOTH CONCRETE OR ASPHALT PAVEMENT - MOST SEVERE IN-TRANSIT (BETWEEN SITES) ROAD SURFACE
WESTERN STAR ON-HIGHWAY WARRANTY
EXPECTED FRONT AXLE(S) LOAD 12000.0 lbs
EXPECTED REAR DRIVE AXLE(S) LOAD 40000.0 lbs
EXPECTED GROSS VEHICLE WEIGHT CAPACITY 52000.0 lbs
Truck Service

Description
GODWIN MANUFACTURING COMPANY
Engine
CUM L9 300 HP @ 2200 RPM; 2200 GOV RPM, 860 LB-FT @ 1200 RPM
Electronic Parameters
75 MPH ROAD SPEED LIMIT
Engine Equipment
2010 EPA/CARB/GHG21 CONFIGURATION
NO 2008 CARB EMISSION CERTIFICATION
STANDARD OIL PAN
ENGINE MOUNTED OIL CHECK AND FILL
SIDE OF HOOD AIR INTAKE WITH ENGINE MOUNTED AIR CLEANER
DR 12V 160 AMP 28-SI QUADRAMOUNT PAD ALTERNATOR WITH REMOTE BATTERY VOLT SENSE
(3) DTNA GENUINE, FLOODED STARTING, MIN 3000CCA, 555RC, THREADED STUD BATTERIES
BATTERY BOX WITH ALUMINUM COVER MOUNTED SHORT SIDE TO RAIL
SINGLE BATTERY BOX FRAME MOUNTED LH SIDE BACK OF CAB
WIRE GROUND RETURN FOR BATTERY CABLES WITH ADDITIONAL FRAME GROUND RETURN
UNPOLISHED ALUMINUM WST BATTERY BOX COVER
CUMMINS TURBOCHARGED 18.7 CFM AIR COMPRESSOR WITH INTERNAL SAFETY VALVE
ELECTRONIC ENGINE INTEGRAL SHUTDOWN PROTECTION SYSTEM
CUMMINS ENGINE INTEGRAL BRAKE WITH VARIABLE GEOMETRY TURBO ON/OFF WITH BRAKE LAMPS
RH OUTBOARD UNDER STEP MOUNTED HORIZONTAL AFTERTREATMENT SYSTEM ASSEMBLY WITH RH HORIZONTAL TAILPIPE
ENGINE AFTERTREATMENT DEVICE, AUTOMATIC OVER THE ROAD ACTIVE REGENERATION AND VIRTUAL REGENERATION REQUEST SWITCH IN CLUSTER AND DASH MOUNTED INHIBIT SWITCH

Description
STANDARD EXHAUST SYSTEM LENGTH
RH STANDARD HORIZONTAL TAILPIPE
8 GALLON DIESEL EXHAUST FLUID TANK
UNPOLISHED ALUMINUM WST DIESEL EXHAUST FLUID TANK COVER
LH HEAVY DUTY STANDARD DIESEL EXHAUST FLUID TANK LOCATION
STANDARD DIESEL EXHAUST FLUID TANK CAP
AIR POWERED ON/OFF ENGINE FAN CLUTCH
AUTOMATIC FAN CONTROL WITHOUT DASH SWITCH, NON ENGINE MOUNTED
DETROIT FUEL/WATER SEPARATOR WITH WATER IN FUEL SENSOR
CUMMINS SPIN ON FUEL FILTER
FULL FLOW OIL FILTER
1400 SQUARE INCH VOCATIONAL RADIATOR
ANTIFREEZE TO -34F, OAT (NITRITE AND SILICATE FREE) EXTENDED LIFE COOLANT
GATES BLUE STRIPE COOLANT HOSES OR EQUIVALENT
RADIATOR DRAIN VALVE
LOWER RADIATOR GUARD
NO REPTO, EXTENDED FLYWHEEL HOUSING, CUML9 REQUIRED FOR PACKAGING
ELECTRIC GRID AIR INTAKE WARMER
DELCO 12V 39MT HD/OCP STARTER WITH THERMAL PROTECTION AND INTEGRATED MAGNETIC SWITCH

Transmission

EATON FULLER FRO-14210C TRANSMISSION

Transmission Equipment

QUICKFIT BODY LIGHTING CONNECTOR UNDER CAB, WITH CAP

Description
EATON ADVANTAGE 15-1/2 INCH SELF ADJUSTING CLUTCH
TORQUE LIMITING CLUTCH BRAKE
ZERK FITTING WITH EXTENSION HOSE AT CLUTCH RELEASE BEARING
HYDRAULIC CLUTCH CONTROL
ALUMINUM CLUTCH HOUSING
NO PTO MOUNTING LOCATION SPECIFIED
MAGNETIC PLUGS, ENGINE DRAIN, TRANSMISSION DRAIN, AXLE(S) FILL AND DRAIN
PAINTED SHIFT LEVER, SOLID LINKAGE
AIR TO OIL TRANSMISSION COOLER
SYNTHETIC TRANSMISSION LUBE

Front Axle and Equipment

- DETROIT DA-F-12.0-3 12,000# FF1 71.5 KPI/3.74 DROP SINGLE FRONT AXLE
- CONMET PRESET PLUS PREMIUM IRON FRONT HUBS
- MERITOR 16.5X5 Q+ CAST SPIDER CAM FRONT BRAKES, DOUBLE ANCHOR, FABRICATED SHOES
- NON-ASBESTOS FRONT BRAKE LINING
- CONMET CAST IRON FRONT BRAKE DRUMS
- FRONT BRAKE DUST SHIELDS
- FRONT OIL SEALS
- VENTED FRONT HUB CAPS WITH WINDOW, CENTER AND SIDE PLUGS - OIL
- MERITOR AUTOMATIC FRONT SLACK ADJUSTERS
- SINGLE POWER STEERING GEAR, BENDIX, 12-13.3K
- 2 QUART SEE THROUGH POWER STEERING RESERVOIR
- CURRENT AVAILABLE SYNTHETIC 75W-90 FRONT AXLE LUBE

Description
Front Suspension
12,000# DUAL TAPERLEAF FRONT SUSPENSION
MAINTENANCE FREE RUBBER BUSHINGS - FRONT SUSPENSION
FRONT SHOCK ABSORBERS
Rear Axle and Equipment
MT-40-14X 40,000# R-SERIES TANDEM REAR AXLE
CONMET PRESET PLUS PREMIUM ALUMINUM REAR HUBS
4.11 REAR AXLE RATIO
IRON REAR AXLE CARRIER WITH OPTIONAL HEAVY DUTY AXLE HOUSING
MXL 18T MERITOR EXTENDED LUBE MAIN DRIVELINE WITH HALF ROUND YOKES
MXL 17T MERITOR EXTENDED LUBE INTERAXLE DRIVELINE WITH HALF ROUND YOKES
(1) INTERAXLE LOCK VALVE FOR TANDEM DRIVE AXLES
INDICATOR LIGHT FOR EACH INTERAXLE LOCKOUT SWITCH
MERITOR 16.5X7 Q+ CAST SPIDER HEAVY DUTY CAM REAR BRAKES, DOUBLE ANCHOR, FABRICATED SHOES
NON-ASBESTOS REAR BRAKE LINING
BRAKE CAMS AND CHAMBERS ON FORWARD SIDE OF DRIVE AXLE(S)
GUNITE CAST IRON REAR BRAKE DRUMS
REAR BRAKE DUST SHIELDS
REAR OIL SEALS
WABCO TRISTOP D LONGSTROKE 2-DRIVE AXLE SPRING PARKING CHAMBERS
HALDEX AUTOMATIC REAR SLACK ADJUSTERS
CURRENT AVAILABLE SYNTHETIC 75W-90 REAR AXLE LUBE
STANDARD REAR AXLE BREATHER(S)

Description
Rear Suspension
TUFTRAC GEN2 40,000# REAR SPRING SUSPENSION
9.5 INCH NOMINAL RIDE HEIGHT (460MM GLOBAL REFERENCE HEIGHT)
AXLE CLAMPING GROUP
55 INCH AXLE SPACING
FORE/AFT AND TRANSVERSE CONTROL RODS
REAR SHOCK ABSORBERS - TWO AXLES (TANDEM)
Brake System
WABCO 6S/4M ABS WITH TRACTION CONTROL WITH ATC SHUT OFF SWITCH
REINFORCED NYLON, FABRIC BRAID AND WIRE BRAID CHASSIS AIR LINES
RELAY VALVE WITH 5-8 PSI CRACK PRESSURE, NO REAR PROPORTIONING VALVE
WABCO SYSTEM SAVER HP WITH INTEGRAL AIR GOVERNOR AND HEATER
WABCO OIL COALESCING FILTER FOR AIR DRYER
AIR DRYER FRAME MOUNTED
STEEL AIR BRAKE RESERVOIRS
PULL CABLES ON ALL AIR RESERVOIR(S)
Wheelbase & Frame
5490MM (216 INCH) WHEELBASE, SFA ONLY
9.5MM X 89.0MM X 304.0MM STEEL FRAME (0.37X3.50X11.97 INCH) 120 KSI
1650MM (65 INCH) REAR FRAME OVERHANG
FRAME OVERHANG RANGE: 61 INCH TO 70 INCH
CALC'D BACK OF CAB TO REAR SUSP C/L (CA) 134.65 in
CALC'D FRAME LENGTH - OVERALL 309.96 in
FRAME HEIGHT TOP FRONT UNLADEN 41.2 in

Prepared For :
Kaylyn Mitman
NC SHERIFFS ASSOCIATION
PO BOX 20049
RALEIGH, NC 27619
UNITED STATES
Phone : 919-459-6471

Prepared by:
Todd Lenhart
PIEDMONT TRUCK CENTER, INC.
412 SOUTH REGIONAL ROAD
GREENSBORO, NC 27409
Phone :3366682401

Description

FRAME HEIGHT TOP FRONT LADEN 39.15 in

FRAME HEIGHT TOP REAR UNLADEN 42.96 in

FRAME HEIGHT TOP REAR LADEN 41.65 in

SQUARE END OF FRAME

STANDARD WEIGHT ENGINE CROSSMEMBER

STANDARD CAST ALUMINUM CROSSMEMBER BACK OF TRANSMISSION

STANDARD CAST ALUMINUM MIDSHIP

STANDARD CAST ALUMINUM REARMOST CROSSMEMBER

STANDARD SUSPENSION CROSSMEMBER

CAST ALUMINUM REAR SUSPENSION CROSSMEMBER

Chassis Equipment

UNPOLISHED ALUMINUM WST EQUIPMENT COVERS

BRIGHT STEEL 1/8 INCH VOCATIONAL BUMPER

REMOVABLE FRONT TOW/RECOVERY DEVICE,STORED ON CHASSIS FRAME

BUMPER MOUNTING FOR SINGLE LICENSE PLATE

HUCK-SPIN ROUND COLLAR CHASSIS FASTENERS

EXTERIOR HARNESSSES WRAPPED IN ABRASION TAPE

Fuel Tanks

80 GALLON/302 LITER ALUMINUM FUEL TANK - LH

25 INCH DIAMETER FUEL TANK(S)

PLAIN ALUMINUM/PAINTED STEEL FUEL/HYDRAULIC TANK(S) WITH PAINTED BANDS

FUEL TANK(S) FORWARD

PLAIN STEP FINISH

FUEL TANK CAP(S)

Prepared For :
Kaylyn Mitman
NC SHERIFFS ASSOCIATION
PO BOX 20049
RALEIGH, NC 27619
UNITED STATES
Phone : 919-459-6471

Prepared by:
Todd Lenhart
PIEDMONT TRUCK CENTER, INC.
412 SOUTH REGIONAL ROAD
GREENSBORO, NC 27409
Phone :3366682401

Description

EQUIFLO INBOARD FUEL SYSTEM

HIGH TEMPERATURE REINFORCED NYLON FUEL LINE

Tires

CONTINENTAL HSR3 11R22.5 14 PLY RADIAL FRONT TIRES

CONTINENTAL HSR3 11R22.5 14 PLY RADIAL REAR TIRES

Wheels

ACCURIDE 29169 22.5X8.25 10-HUB PILOT 5-HAND HD STEEL DISC FRONT WHEELS

ACCURIDE 51487 ACCU-LITE 22.5X8.25 10-HUB PILOT 5-HAND STEEL DISC REAR WHEELS

NO FRONT AXLE WHEEL/HUB COVER

FRONT WHEEL MOUNTING NUTS

REAR WHEEL MOUNTING NUTS

Cab Exterior

111.6 INCH BBC CONVENTIONAL ALUMINUM CAB

STAINLESS STEEL CAB ACCENT MOLDING

FRONT FENDERS

INTERIOR GRAB HANDLES WITH ADDED LOWER LH AND RH A PILLAR GRAB HANDLES AND LH AND RH EXTERIOR NON-SLIP GRAB HANDLES

BRIGHT HOOD MOUNTED AIR INTAKE GRILLE, BLACK SCREEN

X-SERIES STEEL REINFORCED ALUMINUM CAB

X-SERIES VOCATIONAL HOOD

HOOD OPENING ASSIST WITH LOCKING STRUT

WESTERN STAR NAMEPLATES

DUAL HADLEY SD-978 26 INCH RECTANGULAR AIR HORNS

SINGLE ELECTRIC HORN

Description
REAR LICENSE PLATE MOUNT END OF FRAME
DUAL STAGE INTELLIGENT LED HEADLIGHTS WITH HEATED LENS SYSTEM
ROOF MOUNTED LED MARKER LIGHTS
DAYTIME RUNNING LIGHTS
INTEGRAL LED STOP/TAIL/BACKUP LIGHTS
LED SIDE TURN SIGNAL
C-BAR MIRROR SYSTEM WITH DUAL HEATED MIRRORS WITH INTEGRAL HEATED CONVEX, DUAL REMOTE, STAINLESS STEEL BACK COVER, AND BLACK C-BAR
102 INCH EQUIPMENT WIDTH
LH AND RH CONVEX MIRRORS INTEGRAL WITH PRIMARY MIRRORS
RH DOWN VIEW MIRROR
STANDARD SIDE/REAR REFLECTORS
REAR REFLECTIVE DEVICE
UNPOLISHED ALUMINUM WST AFTERTREATMENT SYSTEM COVER
SINGLE SOLAR TINTED REAR WINDOW, (1) 31 INCH X 20 INCH
1-PIECE ROPED-IN SOLAR GREEN GLASS WINDSHIELD
8 LITER (2 GAL) WINDSHIELD WASHER RESERVOIR, CAB MOUNTED, WITH FLUID LEVEL INDICATOR
Cab Interior
X-SERIES BASE INTERIOR TRIM LEVEL PACKAGE
CHARCOAL BLACK VINYL BASE LEVEL INTERIOR
CARBON WITH BASE BLACK ACCENT
BLACK MATS
(2) DASH MOUNTED POWER OUTLETS AND COIN TRAY
FORWARD ROOF MOUNTED CONSOLE

Description
LH AND RH DOOR STORAGE POCKETS INTEGRATED INTO MOLDED DOOR PANELS
(2) COAT HOOKS ON BACKWALL OF CAB
DIGITAL ALARM CLOCK IN DRIVER DISPLAY
STANDARD HEATER PLUMBING
RADIATOR MOUNTED AIR CONDITIONER CONDENSER
STANDARD INSULATION
STANDARD LED CAB LIGHTING
REMOTE KEYLESS ENTRY AND 2 TRANSMITTERS
DOOR LOCKS AND IGNITION SWITCH KEYED THE SAME
KEY QUANTITY OF 2
LH AND RH ELECTRIC DOOR LOCKS WITH AUTO UNLOCK FEATURE WHEN DOOR IS SET FROM OPEN TO CLOSED POSITION
BLACK DOOR HANDLES
BASIC 2.0 HIGH BACK AIR SUSPENSION DRIVER SEAT WITH 1 CHAMBER AIR LUMBAR, INTEGRATED CUSHION EXTENSION AND TILT
BASIC 2.0 HIGH BACK NON SUSPENSION PASSENGER SEAT
NO SEAT ARMREST
BLACK MORDURA CLOTH DRIVER SEAT COVER WITH EMBROIDERED LOGO
BLACK MORDURA CLOTH PASSENGER SEAT COVER WITH EMBROIDERED LOGO
3 POINT ADJUSTABLE D-RING RETRACTOR DRIVER AND FIXED D-RING RETRACTOR PASSENGER SEAT BELTS
ADJUSTABLE TILT AND TELESCOPING STEERING COLUMN
4-SPOKE 18 INCH (450MM) BLACK STEERING WHEEL WITH SWITCHES
DRIVER AND PASSENGER INTERIOR SUN VISORS

Instruments & Controls

Prepared For :
Kaylyn Mitman
NC SHERIFFS ASSOCIATION
PO BOX 20049
RALEIGH, NC 27619
UNITED STATES
Phone : 919-459-6471

Prepared by:
Todd Lenhart
PIEDMONT TRUCK CENTER, INC.
412 SOUTH REGIONAL ROAD
GREENSBORO, NC 27409
Phone :3366682401

Description

STOCK TRUCK/UPFIT PACKAGE LVL 1

EXTRA GRIP FOOT CLUTCH PEDAL PAD, NON-
ADJUSTABLE SUSPENDED PEDALS

ELECTRONIC ACCELERATOR CONTROL

BLACK GAUGE BEZELS

STANDARD CENTER INSTRUMENT PANEL

DUAL NEEDLE PRIMARY AND SECONDARY AIR
PRESSURE GAUGE

INTAKE MOUNTED AIR RESTRICTION INDICATOR
WITHOUT GRADUATIONS

ELECTRONIC CRUISE CONTROL WITH CONTROLS ON
STEERING WHEEL SPOKES

KEY OPERATED IGNITION SWITCH AND INTEGRAL
START POSITION; 4 POSITION
OFF/RUN/START/ACCESSORY

PREMIUM INSTRUMENT CLUSTER WITH 5.0 INCH TFT
COLOR DISPLAY

DIGITAL PANEL LAMP DIMMER SWITCH IN DRIVER
DISPLAY

HEAVY DUTY ONBOARD DIAGNOSTICS INTERFACE
CONNECTOR WITH DUST CAP LOCATED BELOW LH
DASH

2 INCH ELECTRIC FUEL GAUGE

ELECTRICAL ENGINE COOLANT TEMPERATURE GAUGE

NO ENGINE OIL TEMPERATURE GAUGE

ELECTRIC ENGINE OIL PRESSURE GAUGE

2 INCH TRANSMISSION OIL TEMPERATURE GAUGE

ELECTRONIC OUTSIDE TEMPERATURE SENSOR
DISPLAY IN DRIVER MESSAGE CENTER

ENGINE, TRIP AND PTO HOUR METERS INTEGRAL
WITHIN DRIVER DISPLAY

NO PTO CONTROLS

NO OBSTACLE DETECTION SYSTEM

ELECTRONIC STABILITY CONTROL

Prepared For :
Kaylyn Mitman
NC SHERIFFS ASSOCIATION
PO BOX 20049
RALEIGH, NC 27619
UNITED STATES
Phone : 919-459-6471

Prepared by:
Todd Lenhart
PIEDMONT TRUCK CENTER, INC.
412 SOUTH REGIONAL ROAD
GREENSBORO, NC 27409
Phone :3366682401

Description

NO LANE DEPARTURE WARNING SYSTEM

TMC RP1226 ACCESSORY CONNECTOR LOCATED
BEHIND PASSENGER SIDE REMOVEABLE DASH PANEL

AM/FM/WB WORLD TUNER RADIO WITH BLUETOOTH,
USB AND AUXILIARY INPUTS, J1939

DASH MOUNTED RADIO

STANDARD SPEAKER SYSTEM

NO AM/FM RADIO ANTENNA

POWER AND GROUND WIRING PROVISION OVERHEAD

ROOF/OVERHEAD CONSOLE CB RADIO PROVISION

SINGLE REMOTE SPEAKER WITH LEAD FOR 2-WAY
RADIO

SINGLE FIBERGLASS LH MIRROR MOUNTED CB
ANTENNA WITH BRACKET AND LEAD

HEADLINER MULTI-BAND ANTENNA:
AM/FM/WEATHERBAND, WIFI/BLUETOOTH, GNSS/GPS

ELECTRONIC MPH SPEEDOMETER WITH SECONDARY
KPH SCALE, WITHOUT ODOMETER

ELECTRONIC 2500 RPM TACHOMETER

DETROIT CONNECT PLATFORM HARDWARE

5 YEARS DAIMLER CONNECTIVITY BASE PACKAGE
(FEATURES VARY BY MODEL) POWERED BY DETROIT
CONNECT

IGNITION SWITCH CONTROLLED ENGINE STOP

FOUR EXTRA HARDWIRED SWITCHES IN DASH, ROUTE
TO UNDER CAB, CAPPED

HARDWIRE SWITCH #1, ON/OFF LATCHING, 10 AMPS
BATTERY POWER

HARDWIRE SWITCH #2, ON/OFF LATCHING, 10 AMPS
BATTERY POWER

HARDWIRE SWITCH #3,ON/OFF LATCHING, 10 AMPS
BATTERY POWER

HARDWIRE SWITCH #4,ON/OFF LATCHING, 10 AMPS
BATTERY POWER

PRE-TRIP INSPECTION FEATURE FOR EXTERIOR LAMPS
ONLY

Description
2 INCH TURBO AIR PRESSURE GAUGE
DIGITAL VOLTAGE DISPLAY INTEGRAL WITH DRIVER DISPLAY
ROTARY HEADLAMP SWITCH, MARKER LIGHTS/HEADLIGHTS SWITCH WITH PULL OUT FOR OPTIONAL FOG/ROAD LAMPS
ONE VALVE PARKING BRAKE SYSTEM WITH WARNING INDICATOR
SELF CANCELING TURN SIGNAL SWITCH WITH DIMMER, HEADLAMP FLASH, WASH/WIPE/INTERMITTENT
Design
PAINT: ONE SOLID COLOR
Color
CAB COLOR A: L0006EY WHITE ELITE EY
BLACK, HIGH SOLIDS POLYURETHANE CHASSIS PAINT
POWDER WHITE (N0006EA) FRONT WHEELS/RIMS (PKWHT21, TKWHT21, W, TW)
POWDER WHITE (N0006EA) REAR WHEELS/RIMS (PKWHT21, TKWHT21, W, TW)
Certification / Compliance
U.S. FMVSS CERTIFICATION, EXCEPT SALES CABS AND GLIDER KITS
Other Factory Charges
GHG21 ENHANCEMENT PRICE
5 YRS DAIMLER CONNECTIVITY BASE PKG (VARY BY MODEL)
POWERED BY DETROIT CONNECT
FRONT TIRE SURCHARGE
REAR TIRE SURCHARGE
MY24/CY23 PRICING SURCHARGE
STANDARD DESTINATION CHARGE

Prepared For :

Kaylyn Mitman
NC SHERIFFS ASSOCIATION
PO BOX 20049
RALEIGH, NC 27619
UNITED STATES
Phone : 919-459-6471

Prepared by:

Todd Lenhart
PIEDMONT TRUCK CENTER, INC.
412 SOUTH REGIONAL ROAD
GREENSBORO, NC 27409
Phone :3366682401

(+) Weights Shown are estimates only.

If weight is critical, contact Customer Application Engineering.

(**) Prices shown do not include taxes, fees, etc... "Net Equipment Selling Price" is located on the Quotation Details Proposal Report.

(***) All cost increases for major components (Engines, Transmissions, Axles, Front and Rear Tires) and government mandated requirements, tariffs, and raw material surcharges will be passed through and added to factory invoices.