



GRAPPLE TRUCKS

KB-2 SERIES GRAPPLE TRUCK

The KB-2 is Pac-Mac's non-CDL Grapple Truck. Well-known for its quality, economic efficiency, durability, and user-friendly design. This unit is a simple, high-value, low-cost series grapple truck.

[See Details +](#)[IMAGES & DETAILS](#)[DATA & SPECIFICATIONS](#)[FEATURES](#)

THE KB-2 IS PAC-MAC'S NON-CDL GRAPPLE TRUCK.

Select a point to see more about Pac-Mac KB-2 Series Grapple Truck.





DATA & SPECIFICATIONS

KB-2

General Specifications

Height of boom to ground in lowest travel position

- 10 ft.

Boom length

- 17 ft.

Boom rotation

- 270° continuous

Lifting capacity at 17 ft. (with bucket)

- 1,200 lbs.

H-style outriggers

- Outrigger (extended): 9.5 ft.
- Outrigger (retracted): 7 ft.

Hydraulics

- Tandem pump for simultaneous operation of multiple functions

Operator Controls:

- Mechanical levers

Body Hoist Capacity

- 30,000 lbs.

Body

Length

- 18 ft.

Capacity

- 20 cubic yds.

Tilt

- 45° for dumping

Floor

- 1 piece 3/16 in. smooth steel plate

Sides

- 10 gauge smooth steel plate

Lighting

^

- L.E.D.
- Mid-body turn signals (where applicable)
- Smart light

Bucket

Width

- 3 ft.
- Optional 2 ft.

Fully open

- 4 ft.

See Less

