MAKE	MODEL	BASE PRICE
TRANSFERFL		
OW	080-01-06637	\$2,951.21
	080-01-16625	\$2,807.05
	080-01-16755	\$2,973.22
	080-01-16758	\$3,304.49
	080-01-16188	\$3,637.89
	080-01-16063	\$4,587.64
	080-01-16206	\$2,825.21
	080-01-09417	\$2,716.81
	080-01-09420	\$2,942.43
	080-01-09418	\$3,176.97
	080-01-09416	\$2,958.46
	080-01-13244	\$4,179.97
	070-TK-34310	\$1,664.58
	070-TK-34311	\$1,733.88
	080-01-16230	\$4,421.51
	080-01-16947	\$3,373.33
	080-01-17182	\$3,939.97
	080-01-16565	\$3,276.43
	080-01-14225	\$3,026.85
	080-01-15807	\$3,491.58
	080-01-15809	\$3,571.50



# In-Bed Auxiliary Tanks Refueling Tanks Fuel Tank & Tool Box Combos Replacement Tanks



### **Contents**

- 1 Ordering & Warranty
- **2** TRAX 4<sup>™</sup> Operating System
- 3 In-Bed Auxiliary Fuel Tanks
- 7 Auxiliary Tank & Tool Boxes
- 9 Refueling Tank Systems
- 13 Diesel Refueling Tanks
- 15 Refueling Tank & Tool Boxes
- 17 Pickup & Cab Chassis Replacement Tanks
- **18** Ford Pickup Replacement Tanks
- 19 Toyota Tundra Replacement Tank
- **20** Ram Cab Chassis Replacement Tanks
- **21** Fuel System Regulations

## More fuel is as easy as 1-2-3.

Ordering is simple! We have a number of ways for you to place individual or volume orders:



### **Phone**

### (530) 893-5209 / (800) 442-0056

Give our fuel system experts a call to place your order or learn more about fitment and product details.



### **Online**

### www.TransferFlow.com

Visit our website to browse our fuel tank products, to place an order, and to learn more about Transfer Flow.





Find an installer

Scan to find an installer near you

### www.TransferFlow.com/installation

Transfer Flow has built an extensive network of over 200 authorized installers throughout North America. Installation rates may vary.

### Welcome to our family!

A message from our CEO

e are excited to welcome you into the Transfer Flow family with fellow truck owners who have discovered our premier fuel systems are engineered for excellence.

**Your time is important to us.** Fueling your adventures is our mission. Your new Transfer Flow fuel tank will reduce your fuel stops and get you to your destination faster than ever.

**Your investment is important to us.** Making sure you are well taken care of is our promise. You will have access to our industry-leading customer service team day or night.

**Your success is important to us.** Providing only the best in aftermarket fuel tanks is our purpose. You will succeed on the road in a safe, legal, and reliable manner.

**YOU** are the most essential part of our success, and we thank you for trusting us to fuel your driving needs.

Kisa Johnson

Lisa Johnson, CEO

## Transfer Flow fuel tanks come with a 6-year warranty.

ransfer Flow fuel systems are covered by a six year, unlimited mile warranty\* against defects in material and workmanship throughout the U.S. and Canada from the unit purchase date by the original purchaser for the original vehicle the unit was installed in.


For specific information regarding part exceptions, exclusions and limitations, warranty claim procedures, and federal regulatory provisions, please see our full warranty details on our website at www.TransferFlow.com/warranty.



information

<sup>\*</sup> Part numbers 070-TK-34310 and 070-TK-34311 come with a one year, unlimited mile warranty.

### For worry-free fuel transfers, you can trust Transfer Flow's TRAX 4<sup>™</sup> Fuel Management System.



RAX 4™ is a computer-controlled fuel management system that transfers fuel from a Transfer Flow auxiliary fuel tank to your pickup's main fuel tank. TRAX 4™ comes with all Transfer Flow auxiliary fuel tanks.

Based on the capacity of your pickup's main fuel tank and the capacity of the Transfer Flow auxiliary fuel tank, the TRAX 4™ system will transfer fuel at predetermined levels while the vehicle is in operation.

Want to know the status of your onboard fuel systems?

Download the TRAX 4™ mobile app to your smartphone and enter your vehicle and fuel system information. You'll be able to monitor your pickup's fuel capacity in no time! During fuel transfer, the message "PUMP ON" will be displayed on your smartphone. You also have the option of displaying either the gallons or the

Phone and phone holder not included.

percentage of fuel in each tank.

Scan for additional TRAX 4™ information

### TRAX 4™ Status Guide



The vehicle's fuel systems are functioning properly.



Fuel transfer from the auxiliary tank to the main tank is occurring.



There is an error with the vehicle's fuel systems. See TRAX 4™ manual.



Blue tooth connection has been lost



Vehicle engine is off. Start engine to access data.

### OPTIONAL ITEM

## Monitor the fuel level of your auxiliary fuel tank with an in-cab display.

f you prefer not to use our TRAX 4<sup>™</sup> app with your auxiliary tank but still want to know how much fuel is in the tank, consider our in-cab fuel level monitor LCD. The LCD shows the fuel level of the auxiliary tank with an easy-to-read bar graph that decreases when fuel is transferred to the pickup's main fuel tank. This item is sold separately.



**Fuel Level Monitor LCD** (shown actual size) part no. 040-01-17100

### Gravity-fed systems are unsafe and unlawful.

ue to safety, environmental, and legal concerns, Transfer Flow does not endorse, design, install, or sell gravity-fed fuel systems because of their inherent risks. With gravity-fed systems, if the valve, connectors, or fuel line malfunctions (or you forget to close the valve), there's nothing to prevent over-filling the fuel tank and causing dangerous fuel spills. By installing a gravity-fed system, you are disabling the safety features of your vehicle's fuel system. Transfer Flow fuel tanks are never to be used in conjunction with gravity-fed systems.



## **Worry-free long hauls** are yours with extra onboard fuel.

ransfer Flow in-bed auxiliary fuel tanks provide a worryfree, no-hassle experience with our patented TRAX 4™ computer-controlled fuel management system.



Each of our auxiliary fuel tanks come with our TRAX 4™ system and mobile app that shows fuel levels in percentages or gallons, as well as the operational status of the system.

Our AutoTrans® technology is specific for each vehicle and auxiliary tank model, and automatically transfers fuel from the in-bed tank to the main tank at specified fuel levels.

Our in-bed auxiliary fuel tanks are available in 40-, 50-, 75-, and 100-gallons. Each fuel tank comes with our TRAX 4<sup>™</sup> operating system and mobile app that shows fuel levels in percentages or gallons and the system's operational status.

### **FEATURES & BENEFITS**

- Robot-welded seams provide extraordinary strength
- Comes complete with all components for installation
- TRAX 4<sup>™</sup> computer-controlled automatic fuel transfers for worry-free operation
- Built from 12- and 14-gauge high-yield U.S. aluminized steel for superior durability and strength
- Baffled to prevent fuel sloshing
- 6-year, unlimited mile warranty

#### **NOTES**

- **≭** 2010—12 Ram Mega Cab and Crew Cab short bed pickup with single rear wheels require a filler neck (part no. 050-01-15461).
- 2013—22 Ram Mega Cab and Crew Cab short bed pickups require a Mounting Bracket Kit (part no. 020-01-16790).
- **◆** Does not fit on 2013—22 Ram short bed with 5th Wheel Prep Package.
- ❖ Does not fit on 2020—22 Ram short bed pickup.

### **OPTIONAL UPGRADES & ACCESSORIES**









TRAX 4™ Fuel Level Monitor Killem® Biocide

070-CH-33291

070-GC-33572

Locking Fuel Cap Tie Down Brackets 020-01-16384





Scosche® Magnetic Spray-On Textured Coat LCD/phone Mount 070-BR-34422



40
GALLON
Diesel

SHORT AND LONG BED

Fits: 2008—22 Ford, 2010—22 GM/Chevy, and 2010—22 Dodge/Ram


Fuel: Diesel

Ship Weight: 132 lb.

**Dimensions:** 48" L × 19" W × 19 3/8" H

Part Number (Black Powder Coat): 080-01-16637 Part Number (Textured Coat): 080-BL-16637

Notes: \* \*





Scan for product information





SHORT AND LONG BED

Fits: 2008—22 Ford, 2010—22 GM/Chevy, and 2010—22 Dodge/Ram

**Fuel: Diesel** 

Ship Weight: 155 lb.

**Dimensions:** 60 3/4" L × 18 1/2" W × 18" H

Part Number (Black Powder Coat): 080-01-16625 Part Number (Textured Coat): 080-BL-16625

Notes: \*+



Scan for product information



Fits: 2008—22 Ford, 2010—22 GM/Chevy, and 2010—22 Dodge/Ram

Fuel: Diesel

Ship Weight: 182 lb.

**Dimensions:** 60 3/4" L × 21" W × 22 1/2" H

Part Number (Black Powder Coat): 080-01-16755 Part Number (Textured Coat): 080-BL-16755

Notes: **×** + ❖

Notes: \* +



Scan for product information





Great company and product! Transfer Flow came highly recommended and did not disappoint. I highly recommend this "American-made" company and their product line.











by BILL C.



**!!** We have bought at least three 100-gallon tanks from you and we're very satisfied with product and service.



by CHIP GANASSI RACING





## Enjoy the best of both worlds with extra fuel and extra storage.

he all-in-one auxiliary fuel tank and tool box combos are computer-controlled by our TRAX 4™ operating system for worry-free fuel transfers.



Each of our auxiliary fuel tanks come with our TRAX 4™ system and mobile app that shows fuel levels in percentages or gallons, as well as the operational status of the system.

Easily load your

tools, supplies, and equipment in the locking storage compartment to keep them safe and secure.

The 40-gallon fuel tank and tool box combo sits nearly flush with most pickup truck bed rails, while the versatile 70-gallon model sits on the bed rails and adjusts to the depth of the pickup bed.

You can also add refueling capabilities to your Transfer Flow auxiliary fuel tank and tool box combo with the addition of our Refueling Kit!

### **FEATURES & BENEFITS**

- TRAX 4<sup>™</sup> computer-controlled automatic fuel transfers for worry-free operation with exclusive AutoTrans® technology
- Comes complete with all components for installation
- Built from 12- and 14-gauge high-yield U.S. aluminized steel for superior durability and strength
- · Gas-filled shocks for easy opening and closing
- Locking handles to keep gear secure
- · Baffled to prevent fuel sloshing
- · 6-year, unlimited mile warranty

#### **NOTES**

- **≭** 2010—12 Ram Mega Cab and Crew Cab short bed pickup with single rear wheels require a filler neck (part no. 050-01-15461).
- **◆** Does not fit on 2013—22 Ram short bed with 5th Wheel Prep Package.
- ❖ Does not fit on 2020—22 Ram short bed pickup.

### **OPTIONAL UPGRADES & ACCESSORIES**









TRAX 4™ Fuel Level Monitor 040-01-17100

070-CH-33291

Killem® Biocide Locking Fuel Cap

Tie Down Brackets 020-01-16384







Refueling Kit (40 gal.) 020-01-14539

Refueling Kit (70 gal.) 020-01-16229

LCD/phone Mount 070-BR-34422





Fits: 2008—22 Ford, 2010—22 GM/Chevy, and 2010—22 Dodge/Ram

Fuel: Diesel

Ship Weight: 202 lb.

Outside Dimensions:  $59^{\circ}$  L ×  $21^{\circ}$  W ×  $21 5/8^{\circ}$  H Inside Dimensions:  $59^{\circ}$  L ×  $18^{\circ}$  W ×  $9 3/4^{\circ}$  H

**Storage Space:** 6 cubic feet **Part Number:** 080-01-16188

Notes: \*+



Scan for product information





SHORT AND LONG BED

Fits: 2008—22 Ford, 2010—22 GM/Chevy, and 2010—22 Dodge/Ram

Fuel: Diesel

Ship Weight: 280 lb.

**Outside Dimensions:** 73" L × 24 1/2" W × 23 3/4"–27 3/4" H **Inside Dimensions:** 62" L × 14 1/2" W × 9 1/2"–13 1/2" H

**Storage Space:** 9 cubic feet **Part Number:** 080-01-16063

Notes: **× +** ❖



Scan for product information



## Fuel up equipment, vehicles, and off-road toys with a legal refueling tank.

itch the fuel cans when you have a refueling station in your truck bed that's perfect for refueling vehicles, off-road toys, and equipment.

Transfer Flow refueling tank systems are Department of Transportation (DOT) legal to carry and transfer gasoline, diesel, ethanol, methanol, and kerosene. The easy-to-use hose purging feature pulls any remaining fuel left in the hose back into the refueling tank to eliminate fuel messes and stretch your extra fuel capacity even further. Includes GPI® fuel pump.

See page 21 for refueling tank regulation information.

### **OPTIONAL UPGRADES & ACCESSORIES**







070-CH-33291

020-01-13959







### **FEATURES & BENEFITS**

- Comes with 12-volt GPI fuel pump, 12 ft. hose, nozzle, fuel cap, wiring harness with cab-mounted power switch, and mounting hardware
- · DOT legal for gasoline, diesel, methanol, ethanol, and kerosene
- Built from 12- and 14-gauge high-yield U.S. aluminized steel for superior durability and strength
- Powder coated black for durable satin finish
- Easy-to-use hose-purge feature eliminates messes
- Pumps up to 15 gallons per minute (8 GPM with 40-gallon refueling tank)
- Baffled to prevent fuel sloshing
- 6-year, unlimited mile warranty

- **◆** Does not fit on 2013—22 Ram short bed with 5th Wheel Prep Package.
- 2013—22 Ram Mega Cab and Crew Cab short bed pickups require a Mounting Bracket Kit (part no. 020-01-16790).



020-01-13958







**Locking Fuel Cap** 070-GC-34074

**Fuel Gauge** 





Fits: All Light and Heavy Duty Trucks, Jeep Gladiator

Fuel: Gasoline, Diesel, Kerosene

Ship Weight: 190 lb.

**Dimensions:** 40" L × 23" W × 17 1/8" H

Part Number: 080-01-16206

Optional Fuel Gauge: 070-GA-34240

Note: +



Scan for product information





SHORT AND LONG BED

Fits: All Full-Size Trucks

Fuel: Gasoline, Diesel, Kerosene, Methanol/Ethanol

Ship Weight: 206 lb.

**Dimensions:** 54 3/8" L × 15 1/2" W × 24" H

Part Number: 080-01-09417

Methanol/Ethanol Pump: 080-MP-09417 Optional Fuel Gauge: 070-GA-34241

Notes: + 🔾



Scan for product information



Ship Weight: 251 lb.

**Dimensions:** 47 3/4" L × 22 5/8" W × 26 5/8" H

Part Number: 080-01-09420

Methanol/Ethanol Pump: 080-MP-09420 Optional Fuel Gauge: 070-GA-34242

Note: +



Scan for product information





**LONG BED** 

Fits: All Full-Size Trucks

Fuel: Gasoline, Diesel, Kerosene, Methanol/Ethanol

Ship Weight: 329 lb.

Dimensions: 53 3/4" L × 35 7/8" W × 27 5/8 " H

Part Number: 080-01-09418

Methanol/Ethanol Pump: 080-MP-09418 Optional Fuel Gauge: 070-GA-34242

Note: +



Scan for product information





Fits: All Full-Size Trucks

Fuel: Gasoline, Diesel, Kerosene, Methanol/Ethanol

Ship Weight: 297 lb.

**Dimensions:** 54 3/4" L × 30" W × 22 5/8" H

Part Number: 080-01-09416

Methanol/Ethanol Pump: 080-MP-09416 Optional Fuel Gauge: 070-GA-34241

Note: +

BED

LONG



Scan for product information





SHORT AND LONG BED

Fits: All Full-Size Trucks

Fuel: Gasoline, Diesel, Kerosene, Methanol/Ethanol

Ship Weight: 332 lb.

**Dimensions:** 47 3/8" L × 31" W × 24 3/8" H

Part Number: 080-01-13244

Methanol/Ethanol Pump: 080-MP-13244 Optional Fuel Gauge: 070-GA-34241

Note: +



Scan for product information



## The convenience of a diesel fuel station in the bed of your truck.

ill your fuel needs with a safe, legal, and reliable refueling tank from Transfer Flow! Our diesel refueling tanks are rugged and durability-tested to hold up to daily use.

Transfer Flow's 50- and 80-gallon refueling tanks are legal to carry diesel, a non-combustible fuel. Each tank includes two internal baffles to reduce fuel sloshing and fully-welded mounting brackets.

These refueling tanks are made from 14-gauge U.S. aluminized steel for superior durability and strength, and powder coated black for a durable finish, and come with fuel cap, bolts, nuts, washers, bed shims, and installation instructions. Pumps are sold separately.

### **FEATURES & BENEFITS**

- Refueling tank to fuel diesel vehicles and equipment
- Built from 14-gauge U.S. aluminized steel for durability
- Comes with fuel cap, rollover valve, and mounting kit
- Powder coated black for durable finish
- · Baffled to prevent fuel sloshing
- 1-year, unlimited mile warranty

#### NOTES

→ Does not fit on 2013—22 Ram short bed with 5th Wheel Prep Package.

## Choose a fuel pump

Our diesel refueling tanks are compatible with GPI® and Fill-Rite® fuel pumps. See part numbers below.



### **OPTIONAL UPGRADES & ACCESSORIES**



**GPI® 12-Volt 15 GPM Pump Kit** 070-FU-34415



Fill-Rite® 12-Volt 15 GPM Pump Kit 070-FU-34417



Husky® Fueling Swivel 070-FS-32685



GPI® Fuel Meter 020-01-13959



Tie Down Bracket



Fuel Filter Kit 020-01-13958



Locking Fuel Cap 070-GC-34074



Killem® Biocide 070-CH-33291



50 GALLON Diesel

SHORT AND LONG BED

Fits: 6.5' and 8' Truck Beds

Fuel: Diesel

Ship Weight: 140 lb.

**Dimensions:** 54" L × 15.5" W × 23.1" H

**Part Number:** 070-TK-34310

Note: +

**FUEL PUMP OPTIONS** 

**GPI® Fuel Pump:** 

070-FU-34415

Fill-Rite® Fuel Pump:

070-FU-34417



Scan for product information





SHORT AND LONG BED

Fits: All Full-Size Trucks

Fuel: Diesel

Product Weight: 170 lb.

**Dimensions:** 47" L × 23" W × 25.75" H

Part Number: 070-TK-34311

Note: +

### **FUEL PUMP OPTIONS**

**GPI**<sup>®</sup> **Fuel Pump:** 070-FU-34415

Fill-Rite® Fuel Pump:

070-FU-34417



Scan for product information



## Secure your gear and fuel in a refueling tank and tool box combo.

designed a refueling station with room to keep your supplies and gear secure. The tool box is equipped with locking handles and gas-filled shocks that make it easy to open and close.



All fuel systems ship with all parts needed for installation and use.

The patented 70-gallon refueling tank and tool box combo pairs the popular over-the-rail tool box style with a versatile adjustable design that ensures the tank fits nicely with appropriate weight support.

Transfer Flow refueling tank systems are Department of Transportation (DOT) legal to carry and transfer gasoline, diesel, methanol, ethanol, and kerosene, and features an easy-to-use purge function that moves remaining fuel in the hose back into the fuel tank.

### **FEATURES & BENEFITS**

- Comes with 12-volt GPI fuel pump, 12 ft. hose, nozzle, fuel cap, wiring harness with cab-mounted power switch, and mounting hardware
- Easy-to-use hose purge feature eliminates messes
- Pumps up to 8 gallons per minute
- Built from 12- and 14-gauge high-yield U.S. aluminized steel for superior durability and strength
- · Baffled to prevent fuel sloshing
- · Gas-filled shocks for easy opening and closing
- Locking handles to keep gear secure
- 6-year, unlimited mile warranty



### **NOTES**

- ◆ Does not fit on 2013—22 Ram short bed with 5th Wheel Prep Package.
- ❖ Does not fit on 2020—22 Ram short bed pickup.

### **OPTIONAL UPGRADES & ACCESSORIES**





Killem<sup>®</sup> Biocide 070-CH-33291

Tie Down Brackets





Fits: All Full-Size Trucks

Fuel: Gasoline, Diesel, Kerosene

Ship Weight: 215 lb.

Outside Dimensions:  $59"L \times 21"W \times 21 5/8"H$ Inside Dimensions:  $59"L \times 18"W \times 9 3/4"H$ 

**Storage Space:** 6 cubic feet **Part Number:** 080-01-15195

Note: +



Scan for product information





SHORT AND LONG BED

**Fits:** All Full-Size Heavy Duty Trucks **Fuel:** Gasoline, Diesel, Kerosene

Ship Weight: 293 lb.

**Outside Dimensions:** 73" L × 24 1/2" W × 23 3/4"–27 3/4" H **Inside Dimensions:** 56 3/4" L × 14 1/2" W × 9 1/2"-13 1/2" H

**Storage Space:** 9 cubic feet **Part Number:** 080-01-16230

Note: +❖



Scan for product information



60-Gallon Replacement Fuel Tank Installed on Ford F-250

## Increase your fuel capacity without taking up bed space.

ur highcapacity replacement fuel tanks nearly double your fuel capacity so you can cruise without worry.

Each replacement fuel tank is made from 12-gauge ReliaSteel®, high-yield U.S. aluminized steel, and



Replacement tanks have internal baffles for extra durability and strength, and to reduce fuel slosh.

is designed to fit in the same space as the stock fuel tank. Simply remove the plastic stock fuel tank, replace it with our complete fuel system, and you're ready to hit the road.

Our replacement tanks are manufactured with internal baffles to reduce fuel sloshing, and come powder coated for a durable satin black finish.

### **FEATURES & BENEFITS**

- Tank sits above the differential, no skid plate needed
- Fits in the same space as stock fuel tank
- Fuel tank mounts inside the frame rail
- Built from 12- and 14-gauge high-yield U.S. aluminized steel for superior durability and strength
- Comes with straps and mounting hardware
- · Powder coated with a durable satin black finish
- Baffled to prevent fuel sloshing
- 6-year, unlimited mile warranty

### NOTES

- F-150's equipped with a 23- or 26-gallon stock fuel tank require a replacement sending unit (part no. 070-SE-34254).
- F-150's with a 6 1/2 ft. bed require a Fuel Line Extension Kit (part no. 020-01-17011).
- Only fits long bed SuperCabs equipped with a 34-gallon stock tank.
- $\boldsymbol{\textbf{x}}$  This fuel tank is not available for Tundras registered in California.
- ◆ For 2016—21 model years, this tank will only fit Tundras originally equipped with a 26-gallon stock tank.
- When replacing the aft axle fuel tank with a Transfer Flow midship fuel tank on a Ram cab chassis, an Aft Axle Extension Kit is required (part no. 020-01-13920).

### **OPTIONAL UPGRADE**







Spray-On Textured Coat



### FORD PICKUP REPLACEMENT TANKS



5 1/2 & 6 1/2 FT BED SUPERCREW

**Fits:** 2018—20 Ford F-150/F-150 Raptor with 3.5L and 5.0L engine

**Fuel:** Gasoline **Ship Weight:** 186 lb.

**Dimensions:** 88" L × 17 5/8" W × 19" H

Part Number (Black Powder Coat): 080-01-16947 Part Number (Textured Coat): 080-BL-16947

Notes: **\***O



Scan for product information

58
GALLON
Gasoline

6 1/2 FT CREW CAB Fits: 2020—22 Ford F-250/F-350 with 6.2L and 7.3L engine

Fuel: Gasoline

Ship Weight: 239 lb.

**Dimensions:** 73 3/5" L × 17" W × 18" H

Part Number (Black Powder Coat): 080-01-17182 Part Number (Textured Coat): 080-BL-17182

Note:

COMING SOON!

Gasoline

Replacement

Fuel Tank!



Scan for product information

60 GALLON Diesel 1/2 FT CREW & FT SUPERCAB

Fits: 2017—22 Ford F-250/F-350/F-450

Fuel: Diesel

Ship Weight: 216 lb.

**Dimensions:** 72 3/4" L × 17" W × 17" H

Part Number (Black Powder Coat): 080-01-16565 Part Number (Textured Coat): 080-BL-16565

Note: ■



Scan for product information



### **TOYOTA TUNDRA REPLACEMENT TANK**

46
GALLON
Gasoline

5 1/2, 6 1/2 AND 8 FT BED

Fits: 2007—21 Toyota Tundra® Double Cab and CrewMax

Fuel: Gasoline
Ship Weight: 187 lb.

**Dimensions:** 77" L × 17 1/4" W × 12 1/2" H

Part Number (Black Powder Coat): 080-01-14225 Part Number (Textured Coat): 080-BL-14225

Notes: **× ◆** 



Scan for product information

■ I installed the 46-gallon tank on my Toyota Tundra and am very happy with the quality. I have been a master automotive technician for 36 years and have seen my share of poorly made products. This is not one of them.



by JONATHON LORD





### **RAM CAB CHASSIS REPLACEMENT TANKS**

84" CAB AXLE

Fits: 2007—22 Ram 3500/4500/5500 Cab Chassis

Fuel: Diesel

Ship Weight: 199 lb.

**Dimensions:** 79" L × 11 3/8" W × 18" H

Part Number (Black Powder Coat): 080-01-15807 Part Number (Textured Coat): 080-BL-15807

**Note:** Midship Tank replaces stock midship or aft axle fuel tank •



Scan for product information



108" AND 120" CAB AXLE

Fits: 2007—22 Ram 4500/5500 Cab Chassis, 2009—19 Ram 3500 Cab Chassis

Fuel: Diesel

Ship Weight: 203 lb.

**Dimensions:** 79" L × 11 3/8" W × 18" H

Part Number (Black Powder Coat): 080-01-15809 Part Number (Textured Coat): 080-BL-15809

Note: Midship Tank replaces stock midship or aft axle fuel tank •



Scan for product information

## What is a legal fuel tank?

ederal Motor Vehicle Safety Standards (FMVSS) 301 states that anyone who alters a vehicle must meet or exceed the structural integrity and performance of the OEM fuel system. A fuel system includes anything associated with fuel systems such as the fuel tank, filler neck, fuel lines, fuel pump, emission canister, and fasteners. If someone adds an auxiliary system to a vehicle that reduces the fuel system's performance, he or she has violated FMVSS 301 standards. An example of performance reduction could be if fuel from the original system leaked because the auxiliary system was gravity feeding into the original tank. This creates a safety concern as it not only violates FMVSS 301 regulations but is also a hazardous waste problem.

## Transfer Flow fuel tanks are safe, legal, and reliable.

- Fuel tanks are baffled to prevent fuel slosh
- Fuel tanks are pressure tested for leaks
- Meets emissions regulations of the California Air Resources Board, U.S. Department of Transportation, and the Environment Protection Agency
- Meet CARB and EPA fuel fill rates and regulations
- Meet the fastener (strap) regulations specified by the American National Standards Institute (ANSI) and National Fire Protection Association (NFPA) and required by the Recreation Vehicle Industry Association (RVIA)
- Designed using at least 14-gauge aluminized steel
- Liquid-filled fuel tanks are subjected to a 30 ft. drop test

## Our refueling tanks meet United States DOT regulations.

he DOT has issued Transfer Flow Special Permit SP-11911 to manufacture and sell refueling tanks to store and transfer gasoline, diesel, ethanol, methanol, and kerosene. Transfer Flow refueling tanks meet or exceed the testing and certification requirements specified in 49 CFR 178.803.

The following guidelines must be adhered to when installing and using a Transfer Flow refueling tank:

- Refueling tanks are designed to be mounted near the head gate in a pickup box, flat bed, or utility box (no other location on the pickup or truck is recommended)
- Transfer Flow refueling tanks must be attended to at all times during loading and unloading by a qualified person as described in 49 CFR 177.834 (i), (3), and (4)
- Refueling tanks must be retested every two years in accordance with 49 CFR 180.352
- Transfer Flow's DOT Special Permit SP-11911 is supplied with every refueling tank, and must be carried aboard each vehicle

### **Safety Information**



Each Transfer Flow fuel tank system is accompanied by a complete set of instructions. These instructions must be followed with no exceptions.

Always follow State and Federal guidelines for the installation of fuel systems. The following requirements must be followed:

- Do not weld or torch any fuel tank or part
- Always check fuel lines for restrictions or kinks; a restriction or kink can result in either fuel returning to the wrong tank or loss of power when pulling heavy loads
- Always use proper venting procedures (gas cap and/or rollover emissions valves) to prevent over-pressurization of the tank
- Never connect a hot wire with 12 volts directly to the sending unit as this will burn up the sending unit resistor
- Never apply more than 3 psi to any Transfer Flow fuel tank
- Do not install filler necks within 3 feet of any heat source or open flame
- Do not install fuel lines within 3 inches of an exhaust system
- Fuel lines should never be routed on the outside of the vehicle
- Fuel tank information label should never be removed or altered
- Transfer Flow fuel tanks are **NEVER** to be used in conjunction with fuel tanks made by other aftermarket fuel tank manufacturers

Failure to adhere to these requirements will nullify all Transfer Flow warranties and responsibilities.





If you pull an RV or haul long distances, you need a Transfer Flow tank, period! Having an auxiliary tank allows you to find the cheapest fuel along the route. It also allows you to find the stations where you can pull your rig in easily. Plus, it adds value to your vehicle!



by TFI CUSTOMER



## All-American.



## Transfer Flow is your source for premier American-made fuel tanks.



1444 Fortress St., Chico, CA 95973 / (800) 442-0056 / (530) 893-5209 / www.TransferFlow.com